

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF SYMBOLS	xiii
	LIST OF APPENDICES	xiv
1	INTRODUCTION	1
	1.1 Introduction	1
	1.2 Problem Statement	2
	1.3 Objectives	3
	1.4 Scope of the Project	3
	1.5 Thesis Outline	4
2	POWER SYSTEM STABILITY AND FACTS	5
	2.1 Introduction	5
	2.2 Power System Stability	6
	2.2.1 Classification of Power System Stability	7
	2.3 Small Signal Stability Analysis	9
	2.4 Power System Oscillations	10

	2.4.1	Criteria for Damping Oscillations	11
2.5		Flexible AC Transmission Systems	12
	2.5.1	Basic Types of FACTS Controllers	13
	2.5.2	First Generation of FACTS Devices	15
	2.5.3	Second Generation of FACTS Devices	16
2.6		Static Var Compensator	17
	2.6.1	Operating Principle	17
	2.6.2	Advantages of SVC	19
	2.6.3	Disadvantages of SVC	19
	2.6.4	Applications of SVC	19
2.7		SVC for Damping of Power System Oscillations	21
2.8		Power System Analysis Toolbox	23
2.9		Summary	24
3		PLACEMENT OF SVC DEVICES	25
	3.1	Introduction	25
	3.2	Placement of SVC Devices for Damping Enhancement	25
	3.3	Method of SVC Placement	26
	3.4	Residue Method	28
	3.5	Procedures of SVC Placement in PSAT	29
	3.5.1	Steps of SVC Placement for Case Studies	35
	3.6	Summary	39
4		DESIGN OF SVC SUPPLEMENTARY CONTROLLER	41
	4.1	Introduction	41
	4.2	SVC Supplementary Controller	41
	4.3	Design of SVC Supplementary Controller	44
	4.4	Summary	46
5		RESULTS AND DISCUSSION	47
	5.1	Introduction	47

5.2	9 Bus Test System	47
	5.2.1 Best Placement of SVC	48
5.3	11 Bus Test System	51
	5.3.1 Best Placement of SVC	52
	5.3.2 Voltage Response	56
	5.3.3 Angle Deviation	57
	5.3.4 Speed Deviation	59
5.4	Summary	61
6	CONCLUSIONS AND RECOMMENDATIONS	62
	6.1 Introduction	62
	6.2 Conclusions	62
	6.3 Recommendation for Future Work	63
	REFERENCES	64
	Appendices	66-79

LIST OF TABLES

TABLE NO.	TITLE	PAGE
5.1	Rotor angle modes without SVC	48
5.2	Result of residue method due to corresponding SVC location	49
5.3	Rotor angle modes without SVC	52
5.4	Result of residue method due to corresponding SVC location	53

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1	Classification of power system stability	8
2.2	General symbol of FACTS controller	12
2.3	Series controller	13
2.4	Shunt controller	14
2.5	Unified series-series controller	14
2.6	Unified series-shunt controller	15
2.7	SVC configuration	18
2.8	V-I characteristic of SVC	18
2.9	Static Var Compensator	20
2.10	SVC installation	21
2.11	A one-machine system with an SVC	22
2.12	SVC effects on system P- δ curve	23
2.13	PSAT initializing simulink library	24
3.1	First procedure to start with PSAT	30
3.2	Step to load a file	31
3.3	Step to choose case study	32
3.4	9 bus test system	33
3.5	Two area four machines system	34
3.6	Step to change SVC location	35
3.7	Save the file when change the location of SVC	36
3.8	Run power flow and eigenvalue analysis	37
3.9	Report of eigenvalue analysis	38
3.10	Run residue method in M-File	39
4.1	Closed loop system with POD controller	42

4.2	POD controller structure	42
4.3	Blocks of Power Oscillation Damper in PSAT	44
4.4	Blocks of Power System Stabilizer in PSAT	44
4.5	Closed-loop system with PID controller	44
5.1	Eigenvalues of 9 bus test system without SVC	49
5.2	9 bus test system with SVC at bus 7	50
5.3	Eigenvalues of 9 bus test system with SVC	51
5.4	Eigenvalues of two area 11 bus system without SVC	53
5.5	Eigenvalues of two area 11 bus system with SVC	54
5.6	Two area four machines with SVC at bus 7	55
5.7	Graph of voltage response at bus 7	56
5.8	Graph of angle deviation between generators G1 and G3	57
5.9	Graph of angle deviation between generators G1 and G3 without SVC	58
5.10	Graph of speed deviation between generators G1 and G3	59
5.11	Graph of speed deviation between generators G1 and G3 without SVC	60

LIST OF SYMBOLS

ac	-	alternative current
dc	-	direct current
kV	-	kiloVolts
MVA	-	Mega Volt Ampere
p.u.	-	per unit
Q _{max}	-	maximum reactive power
Q _{min}	-	minimum reactive power
S _n	-	power rating
V _{max}	-	maximum voltage
V _{min}	-	minimum voltage
V _n	-	voltage rating
V ₀	-	voltage magnitude
x _l	-	leakage reactance

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Power System Analysis Toolbox	66
B	Data for 9 bus test system	68
C	Data for 11 bus test system	70
D	Residue method to find the best placement of SVC	73
E	Programming to get voltage response for 11 bus test system	74
F	Programming to get angle deviation for 11 bus test system	76
G	Programming to get speed deviation for 11 bus test system	78