

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
1	INTRODUCTION	1
	1.1 Background of the Project	1
	1.2 Problem statements	2
	1.3 Objectives	2
	1.4 Scope of project	2
	1.5 Thesis outline	3
2	LITERATURE REVIEW	4
	2.1 Overview	4
	2.2 Properties of Nickel Electroplating	5
	2.3 Solution are used for nickel electroplating	7
	2.4 Watts bath operation	9
	2.4.1 pH	9
	2.4.2 Agitation and Temperature	10
	2.4.3 Filtration	11
	2.4.4 Additives	11
	2.5 Problems with Watts bathe	12
	2.5.1 Roughness	12
	2.5.2 Adhesion	13
	2.5.3 Ductility and stress	14
	2.5.4 Dull deposits	15
	2.5.5 Purification of Nickel Solution	15
	2.6 Problems with Ni striking	17

2.7	Process of nickel electroplating over stainless steel	17
2.7.1	Background of process	18
2.7.2	Summery of process	19
2.8	Factors for good electroplating	21
2.8.1	Surface preparation	21
2.8.2	Anode	21
2.8.3	Current efficiency	21
2.8.4	Anti-pitting additive	22
2.8.5	Filtration	22
2.8.6	Air agitation	22
2.8.7	Temperature	23
2.9	Problems and corrective action	23
2.9.1	Roughness	23
2.9.2	Pitting	24
2.9.3	Poor adhesion	24
2.9.4	High stress and low ductile	24
2.9.5	Brighteners	25
2.9.6	Current density	25
2.9.7	Nickel striking	26
2.9.8	Pre-treatment process	26
2.10	High speed electroplating	27

3	METHODOLOGY	30
3.1	Introduction	30
3.2	Experimental Setup	30
3.3	Stainless steel sample preparation	32
3.4	Solutions preparation	32
3.5	Experimental Setup	33
3.6.	Sample preparation	35
3.7.	Preparation of samples (for SEM)	36
3.8.	Sample preparation for TEM	37

	3.9. Adhesion testing	38
	3.9.1 Scratch test	39
	3.9.2. Nano scratch test	40
	3.9.3 Tape test	40
	3.10 Expected findings	
4	RESULTS AND DISSCUSION	42
	4.1 Introduction	42
	4.2 Effect of temperature on rate of deposition	42
	4.3 Effect of solution on rate of deposition	44
	4.4 Effect of current density on rate of deposition	45
	4.5 Nano scratch test Analysis	48
	4.6 Tape test analysis	50
	4.7 Type of failure	51
	4.8 Ni Electro crystallization	55
5	CONCLUSION	59
	5.1 Conclusion	59
	REFERENCES	60

LIST OF TABLES

TABLE NO	TITLE	PAGE
2.1	Typical ranges for the components in Watts bath	8
2.2	Typical Operating Parameters for Watts Nickel	9
3.1	shows various current densities applied at three different pre-set temperatures	36
3.2	Rate of deposition is increased by increasing temperature and current density	41

LIST OF FIGURES

FIGURE NO	TITLE	PAGE
2.1	Schematic diagram of nickel electroplating set up	5
3.1	Flowchart to conduct the electroplating process	31
3.2	Project specimen dimensions of the stainless steel rod	32
3.3	Schematic diagram showing the setup of high speed Electroplating of nickel on stainless steel.	34
3.4	High speed electroplating equipment invented by Dr. Sakhawat Hussain A)Surface of cathode B)anode and cathode positioned close togetherC)Water pomp to supply the speed of solution	35
3.5	a) Cross section of sample b) Mounted sample c) polished sample	37
3.6	a)make a layer as thin as possible b) punching c)very small sample for ion polishing	37
3.7	Schematic image of scratch test	39

3.8	scratch test on samples	39
3.9	Tape test	41
4.1	SEM image shows the thickness of nickel layer at T=60°C, C.D=1.3A/cm ²	42
4.2	SEM image shows the thickness of nickel layer at T=55°C,C.D=1.3A/cm ²	43
4.3	SEM image shows the thickness of nickel layer at T=60°C, C.D=0.13 A/cm ² Watts solution	44
4.4	SEM image shows the thickness of nickel layer at T=60°C, C.D=0.13 A/cm ² Sulphate based solution	44
4.5	SEM image shows the thickness of nickel layer at T=55°C,C.D=0.25A/cm ²	45
4.6	SEM image shows the thickness of nickel layer at T=55° C, C.D=1.14 A/cm ²	46
4.7	Optical micrograph showing dendritic growth of the nickel deposits at higher current density	47
4.8	SEM image showing the dendritic growth	47
4.9	Nano scratch tests across interface	48
4.10	Friction against distance	49
4.11	Oblique scratch across interface	50
4.12	nickel layer is peeled off (T=60°C, C.D=2.6A/cm ²)	51

4.13	SEM image of exterior layer of stainless steel at C.D <math><1.3 \text{ A/cm}^2</math> by peel test	51
4.14	SEM image of interior layer of nickel at C.D <math><1.3 \text{ A/cm}^2</math> by peel test	52
4.15	EDAX of exterior layer of stainless steel at C.D <math><1.3 \text{ A/Cm}^2</math>	52
4.16	EDAX of interior layer of nickel at C.D <math><1.3 \text{ A/Cm}^2</math>	53
4.17	SEM image of exterior layer of stainless steel at C.D $>1.3 \text{ A/cm}^2$	53
4.18	SEM image of interior layer of nickel at C.D $>1.3 \text{ A/cm}^2$	54
4.19	EDAX of exterior layer of stainless steel at C.D $> 1.3\text{A/cm}^2$	54
4.20	EDAX of interior layer of nickel at C.D $> 1.3\text{A/cm}^2$	55
4.21	Schematic diagram of electrochemical growth	56
4.22	SEM image of nickel layer was peeled off At C.D=2.6A/cm^2, T=60°C	57
4.23	Optical micrograph showing dendritic growth of the nickel deposits at higher current density	57
4.24	a) TEM image of nano-crystalline nickel over stainless steel b) particle size of nickel deposits	58