

# Elucidation of the Origins of Stratospheric Sulfate Aerosols by Isotopic Methods

Thesis by

Fok-Yan Thomas Leung

In partial fulfillment of the requirements  
for the Degree of  
Doctor of Philosophy



California Institute of Technology  
Pasadena California  
2003

## Acknowledgements

Special thanks to Dr. A. J. Colussi, my collaborator in many of these projects, and without whom I could not have completed this work. A.J. showed me how to develop a coherent thesis, and imparted to me a small part of his great enthusiasm for science.

Thank you also to my supervisor, Professor Michael Hoffmann, who gave me the opportunity to pursue interesting research, and provided support at every step.

Professor Yuk Yung took me under his wing, and showed me the basics of atmospheric modeling. Without his help and his enlisting of Drs. Mark Allen and Run-Lie Shaw to my aid, I could not have been able to complete the modeling studies that comprise Chapter 6 of this work and that allowed me to pull a disparate set of studies into a coherent thesis. It was also from a suggestion of Professor Yung that I looked at the carbonyl sulfide profiles from the MkIV instrument, which I could not have done without the assistance of Geoff Toon at JPL, who patiently explained to me the ins and outs of data retrieval and line lists, and helped me with deciphering both.

Stan Sander and Kyle Bayes at JPL were instrumental in the work reported in Chapter 4.

Also thank you to Joel Savarino, Albi Romero, Nicolas Patris, and Professor Mark Thiemens at UCSD who made the analyses presented in Chapter 5 possible, and also to Rob Leifer and the Environmental Measurements Laboratory in New York City for providing the filter samples.

I couldn't have made it through without the support of my friends in the department. In particular, I'd like to thank my classmates from the beginning, Jennie Stephens and Mariu Hernandez, my confidante and companion over many a margarita at Amigos, Lisa Welp, my fellow Canuck and erstwhile roommate Mike (Mikey) Johnson, and my officemate Chris Boxe.

And of course, thank you to Mom, Dad, and to my brothers Fok-Han, Fok-Shuen, and Fok-Jee for everything.

**Elucidation of the origins of stratospheric sulfate aerosols by isotopic methods**

Fok-Yan Leung,  
*Environmental Science and Engineering, California Institute of Technology*

**Thesis Abstract**

Stratospheric sulfate aerosols (SSA) play an important part in regulating the climate of the earth and in the maintenance of important stratospheric species, including stratospheric ozone. The sources of stratospheric sulfate aerosol sulfur remain an unresolved issue because of uncertainties in the global sulfur budget and model limitations. The origins of SSA particles should be reflected in their isotopic composition. In this thesis project, the sulfur isotopic fractionation factors of processes that produce stratospheric sulfate aerosols (SSA) were quantified using a variety of theoretical and experimental techniques. RRKM (unimolecular dissociation) theory was applied to compute the isotopic fractionation of the homogeneous oxidation of SO<sub>2</sub> via OH radicals. The overall isotopic enrichment associated with the total OCS loss pathways in the stratosphere was determined by analyzing high resolution FT-IR data from balloon flights. The isotopic fractionation of the photolytic decomposition of OCS was estimated by measuring the absorption spectra of OCS sulfur isotopologues. We also measured the isotopic composition of stratospheric aerosols sampled during the period 1973-1974, in the course of the Department of Energy's AIRSTREAM campaign. Combining our results with literature values of the sulfur isotopic composition of SSA precursors, we modeled the steady-state isotopic composition of sulfur compounds in the atmosphere using the JPL/Caltech 1-D chemical transport model. Our data supports the view that OCS and SO<sub>2</sub> are both important in the maintenance of the background stratospheric sulfate aerosol layer.

## Table of Contents

### Chapter 1: Introduction

1.1 Overview	I-1
1.2 Outline	I-5
1.3 Background	I-7
1.3.1 Atmospheric sulfur compounds	I-7
1.3.2 Global sources and sinks of atmospheric carbonyl sulfide	I-8
1.3.3 Sources and sinks of sulfur dioxide and sulfate	I-10
1.3.4 Properties of the background stratospheric sulfate layer	I-11
1.4 Isotopic Effects and the Isotopic composition of atmospheric sulfur	I-17
1.4.1 Expressing isotopic composition	I-17
1.4.2 Isotopic fractionation processes	I-18
1.4.3 Isotopic fractionation as Rayleigh Distillation processes; open and closed systems	I-21
1.4.4 Sulfur Isotopes in the environment	I-23
1.4.5 Short note on Mass-independent isotopic effects	I-25
References	I-27
Appendix A.1	I-33
A.1.1 Aqueous phase chemistry sulfur chemistry	I-33
A.1.2 SO <sub>2</sub> oxidation by O <sub>3</sub>	I-33
A.1.3 SO <sub>2</sub> oxidation by H <sub>2</sub> O <sub>2</sub>	I-34
A.1.4 SO <sub>2</sub> oxidation by OH radical	I-36
A.1.5 SO <sub>2</sub> oxidation by O <sub>2</sub> via metal catalysis	I-37
A.1.6 SO <sub>2</sub> oxidation by nitrogen oxides	I-38
Appendix 1.2 Homogeneous Sulfur Chemistry	I-38

### Chapter 2: Isotopic fractionation of carbonyl sulfide in the atmosphere: Determination of the apparent isotopic enrichment factor of stratospheric processing of OCS

2.1 Introduction	II-1
2.2 Experimental procedure	II-2
2.3 Results and discussion	II-3
2.5 Conclusions	II-13
References	II-13

### **Chapter 3: Atmospheric implications of sulfur isotope effects on the ultraviolet absorption spectrum of carbonyl sulfide**

3.1 Introduction	III-1
3.2 Experimental procedure	III-2
3.3 Results and discussion	III-3
3.4 Conclusions	III-13
References	III-14

### **Chapter 4: Sulfur isotopic fractionation in the gas-phase oxidation of sulfur dioxide initiated by hydroxyl radicals**

4.1 Introduction	IV-1
4.2 Calculation of Kinetic Sulfur Isotope Effects in Reaction 1	IV-2
4.3 Discussion of results and 1-D modeling of sulfur isotopic composition of stratospheric sulfate following the 1963 eruption at Mt. Agung, Bali, Indonesia.	IV-9
References	IV-12
Appendix 4.1 Conceptual model describing the evolution of SSA and the isotopic composition of SSA particles following the eruption at Mt. Agung, Bali, Indonesia in 1963	IV-16

### **Chapter 5: 1-D and 2-D modeling of the isotopic composition of stratospheric sulfur species.**

5.1 Introduction	V-1
5.2 Atmospheric simulation	V-2
5.3 Model results	V-7
5.3.1. Agreement between the results of the CIT/JPL 1-D and 2-D models and the AER 2-D model	V-7
5.3.2 Isotopic enrichment of stratospheric OCS	V-12
5.3.3 Contribution of SO <sub>2</sub> and H <sub>2</sub> SO <sub>4</sub> to the stratospheric sulfate aerosol	V-16
5.4 Conclusions	V-20
References	V-21
Appendix A.5.1: Input and output for the JPL/Caltech 1-D KINETICS model	V-24
Appendix A.6.2: Input for the 2-D model	V-25

### **Chapter 6: Overall summary, general conclusions and directions for future research**

6.1. Introduction	VI-1
6.2 Chapter 2 Summary and future perspectives	VI-1
6.3 Chapter 3 Summary and future perspectives	VI-2
6.4 Chapter 4 Summary and future perspectives	VI-3
6.5 Chapter 5 Summary and future perspectives	VI-4
6.6 Chapter 6 Summary and future perspectives	VI-5
References	VI-6

**Appendix A: Analysis of sulfur isotopic composition of stratospheric sulfate aerosol from filter samples from the AIRSTREAM program, 1973-1974.**

A.1 Introduction	A-1
A.2 Experimental procedure	A-2
A.3 Results and discussion	A-9
A.4 Conclusions	A-6
References	A-7
Appendix A.A.1 List of samples obtained from the EML archives of the HASP Airstream Project	A-9