



UNIVERSITY
OF TRENTO

DIPARTIMENTO DI INGEGNERIA E SCIENZA DELL'INFORMAZIONE

38123 Povo – Trento (Italy), Via Sommarive 14
<http://www.disi.unitn.it>

RECENT ADVANCES IN THE ITERATIVE MULTIZOOMING
RECONSTRUCTION OF NONMEASURABLE EQUIVALENT
CURRENT DENSITIES FOR NON-INVASIVE DIAGNOSTIC
APPLICATIONS

P. Rocca, D. Franceschini, M. Donelli, A. Massa

January 2011

Technical Report # DISI-11-236

Recent Advances in the Iterative Multizooming Reconstruction of Nonmeasurable Equivalent Current Densities for Non-Invasive Diagnostic Applications

P. Rocca, D. Franceschini, M. Donelli, A. Massa

ELEDIA Research Group at DIT, University of Trento, Via Sommarive 14, I-38050 Trento, Italy
Phone: +39 0461 882057, Fax: +39 0461 882093, E-mail: andrea.massa@ing.unitn.it

G. L. Gragnani

DIBE, University of Genova, Via Opera Pia 11A, I-27100 Genova, Italy
Phone: +39 010 3532243, Fax: +39 010 3532245, E-mail: gragnani@dibe.unige.it

In the framework of the inversion of electromagnetic data, several methodologies consider the introduction of an equivalent current density defined into the dielectric domain to be reconstructed. However, even though the above methods looks attractive, they present a number of drawbacks clearly pointed out in [Chew *et al.*, 1994] and ranging from the existence of non-radiating sources (thus of the dimension of the kernel of the integral scattering equation) up to the low-pass filtering behavior of the Green operator. In order to overcome these drawbacks, starting from the theoretical considerations presented by [Habashy *et al.*, 1994] and taking into account the two-step methodology presented in [Gragnani *et al.*, 1999], Donelli and colleagues proposed in [Donelli *et al.*, 2006] an integrated strategy based on an innovative stochastic method and on a multizooming procedure. In order to fully exploit the reduction of the null-space enhancing the achievable spatial resolution, starting from a coarse representation, the method iteratively defines a subgridding of the support of the equivalent current density successively improving the representation (in terms of spatial accuracy) of the non-radiating currents (i.e., their components with respect to a suitable set of basis functions) as well as the scatterer profile by minimizing a suitable nonlinear cost function.

In such a contribution, a more detailed study as well as a comparative analysis on the representation of the nonradiating currents is carried out since their impact on the effectiveness of the reconstruction procedure. Starting from the result that nonradiating sources and the fields they generate within the source domain are simultaneous solutions of the "reduced wave equation" subject to specified boundary conditions [Gamliel *et al.*, 1989], a new complete (in the finite element sense) set of basis functions is determined and integrated in the iterative multiresolution scheme.

The results of a selected set of numerical experiments are presented for pointing out the sensitivity of the reconstruction on the choice of the expansion functions as well as for further analyzing the potentialities and current limitations of the source-based multi-resolution methodology.

REFERENCES

- Chew W. C., Y. M. Wang, G. P. Otto, D. Lesselier, and J. Ch. Bolomey (1994), "On the inverse source method of solving inverse scattering problems," *Inverse Probl.*, vol. 10, pp. 547-553.
- Donelli M., D. Franceschini, M. Benedetti, A. Massa, and G. L. Gragnani (2006), "Inversion of large-scale electromagnetic data through the iterative multizooming reconstruction of nonmeasurable equivalent current densities," *PIERS2006*, Cambridge, USA, p. 227.
- Gamliel A., K. Kim, A. I. Nachman, and E. Wolf (1989), "A new method for specifying nonradiating, monochromatic, scalar sources and their fields," *J. Opt. Soc. Am. A.*, vol. 6, pp. 1388-1393.
- Gragnani G. L. and S. Caorsi (1999), "Inverse-scattering method for dielectric objects based on the reconstruction of nonmeasurable equivalent current density," *Radio Sci.*, vol. 34, pp. 1-8.
- Habashy T. M., M. L. Oristaglio, and A. T. de Hoop (1994), "Simultaneous nonlinear reconstruction of two-dimensional permittivity and conductivity," *Radio Sci.*, vol. 29, pp. 1101-1118.