

Implementation of Total Productive Maintenance (TPM) in Automotive Industry

*Abdul Talib Bon, *Lim Ping Ping

*Faculty of Technology Management, Business and Entrepreneurship

University Tun Hussein Onn Malaysia

86400 Batu Pahat, Malaysia

talibon@gmail.com , mandy_lim17@live.com.my

Abstract— Nowadays, consumers expect manufacturers to provide excellent quality, reliable delivery and competitive pricing. This demands that the manufacturer's machines and processes are highly reliable. In order to possess highly reliable machines to make sure smooth manufacturing process, many organizations have implemented Total Productive Maintenance (TPM) as the enabling tool to maximize the effectiveness of equipment by setting and maintaining the optimum relationship between people and their machines. Overall Equipment Effectiveness (OEE) is used as a measure when evaluating the result of TPM. This paper intends to find out the difference between before and after the TPM implementation to OEE result. Comparison between before and after the implementation of TPM is carried out to see the difference that TPM can bring to an organization. Elements that constitute the OEE equation will be analyzed in order to identify which one that affects OEE result. After identifying, improvement will be made on that element so that OEE result will be improved ultimately. The approach used in this paper is experimental and the instruments used to collect data are observation and interview. Microsoft Excel is used to analyze data obtained and calculate OEE. Hence, TPM is a useful tool in helping firm to achieve optimal manufacturing process. By being able to achieve this level of maintenance, an organization will be able to reap competitive advantages brought by TPM, thus, producing quality products that manage to satisfy customers and subsequently generating greater profits.

Keywords-automotive industry, Overall Equipment Effectiveness, Total Productive Maintenance

I. INTRODUCTION

Having recognized by some world-class Japanese companies over twenty-five years ago, effective application of modern technology can only be achieved through people – starting with the operators and maintainers of that technology – and not through systems alone. Hence the emergence of Total Productive Maintenance (TPM) as the enabling tool to maximize the effectiveness of equipment by setting and maintaining the optimum relationship between people and their machines.

According to [8], TPM is a program that addresses equipment maintenance through a comprehensive productive-maintenance delivery system covering the entire life of the equipment and involving all employees from production and maintenance personnel to top management. Besides that,

TPM is a methodology and philosophy of strategic equipment management focused on the goal of building product quality by maximizing equipment effectiveness.

At many companies where maintenance is viewed as an operational expense to be minimized and not as an investment in increased process reliability, the maintenance practices decrease their competitiveness by reducing throughput, increasing inventory, and leading to poor due-date performance [10]. By the late 1990's, TPM was well entrenched as a continuous improvement methodology across a wide range of industries.

A. Research Background

Automotive industry Malaysia is a booming industry which encompasses areas of activities from car manufacturing to dealing auto business with foreign countries. Automotive industry Malaysia is one of principal producers and exporters of vehicle parts, components and accessories, which are widely accepted to most of leading countries of world. Leading automotive manufacturing companies like Mercedes, Suzuki, Ford, General Motors, Mazda, Nissan and Mitsubishi are using Malaysian automotive products and accessories because of their high quality and competitive prices.

One focus of the business unit Automotive Navigation and Infotainment Systems (AI) lies on system interaction with other vehicle domains to reduce emissions and to provide for greater safety and convenience. Furthermore the developed systems are designed to entertain the vehicle passengers. Innovative instrumentation systems to keep the driver and the front seat passenger informed at all times are developed by the business unit Instrumentation Systems (IS).

The goal of TPM is to bring competitive advantages to organizations, improve quality of the products, and reduce the cost production of the line [14]. It is vital to study the state of TPM implementation by examining the measure of Overall Equipment Effectiveness (OEE) in companies like those located in developing countries such as Malaysia.

B. Problem Statement

Modern manufacturing requires that to be successful organizations must be supported by both effective and

efficient maintenance. One approach to improving the performance of maintenance activities is to implement and develop a total productive maintenance (TPM) strategy. TPM implementation in an organization can ensure higher productivity, better quality, fewer breakdowns, lower costs, reliable deliveries, motivating working environments, enhanced safety and improved morale of the employees [13].

Measurement is an important requirement of continuous improvement process. It is necessary to establish appropriate metrics for measurement purposes. From generic perspective, TPM can be defined in terms of Overall Equipment Effectiveness (OEE) which in turn can be considered a combination of the operation maintenance, equipment management and available resources [3]. The goal of TPM is to maximize equipment effectiveness, and the OEE is used as a measure.

Hence, this paper will focus on the aspect implementation of TPM to OEE. This paper will study the comparison between before and after the TPM implementation to machine performance (OEE) in automotive industry. Comparison of result between before and after the use of TPM will be carried out in order to show the impact that TPM brought. Study on OEE figures will also be conducted as OEE is the indication of machine performance. Identifying the OEE element with the lowest value by comparing the result between OEE obtained to world-class OEE benchmark will be done as it will affect the rate of OEE in TPM implementation. It is to believe that by improving the element's figure, overall OEE rate will increase, production rate of the factory will increase and thus, bringing higher sales and revenue to organization.

C. Research Question

What is the difference between before and after the implementation of TPM to machine performance (OEE)?

D. Research Objective

- To compare between before and after the TPM implementation to machine performance (OEE).
- To identify OEE element that does not meet world-class machine performance (OEE) benchmark.
- To propose suggestions in order to improve machine performance (OEE).

E. Significance of the Study

This study is intended to figure out the contributions of TPM in manufacturing industry by comparing between before and after the implementation of TPM to machine performance (OEE). After showing the contributions, it is to believe that the awareness of employees from shop floor to top management will be increased, thus, increasing the will to keep on implementing TPM in order to maintain company's sustainability. By observing the production process, OEE element that causes low OEE value will be identified, therefore, suggesting resolutions to improve the challenge

encountered. A holistic implementation of TPM will provide and promise high machine performance, moving towards to achieve zero breakdowns, to achieve zero defects, and to achieve improved throughputs which ultimately, bringing high production rate. Besides that, benefits that come along include cultivating sense of ownership of equipment among operators, developing cross functional teams to improve individual employee and employer performance, increasing the life of equipment and plant. This study can also be a future reference for others in the automotive industry as the suggestions made maybe the guidelines for others as well.

II. LITERATURE REVIEW

A. Definitions and Concepts

1) Total Productive Maintenance (TPM)

TPM is a methodology and philosophy of strategic equipment management focused on the goal of building product quality by maximizing equipment effectiveness. It embraces the concept of continuous improvement and total participation by all employees and by all departments. [12]. Emphasizing the role of teamwork, small group activities and the participation of all employees in the TPM process by the Japanese approach, the Western approach focuses on the equipment while understanding that operator involvement and participation is required [11]. TPM experts such as [9] and [15] all agree that a common feature of either the Japanese or Western style approach to TPM is to strive for the three goals of zero defects, zero accidents and zero breakdowns. The aim of TPM activities is to improve the Productivity, Quality costs, Cost of products, Delivery and movement of products, Safety of operations and Morale of those involved (PQCDSM).

2) Eight Pillars in TPM

TPM now comprises of eight different sections which have come to be known as pillars. Each pillar has its own areas of responsibility. They are autonomous maintenance, focused improvement, planned maintenance, quality maintenance, education and training, safety, health and environment, office TPM, and development management.

3) Overall Equipment Effectiveness (OEE)

Overall Equipment Effectiveness (OEE) is the TPM metric for measuring equipment effectiveness or productivity. Variations for calculating OEE are in use, however, most are consistent in identifying three major elements of OEE, which are availability, performance efficiency, and quality rate. TPM has the standards of 90 per cent availability, 95 per cent performance efficiency and 99 per cent rate of quality [7]. An overall 85 per cent benchmark OEE is considered as world-class performance [2, 8].

4) Automotive Industry

Automotive industry Malaysia is a booming industry which encompasses areas of activities from car manufacturing to dealing auto business with foreign countries. Automotive industry Malaysia is one of principal producers and exporters

of vehicle parts, components and accessories, which are widely accepted to most of leading countries of world.

B. Benefits of TPM Implementation

Some of the benefits gained from the implementation of TPM are can ensure higher productivity, better quality, fewer breakdowns, lower costs, reliable deliveries, motivating working environments, enhanced safety and improved morale of the employees [13].

C. Factors Affecting Successful Implementation of TPM

According to [4], there are a few factors affecting successful TPM implementation, which are to approach TPM realistically, accept that TPM will take a long time to spread across the company and change existing maintenance culture and be determined to keep going, to name a few.

D. Barriers to Successful TPM Implementation

Since there are successful factors, sure there will be barriers during implementation. Some of the barriers include underestimating the task, lack of management consensus, and underestimating the importance of knowledge.

E. Past Research

[5] have done an investigation on Libyan cement industry and found that lack of training (operational and maintenance), lack of incentives for improvements, and the lack of personal development system are the current production challenges being faced. Hence, they suggested model framework for the Libyan cement factories so that improvements can be made. Besides that, [16] have mapped the dynamics of overall equipment effectiveness to enhance asset management practices. Having drawn out the dynamic mapping of the maintenance function, they discussed about the production pressure and maintenance performance, effect of cost on delaying long-term investments, and conflicts between maintenance and production, to name a few. [1] have done a study on outlining the factors affecting successful implementation of TPM in United Kingdom (UK) Manufacturing. By viewing these reasons and factors, an organization will know where and how to pay attention to while implementing TPM. [6] have discussed about method to calculate quantitative monetary managerial effects by using OEE. This method has presented the contributions of OEE to management level in a managerial way in order to ease the understanding of managers. [14] has done a case study in adopting the TPM in the food industry and especially in bakery products. The paper aims to develop a methodology for increasing production rate, improving the quality of the products and providing a healthier and safer work environment. Although there are numbers of research done on the TPM and OEE, currently there is no study done on realizing the relationship between TPM implementation and OEE and also identifying the element that affect OEE. Hence,

it is necessary to carry out a research in order to study the issues mentioned.

III. RESEARCH METHODOLOGY

A. Type of Research

This is a quantitative research as the result obtained will be in numeric form.

B. Research Design

The research design used in this paper is causal research. In causal research, the emphasis is on specific hypotheses about the effects of changes of one variable on another variable.

C. Research Strategy

The strategy used in this research is experimental. Experimental design is a set of procedures for devising an experiment such that a change in a dependent variable may be attributed solely to the change in an independent variable.

D. Types of Data and Data Collection Method

1) Primary Data

Primary data is the data collected first hand and directly. It is collected through observation and interview with the person in charge.

2) Secondary Data

Secondary data is obtained from journals, articles, books, internet sources, reviewing documentation and historical records as references.

3) Steps

Steps in collecting data include data collection for availability, performance efficiency, and quality rate, measurement of OEE, identification of element affecting OEE, and lastly DMAIC project for OEE improvement.

a) Measurement of OEE

$$\text{OEE} = \text{Availability (A)} \times \text{Performance Efficiency (P)} \times \text{Rate of Quality (Q)} \quad (3.1)$$

where

$$\text{Availability (A)} = \frac{\text{Plan Operating Time} - \text{Unplan Downtime}}{\text{Plan Operating Time}} \quad (3.2)$$

$$\text{Plan Operating Time} = \text{Shift Length} - \text{Plan Downtime} \quad (3.3)$$

$$\text{Performance Efficiency (P)} = \frac{\text{Performance Time}}{\text{Net Operating Time}} \quad (3.4)$$

$$\text{Net Operating Time} = \text{Plan Operating Time} - \text{Unplan Downtime} \quad (3.5)$$

$$\text{Quality Rate (Q)} = \frac{\text{Good Pieces}}{\text{Total Pieces}} \quad (3.6)$$

$$\text{Good Pieces} = \text{Total Pieces} - \text{Reject Pieces} \quad (3.7)$$

E. Population and Sampling Design

1) Population

The population in this study is the Manufacturing Operation and Engineering Department of Automotive Industry.

2) Sampling Design

Due to this is an experiment, so non-probability sampling is used in collecting data as the data that is going to be collected is just from one organization – Automotive Industry only. Non-probability sampling is one in which each element of the population does not have an equal probability of selection. When choosing type of non-probability sampling, purposive or judgmental sampling is chosen as the method of choosing samples. The reason of choosing purposive sampling is the subject to be studied is fixed, which are the machines in the production lines.

3) Research Sample

The research sample in this study is the machines available in Manufacturing Operation and Engineering Department.

4) Research Instrument

The instruments that are going to be used in this study are observation, and interview. Observation is carried out by observing closely the activities of machines and data is recorded. Interview will be conducted on the person in charge of Manufacturing Operation and Engineering Department in order to understand more about the implementation history of TPM in Automotive Industry.

F. Variables

The independent variable in this experiment is the implementation of TPM while the dependent variable is machine performance (OEE).

G. Data Analysis Technique

Automotive Industry uses Microsoft Excel in analyzing data and when calculating OEE. Besides that, graphic method will be used in order to show a clearer picture of implementation of TPM to OEE and to identify element that affects OEE the most.

showing how the research is carried out and how data is collected is presented in this paper. Literature review is shared in order to show the significance of this study by providing past researches. Those past researches have shown that there is no other study being done in this area, thus, creating a need to study this area.

REFERENCES

- [1] Bamber, C. J., J. M. Sharp, et al. (1999). "Factors Affecting Successful Implementation of Total Productive Maintenance: A UK Manufacturing Case Study Perspective." *Journal of Quality in Maintenance Engineering* 5(3): 162-181.
- [2] Blanchard, B.S. (1997), "An enhanced approach for implementing total productive maintenance in the manufacturing environment", *Journal of Quality in Maintenance Engineering*, Vol. 3 No. 2, pp. 69-80.
- [3] Chan, F.T.S., Lau, H.C.W., Ip, R.W.L., Chan, H.K. and Kong, S. (2005), "Implementation of total productive maintenance: a case study", *International Journal of Production Economic*, Vol. 95, pp. 71-94.
- [4] Davis, R. (1997), "Making TPM a part of factory life", *TPM Experience (Project EU 1190, Sponsored by the DTI)*, Findlay.
- [5] Graisa, M. and Al-Habaibeh, A. (2011), "An investigation into current production challenges facing the Libyan cement industry and the need for innovative total productive maintenance (TPM) strategy", *Journal of Manufacturing Technology Management*, Vol. 22 No. 4, pp. 541-558.
- [6] Kwon, O.W. and Lee, H.C. (2004), "Calculation methodology for contributive managerial effect by OEE as a result of TPM activities", *Journal of Quality in Maintenance Engineering*, Vol. 10 No. 4, pp. 263-272.
- [7] Levitt, J. (1996), *Managing Factory Maintenance*, Industrial Press Inc., New York, NY.
- [8] McKone, K.E., Schroeder, R.G., and Cua, K.O. (1999), "Total productive maintenance: a contextual view", *Journal of Operations Management*, Vol. 17, pp. 123-44.
- [9] Nakajima, S. (1988), *TPM: Introduction to Total Productive Maintenance*, Productivity Press Inc.
- [10] Patterson, J. W., L. D. Fredendall, et al. (1996). "Adapting Total Productive Maintenance to Asten, Inc." *Production and Inventory Management Journal* Vol. 37 No. 4, pp. 32-37.
- [11] Pomorski, T. (2004), "Total Productive Maintenance Concepts and Literature Review"
- [12] Society of Manufacturing Engineers (1995). *Total Productive Maintenance in America*. Dearborn, MI, Society of Manufacturing Engineers.
- [13] Tripathi, D. (2005), "Influence of experience and collaboration on effectiveness of quality management practices: the case of Indian manufacturing", *International Journal of Productivity and Performance Management*, Vol. 54 No. 1, pp. 23-33.
- [14] Tsarouhas, P. (2007), "Implementation of total productive maintenance in food industry: a case study", *Journal of Quality in Maintenance Engineering*, Vol. 13 No. 1, pp. 5-18.
- [15] Willmott, P. (1997), *TPM: Total Productive Maintenance: The Western Way*, Butterworth-Heinemann, Oxford.
- [16] Zuashkiani, A., Rahmandad, H. and Jardine, A.K.S. (2011), "Mapping the dynamics of overall equipment effectiveness to enhance asset management practices", *Journal of Quality in Maintenance Engineering*, Vol. 17 No. 1, pp. 74-92.

IV. CONCLUSION

Definition of TPM and OEE has been given in this proposal. Besides that, other information such as background, problem statement, scope, significance and etcetera are mentioned too. Research methodology in