

7. Literaturverzeichnis

- Abraham RT: Cell cycle checkpoint signalling through the ATM and ATR kinases. *Genes Dev.* **15** pp 2177-2196 (2001)
- Alam J, Cook JL: Reporter genes: application to the study of mammalian gene transcription. *Anal Biochem.* **188** pp 245-254 (1990)
- Al-Mohanna MA, Al-Khadairy FM, Krezolek Z, Bertilsson PA, Al-Hossein KA., and Aboussekha A.: p53 dispensable for UV-induced cell cycle arrest at late G1 in mammalian cells. *Carcinogenesis* **22** pp 573-578 (2001)
- Altschul SF, Gish W, Miller W, Myers EW, and Lipman DJ: Basic local alignment search tool. *J. Mol. Biol.* **215** pp 403-410 (1990)
- Andres JL, Fan S, Turkel GJ, Wang JA, Twu NF, Yuan RQ, Lamszus K, Goldberg ID, and Rosen EM: Regulation of BRCA1 and BRCA2 expression in human breast cancer cells by DNA-damaging agents. *Oncogene* **16** pp 2229-2241 (1998)
- Anton HJ, Grigoryan EN, and Mitashov VI: Influence of longitudinal whole animal clinorotation on lens, tail and limb regeneration in urodeles. *Adv Space Res* **17** pp 55-65 (1996)
- Anton HJ, Grigoryan EN, Krupp-Beyerlein K, Pfitzer H, and Mitashov VI: Influence of clinorotation and fettering stress on tail regeneration of Triturus vulgaris (Urodela). *Adv Space Res* **21** pp 1159-1162 (1998)
- Aprelikova O, Pace AJ, Fang B, Koller BH, and Liu ET: BRCA1 is a selective co-activator of 14-3-3 sigma gene transcription in mouse embryonic stem cells. *J Biol Chem* **276** pp 25647-25650 (2001)
- Aquilina G, Bignami M: Mismatch repair in correction of replication errors and processing of DNA damage. *J. Cell Physiol* **187** pp 145-154 (2001)
- Arenz A, Hellweg CE, and Baumstark-Khan C: Gene expression in mammalian cells after exposure to 95 MeV/amu argon ions. *Adv Space Res* **36** pp 1680-1688 (2005)
- Arenz A, Hellweg CE, Stojicic N, Baumstark-Khan C, and Grotheer HH: Gene expression modulation in A549 human lung cells in response to combustion generated nano-sized particles. *Ann NY Acad Sci* **1091** pp 170-183 (2006)
- Arenz A, Stojicic N, Lau P, Hellweg CE, and Baumstark-Khan C: Suitability of commonly used housekeeping genes in gene expression studies for space radiation research. *Adv Space Res* doi: 10.1016/j.asr.2007.02.028 (2007)
- Azam N, Vairapandi M, Zhang W, Hoffman B, and Liebermann DA: Interaction of CR6 (GADD45gamma) with proliferating cell nuclear antigen impedes negative growth control. *J Biol Chem* **276** pp 2766-2774 (2001)
- Baldwin AS Jr.: The NF-kappa B and I kappa B Proteins: new discoveries and insights. *Annu Rev Immunol* **14** pp 649-683 (1996)
- Bauerle P A, Baltimore D: NF-kappa B: ten years after. *Cell* **87** pp 113-20 (1996)
- Baumstark-Khan C, Hellweg CE, Arenz A, and Meier MM, Horneck G: Getting ready for the manned mission to the Mars: Bioassays for Space Research. In: "Genetically engineered and optical probes for biomedical applications. eds: Savitsky AP, Brovko LY, Bornhop DJ, Raghavachari R, Achilefu SI. SPIE, Bellingham, WA, USA: The International Society for Optical Engineering pp 118-131 (2004)
- Baumstark-Khan C, Hellweg CE, Arenz A, and Meier MM: Cellular monitoring of the nuclear factor kappaB pathway for assessment of space environmental radiation. *Radiat Res* **164** pp 527-530 (2005b)
- Baumstark-Khan C, Hentschel U, Nikandrowa Y, Krug J, and Horneck G: Fluometric analysis of DNA-unwinding (FADU) as a method for detection repair-induced DNA strand breaks in UV-irradiated mammalian cells. *Photochem. Photobiol* **72** pp 477-484 (2000)
- Bender K, Gottlicher M, Whiteside S, Rahmsdorf HJ, and Herrlich P: Sequential DNA damage-independent and -dependent activation of NF-kappaB by UV. *EMBO J* **17** pp 5170-5180 (1998)
- Berger T, Reitz G: Weltraumspaziergang eines Phantoms. *DLR Nachrichten* **113**, 2006
- Biolo G, Heer M, Narici M, and Strollo F: Microgravity as a model of aging. *Curr Opin Clin Nutr Metab Care* **6** pp 31-40 (2003)

- Birnboim HC, Jevcak JJ: Fluometric method for rapid detection of DNA strand breaks in human white blood cells produced of low doses of irradiation. *Cancer Research* **41** pp 1889-1892 (1981)
- Bottero V, Imbert V, Frelin C, Formento JL, and Peyron JF: Monitoring NF- κ B transactivation potential via real time PCR quantification of I kappa B-alpha gene expression. *Mol Diagn* **7** pp 187-194 (2003)
- Braastad CD, Han Z, and Hendrickson EA: Constitutive DNase I hypersensitivity of p53-regulated promoters. *J Biol Chem* **278** pp 8261-8268 (2003)
- Brooks AL: Developing a scientific basis for radiation risk estimates: major goal of the DOE Low Dose Radiation Research Program. *Inter. Congr. Ser.* **1258** pp 287-295 (2003)
- Brooks SC, Locke ER, and Soule HD: Estrogen receptor in a human cell line (MCF-7) from breast carcinoma. *J Biol Chem* **248** pp 6251-6253 (1973)
- Bulavin DV, Kovalsky O, Hollander MC, and Fornace AJ jr: Loss of oncogenic H-ras-induced cell-cycle arrest and p38 mitogen-activated protein kinase activation by disruption of Gadd45a. *Mol Cell Biol* **23** pp 3859-3871 (2003)
- Burstein E, Duckett CS: Dying of NF κ B? Control of cell death by transcriptional regulation of the apoptotic machinery. *Curr opin Cell Biol* **15** pp 732-737 (2003)
- Busch D, Greiner C, Lewis K, Ford R, Adair G, and Thompson L: Summary of complementation groups of UV-sensitive CHO cell mutants isolated by large-scale screening. *Mutagenesis* **4** pp 349-354 (1989)
- Carrier F, Georgel PT, Pourquier P, Blake M, Kontny HU, Antinore MJ, Gariboldi M, Myers TG, Weinstein JN, Pommier Y, and Fornace AJ jr: GADD45a, a p53-responsive stress protein, modifies DNA accessibility on damaged chromatin. *Mol Cell Biol* **19** pp 1673-1685 (1999)
- Caspari T: How to activate p53. *Curr Biol* **10** pp R315-317 (2000)
- Chan TA, Hwang PM, Hermeking H, Kinzler KW, and Vogelstein B: Cooperatives effects of genes controlling the G(2)/M checkpoint. *Genes Dev* **14** pp 1584-1588 (2000)
- Chen LF, Fischle W, Verdin E, and Greene WC: Duration of nuclear NF- κ B action regulated by reversible acetylation. *Science* **293** pp 1653-1657 (2001)
- Chomczynski P, Sacchi N: Single step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal. Biochem.* **162** pp 156-159 (1987)
- Clevenger CV: Roles and regulation of stat family transcription factors in human breast cancer. *Am J Pathol* **165** pp 1449-1460 (2004)
- Cogoli A: Gravitational physiology of human immune cells: a review of in vivo and in vitro studies. *J Gravit Physiol.* **3** pp 1-9 (1996)
- Colman MS, Afshari CA, and Barerett JC: Regulation of p53 stability and activity in response to genotoxic stress. *Mutat Res* **462** pp 179-188 (2000)
- Costa RM, Chigancas V, Galhardo Rda S, Carvalho H, and Menck CF: The eukaryotic nucleotide excision repair pathway. *Biochemie* **85** pp 1083-1099 (2003)
- Coultras L, Strasser A: The molecular control of DNA-damage-induced cell death. *Apoptosis* **5** pp 491-507 (2000)
- Darzynkiewicz Z, Bruno S, Del Bino G, Gorzyca W, Hotz MA, Lassota P, and Traganos F: Features of apoptotic cells measured by flow cytometry. *Cytometry* **13** pp 795-808 (1992)
- De Smaele E, Zazzeroni F, Papa S, Nguyen DU, Jin R, Jones J, Cong R, and Franzoso G: Induction of gadd45beta by NF- κ B downregulates pro-apoptotic JNK signalling. *Nature* **414** pp 308-313 (2001)
- Degan P, Cesarone CF, Ottaglio L, Galleri G, Melloni MA, Zunino A, Viaggi S, Bonatti S, and Abbondandolo A: Effects of simulated microgravity on metabolic activities related to DNA damage and repair in lymphoblastoid cells. *J Gravit Physiol* **8** pp 21-22 (2001)
- Degan P, Sancandi M, Zunino A, Ottaglio L, Viaggi S, Cesarone F, Pippia P, Galleri G, and Abbondandolo A: Exposure of human lymphocytes and lymphoblastoid cells to simulated microgravity strongly affects energy metabolism and DNA repair. *J Cell Biochem* **94** pp 460-469 (2005)
- Devary Y, Rosette C, DiDonato JA, and Karin M: NF- κ B activation by ultraviolet light not dependent on a nuclear signal. *Science* **261** pp 1442-1445 (1993)
- Diamond RA, DeMaggio S: In *Living Color/ Protocols in Flow Cytometry and Cell Sorting*, 1. Auflage, Springer Lab Manual, Springer Verlag Berlin, Heidelberg, New York, 3-540-65149-7. (2000)

- Dornreiter I: Der Zusammenhang von strahleninduziertem Zelltod (Apoptose) und dem protektiven G2/M Arrest in menschlichen Zellen. BMU-2006-679; ISSN 1612-6386
- Ducut Sigala JL, Bottero V, Young DB, Shevchenko A, Mercurio F, and Verma IM: Activation of transcription factor NF-kappaB requires ELKS, an IkappaB kinase regulatory subunit. *Science* **304** pp 1963–7 (2004)
- Durante M, Kronenberg A: Ground-based research with heavy ions for space radiation protection. *Adv. Space Res.* **35** pp 180–184 (2005)
- Durante M, Snigiriyova G, Akaeva E, Bogomazova A, Druzhinin S, Fedorenko B, Greco O, Novitskaya N, Rubanovich A, Shevchenko V, Von Recklinghausen U, and Obe G: Chromosome aberration dosimetry in cosmonauts after single or multiple space flights. *Cytogenet Genome Res.* **103** pp 40-46 (2003)
- Elledge SJ: Cell cycle checkpoints: Preventing an identity crisis. *Science* **274** pp 1664-1672 (1996)
- Facius R: Radiobiological factors in manned spaceflight. NYAS, 5.W.H. Langham (ed.) Publication 1487 (1984)
- Fan S, Twu NF, Wang JA, Yuan RQ, Andres J, Goldberg ID, and Rosen EM: Down-regulation of BRCA1 and BRCA2 in human ovarian cancer cells exposed to adriamycin and ultra-violet radiation. *Int J Cancer* **77** pp 600-609 (1998)
- George K, Wu H, Willingham V, and Cucinotta FA: Analysis of complex-type chromosome exchanges in astronauts lymphocytes after space flight as a biomarker of high-LET exposure. *J Radiat Res (Tokyo)* **43** Suppl: S 129-132 (2002)
- Ghosh S, May MJ, and Kopp EB: NF- κ B and Rel-proteins: Evolutionarily conserved mediators of immune responses. *Annu Rev Immunol* **16** pp 225-260 (1998)
- Giard DJ, Aaronson SA, Todaro GJ, Arnstein P, Kersey JH, Dosik H, and Parks WP: In vitro cultivation of human tumors: establishment of cell lines derived from a series of solid tumors. *J Natl Cancer Inst.* **51** pp 1417-1423 (1973)
- Graham FL, Smiley J, Russel WC, and Nairn R: Characteristics of a human cell line transformed by DNA from adenovirus type 5. *J. Gen. Virol.* **36** pp 59-72 (1977)
- Gruvberger S, Ringner M, Chen Y, Panavally S, Saal LH, Borg A, Ferno M, Peterson C, and Meltzner P: Estrogen Receptor Status in Breast Cancer is associated with remarkably distinct gene expression patterns. *Cancer Res* **61** pp 5979-5984 (2001)
- Guillouf C, Rosselli F, Krishnaraju K, Moustacchi E, Hoffman B, and Liebermann DA: p53 involvement in control of G2 exit of the cell cycle: role in DNA damage-induced apoptosis. *Oncogene* **10** pp 2263-70 (1995)
- Guittet O, Hakansson P, Voevodskaya N, Fridd S, Graslund A, Arakawa H, Nakamura Y, and Thelander L: Mammalian p53R2 protein forms an active ribonucleotide reductase in vitro with the R1 Protein, which is expressed both in resting cells in response to DNA damage and in proliferating cells. *J Bio Chem* **276** pp 40647-40651 (2001)
- Habraken Y, Piette J: NF- κ B activation by double-strand breaks *Biochem Pharmacol* **72** pp 1132-1141 (2006)
- Hakansson P, Hofer A, Thelander L: Regulation of mammalian ribonucleotide reduction and dNTP pools after DNA damage in resting cells. *J Biol Chem* **281** pp 7834-7841 (2006)
- Hammond TG, Benes E, O'Reilly KC, Wolf DA, Linnehan RM, Taher A, Kaysen JH, Allen PL, and Goodwin TJ: Mechanical culture conditions effect gene expression: gravity-induced changes on the space shuttle. *Physiol Genomics* **3** pp 163-173 (2000)
- Hanahan D: Studies on transformation of E.coli with plasmids. *J.Mol.Biol* **166** pp 557-580 (1983)
- Hayflick L: Current theories of biological aging. *Fed Proc* **34** pp 9-13 (1975)
- Heilmann J, Taucher-Scholz G, and Kraft G: Induction of double-stand breaks in CHO-K1 cells by carbon ions. *Int. J. Radiat. Biol* **2** pp 153-162 (1995)
- Hellweg CE: Nachweis UV-induzierter Genaktivierung in Säugerzellen mit Hilfe eines stabil in das Genom integrierten GFP-Vektors. Inaugural-Dissertation Freie Universität Berlin (2003)
- Hellweg CE, Arenz A, Meier MM, and Baumstark-Khan C: Cellular monitoring systems for the assessment of space environmental factors. *Adv Space Res* **36** pp 1673-1679 (2005)
- Hellweg CE, Arenz A, Bogner S, Schmitz C, and Baumstark-Khan C: Activation of nuclear factor kappa B by different agents: influence of culture-conditions in a cell-based assay. *Ann N Y Acad Sci* **1091** pp 191-204 (2006)

- Hellweg CE, Arenz A, and Baumstark-Khan C: Assessment of space environmental factors by cytotoxicity bioassays. *Acta Astronautica* **60** pp 525-533 (2007a)
- Hellweg CE, Spitta L, Arenz A, Bogner SC, Ruscher R, and Baumstark-Khan C: Transcriptional response of human cells to microbeam irradiation with 2.1 MeV α -particles. *Adv Space Res* doi: 10.1016/j.asr.2007.03.028 (2007b)
- Hellweg CE, Thelen M, Arenz A, and Baumstark-Khan C: The German ISS-experiment *Cellular Responses to Radiation in Space* (CERASP): The effects of single and combined space flight conditions on mammalian cells. *Adv Space Res* doi: 10.1016/j.asr.2006.11.015 (2007c)
- Heynderickx D: Review on modelling of the radiation belts. *Int J of Mod Phys, WSPC* **25** pp 87-97 (2002)
- Hinghofer-Szalkay HG: Physiology of cardiovascular, respiratory, interstitial, endocrine, immune, and muscular systems. In: D. Moore, P. Bie and H. Oser (eds.) *Biology and Medical Research in Space*, Springer, Berlin, pp. 107-153 (1996)
- Hollander MC, Sheikh MS, Bulavin DV, Lundgren K, Augeri-Henmueller L, Shehee R, Molinaro TA, Kim KE, Tolosa E, Ashwell JD, Rosenberg MP, Zhan Q, Fernandez-Salguero PM, Morgan WF, Deng CX, and Fornace AJ jr: Genomic instability in GADD45a-deficient mice. *Nat Genet.* **23** pp 176-184 (1999)
- Horneck G: Impact of microgravity on radiobiological processes and efficiency of DNA repair. *Mutat Res* **430** pp 221-228 (1999)
- Horneck G: Radiobiological experiments in space: a review. *Nucl Tracks Radiat Meas* **20** pp 185-205 (1992)
- Horstmann M, Durante M, Johannes C, Pieper R, and Obe G: Space radiation does not induce a significant increase of intrachromosomal exchanges in astronauts' lymphocytes. *Radiat Environ Biophys.* **44** pp 219-224 (2005)
- Hughes-Fulford M: Changes in gene expression and signal-transduction in microgravity. *J Gravit Physiol.* **8** pp P1-4 (2001)
- Hwang BJ, Ford JM, Hanawalt PC, and Chu G: Expression of the p48 xeroderma pigmentosum gene is p53-dependent and is involved in global genomic repair. *Proc Natl Acad Sci USA* **96** pp 424-428 (1999)
- Inoue H, Nojima H, and Okayama H: High efficiency transformation of Escherichia coli with plasmids. *Gene* **96** pp 23-28 (1990)
- Jeggo P A, Carr A M, and Lehmann A R: Cloning human DNA repair genes. *Int. J. Radiat. Biol.* **66** pp 573-577 (1994)
- Jin S, Zhao H, Fan F, Blanck P, Fan W, Colchagie AB, Fornace AJ jr, and Zhan Q: BRCA1 activation of the GADD45 promotor. *Oncogene* **19** pp 4050-4057 (2000)
- Kadhim MA, Wright EG: Radiation induced-transmissible chromosomal instability in haemopoietic stem cells. *Adv Space Res* **22** pp 587-596 (1998)
- Kaeser MD, Iggo RD: Chromatin immunoprecipitation analysis fails to support the latency model for regulation of p53 DNA binding activity in vivo. *Proc Natl Acad Sci USA* **99** pp 95-100 (2002)
- Kanter PM, Schwartz HS: A fluorescence enhancement assay for cellular DNA damage. *Mol Pharmacol* **22** pp 145-151 (1982)
- Karin M, Ben-Neriah Y: Phosphorylation meets ubiquination: the control of NF-[kappa]B activity. *Annu Rev Immunol* **18** pp 621-663 (2000)
- Kastan MB, Zhan Q, el-Deiry WS, Carrier F, Jacks T, Walsh WV, Plunkett BS, Vogelstein B, and Fornace AJ jr: A mammalian cell cycle checkpoint pathway utilizing p53 and GADD45 is defective in ataxia-telangiectasia. *Cell* **71** pp 587-597 (1992)
- Kearsey JM, Coates PJ, Prescott AR, Warbrick E, and Hall PA: Gadd45 is a nuclear cell cycle regulated protein which interacts with p21Cip1. *Oncogene* **11** pp 1675-1683 (1995)
- Kepler TB, Crosby L, Morgan KT: Normalization and analysis of DNA microarray data by self-consistency and local regression. *Genome Biol* **3** pp RESEARCH0037 (2002)
- Kerr JF, Wyllie AH, and Currie AR: Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* **26** pp 239-257 (1972)
- Keutgens A, Robert I, Viatour P, Chariot A: Deregulated NF- κ B activity in haematological malignancies. *Biochem Pharmacol* **72** pp 1069-1080 (2006)

- Khanna KK, Jackson SP: DNA double-strand breaks: signalling, repair and cancer connection *Nat Genet* **27** pp 247-254 (2001)
- Kiefer J, Schenk-Meuser K, and Kost M: Radiation biology, In: D. Moore, P. Bie and H. Oser (eds.) *Biology and Medical Research in Space*, Springer, Berlin, pp. 300-367 (1996)
- Kroll TC, Wölfel S: Ranking: a closer look on globalisation methods for normalisation of gene expression arrays. *Nucleic Acids Res.* **30** pp e50 (2002)
- Lane DP, Crawford LV: T antigen is bound to a host protein in SV40-transformed cells. *Nature* **278** pp 261-263 (1979)
- Lee ML, Kuo FC, Whitmore GA, and Sklar J: Importance of replication in microarray gene expression studies: statistical methods and evidence from repetitive cDNA hybridizations. *Proc Natl Acad Sci USA* **97** pp 9834-9839 (2000)
- Lewin B: *Genes VII*. Oxford University Press (2000)
- Li N, Banin S, Ouyang H, Li GC, Courtois G, Shiloh Y, Karin M, and Rotman G: ATM is required for IkappaB kinase (IKKK) activation in response to DNA double strand breaks. *J. Biol. Chem* **276** pp 8898-8903 (2001)
- Li N, Karin M: Ionizing radiation and short wavelength UV activate NF-kappaB through two distinct mechanisms. *Proc Natl Acad Sci USA* **95** pp 13012-13017 (1998)
- Li X, Zhao X, Fang Y, Jiang X, Duong T, Fan C, Huang CC, and Kain SR: Generation of destabilized green fluorescent protein as a transcription reporter. *J Biol Chem* **273** pp 34970-34975 (1998)
- Light Cycler Relative Quantification Software; Version 1.0, Roche Molecular Biochemicals (2001)
- Linzer DI, Levine AJ: Characterization of a 54K dalton cellular SV40 tumour antigen present in SV40-transformed cells and uninfected embryonal carcinoma cells. *Cell* **17** pp 43-52 (1979)
- Livak KJ, Schmittgen TD: Analysis of relative gene expression data using real-time PCR and the 2 [-delta delta C(T)] Method; *Methods* **25** pp 402-408 (2001)
- Löbrich M, Cooper PK, and Rydberg B: Joining of correct and incorrect DNA end at double-strand breaks produced by high-linear energy transfer radiation in human fibroblasts. *Radiat Res* **150** pp 619-626 (1998)
- Lorimore SA, Coates PJ, and Wright EG: Radiation-induced genomic instability and bystander effects: inter-related nontargeted effects of exposure to ionizing radiation. *Oncogene* **22** pp 7058-7069 (2003)
- Lottspeich F, Zorbas H.: *Bioanalytik*. Spektrum Akademischer Verlag, Heidelberg, Berlin (1998)
- MacFarlane M, Williams AC: Apoptosis and disease: a life or death decision. *EMBO reports* **7** pp 674-678 (2004)
- Mahrhofer H, Bürger S, Oppitz U, Flentje MD, and Djuzenova CH: Radiation induced DNA damage and damage repair in human tumour and fibroblast cell lines assessed by histone H2AX phosphorylation. *Int J Radiat Oncol Biol Phys* **64** pp 573-580 (2006)
- Marmorstein LY, Ouchi T, and Aaronson SA: The BRCA2 gene product functionally interacts with p53 and Rad51. *Proc.Natl.Acad.Sci.USA* **95** pp 13869-13874 (1998)
- Martindale JL, Holbrook NJ: Cellular response to oxidative stress; signalling for suicide and survival. *J Cell Physiol* **192** pp 1-15 (2002)
- McGarrity GJ, Vanaman V, and Sarama J: Cytogenic effects of mycoplasmal infection of cell culture: a review. *In Vitro* **20** pp 1-18 (1984)
- McPhee JC, White RJ: Physiology, medicine, long-duration space flight and the NSBRI. *Acta Astronaut* **53** pp 239-248 (2003)
- Middleton T, Sugden B: Retention of plasmid DNA in mammalian cells is enhanced by binding of the Epstein-Barr virus replication protein EBNA1. *J Virol* **68** pp 4067-4071 (1994)
- Mognato M, Celotti L: Modelled microgravity affects cell survival and HPRT mutant frequency, but not the expression of DNA repair genes in human lymphocytes irradiated with ionising radiation. *Mutat Res* **578** pp 417-429 (2005)
- Moore D, Cogoli A: Gravitational and space biology, In: D. Moore, P. Bie and H. Oser (eds.) *Biology and Medical Research in Space*, Springer, Berlin, pp. 1-106 (1996)
- Mossmann T: Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *J Immunol Meth* **65** pp 55-63 (1983)
- Mullenders L, Berneburg M: Photoimmunology and nucleotide excision repair: impact of transcription coupled and global genome excision repair. *J of Photochemistry and Photobiology* **56** pp 97-100 (2001)

- Muschel RJ, Soto DE, McKenna WG, and Bernhard EJ: Radiosensitization and apoptosis. *Oncogene* **17** pp 3359-3363 (1998)
- Nelson WG, Kastan MB: DNA strand breaks: the template alterations that trigger p53-dependent DNA-damage response pathways. *Mol. Cell. Biol.* **14** pp 1815-23 (1994)
- Nicoletti I, Migliorati G, Paggiaci MC, and Ricardi C: A rapid and simple method for measuring thymocyte apoptosis by propidium iodide staining and flow cytometry. *J Immunol Methods* **139** 271-279 (1991)
- Nishimori H, Shiratsuchi T, Urano T, Kimura Y, Kiyono K, Tatsumi K, Yoshida S, Ono M, Kuwano M, Nakamura Y, and Tokino T: A novel brain-specific p53-target gene, BAI1, containing trombospondin type 1 repeats inhibits experimental angiogenesis. *Oncogene* **15** pp 2145-2150 (1997)
- O'Connor PM: Mammalian G1 and G2 phases checkpoints. *Cancer Surv* **29** pp 151-182 (1997)
- Obaya AJ, Sedivy JM: Regulation of cyclin-Cdk activity in mammalian cells. *Cell Mol Life Sci* **59** pp 126-142 (2002)
- Obe G, Pfeiffer P, Savage JR, Johannes C, Goedecke W, Jeppesen P, Natarajy AT, Martinet-Lopez W, Folle GA, and Drets ME: Chromosomal aberrations: formation, identification and distribution. *Mutat Res* **504** pp 17-36 (2002)
- Ohnishi T, Takahashi A, Wang X, Ohnishi K, Ohira Y, and Nagaoka S: Accumulation of a tumor suppressor p53 protein in rat muscle during space flight. *Mutat Res* **430** pp 271-274 (1999)
- Ohnishi T, Wang X, Fukuda S, Takahashi A, Ohnishi K, and Nagaoka S: Accumulation of a tumor suppressor p53 in rat muscle during space flight. *Adv Space Res* **25** pp 2119-2122 (2000)
- Okhi R, Nemoto J, Murasawa H, Oda E, Inazawa J, Tanaka N, and Taniguchi T: Reprimo, a new candidate mediator of the p53-mediated cell-cycle arrest at the G2 phase. *J. Biol Chem* **28** pp 22627-22630 (2000)
- Ormerod MG, Payne AW, and Watson JV: Improved program for the analysis of DNA histograms. *Cytometry* **8** pp 637-641 (1987)
- Orrenius S, Zhivotovsky B, and Nicotera P: Regulation of cell death: the calcium apoptosis link. *Nat Rev Mol Cell Biol* **4** pp 552-565 (2003)
- Palm M: Eignung von „Enhanced Green Fluorescent Protein“ als Reporterprotein in Säugerzellen für die Bestimmung des zytotoxischen Potentials von UV-Strahlung. Inaugural-Dissertation Universität zu Köln (2002)
- Panta GR, Kaur S, Cavin LG, Cortes ML, Mercurio F, Lothstein L, Sweatman TW, Israel M, and Arsura M: ATM and the catalytic subunit of DNA-dependent protein kinase activate NF-kappaB through a common MEK/extracellular signal-regulated kinase/p90(rsk) signaling pathway in response to distinct forms of DNA damage. *Mol. Cell. Biol.* **24** pp 1823-1835 (2004)
- Paull TT, Rogakou EP, Yamazaki V, Kirchgessner CU, Gellert M, and Bonner WM: A critical role for histone H2AX in recruitment for repair factors to nuclear foci after DNA damage. *Curr Biol* **10** pp 886-895 (2000)
- Perkins ND: NF- κ B: Tumor promoter or suppressor? *Trends Cell Biol* **14** pp 64-69 (2004)
- Petrini JH: The mammalian Mre11-Rad50-nbs1 protein complex: integration of functions in the cellular DNA-damage response. *Am J Hum Genet* **64** pp 1264-1269 (1999)
- Pfaffl MW, Horgan GW, and Dempfle L: Relative Expression Software Tool (REST[®]) for group-wise comparison and statistical analysis of relative expression results in real-time PCR. *Nucleic Acids Research* **30** pp e36 (2002)
- Pfaffl MW, Tichopad A, Prgomet C, and Neuvians T: Determination of stable housekeeping genes, differentially regulated target genes and sample integrity: Bestkeeper-Excel-based tool using pair-wise correlations. *Biotechnology Letters* **26** pp 509-515 (2004a)
- Pfaffl MW: Real-time PCR: Neue Ansätze zur exakten mRNA Quantifizierung, BIOspektrum; 1/04;10. Jahrgang (2004b)
- Pfeiffer P, Goedecke W, Kuhfittig-Kulle S, and Obe G: Pathways of double-strand break repair and their impact on the prevention and formation of chromosomal aberrations. *Cytogenet. Genome Res* **104** pp 7-13 (2004)
- Pierce DA, Shimizu Y, Preston DL, Vaeth M, and Mabuchi K: Studies of the mortality of atomic bomb survivors. Report 12, Part I. Cancer: 1950-1990. *Radiat. Res* **146** pp 1-27 (1996)
- Pietenpol JA, Stewart ZA: Cell cycle checkpoint signaling: Cell cycle arrest versus apoptosis. *Toxicology* **181-182** pp 475-81 (2002)

- Pissarenko NF: Radiation environment due to the galactic and solar cosmic rays during manned mission to Mars in the periods between maximum and minimum solar activity cycles. *Adv Space Res* **14** pp 771-778 (1994)
- Pross HD, Kiefer J: Repair of cellular radiation damage in space under microgravity conditions. *Radiat Environ Biophys* **38** pp 133-138 (1999)
- Puck TT, Marcus PI: Action of X-rays on mammalian cells. *J Exp Med* **103** pp 653-666 (1956)
- Rasmussen R Quantification of the light cycler. In: Meuer,S.; Wittwer,C.; Nakagawara,K.eds. Rapid Cycle Real Time PCR, Methods and Applications, Springer Press, Heidelberg; ISBN 3-540-66736-9, 21-34 (2001)
- Reichard P, Ehrenberg A: Ribonucleotide reductase- a radical enzyme. *Science* **221** pp 514-519 (1983)
- Reitz G, Beaujean R, Heilmann C, Kopp J, Leicher M, and Strauch K: Dosimetry on the Spacelab missions IML1 and IML2, and D2 and on MIR. *Radiat. Meas* **26** pp 979-986 (1996)
- Reitz G, Berger T: The MATROSHKA facility – dose determination during an EVA. *Radiat Prot. Dosimetry* **120** pp 442-445 (2006)
- Reitz G: Past and future application of solid-state detectors in manned spaceflight. *Radiat Prot Dosimetry* **120** pp 387-396 (2006)
- Rieger KE, Chu G: Portrait of transcriptional responses to ultraviolet and ionizing radiation in human cells. *Nucleic Acid Res* **32** pp 4786-4803 (2004)
- Rodemann HP, Peterson HP, Schwenke K, and von Wangenheim KH: Terminal differentiation of human fibroblasts is induced by radiation. *Scanning Microsc* **5** pp 1135-1142 (1991)
- Rogakou EP, Pilch DR, Orr AH, Ivanova VS, and Bonner WM: DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139. *J Biol. Chem* **273** pp 5858-5868 (1998)
- Ross GM: Induction of cell death by radiotherapy. *Endocr Relat Cancer* **6** pp 41-44 (1999)
- Rothkamm K, Löbrich M: Evidence for a lack of DNA double-stand break repair in human cells exposed to very low x-ray doses. *Proc Natl Acad Sci USA* **100** pp 5057-5062 (2003)
- Rottmann S, Luscher B: The Mad side of the Max network: antagonizing the function of Myc and more. *Curr Top Microbiol Immunol* **302** pp 63-122 (2006)
- Sachdev D, Yee D: The IGF system and breast cancer. *Endocr Relat Cancer* **8** pp 197-200 (2001)
- Sancar A, Lindsey-Boltz LA, Ünsal-Kacmaz K, and Linn S: Molecular mechanism of mammalian DNA repair and the DNA damage checkpoints. *Annu Rev Biochem* **73** pp39-85 (2004)
- Satoh MS, Lindahl T: Enzymatic repair of oxidative DNA damage. *Cancer Res* **90** pp1899s-1901s (1994)
- Schmid RM, Adler G: NF-kappaB/rel/I kappaB: implications in gastrointestinal diseases. *Gastroenterology* **118** pp 1208-1228 (2000)
- Shea MA, Smart D F: Space weather: The effects on operations in space. *Adv Space Res* **22** pp 29-38 (1998)
- Shivakumar CV, Brown DR, Deb S, and Deb SP: Wild-type human p53 transactivates the human proliferating cell nuclear antigen promotor. *Mol Cell Biol* **15** pp 6785-6793 (1995)
- Smith ML, Chen IT, Zhan Q, Bae I, Chen CY, Gilmer TM, Kastan MB, O'Connor PM, and Fornace AJ jr: Interaction of the p53-regulated protein Gadd45 with proliferating cell nuclear antigen. *Science* **266** pp 1376-1380 (1994)
- Spitta L: Activation of NF-κB-dependent gene expression by accelerated light and heavy ions. Master Thesis Fachhochschule Bonn-Rhein-Sieg (2006)
- Strahlenschutzkommission (SSK), Stellungnahme 2003: "Vergleichende Bewertung der biologischen Wirksamkeit verschiedener ionisierender Strahlungen", verabschiedet auf der 186. Sitzung der SSK am 11./12.09.2003, veröffentlicht in BAnz Nr. 32a vom 16.02.05
- Strange KS, Wilkinson D, Edin G, and Emerman JT: Mitogenic properties of insulin-like growth factors I and II, insulin-like growth factor binding protein-3 and epidermal growth factor on human breast stromal cells in primary culture. *Breast Cancer Res Treat* **84** pp 77-84 (2004)
- Stürzbecher HW, Donzelmann B, Henning W, Knippschild U, and Buchhop S: p53 is linked directly to homologous recombination processive RAD51/RecA protein interaction. *EMBO J.* **15** pp 1992-1996 (1996)
- Suzuki T, Higgins PJ, and Crawford DR: Control selection for RNA quantitation. *Biotechniques* **29** pp 332-337 (2000)

- Taga M, Yamauchi K, Odle J, Furian L, Sundaresan A, Ramesh GT, Pellis NR, Andrassy RJ, and Kulkarni AD: Melanoma growth and tumorigenicity in models of microgravity. *Aviat Space Environ Med* **77** pp 1113-1116 (2006)
- Takahashi Y, Miyoshi Y, Takahata C, Irahara N, Taguchi T, Tamaki Y, and Noguchi S: Down-regulation of LATS1 and LATS2 mRNA expression by promotor hypermethylation and its association with aggressive phenotype in human breast cancers. *Clin Cancer Res* **11** pp 1380-1385 (2005)
- Takekawa M, Saito H: A family of stress-inducible GADD45-like proteins mediate activation of stress response MTK1/MEKK4 MAPKKK. *Cell* **95** pp 521-530 (1998)
- Tanaka H, Arakawa H, Yamaguchi T, Shiraishi K, Fukuda S, Matsui K, Takei Y, and Nakamura Y: A ribonucleotide reductase gene involved in a p53-dependent cell-cycle checkpoint for DNA damage. *Nature* **404** pp 42-49 (2000)
- Taylor WR, Stark GR: Regulation of the G2/M transition by p53. *Oncogene* **20** pp 1803-1815 (2001)
- Thellin O, Zorzi W, Lakaye B, De Bormann B, Coumanns B, Hennen G, Grisar T, Igout A, and Heinen E: Housekeeping genes as internal standards: use and limits. *J Biotechnol* **75** pp 291-295 (1999)
- Tran H, Brunet A, Grenier JM, Datta SR, Fornace AJ jr, DiStefano PS, Chiang LW, and Greenberg ME: DNA repair pathway stimulated by the transcription factor FOXO3a through the GADD45 protein. *Science* **296** pp 530-534 (2002)
- Tricarico C, Pinzani P, Bianchi S, Paglierani M, Distante V, Pazzagli M, Bustin SA, and Orlando C: Quantitative real-time reverse transcription polymerase chain reaction: normalization to rRNA or single housekeeping genes is inappropriate for human tissue biopsies. *Anal Biochem* **309** pp 293-300 (2002)
- Tsien RY: The Green Fluorescent Protein. In: *Annual Review of Biochemistry* 67, Palo Alto (eds. Richardson CC, Abelson JN, Raetz CRH, and Thorner JW) pp 509-544 (1998)
- Uphoff C, Drexler H: Comparative PCR analysis for detection of mycoplasma infections in continuous cell lines. *In Vitro Cell Dev Biol Amin* **38** pp 79-85 (2002)
- Vairapandi M, Balliet AG, Fornace AJ jr, Hoffman B, and Liebermann DA: The differentiation primary response gene MyD118, related to GADD45, encodes for a nuclear protein, which interacts with PCNA and p21/WAF1/CIP1. *Oncogene* **12** pp 2579-2594 (1996)
- Vairapandi M, Balliet AG, Hoffman B, and Liebermann DA: Gadd45a and Gadd45g are cdc2/cyclinB1 kinase inhibitors with a role in S and G2/M cell cycle checkpoints induced by genotoxic stress. *J Cell Physiol* **192** pp 327-338 (2002)
- Van Hoffen A, Balajee AS, van Zeeland A, and Mullenders LHF: Nucleotide excision repair and its interplay with transcription. *Toxicology* **193** pp 79-90 (2003)
- Van Veelen LR, Cervelli T, van de Rakt MW, Theil AF, Essers J, and Kanaar R: Analysis of ionizing radiation-induced foci of DNA-damage repair proteins. *Mutat Res* **574** pp 22-23 (2005)
- Vandesompele J, De Preter K, Pattyn F, Poppe B, Van Roy N, De Paepe A, and Speleman F: Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol* **3** pp research0034.1- research0034.11 (2002)
- Venkitaraman AR: Cancer susceptibility and the functions of BRCA1 and BRCA2. *Cell* **108** pp 171-182 (2002)
- Walker PR, Kwast-Welfeld J, Gourdeau H, Leblanc J, Neugebauer W, and Sikorska M: Relationship between Apoptosis and the Cell Cycle in Lymphocytes: Roles of Protein Kinase C, Tyrosine Phosphorylation, and AP1. *Experimental Cell Research* **207** pp 142-151(1993)
- Wang G, Dombkowski A, Chuang L, and Xu XS: The involvement of XPC protein in the cisplatin DNA damaging treatment-mediated cellular response. *Cell Res* **14** pp 303-314 (2004)
- Wang SC, Makino K, Su LK, Pao AY, Kim JS, and Hung MC: Ultraviolet irradiation induces BRCA2 protein depletion through a p53-independent and protein synthesis-dependent pathway. *Cancer Res* **61** pp 2838-2842 (2001)
- Wang T, Hu YC, Dong S, Fan M, Tamae D, Ozeki M, Gao Q, Gius D, and Li JJ: Co-activation of ERK, NF- κ B and GADD45 β in response to ionizing radiation. *J Biol Chem* **280** pp 12593-12601 (2005)

- Wang XW, Zhan Q, Coursen JD, Khan MA, Kontny HU, Yu L, Hollander MC, O'Connor PM, Fornace AJ jr, and Harris CC: GADD45 induction of a G2/M cell cycle checkpoint. *Proc Natl Acad Sci USA* **96** pp 3706-3711 (1999)
- Ward NE, Pellis NR, Risin SA, and Risin D: Gene expression changes in activated human T-cells induced by modelled microgravity. *J Cell Biochem* **99** pp 1187-1202 (2006)
- Warnick CT, Dabbas B, Ford CD, and Strait KA: Identification of a p53 response element in the promotor region of the hMSH2 gene required for expression in A2780 ovarian cancer cells. *J Biol Chem* **276** pp 27363-27370 (2001)
- Watson JV, Chambers SH, and Smith PJ: A pragmatic approach to the analysis of DNA histograms with a definable G1 peak. *Cytometry* **8** pp 1-8 (1987)
- West SC: Molecular views of recombination proteins and their control. *Nat Rev Mol Cell Biol* **4** pp 435-445 (2003)
- Whiteside ST, Israël A: I kappa B proteins: structure, function and regulation. *Semin Cancer Biol* **8** pp 75-82 (1997)
- Wong-Lee JG, Lovett M: Rapid and sensitive PCR method for identification of mycoplasma species in tissue culture. In Persing D (ed.): Diagnostic Molecular and Microbiology Principles and Applications. Washington, DC: American Society for Microbiology; 257-269 (1993)
- Wood KM, Roff M, and Hay RT: Defective IkappaBalpha in Hodgkin cell lines with constitutively active NF-kappaB. *Oncogene* **16** pp 2131-2139 (1998)
- Wu GS, Burns TF, McDonald ER 3rd, Jiang W, Meng R, Krantz ID, Kao G, Gan DD, Zhou JY, Muschel R, Hamilton SR, Spinner NB, Markowitz S, Wu G, and el-Deiry WS: KILLER/DR5 is a DNA damage inducible p53-regulated death receptor gene. *Nat Genet* **17** pp 141-143 (1997)
- Xiao G, White D, Bargonetti J: p53 binds to a constitutively nucleosome free region of the mdm2 gene. *Oncogene* **16** pp 1171-81. (1998)
- Xu B, Kim ST, and Kastan MB: Involvement of Brca1 in S-phase and G(2)-phase checkpoints after ionizing irradiation. *Mol Cell Biol* **21** pp 3445-3450 (2001)
- Xue L, Zhou B, Liu X, Qiu W, Jin Z, and Yen Y: Wild-type p53 regulates human ribonucleotide reductase by protein-protein interaction with p53R2 as well as hRRM2 subunits. *Cancer Res* **63** pp 980-986 (2003)
- Yamaguchi T, Matsuda K, Sagiya Y, Iwadate M, Fujino MA, Nakamura Y, and Arakawa H: p53R2-dependent pathway for DNA-synthesis in a p53-regulated cell-cycle checkpoint. *Cancer Res* **61** pp 8256-8262 (2001)
- Yang Q, Manicone A, Coursen JD, Linke SP, Nagashima M, Fourges M, and Wang XW: Identification of a functional domain in GADD45-mediated G2/M checkpoint. *J.Biol.Chem* **275** pp 36892-36898. (2000)
- Zabel U, Henkel T, Silva MS, and Baeuerle PA: Nuclear uptake control of NF-kappa B by MAD-3, an I kappa B protein present in the nucleus. *EMBO J* **12** pp 201-211 (1993)
- Zeng YX, Somasundaran K, and el-Deiry WS: AP2 inhibits cancer cell growth and activates p21WAF1/CIP1 expression. *Nat Genet* **15** pp 78-82 (1997)
- Zhan Q, Antinore MJ, Wang XW, Carrier F, Smith ML, Harris CC, and Fornace AJ jr: Association with Cdc2 and inhibition of Cdc2/Cyclin B1 kinase activity by the p53-regulated protein Gadd45. *Oncogene* **18** pp 2892-2900 (1999)
- Zhang H, Somasundaram K, Peng Y, Tian H, Zhang H, Bi D, Weber BL, and el-Deiry WS: BRCA1 physically associates with p53 and stimulates its transcriptional activity. *Oncogene* **16** pp 1713-1721 (1998)
- Zhao R, Gish K, Murphy M, Yin Y, Notterman D, Hoffman WH, Tom E, Mack DH, and Levine AJ: Analysis of p53-regulated gene expression patterns using oligonucleotide arrays. *Genes Dev* **14** pp 981-993 (2000)