



---

# Advances in Photosynthesis Research

Proceedings of the VIth International Congress on Photosynthesis,  
Brussels, Belgium, August 1–6, 1983

## Volume I

*edited by*

C. SYBESMA

Biophysics Laboratory  
Vrije Universiteit Brussel  
B-1050 Brussels  
Belgium

1984 **MARTINUS NIJHOFF/DR W. JUNK PUBLISHERS**  
a member of the KLUWER ACADEMIC PUBLISHERS GROUP  
THE HAGUE / BOSTON / LANCASTER



## GENERAL CONTENTS

## Volume I

1. Excitation Energy Transfer	1
2. Primary Reactions	89
3. Oxygen Evolution	227
4. Photosynthetic Electron Transport I: Plants and Algae	399
5. Photosynthetic Electron Transport II: Photosynthetic Bacteria	621
6. Physical Parameters; Special Methods; Model Systems	677

## Volume II

1. Pigment and Pigment-Protein Complexes	1
2. Reaction Center and Light-Harvesting Complexes I: Plants, Algae and Cyanobacteria	73
3. Reaction Center and Light-Harvesting Complexes II: Photosynthetic Bacteria	153
4. Membrane Potentials and Ion Gradients	233
5. Membrane Bioenergetics; Membrane Transport	371
6. Coupling Factors and ATPase	477
7. Cyanobacteria	625
8. Photosynthesis and Solar Energy Technology	727

## Volume III

1. The Architecture of Photosynthetic Membranes I: General; Envelope Membranes; Membrane Fluidity; Stacking	1
2. The Architecture of Photosynthetic Membranes II: Membrane Proteins and Lipids	91
3. The Architecture of Photosynthetic Membranes III: Photosystem Particles; Electron Transport Components	195
4. The Architecture of Photosynthetic Membranes IV: Dynamic Aspects	263

## VI

5. The Architecture of Photosynthetic Membranes V: Prokaryotic Membranes	335
6. Carbon Metabolism I: Metabolic Pathways; Metabolites; Enzymes	381
7. Carbon Metabolism II: Regulation, Induction and Activation; Transport	557
8. Ribulose Bisphosphate Carboxylase/Oxygenase	717
9. Photorespiration; Amino Acid Synthesis; Nitrogen Metabolism	811

## Volume IV

1. Herbicides	1
2. The Productivity of Photosynthesis	85
3. Environmental Influences on Photosynthesis	181
4. Photosynthesis under Stress Conditions	345
5. Molecular Genetics of the Photosynthetic Apparatus	483
6. Chloroplast Development	595
7. Light-Controlled Development of the Photosynthetic Apparatus	783

## CONTENTS TO VOLUME I

Preface	XXI
In Memory of Kazuo Shibata	XXIII
Sponsors	XXV
International Photosynthesis Committee 1980–1983	XXVII
Local Organizing Committee	XXIX
1. Excitation Energy Transfer	
Excitation Energy Transfer	1
D. Frackowiak	
Energy Transfer: New Concepts	5
G. Paillotin	
Photosynthetic Exciton Migration and Trapping	13
R. Pearlstein	
Excitation Energy Transfer in Phycobilin-chlorophyll a System in Blue-green and Red Algae	21
M. Mimuro, I. Yamazaki, T. Murao, T. Yamazaki, K. Yoshihara, Y. Fujita	
Optimization Factors of the Light-harvesting Antenna Structure Affecting the Rate of Excitation Energy Trapping by Reaction Centers	29
Z. Fetisova, M. Fok, A. Borisov	
Energy Transfer and Geometry of Covalently Linked Porphyrin-dimers	33
L. Benthem, R. Koehorst, L. de Graaff, T. Schaafsma	
Picosecond Pulse Energy Dependence of Singlet-singlet Exciton Annihilation and Fluorescence Induction in Chloroplasts	37
N. Geacintov, G. Paillotin, J. Deprez, A. Dobek, J. Breton	
Theoretical Investigation of Energy Transfer in Bacterial Photosynthesis. Influence of Structural Heterogeneity	41
L. Valkūnas, S. Kudžmauskas, V. Liuolia	

## VIII

Excitation Energy Transfer in Bacterial Photosynthesis Studied by Picosecond Laser Spectrochronography A. Freiberg, V. Godik, K. Timpmann	45
Charge Transfer State in Photosynthetic Bacteria Antenna Complexes E. Gaizauskas, G. Trinkūnas, L. Valkūnas	49
Magnetic Field Effects on the Fluorescence of <i>Rhodospseudomonas Capsulata</i> H. Frank, W. McGann	53
The Formation of the Antenna Carotenoid Triplet in the Isolated B800-B850 Light-harvesting Complex of <i>Rhodospseudomonas sphaeroides</i> G1C H. Kingma, R. van Grondelle, L. Duysens, F. van der Kooy, M. Vos	57
Fluorescence Lifetime Spectra of the c71 Reaction Center-less Mutant and of the B800-850 Pigment-protein Complex from <i>Rhodospseudomonas Sphaeroides</i> P. Sebban, G. Jolchine, I. Moya	61
Picosecond Carotenoid Triplet Formation in the Antenna of <i>Rhodospirillum rubrum</i> as Measured by Absorbance Difference Spectroscopy A. Nuijs, A. van Bochove, H. Joppe, L. Duysens	65
Excitation Energy Transfer in Fucoxanthin Containing Algae L. Caron, H. Jupin, C. Berkaloff	69
Picosecond Fluorescence Kinetics and Energy Transfer in Antennae Chlorophylls of Green Algae and Membrane Fractions of Thylakoids A. Holzwarth, W. Haehnel, J. Wendler, G. Suter, R. Ratajczak	73
Picosecond Kinetics of Energy Transfer in Isolated Phycobilisomes from <i>Porphyridium cruentum</i> A. Holzwarth, J. Wendler, W. Wehrmeyer	77
Polarized Time-resolved Fluorescence of c-phycoyanin from <i>Mastigocladus laminosus</i> W. John, H. Scheer, P. Hefferle, S. Schneider	81
Leaf Fluorescence Emission Characteristics as a Function of Excitation Wavelength M. Percival, N. Baker	85
2. Primary Reactions	
Electron Transport Chains of the Plant and Bacterial Photosystems A. Hoff	89

Main Features of the Primary Charge Separation in Photosynthetic Reaction Centers V. Shuvalov	93
Probing Fluorescence Induction in Chloroplasts on a Nanosecond Scale Utilizing Picosecond Pulse Pairs A. Dobek, J. Deprez, N. Geacintov, J. Breton	101
A Comparative Study of the Split pH – EPR Signal and of the 77 K Fluorescence Yield in Spinach Chloroplasts J. Breton, A. Rutherford	105
Function of Chlorophylls and Carotenoids in Thylakoid Membranes. Is Pheophytin a Substantial Part of Photosystem I Reaction Centre in Spinach Thylakoids? I. Damm, T. Gropper, T. Braumann, L. Grimme	109
Potentiometric Titrations of the Fluorescence Induction Curves From Pea Chloroplasts D. Bell, M. Hipkins	113
Fluorescence Redox Titrations in Isolated Chloroplasts A. Schulze, G. Renger	117
Photosystem 2 and Water Oxidation in Higher Plants K. Sauer, M. Boska, J. Casey, K. Karukstis	121
Primary Electron Transfer in the Photosystem II Reaction Centre – Characterisation of the Electron Acceptor Complex M. Evans, Y. Atkinson, R. Ford	127
Charge Separation in Photosystem-II Reaction Centers. The Role of Pheophytin and Manganese V. Klimov	131
Electron Carriers in Photosystem 2 from <i>Phormidium laminosum</i> Y. Atkinson, M. Evans	139
Time-resolved Optical Spectroscopy in Photosystem 2: $K_i$ Modifies $P680^+$ Reduction Kinetics J. Warden, P. Lyford	143
Kinetics of $P680^+$ Reduction in Oxygen-evolving Photosystem 2 Preparations from Lettuce and <i>Phormidium laminosum</i> R. Ford, M. Evans, Y. Atkinson	147
Heterogeneity of Photosystem II Acceptors R. Meiburg, H. van Gorkum, R. van Dorssen	151
Influence of Temperature on the Variable Fluorescence of Purified Photosystem-II and Light-harvesting Particles P. Mathis	155

**X**

Short-lived Fluorescence Quenchers in PS II of Green Plants G. Laczkó, P. Maróti, L. Szalay	159
Effects of Continuous Background Irradiance on Xenon-flash-induced Fluorescence Yields in Marine Microalgae P. Falkowski, K. Wyman, D. Mauzerall	163
Analysis of the System II Reaction Pattern by UV-absorption Changes in Tris-washed Chloroplasts W. Weiss, G. Renger	167
Absorbance Changes of $Z^+$ , the Component Responsible for EPR Signal II Fast in Tris-treated Photosystem II Particles J. Dekker, M. Brok, H. van Gorkum	171
Comparative Measurements of the Chl- $a_{II}^+$ Reduction Kinetics in Oxygen Evolving PS II Particles at 680 nm and 824 nm E. Schlodder, K. Brettel, G. Schatz, H. Witt	175
Structure-function Studies of Chloroplast Photosystem I R. Malkin, E. Lam, W. Ortiz	179
Primary Reactions in Bacterial Reaction Centers W. Parson, D. Holten, C. Kirmaier, A. Scherz, N. Woodbury	187
A Temperature Dependence Study of the $Fe_2^+$ -Q Acceptor in PS II Particles by Mössbauer Spectroscopy V. Petrouleas, B. Diner	195
Evaluation of the Plastoquinone Pool Size in Oxygen-evolving Photosystem II (OES II) Preparations J. Lavorel, M. Seibert, B. Maison-Peteri, J. Briantais	199
Primary Photochemistry and Pigment Composition of Reaction Centers Isolated from the Green Photosynthetic Bacterium <i>Chloroflexus</i> <i>aurantiacus</i> R. Blankenship, L. Mancino, R. Feick, R. Fuller, J. Machnicki, H. Frank, C. Kirmaier, D. Holten	203
Inner Structure and Primary Reactions of Bacterial Reaction Centers, Studied by Electrical Techniques of High Time Resolution H. Trissl	207
Nanosecond Time Resolved Magnetic Resonance Spectra of Pf in <i>R. sphaeroides</i> and in <i>R. viridis</i> Reaction Centers. Orientation of the Primary Donor in Single Crystals of <i>R. viridis</i> Reaction Centers M. Wasielewski, P. Gast, J. Norris	211
Time-resolved EPR of Bacterial Photosynthetic Reaction Centers A. de Groot, P. Gast, A. Hoff	215

Radical Pair Decay Characteristics in Chromatophores of Purple Bacteria	219
A. van Bochove, R. van Grondelle, R. Hof, L. Duysens	
Magnetic Field Effects and nmr of Bacterial Reaction Centers	223
S. Boxer, C. Chidsey, J. Fisher, L. Takiff, C. Kirmaier, D. Holten	
3. Oxygen Evolution	
Photosystem II: the Oxygen Evolving System of Photosynthesis	227
Govindjee	
Photosynthetic Oxygen Evolution: an Overview	239
C. Yocum	
Structures and Electron Transfer Reactions on the Oxidizing Side of Photosystem II	243
G. Babcock, W. Buttner, D. Ghanotakis, P. O'Malley, C. Yerkes, C. Yocum	
Studies on the Functional Mechanism and Structural Organization of Water Cleavage by System II	253
G. Renger, W. Weiss	
Thermoluminescence as a Probe of PS II in Leaves	261
A. Rutherford, Govindjee, Y. Inoue	
Oscillations of the Thermoluminescence Bands of Chloroplasts Induced by Flash Excitation	265
S. Demeter, I. Vass, Z. Rózsa	
Studies of Oxygen Evolution Using Substituted Hydroxylamine and Hydrazine Compounds as Water Analogs	269
R. Radmer, O. Ollinger	
The Effect of Chloride Deprivation on Oxygen Evolution from Spinach Chloroplasts	273
J. Sinclair	
A Probable Model of Catalytic Binuclear Manganese Complex for Photosynthetic Water Splitting and Oxygen Evolving Reaction	275
M. Kusunoki	
Inhibitory Treatments of Oxygen Evolution and their Effects on Manganese Content, $Z^+$ Behavior and Polypeptide Composition	279
D. Ghanotakis, G. Babcock, C. Yocum	
The Effect of Chloride and Other Anions on the Thermal Inactivation of Oxygen Evolution in Spinach Thylakoids	283
W. Coleman, I. Baianu, H. Gutowsky, Govindjee	



## XII

S-states and Oxygen Evolution in a Filamentous Cyanobacterium K. Bader	287
Relations Between the Auxiliary Donor D, State S <sub>2</sub> and Unequal Misses Obtained from Oxygen and Fluorescence Measurements M. Delrieu	291
Dependence of the Chl-a <sup>+</sup> Reduction Kinetics on the S-state of the Oxygen Evolving System <sup>II</sup> K. Brettel, E. Schlodder, H. Witt	295
Salt Treatment of Oxygen-evolving Photosystem II Particles Affects the Higher S-state Transitions J. Wensink, H. van Gorkum	299
Characterization of the Glow Peaks of Chloroplast Membranes: Relationship with S-states and Redox Components P. Sane, T. Desai, S. Rane, V. Tatake	303
Studies on the Multiline EPR Signal Associated with State S <sub>2</sub> of the Oxygen-Evolving System O. Hansson, L. Andréasson, T. Vängård	307
Identification of Polypeptides Essential for Oxygen Evolution by Extraction and Mutational Analyses K. Cammarata, N. Tamura, R. Sayre, G. Cheniae	311
Further Assessment through Mutational Analysis of Chloroplast Membrane Polypeptides Required in Water Photolysis N. Bishop	321
The Oxygen Evolution System of Photosystem II Particles from Spinach Chloroplasts N. Murata, M. Miyao, T. Omata, T. Kuwabara	329
Structure of the O <sub>2</sub> -evolution Enzyme Complex in a Highly Active O <sub>2</sub> -evolving Photosystem-II Preparation Y. Yamamoto, M. Nishimura	333
Reconstitutability of O <sub>2</sub> Evolution in Thylakoid Vesicles from Sonicated Chloroplasts N. Ramaswamy, S. Izawa	337
Factors Affecting Inactivation and Reconstitution of O <sub>2</sub> Evolution in the Isolated PS II Complex C. Yocum, P. Sandusky, D. Ghanotakis, G. Babcock	341
Binding of Polypeptides Involved in the Oxygen Evolution System to Photosystem II Particles M. Miyao, N. Murata	345

Manganese Proteins from Spinach Thylakoids and O <sub>2</sub> – Evolving Photosystem-II Enriched Membranes (OEPS II): Their Role in Oxygen Evolution	349
D. Abramowicz, T. Raab, C. Dismukes	
Manganese Release Following Inhibition of Photosynthetic Oxygen Evolution by Heat Treatment: Topology and Stoichiometry	355
M. Miller, R. Cox	
Preparation of Oxygen-evolving PS II Particles from Soybean and the Identification of Polypeptide Involved in Photosynthetic Oxygen Evolution	359
P. Tang, Y. Dai, C. Xu, F. Zhao, K. Wang, C. Li	
Immunological Analyses of the Oxygen Evolving Complex with Special Emphasis on the 23 and 16 kDa Proteins	363
C. Larsson, C. Jansson, U. Ljungberg, H. Åkerlund, B. Andersson	
Studies on the Polypeptide Composition of the Photosynthetic Oxygen Evolving Complex Using Photosystem 2 Particles	367
U. Ljungberg, C. Jansson, C. Larsson, H. Åkerlund, B. Andersson	
Chemical and Physicochemical Characterization of the Proteins Involved in the Oxygen Evolution System	371
T. Kuwabara, N. Murata	
Proteins Involved in Photosynthetic Oxygen Evolution – Isolation and Characterization	375
C. Jansson	
Solubilization of Thylakoid Polypeptides and Inhibition of Photosynthetic Oxygen Evolution	379
L. Franzén, L. Andréasson	
Comparative Biochemical Properties of Oxygen-evolving Photosystem II Particles and of Chloroplasts Isolated from Intermittently-flashed Wheat Leaves	381
T. Ono, H. Nakatani, E. Johnson, C. Arntzen, Y. Inoue	
Polypeptide Composition Related to Function of Oxygen-evolving Photosystem 2 Particles from <i>Anacystis nidulans</i>	387
R. England, E. Evans	
Oxygen Flash-yield Sequence of Inside-out Thylakoids – Effects of Salt-Washing and Readdition of a 23 kDa Protein	391
H. Åkerlund	
Characterization of an Oxygen-evolving Membrane Fraction from the Cyanobacterium, <i>Anacystis nidulans</i> R2	395
H. Pakrasi, L. Sherman	

## XIV

### 4. Photosynthetic Electron Transport I: Plants and Algae

Mechanisms of the Electron Transfer between the Two Photosystems P. Joliot, A. Joliot	399
Optical Spectrum and Kinetics of the Secondary Electron Donor, Z, of Photosystem II B. Diner, C. de Vitry	407
Fluorescence Induction in Isolated Barley Protoplasts P. Quick, P. Horton	413
The Effect of Cations and LHCP Phosphorylation on the Fo and Slow Phase of Fluorescence Induction Curves in DCMU-treated Pea Chloroplasts M. Hodges, J. Barber	417
Effects of Linolenic Acid on Fluorescence Kinetics, Delayed Luminescence and P700 of Chloroplast Membrane S. Lin, C. Lou, Q. Zhang, C. Tang, T. Kuang, P. Tang	421
How $K^+$ or $Mg_2^+$ Affects Variable Fluorescence of Chlorophyll in situ Y. Li, S. Ueng	425
Alpha and Beta Centres Revisited G. Dohnt, G. Renger	429
Properties of Photosystem II-alpha and photosystem II-beta in Spinach Chloroplasts T. Brearley, P. Horton	433
Elective Inhibition of Photosystem II Reactions from Water Splitting to Q Reduction in Thylakoid Samples by Lauroyl Choline Chloride: Evidence from Fluorescence Transient Measurements T. Wydrzynski, B. Huggins, P. Jursinic	437
A Photosystem II-specific Calcium Site in Spinach Chloroplasts R. Barr, F. Crane	441
EPR of PS II-interactions, Herbicide Effects and a New Signal A. Rutherford, J. Zimmermann, P. Mathis	445
Active PS II Particles from a Brown Alga: Spectral and Electrophoretic Characterization C. Berkaloff, J. Duval, B. Rousseau	449
Active $O_2$ -evolving Photosystem II Phycobilisome Particles from Porphyridium cruentum J. Clement-Metral, E. Gantt	453
Purification of a Functional PS II Complex from the Blue-green Alga Phormidium laminosum J. Bowes, A. Stewart, D. Bendall	457

Reactions of Quinones at Catalytic Sites; a Diffusional Role in H-transfer A. Crofts, H. Robinson, M. Snozzi	461
Plastoquinone Binding Proteins in Photosynthetic Electron Transport W. Oettmeier, K. Masson, H. Soll, E. Olschewski	469
Plastoquinone and Inhibitor Binding to Photosystem II Particles from Chlamydomonas Reinhardtii E. Neumann, B. Depka, W. Oettmeier	473
Kinetics of Proton Uptake and the Oxidation-reduction Reactions of the Quinone Acceptor Complex of PSII from Pea Chloroplasts H. Robinson, A. Crofts	477
The Effects of Ca <sup>2+</sup> on Electron Transport Rates in Chloroplasts E. Evans, S. Keskin	481
Photosystem II/I Stoichiometry by the Methods of Absorbance Change at 325 and 705 nm, 14C-atrazine Binding, and Oxygen Flash Yields P. Jursinic	485
A Mechanism for the ADRY Induced Photo-oxidation of Cytochrome b-559 C. Yerkes, A. Crofts	489
Evidence for a Heterogeneous Population of High Potential Cytochrome b-559 in the Thylakoid Membrane M. Selak, B. Koch-Whitmarsh, J. Whitmarsh	493
Studies on Cytochrome b-559 in Higher Plant Thylakoid Membranes D. Whitford, K. Gounaris, J. Barber	497
Purification and Partial Sequence of the Chloroplast mr=10,000 Cytochrome b-559 Polypeptide W. Widger, W. Cramer, M. Hermodson, M. Gullifor, D. Meyer	501
Asymmetric Position of the two Hemes of Cytochrome b6 in the Chloroplast Membrane W. Widger, W. Cramer, R. Herrmann, A. Trebst	505
Role of Copper in Photosynthesis: new Sites of Action in the Electron Transport Chain G. Horvath, M. Droppa, N. Terry	509
Photosynthetic Redox Proteins and Electron Transport in Iron- and Copper-depleted Cells G. Sandmann	513
Low Potential Cytochrome c550 from Cyanobacteria and Algae D. Krogmann, J. Alam, J. Sprinkle	517
The Primary Structure of Cytochrome f from Spinach and Cyanobacteria J. Alam, D. Krogmann	521

## XVI

The Spin State of Cytochrome b-563 in the Cytochrome b/f Complex from Spinach Chloroplasts	525
J. Bergstrom, L. Andreasson, T. Vänngård	
Kinetic and Spectroscopic Studies of Cytochrome b-563 in Isolated Cytochrome b/f Complex and in Thylakoid Membranes	529
G. Hind, R. Clark, J. Houchins	
Conformational Changes in Spinach Plastocyanin	537
E. Gross, J. Draheim, R. Pan, B. Tripathy, G. Anderson, L. Rellick, J. Duane	
On the Mechanism of Ferredoxin-NADP <sup>+</sup> Reductase: Involvement of Essential Histidines	541
N. Carrillo, R. Vallejos	
On the Lateral Electron Transport Between the two Light Reactions in Spinach Chloroplasts	545
W. Haehnel	
Quantitation of the Inter-system Electron Transport Carriers in Chloroplasts	549
T. Graan, D. Ort	
Role of Carbonic Anhydrase in Electron Transport of Photosynthesis	553
S. Vaklinova, G. Lazova, L. Goushtina	
Mechanism and Physiological Role of Bicarbonate Action on Electron Flow; a Possible Link Between Photorespiration and Photosynthetic Electron Flow?	557
J. Snel, A. Groote-Schaarsberg, J. van Rensen	
Is the Rate of Oxygen Uptake by Reduced Ferredoxin Sufficient to Account for Photosystem I-mediated O <sub>2</sub> Reduction?	561
J. Golbeck, R. Radmer	
Evidence for two Electron Acceptors in the Intermediary Electron Carrier Complex of Photosystem I	565
J. Bonnerjea, M. Evans	
Plastocyanin as Direct Electron Donor to P700	569
H. Bottin, P. Mathis	
Influence of the Interaction of Ferredoxin-NADP Reductase with Thylakoids on the Catalysis of NADP Reduction	573
G. Forti, M. Bracale	
Cyclic Electron Transport Around Photosystem I with Native and Artificial Cofactors	577
D. Moss, D. Bendall	

NADPH-dependent Cyclic Electron Transport of P-700 (ms) in the Presence of DCMU H. Rurainski, U. Stauder	581
Electron Paramagnetic Resonance Studies of the Primary Electron Acceptors of Photosystem I J. McCracken, K. Sauer	585
Electron Acceptors in PS I: Comparison of A2 and X P. Setif, P. Mathis, B. Lagoutte, J. Duranton	589
Effects of pH and $Mg_2^+$ on the Electron Transfer Reactions between p700-chlorophyll a Protein Complex and Plastocyanin T. Takabe, H. Ishikawa, S. Niwa, S. Itoh	593
Carbodiimide-promoted Formation of a Covalent Complex between Ferredoxin and Ferredoxin-NADP <sup>+</sup> Reductase from Spinach G. Zanetti, A. Aliverti, B. Curti	597
The Production of Hydrogen Peroxide in Relation to Photosynthesis in Intact Chloroplasts from Spinach M. Röntfors, H. Egneus	601
The Dependence on pH of the Trypsination Pattern in Inside-out Thylakoids M. Völker, G. Renger	605
Electron Transfer Patterns During CO <sub>2</sub> Fixation D. Crowther, P. Horton	609
Reactivation of Electron Transport in CO <sub>2</sub> -depleted Chloroplasts by Bicarbonate is Influenced by Thylakoid Surface Potential J. van Rensen, J. Hobé, R. Werner, J. Snel	613
The Effects of Loosely Bound Inhibitors as a Test of the Pool Function of Q in Plant Mitochondria M. Fernandes Moreira	617
5. Photosynthetic Electron Transport II: Photosynthetic Bacteria	
Electron Transport in Green Bacteria J. Amesz	621
The Acceptor Quinone Complexes of Purple Photosynthetic Bacteria C. Wraight, R. Stein, R. Shopes, J. McComb	629
The Functionally Distinct Quinones of the Cyclic Electron Transfer Pathway of <i>Rhodospseudomonas sphaeroides</i> R. Prince, D. Robertson, P. Dutton	637

## XVIII

Photosynthetic and Respiratory Electron Transfer Systems in an Aerobic Photosynthetic Bacterium <i>Erythrobacter</i> sp. Strain OCH 114 K. Okamura, K. Takamiya, M. Nishimura	641
A. Single Pool of Cytochrome c <sub>2</sub> is Shared by Cytochrome Oxidase and Photoreaction Center in <i>Rhodospirillum rubrum</i> C. Fenoll, S. Gomez-Amores, G. Gimenez-Gallego, J. Ramirez	645
A new Effect of Antimycin on the b Cytochromes of <i>Rhodopseudomonas sphaeroides</i> S. Meinhardt, A. Crofts	649
Temperature Dependence of High-potential Cytochrome Photooxidation in <i>C. vinosum</i> A. Sarai, D. Devault	653
Flash-induced Electron Transport by b- and c-type Cytochromes in Chromatophores of <i>Rhodospirillum rubrum</i> in the Presence of Various Inhibitors. The Oxidation of the High-potential b-type Cytochrome b-428 in the Presence of Antimycin R. van Grondelle, H. van der Wal	657
Studies on the Mechanism of NAD <sup>+</sup> Photoreduction by Chromatophores of <i>Rhodopseudomonas capsulata</i> D. Zannoni, R. Borghese, B. Melandri	661
Base-induced Luminescence From <i>Rhodopseudomonas viridis</i> D. Fleischman, S. Perkins, M. Carlson	665
Opportunity for the Kinetic Resolution of Functional Cytochrome Orientations in Chromatophores of <i>Rps sphaeroides</i> D. Tiede, Y. Choquet, J. Breton	669
Isolation and Characterization of Heme C-containing Proteins from <i>Chromatium vinosum</i> D. Gaul, G. Gray, D. Knaff	673
6. Physical Parameters; Special Methods; Model Systems	
EPR Studies of Signal II at 9.1 and 35.2 GHz M. Brok, A. de Groot, A. Hoff	677
Action Spectra for Thermal Deactivation and Photosynthesis in <i>Anacystis nidulans</i> R. Leblanc, R. Carpentier, B. LaRue	681
Further Characterization of Electrophotoluminescence in Chloroplasts N. Symons, R. Korenstein, S. Malkin	685
Proton Spin-echo nmr Spectra of the Thylakoid Membrane R. Sharp	689

Orientation of Absorbing and Fluorescing Dipoles in PS I and PS II Particles	693
P. Tapie, S. Acker, C. Arntzen, Y. Choquet, P. Delepelaire, B. Diner, F. Wollman, J. Breton	
A Proposed Monomeric Nature for Antenna and Reaction Center Chlorophylls	697
P. O'Malley, G. Babcock	
Variation in the Orientation of Chlorophyll Forms in <i>Scenedesmus</i> as Shown by Dichroism of Fluorescence and Absorption	701
T. Sztító, J. Kiss, L. Mustardy, A. Faludi-Daniel	
Orientation of Phycobilin pigments in the red Algae <i>Porphyridium</i> : Electric Linear Dichroism of the Intact Membrane, Phicobilisome and its Dissociated Components	705
J. Hoarau, A. Gagliano, N. Geacintov, J. Breton	
Laser-spectroscopic Results on the Homogeneous Broadening of the Red Chl-a Absorption Band in Primary Leaves of <i>Triticum aestivum</i> L.	709
P. Hoffmann, D. Leupold	
Photoacoustic Spectra of Chlorophyll a and Chlorophyll b in Liquid Crystal Matrix	713
D. Frackowiak, S. Hotchandani, R. Leblanc, J. Szurkowski	
Zeaxanthin in a Fraction with an Excess of Lutein	717
E. Meck, R. Strasser	
Intramolecular Electron Transfer in Substituted Porphyrins	721
H. Krüger, R. Koehorst, A. van Hoek, T. Schaafsma, M. Michel-Beyerle	
One Electron Oxidation of Carotene and Chlorophylls in Micelles. Electron Transfers Involving Carotene Cations and Chlorophyll Pigments	725
J. Chauvet, L. Viovy, E. Land, R. Santus, T. Truscott	
Energy Transfer and Photoinduced Charge Separation in a Carotenoporphyrinquinone Triad Molecule	729
T. Moore, P. Mathis, D. Gust, A. Moore, P. Liddell, G. Nemeth, W. Lehman, R. Bensasson, E. Land, C. Chachaty	
Spectral Properties of Acridine Orange-detergent Solutions	733
J. Hevesi, E. Bálint	
Energetic Characterization of the Thermoluminescence in Isolated Chloroplasts	737
I. Vass, S. Demeter	
Energy Transfer in Chl-protein – Galactolipid Particles	741
D. Siefermann-Harms, H. Ninnemann, J. Ross, H. Yamamoto	
Surfactant Manganese Complexes as Models for the Oxidation of Water	745
R. Wohlge-muth, J. Otvos, M. Calvin	



## XX

Reconstitution of Photosynthetic Oxygen Evolution in Liposomes W. Butler, H. Matsuda	749
Diffusion Controlled Rates in Bacterial Photosynthetic Electron Transport as Studied by Fusion of Chromatophores of <i>Rps sphaeroides</i> with Liposomes M. Snozzi, A. Crofts	755
The Effect of External pH on Photophosphorylation in Liposomes with Incorporated Granal and Stromal Photosystems E. Kulig, J. Kieleczawa, W. Hendrich	759
Index of Names	763

POLARIZED TIME-RESOLVED FLUORESCENCE OF C-PHYCOCYANIN FROM  
MASTIGOCLADUS LAMINOSUS.

W. John<sup>o</sup>, H. Scheer<sup>o</sup>, P. Hefferle<sup>+</sup>, S. Schneider<sup>+</sup>

<sup>o</sup>Botanisches Institut der Universität München, FRG

<sup>+</sup>Institut für Physikalische und Theoretische Chemie,  
Technische Universität München, Garching, FRG.

**Introduction:** Phycobiliproteins are photosynthetic light-harvesting pigments in blue-green and red algae, where they are organized - together with uncolored peptides - into complex structures, the phycobilisomes, attached to the outer thylakoid surface. Within the phycobilisome the energy is probably transferred by the Förster mechanism, but the details are yet insufficiently understood. In an approach complementary to the investigation of phycobilisomes and large fractions thereof, we are currently studying isolated phycobiliproteins and their aggregates by time-resolved fluorescence spectroscopy. The expected understanding of their chromophore-protein and chromophore-chromophore interactions should give useful information on the energy transfer in the more complex systems. Since fluorescence is one of the most sensitive indicators for any conformational changes of the chromophore, it can also be used to study the (partial) denaturation of biliproteins. Here we wish to report on the fluorescence of C-Phycocyanin and its subunits from Mastigocladus laminosus.

**Biliproteins:** M. laminosus was grown on Castenholz medium and harvested after 3 days. C-Phycocyanin was isolated with minor modifications as described earlier (1). The subunits were separated by preparative electrofocusing on Sephadex G 75 in 8M urea on a Servalyt gradient, pH 4-9. The  $\alpha$  and  $\beta$  subunits were eluted and renatured on a Biogel P6 column without delay. Phycocyanin aggregates (trimers =  $(\alpha, \beta)_3$ ) were dissociated with NaSCN (1M) to monomers  $(\alpha, \beta)$ . The sedimentation coefficients of the samples (extrapolated to  $t = 0$ ), are shown in table 1. The molecular weights and sedimentation coefficients of the dissociated pigments correspond to the  $(\alpha, \beta)$  monomer, those of the aggregates are between di- and trimers (shape, partial dissociation?) and have been interpreted as trimers  $(\alpha, \beta)_3$  from comparison with earlier results of other laboratories. All measurements were done in potassium phosphate buffer (80 mM, pH 6.0).

**Measurement and Data Analysis:** The fluorescence decay kinetics were measured with a synchronously pumped mode-locked dye laser (rhodamine 6G, 80 MHz repetition rate, pulse width  $\ll 2$  psec) and a repetitively working streak camera (Hadland Photonics). The time resolution of this system is appx. 25 psec without deconvolution procedure. The apparatus allows measurements with small excitation intensities ( $10^{15}$  photons per pulse and  $\text{cm}^2$ ) with good signal to noise ratio due to the high repetition rate. Polarizers were placed in the excitation and emission path for polarized measurements.

Sybesma, C. (ed.), *Advances in Photosynthesis Research*, Vol. I. ISBN 90-247-2942-4.

© 1984 Martinus Nijhoff/Dr W. Junk Publishers, The Hague/Boston/Lancaster.

Printed in The Netherlands.

From the separately recorded polarized fluorescence decay curves  $I_{\perp}(t)$  and  $I_{\parallel}(t)$ , the functions  $I_0(t) = I_{\parallel}(t) + 2 \cdot I_{\perp}(t)$  and  $D(t) = I_{\parallel}(t) - I_{\perp}(t)$  are calculated (dotted curves in the figures). The best fits for both functions ( $I_0(t)$  and  $D(t)$ ) are determined under the assumption of a biexponential response function by means of a Marquardt-Algorithm. The fit curves as well as their decay times and relative amplitudes are shown in the figures.

### Results and Discussion:

Rather complex decay laws can be expected to describe the fluorescence decay curves in view of the composite nature of the systems under study. The presently available S/N ratio and dynamic range does not allow a distinction between the predictions of the various models. Although it is found that all decay curves can be fitted well as convolutions of a biexponential, the rate constants presented in this paper must still be considered as purely descriptive. (table 1)

The calculated isotropic fluorescence decay ( $I_0(t)$ ) agrees well with the experimentally observed decay when the polarizer is set at the magic angle. The anisotropic decay components ( $D(t)$ ) are principally shorter lived, and their fast decaying contribution is more pronounced than in the isotropic decay. Depolarization by rotation of the entire protein can be excluded with the molecular weight being in the range between 18 ( $\alpha$ -subunit) and 120 kDalton (trimer ( $\alpha, \beta$ )<sub>3</sub>). Local motions of the chromophore region are also unlikely, because the chromophores are believed to be held rigidly by the protein, and large angular motions would be required for the observed depolarization. The alternative depolarization mechanism is then energy transfer among neighbouring, nonparallel chromophores, which has already been studied by several groups by static polarized fluorescence measurements of biliproteins. We relate therefore the fast decaying component of the fluorescence to energy transfer between sensitizing ("s") and fluorescing ("f") chromophores as well as to transfer among the "f"-chromophores, which would both lead to depolarization. It is, however, not the absolute value of the short components, but rather their difference (isotropic vs. anisotropic) from which this time constant can ultimately be derived. In the descriptive two-exponential formalism, energy transfer time constants between 20 and 100 psec are estimated.

A monoexponential decay would be expected on this basis for the  $\alpha$ -subunit, which carries only a single chromophore. A biexponential was recorded instead, similar to the results found for the  $\alpha$ -subunit of phycocyanin in Spirulina platensis (these authors, in the press). Aggregation and energy transfer among the aggregates is unlikely in view of the sedimentation data. We rather suggest that two different subsets of the pigment exist in this subunit, either already in the native pigments, or as a result of the subunit separation. The latter requires denaturation with urea over long times (about 16 hours) and subsequent renaturation, which may lead to incomplete restoration of the original status of the chromophore. To our experience is the separation by electrofocusing most gentle and complete, if judged from SDS-PAGE and absorption spectroscopy, but possibly

Pigment	T(°C)	Isotropic decay		Anisotropic decay	
$\alpha$ -Subunit	18	1061(74%)	2681(26%)	634(84%)	2147(16%)
	36	975(71%)	2134(29%)	567(61%)	1297(39%)
	52	689(80%)	2564(20%)	313	- - -
$\beta$ -Subunit	18	363(51%)	1644(49%)	191(47%)	1041(53%)
	36	259(49%)	1075(51%)	101(53%)	769(47%)
	52	277(68%)	1191(32%)	95(37%)	469(63%)
Monomer ( $\alpha\beta$ ) <sub>1</sub>	18	428(52%)	1520(48%)	272(59%)	2200(41%)
	36	- - -	- - -	228(52%)	1600(48%)
	52	304(65%)	1650(35%)	202(58%)	1200(42%)
Trimer ( $\alpha\beta$ ) <sub>3</sub>	18	462(55%)	2100(45%)	206(23%)	1375(77%)
	36	307(53%)	1600(47%)	132(70%)	1800(30%)
	52	280 -	2060 --	95(73%)	1100(27%)

Table 1: Fluorescence decay characteristics of C-Phycocyanin from *Mastigocladus laminosus* in different aggregation states, and of its subunits. The decay curves were fit with a biexponential, for which the time constants  $\tau$  (in psec) and the relative amplitudes (%), in brackets) are given.

not yet gentle enough. The interpretation of two subsets of the  $\alpha$ -subunit with each individual polypeptide being disaggregated and bearing only one isolated chromophore is supported by the unusually long time constant of the "fast" component (as compared to all other pigments in which energy transfer is possible) and by the comparably slow depolarization.

The fluorescence decay of all samples becomes faster at higher temperatures. This is in contrast to earlier results with PC from Spirulina platensis (these authors, in the press), which showed a decreased decay rate for the excited state population at higher temperature. This may reflect an adaptation of the thermophilic Mastigocladus laminosus.

The results are summarized in the figs. 2 and 3. The data for intact phycobilisomes and for entire cells are shown for comparison in fig. 4. The fluorescence is rapidly depolarized in both cases due to the large number of possible energy acceptors in these units. The long-lived component in phycobilisomes corresponds to the radiative lifetime of the terminal acceptor, allophycocyanin ( $\lambda_{em} \gg 650$  nm); the comparable short lifetime observed in whole cells reflects the quenching by the chlorophylls in the photosynthetic membrane. (figs. not shown in this summary).

Acknowledgements: This work was supported by the Deutsche Forschungsgemeinschaft, Bonn (SFB 143).

References:

- (1) Kufer, W., Scheer, H. 1979, Hoppe-Seyler's Z. Physiol. Chem. 360 pp 935-956.
- (2) Grabowski, J. Gantt, E. 1978a, Photochem. Photobiol. 28 39-45; Teale, F.W.J., Dale R.E. (1970) Biochem. J. 116, 161-169; Zickendraht-Wendelstadt. B., Friedrich, J., Rüdiger, W. 1980, Photochem. Photobiol. 31, 367-376.