

3rd Meeting of the UNIMARC Users Group

Lyon, 31st March 2010

*Use of UNIMARC in the SBN
protocol: some new development
of web client*

Cristina Magliano (ICCU)

Use of UNIMARC

In Italy the main users of UNIMARC Bibliographic format are:

- National Library service- SBN
- National Central Library of Florence for the Italian National Bibliography
- Vendors of library automation system for libraries as internal format and export system (Aleph, CDS/ISIS, etc.)
- Opac display in central and local databases
- Import export procedures

National Library service- SBN

- An architecture for a cooperative library services network.
 - Central Union Catalogue (Index) at national level
 - Union Catalogues (Nodes) at regional and local levels
- Maintains: bibliographical and holdings information.
- Provides services: OPAC, shared cataloguing on line, localisation, ILL

The Italian Union catalogue (SBN)

SBN is a network which aims at providing services to the end-users.

The target is:

- to get over the fragmentation of the librarian structures, typical of the cultural-political Italian history,
- to offer a national service based on the management of a general on-line catalogue and on the sharing of resources
- to make accessible and available the documents

SBN Statistics

- 71 - Nodes participate
 - 4 195 Libraries
 - National, University, Local and Specialist
- Over 11 milion titles
 - Authors
 - Localisations
- OPAC – over 1 milion search / month

National Library service- SBN

- The collective SBN catalogue (SBN Index) contains:
 - descriptions "book in hand" of documents of XVI - XX centuries
 - descriptions obtained from catalogues on paper previous to 1990 (retrocon)

SBN Marc protocol

The main aim of the project has been:


- to restructure the complex architecture of the National Library Service (SBN)
- reviewing both the technological and organizational aspects of cooperation
- opening up the system to collaboration with other networks and public and private structures - with special mention of other LMS systems

SBN

Functional Objectives

- simple catalogue procedure
 - Using SBN-MARC Protocol
- Open access for NON SBN LMSs
 - Minimum description based on MARC
(test of the interface dialogue with other Italian LMS)
- Open access via internet protocols
- Open architecture based on common protocols:
 - TCP/IP, HTTP, XML/XSL, SOAP, JMS.

Implementation SBN-MARC Protocol



SBN-MARC protocol: main aims

- Extension to new types of material
 - eDocuments, electronic resource, graphic material, photographic material etc.
- Open technological architecture
 - Allows access from other LMS
 - Adoption of international standards (UNIMARC, Unicode)

Library cooperation

Libraries in Italy can collaborate and cooperate with the National Union catalogue Service using the communication protocol SBN-MARC based on a XML schema

More than 20 software houses asked for the access to the test environment and 16 have already obtained the certification of SBNMARC compliance

SBN Marc schema

- Xml-schema of new protocol is based on UNIMARC format
- All the message have this general structure:
 - Client information
 - SBN request
 - SBN response

```
<SBNMarC>
  <SbnUser>
    <Biblioteca>
      XXXAMM
    </Biblioteca>
    <UserId>
      000034
    </UserId>
  </SbnUser>
  <SbnMessage>
    <SbnRequest>
      <Cerca>
        <CercaTitolo>
          <CercaDatitit>
            <T001>
              BVE0295680
            </T001>
          </CercaDatitit>
        </CercaTitolo>
      </Cerca>
    </SbnRequest>
  </SbnMessage>
</SBNMarC>
```

```

Marc>
<SbnUser>
  <Biblioteca>
    XXXAMM
  </Biblioteca>
  <UserId>
    000034
  </UserId>
</SbnUser>
<SbnMessage>
  <SbnResponse>
    <SbnResult>
      <esito>
        0000
      </esito>
      <testoEsito>
        OK
      </testoEsito>
    </SbnResult>
    <Sbnoutput>
      <Documento>
        <DatiDocumento>
          <guida>
            </guida>
            <T001>
              BVE0295680
            </T001>
            <T005>
              20071217145357.0
            </T005>
            <T100>
              <a_100_0>
                2003-04-03
              </a_100_0>
              <a_100_8>
                d
              </a_100_8>
              <a_100_9>

```

```
<T101>
  <a_101>
    ITA
  </a_101>
</T101>
<T102>
  <a_102>
    IT
  </a_102>
</T102>
<T200>
  <a_200>
    Il *nome della rosa
  </a_200>
  <e_200>
    *fiore
  </e_200>
  <f_200>
    Umberto Eco
  </f_200>
</T200>
<T205>
  <a_205>
    16. ed. con postille
  </a_205>
</T205>
<T210>
  <ac_210>
    <a_210>
      Milano
    </a_210>
    <c_210>
      Bompiani
    </c_210>
  </ac_210>
  <d_210>
    1985
  </d_210>
```

MARC protocol: services

The partner could adopt different levels of description depending from cataloguing profile

Other services offered by MARC protocol are the multiple import of descriptions (batch) (UNIMARC, SBN/MARC, MARC21) and the web interface

Authority file and quality control

- Existing functions accessed using a central Web Interface
- Authority file management
 - Authors, subjects, classifications, places, uniform titles, repertories using UNIMARC authorities format
- Quality control and revision
 - Corrections, elimination of duplicates

National Library service- SBN and UNIMARC format

- **Central OPAC**

- Import from internal format of the SBN Union Database to central OPAC database is in UNIMARC format

And has these functionalities:

- Export Unimarc
 - Copy cataloging
 - UNIMARC format for display

- **Opac of nodes**

Same functionalities of Central OPAC

[Ancient book](#)[Music](#)[Graphic arts](#)[Cartography](#)[Authority](#)**Other Catalogues**[Multicatalog search](#)[Custom search](#)**Services**[Loan and reproduction](#)[SBN libraries](#)[Performed queries](#)

Record: 2

[▶ Labels format](#) [▶ Print](#)

LEADER 00942nam1M2200217 I450

001 IT\ICCU\BVE\0056455

005 19940825

010 \$a0802005365

100 \$a19940825d1994 ||||itac0103 ba

101 | \$aeng

102 \$aCA

200 1 \$a□H11: □ILetters 1535 to 1657\$eJanuary-December 1525\$ftranslated by Alexander Dalzell\$gannotated by Charles G. Nauert jr

210 \$aToronto [etc.]\$cUniversity of Toronto press\$d□W0 1-1994

215 \$aXXIII, 476 p.\$cill.\$d26 cm.

461 1\$1001IT\ICCU\BVE\0000592\$12001 \$aCollected works of Erasmus

700 0\$aErasmus : Roterodamus\$3IT\ICCU\CFIV\002829

702 1\$aDalzell, Alexander\$3IT\ICCU\BVEV\011464

702 1\$aNauert, Charles G.\$3IT\ICCU\PUVV\154167

801 0\$aIT\$bICCU\$c20040211

899 \$aBiblioteca del Dipartimento di filosofia dell'Universita' degli studi di Padova Padova PD\$1PD0280\$2PUV32

899 \$aBiblioteca nazionale centrale Vittorio Emanuele II Roma RM\$1RM0267\$2BVECR

<

SBN cataloging client

A new client using the MARC protocol
produced by ICCU for libraries

New SBN cataloging client

- a new client for national libraries for creating bibliographical records according to the MARC protocol rules
- it is an unix web client using web interface
- It manages new authority records and digital resources too
- the two central national libraries of Florence and Rome are the first using this client SBN/MARC

Local tags and solutions

Bibliographic format (SBN, BNI and BNCF)

Fields and subfields with value 9

Subfield \$9 for blocks 3-- and 5-- for identifier of linking title

390 standard note for linking

590 See reference uniform title

690 see reference subject personal name

691 see reference subject Corporate Body

692 see reference subject family name

695 see reference subject title

696 see reference subject topical name

697 see reference subject geographical name

790 See reference personal name

791 See reference Corporate Body name

Local tags and solutions

Bibliographic format (SBN, BNI and BNCF)

- 899 holding data (SBN union catalog)
- 950 holding, localisation, inventory number
availability for ILL
- 951 acquisition data
- 956 local electronic resources
- 960 holding, localisation, inventory number
availability for ILL (BNCF)
- 961 acquisition data (BNCF)

Local tags and solutions Authority format (SBN)

- 931 subject descriptors
- 932 descriptor relationship

Tag 899 (BNCF)

Indicators:

Indicator 1: blank

Indicator 2: type of digitalization

- 0 partial digitalization
- 1 complete digitalization
- 2 'born digital'

Subfields	Rep.	Description
\$a	N	Name of Library
\$b	N	Code of Library
\$4	N	Holding and state of conservation
\$e	N	Availability electronic format
\$n	N	Note
\$q	N	Indicator of gaps
\$u	N	URI

TAG 956

- Indicator:
- Indicator 1: blank
- Indicator 2: blank

Subfield	Description
\$a	Name of Library
\$b	Type of digitalization
\$c	Repository
\$d	Availability remote /local access
\$e	Inventory number
\$u	Access

Italian users proposals for the extension of UNIMARC Bibliographic format

2005

New music proposals in Update 5 and UNIMARC Guidelines
n.7 Music (by ICCU with IAML Italia)

2006-2007 (by ICCU and ITALE)

- 141 Copy specific attributes (state of preservation binding)
- 316 note relating to the copy (redefinition and changes)
- 421 added examples for monographic publications
- 422 added examples for monographic publications

Italian users proposals for the extension of UNIMARC Bibliographic format (3rd ed.)

- 511 Half title (new)
- 513 changes
- 517 changes
- 560 Artificial title (new)

Addition Relator Code (by ICCU with IAML):

- 235 Composer
- 272 Singer-songwriter
- 095 Author of main work
- 445 Impresario

Appendix G: Subject System Codes (by ICCU/BNCF)

Registration of New Italian thesaurus

ICCU proposals for the extension of UNIMARC Authorities

- 217 Printer device (new authority entity)
- 341 Activity Note pertaining to printer /publisher
- 517 See also reference tracing printer/publisher device

▼ Interrogazione

- [Titolo](#)
- [Autore](#)
- [Marca](#)
- [Luogo](#)
- [Soggetti](#)
- [Classificazioni](#)
- [Thesauro](#)
- [ID gestionali](#)
- [Richiesta Allineamenti](#)
- [Proposta Correzione](#)

▶ [Acquisizioni](#)▶ [Documento Fisico](#)▶ [Servizi](#)

Ricerca marca

Descrizione: Parole chiave: Mid: Citazione
standard: Motto: Elem. blocco Ordinamento Liv. di ricerca Locale Indice



▼ Interrogazione

- [Titolo](#)
- [Autore](#)
- [Marca](#)
- [Luogo](#)
- [Soggetti](#)
- [Classificazioni](#)
- [Thesauro](#)
- [ID gestionali](#)
- [Richiesta Allineamenti](#)
- [Proposta Correzione](#)

▶ [Acquisizioni](#)▶ [Documento Fisico](#)▶ [Servizi](#)▶ [Importa/Esporta](#)▶ [Stampa](#)[Ricerca marca](#) -> [Sintetica marche](#) -> [Analitica](#) -> DettaglioLiv. Citazione
standard

Mid

Descrizione

Motto

Parole
chiave

Nota

Data inserim.

Ultimo aggiornam.



Printer device

Printer device

001 -- IT\ICCU\CNCM\CNCM000084
005 -- 20010130000000.0
100 -- ## \$a19990312citaa50 ba0
152 -- ## \$aGuida SBN. Libro antico
217 -- ## \$aTartaruga che tiene sul guscio una
vela con giglio fiorentino. In cornice
figurata\$bFestina lente\$cZ1152\$d40 x 48
mm4f1574-
1599\$xTARTARUGA\$xVELA\$xGIGLIO
510##\$3IT\ICCU\CNCT\CNCT000160\$aSermart
elli Bartolomeo\$c<1>
510##\$3IT\ICCU\CNCT\CNCT000045\$aSermart
elli, Michelangelo
801 -- #3 \$aIT\$bICCU\$c20070102
810 -- ##\$aZappella, Giuseppina, Le marche dei
tipografi e degli editori italiani del
cinquecento
810 -- ##\$aEDIT16\$uhttp://edit16.iccu.sbn.it
8564#http://edit16.iccu.sbn.it/scripts/iccu_ext.dll?
fn=63&i=84



Provenance note 317

In SBN database is used a link between provenance or donor and shelft mark of the copy

In the export we use UNIMARC tag 317:

317 ##\$aPossessore: Guicciardini, Piero
<1808-1886>\$5CFICFGuicc.1.4/2.16

702 ##\$aGuicciardini, Piero <1808-
1886>\$4390\$5CFICFGuicc.1.4/2.16

UNIMARC for the application of FRBR: some Italian experimentation

Italian community of UNIMARC users (ITALE) is examining the applicability of the New Italian Cataloguing rules (REICAT) in relation to the use of the UNIMARC standard in our catalogues and our OPACs

The new Italian rules have a new conceptual structure inspired on FRBR and the Frankfurt statement of principles

The new code will change the bibliographic structure of on-line catalogues and it will also require a different use of UNIMARC for the Italian community

in the authority record

It is then defined the uniform title of the novel, which will be qualified by the main heading.

<u>500</u>	<u>11</u>	<u>a</u>	Oliver Twist
		<u>9</u>	Dickens, Charles

Bibliographic record for the work

<u>230</u>		<u>a</u>	Oliver Twist
		<u>9</u>	Dickens, Charles
<u>430</u>		<u>a</u>	<<The>> adventures of Oliver Twist
<u>430</u>		<u>a</u>	<<Le>> avventure di Oliver Twist
<u>430</u>		<u>a</u>	<<Le>> avventure di Olivero Twist

Authority record for the work

The publications of the novel translated into Italian are a family of expressions, so in each bibliographic record in that category is added on the field 529 bib. for the uniform title of the expression, along with the conventional addition that features it. The field 529 bib. is not linked to any authority record.

<u>500</u>	<u>11</u>	<u>a</u>	Oliver Twist
		<u>9</u>	Dickens, Charles
<u>529</u>	<u>11</u>	<u>a</u>	Oliver Twist
		<u>x</u>	(in italiano)

FRBR model: the expression entity

200 1 a <<Le >>avventure di Oliver
Twist
f Charles Dickens
g a cura di Augusta
Grosso-Guidetti

210 — a Torino
c UTET
d stampa 1966

215 — a 362 p., [1] c. di tav.
c 1 ritr.
d 18 cm

225 2 a <<I >>grandi scrittori stranieri
v 48

300 — a Tit. orig.: The adventures of
Oliver Twist

410 1 1 2001
a <<I >>grandi scrittori stranieri

500 11 a Oliver Twist
g Dickens, Charles

529 11 a Oliver Twist|
x (in italiano)

676 — a 823.8
v 21
z ita

700 1 a Dickens,
b Charles

New perspectives

- To improve the data of FRBR model in the UNIMARC format for expression and work
- To make proposals to PUC for the extension of format for all kind of graphic material
- To increase the collaboration with Italian MARC21 user group
- To increase the informations and detailed instruction in the application of format (guidelines, workshop, etc.)