

## **Thomas Jefferson University Jefferson Digital Commons**

Department of Anesthesiology Faculty Papers

Department of Anesthesiology

6-2017

# Upgrading a Social Media Strategy to Increase Twitter Engagement During the Spring Annual Meeting of the American Society of Regional Anesthesia and Pain Medicine.

Eric S. Schwenk

Thomas Jefferson University, eric.schwenk@jefferson.edu

Kellie M. Jaremko

Thomas Jefferson University, Kellie.Jaremko@jefferson.edu

Rajnish K. Gupta

Vanderbilt University Medical Center

Ankeet D. Udani

Duke University Medical Center

Colin J J.L. McCartney

University of Ottawa

## Lettus skammahow access to this document benefits you

Follow this and additional works at: https://jdc.jefferson.edu/anfp



Part of the Anesthesiology Commons

#### Recommended Citation

Schwenk, Eric S.; Jaremko, Kellie M.; Gupta, Rajnish K.; Udani, Ankeet D.; McCartney, Colin J J.L.; Snively, Anne; and Mariano, Edward R., "Upgrading a Social Media Strategy to Increase Twitter Engagement During the Spring Annual Meeting of the American Society of Regional Anesthesia and Pain Medicine." (2017). Department of Anesthesiology Faculty Papers. Paper 34. https://jdc.jefferson.edu/anfp/34

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's Center for Teaching and Learning (CTL). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Anesthesiology Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors Eric S. Schwenk, Kellie M. Jaremko, Rajnish K. Gupta, Ankeet D. Udani, Colin J J.L. McCartney, Anne Snively, and Edward R. Mariano		

## **Upgrading** a Social Media Strategy to Increase Twitter Engagement during the Spring Annual Meeting of the American Society of Regional Anesthesia and Pain Medicine

#### **Corresponding Author:**

Eric S. Schwenk, MD Sidney Kimmel Medical College at Thomas Jefferson University Department of Anesthesiology Suite 8130, Gibbon Building 111 South 11<sup>th</sup> Street Philadelphia, PA 19107

Phone: 215-955-6161 Fax: 215-955-0677

Email: Eric.Schwenk@jefferson.edu

#### **Co-Authors:**

Kellie M. Jaremko, MD, PhD Thomas Jefferson University Hospital

Rajnish K. Gupta, MD Vanderbilt University Medical Center

Ankeet D. Udani, MD, MSEd Duke University Medical Center

Colin J.L. McCartney, MBChB, PhD, FRCA, FCARCSI, FRCPC University of Ottawa

Anne Snively, MBA, CAE American Society of Regional Anesthesia and Pain Medicine

Edward R. Mariano, MD, MAS Stanford University School of Medicine

#### **Institutional Affiliation of Manuscript:**

Sidney Kimmel Medical College at Thomas Jefferson University

#### **Sources of Funding:**

None

**Conflicts of Interest:** Dr. Mariano has received unrestricted educational program funding paid to his institution from Halyard Health (Alpharetta, GA, USA) and B Braun (Bethlehem, PA, USA). These companies had no input into any aspect of the present study design and implementation; data collection, analysis and interpretation; or manuscript preparation.

All other authors have no conflicts of interest to declare.

**Short Running Title:** Twitter Use at the Spring ASRA Meetings

**Word Count:** 3,081

#### 1 Abstract (unstructured)

- 2 Microblogs known as Tweets are a rapid, effective method of information dissemination in
- 3 healthcare. Although several medical specialties have described their Twitter conference
- 4 experiences, few data exist in the fields of anesthesiology and pain medicine. We therefore
- 5 analyzed the Twitter content of two consecutive Spring meetings of the American Society of
- 6 Regional Anesthesia and Pain Medicine using publicly available online transcripts. We also
- 7 examined the potential contribution of a targeted social media campaign on Twitter engagement
- 8 during the conferences. The original Twitter meeting content was largely scientific in nature and
- 9 created by meeting attendees, the majority of whom were non-trainee physicians. Physician
- trainees, however, represent an important and increasing minority of Twitter contributors.
- 11 Physicians not in attendance predominantly contributed via retweeting original content,
- particularly picture-containing Tweets, and thus increased reach to non-attendees. A social media
- campaign prior to meetings may help increase the reach of conference-related Twitter discussion.

#### Introduction

•	^	
٠	_	

1

3 Twitter, an online social media platform launched in 2006 and based in San Francisco, CA, allows its users to post "micro-blogs" of 140 characters or less (referred to as "Tweets"). 1 Its use 4 5 in healthcare has led to the ability of physicians, nurses, and other healthcare professionals to 6 rapidly communicate health-related education and information in a public venue. Twitter users 7 can engage in international conversations by including "hashtags" (a meeting code or keyword starting with the # symbol) in their Tweets which allow grouping based on topic and ability to be 8 9 searched. The use of social media, specifically Twitter, in national medical meetings has increased in recent years, and several medical specialties have described their experiences.<sup>2-6</sup> 10 11 Twitter has become the preferred platform for scientific meetings over other platforms such as 12 Facebook likely due to advantages like short-form messaging, easily grouped themes with hashtags, and rapid spread of messages ("going viral") with easy sharing through "Retweeting." 13 14 However, very little has been published on Twitter use within the medical specialties of anesthesiology and pain medicine; 7.8 therefore, the benefits in enhancing the conference 15 experience, if any, remain unknown. In addition, methods to increase public interest and 16 17 engagement on topics presented at scientific conferences have not been previously studied. 18 19 The Spring annual meeting of the American Society of Regional Anesthesia and Pain Medicine 20 (ASRA) has been held for the past 41 years and consists of 3-4 days of lectures, workshops, problem-based learning discussions, and other interactive events dedicated to the subspecialty of 21 22 regional anesthesiology and acute pain medicine. Twitter hashtags for these meetings are 23 registered with Symplur (Upland, CA), a healthcare social media analytics company, annually

- 1 prior to each conference. The purpose of this study is to describe the Twitter-based conference
- 2 discussions at the ASRA Spring 2015 and 2016 annual meetings and to quantify the effects of a
- 3 targeted social media strategy launched in between the two meetings.

4

#### Methods

2

5

1

3 After receiving exemption from review by the institutional review board (Stanford University

4 School of Medicine, Stanford, CA), we conducted this study of Twitter use for the Spring 2015

and Spring 2016 annual meetings of ASRA. Transcripts and basic analytics for conferences with

6 hashtags registered with Symplur within the previous 12 months are freely available online for

7 download (http://www.symplur.com/healthcare-hashtags/). Twitter transcripts were obtained for

8 the hashtag #ASRASpring15 for the Spring 2015 3-day meeting and for the hashtag

#ASRA\_RA16 for the Spring 2016 3-day meeting; these hashtags were registered with Symplur

in advance of each meeting.

11

12

14

16

17

18

19

20

21

22

9

#### Social Media Engagement Strategy

Prior to the Spring 2015 ASRA meeting (the 40<sup>th</sup> annual Regional Anesthesiology and Acute

Pain Medicine Meeting) in Las Vegas, NV, there was no targeted social media engagement

strategy. Advertisements for the meeting, including reminders for registration and abstract

submission deadlines, were posted on the society's social media platforms (e.g., Facebook,

LinkedIn, and Twitter) primarily for marketing and not including the meeting hashtag. Starting

two months prior to the meeting, emails from the ASRA office encouraged ASRA members and

attendees to "Follow and tweet using #ASRASpring15 now and throughout the conference" or

provided "Suggested Tweets/Posts" such as: "Have you submitted your video for the Interactive

#RegionalAnesthesia session at #ASRASpring15 yet?" No specific meeting attendees or

presenters with social media accounts were mentioned on the website or in any emails about the

23 meeting.

1

22

23

2 Before the Spring 2016 ASRA meeting (the 41st annual Regional Anesthesiology and Acute Pain 3 Medicine Meeting), the meeting hashtag #ASRA\_RA16 was circulated in emails from the ASRA office and other marketing communications more than 6 months in advance. Through its website, 4 5 ASRA introduced its first "Social Media Team" with a unique web page 6 (https://www.asra.com/page/242/social-media) to encourage members and meeting attendees to join Twitter and promote social media engagement prior to and during the meeting. This page 7 8 featured photographs, short biographies, and Twitter handles of nine ASRA members who were 9 regular users of Twitter (https://www.asra.com/page/242/social-media). All ASRA members received emails about the creation of the Social Media Team in November and December 2015. 10 At the conference hotel in New Orleans, LA, several large signs encouraged members to use 11 12 Twitter and featured the conference hashtag #ASRA\_RA16. A comparison of the social media 13 strategies employed at the two meetings is shown in Table 1. 14 Measurements 15 The time period for analysis of Tweets started at the time of on-site registration opening on the 16 17 first day for the Spring 2015 meeting in Las Vegas, NV, May 14, 2015 at 4:00 A.M. (PDT), and 18 ended at 5:30 P.M. (PDT) on May 16, 2015, the last day of the conference. The same time 19 interval was used for the Spring 2016 meeting in New Orleans, LA, which began on March 31, 20 2016, and ended on April 2, 2015. Time was adjusted for the time zone of the city in which each meeting was held. From Symplur, we obtained summary measurements of Twitter productivity 21

and engagement: total number of impressions, total number of Tweets, total number of

participants on Twitter, average number of Tweets per hour, average number of Tweets per

1 participant, top 10 Twitter participants by mention, top 10 Twitter participants by number of

2 Tweets, and top 10 Twitter participants by impressions. Symplur defines impressions as "taking

the number of tweets per participant and multiplying it with the number of followers that

4 participant currently has." Impressions serve as a measure of the overall audience that the tweets

have. Demographics, society membership status, and other characteristics of meeting attendees

were collected from the ASRA meeting registration database and matched with the Twitter

7 transcripts obtained from Symplur. Each retweet (RT) was analyzed and cross-referenced with

the list of meeting registrants and attendees. The inclusion of pictures within Tweets was

recorded.

#### Classification of Tweets

Twitter transcripts were converted to PDF format for review, and all Tweets were analyzed by two investigators, ESS and KMJ, independently. Tweets were assigned to one of four categories: scientific, logistical, social, or other, based on a slightly modified classification system described by Attai et al<sup>2</sup> and Awad et al.<sup>10</sup> "Scientific" Tweets were defined as those that contained education-related to a specific topic from a meeting session or a scientific or medical topic that had some connection to the meeting. "Logistical" Tweets were those related to locations of sessions, timing, or session details other than content, and any informational Tweet or announcement about the location of a particular session or event at the meeting. "Social" Tweets were those containing general impressions of the meeting or venue, sightseeing, jokes or other banter, or discussion of activities that occurred outside of meeting locations, including future meetings or events. "Other" referred to any Tweet that did not obviously fall into one of the other three categories. Each category was given a priority ranking (1-4 out of 4 with 1 being the

highest) based on relevance to meeting content: scientific (rank 1), logistical (rank 2), social 1 2 (rank 3), and other (rank 4). Tweets that could have fit into more than one category were 3 categorized by the category with highest priority (i.e., a Tweet with scientific and social content 4 would be classified as scientific, for example, because scientific is higher priority than social). 5 Tweets were also described in terms of type of Tweet, as defined by Twitter designations: 6 original, reply, modified RT, or unmodified RT. Inter-rater reliability for Tweet category 7 assignments was determined by calculating the intra-class correlation coefficient (ICC). For the purposes of graphical representation, each Tweet could only have one category; therefore, any 8 9 disputes between the two primary raters were resolved by a third investigator, ADU, who was 10 blinded to the identities of the raters and their category selections for a given Tweet. 11 12 Statistical Analysis 13 ICC measurements were calculated for the two independent reviewers of Tweet categories. Given the categorical nature of most of the data, analyses were performed using the chi square 14 15  $(X^2)$  test or nominal by nominal contingency coefficients when there were greater than two categories per variable (e.g., type of Twitter engagement, Twitter participant category). 16 17 Normality of distribution was determined for all scale variables. Single comparisons of independent variables were performed using Mann-Whitney U test for continuous data in non-18 19 normal distributions. All analyses were performed using SPSS software (Version 23.0, Armonk, 20 NY). A two-sided p < 0.05 was considered statistically significant. 21 22 23

#### Results

	,	
	•	
-		

1

3 The number of conference registrants decreased by 154 people from 2015 to 2016. The demographics of attendees at the ASRA Spring annual meetings shifted slightly between 4 5 categories from 2015 to 2016 but the overall order did not change, with physician ASRA 6 members being the largest group, followed by trainee ASRA members, trainee non-ASRA 7 members, and physician non-ASRA members (Table 2). The number of overall Twitter 8 participants increased from 160 in 2015 to 209 in 2016 with identifiable individual participants 9 similarly increasing from 102 to 131. The number of original Tweets (excluding unmodified RTs) increased from 379 to 658 (73.6%) with the number of impressions increasing from 10 11 664,335 to 1,460,008 (120%; Table 3). Discussion between Twitter participants was evaluated 12 using number of "replies" as a surrogate marker, which showed a significant increase in number 13 and percentage of original tweets between 2015 (n = 26, 6.9%) and 2016 (n = 83, 12.6%; p < 14 0.001). The type of Twitter engagement (original Tweets, unmodified RTs only, or both) was 15 strongly associated with meeting attendance (p < 0.001; Figure 1) with those who created original content more likely to have attended and those who retweeted only more likely to have 16 17 not. The top 10 Twitter accounts based on number of impressions generated are shown in Table 4. 18 19 20 Analysis of Tweets by individuals (groups and unknown accounts excluded) revealed that for the 21 Spring 2015 meeting 331/340 total Tweets (97.4%) were by attendees with 9/340 (2.6%) by non-22 attendees versus 546/576 total (94.8%) by meeting attendees with 30/576 (5.2%) by non-23 attendees for Spring 2016 (p = 0.102). The majority of participants in the Twitter feed, including

those who only retweeted original content (60.6% in 2015 and 58.8% in 2016), did not attend the 2 meeting. When comparing Tweets by physicians at both meetings, 317/379 (83.6%) were created 3 by physicians at Spring 2015 versus 497/658 (75.5%) at Spring 2016 (p < 0.001). However, 4 Tweets by trainees increased from 13/379 (3.4%) in 2015 to 74/658 (11.2%) in 2016 (p < 0.001). 5 6 In 2015, 39% of original Tweets contained a picture; this percentage decreased to 31% in 2016 7 despite an overall increased number of picture-containing tweets (148 in 2015 to 203 in 2016; p = 0.008). The average number of RTs per original Tweet that contained pictures increased from 8 9 1.5 in 2015 to 2.1 in 2016. There was a statistically significant increase in likelihood of an original Tweet being retweeted if it contained pictures in 2016 (p < 0.001) but not in 2015. The 10 11 top 10 participants in order of the number of times their Tweets were retweeted are shown in 12 Table 5. 13 14 Figures 2a and 2b show the distribution of Tweets by content category from the Spring 2015 and Spring 2016 meetings. Scientific Tweets made up the majority with 292/379 (77%) in Spring 15 2015 and 480/658 (73%) in Spring 2016 (p = 0.145) while social Tweets represented 14% of 16 17 Tweets from both meetings. Logistical and "other" Tweets formed the minority for both 18 meetings. One Tweet from each meeting was unable to be classified: from Spring 2015, one 19 Tweet was partially scientific but promotional for one specific company; and from Spring 2016, 20 one Tweet was both social and logistical. The ICC for Tweet category assignment between the two raters for the Spring 2015 meeting was 0.82 and for the Spring 2016 meeting was 0.84. 21

1

22

- 1 Screen shots of a scientific Tweet and responses and a social Tweet are shown in Figures 3a and
- 2 3b, respectively.

#### Discussion

Our findings demonstrate that Twitter use contributes to the scientific discussion and overall experience at the annual Spring ASRA meeting for both attendees and those following the meeting from home. In addition, a targeted social media engagement strategy including a dedicated Social Media Team may have led to an increase in total number of Tweets and impressions from the Spring 2015 to the Spring 2016 meeting, despite a decrease in the number of meeting attendees. We anticipate that the benefits of this relatively simple and inexpensive strategy may become more relevant as social media use continues to grow amongst healthcare professionals.

Consistent with the results of previous investigations in other medical specialties, <sup>2,3,5</sup> our analysis reveals that the large majority of Tweets at the ASRA Spring annual meeting are scientific (meeting-related) in nature. This is important for several reasons. First, it suggests that the majority of time spent on Twitter is used to disseminate meeting-related content; therefore Twitter use during meeting time focuses participants on, rather than distracts from, important content. Second, it demonstrates that Twitter does indeed contribute to the scientific discussion at the meeting, and the number of RTs by non-attendees tells us that the discussion extends beyond the meeting. The increase in the number of replies from 2015 to 2016 suggests followers of the discussion are increasingly engaged. One interesting finding was that the majority of Twitter participants from both meetings were non-attendees, who tended to retweet meeting information. This is consistent with the findings of others. <sup>9</sup> This speaks clearly to the external reach of Twitter, highlights the importance of engaging those who cannot attend, and suggests

that Twitter is an ideal platform for these types of social media-enhanced conferences. For 1 2 planners of continuing medical education events, the number of impressions through Twitter 3 may be a useful metric to track when determining which topics and/or speakers generate the 4 most public interest, are most current, and are most relevant. 5 6 Although logistical Tweets represented only 4% and 7% of Tweets in 2015 and 2016, 7 respectively, they represent a potential future opportunity. Because of the large number of 8 followers of the official ASRA Twitter handle, @ASRA\_Society, (5,194 followers at the time of 9 this writing) and the increased attention during meeting times, Tweeting information about upcoming sessions or speakers may attract prospective attendees for future conferences who may 10 11 otherwise not attend. In 2015, the official account only sent nine Tweets and in 2016 only sent 12 two. However, a balance must be struck between logistical Tweets from the official society 13 account and those by individual users. We speculate that too many Tweets by @ASRA\_Society may be viewed as self-serving or promotional, but the "right" amount is not known. Our results 14 also suggest that Twitter participants enjoy Tweets with pictures included and are more likely to 15 share them with their followers. 16 17 18 Our finding that the number of impressions and overall engagement following a targeted social 19 media campaign increased warrants additional study. The doubling of the number of impressions 20 while having a decrease in meeting registration can be largely explained by the increase in the number of Tweets and RTs by those who did participate. The number of Twitter participants 21

increased as well. We believe that the efforts of ASRA prior to the meeting are most likely the

major factor contributing to this change. Three of the top 10 Twitter influencers were featured on

22

23

the ASRA Social Media Team webpage, and four of the top 10 Tweeters were featured there. 1 2 The increased attention given to these particular Twitter users for the Spring 16 meeting may have encouraged them to increase their Tweet activity. In addition, direct promotion of specific 3 4 Twitter accounts may have led to an increase in the number of followers for each of these users, 5 thereby leading to the increase in impressions in Spring 2016 as their Tweets were able to reach 6 larger audiences. As Table 5 shows, the number of Retweets of original content dramatically 7 increased in Spring 2016. Some of this was due to the authors of this paper but clearly not all, as 8 five out of the top 10 participants by Retweets were not authors of this paper, including the 9 participant with the highest number of Retweets. 10 11 One interesting finding was that the percentage of physician Tweets decreased from 2015 to 12 2016. This occurred as the total number of Tweets increased, and an opportunity to reverse this trend may exist in the contribution of physician trainees to the social media discussion at 13 14 meetings. The greater than three-fold increase in physician trainee representation in the Twitter discussion from 2015 to 2016 supports the notion that younger members of the medical 15 community play an important role in social media and are actively involved in dissemination of 16 17 scientific information. Inclusion of physician trainees in future targeted social media campaigns 18 may be a high-yield means of enhancing meeting engagement that should not be overlooked. 19 20 Our study does have limitations. First, we only included Tweets that used the official meeting hashtags and therefore Tweets that did not include it or misspelled it were not analyzed. Second, 21 22 classifying Tweets is inherently subjective. We tried to minimize this by using previously 23 published criteria and demonstrating strong inter-rater reliability. We also included a third

1 reviewer to break any ties when summarizing Tweet categories for graphical representation, but 2 there can be difficulty in determining meaning in such succinct microblogs. Further, although we 3 believe that the ASRA social media promotion strategy affected Twitter activity and 4 impressions, we cannot establish a causal link based on this study. Other factors, such as the 5 natural increase in followers that some of the most active Tweeters had between meetings and 6 the general trend of increased social media use over time, may have also played a role in the large increase in impressions. Finally, we cannot determine whether or not impressions indicate a 7 measure of knowledge translation and implementation of clinical practice change. An article by 8 9 Cabana and colleagues suggests that there are seven barriers to change: lack of awareness; lack 10 of familiarity; lack of agreement; lack of self-efficacy; lack of outcome expectancy; inertia; and external factors. 11 Although we cannot measure knowledge translation directly, we believe that 11 12 using Twitter during medical conferences may help address the barriers of lack of awareness and 13 familiarity when it comes to dissemination of scientific evidence. 14 In conclusion, the use of Twitter at the annual Spring meetings of ASRA contributes to the 15 scientific discussion and meeting experience for both attendees and non-attendees who seem to 16 17 participate in different ways. Although the majority of Twitter content remains scientific, logistical Tweets may represent an area of potential growth in attracting attendees to specific 18 19 sessions or perhaps attracting prospective meeting attendees in the future. A targeted effort 20 before the 2016 meeting to highlight ASRA members active on Twitter may have contributed to a dramatic increase in the number of Tweets and impressions created from the meeting and 21 22 warrants further study.

#### References

- Ekins S, Perlstein EO. Ten simple rules of live tweeting at scientific conferences. *PLoS Comput Biol* 2014;10:e1003789
- Attai DJ, Radford DM, Cowher MS: Tweeting the Meeting. Twitter Use at The American Society of Breast Surgeons Annual Meeting 2013-2016. *Ann Surg Oncol* 2016;23:3418-22
- 3. Borgmann H, Woelm JH, Merseburger A, Nestler T, Salem J, Brandt MP, Haferkamp A, Loeb S. Qualitative Twitter analysis of participants, tweet strategies, and tweet content at a major urologic conference. *Can Urol Assoc J* 2016;10:39-44
- Cochran A, Kao LS, Gusani NJ, Suliburk JW, Nwomeh BC. Use of Twitter to document the 2013 Academic Surgical Congress. *J Surg Res* 2014;190:36-40
- Hawkins CM, Duszak R, Rawson JV. Social media in radiology: early trends in Twitter microblogging at radiology's largest international meeting. *J Am Coll Radiol* 2014;11:387-90
- 6. Udovicich C, Barberi A, Perera K. Tweeting the meeting: A comparative analysis of an Australian emergency medicine conference over four years. *J Emerg Trauma Shock* 2016;9:28-31
- 7. McKendrick DR. Smartphones, Twitter and new learning opportunities at anaesthetic conferences. *Anaesthesia* 2012;67:438-9
- 8. Udani AD, Moyse D, Peery CA, Taekman JM. Twitter-Augmented Journal Club: Educational Engagement and Experience So Far. *A A Case Rep* 2016;6:253-6
- 9. Awad NI, Cocchio C. Use of Twitter at a major national pharmacy conference. *Am J Health Syst Pharm* 2015;72:65-9

- 10. Utengen A. New Healthcare Analytics Features for Social Media. Symplur Healthcare Hashtags Project website. Available at: http://www.symplur.com/shorts/new-healthcare-analytics-features-social-media/. June 26, 2012. Accessed October 27, 2016.
- 11. Cabana MD, Rand CS, Powe NR, Wu AW, Wilson MH, Abboud PA, Rubin HR: Why don't physicians follow clinical practice guidelines? A framework for improvement. *JAMA* 1999;282:1458-65

**Table 1.** Comparison of social media strategies employed for the spring 2015 and 2016 meetings.

Activity	Spring 2015	Spring 2016
Emails sent to members prior to meeting with meeting hashtag (#)	Yes	Yes
Number of months prior to meeting when hashtag was emailed to members	2.5	4.5
Social Media Website created prior to meeting	No	Yes
Specific society members who use Twitter promoted prior to meeting	No	Yes
Society members notified about a social media team prior to meeting	No	Yes
Meeting hashtag (#) featured on large poster at meeting location in registration area	No	Yes

**Table 2.** Number and characteristics of meeting registrants.

	#ASRASpring15	#ASRA_RA16
Total Meeting Registrants	1170	1016
Non-U.S. Registrants	200 (17.1%)	100 (9.8%)
Number of Countries	38 (3.2%)	31 (3.1%)
Number of US States	48 (4.1%)	49 (4.8%)
Physician ASRA Member	408 (34.9%)	330 (32.5%)
Physician Member of Partner Society	16 (1.4%)	6 (0.6%)
Physician Non-Member	67 (5.7%)	34 (3.3%)
Trainee ASRA Member	193 (16.5%)	212 (20.9%)
Trainee Non-Member	110 (9.4%)	51 (5.0%)
NP-PA	12 (1.0%)	2 (0.2%)
Military	9 (0.8%)	14 (1.4%)
Other	31 (2.6%)	31 (3.1%)
Day rate	13 (1.1%)	15 (1.5%)
Exhibitor	169 (14.4%)	167 (16.4%)
Faculty	87 (7.4%)	81 (8.0%)

Data are presented as counts, n (%); US=United States; ASRA=American Society of Regional Anesthesia and Pain Medicine; NP=Nurse Practitioner; PA=Physician Assistant.

**Table 3.** Summary of Twitter analytics.

	#ASRASpring15	#ASRA_RA16
Total Impressions <sup>a</sup>	664,335	1,460,008
Total Tweets	811	1519
Original Tweets <sup>b</sup>	379	658
<b>Unmodified Retweets</b>	432	861
Participants	160	209
Average Tweets/Hour	12	25
Average Tweets/Participant	5	7

Data are presented as counts unless otherwise specified.

a. Impressions are defined by Symplur as "taking the number of Tweets per participant and multiplying it with the number of followers that participant currently has." This included unmodified retweets in the calculation.

b. Includes original Tweets and modified retweets. Retweets that were not modified were not included in this count.

**Table 4.** Top 10 Twitter influencers by impressions.

	#ASRASpring15	#ASRA_RA16
1	Olivier Branford	Amit Pawa
	@OlivierBranford	@Amit_Pawa
2	Edward Mariano	Kellie Jaremko
	@EMARIANOMD	@Neuro_Kellie
3	Matt McCord	Edward Mariano
	@MattMD	@EMARIANOMD
4	Amit Pawa	Duke Anesthesiology
	@Amit_Pawa	@Duke_Anesthesia
5	Minh Le Cong	The ScientifiK
	@ketaminh	@TheScientifiK
6	The ScientifiK	Minh Le Cong
	@TheScientifiK	@ketaminh
7	ASRA	Kariem
	@ASRA_Society	@elboghdadly
8	Colin McCartney	ASRA
	@ColinJMcCartney	@ASRA_Society
9	Symplur	Raj Gupta
	@healthhashtags	@Dr_RajGupta
10	Anesthesiology News	Symplur
	@anesthesianews	@healthhashtags
·		

Twitter influencers in **bold** were featured on the ASRA social media team website prior to the Spring 2016 meeting.

**Table 5.** Top 10 Twitter participants by number of Retweets.

	#ASRASpring15	#ASRA_RA16
	(Retweets)*	(Retweets)*
1	Raj Gupta	Kariem
	@Dr_RajGupta	@elboghdadly
	(83)	(192)
2	Colin McCartney	Edward Mariano
	@ColinJMcCartney	@EMARIANOMD
	(82)	(184)
3	Edward Mariano	Raj Gupta
	@EMARIANOMD	@Dr_RajGupta
	(75)	(77)
4	Andrew Jarvie	Eric Schwenk
	@axe1314	@ESchwenkMD
	(33)	(55)
5	Chris Prabhakar	Rosie Hogg
	@ChrisPrabhakar	@Rosie_Hogg
	(27)	(44)
6	Maria Chazapis	Jeff Gadsden
	@MChazapis	@jeffgadsden
	(21)	(34)
7	Kanupriya Kumar	Kellie Jaremko
	@KanupsKumar	@Neuro_Kellie
	(20)	(33)
8	ASRA	Colin McCartney
	@ASRA_Society	@ColinJMcCartney
	(16)	(27)
9	Simeon West	Nabil Elkassabany
	@uclhregional	@nelkassabany
	(14)	(24)
10	Stuart Grant	Christopher Cook
	@galusweegie	@CRCook1978
	(12)	(22)
*Retw	eets were the number of times th	e user's Tweets were reposted by

\*Retweets were the number of times the user's Tweets were reposted by other Twitter users without alteration.

## **Figure Legends**

**Figure 1.** Patterns of Twitter engagement categorized by participants' meeting attendance status.

**Figures 2a and 2b.** Tweet categories at the 2015 and 2016 Spring meetings of the American Society of Regional Anesthesia and Pain Medicine.

Figure 3a. Screen shots of a "scientific" Tweet and replies from the Spring 2016 meeting.

**Figure 3b.** Screen shot of a "social" Tweet from the Spring 2016 meeting.