


Hypsugo vordermanni, Vordermann's Pipistrelle

Assessment by: Görföl, T., Kingston, T. Hutson, A.M. & Francis, C.M.



View on www.iucnredlist.org

Citation: Görföl, T., Kingston, T. Hutson, A.M. & Francis, C.M. 2016. *Hypsugo vordermanni*. The IUCN Red List of Threatened Species 2016: e.T44195A22127778.

<http://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T44195A22127778.en>

Copyright: © 2016 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Mammalia	Chiroptera	Vespertilionidae

Taxon Name: *Hypsugo vordermanni* Jentink, 1890

Synonym(s):

- *Pipistrellus vordermanni* (Jentink, 1890)

Common Name(s):

- English: Vordermann's Pipistrelle, White-winged Pipistrelle

Taxonomic Notes:

The species may be conspecific with *macrotis* (Corbet and Hill 1992).

Assessment Information

Red List Category & Criteria: Data Deficient [ver 3.1](#)

Year Published: 2016

Date Assessed: December 24, 2015

Justification:

Listed as Data Deficient as the species is known only from a few records and localities, and its habitat preferences, population status, threats and ecology are not known.

Previously Published Red List Assessments

2008 – Data Deficient (DD) – <http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T44195A10861199.en>

1996 – Not Evaluated (NE)

Geographic Range

Range Description:


The species is found on Banggi island (Nor 1996), Belitung island (type locality), and a few scattered localities in Borneo. In Borneo the species is reported from Tanjung Puting National Park (Nash and Nash 1987), Sungai Sarawak Kiri (Abdullah *et al.* 2000), Bako National Park (Abdullah *et al.* 2010) and Brunei (Cranbrook and Edwards 1994).

Country Occurrence:

Native: Brunei Darussalam; Indonesia (Sumatera); Malaysia

Distribution Map

Hypsugo vordermanni



Range

Extant (resident)

Compiled by:

IUCN (International Union for Conservation of Nature)



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

The species is known only from a few records.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

This may be a coastal species that occurs in many locations along Borneo's coast from sea level up to 100 m asl (Francis and Hill 1986). It may be restricted to coastal mangroves.

Systems: Terrestrial

Threats

The threats to this species are not known, but if restricted to mangroves it may be losing habitat due to mangrove harvesting and coastal development.

Conservation Actions (see Appendix for additional information)

The species is reported from Tanjung Puting National Park (Nash and Nash 1987) and Bako National Park (Abdullah *et al.* 2010). Further studies are needed into the distribution, abundance, threats, and ecology of this species.

Credits

Assessor(s): Görföl, T., Kingston, T. Hutson, A.M. & Francis, C.M.

Reviewer(s): Piraccini, R.

Bibliography

- Abdullah, M. T., Hall, L. S., Rahman, M. A., Ketol, B., Marni, W. and Sait, I. 2000. A note on the rare *Pipistrellus vordermanni* in Sarawak. *Malaysian Borneo Malayan Nature Journal* 54(4): 375-376.
- Abdullah, M.T., Wong, S.F. and Ketol, B. 2010. *Catalogue of mammals in the UNIMAS Zoological Museum*. Universiti Malaysia Sarawak Publication, Kota Samarahan, Malaysia.
- Corbet, G.B. and Hill, J.E. 1992. *Mammals of the Indo-Malayan Region: a Systematic Review*. Oxford University Press, Oxford, UK.
- Cranbrook, Earl of and Edwards, D. S. 1994. *A tropical rainforest: the nature of biodiversity in Borneo at Belalong*. Brunei Sun Tree Publishing, London, UK and Singapore.
- Francis, C. M. and Hill, J. E. 1986. A Review of the Bornean *Pipistrellus* (Mammalia: Chiroptera). *Mammalia* 50(1): 43-55.
- IUCN. 2016. The IUCN Red List of Threatened Species. Version 2016-3. Available at: www.iucnredlist.org. (Accessed: 07 December 2016).
- Nash, S. V. and Nash, A. D. 1987. Management considerations for the Tanjung Puting National Park, Central Kalimantan Page. WWF/IUCN/PHPA.
- Nor, S. M. 1996. The mammalian fauna on the islands at the northern tip of Sabah, Borneo. *Fieldiana: Zoology* 83: 1-51.
- Pacifici, M., Santini, L., Di Marco, M., Baisero, D., Francucci, L., Grottolo Marasini, G., Visconti, P. and Rondinini, C. 2013. Generation length for mammals. *Nature Conservation* 5: 87–94.

Citation

Görföl, T., Kingston, T. Hutson, A.M. & Francis, C.M. 2016. *Hypsugo vordermanni*. *The IUCN Red List of Threatened Species 2016*: e.T44195A22127778. <http://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T44195A22127778.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the [Red List website](#).

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.7. Forest - Subtropical/Tropical Mangrove Vegetation Above High Tide Level	-	Suitable	-

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Conservation sites identified: Yes, over entire range

Conservation Actions Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions Needed
1. Land/water protection -> 1.1. Site/area protection
2. Land/water management -> 2.1. Site/area management

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology
1. Research -> 1.5. Threats

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 555827
Lower elevation limit (m): 0
Upper elevation limit (m): 100

Population
Continuing decline of mature individuals: Unknown
Population severely fragmented: No
Continuing decline in subpopulations: Yes
Habitats and Ecology
Generation Length (years): 5.2

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).