




**ENVIRONMENTAL
PROTECTION**

Esa Nikunen • Riitta Leinonen
Birgit Kemiläinen • Arto Kultamaa

Environmental properties of chemicals

Volume 2



Esa Nikunen • Riitta Leinonen
Birgit Kemiläinen • Arto Kultamaa

Environmental properties of chemicals

Volume 2

HELSINKI 2000

This is a second revised version of Environmental Properties of Chemicals, published by VAPK-Publishing and Ministry of Environment, Environmental Protection Department as Research Report 91, 1990.

*The publication is also available as a CD ROM version:
EnviChem 2.0, a PC database running under Windows operating systems.*

ISBN 951-37-2967-2 (publisher)
ISBN 952-11-0670-0 (co-publisher)
ISSN 1238-8602

*Layout: Pikseri Julkaisupalvelut
Cover illustration: Jussi Hirvi*

*Edita Ltd.
Helsinki 2000*

Environmental properties of chemicals

Volume 2

Environmental properties of chemicals
Volume 2

Contents

VOLUME ONE

- 1 Contents of the report**
- 2 Environmental properties of chemicals**

VOLUME TWO

3 Abbreviations and explanations	7
3.1 Ways of exposure	7
3.2 Exposed species	7
3.3 Effects	7
3.4 Length of exposure	7
3.5 Odour thresholds	8
3.6 Toxicity endpoints	9
3.7 Other abbreviations	9
4 List of exposed species	10
4.1 Mammals	10
4.2 Plants	13
4.3 Birds	14
4.4 Insects	17
4.5 Fishes	18
4.6 Mollusca	22
4.7 Crustaceans	23
4.8 Algae	24
4.9 Others	25
5 References	27
Index I List of chemicals in alphabetical order	169
Index II List of chemicals in CAS-number order	223

3 Abbreviations and explanations

3.1 Ways of exposure

iat	intraarterial
ial	intraaural
icv	intracervical
idr	intradermal
idu	intraduodenal
ihl	inhalation
ims	intramuscular
ipc	intraplacental
ipl	intrapleural
ipr	intraperitoneal
irn	intrarenal
isp	intraspinal
itr	intratracheal
ivg	intravaginal
ivn	intravenous
ocu	ocular
orl	oral
par	parenteral
rec	rectal
scu	subcutaneous
skn	skin
ukn	unknown

man	man
mky	monkey
mus	mouse
pgn	pigeon
pig	pig
qal	quail
rat	rat
rbt	rabbit
sql	squirrel
ukn	unreported
wmn	woman

3.2 Exposed species

bdw	wild bird
brd	bird (domestic or lab)
cat	cat
ckn	chicken
chd	child
ctl	cattle
dck	duck
dog	dog
frg	frog
gpg	guinea pig
grb	gerbil
ham	hamster
hmн	human
inf	infant
juv	juvenile
lrv	larvae
mam	mammal

3.3 Effects

bhv	behaviour
bms	biomass
car	carcinogenic effects
dvm	development
grw	growth
his	histology
ihb	inhibition
imb	immobility
mbt	mobility
pht	photosynthesis
phy	physiology
preg	pregnancy
rdc	reduction
rpd	reproduction
srv	survival
sti	stimulation

3.4 Length of exposure

act	acute
sact	subacute
chr	chronic
schr	semichronic
s	second
min	minute
hr	hour
d	day
w	week
mo	month
yr	year

3.5 Odour thresholds

Threshold Odour Concentration (T.O.C):

- when T.O.C. is given without any qualification, it is usually the 50 % recognition threshold
- other definitions:
 - Hedonic tone: the pleasure or displeasure that the odour judge associated with the odour quality being observed.

Absolute Odour Threshold:

- the concentration at which 50 % of the odour panel detected the odour.

50 % Recognition Threshold:

- the concentration at which 50 % of the odour panel defined the odour as being representative of the odourant being studied.

100 % Recognition Threshold:

- the concentration at which 100 % of the odour panel defined the odour as being representative of the odourant being studied.

PPT50 (Population Perception Threshold):

- the concentration at which 50% of the people who have a capable sense of smell are able to detect an odour.

PIT50 (Population Identification Threshold):

- the concentration at which 50 % of the population can identify and describe the odour, or at least compare its quality with another odour.

IPT (Individual Perception Threshold):

- the lowest concentration of a particular odour at which a subject gave both an initial positive response and a repeated response when the same stimulus was given a second time.

T.O.N. (Threshold Odour Number):

- the number of times a given volume of the gas sample has to be diluted with clean, odourless air to bring it to the threshold level (detected by 50 % of the panel observers). The T.O.N. is thus the value of the intensity of an odour expressed in odour units.

O.I. (Odour Index):

- a dimension less term which is based upon vapour pressure and odour recognition threshold (100 %) as follows:

$$O.I. = \frac{\text{vapour pressure(ppm)}}{\text{odour recognition thresholds (100 %) (ppm)}}$$

when 1 atm = 1000000 ppm

3.6 Toxicity endpoints

- LD50 Dose that kills 50 % of the population.
- LC50 Concentration that within testing period kills 50 % of the population.
- LDLo Lowest dose that has increased lethality.
- LCLo Lowest concentration that has increased lethality.
- TDLo Lowest dose that has induced toxicological reactions to man or carcinogenic, neoplastigenic or teratogenic reactions to test animals or man.
- TCLo Lowest concentration that has induced reactions mentioned with TDLo.
- EC50 Concentration that within testing period induces some specified toxicological reaction in 50 % of the population.
- $E_bC_{50}(x \text{ hr})$ The median effective concentration for inhibition of growth based on a comparison of areas under the growth curves after "x" hours (biomass).
- $E_rC_{50}(x-y \text{ hr})$ The median effective concentration for inhibition of growth based on a comparison of maximum growth rates (from "x" to "y" hours) (rate).
- LOEC Lowest concentration that within testing period induces some specified toxicological reactions.
- NOEC Concentration that has induced no toxicological effects.
- ALD Approximate lethal dose (indicates acute oral toxicity).
- LDfr Daily dose that kills 50 % of the population in 72 hour feeding test (indicates subacute toxicity).

3.7 Other abbreviations

- BCF The ratio of the concentration of the test chemical in the test animal to the concentration in the test environment (e.g. water) or the ratio between uptake rate and depuration rate.
- K_a dissociation constant, acids. ($pK_a = -\log K_a$)
- K_b dissociation constant, bases. ($pK_b = -\log K_b$)
- hrd hard dilution water.
- sfd soft dilution water.

4 List of exposed species

4.1 Mammals

Scientific name	English name	Finnish name
<i>Alces alces</i>	Moose	hirvi
<i>Alopex lagopus</i>	Arctic fox	naali
<i>Antilocapra americana</i>	Pronghorn antelope	hanka-antilooppi
<i>Aposemus sylvaticus</i>	Field mouse	pikkumetsähiiri
<i>Arctocephalus pusillus</i>	Australian fur seal	etelänmerikarhu
<i>Blarina brevicauda</i>	Short-tailed shrew	lyhyhtänpäästäinen
<i>Callorhinus ursinus</i>	Northern fur seal	turkishylje
<i>Canis familiaris</i>	Dog	koira
<i>Canis latrans</i>	Coyote	kojootti
<i>Canis lupus</i>	Wolf	susi
<i>Capreolus capreolus</i>	Roe deer	metsäkauris
<i>Castor canadensis</i>	Beaver	majava
<i>Clethrionomys gapperi</i>	Red-backed vole	amerikan punamyyrä
<i>Clethrionomys glareolus</i>	Bank vole	metsämyyrä
<i>Cryptotis parva</i>	Least shrew	amerikan-kääpiöpäästäinen
<i>Cystophoracristata</i>	Hooded seal	kuplahylje
<i>Delphinapterus leucas</i>	Beluga whale	maitovalas
<i>Delphinus delphis</i>	Common dolphin	delfiini
<i>Eptesicus capensis</i>	Bat	Vespertilionidae-lepakkolaji
<i>Eptesicus fuscus</i>	Big brown bat	Vespertilionidae-lepakkolaji
<i>Erignathus barbatus</i>	Bearded seal	partahylje
<i>Eutamias amoenus</i>	Chipmunk	maaoravalaji
<i>Funambulus pennanti</i>	Ground squirrel	palmuorava
<i>Glaucomys volans</i>	Flying squirrel	etelän liito-orava
<i>Globicephala macrorhyncha</i>	Short-finned pilot whale	isokuonopallopää
<i>Globicephala melaena</i>	Atlantic pilot whale	pallopää
<i>Halichoerus grypus</i>	Grey seal	halli
<i>Hyperoodon ampullatus</i>	Bottle-nosed whale	pullonokkavalas
<i>Lagenodelphis hosei</i>	Fraser's dolphin	fraserindelfiini
<i>Lagernorhynchus albirostris</i>	White-beaked dolphin	valkonokkadelphiini
<i>Lagerorhynchus obliquidens</i>	Pacific white-sided dolphin	juovadelfiini
<i>Lagerorhynchus obscurus</i>	Dusky dolphin	mustadelfiini
<i>Lasiurus borealis</i>	Red bat	lepakkolaji

<i>Lepus americanus</i>	Snowshoe hare	lumikenkäjänis
<i>Lepus californicus</i>	Black-tailed jackrabbit	mustahäntäjänis
<i>Lepus capensis</i>	Brown hare	rusakko
<i>Lepus timidus</i>	Mountain hare	metsäjänis
<i>Lutra sp.</i>	Otter	saukko-lajeja
<i>Lynx rufus</i>	Bobcat	punilves
<i>Martens americana</i>	Marten	amerikannäätä
<i>Martes pennanti</i>	Fisher	kalastajanäätä
<i>Megaptera novaeangliae</i>	Humpback whale	ryhävalas
<i>Mephitis mephitis</i>	Striped skunk	haisunäätä
<i>Mesocriterus auratus</i>	Hamster	hamsteri
<i>Mesoplodon densirostris</i>	Dense-beaked whale	blainvillenvalas
<i>Microtus arvalis</i>	Common vole	kenttämyyrä
<i>Microtus canicaudus</i>	Gray-tailed vole	myyrälaji
<i>Microtus longicaudus</i>	Vole	myyrälaji
<i>Microtus montanus</i>	Vole	myyrälaji
<i>Microtus pennsylvanicus</i>	Meadow vole	niittymyyrä
<i>Monachus schauinslandi</i>	Hawaiian monk seal	havajinhylje
<i>Mus musculus</i>	House mouse	kotihiiri
<i>Mustela nivalis</i>	Weasel	isolumikko
<i>Mustela putorius furo</i>	Ferret	hilleri
<i>Mustela vison</i>	Mink	minkki
<i>Myotis grisescens</i>	Gray bat	siippalaji
<i>Myotis lucifugus</i>	Little brown bat	siippalaji
<i>Myotis sodalis</i>	Indiana myotis	siippalaji
<i>Neomeris phocaenoides</i>	Finless porpoise	rosopyöriäinen
<i>Neotoma cinerea</i>	Pack rat	kauppiasrotta
<i>Nycterus thebaica</i>	Egyptian hollow-faced bat	Theban lepakko
<i>Nycticeius humeralis</i>	Evening bat	siippalaji
<i>Nycticeius schlieffeni</i>	Bat	siippalaji
<i>Odocoileus hemionus</i>	Mule deer	isokorva-, muulipeura
<i>Odocoileus virginianus</i>	White-tailed deer	valkohäntäpeura
<i>Ondatra zibethica</i>	Muskrat	piisami
<i>Oryzomys palustris</i>	Rice rat	riisirotta
<i>Ovis aries</i>	Sheep	lammas
<i>Pagophilus groenlandicus</i>	Harp seal	grönlanninhylje
<i>Peromyscus gossypinus</i>	Cotton mouse	hiirilaji
<i>Peromyscus leucopus</i>	White-footed mouse	valkojalkahiiri
<i>Peromyscus maniculatus</i>	Deer mouse	peurahiiri
<i>Peromyscus polionotus</i>	Old-field mouse	peurahiirlaji
<i>Phoca groenlandica</i>	Harp seal	grönlanninhylje
<i>Phoca hispida</i>	Ringed seal	norpaa

<i>Phoca hispida</i>		
<i>saimensis</i>	Saimaa ringed seal	saimaannorppa
<i>Phoca vitulina</i>	Harbour seal	kirjohylje
<i>Phocaenoides dalli</i>	Dall's porpoise	dallinpyöriäinen
<i>Phocoena phocoena</i>	Harbour porpoise	pyöriäinen
<i>Physeter catodon</i>	Sperm whale	kaskelotti
<i>Pontoporia blainvillei</i>	Franciscana dolphin	fransiskaanidelfiini
<i>Procyon lotor</i>	Raccoon	pesukarhu
<i>Rangifer tarandus</i>	Caribou, reindeer	poro
<i>Rattus norwegicus</i>	Rat	rotta
<i>Reithrodontomys humulis</i>	Harvest mouse	vaivaishiirilaji
<i>Reithrodontomys megaloris</i>	Western harvest mouse	vaivaishiirilaji
<i>Scalopus aquaticus</i>	Mole	amerikanmaamyyrä
<i>Sciurus carolinensis</i>	Gray squirrel	harmaaorava
<i>Scotophilus borbonicus</i>	Lesser yellow house bat	siippalaji
<i>Scotophilus dingani</i>	Bat	siippalaji
<i>Sigmodon hispidus</i>	Cotton rat	puuvillarotta
<i>Sorex araneus</i>	Common shrew	metsäpäästäänen
<i>Sorex cinereus</i>	Masked shrew	päästääislaji
<i>Sorex vagrans</i>	Shrew sp.	päästääislaji
<i>Sotalia guianensis</i>	Surinam dolphin	delfiinilaji
<i>Spermophilus columbianus</i>	Columbian ground squirrel	maaoravalaji
<i>Spermophilus tridecemlineatus</i>	13-lined ground squirrel	leopardisiiseli
<i>Spermophilus variegatus</i>	Rock squirrel	maaoravalaji
<i>Stenella coeruleoalba</i>	Striped dolphin	kirjodelfiini
<i>Steno bredanensis</i>	Rough-toothed dolphin	rosohammasdelfiini
<i>Sus scrofa</i>	Wild boar	villisika
<i>Sylvilagus aquaticus</i>	Swamp rabbit	rämekaniini
<i>Sylvilagus floridanus</i>	Cottontail rabbit	pumpulihäntäkaniini
<i>Sylvilagus palustris</i>	Marsh rabbit	suokaniini
<i>Tadarida brasiliensis</i>	Mexican free-tailed bat	buldoggilepakkko
<i>Tamiasciurus hudsonicus</i>	Red squirrel	punaorava
<i>Taxidea taxus</i>	Badger	amerikanmäyrä
<i>Turnix truncatus</i>	Bottle-nosed dolphin	pullonokkadelfiini
<i>Ursus maritimus</i>	Polar bear	jääkarhu
<i>Vulpes fulva</i>	Red fox	punakettu
<i>Vulpes velox</i>	Kit fox	kissakettu
<i>Vulpes vulpes</i>	Fox	kettu
<i>Zalophus californianus</i>	California sea lion	Kalifornian merileijona

4.2 Plants

Allium cepa	Onion	sipuli
Avena sativa	Oats	kaura
Beta vulgaris	Sugarbeet	sokerijuurikas
Betula alleghaniensis	Yellow birch	koivulaji
Betula paperifera	White birch	koivulaji
Chenopodium album	Lambs quarters	jauhosavikka
Circium arvense	Canada thistle	pelto-ohdake
Citrus aurantium	Sour orange	sitruslaji
Cucumis sativus	Cucumber	kurkku
Cyperus rotundus	Purple nutsedge	kaislalaji
Festuca rubra	Creeping red fescue	punanata
Glycine max	Soybean	soijapapu
Gossypium sp.	Cotton	puuvilla
Gracilaria foliifera	Red seaweed	punainen merilevälaji
Gracilaria verrucosa	Red seaweed	punainen merilevälaji
Helianthus annus	Sunflower	auringonukka
Hordeum vulgare	Barley	ohra
Lactuva sativa	Lettuce	lehtisalaatti
Lolium perenne	Ryegrass	raiheinä
Lycopersicon esculentum	Tomato	tomaatti
Onobrychis viciaefolia	Sainfoin	esparsetti
Oryza sativa	Rice	riisi
Phaseolus vulgaris	Bean	papu
Pisum sativum	Pea	herne
Pleum pratense	Timothy	timotei
Poa annua	Annual meadow grass	kylänurmikka
Populus tremula	Aspen	haapa
Pseudotsuga menziesii	Douglas fir	Douglas-kuusi
Secale cereale	Rye	ruis
Senecio vulgaris	Groundsel	peltovillakko
Sesbania exaltata	Helm Sesbania	'Sesbania'
Setaria viridis	Green foxtail	vihreä pantaheinä
Trifolium pratense	Red clover	apila
Triticum aestivum	Wheat	kevätvehnä
Triticum hibernum	Wheat	syysvehnä
Triticum sativum	Wheat	viljelysvehnä
Vicia faba	Horse, broad bean	hääräpapu
Vicia sativa	Common vetch	elovirna, peltovirna
Xanthium pensylvanicum	Cocklebur	sappiruoho
Zea mays	Maize	maissi

4.3 Birds

<i>Acanthis cannabina</i>	Linnet	hemppo
<i>Accipiter cooperii</i>	Cooper's hawk	kyyhkyhaukka
<i>Acrocephalus dumetorum</i>	Blyth's reed warbler	viitakerttunen
<i>Acrocephalus palustris</i>	Marsh warbler	luhtakerttunen
<i>Acrocephalus schoenobaenus</i>	Sedge warbler	ruokokerttunen
<i>Agelaius phoeniceus</i>	Red-winged blackbird	punaolkaturpiaali
<i>Agelaius tricolor</i>	Tricoloured blackbird	kalifornianturpiaali
<i>Alauda arvensis</i>	Eurasian sky lark	kiuru
<i>Alectoris rufa</i>	Red-legged partridge	punapyy
<i>Anas acuta</i>	Common pintail	jouhisorsa
<i>Anas discors</i>	Blue-winged teal	sinisiipitavi
<i>Anas platyrhynchos</i>	Mallard duck	sinisorsa
<i>Anser anser</i>	Greylag goose	merihanhi
<i>Anthus pratensis</i>	Meadow pipit	niittykirvinen
<i>Aphelocoma coerulescens</i>	Scrub jay	kalifornianpensasnärhi
<i>Apus apus</i>	Common swift	tervapääsky
<i>Aquila chrysaetos</i>	Golden eagle	kotka
<i>Aratinga canicularis</i>	Orange-fronted conure	termiittiaratti
<i>Aratinga pertinax</i>	Brown-throated conure	orinoconaratti
<i>Asio flammeus</i>	Short-eared owl	suopöllö
<i>Asio otus</i>	Long-eared owl	sarvipöllö
<i>Bombycilla cedrorum</i>	Cedar waxwing	amerikantilhi
<i>Branta canadensis</i>	Canada goose	kanadanhanhi
<i>Buteo swainsonii</i>	Swainson's hawk	preerianhaukka
<i>Calamospiza melanocory</i>	Lark bunting	sirkkulaji
<i>Carduelis carduelis</i>	Eurasian goldfinch	tikli
<i>Carduelis chloris</i>	Western green finch	viherpeippo
<i>Carpodacus cassini</i>	Cassins finch	mäntypunavarpunen
<i>Carpodacus erythrinus</i>	Common rosen finch	punavarpunen
<i>Carpodacus mexicanus</i>	House finch	pihapunavarpunen
<i>Cassidix major</i>	Boat-tailed grackle	mainalintulaji
<i>Cillipepla californica</i>	California quail	
<i>Circus cyaneus</i>	Harrier	sinisuohaukka
<i>Colinus virginianus</i>	Common bobwhite	peltoviiriäinen
<i>Columba livia</i>	Rock dove, Common pigeon	
<i>Columba oenas</i>	Stock pigeon	kesykyhky
<i>Columba palumbus</i>	Wood pigeon	uuttukyyhky
<i>Columbina passerina</i>	Common ground dove	sepelkyyhky
<i>Columbina talpacoti</i>	Ruddy ground dove	suomuvarpuskyyhky
<i>Corvus brachyrhynchos</i>	American crow	kastanavarpuskyyhky
<i>Corvus corax</i>	Common raven	amerikanvaris korppi

<i>Corvus corone</i>	Carrion crow	varis
<i>Corvus frugilegus</i>	Rook	mustavaris
<i>Corvus monedula</i>	Jackdaw	naakka
<i>Coturnix coturnix</i>	Common quail	viiriäinen
<i>Coturnix japonica</i>	Japanese quail	japaninviiriäinen
<i>Coturnix virginianus</i>	Bobwhite quail	virginianpyy
<i>Crex crex</i>	Corn crake	ruisräkkä
<i>Cyanocitta cristata</i>	Blue jay	sinitöytönärhi
<i>Cyanocorax yncas</i>	Green jay	loistonärhi
<i>Delichon urbica</i>	Common house martin	räystäspääsky
<i>Dendrocygna bicolor</i>	Fulvous whistling-duck	ruskoviheltäjäsorsa
<i>Emberiza citrinella</i>	Yellow bunting	keltasirkku
<i>Emberiza hortulana</i>	Ortolan bunting	peltosirkku
<i>Emberiza schoeniclus</i>	Reed bunting	pajusirkku
<i>Eremophila alpestris</i>	Horned lark	tunturikiuru
<i>Euplectes orix</i>	Red bishop	punapiispa
<i>Falco sparverius</i>	American kestrel	amerikantuulihaukka
<i>Falco tinnunculus</i>	Common kestrel	tuulihaukka
<i>Gallinago gallinago</i>	Common snipe	taivaanvuohi
<i>Gallus domesticus</i>	Domestic chicken	kana
<i>Gallus gallus</i>	Red jungle-fowl	punaviidakkokana
<i>Grus canadensis</i>	Sandhill crane	hietakurki
<i>Hirundo rustica</i>	Swallow	haarapääsky
<i>Lanius collurio</i>	Red-backed shrike	pikkulepinkäinen
<i>Larus canus</i>	Mew gull	kalalokki
<i>Larus delawarensis</i>	Ring-billed gull	rengasnokkalokki
<i>Leptotila verreauxi</i>	White-fronted dove	juoksukyyhky
<i>Locustella fluviatilis</i>	River warbler	viitasirkkalintu
<i>Locustella naevia</i>	Grasshopper warbler	pensassirkkalintu
<i>Lophostyx californica</i>	California quail	kaliforniantupsuviiriäinen
<i>Meleagris gallopavo</i>	Wild turkey	kalkkuna
<i>Melopsittacus undulatus</i>	Budgerigar	undulaatti
<i>Molothrus ater</i>	Brown-headed cowbird	lehmäturpiaali
<i>Molothrus bonariensis</i>	Shiny cowbird	hohtoturpiaali
<i>Motacilla alba</i>	Wagtail	västäräkki
<i>Motacilla flava</i>	Yellow wagtail	keltavästäräkki
<i>Myiopsitta monachus</i>	Monk parakeet	munkkiaraatti
<i>Numenius arquata</i>	Western curlew	isokuovi
<i>Oenanthe oenanthe</i>	Northern wheatear	kivitasku
<i>Ornithodoris vetula</i>	Plain chachalaca	ruskosiipikaklattaja
<i>Passer domesticus</i>	House sparrow	varpunen
<i>Passer luteus</i>	Golden sparrow	varpuslaji
<i>Perdix perdix</i>	Grey partridge	peltopyy
<i>Phasianus colchicus</i>	Common pheasant	fasaani

<i>Philomachus pugnax</i>	Ruff	suokukko
<i>Phylloscopus trochilus</i>	Willow warbler	pajulintu
<i>Pica nuttalli</i>	Yellow-billed magpie	kalifornianharakka
<i>Pica pica</i>	Black-billed magpie	harakka
<i>Ploceus culullatus</i>	Village weaver	kyläkutoja
<i>Ploceus taeniopterus</i>	Northern masked weaver	viitakutoja
<i>Quelea quelea</i>	Red-billed quelea	miljoonakutoja
<i>Quiscalus quiscula</i>	Common grackle	purppuraturpiaali
<i>Saxicola rubetra</i>	Whinchat	pensastasku
<i>Scardafella inca</i>	Inca dove	inkakyöhky
<i>Scardafella squammata</i>	Scaly dove	suomuinkakyyhky
<i>Spiza americana</i>	Dickcissel	
<i>Sporophila minuta</i>	Ruddy-breasted seedeater	punasirkkanen
<i>Streptopelia risoria</i>	Ringed turtledove	kyyhkyslaji
<i>Streptopelia turtur</i>	Turtle dove	tunturikyyhky
<i>Sturnus vulgaris</i>	European starling	kottarainen
<i>Sylvia communis</i>	Whitethroat	pensaskerttu
<i>Sylvia curraca</i>	Lesser whitethroat	hernekerttu
<i>Tangavius aeneus</i>	Bronzed cowbird	
<i>Toxostoma curvirostre</i>	Curve-billed thrasher	lavertajasirppimatkija
<i>Toxostoma rufum</i>	Brown thrasher	ruostesirppimatkija
<i>Tringa glareola</i>	Wood sandpiper	liro
<i>Tringa totanus</i>	Common redshank	punajalkaviklo
<i>Turdus migratorius</i>	American robin	punarintarastas
<i>Turdus pilaris</i>	Fieldfare	räkättirastas
<i>Tympanuchus phasianellus</i>	Sharp-tailed grouse	suippopyrstökana
<i>Tyto alba</i>	Barn owl	tornipöllö
<i>Vanellus vanellus</i>	Northern lapwing	töyhtöhyyppä
<i>Volatia jacarina</i>	Blue-black grassquit	
<i>Xanthocephalus xanthocephalus</i>	Yellow-headed blackbird	
<i>Zenaida auriculata</i>	Eared dove	täpläkorvakyyhky
<i>Zenaida asiatica</i>	White-winged dove	pikkusiipiyyhky
<i>Zenaida macroura</i>	Mourning dove	vaikertajakyyhky
<i>Zonotrichia atricapilla</i>	Golden-crowned sparrow	kultakruunusirkku
<i>Zonotrichia leucophrys</i>	White-crowned sparrow	juovapääsirkku

4.4 Insects

<i>Acroneuria</i>	Stonefly	koskikorento
<i>Acroneuria pacifica</i>	Stonefly	koskikorento
<i>Aedes</i>	Mosquito fly	sääski
<i>Aedes aegypti</i>	Mosquito fly	moskiitto
<i>Anopheles</i>	Mosquito fly	moskiitto
<i>Apis</i>	Honey bee	mehiläinen
<i>Apis mellifera</i>	Honey bee	mehiläinen
<i>Baetis</i>	Mayfly	sukeltajasurviainen
<i>Bombus</i>	Bumble bee	kimalainen
<i>Chaoborus</i>	Phantom midges	sulkasääski
<i>Chironomus</i>	Midge	surviaissääski
<i>Chironomus plumosus</i>	Midge	isosurviaissääski
<i>Chironomus riparius</i>	Midge	surviaissääski
<i>Claassenia sabulosa</i>	Stonefly	koskikorento
<i>Cloeon</i>	Cloeon	isosilmäsurviaislaji
<i>Coccinella repanda</i>	Ladybird	leppäpirkko
<i>Corixa punctata</i>	European water cricket	pikkumalluainen
<i>Culex</i>	Mosquito fly	sääski
<i>Ephemerella</i>	Mayfly	vesiperhonen
<i>Hexagenia</i>	Mayfly	päiväkorento
<i>Ischnura elegans</i>	Dragonfly	hoikkatyönkorento
<i>Isoperla</i>	Stonefly	koskikorento
<i>Lestes congener</i>	Dragonfly	keijukorento
<i>Macromia</i>	Dragonfly	kiiltokorento
<i>Musca domestica</i>	Housefly	huonekärpänen
<i>Nemoura</i>	Stonefly	koskikorento
<i>Ophiogomphus rupinsalensis</i>	Dragonfly	jokikorento
<i>Orconectes</i>		
<i>Periplaneta americana</i>	Common cockroach	sokeritorakka
<i>Polypedilum nubifer</i>	Chironomidae-midge	surviaissääski
<i>Pteronarcella</i>	Stonefly	koskikorento
<i>Pteronarcella badia</i>	Stonefly	koskikorento
<i>Pteronarcys</i>	Stonefly	koskikorento
<i>Pteronarcys californica</i>	Stonefly	koskikorento
<i>Ranatra</i>	Water stick-insect	vesilude
<i>Simulium</i>	Fly	mäkärä
<i>Skwala</i>	Stonefly	koskikorento
<i>Stomoxys calcitrans</i>	Stable fly	pistokärpänen
<i>Tanytarsus</i>	Chironominae	surviaissääski

4.5 Fishes

<i>Abramis brama</i>	Bream	lahna
<i>Acanthurus</i>	Surgeon fish	välskärikala
<i>Alburnus alburnus</i>	Bleak	salakka
<i>Aldrichetta forsteri</i>	Yellow-eye mullet	keltilaji
<i>Anarchichas lupus</i>	Wolf-fish	merikissa
<i>Anchoa mitchilly</i>	Bay anchovy	anjovis
<i>Anguilla anguilla</i>	European eel	ankerias
<i>Anguilla japonica</i>	Japanese eel	japaninankерias
<i>Anguilla rostrata</i>	American eel	amerikanankерias
<i>Anguilla vulgaris</i>	Eel	ankerias
<i>Aplocheilus lineatus</i>	Panchax lineatus	juovasukkulakala
<i>Aspius aspius</i>	Asp	toutain
<i>Barbus conchonius,</i> <i>Puntius conchonius</i>	Barb	loistobarbi
<i>Barbus stigma</i>	Barb	bengalinbarbi
<i>Barbus ticto</i>	Barb	aurinkobarbi
<i>Puntius ticto</i>	Zebrafish	seeprakala
<i>Brachydanio rerio</i>	Gulf menhaden	menhaden
<i>Brevoortia patronus</i>	Atlantic menhaden	menhaden
<i>Brevoortia tyrannus</i>	Goldfish	kultakala
<i>Carassius auratus</i>	Crucian carp	ruutana
<i>Carassius carassius</i>	Longnose sucker	imukarppi
<i>Catostomus catostomus</i>	White sucker	valkoimukarppi
<i>Catostomus commersoni</i>		
<i>Channa punctata,</i> <i>Ophiocephalus punctatus</i>	Snake headfish	pilkukäärmee- pääkala
<i>Channa striata</i>	Snake headfish	raitakäärmeeinpääkala
<i>Chanos chanos</i>	Milk fish	maitokala
<i>Clarias batrachus</i>	Walking catfish	konnamonni
<i>Clupea harengus</i>	Herring	silli
<i>Clupea harengus</i> harengus	Atlantic herring	silli
<i>Clupea pallasii</i>	Pacific herring	silli
<i>Clupea sprattus</i>	Sprat	kilohaili
<i>Colisa fasciata</i>	Giant gourami	juovarihmakala
<i>Coregonus albula</i>	Vendace	muikku
<i>Coregonus lavaretus</i>	Powan, lavaret	vaellussiika
<i>Ctenopharyngodon</i>	Carp	karppi
<i>Ctenopharyngodon</i> idella	Crass carp, White amur	ruohokarppi
<i>Cyprinodon macularius</i>	Desert pupfish	aavikkohammaskarppi
<i>Cyprinodon variegatus</i>	Sheepshead minnow	loistohammaskarppi
<i>Cyprinus carpio</i>	Common carp	karppi

<i>Engraulis</i>		
<i>engrasicolus</i>	European anchovy	sardelli
<i>Esox lucius</i>	Northern pike	hauki
<i>Euthynnus pelamis</i>	Skipjack tuna	boniitti
<i>Fundulus heteroclitus</i>	Mummichog	siniraitahammaskarppi
<i>Gadus morhua</i>	Atlantic cod	turska
<i>Gambusia affinis</i>	Mosquitofish	moskiittokala
<i>Gasterosteus</i>	Three-spined stickleback	kolmipiikki
<i>aculeatus</i>		törö
<i>Gobio gobio</i>	Gudgeon	hietatokko
<i>Gobius minutus</i>	Goby	
<i>Heteropneustes</i>		
<i>fossilis</i>	Airsac catfish	keuhkomonni
<i>Hippoglossus</i>		
<i>hippoglossus</i>	Halibut	ruijanpallas
<i>Hypophthalmichthys</i>		
<i>molitrix</i>	Silver carp	hopeakarppi
<i>Hypophthalmichthys</i>		
<i>nobilis</i>	Bighead	"paksuotsa"
<i>Ictalurus melas,</i>		
<i>Ameiurus melas</i>	Black bullhead	piikkimonni
<i>Ictalurus natalis</i>	Yellow bullhead	piikkimonni
<i>Ictalurus nebulosus</i>	Brown bullhead	jokimonni
<i>Ictalurus punctatus,</i>		
<i>Ameiurus neboulosus</i>	Channel catfish	pilkku- piikkimonni
<i>Jordanella floridae</i>	American catfish	floridanhammaskarppi
<i>Kuhlia sandvicensis</i>	Mountain bass	
<i>Labeo</i>	Red tailed	
<i>bicolor</i>	black "shark"	tulipyrstö
<i>Labeo erythrurus</i>	Redfin shark	punahuulibarbi
<i>Lebistes reticulatus,</i>		
<i>Poecilia reticulata</i>	Guppy	miljoonakala
<i>Lepomis cyanellus</i>	Green sunfish	viheraurinkoahven
<i>Lepomis gibbosus</i>	Pumpkinseed	aurinkoahven
<i>Lepomis humilis</i>	Common sunfish	aurinkoahven
<i>Lepomis macrochirus</i>	Bluegill sunfish	isoaurinkoahven
<i>Lepomis megalotis</i>	Long ear sunfish	korva-aurinkoahven
<i>Lepomis microlophus</i>	Red ear sunfish	aurinkoahven
<i>Leuciscus idus</i>	Ide	säyne
<i>Leuciscus leuciscus</i>	Dace	seipi
<i>Limanda limanda</i>	Common dab	hietakampela
<i>Lota lota</i>	Burbot	made
<i>Lucania parva</i>	Rainwater killifish	
<i>Macropodus</i>	Spike-tailed	
<i>cupanus</i>	paradise fish	pikkuparatiisikala
<i>Macropodus</i>		
<i>opercularis</i>	Paradisefish	isoparatiisikala

<i>Mallotus villosus</i>	Capelin	villakuore
<i>Menidia audens</i>	Atlantic silverside	missisippinhopeakylki
<i>Menidia menidia</i>	Atlantic silverside	sateenkaarikala
<i>Micromesistius</i> poutassou	Blue whiting	mustakitatarska
<i>Micropterus dolomieu</i>	Smallmouth bass	pikkubassi
<i>Micropterus salmoides</i>	Largemouth bass	isobassi
<i>Morone labrox</i>	Sea bass	meribassi
<i>Morone saxatilis</i> ,		
<i>Roccus saxatilis</i>	Striped bass	juovabassi
<i>Mugil cephalus</i>	Striped mullet	juovakeltti
<i>Mulloidichthys</i> spp.	Goatfish	mullo
<i>Mystus bleekeri</i>	Catfish	monni
<i>Mystus vittatus</i>	Striped catfish	kultajuovamonni
<i>Nemacheilus montanus</i>	Hill stream fish	
<i>Notopterus notopterus</i>	Knife fish	harmaateräkala
<i>Oncorhynchus gorbuscha</i>	Pink salmon	kyttyrälohi
<i>Oncorhynchus keta</i>	Chum salmon, Dog salmon	koiralohi
<i>Oncorhynchus kisutch</i>	Coho salmon, Silver salmon	hopealohi
<i>Oncorhynchus masu</i>	Masu salmon	masulohi
<i>Oncorhynchus mykiss</i> , <i>Salmo gairdneri</i>	Rainbow trout	kirjolohi
<i>Oncorhynchus nerka</i>	Sockeye salmon, Blueback salmon	punalohi
<i>Oncorhynchus nerka</i> kennerlyi	Kokanee	intiaanilohi
<i>Oncorhynchus</i> tschawytscha	Chinook salmon, King salmon	kuningaslohi
<i>Ophiocephalus punctatus</i> , <i>Channa punctata</i>	Snake headfish	pilkukäärmdeen- pääkala
<i>Ozyrias latipes</i>	Geisha-girl medaka, Rice fish	medaka
<i>Perca flavescens</i>	Yellow perch	kelta-ahven
<i>Perca fluviatilis</i>	Perch	ahven
<i>Petromyzon marinus</i>	Sea lamprey	merinahkiainen
<i>Phoxinus phoxinus</i>	Minnow	mutu
<i>Pimephales promelas</i>	Fathead minnow	rasvapäämutu
<i>Platichthys flesus</i>	Flounder	kampela
<i>Pleuronectes platessa</i>	Plaice	punakampela
<i>Poecilia latipinna</i> , Mollienesia latipinna	Sailfin molley	leveäevämölli
<i>Poecilia reticulata</i> , Lebistes reticulatus	Guppy	miljoonakala
<i>Poeciliopsis</i>	Top minnow	

<i>Pollachius virens</i>	Saithe, Pollack	seiti
<i>Polyodon spatula</i>	Paddlefish	lapasampi
<i>Pomoxis annularis</i>	White crappie	hopea-ahven
<i>Pomoxis nigromaculatus</i>	Black crappie	mustapilkkuahven
<i>Psetta maxima,</i>		
<i>Scophthalmus maximus</i>	Turbot	piikkikampela
<i>Puntius conchonius,</i>		
<i>Barbus conchonius</i>	Rosy barb, Red barb	loistobarbi
<i>Puntius gophore</i>	Barb	barbi
<i>Puntius ticto ticto,</i>	Two spot barb,	
<i>Barbus ticto ticto</i>	Tic-tac-toe barb	aurinkobarbi
<i>Pylodictis olivaris</i>	Flathead catfish	lättäpiikkimonni
<i>Rasbora daniconius</i>	Slender rasbora	sirijuovarasbora
<i>Rasbora heteromorpha</i>	Harlequin fish	kiilakylki
<i>Roccus saxatilis,</i>		
<i>Morone saxatilis</i>	Striped bass	juovabassi
<i>Rutilus rutilus</i>	Roach	särki
<i>Salmo clarci</i>	Cutthroat trout	punakurkkulohi
<i>Salmo gairdneri,</i>		
<i>Oncorhynchus mykiss</i>	Rainbow trout	kirjolohi
<i>Salmo salar</i>	Atlantic salmon	lohi
<i>Salmo salar m. sebago</i>	Landlocked salmon	järvilohi
<i>Salmo trutta</i>	Brown trout	taimen
<i>Salmo trutta m. fario</i>	Brown trout, non-migratory	purotaimen
<i>Salmo trutta</i>		
<i>m. lacustris</i>	Brown trout	järvitaimen
<i>Salmo trutta</i>		
<i>m. trutta</i>	Sea trout	meritaimen
<i>Salvelinus alpinus</i>	Arctic char	nieriä
<i>Salvelinus fontinalis</i>	Brook trout	puronieriä
<i>Salvelinus malma</i>	Dolly Warden	hääränieriä
<i>Salvelinus namaycush</i>	Lake trout	harmaanieriä
<i>Sardina pilchardus</i>	European pilchard	sardiini
<i>Sardinops caerulea</i>	Pacific sardine	tyynenmerensardiini
<i>Sardinops</i>		
<i>melanosticta</i>	Japanese pilchard	japaninsardiini
<i>Sardinops sagax</i>	Chilean pilchard	perunsardiini
<i>Sarotherodon aureus</i>	Cichlid	kultatilapia
<i>Sarotherodon galilaeus</i>	Cichlid	galileantilapia
<i>Sarotherodon</i>		
<i>mossambicus</i>	Cichlid	valkoleukatilapia
<i>Scomber japonicus</i>	Chub mackerel	japaninmakrilli
<i>Scomber scombrus</i>	Atlantic mackerel	makrilli
<i>Scophthalmus maximus,</i>		
<i>Psetta maxima</i>	European turbot	piikkikampela

<i>Scophthalmus rhombus</i>	Turbot	silokampela
<i>Semolitus atromaculatus</i>	Creek chub	särikikala
<i>Seriola lalandei</i>	Yellowtail	piikkimakrilli
<i>Silurus glanis</i>	Sheatfish	monni
<i>Solea solea</i>	Common sole, Dover sole	kielikampela
<i>Stizostedion lucioperca</i>	Pikeperch, Sander	kuha
<i>Stizostedion vitreum</i>	Walleye	valkosilmäkuha
<i>Stolephorus purpureus</i>	Anchovy	
<i>Thalassoma bifasciatum</i>	Bluehead	sinipäähuulikala
<i>Theragra chalcogramma</i>	Alaska pollack	mintai
<i>Thunnus albacares</i>	Yellowfin tuna	kultaevätönnikala
<i>Thymallus arcticus</i>	Arctic grayling	pohjanharjus
<i>Thymallus thymallus</i>	European grayling	harjus
<i>Tilapia rendalli</i>	Cichlid	tilapia
<i>Tinca tinca</i>	Tench	suutari
<i>Trachurus capensis</i>	Cape horse mackerel	piikkimakrilli
<i>Trachurus murphyi</i>	Chilean jack mackerel	piikkimakrilli
<i>Trichiurus lepturus</i>	Largehead hairtail	huotrakala
<i>Trichogaster trichopterus</i>	Tree spot gourami, Blue gourami	rihmakala
<i>Umbra pygmaea</i>	Mud minnow	pikkukoirakala

4.6 Mollusca

<i>Anodonta cygnea</i>	Freshwater clam	iso järvisimpukka
<i>Biomphalaria glabrata</i>	Gastropoda	
<i>Crassostera gigas</i>	Pacific oyster	osteri
<i>Crassostrea virginica</i>	Eastern oyster	osteri
<i>Indonaia caeruleus</i>	Freshwater mussel	
<i>Lymnaea</i>	Water snail	limakotilo
<i>Lymnaea luteola</i>	Snail	etana
<i>Lymnaea stagnalis</i>	Water snail	piippolimakotilo
<i>Mercenaria mercenaria</i>	Hard clam	kotilo
<i>Mya arenaria</i>	Soft shell clam	hietasimpukka
<i>Mytilus edulis</i>	Bay mussel	sinisimpukka
<i>Ostrea angasi</i>	Flat oyster	osteri
<i>Protothaca staminea</i>	Little neck clam	simpukka
<i>Saccostrea commercialis</i>	Sydney rock oyster	osteri
<i>Siliqua patula</i>	Razor clam	simpukka
<i>Sphaerium corneum</i>	Freshwater mussel	simpukka
<i>Spirula solidissima</i>	Surf clam	simpukka

<i>Tivela stultorum</i>	Pismo clam	simpukka
<i>Volsella demissa</i>	Atlantic ribbed mussel	simpukka

4.7 Crustaceans

<i>Acartia</i>	Copepod	hankajalkainen
<i>Acartia tonsa</i>	Copepod	hankajalkainen
<i>Artemia salina</i>	Brine shrimp	suolalehtijalkainen
<i>Asellus</i>	Sowbug	vesisiira
<i>Asellus aquaticus</i>	Water slater	vesisiira
<i>Asellus brevicaudus</i>	Sowbug	vesisiira
<i>Baratelphusa cunicularis</i>	Freshwater crab	
<i>Calanoida</i>	Oar-footed crustaceans	hankajalkaiset
<i>Callinectes sapidus</i>	Blue crab	rapu
<i>Ceriodaphnia dubia</i>	Water flea	vesikirppu
<i>Cladocera</i>	Water fleas	vesikirput
<i>Copepoda</i>	Oar-footed crustaceans	hankajalkaiset
<i>Crago franciscorum</i>	Bay shrimp	katka
<i>Crangon crangon</i>	Brown shrimp	katka
<i>Crangon septemspinosa</i>	Sand shrimp	katka
<i>Crangon spp.</i>	Snapping shrimp	katka
<i>Cyclopoida</i>	Oar-footed crustaceans	hankajalkaiset
<i>Cypridopsis</i>	Seed shrimp	raakkuäyriäinen
<i>Cypridopsis vidua</i>	Seed shrimp	raakkuäyriäinen
<i>Cypris sublobosa</i>	Ostracod	raakkuäyriäinen
<i>Daphnia</i>	Water flea	vesikirppu
<i>Daphnia cucullata</i>	Water flea	vesikirppu
<i>Daphnia laevis</i>	Water flea	vesikirppu
<i>Daphnia longispina</i>	Water flea	vesikirppu
<i>Daphnia magna</i>	Water flea	vesikirppu
<i>Daphnia pulex</i>	Water flea	vesikirppu
<i>Gammaurus</i>	Scud	katka
<i>Gammarus fasciatus</i>	Scud	katka
<i>Gammarus lacustris</i>	Scud	katka
<i>Gammarus pseudolimnesus</i>	Scud	katka
<i>Gammarus pulex</i>	Scud	katka
<i>Homarus americanus</i>	Northern lobster	hummeri
<i>Hyalella</i>	Shrimp	katka
<i>Hyalella azteca</i>	Shrimp	katka
<i>Macrobrachium carcinus</i>	Shrimp	katka
<i>Macrobrachium lamarrei</i>	Shrimp	katka
<i>Metapenaeus monoceros</i>	Greasyback shrimp	katka
<i>Mysidopsis</i>	Mysid shrimp	halkoisjalkainen
<i>Mysidopsis bahia</i>	Mysid shrimp	halkoisjalkainen

<i>Nictora</i>	Copepod	hankajalkaisäyriäinen
<i>Nictora spinipes</i>	Copepod	hankajalkaisäyriäinen
<i>Orconectes immunis</i>	Crayfish	rapu
<i>Orconectes nais</i>	Crayfish	rapu
<i>Ostracoda</i>	Shrimp	raakkuäyriäinen
<i>Palaemonetes</i>		
<i>kadiakensis</i>	Shrimp	katkarapu
<i>Palaemonetes pugio</i>	Grass shrimp	katkarapu
<i>Palaemonon</i>		
<i>macrodactylus</i>	Glass shrimp	katkarapu
<i>Pandalus</i> spp.	Shrimp	katkarapu
<i>Panulirus argus</i>	Spiny lobster	hummeri
<i>Panulirus japonicus</i>	Lobster	hummeri
<i>Panulirus pencillatus</i>	Lobster	hummeri
<i>Paralithoides</i>		
<i>camtschatica</i>	King crab	taskurapu
<i>Penaeus aztecus</i>	Brown shrimp	katka
<i>Penaeus duodarum</i>	Pink shrimp	katka
<i>Penaeus setiferus</i>	White shrimp	katka
<i>Podiphthalmus vigil</i>	Crab	taskurapu
<i>Portunus</i>		
<i>sanquinolentus</i>	Crab	taskurapu
<i>Proasellus coxalis</i>	Crustacea, Isopoda	
<i>Procambarus clarcii</i>	Crayfish	rapu
<i>Pseudocalanus minutus</i>	Copepod	hankajalkainen
<i>Ranina serrata</i>	Crab	taskurapu
<i>Simocephalus</i>	Water flea	vesikirppu
<i>Simocephalus</i>		
<i>serrulatus</i>	Water flea	vesikirppu

4.8 Algae

<i>Anabaena flos-aquae</i>	Blue-green algae	sinibakteeri
<i>Ankistrodesmus</i>		
<i>falcatus</i>	Green algae	viherlevä
<i>Asterionella</i>	Diatom	piilevä
<i>Chlamydomonas</i>	Green algae	viherlevä
<i>Chlorella</i>	Green algae	viherlevä
<i>Chlorella fusca</i>	Green algae	viherlevä
<i>Chlorella pyrenoidosa</i>	Green algae	viherlevä
<i>Chlorococcum</i>	Green algae	viherlevä
<i>Cyclotella</i>	Diatom	piilevä
<i>Cylindrotheca closterium</i>	Diatom	piilevä
<i>Dunaliella</i>	Green algae	viherlevä
<i>Dunaliella euchlora</i>	Green algae	viherlevä
<i>Euglena gracilis</i>	Flagellate	silmälevä

Gymnodinium	Dinoflagellate	keltaruskolevä
Gymnodium breve	Dinoflagellate	keltaruskolevä
Isochrysis galbana	Chrysophyta	kultalevä
Microcystis	Blue-green algae	sinibakteeri
Microcystis aeruginosa	Blue-green algae	sinibakteeri
Monoraphidium	Green algae	viherlevä
Navicula	Diatom	piilevä
Oedogonium	Green algae	viherlevä
Oscillatoria	Blue-green algae	sinibakteeri
Phaeodactylum	Diatom	piilevä
Phaeodactylum tricornutum	Diatom	piilevä
Porphyra spp.	Red algae	punalevä
Poteriochromonas malhamensis	Chrysophyta	kultalevä
Protococcus	Green algae	viherlevä
Scenedesmus	Green algae	viherlevä
Scenedesmus pannonicus	Green algae	viherlevä
Scenedesmus quadricauda	Green algae	viherlevä
Selenastrum	Green algae	viherlevä
Selenastrum capricornutum	Green algae	viherlevä
Skeletonema	Diatom	piilevä
Skeletonema costatum	Diatom	piilevä
Thalassiosira pseudonana	Diatom	piilevä

4.9 Others

Aerobacter	Bacterium	bakteeri
Ambystoma mexicanum	Mexican axolotl	aksolotli
Annelida	Segmented worms	nivelmato
Anthopleura elegantissima	Sea anemone	merivuokko
Aplexa	Snail	etana
Aplexa hypnorum	Snail	etana
Aschelminthes	Round worms	lieriömadot
Bacillus subtilis	Bacterium	bakteeri
Bufo americanus	American toad	konna
Bufo bufo	Common toad	rupikonna
Bufo fowleri	Fowler's toad	konna
Chilomonas paramaecium	Protozoa, Flagellate	alkueläin, siimael.
Colpidium	Protozoa	alkueläin
Dugesia	Flat worm	laakamato
Elaphe situla	Snake	leopardikääärme

<i>Elaphe</i> sp.	Rat snake	pensaskääärme
<i>Entosiphon</i>	Protozoa	alkueläin
<i>Entosiphon sulcatum</i>	Protozoa, Flagellate	alkueläin, siimael.
<i>Ephydatia fluviatilis</i>	Spongillidae (Porifera)	sienieläin
<i>Escherichia coli</i>	Bacterium	bakteeri
<i>Erpobdella ocreoculata</i>	Eight-eyed leech	koirajuotikas
<i>Etheostoma flabellare</i>	Fantail	vilistäjä
<i>Etheostoma nigrum</i>	Johnny	vilistäjä
<i>Glycera dibranchiata</i>	Bloodworm	
<i>Helisoma</i>	Snail	etana
<i>Hydra oligactis</i>	Hydroid	polyyppi
<i>Lumbricus terrestris</i>	Common earthworm	kastemato
<i>Lymnaea stagnalis</i>	Great pond snail	piippolimakotilo
<i>Microcystis aeruginosa</i>	Bacterium	bakteeri
<i>Nereis diversicolor</i>	Sand worm	monisukamato
<i>Nereis virens</i>	Sand worm	monisukamato
<i>Nereis vexillosa</i>	Sand worm	monisukamato
<i>Nitrosomonas</i>	Bacterium	bakteeri
<i>Phagocata gracilis</i>	Planarian	laakamato
<i>Physa</i>	Snail	etana
<i>Prodenia eridania</i>	Southern armyworm	
<i>Pseudomonas fluorescens</i>	Bacterium	bakteeri
<i>Pseudomonas putida</i>	Bacterium	bakteeri
<i>Rana catesbeiana</i>	Bullfrog	härkäsammakko
<i>Rana clamitans</i>	Green frog	sammakko
<i>Rana palustris</i>	Pickerel frog	sammakko
<i>Rana pipiens</i>	Leopard frog	sammakko
<i>Rana</i> sp.	Frog	sammakko
<i>Rana sylvatica</i>	Woodfrog	sammakko
<i>Rana temporaria</i>	Common frog	tavallinen sammakko
<i>Salmonella</i>	Bacterium	bakteeri
<i>Salmonella typhimurium</i>	Bacterium	bakteeri
<i>Streptomyces aureus</i>	Bacterium	bakteeri
<i>Tetrahymena</i>	Protozoa, Ciliata	alkueläin, ripsieläin
<i>Thamnophis sirtalis</i>	Garter snake	sukkanauhakääärme
<i>Uronema parduczi</i>	Protozoa, Ciliata	alkueläin, ripsieläin
<i>Xenopus laevis</i>	Clawed frog	kynsisammakko

5 References

- Aaseth, J. & Norseth, T. 1986. In: Friberg, L., Norberg, G.F. & Vouk, V. (Eds.) *Handbook of the Toxicity of Metals*, 2nd ed., Elsevier Science Publishers B.V.
- Abdel-Rahman, M.S. et al. 1988. Laboratory studies on the efficacy of some molluscicides on Egyptian snails. *Dtsch. Tierarztl. Wochenschr.* 95: 205.
- Abdel-Rahman, M.S., Hetland, L.B. & Couri, D. 1976. Toxicity and metabolism of methyl n-butyl ketone. *Journal of the American Industrial Hygiene Association* 37: 95–102.
- Abdelmagid, H. M. & Tabatabai, M. A. 1982. *J Environ Qual* 11: 701–4.
- Abdo, K.M., Montgomery, C.A., Kluwe, W.M., Farnell, D.R. & Prejean, J.D. 1984. Toxicity of hexachlorocyclopentadiene: subchronic (13-week) administration by gavage to F344 rats and B6C3F1 mice. *J. Appl. Toxicol.* 4: 75–81.
- Abel, P.D. & Skidmore, J.F. 1975. Toxic effects of an anionic detergent on the gills of rainbow trout. *Water Res.* 9: 759–765.
- Abercombe, M., Hickman, G.S. & Johnson, M.L. 1973. A dictionary of biology.
- Abernethy, S., Bobra, A.M., Shin, W.Y., Wells, P.G. & Mackay, D. 1986. Acute lethal toxicity of hydrocarbons and chlorinated hydrocarbons to two planktonic crustaceans: The key role of organism-water partitioning. *Aquat Toxicol.* 8: 163–174.
- Abivardi, C. & Altman, J. 1978. Effect of cycloate and aldicarb alone and in combination on growth of three sugarbeet species (*Beta* spp.). *Weed. Sci.* 26(2): 161–162.
- Abram, F.S.H. & Wilson, P. 1979. The acute toxicity of CS to rainbow trout. *Water Res.* 13: 631–635.
- Abram F.S.H. & Sims, I.R. 1982. The toxicity of aniline to rainbow trout. *Water Res.* 16: 1309.
- Abrams, E. F. et al. 1975. Identification of organic compounds in effluents from industrial sources. USEPA-560/3-75-002. p.3.
- Acton, K. S. et al. 1989. *Comp. Biochem. Physiol., A : Comp. Physiol.* 94A(4), 677–681.
- Adameck, Z. et al. 1981. Effect of water chronic intoxication by TCA and Lasso herbicides on carp fry. *Zivovisima Vyroba* (Czech.), 26, 851.
- Adams, E.M., Spencer, H.C., Rowe, V.K. McCollister, D.D. & Irish, D.D. 1951. Vapour toxicity of trichloroethylene determined by experiments on laboratory animals. *Archives of Industrial Hygiene and Occupational Medicine* 4: 469–481.
- Adamson, R.H. 1968. Drug metabolism in marine vertebrates. *Federation Proc.*, 26: 1047–1055.
- Adamson, R.H. & Guarino, A.M. 1972. The effect of foreign compounds on elasmobranchs and the effect elasmobranchs on foreign compounds. *Comp. Biochem. Physiol.*, 42 A: 171–182.
- Adamson, R.H. & Sieber, S.M. 1974. The disposition of xenobiotics by fishes. In: *Survival in toxic environments*. Khan, M.A.Q., Bederka, J.P. Jr. (eds.), Academic Press, New York. pp. 203–211.
- Addison, R.F., Fletcher, G.L., Ray, S. & Doane, J. 1972. Analysis of a chlorinated terphenyl (Aroclor 5460) and its deposition in tissues of cod (*Gadus morhua*). *Bull. Environ. Contam. Toxicol.* 8: 52.
- Adelman, I.R., 1976. Chronic toxicity of guthion to the fathead minnow. *Bull. Environ. Contam. Toxicol.* 15: 726–733.
- Adelman, I.R. & Smith, L.L., Jr. 1972. Toxicity of hydrogen sulfide to goldfish (*Carassius auratus*) as influenced by temperature, oxygen and bioassay techniques. *J. Fish. Res. Bd Can.* 29: 1309–1317.
- Adelman, I.R. & Smith, L.L., Jr. 1976a. Fathead minnows (*Pimephales promelas*) and goldfish (*Carassius auratus*) as standard fish in bioassay and their reaction to potential reference toxicants. *J. Fish. Res. Bd. Canada* 33: 209–214.
- Adelman, I.R., Smith, L.L., Jr. & Sieennop, G.D. 1976b. Effect of size or age of goldfish and fathead minnows on use of pentachlorophenol as a reference toxicant. *Water Res.* 100: 685–687.

- Adema, D.M.M., 1976. Acute toxiciteitstoetsen met 1,2-dichloorethaan, fenol, acrylonitrile, en alkylbenzenesulfonaat in zeewater. Central laboratory TNO, 97 Schoemakerstraat-P.O. Box 217, Delft, The Netherlands.
- Adema, D.M.M. 1978. *Daphnia magna* as a test animal in acute and chronic toxicity tests. *Hydrobiologia* 59(2):125-134. Adeema, D.M.M. & Vink, G.J., 1981. A comparative study of the toxicity of 1,1,2-trichloroethane, dieldrin, pentachlorophenol and 3,4-dichloroaniline for marine and fresh water organisms. *Chemosphere* (G. B.) 10: 533.
- Aelion, C. M. et al. 1987. *Appl. Environ. Microbiol* 53: 2212-2217.
- AFNOR, 1978. *Essais des eaux-d'termination de la toxicit^e aique d'une substance vis-a-vis de Branchydanio rerio (essai statique)*. T 90-303.
- AFNOR, 1980. *Essais des eaux-d'termination de l'inhibition de croissance de Scenedesmus subspicatus par une substance*. T 90 -304.
- AFNOR, 1983. *Essais des eaux-d'termination de l'inhibition de la mobilit^e de Daphnia magna*. NF T 90-301.
- Agrawal, S.J., & Srivastava, A.K., 1980. Haematological responses in a fresh water fish to experimental manganese poisoning. *Toxicology*, 17: 97.
- Ahlberg, K. Slemkämpningsmedel: risk för cancer och fosterskador. *Arbetsmiljö* 1976: 11, 11-13.
- Ahlberg, L., Ramel, C. & Wachtmeister, C.A. 1972. Organolead compounds shown to be genetically active. *Ambio* 1(1): 29-31.
- Ahlborg, U.G. & Thunberg, T. 1980. Chlorinated phenols—occurrence, toxicity, metabolism, and environmental impact. *CRC Crit. Rev. Toxicol.* 7: 1-35.
- Ahling, G., Karlsson, L., Landner, L. & Sparell, L. 1973. Jämförande undersökning av i papperindustrin använda slembekämpningsmedel. Delrapport 2. Preparatens persistens i bakvattenmiljö och ett eutroft sjövatten.-IVL rap. B 179.
- Ahluwalia, A.S. & Kaur, M. 1988. Effect of some heavy metal compounds on growth and differentiation in a blue-green and a green alga. *Microbios*. 53: 37.
- Ahmad, G. & Strivastava, G. 1983. The toxicity of methylene blue to catfish, *Heteropneustes fossilis* and *Mystus (Mystus) vittatus*. *Sci. Environ.* 5: 25.
- Ahmad, N. Walgenbach, D.D. & Sutter, G.R. 1979. Degradation rates of technical carbofuran and a granular formulation in four soils with known insecticide use history. *Bull. Environm. Contam. Toxicol.* 23: 572-574.
- Ahokas, J.T. 1976. Metabolism of 2,5-diphenyloxazole (PPO) by trout liver microsomal mixed function monooxydase. *Res. Commun. Chem. Pathol. Pharm.* 13: 439-447.
- Ahokas, J.T. 1977. Cytochrome P-450 and mixed function oxidase of trout, *Salmo trutta lacustris*. *Acta Univ. Oulu Ser. D*, 20: 153.
- Ahokas, J.T., Pelkonen, O. & Kärki, N.T. 1975. Metabolism of polycyclic hydrocarbons by a highly active aryl hydrocarbon hydroxylase system in the liver of a trout species. *Biochem. Biophys. Res. Commun.* 63: 635-641.
- Ahokas, J.T., Pelkonen, O. & Kärki, N.T. 1977b. The possible role of trout liver aryl hydrocarbon hydroxylase in activating aromatic polycyclic carcinogens. In: *Active intermediates: Formation, toxicity and inactivation*. Snyder,R.L., Jollow, D.J., Kocsis, J.J. & Vainio, H. (eds). Plenum Press, New York. pp. 162-166.
- Ahokas, J.T., Pelkonen, O. & Kärki, N.T. 1977a. Xenobiotic metabolism in fish. *Xenobiotica* 7: 105.
- Ahokas, J. T., Pelkonen, O. & Kärki, N.T. 1976b. Cytochrome P-450 and drug induced spectral interactions in the hepatic microsomes of trout, *Salmo trutta lacustris*. *Acta Pharmacol. Toxicol.* 38: 440-449.
- Ahokas, J.T., Kärki, N.T., Oikari, A. & Soivio, A. 1976a. Mixed function monooxygenase of fish as an indicator of pollution of aquatic environment by industrial effluent. *Bull. Environ. Contam. Toxicol.* 16: 270-274.

- Ahrens, V.D., Maylin, G.A., Henion, J.D., John, L.E. & Lisk, D.Y. 1979. Fabric release, fish toxicity and water stability of the flame recordant, Fyrol 72-2. Bull. Environ. Contam. Toxicol. 21: 409–412.
- Ahsanullah, M. 1982. Acute toxicity of chromium, mercury, molybdenum and nickel to the amphipod *Allorchestes compreosa*. Aust. J. Mar. Freshwater Res. 33: 465.
- Ahsanullah, M. 1976. Acute toxicity of cadmium and zinc to seven invertebrate species from Western Port, Victoria. Aust. J. mar. Freshwat. Res. 27: 87–96.
- Aikio, A. (toim.) 1972. Uusi sivistysanakirja. Otava.
- Atio, A. 1978. A simple and sensitive assay of 7-ethoxycoumarin deethylation. Analyt. Biochem. 85: 488–491.
- Al-Sabti, K. 1986. Comparative micronucleated erythrocyte cell induction in three cyprinids by five carcinogenic-mutagenic chemicals. Cytobios 47: 147.
- Alabaster, J.S. 1969: Survival of fish in 164 herbicides, insecticides, fungicides, wetting agents and miscellaneous substances. Internat. Pest. Contr. March/April 1969:35-39.
- Albert, R. von and Bogenschütz, H. 1984. Prüfung der Wirkung von Pflanzenbehandlungsmitteln auf die Nutzathropode *Coelotes terrestris* (Wider) (Araneida, Agelenidae) mit Hilfe eines Glasplattentests. Umweltschutz 57: 111–117.
- Albery, W. J. & Curran, J. S. 1972. J. Chem. Soc. Chem. Comm. 1972: 425–426.
- Alderdice, D.F. 1976. Some concepts and descriptions of physiological tolerance: rate-temperature curves of poikilotherms as transects of response surfaces. J. Fish. Res. Board Can. 33(2): 299–307.
- Alen, H. & Sundqvist, A.-L. 1978. Klooratuut hiiivedyt höyryrasvanpoistossa. Tutkimusraportti 28. Työsuojeluhallitus. Tampere 1978. 99 s.
- Alexander, H.C., McCarty, W.M. & Bartlett, E.A., 1978. Toxicity of perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, and methylene chloride to fathead minnows. Bull. Environm. Contam. Toxicol. 20: 344–352.
- Alexander, H.C. et al., 1981. Static acute toxicity of sodium bromide to Fathead Minnows. Bull. Environ. Contam. Toxicol. 27: 326.
- Alexander, M. & Lustigman, B.K. 1966. Effect of chemical structure on microbial degradation of substituted benzenes. J. Agr. Food Chem. 14: 410–413.
- Alexander, M. & Aleem, M.I.H. 1961. Effect of chemical structure on microbial decomposition of aromatic herbicides. J. Agr. Food Chem. 9: 44–47.
- Alexander, H.C., Gersich, F.M. & Mayes, M.A. 1985. Acute toxicity of four phenoxy herbicides to aquatic organisms. Bull. Environ. Contam. Toxicol. 35: 314–321.
- Alexander, M. 1972. Microbial degradation of perticides. In: Matsumura, F., Environmental toxicology of Pesticides. Academic Press, N.Y.
- Ali, A. & Nayar, J.K. 1987. Laboratory toxicity of a new benzoylphenylurea insect growth regulator (UC-84572) against mosquitoes and chironomid midges. J. Am. Mosq. Control. Assoc. 3: 309.
- Allard, A.-S., Remberger, M. & Neilson, A.H. 1987. Bacterial O-methylation of halogensubstituted phenols. Appl. Environ. Microbiol. 53: 839–845.
- Allen, E.J. & Nelson, E.W. 1910. On the artificial culture of marine plankton organisms. J. Mar. Biol. Assoc. U. Kingd. 8: 421–474.
- Allen, J.R. & Norback, D.H. 1973. Polychlorinated biphenyl and triphenyl induced gastric mucosal hyperplasia in primates. Science 179: 498–499.
- Alliotta, G. & Pollio, A. 1982. Long term effects of copper on physiological processes and growth of *Chlorella saccharophila* and *Cyanidium caldarium*. G. Bot. Ital. (3-4): 116.
- Allison, D.T. & Hermanutz, R.O. 1977. Toxicity of diazinon to brook trout and fathead minnows, EPA-600/3-77-060, U.S. Environmental Protection Agency, Duluth, Minn.
- Allison, D.T., 1977. Use of exposure units for estimating aquatic toxicity of organophosphate pesticides. U.S. Environmental Protection Agency, Duluth, MN, EPA-600/3-77-077, 24 pp.

- Almar, M.M. et al. 1987. Glutathione content and GSH S-transferase activity in midgut gland of *Procambarus clarkii*. Sex differences, the effect of fasting, and their implications in cadmium toxicity. *Comp. Biochem. Physiol.* 87C: 433.
- Altenkirch, H., Stoltenburg, G. & Wagner, H.M. 1978. Experimental studies on hydrocarbon neuropathies induced by methyl ethyl ketone (MEK). *Journal of Neurology* 219: 159–170.
- Altshuller, A.P. & Bufalini, J.J. 1971. Photochemical aspects of air pollution; A Review. *Environm. Sci. & Techn.* 5(1).
- Ambrose, D. et al. 1981. *J. Chem. Thermodyn.* 13: 795–802.
- Ambrose, D. et al. 1975. *J. Chem. Therm.* 7: 453–472.
- Ames, B.N., Durston, W.E., Yamasaki, E. & Lee, F.D. 1973. Carcinogens are mutagens. A simple test system combining liver homogenates for activation and bacteria for detection. *Proc. Natl. Acad. Sci. U.S.A.* 70: 2281–2285.
- Ames, B.N., 1971. The detection of chemical mutagens with enteric bacteria. In: *Chemical mutagens, principles and methods for their detection*. Hollander, A. (ed.) Vol. 1. pp. 267–282.
- Amlacher, E. 1970. *Textbook of fish diseases*. T.F.H. Neptune City, N.Y.
- Amundsen, J., Goodwin, R.J. & Wetzel, W.H. 1979. Watersoluble pentachlorophenol and tetrachlorophenol wood-treating systems. *S. African* 78: 1.
- Andaya, A.A. & Di Giulio, R.T. 1987. Acute toxicities and hematological effects of two substituted naphthoquinones in channel catfish. *Arch. Environ. Contam. Toxicol.* 16: 233.
- Ander, P., Erikson, K.-E., Kolar, M.-C. & Kringstad, K. 1977. Studies on the mutagenic properties of bleaching effluents. *Svensk Papperstidning* 80: 454–459.
- Anderson, R.L. & DeFoe, D.L. 1980. Toxicity and bioaccumulation of endrin and methoxychlor in aquatic invertebrates and fish. *Environ. Poll.* 22A: 111.
- Anderson, B.G. 1980. Aquatic invertebrates in tolerance investigations from Aristotle to Naumann. In: Buikema, Jr., A.L. & Cairns, J. Jr. (eds.) *Aquatic invertebrate bioassays*. ASTM STP 715 pp. 3–35.
- Anderson, D.R. 1981. The combined effects of nickel, chlorine, and temperature on the mortality of rainbow trout, *Salmo gairdneri*. *Diss. Abstr.* 42: 8121178.
- Anderson, P.D. & Spear, P.A. 1980. Copper pharmacokinetics in fish gills. II. Body size relationships for accumulation and tolerance. *Water Res.* (G.B.), 14: 1107.
- Anderson, J. P. E. & Domsch K. H. 1976. Microbial degradation of the thiolcarbamate herbicide, diallate, in soils and by pure cultures of soil micro-organisms. *Arch. Environm. Contam. Toxicol.* 4: 1–7.
- Anderson, R.A., Reddy, J.M., Joyce, C., Willis, B.R., van der Ven, H. & Zaneveld, L.J.D. 1982. Inhibition of mouse sperm capacitation by ethanol. *Biol. Reprod.* 27: 833–840.
- Anderson, G. E. 1983. Human exposure to atmospheric concentrations of selected chemicals. Volume 1. USEPA Res Triangle Park, NC, Office of air Quality Planning and Standards p 20.
- Andersson K., Fuxé, K., Nilsen, O.G., Todtgard, R., Eneroøth, P. & Gustafsson, J-K. 1981. Production of discrete changes in dopamine and noradrenaline levels and turnover in various parts of the rat brain following exposure to xylene, ortho-, meta-, and para-xylene, and ethylbenzene. *Toxicology and Applied Pharmacology* 60: 535–548.
- Andersson, Ö., Linder, C.-E., Olsson, M., Reutergårdh, L., Uvemo, U.-B. & Wideqvist, U. 1988. Spatial differences and temporal trends of organochlorine compounds in biota from the northwestern hemisphere. *Arch. Environ. Contam. Toxicol.* 17: 755–765.
- Andreæ, M.O. & Froelic, P.N. 1984. Arsenic, antimony, and germanium biochemistry in the Baltic sea. *Tellus* 36B: 101–117.
- Andreu-Moliner, E.S. et al. 1986. Toxicity of some ricefield pesticides to the crayfish *P. clarkii*, under laboratory and field conditions in Lake Albufera (Spain). *J. Environ. Sci. Health*: B21: 529.
- Andrews, L. J. & Keefer, R. M. 1950. *J. Am. Chem. Soc.* 72: 5034.

- Andros, J.D. & Garton, R.R. 1980. Acute lethality of copper, cadmium and zinc to northern squawfish. Trans. Amer. Fish. Soc., 109: 235.
- Angelovic, J.W., Singler, W.F. & Neuhold, J.M. 1961. Temperature and fluorosis in rainbow trout. J. Wat. Poll. Control Fed. 33: 371-381.
- Angemar, Y., Rebhun, M. & Horowitz, M. 1984. Adsorption, phytotoxicity, and leaching of bromacil in some Israeli soils. J. Environ. Qual. 13(2): 321-326.
- Ankley, G.T. & Blazer, V.S. 1988. Effects of diet on PCB-induced changes in xenobiotic metabolism in the liver of channel catfish (*Ictalurus punctatus*). Can. J. Fish. Aquat. Sci. 45: 132.
- Anon. 1977. Toxic pollutant effluent standards: Standards for polychlorinated biphenyls; Final decision. Fed. Reg. 42: 6532.
- Anon. 1969. Technical Information A-10176 R. Stauffer Chemical Company.
- Anon. 1970a. Technical Information A-10104 R-71. Stauffer Chemical Company.
- Anon. 1971a. Algal assay procedure: bottle test. National eutrophication research program. U.S. Environmental Protection Agency. 82 pp.
- Anon. 1970b. Air quality criteria for hydrocarbons. NAPCA publication No. AP. 64.
- Anon. 1971b. Massasäilöntä- ja limantorjunta-aineet puunjalostusteollisuudessa. Ominaisuudet, käyttö ja merkitys ympäristömyrkkyinä. Moniste.-Sosiaali- ja terveysministeriö. Myrkkyasiain neuvottelukunta. 12 s.
- Anon. 1972. Technical Information A-10179 R 2/72. Stauffer Chemical Company.
- Anon. 1973a. European inland fishery advisory commission working party on water quality criteria for European freshwater fish, Water quality criteria for european freshwater fish. Water Res. 7: 929-941.
- Anon. 1973b. Technical information A-10177. Stauffer Chemical Company.
- Anon. 1974a. Federal Register 39 (125), June 1974-subpart G: Occupational health and environmental control.
- Anon. 1974b. National Association of Photographic Manufacturers Inc. in cooperation with Hydroscience Inc. Environmental Effect of Photoprocessing Chemicals. Vol. I & II, National Association of Photographic Manufacturers Inc. 600 Mamaroneck Ave., Harrison, N.Y., 10528.
- Anon. 1975. Shell Chemie, Shell Industrie Chemicalien gids, Shell Nederland Chemie, Afd. Industriechemicalien, Wassenaarseweg 80, 'sGravenhage, Nederland.
- Anon. 1976. Pesticide Dictionary 1976. Farm Chemicals, Meister Publishing Company, 37841 Euclid Avenue, Willoughby, Ohio 44094.
- Anon. 1980. New Daphnia test measures waste water toxics. Water Pollut. Contr. 118(2): 20-21.
- Anon. 1981a. Miljövänlig tillverkning av blekt massa. Slutrapport. Svenska cellulosa- och pappersbrukförening. 182 s.
- Anon. 1981b. Wasserschadstoff-Katalog. Institut für wasserwirtschaft, Berlin. Januar 1981. Ab 652/63/81.
- Anon. 1983. IRPTC Bulletin. United Nations Environment Programme 6(1): 2.
- Anon. 1983a. Assessment of the acute toxicity of nickel sulfate to rainbow trout. Techn. Rep. ISS OEFZS-BL-424. 25 p.
- Anon. 1983b. Paperiteollisuuskemikaalien työhygienia-kurssi. 28.-29.9.1983. Lappeenranta.
- Anon. 1983c. Pesticide Manual. Worthing, C.R. (toim.) A world compendium. The British Crop Protection Council. London. 7 th edition.
- Anon. 1984. The use of glyphosate in aquatic situations. Aquatic seminar, Louvain-La-Neuve, 21 February 1984. Monsanto.
- Anon. 1985. NTP Technical report on the toxicology and carcinogenesis studies of 8-hydroxyquinoline (CAS No. 148-24-3) in F 344/N rats and B6C3F mice (feed studies. U.S. Department of Health and Human Services, 1985. 170 s.- (NIH Publ. No. 85-2532, National Toxicology Program technical report series No. 276).

- Anon. 1986a. Evaluation of the OECD laboratory intercomparison testing on the determination of the partition coefficient n-octanol-water by reverse phase HPLC. Report. Fraunhofer-Institut für Umweltchemie und Ökotoxikologie.
- Anon 1986b. Beitrag zur Beurteilung von 19 gefährlichen Stoffen in oberirdischen Gewässern. Texte 10. Umweltbundesamt. pp. 163.
- Anon. 1987a. The list of the existing chemical substances tested on biodegradability by microorganisms or bioaccumulation in fish body by Chemicals Inspection & Testing Institute. Ministry of International Trade and Industry, MITI. Japan.
- Anon. 1987b. Nedbrydelighed af miljøfremmede organiske stoffer. Utredningsrapport U1. Lossepladsprojektet.
- Anon 1988. Concentrations of industrial organic chemicals measured in the environment: The influence of physico-chemical properties, tonnage and use pattern. Technical report no 29. European chemical industry ecology & toxicology centre, ECETOC. pp. 105.
- Anon. 1989. Miljöfarliga ämnen – exempellista och vetenskaplig dokumentation. 303 p. Stockholm. Rapport från kemikalieinspektionen (KEMI) 10.
- Ansari, B.A. et al. 1987. Diazinon toxicity: activities of acetylcholinesterase and phosphatases in the nervous tissue of zebra fish, *Brachydanio rerio* (Cyprinidae). *Acta Hydrochim. Hydrobiol.* 15: 301.
- Ansari, I.A. 1987a. Acute toxicity of sodium nitrite on *Channa punctatus* (BLOCH) and *Mystus vittatus* (BLOCH). *Acta hydrochim. hydrobiol.* 15(2): 175–178.
- Ansari, I.A. 1987b. Effects of copper sulphate on the free amino acids of *Channa punctatus* (Bloch). *Acta Hydrochim. Hydrobiol.* 15: 433.
- Anthony, R.M. & Breimhurst, L.H. 1981. Determining maximum influent concentrations of priority pollutants for treatment plants. *J. WPCF* 53: 1457–1468.
- Antia, N.J. & Cheng, J.Y. 1975. Culture studies on the effects from borate pollution on the growth of marine phytoplankters. *J. Fish. Res Board Can.* 32(12): 2487–2494.
- Antwi, L.A.K. 1987. Fish head acetylcholinesterase activity after aerial application of temephos in two rivers in Burkina Faso, West Africa. *Bull. Environ. Contam. Toxicol.* 38: 461.
- APHA (American Public Health Association) 1971. Standard Methods for the examination of water and wastewater, 13th ed. New York.
- APHA-AWWA-WPCF. 1975. Bioassay procedures for fishes. Standard Methods, 14th ed. Wash. 1976, p. 845–872.
- Appelgren, L.-E., Eneroth, G. & Grant, C. 1977. Studies on ethylene oxide: whole-body autoradiography and dominant lethal test in mice. In: Clinical toxicology. Proceedings of the Meeting held at Edinburgh, June 1976, European Society of Toxicology. Amsterdam. Excerpta Medica. Vol. 18. pp. 315–317.
- Appleton, H.T., & Sikka, H.C. 1980. Accumulation, elimination, and metabolism of dichlorobenzidine in the bluegill sunfish. *Environ. Sci. Technol.* 14: 50.
- Aquan-Yuen, M., Mackay, D. and Shiu, W. Y. 1979. *J. Chem. Eng. D* 24: 30.
- AQUIRE 1993 -. Aquatic Toxicity Information Retrieval Database. U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances, Washington, D.C.
- Aranyi, C., O'Shea, W.J., Graham, J.A. & Miller, F.J. 1986. The effects of inhalation of organic chemical air contaminants on murine lung host defences. *Fundamental and Applied Toxicology* 6:713–720.
- Ardo, J. 1974. Acute toxicity of some pesticides. *Vodn. Hospod. B.* Vol. 24(8): 222–224.
- Arillo, A., Calamari, D., Margiocco, C., Melodia, F. & Mensi, P. 1984. Biochemical effects of long-term exposure to cadmium and copper on rainbow trout (*Salmo gairdneri*): validation of water quality criteria. *Ecotoxicol. Environ. Safety* 8(2): 106–117.

- Arillo, A., Gaino, E., Margiocco, C., Mensi, P. & Schenone G. 1984. Biochemical and ultrastructural effects of nitrite in rainbow trout, liver hypoxia as the root of the acute toxicity mechanism. Environ. Res. 34: 135–154.
- Arnachalam, S. & Palanichamy, S. 1982. Sublethal effects of carbaryl on surfacing behaviour and food utilization in the air breathing fish, *Macropodus uscapanus*. Physiol. Behav. 29: 23.
- Arstila, A.U., Virtanen, M. & Hattula, M.L. 1978. The use of laboratory microcosm in the environmental toxicological research. Toxitetstest.Nordforsk. Miljö vårkretariatet publikation 2:335–339.
- Arthur, J.W., Andrew, R.W., Mattson, V.R., Olson, D.T., Glass, G.E., Halligan B.J. & Walbridge, C.T. 1975. Comparative toxicity of sewage-effluent disinfectants to freshwater aquatic life. U.S. Environmental Protection Agency, Duluth, MN, EPA-600/3-75-012, 71 p.
- Arthur, J.W. & Eaton, J.G. 1971. Chloramine toxicity to the amphipod (*Gammarus pseudolimnaes*) and the fathead minnow (*Pimephales promelas*). J. Fish. Res. Board Can. 28: 1841 -1845.
- Arthur, J.W. 1971. Progress Rep. Natl. Water Quality Lab, EPA, Duluth, Minn.
- Arthur, J.W., West, C.W., Allen, K.N. & Hedtke, S.F. 1987. Seasonal toxicity of ammonia to five fish and nine invertebrate species. Bull. Environ. Contam. Toxicol. 38: 324–331.
- Arthur, J.W. & Leonard, E.N. 1970. Effects of copper on *Gammarus pseudolimnaeus*, *Physa integra* and *Campeloma decisum* in soft water. J. Fish. Res. Bd Can. 27: 1277–1283.
- Artigas Gimenez, G., Urdangaray arguelles, V., Gonzales Blasquez, I. & Alonso Rodriguez, J. 1979. Protective coating for glass objects. Fr. Demande 2: 410.
- Artiola-Fortuny, J. & Fuller, W. H. 1982. Soil Sci 133: 18–26.
- Aruachalam, S. et al. 1980. Toxic and sublethal effects of carbaryl on a Freshwater Catfish, *Mystus vittatus* (Bloch). Arch. Environ. Contam. Toxicol. 9: 307.
- Asbury, C. & Coler, R. 1980. Toxicity of dissolved ozone to fish eggs and larvae. J. Water Poll. Control Fed. 52: 1990.
- Asheden, T.W. & Mansfield, T.A. 1978. Extreme pollution sensitivity of grasses when SO₂ and NO₂ are present in the atmosphere together. Nature 273(5658): 142–143.
- Ashley, L.M. 1973. Am.J.Pathol. 72: 345–348.
- ASTER 1992 -. U.S. EPA ERL-Duluth Fathead Minnow Database. U.S. Environmental Protection Agency.
- ASTER 1992 -. U.S. EPA Water Quality Criteria Documents. U.S. Environmental Protection Agency.
- ASTER 1993 -. Assessment Tool for the Evaluation of Risk (including the AQUIRE database). USEPA, Environmental Research Laboratory.
- ASTM. 1982. Proposed standard practice for conducting toxicity tests with the early life stages of fishes. Draft document for ASTM Committee E-47, S.C.Schimmel, chairman, 82 pp.
- ASTM. (American Society for Testing and Materials). 1978. Proposed standard practice for measuring bioconcentration of chemicals with fishes. ASTM-draft No 8.
- ASTM. 1981a. Standard test methods for evaluating acute toxicity of water to freshwater fishes. Annual book of ASTM standards. pp. 240–250.
- ASTM. 1981b. Standard practice for algae growth potential testing with *Selenastrum capricornutum*. Annual book of ASTM standards. pp. 240–250.
- Astrand, I., Engstrom, J. & Ovrum, P. 1978. Exposure to xylene and ethylbenzene. I. Uptake, distribution and elimination in man. Scandinavian Journal of Work Environment and Health 4: 185–194.
- Atkins, E. L. & Anderson, L. D. 1967. Toxicity of pesticides and other agricultural chemicals to honey bees. Laboratory studies. Bietox—Allgemein Vgl Rückseite. 1–9.
- Atkinson, R. 1985. Chem. Rev. 85: 69.
- Atkinson, R. 1987. Inter. J. Chem. Kinet. 19:799-828.
- Atkinson, R. et al. 1980. Int. J. Chem. Kinet. 12: 779–836.
- Atkinson, R & Carter, W. P. L. 1984. Chem. Rev. 84: 437–470.

- Atkinson, R. et al. 1979. *Adv. Photochem.* 11: 375–488.
- Atkinson, R. et al. 1984. *Environ. Sci. Technol.* 18: 370–375.
- Atkinson, R. et al. 1982. *Int. J. Chem. Kin.* 14: 13–18.
- Atkinson, R. et al. 1984. *Int. J. Chem. Kinetics* 16: 887–898.
- Atlas, E., Velasco, A., Sullivan, K. and Giam, C. S. 1983. *Chemosphere* 12: 1251–1258.
- Atlas, E., Foster, R. and Giam, C. S. 1982. *Environ. Sci. Technol.* 16: 283–286.
- Atsuko, N.Y., Mitsumasa O. & Rynicki, S. 1984. The growth inhibition of planktonic algae due to surfactants used in washing agents. *Water Res.* 18: 1101–1105.
- Atwater, J.W. et al. 1983. Experiments using Daphnia to measure landfill leachate toxicity. *Water Res.* 17: 1855.
- Augustine, V.J., Palanichamy, K. & Siddiq, E.A. 1975. Influence of pH on mutagenic specificity and efficiency of hydroxylamine, hydrazine and ethyl methanesulfonate in two rice types. *Radiation Botany* 15(3): 267–277.
- Augustinsson, K-B. 1957. Assay methods for cholinesterases. In: *Methods of Biochemical Analysis*. Click, D. (ed.). John Wiley & Sons. New York. pp. 1–63.
- Ayanaba, H. & Alexander, M. 1974. Transformations of methylamines and formation of a hazardous product, dimethylnitrosoamine, in samples of treated sewage and lake water. *J. Environ. Quality* 3: 83–89.
- Azeez, P.A. & Banerjee, D.K. 1987. Influence of light on chlorophyll A content of blue-green algae treated with heavy metals. *Bull. Environ. Contam. Toxicol.* 38: 1062.
- Baatrup, E. & Danscher, G. 1987. Cytochemical demonstration of mercury deposits in trout liver and kidney following methyl mercury intoxication: differentiation of two mercury pools by selenium. *Ecotoxicol. Environ. Saf.* 14: 129.
- Babtist, J.P. & Lewis, C.W. 1969. Transfer of Zn-65 and Cr-51 through an estuarine food chain. *Symposium of radioecology*: 420–425.
- Bagge & Ilus, E. 1975. Ferrosulfaatin ja sitä sisältävien jättevesien akuutista myrkyllisyydestä murtovedessä. *Meri* 3: 46–64.
- Bahig, M.E. et al. 1981. Metabolism of pentachloronitrobenzene-14C (Quintozen) in Fish. *Chemosphere* 10: 319.
- Bahlsberg-Pählsson, A.-M., Lithner, G. & Tyler, G. 1982. Krom i miljön. SNV PM 1570.
- Bailey, E.L. 1967. Effluent treatment—success or failure. *Pulp Paper Mag. Can.* 68: T 128–T 130.
- Bailey, H.C. & Spanggord, R.J. 1983. The relationship between the toxicity and structure of nitroaromatic chemicals. In: *Aquatic toxicology and hazard assessment sixth symposium*. ASTM STP 802, W.E. Bishop, et al. (eds.), Am. Soc. Test. Mater. Philadelphia, Pa., 98.
- Bailey, G.W. et al. 1968. Soil Sci Soc. Amer. Proc. 32:222–34.
- Bailey, R. E. 1983. *Environ. Sci. Technol.* 17: 504.
- Baird, R., Carmona, L. & Jenkins, L. 1977. Behavior of benzidine and other aromatic amines in aerobic wastewater treatment. JWCPF: 1609–1615.
- Baker, J.P. & Schofield, C.L. 1982. Aluminium toxicity to fish in acidic waters. *Water Air Soil Pollut.* 18: 289–309.
- Baker, J.T.P. 1969. Histological and electron microscopical observations on copper poisoning in the winter flounder (*Pseudopleuronectes americanus*). *J. Fish. Res. Bd Can.* 26: 2785–2793.
- Baker, M.D. & Mayfield, C.I. 1980. Microbial and non-biological decomposition of chlorophenols and phenol in soil. *Water, Air & Soil Poll.* 13: 411–424.
- Bakke, O.M. & Scheline, R.R. 1970. Hydroxylation of aromatic hydrocarbons in the rat. *Toxicology and Applied Pharmacology* 16: 691–700.

- Bakthavathsalam. R. 1987. Effects of carbofuran on the dissolved oxygen consumption, opercular movements and survival of the fish *Lepidocephalichthys thermalis* under complete submerged condition. *Aquat. Sci. Fish. Abstr.* 17: 167.
- Bakthavathsalam, R. et al. 1987. Effects of carbofuran on certain tissues of the fish *Lepidocephalichthys thermalis*. *Environ. Ecol.* 5: 216.
- Bakthavathsalam. R. et al. 1987. Effects of lindane and atropine sulphate on the tissues of the fish, *Anabastestudineus* (Bloch)—A chronotoxicological approach. *Chemosphere* 16: 1339.
- Balk, L., Meijer, J., Seidegård, J., Morgenstein, R. & dePierre, W. 1980. Initial characterization of drug-metabolizing systems in the liver of the Northern pike *Esox lucius*. *Drug Metabolism and Disposition* 8: 98–103.
- Ballschmiter, K. et al. 1977. *Angew. Chem. Int. Ed. English* 16: 645.
- Balsberg, A.-M., Lithner, G. & Tyler, G. 1981. Koppar i miljön. SNV PM 1424.
- Bandeen, J.D. & McLaren, R.D. 1976. Resistance of *Chenopodium album* to triazine herbicides. *Can. J. Plant Sci.* 56(2): 411–412.
- Banerjee, S., Howard, P. H., Rosenberg, A. M., Dombrowski, A. E., Sikka, H. and Tullis, D. L. 1984. *Environ. Sci. Technol.* 18: 416–422.
- Banerjee, S., Yalkowsky, S. H. and Valvani, S. C. 1980. *Environ. Sci. Technol.* 14: 1227–1229.
- Banerjee, S. 1984. *Environ. Sci. Technol.* 18: 587–591.
- Bano, Y. 1982. Effects of aldrin on serum and liver constituents of freshwater catfish *Clarias batrachus* L. *Proc. Indian Acad. Sci. Sect. 91:27.*
- Bansal, S.K. et al. 1980. Predicting long-term toxicity by subacute screening of pesticides with larvae and early juveniles of four species of freshwater major carp. *Ecotoxicol. Environ. Safety* 4: 224.
- Barret, L., Arsac, P., Vincent, M., Faure, J., Garrel, S. & Reymond F. 1982. Evoked trigeminal nerve potential in chronic trichloroethylene intoxication. *Journal of Toxicology—Clinical Toxicology* 19: 419–423.
- Barrio-Lage, G. et al. 1987. Kinetics of the depletion of trichloroethene. *Environ. Sci. Technol.* 21 (4): 366–370.
- Barron, M.G. & Adelman, I.R. 1984. Nucleic acid, protein content and growth of larval fish sublethally exposed to various toxicants. *Can. J. Fish. Aquat. Sci.* 41(1): 141–150.
- Barrows, M. E. et al. 1978. *Am. Chem. Soc. Div. Environ. Chem.* 18: 345–6.
- Barrows, M. E. et al. 1980. Dyn Exposure Hazard Assess Toxic Chem. Ann Arbor M. I.: Ann Arbor Sci. p 379–92.
- Bartha, R. et al. 1968. *Science* 16: 582–583.
- Bartlett, L. Rabe, F.W. & Funk, H.F. 1974. Effects of copper, zinc and cadmium on *Selenastrum capricornutum*. *Water Res.* 8: 179–185.
- Bartlett, G.R. et al. 1987. Studies on the influence of nitrite on methemoglobin formation in Amazonian fishes. *Comp. Biochem. Physiol.* 86C: 449.
- Barton, A. F. M. 1984. Alcohols with water. *IUPAC Solubility Data Series*. Vol 15. pp 438.
- Bartsch, H. 1976. Predictive value of mutagenicity test in chemical carcinogenesis. *Mutat. Res.* 38: 177–190.
- Basak, S.C., et. al. 1984. A quantitative correlation of the LC50 values of esters in *Pimephales promelas* using physiochemical and topological parameters. *Environ. Toxicol. Chem.* 191.
- BASF AGb. BASF Aktiengesellschaft, Toxicology Dept., unpublished study. 10F0712/885067, 28.06.89.
- BASF AGa, BASF Aktiengesellschaft, Analytical Dept. unpublished study. (Jour. No. 130239/02)
- BASF AGc. 1988. BASF Aktiengesellschaft, Ecology Laborat., unpublished data.
- Basha, S.M. et al. 1983. Differential toxicity of malathion, BHC, and carbaryl to the freshwater fish, *Tilapia mossambica* (Peters). *Bull. Environ. Contam. Toxicol.* 31: 543.

- Bass, M.L., Berry, C.R., Jr. & Heath, A.G. 1977. Histopathological effects of intermittent chloride exposure on bluegill (*Lepomis macrochirus*) and rainbow trout (*Salmo gairdneri*). *Water Res.* 11: 731–735.
- Bass, M.L. & Heath, A.G. 1977a. Toxicity of intermittent chlorination to bluegill (*Lepomis macrochirus*): interaction with temperature. *Bull. Environ. Contam. Toxicol.* 17: 416–423.
- Bass, M.L. & Heath, A.G. 1977b. Cardiovascular and respiratory changes in rainbow trout, *Salmo gairdneri*, exposed intermittently to chlorine. *Water Res.* 11: 497–502.
- Bassendowska-Karska, E. 1980. Investigations of the mutagenic properties of certain chemical substances during occupational exposure (Pol.). *Pol. Tyg. Lek.* 35: 53–54.
- Batac-Catalan, Z. & White, D.S. 1983. Effect of chromium on larval Chironomidae as determined by the optical-fiber light-interruption biomonitoring system. In: *Aquatic toxicology and hazard assessment sixth symposium*. ATSM STP 802, W.E. Bishop, et al. (eds.) Am. Soc. Test. Mater, Philadelphia, Pa. pp. 469.
- Batchelder, T.L., Alexander, H.C. & McCarty, W.M. 1980. Acute fish toxicity of the Versene family of chelating agents, *Bull. Environm. Contam. Toxicol.* 24: 543–549.
- Bateman, A.J. & Epstein, S.S. 1971. Dominant lethal mutations in mammals. Hollander, A. (ed.). *Chemical mutagens, principles and methods for their detection*, Vol. 2, pp. 541–568.
- Battermann, G. 1984. Beseitigung einer Untergrundkontamination mit Kohlenwasserstoffen durch mikrobiellen Abbau. *Chem. Inq. Tech.* 56: 926–928.
- Batton, M.G. & Adelman, I.R. 1984. Nucleic acid, protein content and growth of larval fish sublethally exposed to various toxicants. *Can. J. Fish. Aquat. Sci.* 41(1): 141–150.
- Bauman, J., Cameron, R.E., Kritchevsky, C. & Rouser, G. 1967. Detection of phthalate esters as contaminans of lipid extracts from soil samples stored in standard soil bags. *Lipids* 2: 85.
- Bazzaz, F.A., Carlson, R.N. & Rolfe, G.L. 1974. The effect of heavy metals on plants. Part I: Inhibition of gas exchange in sunflower by Pb, Cd, Ni, and Ti. *Environ Pollut.* 7: 241–246.
- Beall, M.L.Jr. 1976. Persistence of aerially applied hexachlorobenzene on grass and soil. *J. Environ. Qual.* 5 (4): 367–369.
- Beamish, F.W.H. 1978. Swimming capacity. In: Hoar, W.S. & Randall, D.J. (eds.) *Fish physiology*. Vol. VII. Academic Press, New York. pp. 107–187.
- Beaubien, A. et al. 1986. A multispecies toxicity assessment procedure using flow microcalorimetry: comparison with other toxicity evaluation metods. *Toxicity Assessment* 1: 187.
- Becker, P. 1978. Levätestin tulostustavoista ja järvienv talvisesta tilasta levätestien ja kemiallisten analyysien valossa. Pro gradu -työ. Helsingin yliopiston limnologian laitos. 150 s.
- Becker, C.D. & Wolford, M.G. 1980. Thermal resistance of juvenile salmonids sublethally exposed to nickel, determined by the critical thermal maximum method. *Environ. Poll.* 21A: 181.
- Bedi, A.S. & Genet, R.A. 1977. Effect of dipping seed potatoes in sodium hypochlorite or water on dormancy and yield. *N. Z. J. Exp. Agric.* 5(3): 297–299.
- Beena, S. & Viswaranjan, S. 1988. Effect of cadmium and mercury on the hematological parameters of the fish *Cyprinus carpio*. *Environ. Ecol.* 5: 726.
- Begum, S.J. 1987. Biochemical adaptive responses in glucose metabolism of fish (*Tilapia mossambica*) during ammonia toxicity. *Curr. Sci.* 56: 705.
- Bekes, J. et al. 1975. *Prog. Hung. 15th Annu. Meet. Biochem.* p. 27–28.
- Bellan-Santini, D. & Reish, D.J. 1976. Utilisation de trois especes de crustaces comme animaux tests de la toxicite de deux sels de metaux lourds. *C.r. Hebd. Seanc. Acad. Sci., Paris* 282: 1325–1327.
- Bellavere, C. & Gorbi, J. 1981. A comparative analysis of acute toxicity of chromium, copper and cadmium to *Daphnia magna*, *Biomphalaria glabrata*, and *Brachydanio rerio*. *Environ. Technol. Lett.* 2: 119.

- Benckiser, G. & Ottow, J.C.G. 1982. Metabolism of the plasticizer di-n-butyl phthalate by *Pseudomonas pseudoalcaligenes* under anaerobic conditions with nitrate as the only electron acceptor. *Appl. Environ. Microbiol.* 44: 576.
- Bender, M.E. & Westman, J.R. 1976. Toxicity of malathion and its hydrolysis products to Eastern mudminnow. *Umbra pygmaea*, *Chesapeake Sci.* 17: 125.
- Bengeri, K.V. et al. 1984. Toxicity of dimethyl-parathion to freshwater fish *Labeo rohita* and oxygen uptake rate of exposed fish. *Environ. Ecol.* 2:1.
- Bengtsson, Å. & Miettinen, V. 1985. Spinal deformities and concentrations of heavy metals and chlorophenols in fourhorn sculpin (*Myoxocephalus quadricornis*) at the Finnish coast of the gulf of Bothnia. *VL:n julkaisuja, painossa*.
- Bengtsson, B-E. 1974. Effect of zinc on growth of the minnow *Phoxinus phoxinus*. *Oikos* 25: 370–373.
- Bengtsson, B-E. 1978. Use of harpacticoid copepod in toxicity tests. *Marine Poll. Bull.* 9: 238.
- Bengtsson, B-E. 1979. Biological variables, especially skeletal deformities in fish, for monitoring marine pollution. *Phil. Trans. Roy. Soc. Lond. B* 286 (1015): 457–464.
- Bengtsson, B-E. 1980a. Long-term effects of PCB (Clophen A 50) on growth, reproduction *Phoxinus phoxinus*. *Water Res.* 14: 681. NBL. Rapp. 69.
- Bengtsson, B-E. 1980b. Ryggskador hos fisk från Bottenviken—en effekt av tungmetallspridning? NBL Rapport 93, Statens Naturvårdsverk, Stockholm.
- Bengtsson, B-E. & Bengtsson, Å. 1981. Ryggskador hos hornsampa i Bottenviken och Bottenviken. Finsksvenskt seminarium om Bottniska viken och dess föroreningsförhållanden, Luleå, 16-17 juni 1981. SNV PM, Statens Naturvårdsverk, Stockholm.
- Bengtsson, B.-E. 1977. Accumulation of cadmium in some aquatic animals from the Baltic Sea. *Ambio Special Report No.* 5: 69.
- Bengtsson, B.-E. & Baumann-Ofstad, E. 1982. Long-term studies on uptake and elimination of some chlorinated paraffins in the bleak, *Alburnus alburnus*. *Ambio* 11: 38–40.
- Bengtsson, B.-E. & Tarkpea, M. 1983. The acute aquatic toxicity of some substances carried by ships. *Mar. Poll. Bull.* 14: 213–214.
- Bengtsson, B.-E. 1980c. Kadmium och zinc i sötvatten—delrapport till riktvärden för vattenkvalitet. NBC Rapport 102, SNV, Brackvattentoxicologiska laboratoriet.
- Bengtsson, B.E., Renberg, L. & Tarkpea, M. 1984. Molecular structure and aquatic toxicity: an example with C1–C13 aliphatic alcohols. *Chemosphere* 13(5/6): 613–622.
- Benoit-Guyod, J.L. et al. 1984. Toxicity and QSAR of chlorophenols on *Lebistes reticulatus*. *Ecotoxicol. Environ. Safety*. 8: 227.
- Benoit, D.A. 1975. Chronic effects of copper on survival, growth and reproduction of bluegill. *Trans. Am. Fish. Soc.* 2: 353–358.
- Benoit, D.A. 1976. Toxic effects of hexavalent chromium on brook and rainbow trout. *Water Res.* 10: 497–500.
- Benoit, D.A., Leonard, E.N., Christensen G.M. & Hunt, E.P. 1976. Toxic effects of cadmium on three generations of brook trout. *Trans. Am. Fish. Soc.* 4: 550–560.
- Benoit, D.A., Puglisi F.A. & Olson, D.L. 1982. Fathead minnow (*Pimephales promelas*) early life stage toxicity test method evaluation and exposure to four organic chemicals. *Environ. Pollut.* 28: 189–197.
- Benson, W.H. & Birge, W.J. 1987. Detection of cadmium-binding proteins in fish chronically exposed to heavy metals. *Environ. Toxicol. Chem.* 6: 623.
- Benson, W.H. et al. 1987. Influence of cadmium exposure on selected hematological parameters in freshwater teleost, *Notemigonus crysoleucas*. *Ecotoxicol. Environ. Saf.* 13: 92.
- Bentgsson, G. et al. 1986. Warer Res. 20: 935–937.
- Berenblum, I. 1941. The carcinogenic action of croton resin. *Cancer Research* 1: 44–48.

- Berglind, R. & Dave, G. 1984. Acute toxicity of chromate, DDT, PCB, TPBs, and zinc to *Daphnia magna* cultured in hard and soft water. Bull. Environm. Contam. Toxicol. 33(1): 63–68.
- Berglind, R. 1985. The effects of cadmium on ALA-D activity, growth and haemoglobin content in the water flea, *Daphnia magna*. Comp. Biochem. Physiol. C 80: 407.
- Bergman, K. 1983. Interactions of trichloroethylene with DNA in vitro and with RNA and DNA of various mouse tissues in vivo. Archives of Toxicology 54: 181–193.
- Berlin, M. 1986. Mercury. In: Handbook on the Toxicology of Metals, Vol. II, Elsevier, Amsterdam, pp. 387–445.
- Beusen, J-M. & Neven, B. 1987. Toxicity of Vanadium to different freshwater organisms. Bull. Environ. Contam. Toxicol. 39: 194–201.
- Bhattacharya, S. et al. 1975. Toxic effects of endrin on hepatopancreas of the teleost fish, *Clarias batrachus* (Linn.). Indian J. Exp. Biol. 13: 185.
- Bhattacharya, T. et al. 1987. Blood glucose and hepatic glycogen interrelationship in *Channa punctatus* (Bloch): a parameter of nonlethal toxicity bioassay. Indian J. Exp. Biol. 25: 539.
- Bielinska, I. 1987. Dielectric, hematological and biochemical studies of detergent toxicity in fish blood. Phys. Med. Biol. 32: 623.
- Biesinger, K.E. & Christensen, G.M. 1972. Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. J. Fish. Res. Board Can. 29: 1691–1700.
- Biesinger, K.E. et al. 1976. Comparative toxicity of polyelectrolytes to selected aquatic animals, J. Wat. Poll. Contr. Fed. 48: 183.
- Biessman, A., Darnerud, P.O. & Brandt, I. 1982b. Metabolic fate of chlorinated paraffins: Disposition of an (U-14C)-labelled polychlorohexadecane in mice and quail. Submitted for publication.
- Biessman, A., Brandt, I. & Darnerud, P.O. 1982a. Comparative distribution and metabolism of two 14C-labelled chlorinated paraffins in Japanese Quail (*Coturnix coturnic japonica*). Environ. Poll. A28: 109–120.
- Bignozzi, C. A. et al. 1981. Int. J. Chem. Kinet. 13: 1235–1242.
- Bikales, N. M. & Kolody, E. R. 1963. Kirk-Othmer Encycl. Chem. Tech. 2nd ed. 1: 274–84.
- Bills, T.D., Marking, L.L. & Olson, L.E. 1977a. Effects of residues of polychlorinated biphenyl Aroclor 1254 on sensitivity of rainbow trout to selected environmental contaminants. Progressive Fish-Culturist 39: 150.
- Bills, T.D. et al. 1977. Formalin: Its toxicity to nontarget aquatic organisms, persistence and removal with activated carbon. Investigations in fish control. No. 75. U.S. Dept. Int., Fish & Wildlife Service, Washington, D.C.
- Bills, T.D. et al. 1977c. Malachite green: its toxicity to aquatic organisms, persistence, and removal with activated carbon. Investigations in fish control No. 75, U.S. Dept. Int., Fish & Wildlife service, Washington, D.C.
- Bimboes, D. & Greim, H. 1976. Human lymphocytes as target cells in a metabolizing test system in vitro for detecting potential mutagens. Mutat. Res., 35: 155–160.
- BIODEG 1992 -. Biodegradation probability program, version 3. Syracuse Research Corporation, New York.
- Birge, W.J. et al. 1980. Aquatic toxicity tests on inorganic elements occurring in oil shale. EPA 600/9-80-022. NTIS, Dep. of Commerce, Springfield, Va.
- Birge, W.J. et al. 1978. Effects of polychlorinated biphenyl compounds and proposed PCB-replacement products on embryo-larval stages of fish and amphibians. Research Rept. No 118, Kentucky Water Resources Res. Inst., Lexington, Ky.
- Birge, W.J., Black, J.A. Hudson, J.E. & Bruser, D.M. 1979a. Embryo-larval toxicity tests with organic compounds. In: Aquatic toxicology. ASTM STP 667. Marking, L.L. and Kimerle,R.A. (eds.) American Society for Testing and Materials, Philadelphia, pp. 131–147.

- Birge, W.J. et al. 1979b. Toxicity of organic chemicals to embryo-larval stages of fish. EPA-560/11-79-007, U.S. Environmental Protection Agency, Washington, D.C.
- Birge, W.J., Black, J.A. & Ramey, B.A. 1981. The reproductive toxicology of aquatic contaminants. In: Saxena, J. & Fisher, F. (eds.) Hazard Assessment of Chemicals—Current Developments, Vol. 1, Academic Press, New York.
- Biro, P. 1979. Acute effects of the sodium salt of 2,4-D on the early development stages of bleak, *Alburnus alburnus*. *J. Fish. Biol.* 14, 101–109.
- Birtley, R.D.N., Conning, D.M., Daniel, J.W., Ferguson, D.M., Longstaff, E. & Swan, A.A.B. 1980. The toxicological effects of chlorinated paraffins in mammals. *Toxicol. Appl. Pharmacol.* 54: 514–525.
- Bishop, W.E. & McIntosh, A.W. 1981. Acute lethality and effects of sublethal cadmium exposure on ventilation frequency and cough rate of bluegill (*Lepomis macrochirus*). *Arch. Environ. Contam. Toxicol.* 10, 519.
- Bitton, G. 1986. A direct INT-dehydrogenase assay (DIDHA) for assessing chemical toxicity. *Toxicity Assessment* 1: 1.
- Björndal, H., Düring, L. & Solyom, P. 1984. Miljöeffekter av tillsatskemikalier använda vid papperstillverkning. *SSVL -85. Rapport 16. IVL B* 739. 124 s.
- Black, J.A. et al. 1982. The aquatic toxicity of organic compounds to embryo-larval stages of fish and amphibians. *PB82-224601, NUS, U.S. Dept. Commerce, Springfield, Va.*
- Black, G.A.P. 1976. Annotated list of copper concentrations found harmful to aquatic organisms. *Fish. Res. Board Can. Techn. Rep.* 603: 44.
- Black, A. J., Birge, W. J., Westerman, A. G. and Francis, P. C. 1983. Comparative aquatic toxicology of aromatic hydrocarbons. *Fundamental and applied toxicology* 3: 353–358.
- Blackman, G. E., Parke, M. H. and Garton, C. 1955. *Arch. Biochem. Biophys.* 54(1): 55–71.
- Blackmann, R.A.A. 1974. Toxicity of oil-sinking agents, *Marine Poll. Bull.* 5(8): 116–118.
- Blahm, T.H. 1979. Toxicity of chemical fire retardants to juvenile coho salmon and rainbow trout. *Dissertation Abs.* 39: 4115.
- Blair, A.M. 1978. Some studies on the sites of uptake of chlortoluron, isoproturon and metoxuron by wheat, *Avena fatua* and *Alopecurus myosuroides*. *Weed Research* 18(6): 381–387.
- Blair, A., Decoufle, P. & Grauman, D. 1979. Causes of death among laundry and dry cleaning workers. *American Journal of Public Health* 69: 508–511.
- Blanárik, P. & Bobák, M. 1974. Influence of zinc upon anatomical and morphological changes of the horse-bean plants (*Vicia faba* cv. *Povazsky*). *Acta F. R. N. Univ. Comen. Physiologia plantarum IX:* 41–54.
- Blanck, H., Wallin, G. & Wängberg, S.-Å. 1984. Species dependent variation in algal sensitivity to chemical compounds. *Ecotoxicol. Environ. Safety* 8: 339–351.
- Blanck, H., Dave, G. & Gustafsson, K. 1978. An annotated literature survey of methods for determination of effects and fate of pollutants in aquatic environments. *Statens naturvårdsverk PM 1050.* 400 p.
- Blanck, H. 1977. An annotated literature survey of methods for determination of effects and fate of pollutants in aquatic environments. II. Aquatic plants and algae. *Reports to the Swedish Board for Technical Development (STU), 76–5460.* pp.81.
- Blanck, H. 1980. Isolated spinach chloroplasts as a test system for effect on photosynthesis of textile industry effluents. *Nordforsk Ekotoxikologiska metoder för akvatisk miljö.*
- Blanck, H. 1983a. Long-chained aliphatic amines employed in solvent extraction processes inhibit growth of freshwater microalgae. In: Blank, H. 1983: On the impact of long-chained aliphatic amines on photosynthesis and algal growth in ecotoxicological test systems. Göteborg.
- Blanck, H. 1983b. On the impact of long-chained aliphatic amines on photosynthesis and algal growth in ecotoxicological test systems. Göteborg.

- Blanck, H. 1984. Species dependent variation among aquatic organisms in their sensitivity to chemicals. *Ecol. Bull.* 36: 107–119.
- Blanck, H., Holmgren, K., Landner, L., Norin, H., Notini, M., Rosemarin, A. & Sundelin, B. 1989. Advanced hazard assessment of arsenic in the swedish environment. In: Landner, L. (Ed.) *Chemicals in the Aquatic Environment: Advanced Hazard Assessment*. Chapter 11, Springer Series on Environmental Management, Springer-Verlag, Berlin, Heidelberg, New York, pp. 256–328.
- Blinn, D.W., Tompleins, T. & Zaleski, L. 1977. Mercury inhibition on primary productivity using large volume plastic chambers in situ. *J. Phycol.* 13: 58–61.
- Block, K.J. 1967. Über die Wirkung der Grenzflächenaktivität auf Fische. *Münch. Beitr. Abwass-, Fischerei- und Flussbiol.*, 9(2).
- Block, R.M., Burton, D.T., Gullans, S.R. & Richardson, L.B. 1978. Respiratory and osmoregulatory responses of white perch (*Morone americana*) exposed to chlorine and oxone in estuarine waters. In: Jolley, R.L., Hamilton, D.H., Jr. & Gorchev (eds.). *Water chlorination: Environmental impact and health effects*, Vol. 2. Ann Arbor Sci. Publ., Inc., Ann. Arbor. 909 p.
- Blok, J. 1981. A simple toxicity test using nitrifying bacteria. *H2O* 14(11): 242–245.
- Bluzat, R. & Seuge, J. 1979. Effects de trois insecticides (lindane, fenthion et carbyryl): Toxicité aiguë sur quatre espèces d'invertébrés limniques; toxicité chronique chez le mollusque pulmoné *Lymnea*. *Environm. Pollut.* 18: 51–70.
- Bluzat, R. et al. 1983. Acute toxicity of a fungicide, Thiram (dithiocarbamate) to a fresh water mollusc, *Lymnea stagnalis*. *C.A. Selects-Environ. Pollut.* 7,98.
- Bocek, K. 1976. *Experientia Suppl* 23: 231–240.
- Bock, K.J. 1967. Über die Wirkung der Grenzflächenaktivität auf Fische. *Münch. Beitr. Abwass.-, Fischerei- und Flussbiol.*, 9(2).
- Boese, B. L. 1984. *Can. J. Fish Aquat. Sci* 41: 1713–1718.
- Bogacka, T., Wiktor, J., Groba, J. 1983. Toxicity and biodegradation of selected pesticides in water environment. *Bromatol. Chem. Toksykol.* 16(2): 145–160.
- Bogacka, T. & Groba, J. 1980. Toksyczność i biodegradacja chlorfenwinfosu, karbarylu oraz propoksuru w srodowisku wodnym. *Bromatol. Chem. Toksykol.* 13(2): 151–158.
- Bogyo, S., Lande, S.S., Meyland, W.M., Howard, P.H. & Santodonato, J. 1980. Investigation of selected potential environmental contaminants: epoxides. Syracuse, New York, Center for Chemical Hazard Assessment, Syracuse Research Corporation (Report No. EPA 560/11-80-005, PB 80-183197).
- Bohon, R. L. & Claussen, W. F. 1951. *J. Am. Chem. Soc.* 73: 1571.
- Bollag, J. M. et al. 1983. *Environ. Sci Tech.* 17: 72–80.
- Bollag, J. M. et al. 1978. *J. Agric. Food Chem.* 26: 1302–1306.
- Bond, C.E., Lewis, R.H. & Fryer, J.L. 1960. Toxicity of various herbicidal materials to fish. Second seminar on biological problems in water pollution, R.A. Taft San. Eng. Cen. Tech. Rept. W603: 96–101.
- Boney, A.D. & Corner, E.D.S. 1962. On the effects of some carcinogenic hydrocarbons on the growth of sporelings of marine red algae. *J. Mar. Biol. Ass. U.K.* 43: 579–585.
- Bonner, J.C. & Wells, M.R. 1987. Comparative acute toxicity of DDT metabolites among American and European species of planarians. *Comp. Biochem. Physiol.* 87C: 437.
- Bonnell, P., Francin, J.M., Gradinski, D., Raoult, G. & Zissu, D. 1980. Détermination de la concentration léthale 50 des principaux hydrocarbures aliphatiques chlorés chez le rat. *Arch. Mal. Prof. Med. Trav. Seew. Soc.* 41: 317–321.
- Borchers, R., Fabian, P. & Penkett, S.A. 1983. *Naturwiss.* 70: 514.
- Borg, H. 1976. Ekologiska effekter av fluorider—en litteraturöversikt. SNV PM 707.

- Borovsky, D. et al. 1987. Polycyclic aromatic compounds as phototoxic mosquito larvicides. *J. Am. Mosq. Control. Assoc.* 3: 246.
- Borthwick, P.W. & Walsh, G.E. 1981. Initial toxicological assessment of ambush, bolero, bux, dursban, flutrifanil, larvin and pydrin: static acute toxicity tests with selected estuarine algae, invertebrates, and fish. *U.S. Environ. Prot. Agency*, EPA-600/4-81-076.
- Borthwick, P.W. & Schimmel, S.C. 1978. Toxicity of pentachlorophenol and related compounds to early life stages of selected estuarine animals. In: Ranga Rao, K. (Ed.) *Pentachlorophenol-Chemistry, Pharmacology and Environmental Toxicology*, Environ. Sci. Res., Vol. 12, Plenum Press, New York and London, pp. 141–146.
- Boryslawskyj, M. et al. 1988. Elevation of glutathione-S-transferase activity as a stress response to organochlorine compounds, in the freshwater mussel, *Sphaerium corneum*. *Mar. Environ. Res.* 24: 101.
- Borzelleca, J.F. & Carchman, R.A. 1982. Effects of selected organic drinking water contaminants on male reproduction. *United States Environmental Protection Agency* EPA-600/S1-82-009.
- Bos, R.P., Brouns, R.M.E., Van Doorn, R, Theuws, J.L.G. & Henderson, P.Th. 1981. Non-mutagenicity of toluene, o-, m- and p-xylene, o-methylbenzylalcohol and o-methylbenzylsulfate in the Ames assay. *Mutation Research* 88: 273–279.
- Bosnak, A.D. & Morgan, E.L. 1981. Acute toxicity of cadmium, zinc and total residual chlorine to epigean and hypogean isopods (Asellidae). *Nat. Speleol. Soc. Bull.* 43: 12–18.
- Boublk, T. K. et al. 1984. *The Vapor Pressures of Pure Substances*. vol 17 Amsterdam, Netherlands: Elsevier Sci Publ.
- Boule, P. et al. 1982. *Chemosphere* 11: 1179–1188.
- Bouwer, E.J. & McCarty, P.L. 1983b. Transformation of halogenated organic compounds under denitrification conditions. *Applied and Environmental Microbiology* 45 (4): 1295–1299.
- Bouwer, E.J. & McCarty, P.L. 1983a. Transformation of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. *Applied and Environmental Microbiology* 45 (4): 1286–1294.
- Bouwer, E.J. 1987. Biotransformation of contaminants in groundwater. Presented at the third national water conference. January 13–15. Philadelphia, Pennsylvania, 13 pp.
- Bouwer, E.J. et al. 1981. Anaerobic degradation of halogenated 1- and 2-carbon organic compounds. *Environ. Sci. & Technol.* 15 (5): 595–602.
- Bouwer, E.J. & McCarty, P.L. 1985. Utilization rates of trace halogenated organic compounds in acetate-grown biofilms. *Biotechnology and Bioengineering* 26: 1564–1571.
- Bouwer, E.J. & Wright, J.P. 1987. Transformation of trace halogenated aliphatics in subsurface microcosms with anoxic biofilms. Submitted to *Journal of Contaminant Hydrology*.
- Bouwer, E.J. & McCarty, P.L. 1982. Removal of trace chlorinated organic compounds by activated carbon and fixed film bacteria. *Environ. Sci. & Technol.* 16 (2): 836 -843.
- Bouwer, E. J. et al. 1981. *Water Res.* 15: 151–159.
- Bouwer, E. J. & McCarty, P. L. 1984. *Ground Water* 22: 433–440.
- Bowen, H.J.M. 1966. *Trace elements in biochemistry*. Academic Press, London.
- Bower, S.M. & Thompson, A.B. 1987. Hatching of the Pacific salmon leech (*Piscicola salmositica*) from cocoons exposed to various treatments. *Aquaculture* 66: 1.
- Bowers, M.A., III, et al. 1980. Failure of selenite to protect against mercuric chloride in early developmental stages of the Japanese ricefish (*Oryzias latipes*). *Comp. Biochem. Physiol.*, 66C: 175.
- Bowman, M.C. et al. 1976. Benzidine and congeners: Analytical chemical properties and trace analysis in five substrates. *Int. J. Environ. Anal. Chem.* 4: 205.
- Bowne, K. H. & Higgins, M. L. 1976. *Arch. Environ. Contam. Toxicol.* 5: 87–96.

- Boyd, S. A. & Shelton, D. R. 1984. Appl. Environ. Microbiol. 47: 272–277.
- Boyd, S. A. 1982. Soil Sci 134: 337–347.
- Boyd, S. A. et al. 1983. Appl. Environ. Microbiol. 46: 50–54.
- Boyle, T.P. 1984. The effect of environmental contaminants on aquatic algae. In: Shubert, L.E. (ed.) Algae as ecological indicators. London. pp. 237–356.
- Braaten, B., Mollerud, E.E. & Solemdal, P. 1972. The influence of some byproducts from vinylchloride production on fertilization, development and larval survival on plaice, cod and herring eggs. Aquaculture 1: 81–90.
- Bradbury, S.P. et al. 1987. Physiological response of rainbow trout (*Salmo gairdneri*) to acute fenvalerate intoxication. Pestic. Biochem. Physiol. 27: 275.
- Brafield, A.E. & Matthiessen, P. 1976. Oxygen consumption by sticklebacks (*Gasterosteus aculeatus* L.) exposed to zinc. J. Fish. Biol. 9: 359–370.
- Braginskiy, L.P. & Shcherban, E.P. 1978. Acute toxicity of heavy metals to aquatic invertebrates at different temperatures. Gidrobiol. Zh. 14: 86–92.
- Brambilla, G. et al. 1989. Mutagenesis. 4(4), 277–279.
- Branson, D. R. 1978. Predicting the fate of chemicals in the aquatic environment from laboratory data, p 55–70 ASTM STP 657 Phila PA: American Society for Testing and Materials, pp 55–70.
- Brauch, H. J. et al. 1987. Vom Wasser 68: 23–32.
- Brauwiers, C. 1982. Comparison of Zn and Cd toxicity on Chlorella pyrenoidosa. Bull. Soc. R. Bot. Belg. 115, 78 (1982). Aquat. Sci. Fish. Abstr. 13: 7167–1Q13.
- Bray, W.J. & Humphries, C. 1978. Solvent fractionation of leaf juice to prepare green and white protein products, J. Sci. Food Agric. 29: 839–846.
- Bray, H.G., Humphris, B.G. & Thorpe, W.V. 1949. Metabolism of derivatives of toluene. III. o-, m- and p-xylene. Biochemical Journal 45: 241–244.
- Brecht, W. & Dalpke, H.-L. 1980. Wasser, Abwasser, Abwasserreinigung in der Papierindustrie. 557 p.
- Brenniman, G., Hartung, R. & Weber, W.J., Jr. 1976. A continuous flow bioassay method to evaluate the effects of outboard motor exhausts and selected aromatic toxicants on fish. Water Res. 10: 165–169.
- Bresch, H. 1982. Investigation of the long-term action of xenobiotics on fish with special regard to reproduction. Ecotoxicol. Environ. Safety 6: 102–112.
- Brice, K.A. & Derwent, R.G. 1978. Emissions inventory for hydrocarbons in the United Kingdom. Atm. Environm. 12: 2045–2054.
- Bridie, A.L. et al. 1979. The acute toxicity of some petrochemicals to goldfish. Water Res. 13: 623.
- Bridie, A.L., Wolff, C.J.M. & Winter, M. 1979. BOD and COD of some petrochemicals. Water Res. 13: 627–630.
- Bringmann, G. & Kühn, R. 1980b. Bestimmung der biologischen Schadwirkung wassergefährdender Stoffe gegen Protozoen. II. Bakterienfressende Ciliaten, Z. Wasser/Abwasser Forsch. 1: 26–31.
- Bringmann, G. & Kühn, R. 1980a. Comparison of the toxicity thresholds of water pollutants to bacteria, algae and protozoa in the cell multiplication inhibition test. Water Res. 14: 231–241.
- Bringmann, G. & Kühn, F. 1956. Der Algen-Titer als Maßstabe der Eutrophierung von Wasser und Schlanun. Ges. Ing. 77: 374–381.
- Bringmann, G. & Kühn, R. 1958. Veränderung der Eutrophierung und Bioproduktion gemessen am Biomassentiter von Testalgen. Ges. Ing. 79: 50–54.
- Bringmann, G. & Kühn, R. 1960. Kartierung der Wassergüte nach dem Biomassentiter-Verfahren. Ges. Ing. 81: 86–90.
- Bringmann, G. & Kühn, R. 1966. Der Biomassentiter von Fisherichia, Scenedesmus und Nostoc als Ausdruck der biologisch wirksamen Beschaffenheit des Wassers. Ges. Ing. 87: 222–230.

- Bringmann, G. & Kühn, R. 1976. Vergleichende Befunde der Schadwirkung wassergefährdender Stoffe gegen Bakterien (*Pseudomonas putida*) und Blaualgen (*Microcystis aeruginosa*). *Gwf-Wasser-Abwasser* 117(9).
- Bringmann, G. & Kühn, R. 1959. Wasser-toxikologische Untersuchungen mit Protozoen als Testorganismen. *GesundheitsIngenieur* 8: 239–242.
- Bringmann, V.G. & Kühn, R. 1982. Ergebnisse der Schadwirkung wassergefährdender Stoffe gegen *Daphnia magna* in einem weiterentwickelten standardisierten Testverfahren. *Wasser- und Abwasserforschung* 15: 1–6.
- Bringmann, G. & Kühn, R. 1981. Comparison of the effect of harmful substances on flagellates, on ciliates, on holozoic bacteriophagic protozoa and on saprozoic protozoa. *GWF-Wasser-Abwasser* 122(7): 308–312.
- Bringmann, G. & Kühn, R. 1960. Vergleichende toxikologische Befunde an Wasser-Bakterien. *GWF-Wasser/Abwasser* 6j: 81: 337.
- Bringmann, G. & Kühn, R. 1978. Limit values for the harmful effect of water pollutants on blue-green algae (*Microcystis aeruginosa*) and green algae (*Scenedesmus quadricauda*) in the cell multiplication inhibition test. *Vom Wasser* 50: 45–60.
- Bringmann, G. & Kühn, R. 1982. Findings concerning the harmful effect of water pollutants on *Daphnia magna* in an advanced standardized test procedure. *Z. Wasser Abwasser Forch.* 15(1): 1–6.
- Brock, N.W., Brandon, D.R. & Blau, G.E. 1974. Partition coefficient to measure bioconcentration potential of organic chemicals in fish. *Environm. Sci. and Techn.* 8(13).
- Broderius, S.J. & Smith, L.L. 1979. Lethal and sublethal effects of binary mixtures of cyanide and hexavalent chromium, zinc, or ammonia to the fathead minnow (*Pimephales promelas*) and rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Bd. Can.* 36: 164.
- Broderius, S. & Kahl, M. 1985. Acute toxicity of organic chemical mixtures to the fathead minnow. *Aquatic Toxicol.* 6: 307–322.
- Bromage, N.R. & Fuchs, A. 1976. A histological study of the response of the interrenal cells of the goldfish (*Carassius auratus*) to treatment with sodium lauryl sulphate. *J. Fish Biol.* 9: 529–535.
- Broman, D., Lindqvist, L. & Lundbergh, I. 1988. Kadmium och zinc i södra Bottn havet och norra Östersjön. I *Blåmusslor, Mytilus edulis*. SNV Rapport 3548.
- Brooke, L. T. et al. 1984. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*); Vol 1. Center for Lake Superior Environmental Studies University of Wisconsin-Superior, Superior, Wisconsin, U.S.A.
- Brouwer, A., Reijnder, P.J.H. & Koeman, J.H. 1989. Polychlorinated biphenyl (PCB)-contaminated fish induces vitamin A and thyroid hormone deficiency in the common seal (*Phoca vitulina*). *Aquat. Toxicol.* 15: 99–106.
- Brown, V.M., Mitrovic, V.V. & Stark, G.T.C. 1968. Effects of chronic exposure to zinc on toxicity of a mixture of detergent and zinc. *Water Res.* 2: 255–263.
- Brown, V.M., Jordan, D.H.M. & Tiller, B.A. 1967. The effect of temperature on the acute toxicity of phenol to rainbow trout in hard water. *Water Res.* 1: 587–594.
- Brown, V.M., Shaw, T.L. & Shurben, D.G. 1974. Aspects of water quality of copper to rainbow trout. *Water Res.* 8: 797–803.
- Brown, V.M. 1976. Advances in testing the toxicity of substances to fish. *Chemistry and Industry*. 21: 143–149.
- Brown, V.M. 1973. Concepts and outlook in testing the toxicity of substances to fish. In: Glass, G.E. (ed.). *Bioassay techniques and environmental chemistry*. pp. 73–115.
- Brown, B.E. 1976. Observations on the tolerance of the isopod *Asellus aquaticus* Rac. to copper and lead. *Water Res.* 10: 555–559.

- Brown, V.M. 1975. Aspects of heavy metals toxicity in fresh waters. In: Andrew, R.W., Hodson, P.V. & Konasewich, D.E. (Eds.) 1976. *Toxicity to Biota of Metal Forms in Natural Waters*, Duluth, Minn., Oct. 1975, Great Lakes Research Advisory Board.
- Brown, L. & Rhead, M. 1979. *Analyst*. 104: 391–9.
- Brown, et al. 1980. Research Program on Hazard Priority Ranking of Manufactured Chemicals Stanford Research Institute Menlo Park NTIS PB-263164.
- Brown, L. et al. 1980. *Water Res.* 14: 779–81.
- Brown, L. et al. 1982. *Water Res.* 16: 579–91.
- Brown, D & Laboureur, P. 1983. *Chemosphere* 12:405-14.
- Browning, E. 1969. *Toxicity of Industrial Metals*. Butterworths, London.
- Bruckner, J.V. & Peterson, R.G. 1977. Toxicology of aliphatic and aromatic hydrocarbons. In: Sharp, C.W. & Brehm, M.L. (eds.) *Review of inhalants: Euphoria to dysfunction*. NIDA Research monograph 15.
- Brungs, W.A., Geckler, J.R. & Gast, M. 1976. Acute and chronic toxicity of copper to the fathead minnow in a surface water of variable quality. *Water Res.* 10: 37–43.
- Brungs, W.A. 1969. Chronic toxicity of zinc to fathead minnow. *Trans. Am. Fish. Soc.* 98: 272–279.
- Brungs, W.A., McCormick, J.H., Neihesd, T.W., Spear, R.L., Stephan, C.E. & Stokes, G.N. 1977. Effects of pollution on freshwater fish. *J. Water Poll. Contr. Fed.* 49(6): 1425–1493.
- Brungs, W.A. 1973. Continuous-flow bioassay with aquatic organisms: procedures and applications. In: Cairns, J.Jr. & Dickson, K.L. (eds.) *Biological methods for the assessment of water quality*. ASTM. STP 528. Baltimore. pp. 117–126.
- Brunner, W. et al. 1980. Bacterial degradation of dichlormethane. *Applied and Environmental Microbiology* 40 (5): 950–958.
- Brunner, P.H., Capri, S., Marcomini, A. & Giger, W. 1988. Occurrence and behaviour of linear alkylbenzenesulphonates, nonylphenol, mono- and nonylphenoldiethoxylates in sewage sludge treatment. *Water Res.* 22(12): 1465–1472.
- Bruun, H. & Lax, B. 1981. Suomen metsäteollisuuden käyttämät lisä- ja apuaineet. *Paperi ja Puu* 63(2): 97.
- Bruynesteyn, A. & Walden, C.C. 1971. Origin of toxicity and biochemical oxygen demand (BOD) in the bleached kraft process. CPAR Report 10-1. Canadian Forestry Service, Ottawa, Ontario.
- Bränin, B. & Paulsson, C. 1971. Långtidsförsök med tungmetaller på de första utvecklingsstadierna hos lax. *Laxforskningsinstitutet, meddelande* 2: 1971.
- BS. 1983. Water quality. Part 5. Methods for biological testing. Section 5.1. Determination of the inhibition of the mobility of *Daphnia magna* Straus (Cladocera, Crustacea). British Standard 6068.
- BUA 1988. Nonylphenol. BUA-Stoffberich 13 (Januar 1988), VCH Verlagsgesellschaft, Weinheim.
- BUA. 1988. 1,2,4-triklorbenzol. BUA-Stoffberich 17 (Dezember 1987), VCH Verlagsgesellschaft, Weinheim.
- BUA 1989a. BUA-Stoffberich 34: Hexachloroethane. Gesellschaft Deutscher Chemiker.
- BUA 1988. BUA-Stoffberich 24: Benzol. Gesellschaft Deutscher Chemiker.
- BUA 1989b. BUA-Stoffberich 39: Naphthalin, Gesellschaft Deutscher Chemiker.
- Buben, J.A. & O'Flaherty, E.J. 1985. Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicology and Applied Pharmacology* 78: 105–122.
- Buccafusco, R.J., Ells, S.J. & LeBlanc, G.A. 1981. Acute toxicity of priority pollutants to bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 26: 446–452.
- Buckler, D.R., Witt, A., Mayer, F.L. & Huckins, J.N. 1981. Acute and chronic effects of kepone and mirex on the fathead minnow. *Trans. Am. Fish. Soc.* 110: 270–280.

- Buckley, J.A., Yoshida, G.A. & Wells, N.R. 1984. A cupric ion-copper bioaccumulation relationship in coho salmon exposed to copper-containing treated sewage. *Comp. Biochem. Physiol.* 78C: 105–110.
- Buckley, J.T. et al. 1982. Chronic exposure of coho salmon to sublethal concentrations of copper. I. Effect on growth, on accumulation and distribution of copper, and on copper tolerance. *Comp. Biochem. Physiol.* 72C: 15.
- Buckley, J.A., Whitemore, C.M. & Matsuda, R.I. 1976. Changes in blood chemistry and blood cell morphology in coho salmon, *Oncorhynchus kisutch*, following exposure to sublethal levels of total residual chlorine in municipal waste water. *J. Fish. Res. Board Can.* 33: 776–782.
- Buckley, J.A. 1983. Complexation of copper in the effluent of a sewage treatment plant and an estimate of its influence on toxicity to coho salmon. *Water Res.* 17(12): 1929–1934.
- Buckley, J.A. 1978. Acute toxicity of un-ionized ammonia to fingerling coho salmon. *Progressive Fish-Culturist* 40: 30.
- Buikema, A.L. Jr., Niederlehner, B.R. & Cairns, Jr., J. 1982. Biological monitoring. Part IV. Toxicity testing. *Water Res.* 16: 239–262.
- Buikema, A.L. Jr. 1983. Variation in static acute toxicity test results with *Daphnia magna* exposed to refinery effluents and reference toxicants. *Oil. Pet. Pollut.* 1: 189.
- Bunch, R.L. & Chamber, C.W. 1967. A biodegradability test for organic compounds. *J.W.P.C.F.* 39: 181–187.
- Bunton, C. A. et al. 1963. *J. Chem. Soc.* 1963: 2918–2926.
- Burdick, G.E., Dean, H.J. & Harris, E.J. 1958. Toxicity of cyanide to brown trout and smallmouth bass. *N.Y. Fish Game J.* 5: 133–163.
- Burdick, G.E., Dean, H.J. & Harris, E.J. 1964. Toxicity of aqualin to fingerling brown trout and bluegills. *N.Y. Fish Game J.* 11(2): 106–114.
- Burke, J.L. 1979. New slime-control problems with high temperature closed systems. *Pulp & Paper* 53: 78–79.
- Burkhalter, D.E. & Kaya, C.M. 1977. Effects of prolonged exposure to ammonia on fertilized eggs and sac fry of rainbow trout (*Salmo gairdneri*). *Trans. Amer. Fish. Soc.* 106: 470–475.
- Burkhard, N. & Guth, J.A. 1981. Chemical hydrolysis of 2-chloro-4,6-bis(alkylamino)-1,3,5-triazine herbicide and their breakdown in soil under the influence of adsorption. *Pestic. Sci.* 12: 45–52.
- Burton, D.T. & Margrey, S.L. 1978. An evaluation of acute bromine chloride toxicity to grass shrimp (*Palaemonetes spp.*) and juvenile blue crabs (*Callinectes sapidus*). *Bull. Environ. Contam. Toxicol.* 19: 131.
- Burton, G.A. Jr., et al. 1987. Arsenic toxicity changes in the presence of sediment. *Bull. Environ. Contam. Toxicol.* 38: 491.
- Burton, K.W., Morgan, E. & Roig, A. 1983. The influence of heavy metals upon the growth of sitka-spruce in South Wales forests. I. Upper critical and foliar concentrations. *Plant and Soil* 73: 327–336.
- Busacker, G.P. 1980. Osmoregulatory effects of acute cadmium toxicity in a model teleost. *Dissertation Abs.* 41, 1269-B.
- Butler, P.A. 1963. Commercial fisheries investigations. *Circ. Fish Wildl. Serv. Wash.* 167: 11–25.
- Buttery, R. G. et al. 1969. *J. Agric. Food Chem.* 17: 385–389.
- Cadena, F. et al. 1984. *J. Water Pollut. Control Fed.* 56: 460–3.
- Cage, J.C. 1970. The subacute inhalation toxicity of 109 industrial chemicals. *British J. Indust. Med.* 27.
- Cairns, M.A. & Nebecker, A.V. 1982. Toxicity of acenaphthene and isophorone to early life stages of fathead minnows. *Arch. Environ. Contam. Toxicol.* 11: 703–707.
- Cairns, M.A. et al. 1982. Use of fish ventilation frequency to estimate chronically safe toxicant concentrations. *Trans. Am. Fish. Soc.* III, 70.

- Cairns, V.W. & Conn, K. 1979. Acute lethality of wastewater disinfection alternatives to juvenile rainbow trout (*Salmo gairdneri*). Res. Rept. No. 92. Environ. Protect. Serv. Environment Canada, Burlington, Ontario.
- Cairns Jr. J., van der Schalie, W.H. & Westlake, G.F. 1975. Effects of lapsed time since feeding upon toxicity of zinc to fish. Bull. Environ. Contam. Toxicol. 13(3): 269–274.
- Cairns, J., Jr., Heath, A.G. & Parker, B.C. 1975a. Temperature influence on chemical toxicity to aquatic organisms. *Hydrobiologia* 47:135.
- Cairns, Jr. J., Heath, A.C. & Parker, B.C. 1975b. The effects of temperaturere upon toxicity of chemicals to aquatic organisms. *Hydrobiologia* 47(1): 135–171.
- Cairns, J. Jr. et al. 1986. A simple, cost-effective multispecies toxicity test using organisms with a cosmopolitan distribution. *Environm. Monit. Assess.* 6: 207.
- Cairns, J., Jr. & Scheier, A. 1964. The effect upon the pumpkinseed sunfish *Lepomis gibbosus* (Linn.) of chronic exposure to lethal and sublethal concentrations of dieldrin. *Notulae Natur.* (Philadelphia) 370: 1–10.
- Calabrese, A., Collier, R.S., Nelson, D.A. & MacInnes, J.R. 1973. The toxicity of heavy metals to embryos of the American oyster. *Marine Biology* 18: 162–166.
- Calamari, D., DaCasso, R., Galassi, S., Provini, A. & Vighi, M. 1980. Biodegradation and toxicity of selected amines on aquatic organisms. *Chemosphere* 9: 753.
- Calamari, D., Galassi, S. & Setti, F. 1982a. Evaluating the hazard of organic substances on aquatic life: Theparadichlorobenzene example. *Ecotoxicol. Environ. Safety* 6: 369–378.
- Calamari, D. et al. 1980b. Influence of water hardness of cadmium toxicity to *Salmo gairdneri* Rich. *Water Res.* (G.B.) 14: 1421.
- Calamari, D. et al. 1981. Effects of long-term exposure to ammonia on the developmental stages of rainbow trout(*Salmo gairdneri* Richardson). In the early life history of fish: recent studies. In: Lasker, R. & Sherman, K. (eds.),*Conseil Int. Explor. Mer.* (Publ.), Copenhagen, Den; Rapp. P.-v. Reun. CIEM, 178: 81.
- Calamari, D. et al. 1979. System of tests for the assessment of toxic effects on aquatic life: An experimental preliminary approach. *Ecotoxicol. Environ. Safety* 3: 75.
- Calamari, D., DaCasso, R., Galassi, S., Provini, A. & Vighi,M. 1982b. Estimating the hazard of eight amines on aquatic life. In: *Principles for the interpretation of the results of testing procedures in ecotoxicology*. Report EUR 7549 EN/FR.
- Calamari, D., Galassi, S., Setti, F. & Vighi, M. 1983. Toxicity of selected chlorobenzenes to aquatic organisms. *Chemosphere* 12: 253–262.
- Caldwell, R.S. 1077. Biological effects of pesticides on the Dungeness crab. Gulf Breeze, Florida, US Environmental Protection Agency, Office of Research and Development (Ecological Research series EPA-600/3-77-131) 143p.
- Call, D.J., Brooke, L.T., Kent, R.J., Knuth, M.L., Anderson, C. & Moriarity, C. 1983. Toxicity, bioconcentration, and metabolism of the herbicide propanil (3',4'-dichloroproprianolide) in freshwater fish. *Arch. Environ. Contam. Toxicol.* 12: 175–182.
- Call, D.J., Poirier, S.H., Knuth, M.L., Harting, S.L. & Lindberg, C.A. 1987a. Toxicity of 3,4-dichloroaniline to Fathead minnows, *Pimephales promelas*, in acute and early life-stage exposures. *Bull. Environ. Contam. Toxicol.* 38: 352–358.
- Call, D.J. et al. 1987. Bromacil and diuron herbicides: toxicity, uptake, and elimination in freshwater fish. *Arch. Environ. Contam. Toxicol.* 16: 607.

- Callahan, M. A., Slimak, M. W., Gabel N. W.; May, I. P., Fowler, C. F., Freed, J. R., Jennings, P., Durfee, R. L., Whitmore, F. C., Maestri, B., Mabey, M. R., Holt, B. R. and Gould, C. 1979. Waterrelated environmental fate of 129 priority pollutants. Vol II. Halogenated aliphatic hydrocarbons, halogenated ethers, monocyclic aromatics, phthalate esters, polycyclic aromatic hydrocarbons, nitrosamines and miscellaneous compounds. EPA-440/4-79 -029b.
- Callahan, L.M. 1980. Pesticide evaluations, their residual effects and phytotoxicity in turfgrasses. Toxicology Research Projects Directory 5(12).
- Callen, D.F., Wolf, C.R. & Philpot, R.M. 1980. Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. Mutation Research 77: 55-63.
- Cambell, R.D., Leadem, T.P. & Johnson, D.W. 1974. The in vivo effect of pp-DDT on Na⁺-K⁺-activated ATPase activity in rainbow trout (*Salmo gairdneri*). Bull. Environ. Contam. Toxicol. 11(5): 425-428.
- Cambell, I. & McConnell, G. 1980. Chlorinated paraffins and the environment. 1. Environmental occurrence. Environ. Sci. Technol. 14(10): 1209-1214.
- Campbell, I. M. and Parkinson, P. E. 1978. Chem. Phys. Lett. 53: 385-389.
- Canton, J.H., Wester, P.W. & Mathijssen-Spiekmann, E.A.M. 1983. Study on the toxicity of sodium bromide to different freshwater organisms. Fd Chem. Toxic. 21(4): 369-378.
- Canton, J.H., van Esch, G.J., Greve, P.A. & von Hellemond, A.B.A.M. 1977. Accumulation and elimination of alfa-hexachlorocyclohexane (alfa-HCH) by the marine algae *Chlamydomonas* and *Dunaliella*. Water Res. 11: 111-115.
- Canton, J.H. & Wegman, R.C.C. 1983. Studies on the toxicity of tribromoethene, cyclohexene and bromocyclohexane to different freshwater organisms. Water Res. 17: 743-747.
- Canton, J.H., Wegman, R.C.C., Vulto, T.J.A., Verhoef C.H. & van Esch, G.J. 1978. Toxicity, accumulation, and elimination studies of alfa-hexachlorocyclohexane (alfa-HCH) with saltwater organisms of different trophic levels. Water Res. 12: 687-690.
- Canton, J.H. & van Esch, G.J. 1976. Short-term toxicity of some food additives to different freshwater organisms. Bull. Environm. Contam. Toxicol. 15: 720.
- Canton, J.H. & Slooff, W. 1979. Proposal to classify and to establish water quality criteria based on laboratory data. Ecotoxicol. Environ. Safety 3: 126.
- Canton, J.H. 1976. The toxicity of benomyl, thiophnate-methyl, and BCM to four freshwater organisms. Bull. Environ. Contam. Toxicol. 16(2): 214-218.
- Canton, J.H. et al. 1983. Study of the toxicity of sodium bromide to different freshwater organisms. Food Chem. Toxicol. 21: 369.
- Canton, J.H. & Adema, D.M.M. 1978. Reproducibility of shortterm and reproduction toxicity experiments with *Daphnia magna* and comparisons of the sensitivity of *Daphnia magna* with *Daphnia pulex* and *Daphnia cucullata* in short-term experiments. Hydrobiologia 59(2): 135-140.
- Canton, J.H. & Slooff, W. 1977. The usefulness of *Lymnea stagnalis* L. as a biological indicator in toxicological bioassays (model substance alfa-HCH). Water Res. 11(1): 117-122.
- Canton, J. H. et al. 1985. Regul. Toxicol. Pharmacol. 5: 123-131.
- Cardwell, R.D., Foreman, D.G., Payne, T.R. & Wilbur, D.J. 1977. Acute and chronic toxicity of chlordane to fish and invertebrates. U.S. Environmental Protection Agency, Duluth, MN, EPA-600/377/019, 125 p.
- Cardwell, R.D., Foreman, D.G., Payene, T.R. & Wilbur, D.J. 1976. Acute toxicity of selenium dioxide to freshwater fishes. Arch. Environ. Contam. Toxicol. 4(2): 129-144.
- Carlson, R.M. et al. 1979. Implications to the aquatic environment of polynuclear aromatic hydrocarbons liberated from northern great plains coal. EPA-600/3-79-093, U.S. Environmental Protection Agency, Duluth, Minn.
- Carlson, R.W. & Drummond, R.A. 1978. Fish cough response—a method for evaluating quality of treated complex effluents. Water Res. 12: 1-6.

- Carlson, A.R. 1972. Effects of long-term exposure of carbaryl (Sevin) on survival, growth and reproduction of the fathead minnow. *J. Fish. Res. Board Can.* 29: 583–587.
- Carlson, A.R. 1987. Effects of lowered dissolved oxygen concentration on the toxicity of 1,2,4-trichlorobenzene to fathead minnows. *Bull. Environ. Contam. Toxicol.* 38: 667.
- Carlson, A.R. & Kosian, P.A. 1987. Toxicity of chlorinated benzenes to fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 16: 129.
- Caro, J.H., Taylor, A.W. & Freeman, H.P. 1976. Comparative behavior of dieldrin and carbofuran in the field. *Arch. Environm. Contam. Toxicol.* 3: 437–447.
- Carpene, E. et al. 1987. Cd-metallothionein and metal-enzymes interactions in the goldfish *Carassius auratus*. *Comp. Biochem. Physiol.* 86C: 267.
- Carpenter, C.P. 1954. Methyl propyl ketone, range finding tests on, Report 17-132, Mellon Institute of Industrial Research. Cited in US Department of Commerce National Technical Information Service PB-252 970. Investigation of selected potential environmental contaminants; ketonic solvents. Syracuse Research Corp, prepared for Environmental Protection Agency (May 1976).
- Carpenter et al. 1974. *Toxicol. Appl. Pharmacol.* 28: 313–319.
- Carpenter, C.P., Kinkead, E.R., Geary, D.L. Jr, Sullivan, L.J. & King, J.M. 1975. Petroleum hydrocarbon toxicity studies. V. Animal and human response to vapors of mixed xylenes. *Toxicology and Applied Pharmacology* 33: 543–558.
- Carswell, T. S. & Nason, H. K. 1939. *Ind. Eng. Chem.* 30(6): 622–626.
- Castren, M. 1977. Ympäristömyrkkyjen vaikutuksesta luukalan glukuronihappoaineenvaihduntaan. Pro gradu -työ. Helsingin yliopiston eläintieteen laitos, fysiologian osasto. 81 s.
- Castren, M. & Oikari, A. 1987. Changes of the liver UDP-glucuronosyl-transferase activity in trout (*Salmo gairdneri* Rich.) acutely exposed to deleterious aquatic toxicants. *Comp. Biochem. Physiol.* 86C: 357.
- Castro, C. E. & Belser, N. O. 1968. Biodehalogenation. Reductive dehalogenation of the systems. *Environm. Sci & Techn.* 2(7): 543–546.
- Cattanach, B.M. 1971. Specific locus mutation in mice. In: Hollander, A.(ed.). Chemical mutagens, principles and methods for their detection, Vol. 2, pp. 411–444.
- Cecil, H.C., Bitman, J., Lillie, R.J. & Verret, J. 1974. Embryotoxic and teratogenic effects in unhatched fertile eggs from hens fed polychlorinated biphenyls (PCBs). *Bull. Environ. Contam. Toxicol.* 11: 489–495.
- CEFIC 1987. The occurrence of chlorinated solvents in the environment. Workshop Eur: Chem. Ind. Fed. (CEFIC) March 1987, Brussels.
- Cerna, M. & Kypenova, H. 1977. Mutagenic activity of chloroethylenes analysed by screening system tests. *Mutation Research* 46: 214–215.
- CESARS. 1993 -. Chemical Evaluation Search and Retrieval System. Michigan Department of Natural Resources and Ontario Ministry of the Environment.
- Chagnon, N.L. & Guttnam, S.I. Differential survivorship of allozyme genotypes in mosquitofish (*Gambusia affinis*) population exposed to copper or cadmium. *Ohio J. Sci.* 88: 46.
- Chaiyarakach, S., Ratananun, V. & Harrel, R.C. 1975. Acute toxicity of the insecticides toxaphene and carbaryl and the herbicides propanil and molinate to four species of aquatic organisms. *Bull. Environ. Contam. Toxicol.* 14(3): 281–284.
- Chambers, J.E., Yarbrough, J.D. 1974. Parathion and methyl parathion toxicity to insecticide-resistant and susceptible mosquitofish (*Gambusia affinis*). *Bull. Environm. Contam. Toxicol.* 1: 315–320.
- Chambers, J.E., Yarbrough, J.D. 1973. Organophosphate degradation by insecticide-resistant and susceptible populations of mosquitofish (*Gambusia affinis*). *Pesticide Biochem. Physiol.* 3: 312–316.
- Chambers, J.E. 1976. Xenobiotic biotransformation systems in fishes. *Comp. Biochem. Physiol. C.* 55(2): 77–84.

- Chambers, H. et al. 1977. Hydrolytic activation and detoxication of 2,4-dichlorophenoxyacetic acid esters in mosquitofish. *Pesticide Biochem. Physiol.* 7: 297.
- Chameides, W. L. & Davis, D. D. 1983. *Nature* 304: 427–429.
- Chaney, W.R., Strickland, R.C. & Lamoreaux, R.J. 1977. Phytotoxicity of cadmium inhibited by lime. *Plant and Soil* 47(1): 275–278.
- Chapman, P.M. & Mitchell, D.G. 1986. Acute tolerance tests with the oligochaetes *Nais communis* (Naididae) and *Ilyodrilus frantzi* (Tubificidae). *Hydrobiologia* 137: 61–64.
- Chase, A.R. & Poole, R.T. 1984. Severity of acephate phytotoxicity on *Spathiphyllum Schott. cv. Clevelandii* as influenced by host nutrition and temperature, *J. Am. Soc. Hortic. Sci.* 109 (2): 168–172.
- Chavin, W. 1973. Responses of fish to environmental change. Charles C. Thomas Co., New York. 459 p.
- Chawla, G. et al. 1986. Effects of linear alkylbenzene sulfonate on *Scenedesmus quadricauda* in culture. *Environ. Exp. Bot.* 26: 39.
- Chemical Marketing Reporter. 1985. Chemical Profile; 7 Sept.
- Chemical Marketing Reporter. 1983. Chemical Profile Feb. 28, 1983.
- Chen, T.T. et al. 1986. Effect of Aroclor 1254 and Mirex on estradiol-induced vitellogenin production in juvenile rainbow trout (*Salmo gairdneri*). *Can. J. Fish. Aquat. Sci.* 43: 169.
- Chen, M., Hong, C.S., Bush, B. & Rhee, G.-Y. 1988. Anaerobic biodegradation of polychlorinated biphenyls by bacteria from Hudson River sediments. *Ecotoxicol. Environ. Safety* 16: 95–105.
- Cherkinski, W. 1961. Protection of natural waterbasins against pollution with industrial wastewater. Literature on water supply and pollution control, Book No. 5, U.S. Department of Commerce, Office of Technical Service, Washington, D.C., TT-61-31601-5.
- Chet, I. & Mitchell, R. 1976. Petroleum hydrocarbons inhibit decomposition of organic matter in sea water. *Nature* 261: 308–309.
- Cheung, B. 1984. M. A. Sc. Thesis, University of Toronto.
- Chiaudani, G. & Vighi, M. 1978. The use of *Selenastrum capricornutum* batch culture in toxicity studies. *Mitt. Verein. Limnol.* 21: 316–329.
- Chilvers, D.C. & Peterson, P.J. 1987. Global cycling of arsenic. In: Hutchinson, T.C. & Meerma, K.M. (Eds.) Lead, mercury, cadmium and arsenic in the environment, SCOPE 31, Wiley, New York, pp. 279–301.
- Chin, Y.N. & Sudderuddin, K.I. 1979. Effect of methamidophos on the growth rate and esterase activity of the common carp, *Cyprinus carpio* L. *Environ. Pollut.* 18: 213–219.
- Chin, Y., Weber, W.J. & Voice, T.C. 1986. Determination of partition coefficients and aqueous solubilities by reverse phase chromatography-II: Evaluation of partitioning and solubility models. *Wat Res.* 20 (11): 1443–1450.
- Chinn, S.H.F. 1973. Effect of eight fungicides on microbial activities in soil as measured by a bioassay method. *Can. J. Microbiol.* 19: 771.
- Chiou, C.T. Freed, V.H., Schmedding, D.W. & Kohnert, R.L. 1977. Partition coefficient and bioaccumulation of selected organic chemicals. *Environ. Sci. Technol.* 11(5): 475–478.
- Chiou, C. T. 1985. *Environ. Sci. Technol.* 19: 57–62.
- Chiou, C. T., Schmedding, D. W. and Manes, M. 1982. *Environ. Sci. Technol.* 16: 4–10.
- Chiou, C. T. et al. 1980. *Environ. Internat.* 3: 231–236.
- Chiou, C. T. et al. 1983. *Environ. Sci. Technol.* 17: 227–231.
- Chiou, C. T. et al. 1979. *Science* 206: 831–832.
- Chliamovitch, Y.-P. & Kuhn, C. 1977. Behavioural, haematological and histological studies on acute toxicity of BIS (trin-butyltin) oxide on *Salmo gairdneri* Richardson and *Tilapia rendalli* Boulenger. *J. Fish Biol.* 19: 575.
- Chou W. L. et al. 1979. *Biotechnol. Bioeng. Symp.* 8: 391–414.

- Chou, W.L., Speece, R.E. & Siddiqie, R.H. 1978b. Acclimation and degradation of petrochemical wastewater components by methane fermentation. In Scott, C.D. (ed.). Proceedings of the First Symposium on Biotechnology, Energy, Production, and Conservation, New York, Interscience Publishers. Vol. 8. pp. 391–414.
- Chou, S.-F.J., Griffin, R.A., Chou, M.-I., M. & Larson, R.A. 1987. Products of hexachlorocyclopentadiene (C-56) in aqueous solution. Environ. Toxicol. Chem. 6: 371–376.
- Chou, W.L., Speece, R.E., Siddiqie, R.H. & KKeon, K. 1978a. The effect of petrochemical structure on methane fermentation toxicity. Prog. Water Technol. 10(5/6): 545–558.
- Choudhuri, A.K., Sadhu, A.K. & Mukhopadhyay, P.K. 1984. Toxicity of two insecticides—malathion and phosphamidon to fish *Channa striatus*. Environ. Ecol. 2(2): 143–148.
- Chouhan, M.S. & Pandey, A.K. 1987. On the tolerance limits and toxicity symptoms of guppy (*Lebistes reticulatus*) to fertilizers: urea and ammonium sulphate. Comp. Physiol. Ecol. 12:77.
- Christensen, E.R. & Scherfig, S. & Dixon, P.S. 1979. Effects of manganese, copper and lead on *Selenastrum capricornutum* and *Chlorella stigmatophora*. Water Res. 13: 79–92.
- Christensen, G.M., 1975. Biochemical effects of methylmercuric chloride, cadmium chloride and lead nitrate on embryos and alevins of the brook trout, *Salvelinus fontinalis*. Toxicol. Appl. Pharmacol. 32: 191–197.
- Christensen, H.E. (Ed.) 1973. The toxic substances list, 1973 edition. U.S. Department of Health, Education and Welfare, Rockville, Maryland, June 1973.
- Chu, S.P. 1942. The influence of the mineral composition of the medium on the growth of planktonic algae. J. Ecol. 30: 284–325.
- Chui, S.Y., Kao, I.C., Erikson, L.E. & Fan, F.T. 1973. ATP pools in activated sludge. J. Wat. Pollut. Control Fed. 45: 1746–1758.
- Chung, L.T.K., Meier, H.P. & Leach, J.M. 1979. Can pulp mill effluent toxicity be estimated from chemical analyses? TAPPI 62(12): 71–74.
- Claeson, A. 1975. Algal assay procedures at some Nordic laboratories. A comparison. Vatten 31 (4): 333–338.
- Claesson, A. 1980. Algtester med grönalgen *Selenastrum* och en blandning av fem arter. Rapport till projektet "Karakterisering av industriella avloppsvatten." Nordforsk.
- Claesson, A., Forsberg, Å. & Forsberg, C. 1978. Toxitetester med alger—en översikt. Toxitetster, Nordforsk. Miljövårdssekreteriatets publikation 2. s. 137–146.
- Clark, R.V. & Fedak, G. 1977. Effects of chlormequat on plant height, disease development and chemical constituents of cultivars of barley, oats and wheat. Can. J. Plant Sci. 57(1): 31–36.
- Clasen, J. 1974. Bioteste zur Prüfung der toxischen Wirkung von Komplexbildern und Komplexen gegenüber Algen-Wasser- und Abwasser. Forschung 3: 81–84.
- Clavender, F.L., Casey, H.W., Salem, H., Swenberg, J.A. & Gralla, E.D. 1983. A 90-day vapor inhalation toxicity study of methyl ethyl ketone. Fundamental and Applied Toxicology 3: 264–270.
- Cleland, G.B. et al. 1988. The effect of dietary exposure to Aroclor 1254 and/or Mirex on humoral immune expression of rainbow trout (*Salmo gairdneri*). Aquat Toxicol. 12: 141.
- Cleland, G.B. & Sonstegard, R.A. 1987. Natural killer cell activity in rainbow trout (*Salmo gairdneri*): Effect of dietary exposure to Aroclor 1254 and/or Mirex. Can. J. Fish. Aquat. Sci. 44: 636.
- Clemens, H.P. & Snead, K.E. 1959. Lethal doses of several commercial chemicals for fingerlings channel catfish. Special Scientific Report Fisheries No. 316 U.S. Dept. Interior.
- Cleveland, L. & Hamilton, S.J. 1983. Toxicity of the organophosphorus defoliant DEF (S,S,S,-tributylphosphorotrithioate) to rainbow trout (*Salmo gairdneri*) and channel catfish (*Ictalurus punctatus*). Aquat. Toxicol. 4(4): 341–355.
- Cleveland, L. et al. 1982. Toxicity of three preparations of pentachlorophenol to fathead minnows—a comparative study. Environ. Toxicol. Chem. 1: 205.

- Coats, J.R. & O'Donnell-Jeffery, N.L. 1979. Toxicity of four synthetic pyrethroid insecticides to rainbow trout. Bull. Environm. Contam. Toxicol. 23: 250–255.
- Cockell, K.A. & Hilton, J.W. 1988. Preliminary investigations on the comparative chronic toxicity of four dietary Arsenicals to juvenile Rainbow trout (*Salmo gairdneri* R.). Aquat. Toxicol. 12: 73.
- Cody, T.E., Radike, M.J. & Warshawsky, D. 1984. The phototoxicity of benzo(a)pyrene in the green alga *Selenastrum capricornutum*. Environ. Res. 35: 122–132.
- Coffey, D.L. & Warren, G.F. 1969. Effects of several herbicides on red clover seed production. Can. J. Plant Sci. 56(2): 413–415.
- Cohen, G.M. & Valenzuela, J.M. 1977. Gill damage in the mosquitofish, *Gambusia affinis*, caused by chlorine I. Fresh Water. Sci. Biol. J. July-August 361–371.
- Cole, M.A., Reichart, P.B., & Button, D.K. 1979. Reversible bioconcentration of monochlorobiphenyls by *Rhodotorula rubra*: correlations with aqueous solubility of substrate. Bull. Environm. Contam. Toxicol. 23: 44–50.
- Coler, R.A. & Asbury, C. 1980. Acute toxicity of dissolved ozone to eggs and larvae of selected freshwater fish species. Ozone Sci. Eng. 2: 177.
- Colquhoun, J.F. & Dean, H.J. 1980. Toxicity of propoxur to brook trout and landlocked salmon. N.Y. Fish & Game Jour. 27: 32.
- Colt, J. & Tchobanoslous, G. 1976. Evaluation of short-term toxicity of nitrogenous compounds to channel catfish, *Ictalurus punctatus*. Aquaculture 8: 209–224.
- Connel, A.D. & Airey, D.D. 1982. The chronic effects of fluoride on estuarine amphipods *Grandidierella lutosa* and *G. lignorum*. Water Res. 16: 1313.
- Connell, D.W. & Miller, G.J. 1984. Chemistry and ecotoxicology of pollution. John Wiley & Sons. New York, N.Y.
- Conney, A.H., Schneiderman, K., Jakobson, M. & Kontzman, R. 1965. Drug-induced changes in steroid metabolism. Ann. NY Acad. Sci. 123: 98–109.
- Connor, P.M. & Portmann, J.E. 1968. The toxicity of pesticides to marine animals and further data on the occurrence of pesticides in oysters. ICES CM. Papers and reports K: 13. 8p.
- Conway, R.A., Waggy, G.T., Spiegel, M.H. & Berglund, R.L. 1983. Environmental fate and effects of ethylene oxide. Environ. Sci. Technol. 17: 107–112.
- Cook, R.H. & Cote, R.P. 1972. The influence of humic acids on the toxicity of copper and zinc to juvenile Atlantic salmon as derived by the toxic unit concept. Manuscript Report No. 72-5. Physiol. Testing Lab., Water Surveill. Unit. Environ. Protect. Serv., Halifax, Nova Scotia.
- Cooke, A.S. 1977. Effects of field application of the herbicides diquat and dichlobenil on amphibians. Environ. Pollut. 12(1): 43–50.
- Cooney, J.D. & Gehrs, C.W. 1985. Effects of temperature, feeding and acridine on reproduction of the calanoid copepod *Diaptomus clavipes* Schacht. Environ. Pollut. 37A: 53.
- Cope, O. 1963. Pesticide Wildlife Studies, U.S. Dept. Int., Fish and Wildl. Serv. Circ. 199.
- Cope, O.B. 1965. Sport fishery investigation. In: The effect of pesticides on fish and wildlife, 51–64, U.S. Fish Wildl. Serv. Cir. 226.
- Cope, O.B. 1966. Contamination of the freshwater ecosystem by pesticides. J. Applied Ecol. 3:33.
- Corbet, R.L., Webster, G.R.B. & Muir, D.C.G. 1988. Fate of 1,3,6,8-tetrachlorodibenzo-p-dioxin in an outdoor aquatic system. Environ. Toxicol. Chem. 7: 167–180.
- Corbett, M. D. & Corbett, B. R. 1981. Appl. Env. Microbiol. 41:942–949.
- Correa, M. 1987. Physiological effects of metal toxicity on the tropical freshwater shrimp *Macrobrachium carcinus* (Linneo, 1758). Environ. Pollut. 45: 149.
- Corture, P., Visser, S.A. & Lambert, M. 1982. Long-term and short-term toxic effects of fenitrothion and aminocarb on *Chlamydomonas variabilis* and *Selenastrum capricornutum*. Eau Que. 15(1): 26–34.

- Costle, D.M. 1980. EPA proposed effluent limits, pretreatment rules, NSPS for pulp, paper, paperboard mills point source categories. Env. Reporter 1-9-81: 1561–1578.
- Cotta-Ramusino, M. & Doci, A. 1987. Acute toxicity of brestan and fentin acetate on some freshwater organisms. Bull. Environ. Contam. Toxicol. 38: 647.
- Couch, J.A. 1975. Histopathological effects of pesticides and related chemicals on the liver offishes. In: Ribelin, W.E. & Migaki, G. (eds.) The pathology of fishes. Wisconsin/Lontoo. pp. 559–584.
- Council of Europe. 1981. Flavouring substances and natural sources of flavourings. 3rd ed., Strasbourg.
- Couri, D., Hetland, L.B., Abdel-Rahman, M.S. & Weiss, H. 1977. The influence of inhaled ketone solvent vapours on hepatic microsomal biotransformation activities. Toxicology and Applied Pharmacology 41: 285–289.
- Cox, J.L. 1970. Low ambient level uptake of 14C-DDT by three species of marine phytoplankton. Bull. Environ. Contam. Toxicol. 5: 218–221.
- Cox, G.V. & Moran, E.J. 1984. Summary report—Environmental studies—Phase I, Generation of environmental fate and effects data base on 14 phthalate esters. Chemical Manufacturers Association, Washington, D.C.
- Cox, R.A. et al. 1981. Environ. Sci Technol. 15: 587–592.
- CPAR. 1976. Effect of pH on bioassays in fresh and seawater. CPAR Project Report 402-1. Environment Canada Forestry Service, Ottawa, 75 s.
- Crandall, C.A. & Goodnight, C.J. 1959. The effect of various factors on the toxicity of sodium pentachlorophenate to fish. Limnol. Oceanogr. 4: 53–6.
- Crawford, R.L. & Mohn, W.W. 1985. Microbial removal of pentachlorophenol from soil using a flavobacterium. Enzyme. Microb. Technol. 7: 617–620.
- Crebelli, R., Conti, G., Conti, L. & Carere, A. 1985. Mutagenicity of trichloroethylene, trichloroethanol and chloral hydrate in *Aspergillus nidulans*. Mutation Research 155: 105–111.
- Cremer, J.E. 1961. Ann. Occup. Hyg. 3: 226.
- Crews, R.C. 1974. Effects of propylene oxide on selected species of fishes. Rept. No. AFATL-TR-74-183, Air Force Armament Lab., Air Force Systems Command, Eglin Air Force Base, Fla.
- Croll, B.T. et al. 1974. Water Res. 8: 989–93.
- Crosby, D.G. & Moilanen, K.W. 1973. Photodecomposition of chlorinated biphenyls and dibenzofurans. Bull. Environ. Contam. Toxicol. 10: 372–377.
- Crosby, D.G. 1981. IUPAC Reports on Pesticides (14): Environmental Chemistry of Pentachlorophenol. Pure Appl. Chem. 53: 1051–1080.
- Crowley, J. & Prendeville, G.N. 1979. Effect of dichlofop methyl on leaf-cell membrane permeability in wild oat, barley and wheat. Can. J. Plant Sci. 59(1): 275–277.
- Culp, H.W. & McMahon, R.E. 1968. Reductase for aromatic aldehydes and ketones. Journal of Biological Chemistry 243: 848–852.
- Cumming, R.B. & Michaud, T.A. 1979. Mutagenic effects of inhaled ethylene oxide in male mice. Environ. Mutagen. 1: 166–167.
- Cunningham, P.A. & Grosch, D.S. 1978. A comparative study of the effects of mercuric chloride and methyl mercury chloride on reproductive performance in the brine shrimp, *Artemia salina*. Environm. Poll. 15: 83.
- Cunnold, D.M., Prinn, R.G., Rasmussen, R.A., Simmonds, P.G. & Alyea, F.N. 1983. The atmospheric lifetime experiment 4. Results for CF₂Cl₂ based on three years data. J. Geophys. Res. 88: 8401.
- Cupitt, L.T. 1980. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, North Carolina, US Environmental Protection Agency, Environmental Sciences Laboratory, Office of Research and Development (EPA No. 600/3-80-084, PB 80-221948).

- Curtis, M.W. & Ward, C.H. 1981. Aquatic toxicity of 40 industrial chemicals. Testing in support of hazardous substance spill prevention regulation. *J. Hydrol.* 51: 359.
- Curtis, M.W., Copeland, T.L. & Ward, C.H. 1979. Acute toxicity of 12 industrial chemicals to freshwater and saltwater organisms. *Water Res.* 13: 137–141.
- Cushing, C.E. & Rancitelli, L.A. 1972. Trace element analyses of Columbia River water and phytoplankton, Northwest Science 46: 115–121.
- CWQG 1987. Canadian Water Quality Guidelines. Canadian Council of Resource and Environment Ministers, Environment Canada, March 1987, Ottawa.
- Czarnezki, J.M. 1987. Use of the pocketbook mussel, *Lampsilis ventricosa*, for monitoring heavy metal pollution in an Ozark stream. *Bull. Environ. Contam. Toxicol.* 38: 641.
- Czuczwa, J.M. & Hites, R.A. 1986. Airborne dioxines and dibenzofurans: Sources and fates. *Environ. Sci. Technol.* 20: 195–220.
- D'Amboise, M. & Hanai, T. 1982. *J. Liq. Chromatogr.* 5: 229–244.
- D'Itri, F.M. & Kamrin, M.A. (Eds.) 1983. PCBs: Human and Environmental Hazards. Butterworth Publ., Toronto.
- DABAWAS 1982. DABAWAS–Datenbank für wassergefährdende Stoffe, Dortmund, Stand August 1982.
- DaCosta, H. & Ruby, S.M. 1984. The effect of sublethal cyanide on vitellogenesis parameters in rainbow trout *Salmo gairdneri*. *Arch. Environ. Contam. Toxicol.* 13: P101–104.
- Dalela, R.C. et al. 1978. Biocides in relation to water pollution. Part 1. Bioassay studies on the effects of a few biocides on fresh water fish, *Chamma gachua*. *Acta Hydrochim. Hydrobiol. (Ind.)* 6: 15.
- Dalela, R.C. et al. 1980. Influence of pH of the toxicity of phenol and its two derivatives pentachlorophenol and dinitrophenol to some fresh water teleosts. *Acta Hydrochim. Hydrobiol. (Ind.)*, 8: 623.
- Dalich, G.M. et al. 1982. Acute and chronic toxicity studies with monochlorobenzene in rainbow trout. *Aquat. Toxicol.* 2: 127.
- Dalpke, H.-L. 1975. Umweltschutz: Abwasserabgabengesetz–Belastungen und Folgerungen für die Papierindustrie. *Die Papiermacher* 25(11): 181–185.
- Dandy, J.W.T. 1972. Activity response to chlorine in the brook trout, *Salvelinus fontinalis* (Mitchell). *Can. J. Zool.* 50: 405–410.
- Dange, A.D. 1986. Branchial Na⁺- K⁺-ATPase inhibition in a freshwater euryhaline teleost, *Tilapia (Oreochromis mossambicus)*, during short-term exposure to toluene or naphthalene: influence of salinity. *Environ. Pollut. Ser. A Ecol. Biol.* 42: 273.
- Daniels, R.E. 1981. Life table evaluation of chronic exposure to a pesticide. *Can. J. Fish. Aquat. Sci.* 38(5): 485–494.
- Daniels, W. 1983. Kirk-Othmer Encycl. Chem. Tech. 3rd ed NY: Wiley 23: 817–820.
- Danly, D.E. & Campbell, C. R. 1978. Adipic Acid IN: Kirk-Othmer Encycl. Chem. Tech. 3rd ed. 1:510-31.
- Dao, T. H. & Lavy, T. L. 1987. *Soil Sci* 143: 66-72.
- Darnall, K.R., Lloyd, A.C., Winer, A.M. & Pitts, J.N. 1976. Reactivity scale for atmospheric hydrocarbons based on reaction with hydroxyl radical. *Environm. Sci. and Technol.* 10: 692–696.
- Darnell, K. R. et al. 1976. *Environ. Sci. Technol.* 9: 692–696.
- Darville, R.G. & Wilhm, J.L. 1984. The effect of naphthalene on oxygen consumption and haemoglobin concentration in *Chironomus attenuatus* and on oxygen consumption and life cycle of *Tanytarsus dissimilis*. *Environ. Toxicol. Chem.* 3(1): 135–141.
- Darwent, A.L. & Pankiw, P. 1976. Effects of several herbicides on red clover seed production. *Can. J. Plant Sci.* 56(2): 413–415.
- Das, K.K. et al. 1980. Toxicity of mercury: A comparative study in air-breathing and non air-breathing fish. *Hydrobiologia* (Den.) 68: 225.

- Das, G. & Runeckles, V.L. 1974. Effects of bisulfite on metabolic development in synchronous *Chlorella pyrenoidosa*. Environ. Res. 7: 353–362.
- Daubert, T. E. and Danner, R. P. 1985. Data Compilation Tables of Properties of Pure Compounds. pp 450. American Institute of Chemical Engineers.
- Dauble, D. D. et al. 1986. Bull. Environ. Contam. Toxicol. 37: 125–132.
- Dave, G. & Lidman, U. 1978. Biological and toxicological effects of solvent extraction chemicals: range finding acute toxicity in rainbow trout (*Salmo gairdneri* Rich) and in rat (*Rattus norvegicus* L.). Hydrometallurgy (Neth.) 3: 201.
- Dave, G., Blanck, H. & Gustafsson, K. 1979. Biological effects of solvent extraction chemicals on aquatic organisms. J. Chem. Tech. Biotechnol. 29: 249–257.
- Dave, G., Andersson, K. & Berglind, R. 1980. Lägesrapport. Projektet "Biologiska effekter av industriella avloppsvatten". Nordforsk.
- Dave, G. et al. 1981. Toxicity of eight solvent-extraction chemicals and of cadmium to water fleas, *Daphnia magna*, rainbow trout, *Salmo gairdneri*, and zebrafish, *Brachydanio rerio*. Comp. Biochem. Physiol. 69 C: 83.
- Dave, G. 1984b. Effects of fluoride on growth, reproduction and survival in *Daphnia magna*. Comp. Biochem. Physiol. 78C(2): 425–431.
- Dave, G. 1984a. Effect of pH on pentachlorophenol toxicity to embryos and larvae of zebrafish (*Brachydanio rerio*). Bull. Environ. Contam. Toxicol. 33: 621–630.
- Dave, G. et al. 1987. Ring test of an embryo-larval toxicity test with zebrafish (*Brachydanio rerio*) using chromium and zinc as toxicants. Environ. Toxicol. Chem. 6: 61.
- Davey, R.B. et. al. 1976. Toxicity of five rice-field pesticides to the mosquitofish, *Gambusia affinis*, and green sunfish, *Lepomis cyanellus*, under laboratory and field conditions in Arkansas. Environm. Entomology. 5: 1053.
- Davies, P.H. & Woodling, J.D. 1980. Importance of laboratory-derived metal toxicity results in predicting in-stream response of resident salmonids. In: Aquatic Toxicology. Proceedings of the third annual symposium on aquatic toxicology. ASTM-STP-707, J.G. Eaton et al.(eds.), 281. American Society for Testing and Materials. Baltimore, Md.
- Davies, P.H., Goettl, J.P. & Sinley, J.R. 1978. Toxicity of silver to rainbow trout, *Salmo gairdneri*. Water Res. 12: 113–117.
- Davies, P.H., Goettl, J.P., Sinley, J.R. & Smith, N.F. 1976. Acute and chronic toxicity of lead to rainbow trout *Salmo gairdneri* in hard and soft water. Water Res. 10: 199–206.
- Davies, R.P. & Dobbs, A.J. 1984. The prediction of bioconcentration in fish. Water Res. 18: 1253.
- Davies, P.H. 1975. The need to establish heavy metal standards on the basis of dissolved metals, Chapter 5. In: Andrew, R.W., Hodson, P.V. & Konasewich, D.E. (Eds.) 1976. Toxicity to biota of metal forms in natural waters, Duluth Minn., Oct. 1975, Great Lakes Research Advisory Board.
- Davis, J.C. 1976. Progress in sublethal effect studies with kraft pulp mill effluent and salmonids. J. Fish. Res. Board Can. 33(9): 2031–2035.
- Davis, J.C. & Hoos, R.A.W. 1975. Use of sodium pentachlorophenate and dehydroabietic acid as reference toxicants for salmonid bioassays. J. Fish. Res. Bd. Can. 30: 1565–1573.
- Davis, J.C. & Mason, B.J. 1973. Bioassay procedures to evaluate acute toxicity of neutralized bleached kraft pulp mill effluent to Pacific salmon. J. Fish. Res. Board Can. 30: 1565–1673.
- Davis, J.C. 1975. Minimal dissolved oxygen requirements of aquatic life with emphasis on Canadian species: a review. J. Fish. Res. Board Can. 32(12): 2295–2332.
- Davis, J.C. 1973. Sublethal effects of bleached kraft pulp mill effluent on respiration and circulation in sockeye salmon (*Oncorhynchus nerka*). J. Fish. Res. Bd. Can. 30: 369–377.

- Davis, H.C. & Hidu, H. 1969. Effects of pesticides on embryonic development of clams and oysters and on survival and growth of the larvae. *Fish. Bull.* 67(2): 383–404.
- Davis, E. M. et al. 1981. *Water Res.* 15: 1125–1127.
- Davison, A.W., Marsland, A. & Betts, W.E. 1974. A proposed rapid test for susceptibility to gaseous fluorides. *Environ. Pollut.* 7(4): 269–282.
- Dawson, V.K. et al. 1977b. Efficiency of 3-trifluoromethyl-4-nitrophenol (TFM), 2',5-dichloro-4'-nitrosalicylanilide (Bayer 73), and a 98:2 mixture as lampricides in laboratory studies. *Investigations in Fish Control No. 77*, U.S. Dept. Int., Fish & Wildlife Serv., Washington, D.C.
- Dawson, G.W., Jennings, A.L., Drozdowski, D. & Rider, E. 1977a. The acute toxicity of 47 industrial chemicals to fresh and saltwater fishes. *J. Hazardous Materials* 1 (1975/77): 303–318.
- Dawson, G.W., English, C.I. & Petty, S.E. 1980. Physicochemical properties of hazardous waste constituents. Report of Battelle Pacific Northwest Laboratories to U.S. Environmental Protection Agency.
- Dawson, D.A. et al. 1988. Evaluation of the developmental toxicity of metal-contaminated sediments using short-term fathead minnow and frog embryo-larval assays. *Environ. Toxicol. Chem.* 7: 27.
- Day, K. & Kaushik, N.K. 1987. Short-term exposure of zooplankton to the synthetix pyrethroid, fenvalerate, and its effect on rates of filtration and assimilation of the alga, *Chlamydomonas reinhardtii*. *Arch. Environ. Contam. Toxicol.* 16: 423.
- De, S. K. & Chandra, K. 1978. *Sci Cult.* 44: 462–464.
- Deacon, N.M., Pilny, M.D., John, J.A., Schwetz, B.A., Murray, F.J., Yake, H.O. & Kuna, R.A. 1981. Embryo- and fetotoxicity of inhaled methyl ethyl ketone in rats. *Toxicology and Applied Pharmacology* 59: 620–622.
- Defoe, D.L., Veith, G.D. & Carlson, R.W. 1978. Effects of Aroclor 1248 and 1260 on the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 35: 997–1002.
- DeGraeve, G.M. et al. 1980. Toxicity of underground coal gasification condenser water and selected constituents to aquatic biota. *Arch. Environ. Contam. Toxicol.* 9: 543.
- DeGraeve, G.M., Elder, F.G., Woods, D.C. & Bergman, H.L. 1982. Effects of naphthalene and benzene on fathead minnows and rainbow trout. *Arch. Environ. Contam. Toxicol.* 11: 487–490.
- DeGraeve, G.M., Geiger, D.L., Meyer, J.S. & Bergman, H.L. 1980. Acute and embryo-larval toxicity of phenolic compounds to aquatic biota. *Arch. Environ. Contam. Toxicol.* 9: 557–568.
- Dekant, W., Vamvakas, S., Berthold, K., Schmidt, S., Wild, D. & Henschler, D. 1986b. Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chemicobiological Interactions* 60: 31–45.
- Dekant, W., Metzler, M. & Henschler, D. 1986a. Identification of S-1,2-dichlorovinyl-N-acetyl-cysteine as a urinary metabolite of trichloroethylene: a possible explanation for its nephrocarcinogenicity in male rats. *Biochemical Pharmacology* 35: 2455–2458.
- Del Ramo, J. et al. 1987. Effects of temperature on the acute toxicity of heavy metals (Cr, Cd, and Hg) to the freshwater crayfish, *Procambarus clarkii* (Girard.). *Bull. Environ. Contam. Toxicol.* 38: 736.
- Delaune, R.D., Hambrick, G.A. & Patrick, W.H. 1980. Degradation of hydrocarbons in oxidized and reduced sediments. *Mar. Pollut. Bull.* 11: 103–106.
- Delaune, R.D., Patrick, W.H. Jr. & Casselman, M.E. 1981. Effect of sediment pH and redox conditions on degradation of benzo(a)pyrene. *Marine Pollution Bulletin*. 12: 251–253.
- Delfino, J.J. & Miles, C.J. 1985. Aerobic and anaerobic degradation of organic contaminants in Florida groundwater. *Proceeding—Soil Crop Sci. Soc. Fla.* 44: 9–14.
- DeMarch, B.G.E. 1988. Acute toxicity of binary mixtures of five cations (Cu²⁺, Cd²⁺, Zn²⁺, Mg²⁺, and K⁺) to the freshwater amphipod *Gammarus lacustris* (Sars). *Can. J. Fish. Aquat. Sci.* 45: 625.

- Deneer, J.W. et al. 1988. Growth of *Daphnia magna* exposed to mixtures of chemicals with diverse modes of action. *Ecotoxicol. Environ. Saf.* 15: 72.
- Deneer J. W., van Leeuwen C. J., Seinen W. and Hermens J. L. M. 1989. QSAR study of the toxicity of nitrobenzene derivates towards *Daphnia magna*, *Chlorella oyrenoidosa* and *Photobacterium phosphoreum*. *Aquatic Tox.* 15: 83–98.
- Deneer, J. W. et al. 1987. *Aquatic Toxicol.* 10: 115–129.
- DeNicola Guidici, M. et al. 1987. Sensitivity of *Asellus aquaticus* (L.) and *Proasellus coxalis* dollf. (Crustacea, Isopoda) to copper. *Hydrobiologia* 146: 63.
- Dennis, W.H. et al., 1979. Degradation of diazinon by sodium hypochlorite. Chemistry and aquatic toxicity. *Environm. Sci. & Techn.* 13(5): 594–598.
- Derby, S.B. & Ruber, E. 1971. Primary production: Depression of oxygen evolution in algal cultures by organophosphorus insecticides. *Bull. Environm. Contam. Toxicol.* 5(6): 553–558.
- Deshmukh, S.S. & Marathe, V.B. 1980. Size related toxicity of copper and mercury to *Lebistes reticulatus* (Peter), *Labeo rohita* (Ham.), and *Cyprinus carpio* (Linn.). *Ind. J. Exp. Biol.* 18: 421.
- Deshpande, U.D. & Nagabhushanam, R. 1981. Toxicity of sodium pentachlorophenate (Na-PCP) to marine pulmonate, *Onchidium verruculatum*. *Ind. J. Mar. Sci.* 10: 384.
- Devi, A.O. et al. 1981. Relative toxicity of the technical grade material, isomers, and formulations of endosulfan to the fish *Channa punctata*. *Bull. Environ. Contam. Toxicol.* 27: 239.
- Devi, C.R. & Sastry, C.A. 1987. Pathological changes due to o-cresol, resorcinol and 2,5-xylenol to the brain (optic tectum) of a teleost *Saurotherodon mossambicus* (Peters). *J. Environ. Biol.* 8: 307.
- Devillers, J. et al. 1987. A predictive structure-toxicity model with *Daphnia magna*. *Chemosphere* 16: 1149.
- Devlin, R.M., Kisiel, M.J. & Kostusiak, A.S. 1979. Influence of R-40244 on pigment content of wheat and corn. *Weed Research* 19(1): 59–61.
- deWitt, J.B. & George, J.L. 1960. U.S. Dept. Interlor, Bur. Sport Fisheries and Wildlife Cire. 84, Pesticide-Wildlife Review, 1959.
- Dias, F. F. and Alexander, M. 1971. *Appl. Microbial.* 22: 1114–1118.
- Diercxens, P. & Tarradellas, J. 1987. Soil contamination by some organic micropollutants related to sewage sludge spreading. *Internat. J. Environ. Anal. Chem.* 28(1-2): 143–159.
- Dietz, F. & Traud, J. 1978. Geruchs- und Geschmacks-Schwellen-Konzentrationen von Phenolkörper, Gwf-Wasser-Abwasser 119(6).
- Dietz, F.K., Rodriguez-Giaxola, M., Traiger, G.J., Stella, V.J. & Himmelstein, K.J. 1981. Pharmacokinetics of 2-butanol and its metabolites in the rat. *J. Pharmacokinet. Biopharm.* 9(5): 553–576.
- Dill, D.C. et al. 1980. Toxicity of 1,1-dichloroethylene (vinylidene chloride) to aquatic organisms. PB81-111098, U.S. Dept. Commerce, NTIS, Springfield, Va.
- Dill, D.C. et al. 1987. Toxicity of methylene chloride to life stages of the fathead minnow, *Pimephales promelas* Rafinesque. *Bull. Environ. Contam. Toxicol.* 39: 869.
- Dilling, W.L., Tefertiller, N.B. & Kallos, G.J. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environm. Sci. and Techn.* 9 (9): 833–837.
- Dilling, W.L. 1977. Interphase transfer processes: evaporation rates of chloromethanes, -ethanes, -ethylenes, -propanes and -propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environm. Sci. & Techn.* 11(4).
- Dilling, W. L. et al. 1976. *Environ. Sci. Technol.* 10: 351–356.
- Dillon, T.M. & Suedel, B.C. 1987. The relationship between cadmium bioaccumulation and survival, growth, and reproduction in the freshwater crustacean, *Daphnia magna*. C.A. Sel.–Environ. Pollut. 17: 107-53702Q (1986) In "Environ. Contam. 2nd Int. Conf." CEP Consult., Edinburgh, U.K., 21 (1987).

- Dimitriades, B. et al. 1983. J. Air Pollut. Control Assoc. 33: 575–587.
- Dimitriades, B. & Joshi, S. B. 1977. in Inter. Conf. on Photochem. Oxidant Pollut. and its Control Dimitriades Bed. USEPA-600/3-77-001B. pp 705–11.
- DIN 1982. Deutsche Einheitsverfahren zur Wasser-, Abwasser- und Schlammuntersuchung. Testverfahren mit Wasserorganismen (Gruppe L). Bestimmung der Wirkung von Wasserinhaltsstoffen auf Kleinkrebse (Daphnien–Kurtzzeitstest) (L 11). Deutsche Normen 38: 412.
- DIN 1980. (Deutsche Normen). T20 German standard methods for the examination of water, waste water and sludge; bioassays (group L), determination of the effect of waste water and industrial effluences on fish, fish-test (L20).
- Ding, S. et al. 1982. Acute toxicity of silver to carp (*Cyprinus carpio*) and goldfish (*Carassius auratus*) and its accumulation and distribution in fish bodies. *Huanjing Kexue* (China) 3, 6 (1982); CA Selects–Environ. Pollut. 24, 97: 176355.
- Dive, D., Leclerc, H., Persoone, G. 1980. Pesticide toxicity on the ciliate protozoan *Colpidium campylum* and possible consequences of the effect of pesticides in the aquatic environment. Ecotoxicol. Environ. Saf. 4(2): 129–133.
- Divincenzo, G.D. & Krasavage, W.J. 1974. Serum ornithine carbamyl transferase as a liver response test for exposure to organic solvents. American Industrial Hygiene Association Journal 35: 21–29.
- Divincenzo, G.D., Kaplan, C.J. & Dedinas, J. 1976. Characterization of the metabolites of methyl n-butyl ketone, methyl iso-butyl ketone and methyl ethyl ketone in guinea pig serum and their clearance. Toxicology and Applied Pharmacology 36: 511–522.
- Dixon, D.G. & Leduc, G. 1981. Chronic cyanide poisoning of rainbow trout and its effects on growth, respiration and liver histopathology. Arch. Environ. Contam. Toxicol. 10: 117–131.
- Dixon, D.G. et al. 1987. Serum sorbitol dehydrogenase activity as an indicator of chemically induced liver damage in rainbow trout. Environ. Toxicol. Chem. 6: 685.
- Doe, K.G. & Wells, P.G. 1978. Acute aquatic toxicity and dispersing effectiveness of oil spill dispersants; results of a Canadian oil dispersant testing program (1973 to 1977). In: Chemical dispersants for the control of oil spills, ASTM STP 659. L.T. McCarthy, Jr., et al. (Eds.), 50, Amer. Soc. for Testing & Materials, Philadelphia, Pa.
- Doe, K.G. et al. 1988. Influence of pH on the acute lethality of Fenitrothion, 2,4-D, and Aminocarb and some pH-altered sublethal effects of Aminocarb. Can. J. Fish. Aquat. Sci. 45: 287.
- DOEDENS, J. D. 1967. Chlorophenols. In: Kirk-Othmer Encyclopedia of Chemical Technology, 2nd ed. vol. 5, Parolla, E. A., Schetty, G. D., Dankberg, F. L., Kerstein, J. J. and Strauss, L. L. Eds. pp 325–338.
- Doemel, N.N. & Brooks, A.E. 1975. Detergent phosphorus and algal growth. Water Res. 9: 713–719.
- Doherty, G.D. Interspecies correlations of Acute Aquatic median lethal concentration for four standard testing species. Environ. Sci. Technol. 17: 661–665.
- Dojlido, J. R. 1979. Investigation of biodegradability and toxicity of organic compounds: final report 1975–1979 USEPA 600/2-79-163.
- Donaghue, N. A., Griffin, M., Norris, D. B. and Trudgill, P.W. 1976. The microbial metabolism of cyclohexane and related compounds. Department of Biochemistry Univ. College of Wales, Aberystwyth, Dyfed, U. K.
- Dong, S. & Dasgupta, P. K. 1986. Environ. Sci Technol. 20: 637–640.
- Donnier, E. 1972. Toxicity of pulp and paper mill effluents on sea environments. Rev. Int. Oceanogr. Medicale 28: 53–93.
- Doolittle, A.K. 1954. The technology of solvents and plasticizers. New York, John Wiley and Sons, pp. 644–645.

- Dore, M., Brunet, N., Legube, B. 1975. Participation de différents composés organiques à la valeur des critères globaux de pollution. *La tribune du Cébedeau*, 28(374): 3–11.
- Dorfmueller, M.A., Henne, S.P., York, R.G., Bornschein, R.L. & Manson, J.M. 1979. Evaluation of teratogenicity and behavioural toxicity with inhalation exposure of maternal rats to trichloroethylene. *Toxicology* 14: 153–166.
- Dorn, P.B. et al. 1987. Hexavalent chromium as a reference toxicant in effluent toxicity tests. *Environ. Toxicol. Chem.* 6: 435.
- Dorn et al. 1987. *Chemosphere* 16: 1501–1507.
- Dortland, R.J. 1978. Aliesterase-(Ali-E) activity in *Daphnia magna* Strauss as a parameter for exposure to parathion. *Hydrobiologia* 59(2): 141–144.
- Doudoroff, P. 1976. Toxicity to fish of cyanides and related compounds. A review. EPA-600/3-76-038, U.S. Environmental Protection Agency, 155 p.
- Doudoroff, P. & Katz, M. 1950. Critical review of literature on the toxicity of industrial wastes and their components to fish. I. Alkalies, acids and inorganic gases. *Sewage Ind. Wastes* 22: 1432–1458.
- Doughtie, D.G. & Rao, K.R. 1984. Histopathological and ultrastructural changes in the antennal gland, midgut, hepatopancreas and gill of grass shrimp (*Palaemonetes pugio*) following exposure to hexavalent chromium. *J. Invertebr. Pathol.* 43 (1).
- Dowden, B.F. 1960. Cumulative toxicities of certain inorganic salts to *Daphnia magna* as determined by median tolerance limits. *Proc. La. Acad. Sci.* 23:77.
- Dowden, B.F. & Bennett, H.J. 1965. *J. Wat. Poll. Contr. Fed.* 37(9): 1310.
- Dowty, B.J., Laseter, J.L. & Storer, J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. *Pediatric Research* 10: 696–701.
- Draggan, S. 1976. The microcosm as a tool for estimating of environmental transport of toxic materials. *Int. J. Environ. Stud.* 10: 65–70.
- Dragomirescu, A., Raileanu, L. & Ababei, L. 1975. The effect of carbatox on glycolysis and the activity of some enzymes in carbohydrate metabolism in the fish and rat liver. *Water Res.* 9: 205–209.
- Drahonovsky, J., Vacek, Z. 1971. *Collect. Czech. Chem. Commun.* 36: 3431–3440.
- Drake, J.W. 1971. Mutagen screening with virulent bacteriophages. Holland, A. (ed.). *Chemical mutagens, principles and methods for their detection*, Vol. 1, pp. 219–234.
- Draper, A.C. & Brewer, W.S. 1979. Measurement of the aquatic toxicity of volatile nitrosoamines. *J. Toxicol. Environ. Health* 5: 985.
- Draper, W. M. & Crosby D. G. 1983. *Arch. Environ. Contam. Toxicol.* 12: 121–126.
- Drewett, N. & Abel, P.D. 1983. Pathology of lindane poisoning and of hypoxia in the brown trout, *Salmo trutta*. *J. Fish. Biol.* 23 (4): 373–384.
- Driedzic, W.R. & Hochachka, P.W. 1978. Metabolism in fish during exercise. In: Hoar, W.S. & Randall, D.J. (eds.) *Fish physiology*. Vol. VII. Locomotion. Acad. Press. New York. pp. 503–543.
- Druckrey, H., Preussman, R., Ivankovic, S. & Schmahl, D. 1967. Organotrophic carcinogenic effects of 65 different N-nitrosocompounds in BD-rats.—*Z. Krebsforsch.* 69:103–201.
- Drummond, R. A., Spoor, W.A. & Olson, G.F. 1973. Some short-term indicators of sublethal effects of copper on brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Bd. Can.* 30: 698–701.
- Duangwasdi, M. & Klaverkamp, J.F. 1979. Acephate and fenitrothion toxicity in rainbow trout: effects of temperature stress and investigations on the sites of action. In: *Aquatic toxicology*, ASTM STP 667. Marking, L.L. & Kimberle, R.A. (eds.), 35, Amer. Soc. for Testing & Materials, Philadelphia, Pa.
- Dubina, O.N. & Maksinov, G.G. 1976. Testing the use of golden hamsters in toxicological research. *Gig. Tr. Ohkhr. Zdorov'ya Rab. Neft. Neftekhim. Prom-sti* 9: 100–103.
- Duckett, S., Williams, N. & Francis, S. 1974. Peripheral neuropathy associated with inhalation of methyl-n-butyl ketone. *Experientia* 30: 1283–1284.
- Dugan, P. R. 1972. *Biochemical ecology of water pollution*. Plenum Press, New York, London.

- Dumont, J.N. et al. 1979. Toxicity and teratogenicity of aromatic amines to *Xenopus laevis*. Bull. Environm. Contam. Toxicol. 22: 159–166.
- Dunkelberg, H. 1982. Carcinogenicity of ethylene oxide and 1,2-propylene oxide upon intragastric administration to rats. Br. J. Cancer 46: 924–933.
- Dunkelberg, H. 1981. Carcinogenic activity of ethylene oxide and its reaction products 2-chloroethanol, 2-bromoethanol, ethylene glycol, and diethylene glycol. I. Carcinogenicity of ethylene oxide in comparison with 1,2-propylene oxide after subcutaneous administration in mice. ZBL. Bakt. Hyg. (I Abt. Orig. B.) 174: 383–404.
- Durkin, P.R. 1978. Biological impact of various chlorinated phenolics and related compounds on *Daphnia magna*. Tappi 165–169.
- Durve, V.S. et al. 1980. Toxicity of copper to the fresh water Teleost *Rasbora daniconius neilgeriensis* (Ham.). Natl. Acad. Sci. Lett. (Ind.) 3: 221.
- Dutton, G.J. 1980. Glucuronidation of drugs and other compounds. CRC Press, Boca Raton, Florida, U.S.A. 268 p.
- Dutton, G.J. & Burchell, B. 1974. Activation and induction of glucuronitins enzymes during development. Biochem. Soc. Trans. 2: 1176.
- Dutton, R. J. et al. 1986. Rapid test for toxicity in wastewater systems. Toxicity Assessment 1: 147.
- Eagers, R.Y. 1969. Toxic properties of inorganic fluorine compounds. Elsevier Publishing Company Ltd.
- Earnest, R. 1971. Effects of pesticides on aquatic animals in the estuarine and marine environment. In: Annual progress report 1970. Columbia Missouri, U.S. Dept. of the Interior, Bureau of Sport fisheries and Wildlife, Fish Pesticide Research laboratory.
- Earnest, R., 1976. Effects of pesticides on aquatic animals in the estuarine and marine environment. In: Annual Progress Report 1970. Fish-Pesticide Research Laboratory, Bureau Sport Fish. Wildl. U.S. Dept. Interior, Colombia, Missouri.
- Easty, D.B., Borchardt, L.G. & Wabers, B.A. 1978. Wood-derived toxic compounds. Removal from mill effluents by waste treatment processes. TAPPI 61 (10): 57–60.
- Eaton, J.G., McKim, J.M. & Holcombe, G.W. 1978. Metal toxicity to embryos and larvae of seven freshwater fish—cadmium. Bull. Environ. Contam. Toxicol. 19: 95–103.
- Eaton, J.G. 1975. Recent developments in the use of laboratory bioassays to determine "safe" levels of toxicants for fish. Glass, G.E. (ed.) Bioassay techniques and environmental chemistry. pp. 197–115.
- Eaton, J.G. 1974. Chronic cadmium toxicity to the bluegill. Trans. Am. Fish. Soc. 4: 729–735.
- Eaton, J.G. 1970. Chronic malathion toxicity to the bluegill. Water Res. 4: 673–684.
- Eaton, J.G. 1973. Chronic toxicity of a copper, cadmium and zinc mixture to the fathead minnow. Water Res. 7: 1723–1736.
- Eaton, R.W. & Ribbons, D.W. 1982. Utilisation of phthalate esters by Micrococcii. Arch. Microbiol. 132: 185.
- Ebeling, G. 1931. Neuere Ergebnisse beider fischereilich-chemischen Untersuchung und Beurteilung von Zellstofffabrikabwässern. Vom Wasser. pp. 192–200.
- ECDIN Database 1992 -. Environmental Chemicals Data and Information Network. Commission of the European Communities, Joint Research Centre, Ispra, Italy.
- ECETOC 1986. Joint Assessment of Commodity Chemicals 7: Ethylbenzene.
- Eckenfelder, W.W. 1966. Industrial Water Pollution Control, McGraw-Hill.
- Edlund, S. 1981. The Swedish Plastics and Chemicals Suppliers Association. Personal communication.
- Edmisten, G.E. & Bantle, J.A. 1982. Use of *Zenopus laevis* larvae in 96-hour, flow-through toxicity tests with naphthalene. Bull. Environ. Contam. Toxicol. 29: 392.
- Edney, E. et al. 1983. Atmospheric Chemistry of Several Toxic Compounds. USEPA-600/53-82-092.
- Edwards, C.A. 1977. Nature and origins of pollution of aquatic systems by pesticides. In: Pesticides in Aquatic Environments. M.A. Q. Khan, (ed.) Plenum Press, N.Y.

- Edwards, R. et al. 1987. The toxicity and metabolism of the pyrethroids cis- and trans-cypermethrin in rainbow trout, *Salmo gairdneri*. *Xenobiotica* 17: 1175.
- Edwards, C.A. 1966. Insecticide residues in soils. *Residue Rev.* 13: 83–132.
- Effects of ethylbenzene, toluene and xylene on the induction of micronuclei in bone marrow polychromatic erythrocytes of mice. *Archives of Toxicology* 58: 106–109.
- Efraimsson, H. & Ormerod, K. 1980. Testing of methods applying the yeast *Cassaromyces cerevisiae* as test organism. *Norforsk Rapport Nr. 22.* 20 p.
- EG & Bionomics. 1975. Exposure of fish to ¹⁴C-benzidine: accumulation, distribution and elimination of ¹⁴C residues. *Res. Report to Allied Chemical Corp.*
- Egorov, Y.L. 1972. Dependence of dermal toxicity of alcohols on solubility index: oil/water. *Toksikol Gig. Prod. Neftekhim Yarosl.* 98: 102.
- Ehrenberg, L., Gustafsson, A., Lundqvist, U. 1956. Chemically induced mutation and sterility in barley. *Acta chem. Scand.* 10: 492–494.
- Ehrlich, G. G. et al. 1982. *Groundwater* 20: 703–710.
- Eichelberger, J.W. & Lichtenberg, J.J. 1971. Persistence of pesticides in river water. *Environm. Sci. & Techn.* 5(6): 541–544.
- EIFAC 1977a. Water quality criteria for European freshwater fish. Report on cadmium and freshwater fish. EIFAC Technical Paper 30: 21 s.
- EIFAC 1977b. The effects of zinc and copper pollution on the salmonid fisheries in a river and lake system in central Norway. EIFAC Technical Paper 29. 34 p.
- EIFAC 1976. Water quality criteria for European freshwater fish. Report on copper and freshwater fish. EIFAC Technical Paper 27.
- EIFAC 1975. Report on fish toxicity testing procedures. FAO/EIFAC. Techn. Paper 24. Rome. 25 p.
- EIFAC 1973c. Water quality criteria for European freshwater fish. Report on zinc and freshwater fish. EIFAC Technical Paper 21: 22 s.
- EIFAC 1973b. Water quality criteria for European freshwater fish. Report on chlorine and freshwater fish. EIFAC Technical Paper 20: 11 pp.
- EIFAC 1972. (European Inland Fisheries Advisory Commission). Water quality criteria for European freshwater fish. Report on monohydric phenols and inland fisheries. EIFAC Technical Paper 15.
- EIFAC 1973a. Water quality criteria for European freshwater fish. Report on ammonia and inland fisheries. *Water Res.* 7: 1011–1022.
- EIFAC 1983. Water Quality criteria for european freshwater fish. Report on chromium and freshwater fish. Rome, Food and Agriculture Organization of the United Nations, European Inland Fisheries Advisory commission, Working Party on Water Quality Criteria for European Freshwater Fish, 31 pp. (EIFAC Technical Paper No. 43)
- Eisenbrand, G., Ungerer, O. & Dreussnanu, R. 1974. Rapid formation of carcinogenic N-nitrosoamines by interaction of nitrite with fungicides derived from dithiocarbamic acid in vitro under simulated gastric conditions and in vivo in the rat stomach. *F. Cormet. Toxicol.* 12: 229–232.
- Eisenhauer, H.R. 1968. The ozonation of phenolic wastes. *JWPCF* 40: 1887.
- Eisler, R. 1970b. Factors affecting pesticide-induced toxicity in an estuarine fish. Bureau of Sport Fisheries and Wildlife Technical Paper 45, Government Printing Office, Washington, D.C.
- Eisler, R. 1970a. Acute toxicities of organochlorine and organophosphorus insecticides to estuarine fishes. Bureau of Sport Fisheries and Wildlife Technical Paper 46, Government Printing Office, Washington, D.C.
- Eisler, R. & Edmunds, P.H. 1966. Effects of endrin on blood and tissue chemistry of a marine fish. *Trans. Amer. Fish. Soc.* 95: 153–159.
- Eisler, R. 1969. Acute toxicities of insecticides to marine decapod crustaceans. *Crustaceana* 16(3): 302–310.

- Ekelund, R., Emanuelsson, E. & Granmo, Å. 1983. Comparison of methods for assessing effects of industrial wastewater on the mussel *Mytilus edulis* L. *Vatten* 39: 275–285.
- Ekelund, R., Bergman, Å., Granmo, Å. & Berggren, M. 1988. Bioaccumulation of 4-nonylphenol in marine animals—a reevaluation. Kristinebergs Marinbiologiska Station (manuscript).
- Ekhina, R.S. & Ampleeva, G. P. 1977. Combined effect of six Acrylates on the Sanitary Status of a Reservoir Vodemov 157–64.
- Ekström, G., Andersson, A. & Bergman, I. 1988. Nationella, regionala eller globala gränsvärden? *Vår föda* 40(2): 108–126.
- El-Domiati, N.A. 1987. Stress response of juvenile *Clarias lazera* elicited by copper. *Comp. Biochem. Physiol.* 88C: 259.
- El-Dib, M. A. & Aly, A. O. 1976. Water Res. 10:1055-9.
- Eldefrawi, A.T., Mausour, N.A., Brattsten, L.B., Ahrens, V.D. & Lisk, D.J. 1977. Further toxicologic studies with commercial and candidate flame retardant chemicals Part II. *Bull. Environ. Contam. Toxicol.* 17: 720–726.
- Eldon, J. & Kristofferson, R. 1978. Factors affecting the burrowing activity of *Macoma baltica* (L). *Ann. Zool. Fennici* 15: 127–131.
- Eldon, J., Pekkarinen, M. & Kristofferson, R. 1980. Effects of low concentrations of heavy metals on the bivalve *Macoma baltica*. *Ann. Zool. Fennici* 17: 233–242.
- Eldridge, M.B. & Echevarris, T. 1978. Fate of 14C-benzene in eggs and larvae of pacific herring. *J. Fish. Res. Bd. Can.* 35: 861–865.
- Eliasson, L. 1963. The toxic effects of chlorinated phenoxyacetic acids on aspen. *Physiol. Plant.* 16: 255–268.
- Eliasson, L. 1961. The influence of growth substances on the formation of shoots from aspen roots. *Physiol. Plant* 14: 150–156.
- Eliasson, L. 1962. The response of aspen roots to 3-amino-1,2,4-triazole. *Physiol. Plant.* 15: 229–238.
- Elinder, C.-G. 1981. Early effects of cadmium accumulation in horse kidney cortex. In: Proc. 3rd International Conference on Heavy Metals in the Environment, Amsterdam 1981, pp. 530–533.
- Elkins, H.F. et al. 1956. *Sewage Ind. Wastes* 28(12): 1475.
- Elkins, H.B. 1959. The chemistry of industrial toxicology. 2nd. edn. Wiley, New York.
- Eller, L.L. 1971. Histopathologic lesions in cutthroat trout (*Salmo clarki*) exposed chronically to the insecticide endrin. *Amer. J. Pathol.* 64: 321–336.
- Ellgehausen, H., Guth, J.A. & Esser, H.O. 1979. Draft proposal for a "Sequential static procedure for measuring the bioaccumulation potential of chemicals with fishes". In: Test Guidelines—OECD Intercomparison laboratory work concerning to bioaccumulation in aquatic organisms.
- Ellis, M.M. 1937. Detection and measurement of stream pollution, U.S. Bur. Fisheries Bull. No 22, XLVIII: 365–437. U.S. Dept. Commerce, Washington.
- Ellis, M.M., Westfall, B.A. & Ellis, M.D. 1948. Determination of water quality. Research report No. 9, U.S. Fish and Wildlife Service, U.S. Dept. of the Int., Washington, D.C.
- Elnabarawy, M.T., Welter, A.N. & Robideau, R.R. 1986. Relative sensitivity of three daphnid species to selected organic and inorganic chemicals. *Environ. Toxicol. Chem.* 5: 393–398.
- Eloranta, V., Halttunen-Keyriläinen, L. & Kuivasniemi, K. 1985: Sellujätevesien planktonlevien tuotantoa ja kasvua rajoittavista tekijöistä. *Luonnon Tutkija* 89: 12–17.
- Eloranta, V. & Laitinen, O. 1982. The usefulness of the *Selenastrum capricornutum* algal assay to evaluate the toxic effects of pulp and paper mill effluents in lake water. *Vatten* 38: 317–331.
- Eloranta, V. & Laitinen, O. 1981. Evaluation of sample preparation for algal assays on waters receiving cellulose effluents—Int.Ver. Theor. Angew. Limnol. Verh. 21: 738–743.
- Eloranta, V.A. & Halttunen-Keyriläinen, L. 1984. A comparison of the *Selenastrum* bottle test and natural phytoplankton assay in algal toxicity test. *Arch. Hydrobiol. Suppl.* 67(4): 447–459.

- Eloranta, V. & Eloranta, P. 1980. Algal assays on waters receiving sulphite and sulphate cellulose effluents. Ann. Bot. Fennici 17: 26–34.
- Eloranta, V. 1975. Modified bioassay procedure for toxic effluents. J. Water Poll. Control Fed. 47(8): 2172–2177.
- Eloranta, V. 1976. The influence of sulphate cellulose effluents on the growth of green algae (*Ankistrodesmus falcatus*). Vatten 32: 20–37.
- Eloranta, V. 1978. On biomass monitoring methods in toxic assays of algae. Toxitetstester. Nordforsk. Miljövårdssekretariatet publikation 2: 147–156.
- Eloranta, V. 1980. Puunjalostusteollisuuden jätevesien myrkkyllisyyden mittaus levätestien avulla. Kirjassa: Puunjalostusteollisuus myrkkykuormittajana Suomessa. Verta, M. (toim.). Vekary, Helsinki. s. 23–28.
- Eloranta, V. 1982. Effect of the slimecide Fennosan F 50 on algal growth in different test media.—Paperi ja puu–Papper och trä 64(3): 129–135.
- Eloranta, V. & Eloranta, P. 1974. Influence of effluents of sulphite cellulose factory on algae in cultures and receiving waters. Vatten 30: 36–48.
- Elovaara, E., Collan, Y., Pfäffli, P. & Vainio, H. 1980. The combined toxicity of technical grade xylene and ethanol in the rat. Xenobiotica 10: 435–445.
- Emanuelson et al. 1978. The residue uptake and histology of American oysters (*Crassostrea virginica*, Gemlin) exposed to dieldrin. Bull. Environ. Contam. Toxicol. 19: 121.
- Ember, L.R. 1979. Flash Instrument replaces fish. Environ. Sci. Technol. 13(6): 646.
- Embree, J.W. & Hine, C.H. 1975. Mutagenicity of ethylene oxide. Toxicol. appl. Pharmacol. 33: 172–173.
- Engelhardt, G., Tillmanns, G., Wallnöfer, P.R. & Hutziger, D. 1977. Biodegradation of di-iso-butyl phthalate and related dialkyl phthalates by *Penicillium*. Chemosphere 6: 347–354.
- Engström, K., Husman, K. & Riihimäki, V. 1977. Percutaneous absorption of m-xylene in man. International Archives of Occupational and Environmental Health 39: 181–189.
- ENVIROFATE 1995 -. Environmental fate data base. U.S. Environmental Protection Agency. Office of Pesticides and Toxic Substances.
- EPA. 1981. Toxic substances control act. U.S. Federal Register No. 17 of 27 January 1981. In: IRPTC Bulletin 4(2): 30–31. UNEP.
- EPA. 1975. Identification of organic compounds in effluents from industrial sources, EPA-560/3-75-002.
- EPA. 1971. (U.S. Environmental Protection Agency). Algal assay procedure: Bottle test. Corvallis, Oregon. p. 82.
- EPS. 1980. (Environmental Protection Service). Standard procedure for testing the acute lethality of liquid effluents. Report EPS 1-WP-80-1. Environment Canada.
- Erickson, S.J. & Hawkins, C.E. 1980. Effects of halogenated organic compounds on photosynthesis in estuarine phytoplankton. Bull. Environ. Contam. Toxicol. 24: 910–915.
- Erickson, D.A. & Gingerich, W.H. 1986. Effect of injected rainbow trout (*Salmo gairdneri*). Aquat Toxicol. 9: 263.
- Ernst, W. 1979. Bioaccumulation testing with the common mussel, *Mytilus edulis*. In: Test guidelines—OECD intercomparison laboratory work concerning to bioaccumulation in aquatic organisms.
- Ernst, W., Weigelt, V. & Weber, K. 1984. Octachlorostyrene—a permanent micropollutant in the North Sea. Chemosphere 13: 161.
- Ernst, W.R. & Garside, E.T. 1987. Lethal effects of vanadium to two stages of brook trout *Salvelinus fontinalis* (Mitchill). Can. J. Zool. 65: 628.
- Ernst, B., Julien, G., Doe, K. & Parker, R. 1980. Environmental investigations of the 1980 spruce budworm spray program in New Brunswick. EPS-5-AR-81-3, Surveillance Report, Canada EPS.
- Esping, J. & Olsson, G. 1978. Barklakvattens inverkan på örting. Vatten 34: 44–52.

- Esser, H.O., Dupuis, G., Ebert, E., Vogel, C. & Marco, G.J. 1975. s-Triazines. In: Kearney, P.C. & Kaufmann, D.D. (Eds.) *Herbicides: Chemistry, Degradation and Mode of Action*, Vol. 1, Marcel Dekker, Inc., New York, Basel, pp. 129–208.
- Estenik, J.F. & Collins, W.J. 1979. In vivo and in vitro studies of mixed function oxidase in an aquatic insect, *Chironomus riparius*. In: *Pesticide and xenobiotic metabolism in Aquatic Organisms*. Am. Chem. Society, Symposium Series 99.
- Evans, W. H. & David, E. J. 1974. Water Res. 8: 97–100.
- Fabacher, D.L., Davis, J.D. & Fabacher, D.A. 1976. Apparent potentiation of cotton defoliant DEF by methyl parathion in mosquitofish. Bull. Environ. Contam. Toxicol. 16(6): 716–718.
- Fabacher, D.L. & Hodgson, E. 1977. Hepatic-mixed function oxidase activity in mice treated with methylated benzene and methylated naphthalenes. Journal of Toxicology and Environmental Health 2: 1143–1146.
- Fabian, P. 1986. Halogenated hydrocarbons in the atmosphere. In: Hutzinger, O. (Ed.) *The handbook of environmental chemistry*, Vol. 3, part A, Springer-Verlag, Berlin, Heidelberg, New York, pp. 24–51.
- Fabre, R. & Truhaut, R. 1954. Le probleme des solvants de remplacement du benzene dans ses rapports avec l'hygiene industrielle. Congresso Internazionale de Medicina del Lavoro, Napoli.
- Fagels, A. & Sprague, J.B. 1977. Comparative short term tolerance of zebrafish, flagfish and rainbow trout to five poisons including potential reference toxicant. Water Res. 11: 811–817.
- Fahmy, M.J. & Fahmy, O.I.G. 1977. Mutagenicity of hair dye components relative to the carcinogen benzidine in *Drosophila melanogaster*. Mutat. Res. 56: 31–38.
- Fairbanks, B.C., O'Connor, G.A. & Smith, S.E. 1985. Fate of di-2-(ethylhexyl)phthalate in three sludge-amended New Mexico (USA) soils. J. Environ. Qual. 14: 479–483.
- Faisal, M. et al. 1988. Immunosuppression of *Clarias lazera* (Pisces) by a molluscicide. Develop. Comp. Immunol. 12: 85.
- Falk, D.L. & Dunson, W.A. 1977. The effects of season and acute sublethal exposure on survival times of brook trout at low pH. Water Res. 11(1): 13–15.
- FAO. 1977. (Food and Agriculture Organization of the United Nations). Manual of methods in aquatic environment research. Part 4. Bases for selecting biological tests to evaluate marine pollution.
- Farber, E. 1973. Carcinogenesis-cellular evolution as a unifying thread: presidential address. Cancer Res. 33: 2537–2550.
- Farmer, G.J. et al. 1979. Effects of zinc on juvenile atlantic salmon (*Salmo salar*) acute toxicity, food intake, growth and bioaccumulation. Environ. Poll. 19: 103.
- Farrah, H. & Pickering, W.F. 1977. The sorption of lead and cadmium species by clay minerals. Aust. J. Chem. 30: 1417.
- Fawade, M.M. et al. 1983. DDT toxicity and mixed function oxidases in the freshwater prawn, *Macrobrachium kistensis*. J. Environ. Biol. 4: 81.
- Fawell, J.K. & Hunt, S. 1988. Environmental toxicology—organic pollutants. Ellis Horwood Limited, Chichester. 440 s.
- FEDERAL REGISTER. 1977. 6 May (42188, 23148).
- Fedorak, P. M. & Hrudey, S. E. 1984. Water Res. 18: 361–367.
- Feldman, R.G., White, R.F., Currie, F.N., Travers, P.H. & Lessell, S. 1985. Long-term follow-up after single toxic exposure to trichloroethylene. Americal Journal of Industrial Medicine 8: 119–126.
- Ferrando, M.D. et al. 1987. Acute toxicity of organochlorined pesticides to the European eel, *Anguilla anguilla*: the dependency on exposure time and temperature. Bull. Environ. Contam. Toxicol. 39: 365.
- Ferreira, P.F. Jr. & Wolke, R.E. 1979. Acute toxicity of platinum to coho salmon (*Oncorhynchus kisutch*). Marine Poll. Bull. 10:79.
- Ferri, S.S. 1979. Scratch-resistant coating for lenses. Braz. Pedido PI 78: 5.

- Figge, K. et al. 1983. *Regul. Toxicol. Pharmacol.* 3:199-215.
- Filip, D.S. & Middlebrooks, E.J. 1975. Evaluation of sample preparation techniques for algal bioassays. *Water Res.* 9: 581-585.
- Finlayson, B.J. 1980. Acute toxicities of the herbicides Komeen and Hydrothol-191 to golden shiner (*Notemigonus crysoleucas*). *Bull. Environ. Contam. Toxicol.* 25: 676.
- Finlayson, B.J. & Verrue, K.M. 1982. Toxicities of copper, zinc and cadmium mixtures to juvenile chinook salmon. *Trans. Am. Fish. Soc.* 111: 645.
- Fischer, W. B. & Crescentini, L. 1982. Kirk-Othmer Encycl. Chem. Tech. 18: 425-436.
- Fishbein, L. 1979. Potential halogenated industrial carcinogenic and mutagenic chemicals. III: Alkane halides, alkanols and ether. *The science of the total environment* 11: 223-257.
- Fishbein, L. 1984. Aromatic amines. In: Hutzinger, O. (Ed.) *The handbook of environmental chemistry*, Vol. 3, Springer-Verlag, Berlin, Heidelberg, New York.
- Fisher, N.S., Carpenter, E.J., Remsen, C.C. & Wurster, C.F. 1974. Effects of PCB on interspecific competition in natural and guotobiotic phytoplankton communities in continuous and batch cultures. *Microb. Ecol.* 1: 39-50.
- Fisher, J.W. et al. 1980. Hydrazine: Acute toxicity to bluegills and sublethal effects on dorsal light response and aggression. *Trans. Amer. Fish. Soc.* 109: 304.
- Fisher, J.W., Dilego, R.A. & Paulos, L.M. 1984. Changes in bluegill activity as a monitor of acute benzene exposure. *Bull. Environ. Contam. Toxicol.* 33: 26-32.
- Fisher, S.W. 1986. Effects of temperature on the acute toxicity of pop in the midge *Chironomus riparius* Meigen. *Bull. Environ. Contam. Toxicol.* 36: 744.
- Fisher, S.W. & Lohner, T.W. 1987. Changes in the aqueous behavior of parathion under varying conditions of pH. *Arch. Environ. Contam. Toxicol.* 16: 79.
- Fiskesjö, G. 1981. Alliumtest på fenol, anisol, Na-lauryl-sulfat och koppar. Nordforsk. Ekotoxikologiska metoder för akvatisk miljö. Rapport Nr. 28. 11 p.
- Fitzerald, G.P. 1975. Are chemicals used in algal control biodegradable? *Water & Sewage Works* 122: 82-85.
- Fjellstedt, T.A., Allen, R.H., Duncan, B.K. & Jakoby, W.B. 1973. Enzymatic conjugation of epoxides with glutathione. *J. Biol. Chem.* 248: 3702-3707.
- Flath, R.A., Black, D.R., Guadagni, W.H., McFadden, W.H. & Schultz, T.H. 1967. Identification and organoleptic evaluation of compounds in delicious apple essence. *J. Agric. Food Chem.* 15(1): 29-35.
- Florin, I., Rutberg, L., Curvall, M. & Enzell, C.R. 1980. Screening of tobacco smoke constituents for mutagenicity using the Ames test. *Toxicology* 18: 219-232.
- Flum, T.F. & Shannon, L.J. 1987. The effects of three related amides on microecosystem stability. *Ecotoxicol. Environ. Saf.* 13: 239.
- Fogel, M.M., Taddeo, A.R. & Fogel, S. 1986. Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. *Applied and Environmental Microbiology* 51 (24): 720-724.
- Fogels, A. & Sprague, J.B. 1977. Comparative short-term tolerance of zebrafish, flagfish, and rainbow trout to five poisons including potential reference toxicants.-*Water Res.* 11: 811-817.
- Folkeson, L. 1976. Bly, särskilt avgasbly, i den terrestra miljön. SNV PM 794.
- Folmar, L.C. 1979. Toxicity of the herbicide glyphosate and several of its formulations to fish and aquatic invertebrates. *Arch. Environ. Contam. Toxicol.* 8: 269.
- Folmar, L.C. et al. 1982. The effects of Aroclor 1254 and No. 2. fuel oil on smoltification and sea water adaptation of coho salmon (*Oncorhynchus kisutch*). *Aquat. Toxicol.* 2: 291.
- Folmar, L.C. 1978. Avoidance chamber responses of mayfly nymphs exposed to eight herbicides. *Bull. Environm. Contam. Toxicol.* 19(3): 312-318.

- Fomenko, V.N. & Strekalova, E.Y. 1973. The mutagenic effect of some industrial toxins as a function of concentration and exposure time. *Toksikol. Nov. Prom. Him. Veshchestr.* 7: 51–57.
- Foran, J.A. et al., 1985. Acute toxicity of aldicarb, aldicarb sulfoxide, and aldicarb sulfone to *Daphnia laevis*. *Bull. Environ. Contam. Toxicol.* 35: 546.
- Forsberg, Å. 1974. Undersökningar utförda med algtest över eventuella gifteffekter i vatten från Herrebröbacken, Norrköping. *Vatten* 30: 79–83.
- Fortin, C. et al. 1987. The residual efect of temephos (abate 4-E) on nontarget communities. *J. Am. Mosq. Control Assoc.*, 3: 282.
- Fortman, L. & Rosenberg, A. 1984. *Chemosphere* 13: 53–65.
- Foster, R.B. 1981. Use of asiatic clam larvae in aquatic hazard evaluations. In: Ecological assessments of effluent impacts on communities of indigenous aquatic organisms. ASTM STP 730, Bates, J.M. & Weber, C.I. (eds.), 280, Am. Soc. for Test. and Mater. (Publ.), Philadelphia, Pa.
- Foster, P.L. 1982. Metal resistances of Chlorophyta from rivers polluted by heavy metals. *Freshwater Biol.* 12: 41–61.
- Foster, L.M. et al. 1977. Residue dynamics and biological effects of polychlorinated biphenyls in aquatic organisms. *Arch. Environm. Contam. Toxicol.* 5: 501–511.
- Fourman, G.L., White, N.B. Jr. & Bend, J.R. 1983. Biochemical evidence that winter flounder (*Pseudopleuronectes americanus*) have induced hepatic cytochrome P-450-dependent monooxydase activities. *Can. J. Fish. Sci.* 40: 854–865.
- Fournie, J.W. et al. 1987. Exocrine pancreatic neoplasms induced by methylazocymethanol acetate in the guppy *Poecilia reticulata*. *J. Natl. Cancer Inst.* 78: 715.
- Fowler, B.A. 1983. Arsenical metabolism and toxicity to freewater and marine species. In: Fowler, B.A. (Ed.) *Biological and Environmental Effects of Arsenic*, Elsevier, Amsterdam, pp. 155–170.
- Foy, C.D. 1974. Effects of aluminium on plant growth. In Carson, E.W. (ed.). *The plant root and its environment*. Univ. Virginia Press, Charlottesville, pp. 601–642. From: Bartuska, A.M. & Ungae, I.A. 1980. Elemental concentrations in plant tissues as influenced by low pH soils. *Plant and Soil* 55: 157–161.
- FPRL. 1971. Fish Pesticide Res. Lab. Annual Rept. Bur. Sport. Fish. and Wildlife. Columbia. Mo.
- Francesconi, K.A., Edmonds, J.S. & Stick, R.V. 1989. Accumulation of arsenic in yelloweye mullet (*Aldrichetta forsteri*) following oral administration of organoarsenic compounds and arsenate. *Sci. Total Environ.* 79: 59–67.
- Francis, J.C. & Harrison, F.W. 1988. Copper and zinc toxicity in *Ephydatia fluviatilis* (Porifera: Spongillidae). *Trans. Am. Microsc. Soc.* 107: 67.
- Franco, P.J., Daniels, K.L., Cushman, R.M. & Kazlow, G.A. 1984. Acute toxicity of a synthetic oil, aniline and phenol to laboratory and natural populations of chironomid (Diptera) larvae. *Environ. Pollut.* 34A: 321–331.
- Fraser, J., Parkin, D.T. & Verspoor, E. 1978. Tolerance to lead in the freshwater isopod *Asellus aquaticus*. *Wat. Res.* 12: 637–641.
- Frear, D.E.H. & Boyd, J.E. 1967. Use of *Daphnia magna* for microbioassay of pesticides, I.J.Econom. Entomol. 60: 1228–1238.
- Freeman, H.C. & Idler, D.R. 1975. The effect of polychlorobiphenyl on steroidogenesis and reproduction in the trout (*Salvelinus fontinalis*).—*Can. J. Biochem.* 666–670.
- Freeman, L. 1953. A standardized method for determining toxicity of pure compounds to fish. *Sewage and Industrial Wastes* 25(7): 845.
- Freis, R. E. 1984. The effect of a specific enzyme on biocide use. *Tappi* 67/10): 100–102.
- Freitag, D., Geyer, H., Kraus, A., Viswanathan, R., Kotzias, D., Attar, A., Klein, W. & Korte, F. 1982. Ecotoxicological profile analysis. VII. Screening chemicals for their environmental behavior by comparative evaluation. *Ecotoxicol. Environ. Safety* 6: 60.

- Freitag, D. et al. 1985. Chesmosphere 14: 1589–1616.
- Freitag, D. et al. 1984. J. Agric. Food Chem. 32: 203–207.
- Freitag, D. et al. 1984, p 119 in: QSAR Environ. Toxicol. Proc. Workshop Quant Struct-Act Relat. Kaiser KLE ed Reidel: Netherlands.
- Freitag, D. et al. 1982. Ecotox. Environ. Safety. 6:60-81.
- Frey, B.E., Riedel, G.F., Bass, A.E. & Small, L.F. 1983. Sensitivity of estuarine phytoplankton to hexavalent chromium. Estuarine, Coastal Shelf Sci. 17(2): 181–187.
- Friberg, L., Piscator, M. & Nordberg, G. 1971. Cadmium in the Environment. CRC-press.
- Friedman, L. 1974. Dose selection and administration. Goldberg, L. (ed.). Carcinogenesis testing of chemicals, Cleveland, CRC Press. pp. 21–22.
- Friesel, P. et al. 1984. Fresenius Z Anal. Chem. 319: 160–164.
- Friesen, M.K. et al. 1983. Toxicity of the insecticide permethrin in water and sediment to nymphs of the burrowing mayfly *Hexagenia rigida* (Ephemeroptera: Ephemeridae). Can. Entomol. 115: 1007.
- Friesen, H.A., Baenziger, H. & Keys, C.H. 1964. Morphological and cytological effects of dicamba on wheat and barley. Can. J. Plant Sci. 44(3): 288–294.
- Frilund, L. 1985. The paper chemicals industry in 1984—Raison Tehtaat—Kemia-Kemi 7–8: 612–614.
- Fromm, P.O. 1963. Studies on renal and extra-renal excretion in a fresh water teleost, *Salmo gairdneri*. Comp. Biochem. Physiol. 10: 121–128.
- Frost, J. 1969. Earth, air and water. Environment 11(6): 14–33.
- Fuerstenau, M.C. et al. 1974. Toxicity of selected sulphydryl collectors to rainbow trout. Trans. Soc. Mining Eng. 256: 337.
- Fuita, T., Jwasa, J. and Hansch, C. 1964. J. Am. Chem. Soc. 86: 5175.
- Fujiki, M., Hirota, R. & Yamaguchi, S. 1977. The mechanism of methyl mercury accumulation in fish. In: Management of bottom sediments containing toxic substances. EPA Ecological Research Series EPA-600/3-77-083.
- Fujita, M., Takabatake, E. & Iwasaki, K. 1976. Effects of light magnesium and cyanide on accumulation of mercury by freshwater diatom, *Synedra*. Bull. Environ. Contam. Toxicol. 16(2): 164–172.
- Fujiya, M. 1961. Effects of kraft pulp mill wastes on fish. J. Water Pollut. Control Feder. 33: 968–977.
- Fukuda, K., Takemoto, K. & Tsuruta, H. 1983. Inhalation carcinogenicity of trichloroethylene in mice and rats. Industrial Health 21: 243–254.
- Funke, W. 1980. Inorganic pigments. In: Anthropogenic Compounds, Springer-Verlag.
- Furmanska, M. 1979. Studies of the effect of copper, zinc, and iron on the biotic components of aquatic ecosystems. Pol. Arch. Hydrobiol. 26: 213.
- Furst, A. & Haro, R.T. 1969. A survey of metal carcinogenesis. Progr. Exp. Tumor. Res. 12: 102–133.
- Furukawa, K., Tonomura, K. & Kamibayashi, A. 1978. Effects of chlorine substitution on the biodegradability of polychlorinated biphenyls. Applied and Environmental Microbiology: 223–227.
- Furukawa, T & Brindley, G. W. 1973. Clays Clay Miner 21: 279-88.
- Fusey, P., Lampin, M.F. & Dudot, J. 1975. Recherches sur l'elimination des hydrocarbures par voie biologique. Material und Organismen 10(2).
- Förling, L. & Lindman, U. 1978. Effects of Clophen A50, 4,2,5,2,5- tetra- and 2,4,5,2,4,5-hexachlorobiphenyl on the mixed function oxidase system of rainbow trout (*Salmo gairdneri* Rich.) liver. Comp. Biochem. Physiol. 60C: 193–197.
- Förling, L. 1980. Effects of Clophen A50, 3-methylcholantrene, pregnenolone-16-carbonitrile and phenobarbital on the hepatic microsomal cytochrome P-450 dependent monooxygenase system in rainbow trout of different age and sex. Toxicol. Appl. Parhacol. 54: 420–430.
- Gaeb, S. et al. 1977. Nature 270: 331–333.

- Gaffney, P.E. 1976. Carpet and rug industry case study II: biological effects. *J. Water Poll. Control Fed.* 48: 2731-2737.
- Gaffney, J. S. et al. 1987. *Environ. Sci Technol.* 21: 519-524.
- Gaino, E., Arillo, A. & Mensi, P. 1984. Involvement of the gill chloride cells of trout under acute nitrite intoxication. *Comp. Biochem. Physiol.* 77A: 611-617.
- Galassi, S. et al. 1988. Approaches to modeling toxic responses of aquatic organisms to aromatic hydrocarbons. *Ecotoxicol. Environ. Saf.* 16: 158.
- Gallgher, A. & Vanden Born, W.H. 1976. Tolerance of creeping red fescue and timothy to herbicides used to control Canada thistle. *Can. J. Plant Sci.* 56(2): 331-338.
- Gamberale, F., Annwall, G. & Hultengren, M. 1978. Exposure to xylene and ethylbenzene. III. Effects on central nervous functions. *Scandinavian Journal of Work Environment and Health* 4: 204-211.
- Garcia, C.R., Geller, I. & Kaplan, H.L. 1978. Effects of ketones on leverpressing behavior of rats. *Proceedings of the Western Pharmacological Society* 21: 433-438.
- Gardner, G.R. & Yevich, P.P. 1970. Histological and haematological responses of an estuarine teleost to cadmium. *J. Fish. Res. Bd. Can.* 27: 2185-2196.
- Gardner, W.S., Lee, R.F., Tenore, K.R. & Smith, L. 1979. Degradation of selected polycyclic aromatic hydrocarbons in coastal sediment. *Water, Air and Soil Pollut.* 11: 339-347.
- Garrett, J.T. & Dougherty, F.M. 1951. Toxicity levels of hydrocyanic acid and some industrial products. *Texas J. Sci.* 3: 391 -396.
- Garrett, W.R. Jr. 1983. Toxic effects of nitrite on channel catfish. PB 83246934 NTIS, U.S. Dept. Commerce. Springfield. Va.
- Gazdzyauskaite, I.B. 1971b. Effect of the effluents from the Sovetsk and Neman sulfite pulp and paper mills on the fertility of Pontogammarus robustraides (Grimm) sars. *Rybokhoz. Izuch. Vnutr. Vodoemov No.* 61:29-31. (Ab. *Bull. Inst. Paper Chem.* 43: 3026).
- Gazdzyauskaite, I.B. 1971a. Effect of effluents from the sovetsk and Neman mills on the biology of Pantogammarus robustroides. (1) Vitality. (2) Respiration intensity. *Liet. TSR Mokslu Akad. Darbai Ser. C No.* 2: 93-107, 109-116. (Ab. *Bull. Inst. Paper Chem.* 43:10694).
- Geen, G.H., McKeown, B.A. & Oloffs, P.C. 1984. Acephate in rainbow trout (*Salmo gairdneri*): acute toxicity, uptake, elimination. *J. Environ. Sci. Health* B19: 131-155.
- Geiger, D. L. et al. 1989. Acute toxicities of organic chemicals to fathead minnows, Vol. I + II, Superior, Wisconsin, 1984/85, cited in Protic and Sabljic, *Aquatic Toxicol.* 14: 47-64.
- Geiger, D.L. et al. 1988. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*); Vol. 4. Center for Lake Superior Environ. Stud., Univ. Wisconsin, Superior, Wis., 355.
- Geiger, D. L. et al. 1990. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*) Vol 5. Center for Lake Superior Environmental Studies, University of Winsconsin-Superior, Winconsin, U.S.A. 332.
- Geiger, D. L. et al. 1985. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*) Vol. 2. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Winconsin, U.S.A. 326.
- Geiger, D. L. et al. 1986. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*) Vol. 3. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Winconsin, U.S.A., 328.
- Geike, F. & Parasher, C.D. 1976. Effect of hexachlorobenzene on some growth parameters of *Chlorella pyrenoidosa*. *Bull. Environ. Contam. Toxicol.* 15(6): 670-677.
- Geissbühler, H., Martin, H. & Voss, G. 1975. The substituted ureas. In: Kearney, P.C. & Kaufmann, D.D. (Eds.) *Herbicides: Chemistry, Degradation and Mode of Action*, Vol. 1, Second Edition, Marcel Dekker, Inc., New York, Basel, pp. 209-291.
- Geller, A. 1983. Mikrobiologie und Papierfabrikation-VerpackungsRundschau 34(1): 1-6.

- GEMS. 1987. Graphical Exposure Modeling System. PCCHEM. USEPA.
- GEMS. 1987. Graphical Exposure Modeling System. CLOGP. USEPA Hose, J. E. & Lightner, D. V. 1980. Aquaculture 21: 197–201.
- GEMS; 1986 -. Graphical Exposure Modeling System. FAP. Fate of Atmos Pollut.
- Generoso, W.M., Cain, K.T., Krishna. M., Shen, C.W. & Gryder, R.M. 1980. Heritable translocation and dominant-lethal mutation induction with ethylene oxide in mice. Mutat. Res. 73: 133–142.
- Genter, R.B. et al. 1988. Changes in epilithic communities due to individual and combined treatments of zinc and snail grazing in stream mesocosms. Toxicol. Ind. Health 4: 185.
- Genter, R.B. et al. 1987. Algal-periphyton population and community changes from zinc stress in stream mesocosms. Hydrobiologia 153: 261.
- George, C.J. 1977. The implication of neuroendocrine mechanism in the regulation of population character. Fisherrie 2: 14–19.
- Gerarde, H.W. 1960. Toxicology and biochemistry of aromatic hydrocarbons. Elsevier, Elsevier Monographs.
- Gerike, P. & Fischer, W. K. 1979. Ecotox. Environ. Safety 3:159-73.
- Gerner-Smidt, P. & Friedrich, U. 1978. The mutagenic effect of benzene, toluene and xylene studied by the SCE technique. Mutation Research 58: 313–316.
- Gersich, F.M., Mendoza, C.G., Hopkins, C.L. & Bodner, K.M. 1984. Acute and chronic toxicity of triclopyr triethylamine salt to *Daphnia magna* Straus. Bull. Environ. Contam. Toxicol. Vol. 32: 497–502.
- Gersich, F.M. 1984. Evaluation of a static renewal chronic toxicity test method for *Daphnia magna* Straus using boric acid. Environ. Toxicol. Chem. 89–94.
- Gersich, F.M. & Milazzo, D.P. 1988. Chronic toxicity of Aniline and 2,4-Dichlorophenol to *Daphnia magna* Straus. Bull. Environ. Contam. Toxicol. 40: 1.
- Gersich, F.M., Hopkins, D.L. & Milazzo, D.P. 1985. Acute and chronic toxicity of technical picloram (4-amino-3,5,6-trichloropicolinic acid) to *Daphnia magna* Straus. Bull. Environ. Contam. Toxicol. 35: 121–126.
- Gessner, P.K., Parke, D.V. & Williams, R.T. 1961. The metabolism of 14C-labelled ethylene glycol. Biochem. J. 79: 482–489.
- Geyer, H., Politzki, G. & Freitag, D. 1984. Prediction of ecotoxicological behaviour of chemicals: Relationship between n-octanol/water partition coefficient and bioaccumulation of organic chemicals by alga Chlorella. Chemosphere 13: 269.
- Geyer, H. Scheunert, I. & Korte, F. 1985. The effects of organic environmental chemicals on the growth of the alga *Scenedesmus subspicatus*: A contribution to Environmental Biology. Chemosphere 14: 1355.
- Geyer, H., Sheehan, P., Kotzias, D., Freitag, D. and Korte, F. 1982. Chemosphere 11: 1121–1134.
- Geyer, H. J., Scheunert, I. and Korte, F. 1987. Chemosphere 16: 239–252.
- Ghantous, H., Danielsson, B.R.G., Dencker, L., Gorczak, J. & Vesterberg, O. 1986. Trichloroacetic acid accumulates in murine amniotic fluid after tri-and tetrachloroethylene inhalation. Acta Pharmacologica et Toxicologica 58: 105–114.
- Ghisalba, O. 1983. Chemical wastes and their biodegradation—an overview. Experimentia 39: 1247–1257.
- Ghosh, T.K. 1986. Effect of dimethoate on tissue glycogen content of some freshwater fishes. Environ. Ecol. 4: 554.
- Ghosh, T.K. & Chatterjee, S.K. 1987. Effect of Aldrin on some hematological variables of a freshwater fish *Sarotherodon mossambicus*. Aquat. Sci. Fish. Abstr. 17: 1071.
- Giam, C.S., Atlas, E., Powers, M.A. & Leonard, J.E. 1984. Phthalatic acid esters. In: Hutzinger, O. (Ed.) Handbook of Environmental Chemistry, Springer-Verlag, Vol.3, Part C, p.67.
- Giam, C. S. et al. 1980. Atmos. Environ. 14: 65–69.

- Giannopolitis, C.N. 1982. Abnormal roots and increased linuron phytotoxicity in seed onions following sublethal applications of MCPA. *Zizaniologia* 1(1): 29–32.
- Giannopolitis, C.N. 1979. Inhibition of seed germination and early stem elongation of *Cuscuta australis* by ethofumesate. *Weed Research* 19(2): 95–100.
- Giattina, J.D., et al. 1982. Avoidance of copper and nickel by rainbow trout as monitored by a computer-based data acquisition system. *Trans. Am. Fish. Soc.* 111: 491.
- Gibson, D. T. et al. 1968. *Biochem.* 7: 2653–2662.
- Gibson, D.T. 1976a. Microbial degradation of polycyclic aromatic hydrocarbons. Department of microbiology, University of Texas at Austin, Texas 78712.
- Gibson, D.T. 1976b. Microbial degradation of carcinogenic hydrocarbons and related compounds. In: *Sources, Effects and Sinks of Hydrocarbons in the Aquatic Environment*, American Institute of Biological Sciences, Washington, D.C., pp. 224–238.
- Gibson, S.A. & Suflita, J.M. 1986. Extrapolation of biodegradation results to groundwater aquifers: reductive dehalogenation of aromatic compounds. *Appl. Environ. Microbiol.* 52: 681–688.
- Giddings, G.A. & Eddlemon, J.M. 1977. *Arch. Environ. Contam. Toxicol.* 6: 491.
- Giger, W., Brunner, P.H. & Schaffner, C. 1984. 4-nonylphenol in sewage sludge: accumulation of toxic metabolites from nonionic surfactants. *Science* 225: 623–625.
- Gilbert, O. L. 1973. The effects of airborne fluorides. *Air Pollution and Lichens*. Athlone Press, London, pp. 176–191.
- Gilderhus, P.A. 1967. Effects of diquat on bluegills and their food organisms, *Progr. Fish-Cult.* 29(2): 67–74.
- Gilderhus, P.A. & Marking, L.L. 1987. Comparative efficacy of 16 anesthetic chemicals on rainbow trout. *N. Am. J. Fish. Manage* 7: 288.
- Giles, M.A. & Klaverkamp, J.F. 1982. The acute toxicity of vanadium and copper to eyed eggs to rainbow trout (*Salmo gairdneri*). *Water Res.* (G.B.) 16: 885.
- Gill, T.S. & Pant, J.C. 1981. Effects of sublethal concentrations of mercury in a Teleost *Puntius conchonius*. Biochemical and haematological responses. *Indian J. Exp. Biol. (Ind.)* 19: 571.
- Gill, T.S. et al. 1988. Branchial pathogenesis in a freshwater fish, *Puntius conchonius* Ham., chronically exposed to sublethal concentrations of cadmium. *Ecotoxicol. Environ. Saf.* 15: 153.
- Gillette, L.A., Miller, D.L. & Redman, H.E. 1952. Appraisal of a chemical waste problem by fish toxicity tests, *Sewage Ind. Wastes* 24(11): 1397–1401.
- Gingericah, W.H. et al. 1988. Effects of cadmium on hatching success, growth, and osteological development of larval brook trout (*Salvelinus fontinalis*) in soft, acidic waters. *Aquat. Toxicol.* 11: 404.
- Giovanella, B.C., Yim, S.O., Stehlin, J.S. & Williams, L.J. Jr. 1972. Brief communications: Development of invasive tumors in the "nude" mouse after injection of cultured human melanoma cells. *J. Natl. Cancer Inst.* 48: 1531–1533.
- Gitchell, A. et al. 1974. *J. Air Pollut. Control Assoc.* 24: 357–361.
- Giudici, M. De M., Migliore, L., Gambardella, C. & Marotta, A. 1988. Effect of chronic exposure to cadmium and copper on *Asellus aquaticus* (L.) (Crustacea, Isopoda). *Hydrobiologia* 157: 265–269.
- Glaser, U., Hochrainer, D., Kloppel, H. & Kuhnen, H. 1985. Low-level chromium VI inhalation effects on alveolar macrophages and immune functions in Wistar rats. *Arch. Toxicol.* 57: 250–256.
- Glaser, Z.R. 1979. Ethylene oxide: toxicology review and field study results of hospital use. *J. environ. Pathol. Toxicol.* 2: 173–208.
- Gledhill, W.E. et al. 1980. An environmental safety assessment of butylbenzylphthalate. *Environm. Sci. & Techn.* 14(3), 301–305.
- Gledhill, W.E. 1978. Microbial degradation of a new detergent builder (CMT) in laboratory activated sludge systems. *Water Res.* 12: 591–597.

- Glickman, A.H. et al. 1981. Elimination and metabolism of permethrin isomers in rainbow trout. *Toxicol. Appl. Pharmacol.* 57: 88.
- Glooschenko, V. & Lott, J.N.A. 1977. *Can. J. Bot.* 55: 2866
- Glooschenko, V. et al. 1979. Bioconcentration of chlordane by the green alga *Scenedesmus quadricauda*. *Bull. Environm. Contam. Toxicol.* 21: 515–520.
- Gluth, G. & Hanke, W. 1984. A comparison of physiological changes in carp, *Cyprinus carpio*. Induced by several pollutants at sublethal concentration-II. The dependency on the temperature. *Comp. Biochem. Physiol. C.* 79: 39.
- Goddard, K.A. et al. 1987. Uptake, toxicity, and distribution of Benzo(a)pyrene and Monooxygenase induction in the topminnows *Poeciliopsis monacha* and *Poeciliopsis lucida*. *Drug Metab. Dispos.* 15: 449.
- Goes, T.R. & Savage, E.P. & Boyd, W.L. 1978. In vitro inhibition of oral viridans streptococci by chlordane. *Arch. Environm. Contam. Toxicol.* 7: 449–456.
- Going, J. et al. 1979. Environ. Monitoring Near Industrial Sites Acrylonitrile. USEPA-560/6-79-003.
- Goksoyr, Y. 1955. The effect of some dithiocarbamyl compounds on the metabolism of fungi. *Physiol. Plantarum* 8: 719–835.
- Goldbach, R.W., van Genderen, H. & Leeuwangh, P. 1976. Hexachlorobutadiene residues in aquatic fauna from surface water fed by the river Rhine. *Sci. Total Environ.* 6: 31–40.
- Goldstein, S.D. 1983. Slime and deposit control in alkaline papermaking systems.—Papermakers Conference, Proceedings of the Technical Association of the Pulp and Paper Industry 1983. Publ. by TAPPI Press.
- Goldstein, J.A., Friesen, M., Linder, R.E. Hickman, P., Hass, J.R. & Bergman, H. 1977. Effects of pentachlorophenol on hepatic drug-metabolizing enzymes and porphyria related to contamination with chlorinated dibenzo-p-dioxins and dibenzofurans. *Biochem. Pharmacol.* (26): 1549–1556.
- Goldstein, J.A., Linko, P., Huckins, J.N. & Stalling, D.L. 1982. Structure-activity relationships of chlorinated benzenes as inducers of different forms of cytochrome P-450 in rat liver. *Chem. Biol. Interact.* 41: 131–139.
- Goldstein, R.M., Mallory, L.M. & Alexander, M. 1985. Reasons for possible failure of inoculation to enhance biodegradation. *Appl. Environ. Microbiol.* 50: 977–983.
- Goodman, L.R., Hansen, D.J., Manning, C.S. & Faas, L.F. 1982. Effects of Kepone on the sheepshead minnow in an entire life cycle toxicity test. *Arch. Environ. Contam. Toxicol.* 11: 335–342.
- Goodman, L.R., Hansen, D.J., Coppage, D.L., Moore J.C. & Matthews, E. 1979. Diazinon: chronic toxicity to, and brain acetylcholinesterase inhibition in, the sheepshead minnow, *Cyprinodon variegatus*. *Trans. Am. Fish. Soc.* 108: 479–488.
- Gopal, K. et al. 1981. The acute toxicity of endosulfan to freshwater organisms. *Toxicol. Lett.* 7: 453.
- Gorbach, S., Knauf, W. 1971. Endosulfan and the environment. Behaviour of residues of endosulfan in water and then effect on organisms which live in water. *Schriftenr Ver Wasser Boden Lufthyg.* Vol. 34: 85–93.
- Gordon, A. S. and Millero, F. J. 1985. *Microb. Ecol.* 11: 289–298.
- Gosset, R. W., Brown, D. A. & Young, D. R. 1983. Predicting the bioaccumulation of organic compounds in marine organisms using octanol/water partition coefficients. *Marine Pollution Bullet* 14(19): 387.
- Gossett, J. M. 1987. *Environ. Sci. Technol.* 21: 202–208.
- Goswami, K.P. & Green, R.E. 1971. Microbial degradation of the herbicide atrazine and its 2-hydroxy analog in submerged soils. *Environm. Sci. & Techn.* 5(5): 426–429.
- Gotham, I.J. & Rhee, G.Y. 1982. Effects of a hexachlorobiphenyl and pentachlorophenol on growth and photosynthesis of phytoplankton. *J. Great Lakes Res.* 8: 328–335.

- Gouda, R.K. et al. 1981. Toxicity of Dimecron, Sevin and Lindex to *Anabas scandens* and heteropneustes fossilis. Comp. Physiol. Ecol. 6: 1970–.
- Goulding, K.H., Connolly, A.K., Ellis, S.W., Fleeman, P. & Kill, R.C. 1984. The effect of DDT(1,1,1-trichloro-2,2-bis(p-chlorophenylethane) on the cellular composition of *Chlorella fusca*. Environ.Pollut. 34A (1): 23–35.
- Govers, H. et al. 1984. Quantitative structure-activity relationships for polycyclic aromatic hydrocarbons: correlation between molecular connectivity, physicochemical properties, bioconcentration and toxicity in *Daphnia pulex*. Chemosphere 13: 227.
- Govers, H. et al. 1986. Experimental determination and prediction of partition coefficients of thioureas and their toxicity to *Photobacterium phosphoreum*. Chemosphere 15: 383.
- Grabowski, Z. R. 1961. Z. Physik. Chem. 27: 239–252.
- Gradom, L. et al. 1976. Toxicity of altosid to the crustacean *Gammarus aequicauda*. Mosquito News, 36: 294.
- Graedel, T. E. et al. 1986. Atmospheric chemical compounds sources, occurrence and bioassay. Orlando, F. L.: Academic Press p. 345
- Graedel, T. E. 1978. Chemical Compounds in the Atmosphere Academic Press New York p. 76.
- Graf, W. & Nowak, W. 1966. Promotion of growth in lower and higher plants by carcinogenic polycyclic aromatics. Arch. Hyg. (Berlin) 150: 513–528 (German).
- Graham, A.B. & Wood, G.C. 1972. Studies of the activation of UDP-glucuronocyltransferase. Biochem. Biophys. Acta 276: 392.
- Grammo, Å. 1980. Lägesrapport. Projektet "Karakterisering av industriella avloppsvatten". Nordforsk.
- Grande, M. 1964. Water pollution studies in the river Otra, Norway—effects of pulp and paper mill wastes on fish. Int. J. Air Wat.Pollut. 8: 77–88.
- Grande, M. 1978. Toksitettstester med fisk. En general översikt. Toksitettstester. Nordforsk. Miljövårdssekretariatet publikation 2. p. 213–224.
- Grande, M. & Andersen, S. 1980. The effect of cadmium on Atlantic salmon (*Salmo salar* L.). Aarb. Norsk. Inst. Vannforsk. (Nor.), 1978. 21 (1979); Aquatic Sci. & Fish, Abs, 10: 9096–1Q10.
- Grandes, A.E. & Sagrado, E.A. 1988. The susceptibility of mosquitoes to insecticides in Salamanca province, Spain. J. Am. Mosq. Control Assoc. 4: 168.
- Grandjean, P. & Nielsen, T. 1979. Organolead compounds: Environmental health aspects. Residue Rev. 72: 97–148.
- Graney, R.L. et al. 1987. The effect of short-term exposure to pentachlorophenol and osmotic stress on the free amino acid pool of the freshwater amphipod *Gammarus pseudolimnaeus* Bousfield. Arch. Environ. Contam. Toxicol. 16: 167.
- Granmo, Å. 1972. Development and growth of eggs and larvae of *Mytilus edulis* exposed to a linear dodecylbenzene sulphonate, LAS. Mar.Biol. 15: 356–358.
- Granmo, Å., Ekelund, R., Magnusson, K. & Berggren, M. 1989. Lethal and sublethal toxicity of 4-nonylphenol to the common mussel (*Mytilus edulis* L.). To be published in Environmental Pollution.
- Granmo, Å., Kvist, E., Mannheimer, J., Renberg, L., Rosengardten, A.-L. & Solyom, P. 1986. Miljöegenskaper hos några utvalda typer av tensider. SNV Rapport 3024, Statens naturvårdsverk, Solna.
- Grasselli, J. & Ritchey, W. 1975. Atlas of Spectral Data and Physical Constants for Organic Compounds 2nd ed Vol 6 The chemical Rubber Co.
- Graveel, J. G. et al. 1986. J. Environ. Qual. 15: 53-9.
- Gray, C. & Knowles. C.O. 1980. Uptake of Propamocarb fungicide by bluegills and channel catfish. Chemosphere 9: 329.

- Green, F.A. & Neff, J.M. 1977. Toxicity, accumulation, and release of three polychlorinated naphthalenes (Halowax 1000, 1013, and 1099) in postlarval and adult grass shrimp, *Palaemonetes pugio*. Bull. Environm. Contam. Toxicol. 17: 399.
- Green, D.W.J. et al. 1986. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates. 4. Lindane (gamma-hexachlorocyclohexane). Arch. Hydrobiol. 106: 263.
- Green, J. C. et al. 1985. A comparison of three microbial assay procedures for measuring toxicity of chemical residues. Arch. Environ. Contam. Toxicol. 14: 659.
- Green, W. J. et al. J. Water Pollut. Control Fed. 53: 1347–1354.
- Gregg, B.C. & Heath, A.G. 1975. A method for intermittent chlorine dosing in continuous-flow toxicity tests. Bull. Environ. Contam. Toxicol. 13: 588–592.
- Greim, H., Bonse, G., Radwan, Z., Reichert, D. & Henschler, D. 1975. Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. Biochemical Pharmacology 24: 2013–2017.
- Grieco, M.P. et al. 1978. Carcinogenicity and acute toxicity of dimethylnitrosoamine in rainbow trout (*Salmo gairdneri*). J. Natl. Cancer Inst. 60: 1127.
- Groenewegen, D. & Stolp, H. 1976. Microbial breakdown of polycyclic aromatic hydrocarbons. Tbl. Bakt. Hyg. I Act. B162: 225.
- Gross, P. M. & Saylor, J. H. 1931. J. Am. Chem. Soc. 53: 1744.
- Groth, E. 1975. Fluoride pollution. Environment 17: 29–38.
- Grothe, C.R. & Eaton, J.W. 1975. Chlorine-induced mortality in fish. Trans. Amer. Fish. Soc. 104: 800–802.
- Grove, J.R. Investigation into the formation and behaviour of aqueous solutions of lead alkyls. The Associated Octel Co. Ltd., P.O. Box 17, Ellesmere Port, S. Wirral, Cheshire L65 4HF, U.K.
- Gruger, E.H., Jr., Hruby, T. & Karrick, N.L. 1976. Sublethal effects of structurally related tetrachloro-, pentachloro-, and hexachlorobiphenyl on juvenile coho salmon. Environ. Sci. Technol. 10: 1033–1037.
- Grunow, W. & Altmann, H.J. 1982. Toxicokinetics of chloroethanol in the rat after single oral administration. Arch. Toxicol. 49: 275–284.
- Guenzi, W.D. & Beard, W.D. 1968. Anaerobic conversion of DDT to DDD and aerobic stability in soil. Proc. Soil Sci. Soc. Amer. 32: 522–534.
- Guide to chemical warfare, Version 2.1. 1992. Chemical Data Agent Report. Helsinki University, Orgchem.
- Gukasyan, Z.G., Barysheva, K.F., Saakyan, O.A. & Arustamyan, R.K. 1979. Nauch. Soobshch. N.-I. Proekt, In-t Tsvet. Metalurgii. Armniprotsvetmet, 21: 18–21.
- Gunkel, G. & Streit, B. 1980. Mechanism of bioaccumulation of a herbicide (atrazine, s-triazine) in a freshwater mollusc (*Ancylus fluviatilis* Müll.) and a fish (*Coregonus fera* J.). Water. Res. 14: 1573–1584.
- Gunkel, G. 1981. Bioaccumulation of a herbicide (atrazine, s-triazine) in the whitefish (*Coregonus fera* J.): Uptake and distribution of the residue in fish. Arch. Hydrobiol. Suppl. 59 (2/3): 252–287.
- Gupta, P.K. et al. 1984. Acute toxicity of antimycin A, Bayer 73 and 3-trifluoromethyl-4-nitrophenol to a freshwater teleost *Lebistes reticulatus* (Peters). Arch. Hydrobiol. (Ger.) 101: 601.
- Gupta, P.K., Mujundar, V.S. & Rao, P.S. 1984. Studies on the toxicity of some insecticides to a freshwater teleost *Lebistes reticulatus* (Peters). Acta Hydrochim. Hydrobiol. 12: 629–636.
- Gupta, S.P. et al. 1979. Studies on the toxicity of few pesticides on *Colisa fasciatus* and *Notopterus notopterus* with reference to histopathology and histochemistry. Part 1. Bioassay studies Acta Hydrochim. Hydrobiol. 7: 223.
- Gupta, S. et al. 1982c. Toxicity of phenolic compounds in relation to the size of a freshwater fish, *Notopterus notopterus* (Pallas). Ecotoxicol Environ. Safety 6: 433.

- Gupta, P.K. et al. 1982b. Toxicity of phenol, pentachlorophenol and sodium pentachlorophenolate to a freshwater teleost *Lebistes reticulatus* (Peters). *Acta Hydrochim. Hydrobiol.* 10: 177.
- Gupta, P.K. & Rao, P.S. 1982. Toxicity of phenol, pentachlorophenol and sodium pentachlorophenolate to a freshwater pulmonate snail *Lymnaea acuminata* (Lamarck). *Arch. Hydrobiol. (Ger.)* 94: 210.
- Gupta, P.K. 1983. Acute toxicity of pentachlorophenol to a freshwater teleost, *Rasbora daniconius neilgheriensis* (Hamilton). *Arch. Hydrobiol. (Ger.)* 98: 127.
- Gupta, S. 1987. Physiological stress induced by sublethal concentrations of phenolic compounds in *Notopterus notopterus*: measurement of hydrolytic enzymes. *Environ. Res.* 42: 304.
- Gupta, U.C. 1973. Plant and Soil 39: 413–421. In: Bartuska, A.M. & Ungar, I.A. 1980.
- Gustafsson, K. 1980. Biological effects of industrial effluents on aquatic organisms. Summary of preliminary results 1979-80. SNV-project 7-736/79.—Effects on cellulosa decomposing bakteria. Lägesrapport. Nordforsk.
- Gustafsson, K. 1978. Aquatic heterotrophic microorganisms. In: An annotated literature survey of methods for determination of effects and fate of pollutants in aquatic environments. Blanck, H., Dave, G. & Gustafsson, K. (eds.). SNV PM 1050. Solna. pp. 327–398.
- Gutermann, W.H. & Lisk, D.J. 1975. Flame retardant release from fabrics during laundering and their toxicity to fish. *Bull. Environ. Contam. Toxicol.* 14: 61–64.
- Guthrie, M.A., Kirsch, E.J., Wukasch, R.F. & Grady, C.P.L. 1984. Pentachlorophenol biodegradation—II. *Water Res.* 18: 451–461.
- Gutzmer, M.P. & Tomasso, J.R. 1985. Nitrite toxicity to the crayfish *Procambarus clarkii*. *Bull. Environ. Contam. Toxicol.* 34: 369–376.
- Gäb, S., Nitz, S., Parlar, H. & Karte, F. 1975. Photomineralisation of certain aromatic xenobiotica. *Chemosphere* 4: 251–256.
- Göran, D., Andersson, K., Berglind, R. & Hasselrot B. 1981. Toxicity of eight solvent extraction chemicals and of cadmium to water fleas, *Daphnia magna*, rainbow trout, *Salmo gairdneri*, and zebrafish, *Brachydanio rerio*. *Comp. Biochem. Physiol.* Vol. 69C: 69–83.
- Hackett, P.L., Brown, M.G., Buschbom, R.L., Clark, M.L., Miller, R.A., Music, R.L., Rowe, S.E., Schirmer, R.E. & Sikov, M.R. 1982. Teratogenic study of ethylene and propylene oxide and N-butyl acetate. Richland, Washington, Batelle Pacific Northwest Laboratories (Report No. PB 83-258038).
- Haddow, B.C. et al. 1974. Proc. British Weed Control Conf., 12th Brighton, England, 239.
- Hagan, E. C. & Radomski, J. L. 1953. The toxicity of 3-(acetylbenzyl)-4-hydroxycoumarin (warfarin) to laboratory animals. *J. Am. Pharm. Assoc.* Vol 42 No 6: 379–382.
- Haider, K. & Jagnow, G. 1975. Degradation of 14C, 3H and 36Cl labelled gamma-hexachlorocyclohexane by anaerobic soil microorganisms. *Arch. Mikrobiol. (Ger.)* 104: 113.
- Haider, K. et al. 1974. *Arch. Microbiol.* 96: 183–200.
- Halbach, U., Siebert, M., Westermayer, M. & Wissel, C. 1983. Population ecology of rotifers as a bioassay tool for ecotoxicological tests in aquatic environments. *Ecotoxicol. Environ. Safety* 7: 484.
- Hale, J.G. 1977. Toxicity of metal mining wastes. *Bull. Environ. Contam. Toxicol.* 17: 66.
- Haley, T.J. 1975. Benzidine revisited: A review of the literature and problems associated with the use of benzidine and its congeners. *Clin. Toxicol.* 8: 13–42.
- Hall, L.H. & Kier, L.B. 1984. Molecular connectivity of phenols and their toxicity to fish. *Bull. Environm. Contam. Toxicol.* 32(3): 354–362.
- Hall, L.H. et al. 1984. Structure-activity relationship studies on the toxicities of benzene derivatives. 1. An Additivity model. *Environ. Toxicol. Chem.* 3: 355.
- Hall, L.H. and Kier L. B. 1986. Structure-activity relationship studies on the toxicities of benzene derivates: II. An analysis of benzene substituent effects on toxicity. *Environ. Tox. Chem.* 5: 333–337.

- Hall, R.L. & Oser, B.L. 1965. Recent progress in the consideration of flavouring ingredients under the food additives amendment. III. Gras substances. *Food Technol.*, 151.
- Hall, W.S. et al. 1986. Effects of suspended solids on the acute toxicity of zinc to *Daphnia magna* and *Pimephales promelas*. *Water Resour. Bull.* 22: 913.
- Haller, H.D. 1978. Degradation of mono-substituted benzoates and phenols by wastewater. *JWPCF December*: 2771–2777.
- Halme, E. 1950. Die Abwasserfrage der Zellstoffwerke im Lichte einiger Fischtoxikologischen Versuche. *Vanamo* 13(7).
- Halter, M.T. & Johnson, H.E. 1974. Acute toxicity of a polychlorinated biphenyl (PCB) and DDT alone and in combination to early stages of coho salmon (*Oncorhynchus kisutch*).—*J. Fish. Res. Bd. Canada* 31: 1543–1547.
- Halter, M.T. et al. 1980. Selenium toxicity to *Daphnia magna*, *Hyalella azteca*, and the fathead minnow in hard water. *Bull. Environ. Contam. Toxicol.* 24: 102.
- Hamburger, B. 1979. German experience with the Japanese fish accumulation test. *Ecotox. Environ. Safety* 4: 17–20.
- Hameed, P.S. & Vadmalai, P. 1986. Effect of sublethal concentrations of dimethoate EC 30 on feeding, growth, oxygen consumption and activity in *Macrones keletius* (Dumeril). *J. Environ. Biol.* 7: 277.
- Hamilton, S.J. et al. 1981. Mechanical properties of bone in channel catfish as affected by vitamin C and toxaphene. *Trans. Am. Fish. Soc.* 110: 718.
- Hamilton, R.W., Buttner, J.K. & Bronetti, R.G. 1975. Lethal levels of sodium chlorine and potassium chloride for an Oligochaete, *Oligochaeta naididae* a Chironomid midge, Diptera chironomidae and caddisfly Trichoptera hydroptilidae of lake Michigan. *Environ. Entomol.* 4(6): 1003–1006.
- Hamilton, P.B. et al. 1987. The impact of atrazine on lake periphyton communities, including carbon uptake dynamics using track autoradiography. *Environ. Pollut.* 46: 83.
- Hammers, W. E., Meurs, G. J. and Deligny, C. L. 1982. *J. Chromatogr.* 247: 1–13.
- Hammerton, J.L. 1974. Experiment with *Cyperus rotundus* L.I. Growth and development and effects of 2,4-D and paraquat. *Weed Research* 14(6): 365–369.
- Hammerton, C. 1955. *J. Appl. Chem.* 5: 517–524.
- Hampson, R. F. 1980. Chemical kinetic and photochemical data sheets for atmospheric reactions. FAA-EE-80-17.
- Han, J.C.Y. 1979. Residue studies with (14C) fosamine ammonium in channel catfish. *J. Toxicol. Environ. Health.* 5: 957.
- Hanai, T., Tran, C. and Hubert, J. 1981. *J. HRC & CC* 4: 454–460.
- Hanazato, T. & Yasuno, M. 1987. Effects of a carbamate insecticide, carbaryl, on the summer phyto- and zooplankton communities in ponds. *Environ. Pollut.* 48: 145.
- Hanks, K.S. 1976. Toxicity of some chemical therapeutics to the commercial shrimps on *Penaeus californiensis*. *Aquaculture* 7: 293.
- Hansch, C and Leo, A. J. 1985. Medchem Project Issue No 26. Claremont C.A. Pomona College.
- Hansch, C. & Leo, A. 1979. *Substituent Constant for Correlation Analysis in Chemistry and Biology*. Wiley: New York.
- HanseHannan, P.J. & Patouillet, C. 1979. Algal toxicity test and evaluation of adsorption effects. *J. Water Poll. Control. Fed.* 51: 834.
- Hansen, S.R. & Garton, R.R. 1982. Ability of standard toxicity tests to predict the effects of the insecticide Diflubenzuron on laboratory stream communities. *Can. J. Fish. Aquat. Sci.* 39: 1213.
- Hansen, D.J., Schimmel, S.D. & Forester, J. 1977a. Endrin: Effects on entire life cycle of a saltwater fish (sheepshead minnow). *J. Ecol. Environ. Health* 3: 721–733.
- Hansen, D.J., Goodman L.R. & Wilson, A.J. 1977b. Kepone: chronic effects on embryo, fry, juvenile and adult sheepshead minnow. *Chesapeake Sci.* 18: 227–232.

- Hansson, T., Rafter, J. & Gustafsson, J.-Å. 1980. Effects of some common inducers of the hepatic microsomal metabolism of androstenedione in rainbow trout with special reference to cytochrome P-450-dependent enzymes. *Biochem. Pharmacol.* 29: 583–587.
- Hanstveit, A.O. & Oldersma, H. 1981. Evaluation of the results of the second ISO-interlaboratory study with an algal toxicity test. *Int. Stand. Org. ISO/TC/147: SC 5, W65N43*, 32 pp.
- Hanumante, M.M. & Kulkarni S.S. 1979. Acute toxicity of two molluscicides, mercuric chloride and pentachlorophenol to a freshwater fish (*Channa gachua*). *Bull. Environ. Contam. Toxicol.* 23: 725.
- Harada, A. 1990. Kanazawa Daigaku Juzen Igakkai Zasshi. 99(1), 233–247 (Japan) (Chem. Abstr. 144,37308e).
- Hardie, D. W. F. 1964. Chlorocarbons and chlorohydrocarbons: chlorinated paraffins. In: Kirk-Othmer Encycl. Chem. Technol., 2nd. 5. pp. 231–240.
- Harding, L.W. Jr. 1976. Polychlorinated biphenyl inhibition of marine phytoplankton photosynthesis in the Northern Adriatic Sea. *Bull. Environ. Contam. Toxicol.* 16: 559–566.
- Hardy, J. T. et al. 1985. *Environ. Toxicol. Chem.* 4: 29–35.
- Hargrave, B.T. 1975. Stability in structure and function on the mud-water interface. *Verh. Int. Ver. Limnol.* 19: 1073–1079.
- Harju-Jeanty, P. & Väätänen, P. 1984. Detimental microorganisms in paper and cardboard mills. *Paperi-ja puu* 3: 245–251, 259.
- Harkov, R. et al. 1985. *J. Environ. Sci. Health A20*: 491–501.
- Harper, H.A. 1971. Review of physiological chemistry. Lange Medical Publications, Los Altos, California.
- Harper, C., Drew, R.T. & Fouts, J.R. 1974. Benzene and p-xylene: A comparison of inhalation toxicities and in vitro hydroxylations. In: Jollow, O.J., Kocsis, J.J., Snyder, R. & Vainio, H. (eds.), *Biological reactive intermediates: formation, toxicity, and inactivation*. New York, Plenum Press, pp. 302–311.
- Harras, M.C., Kindig, A.C. & Taub F.B. 1985: Responses of bluegreen and green algae to streptomycin in unialgal and paired culture. *Aquat. Toxicol.* 6: 1-11.
- Harris, R.C., Hultman, E. & Nordesjö, L.O. 1974. Glykogen, glycolytic intermediates and high-energy phosphates determined in biopsy samples of *musculus quadriceps femoris* in man at rest. Methods and variance of values. *Scand. J. Clin. Lab. Invest.* 33: 109–120.
- Harris, G. W. et al. 1981. *Chem. Phys. Lett.* 80: 479–83.
- Harrison, S.E., Williel., W.R., Pessah, E., Loch, J., MacLeod, J.C. & Klaverkamp, J.F. 1976. A modular system for aquatic toxicity studies. *Fish. Mar. Serv. Res. Dev. Tech. Rep.* No. 592. 15 pp.
- Harrison, J.E., Watson, B.D. & Schultz, 1978. Myeloperoxidase and singlet oxygen: a reappraisal. *FEBS Lett.* 92: 327–332.
- Harrison, S.E. 1975. Factors influencing the acute toxicity of copper sulphate to rainbow trout. *Fish. Mar. Serv. Res. Dev. Tech. Rep.* 573: 6 pp.
- Harrison, R.M. & Laxen, D.P.H. 1978. Sink processes for tetraalkyllead compounds in the atmosphere. *Environ. Sci. Technol.* 12: 1384–1392.
- Hartwell, J. 1951. Survey of compounds which have been tested for carcinogenic activity. 2nd ed., National Cancer Institute U.S. Public Health Service, Washington D.C.
- Harvey, J. et al. 1978. *J. Agric. Food Chem.* 26, 902–910.
- Hashimoto, Y. & Nishiuchi Y. 1981. Establishment of bioassay methods for the evaluation of acute toxicity of pesticides to aquatic organisms. *J. Pestic. Sci. (Jap.)* 6: 257.
- Hashimoto, E. et al. 1982. Changes in susceptibility of carp to several pesticides with growth. *J. Pestic. Sci.* 7: 457.
- Hatakeyama, S. 1989. Effect of copper and zinc on the growth and emergence of *Epeorus latifolium* (Ephemeroptera) in an indoor model stream. *Hydrobiologia* 174: 17–27.

- Hatakeyama, S. 1988. Chronic effects of Cu on reproduction of *Polypedilum nubifer* (Chironomidae) through water and food. *Ecotoxicol. Environ. Saf.* 16: 1.
- Hattori, M., Senoo, K., Harada, S., Ishizu, Y. & Goto, M. 1984. The Daphnia reproduction test of some environmental chemicals. *Seitai Kagaku* 6(4): 23–27.
- Hattula, M.L. et al. 1979a. Toxicity of 4-chloro-o-cresol to fish, light microscopy and chemical analysis of the tissue. *Bull. Environ. Contam. Toxicol.* 22: 508.
- Hattula, M.L. 1979. Toxicity of 4-chloro-o-cresol to rat: I. Light microscopy and chemical observations. *Bull. Environm. Contam. Toxicol.* 21: 492–497.
- Hattula, M.L. et al. 1978. The toxicity of MCPA to fish. Light and electron microscopy and the chemical analysis of the tissue. *Bull. Environm. Contam. Toxicol.* 19(4): 465–470.
- Hattula, M-L., Wasenius, V-M., Reunanen, H. & Arstila, A.U. 1981. Acute toxicity of some chlorinated phenols, catechols, and cresols to trout. *Bull. Environ. Contam. Toxicol.* 26: 295–298.
- Hattula, M.L. et al. 1979b. Toxicity of 5-chloro-3-methyl-catechol to rat: Chemical observations and light microscopy of the tissue. *Bull. Environm. Contam. Toxicol.* 22: 457–461.
- Hatzios, K.K. 1982. Effects of sethoxydim on the metabolism of isolated leaf cells of soybean (*Glycine max* (L.) Merr.). *Plant Cell Reports* 1(3): 87–90.
- Haux, C. & Larsson, A. 1984. Long-term sublethal physiological effects on rainbow trout, *Salmo gairdneri*, during exposure to cadmium and after subsequent recovery. *Aquat. Toxicol.* (2): 129–142.
- Haux, C., Larsson, Å., Lidman, U., Förlin, L., Hansson, T. & Johansson-Sjöbeck, M.-L. 1982. Sublethal physiological effects of chlorinated paraffins on the flounder, *Platichthys flesus* L. *Ecotoxicol. Environ. Safety*. 6: 49–59.
- Hawker, D. W. & Connell, D. W. 1985. Relationships between partition coefficient, uptake rate constant, clearance rate constant and time to equilibrium for bioaccumulation. *Chemosphere*, 14(9): 1205–1219.
- Hawkins, P.R. & Griffiths, D.J. 1987. Copper as an algicide in a tropical reservoir. *Water Res.* 21: 475.
- Hawkins, M. D. 1975. *J. Chem. Soc. Perkin. Trans. 2* 75: 282–284.
- Hawley, G. G. 1981. Condensed Chem Dictionary 10 th ed. Van Nostrand Reinhold NY p. 34.
- Haworth, S., Lawlor, T., Mortelmans, K., Speck, W. & Zeiger, E. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environmental Mutagenesis* 5 Suppl 1: 3–142.
- Hayakawa, K. 1972. Microdetermination and dynamic aspects of in vivo alkyl lead compounds. Part II. Studies on the dynamic aspects of alkyl lead compounds in vivo. *Jap. J. Hyg.* 26: 526–535.
- Hayden, J.W., Comstock, E.G. & COmstock, B.S. 1976. The chemical toxicology of solvent abuse. *Clinical Toxicology* 9: 169–184.
- Hazel, C.R. & Meith, S.J. 1970. Bioassay of king salmon eggs and sac fry in copper solutions. *Calif. Fish. Game* 56: 121–124.
- Heagle, A.S., Philbeck, R.B. & Knott, W.M. 1979. Thresholds for injury, growth, and yield loss caused by ozone on field corn hybrids. *Phytopathology* 69(1): 21–26.
- Healy, J. B. Jr & Young, L. Y. 1979. *Appl. Environ. Microbiol.* 38: 84-89.
- Heath, A.G. 1984. Changes in tissue adenylates and water content of bluegill, *Lepomis macrochirus*, exposed to copper. *J. Fish. Biol.* 24: (3): 299–309.
- Heath, A.G. 1987. Effects of waterborne copper or zinc on the osmoregulatory response of bluegill to a hypertonic NaCl challenge. *Comp. Biochem. Physiol.* 88C: 307.
- Hebert, D.N.M. & Shurben, D.S. 1964. The toxicity of fluoride to rainbow trout. *Water and Waste Treatment* 10: 141–142.
- Heckel, E. 1984. Polychlorierte Dioxine und Dibenzofurane—Herstellung, Handhabung, Umweltfragen. *Chem.-Ing.-Tech.* 56: A 390.

- Hedenmark, M. 1987. Metallbearbetningsvätskors miljöfarlighet–en litteraturstudie. SNV Rapport 3077, Statens naturvårdsverk, Solna.
- Hedlund, S.G. & Kiessling, K.H. 1969. The physiological mechanism involved in hangover. I. The oxidation of some lower aliphatic fused alcohols and aldehydes in rat liver and their effect on the mitochondrial oxidation of various substrates. *Acta pharmacol toxicol.* 27: 381–396.
- Hedtke, S.F. & Puglisi, F.A. 1980. Effects of waste oil on the survival and reproduction of the American flagfish. *Jordanella floridae*. *Can. J. Zool.* 37: 757.
- Heer, H. de. 1979. Measurements and computations on the behaviour of the insecticides azinphos-methyl and dimethoate in ditches. *Agricultural research reports.* 1–175.
- Heidelberger, C. 1975. *Annu. Rev. Biochem.* 44: 79–121.
- Heidelberger, C. 1976. Studies on the mechanisms of carcinogenesis by polycyclic aromatic hydrocarbons and their derivatives. In: Freudenthan, R. & Jones, P.W. (Eds.) *Carcinogenesis–A Comprehensive Survey*. Vol. 1. Polynuclear Aromatic Hydrocarbons. Chemistry, Metabolism, And Carcinogenesis, New York: Raven Press, pp. 1–8.
- Heimlich, F. & Nolte, J. 1993. Determination of the pK values of 2,4-dinitrophenol herbicides using UV-spectroscopy. *The Science of the Total Environment* 132:125.
- Heindel, J. J. et al. 1990. *Fundam. Appl. Toxicol.* 15(4), 683–696.
- Heinonen, P., Alhonen, A. & Kettunen, I. 1971. Jäteveden talvisesta kerrostumisesta hitaasti virtaavissa järvi- ja veteissä. *Vesitalous* 3: 42–44.
- Heinonen, P. 1972. Jätevesien vaikutus järvi- ja veteihin rehevöittäjänä. *Vesiensuojelulaitoksen julkaisuja* 5. 11 s.
- Heitmuller, P.T., Hollister, T.A. & Parrish, P.R. 1981. Acute toxicity of 54 industrial chemicals to sheepshead minnows (*Cyprinodon variegatus*). *Bull. Environm. Contam. Toxicol.* 27: 596–604.
- Hejduk, J. & Svobodova, Z. 1980. Acute toxicity of carbamate-based pesticides for fish. *Acta Vet. Brno* (Czech.) 49: 251.
- Heldal, M., Norland, S., Lien, T., Knutsen, G., Tjessem, K. & Aarberg, A. 1984. Toxic responses of the green alga *Dunaliella bioculata* (Chlorophyta, Volvocales) to selected oxidized hydrocarbons. *Environ. Pollut. Ser A* 35(2): 119–132.
- Helder, T. 1981. Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on early life stages of rainbow trout, (*Salmo gairdneri*). *Toxicology* 19: 101–112.
- Helder, T. 1980. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on early life stages of the pike (*Esox lucius*). *Sci. Total Environ.* 14: 255–264.
- Helfgott, T. B. et al. 1977. An Index of Refractory Organics. USEPA-600/2-77-174.
- Helgen, J.C. et al. 1988. Responses of zooplankton and Chaoborus to Temephos in a natural pond and in the laboratory. *Arch. Environ. Contam. Toxicol.* 17: 459.
- Hellman, T.M. & Small, F.H. 1974. Characterization of the odour properties of 101 petrochemicals using sensory methods. *J. Air Pollut. Control Assoc.* 24: 979–982.
- Hellmann, H. 1985. Verhalten von leichtflüchtigen Chlorkohlenwasserstoffen in Fließgewässern. *Z. Wasser-Abwasser-Forsch.* 18: 210.
- Helson, B.V. et al. 1986. The use of bioassays to assess aquatic arthropod mortality from permethrin drift deposits. *Aquat. Toxicol.* 9: 253.
- Helson, B.V. & Surgeoner, G.A. 1986. Efficacy of cypermethrin for the control of mosquito larvae and pupae, and impact on non-target organisms, including fish. *J. Am. Mosq. Control. Assoc.*, 2: 269.
- Hemelraad, J. & Herwig, H.J. 1988. Cadmium kinetics in freshwater clams. IV. Histochemical localization of cadmium in *Anodonta cygnea* and *Anodonta anatina*, exposed to cadmium. *Arch. Environ. Contam. Toxicol.* 17: 333.
- Heming, T.A. & Blumhagen, K.A. 1988. Plasma acid-base and electrolyte states of rainbow trout exposed to Alum (Aluminum sulphate) in acidic and alkaline Environments. *Aquat. Toxicol.* 12: 125.

- Hemphill, L. and Swanson, W. S. 1964. Proc of the 18th Industrial Waste Conf., Eng. Bull Purdue Univ. Lafayette, I. N. 18: 204–217.
- Henderson, V., Fisher, J.W. & D'Allessandris, R. 1981. Toxic and teratogenic effects of hydrazine on fathead minnow (*Pimephales promelas*) embryos. Bull. Environ. Contam. Toxicol. 26: 807–812.
- Henderson, C., Pickering, Q.H. & Lemke, A.E. 1960. The effect of some organic cyanides (nitriles) on fish. Purdue Univ. Eng. Bull. Ext. Ser. 106: 120–30. Lafayette, Ind.
- Henderson, C., Pickering, Q.H. & Tarzwell, C.M. 1959. Relative toxicity of ten chlorinated hydrocarbon insecticides to four species of fish, Trans. Amer. Fish. Soc. 88(1): 23–32.
- Henderson, C. & Pickering, Q.H. 1957. Toxicity of organic phosphorus insecticides to fish. Trans. Amer. Fish. Soc. 87: 39–51.
- Hendry, D. G. & Kenley, R. A. 1979. Atmospheric reaction products of organic compounds. p 20,46 EPA-560/12-79-001.
- Henschler, D., Elsasser, H., Romen, W. & Eder, E. 1984. Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. Journal of Cancer Research and Clinical Oncology 107: 149–156.
- Henschler, D., Romen, W., Elsasser, H.M., Reichert, D., Eder, E. & Radwan, Z. 1980. Carcinogenicity study of trichloroethylene by long-term inhalation in three animal species. Archives of Toxicology 43: 237–248.
- Henschler, D. Toxikologisch-arbeitsmedizinische Begründungen von MAK-werte. Verlag Chemie.
- Herbes, S.E. & Risi, G.F. 1978. Metabolic alteration and excretion of anthracene by *Daphnia pulex*. Bull. Environm. Contam. Toxicol 19(2): 147–155.
- Herbes, S.E. & Beauchamp, J.J. 1977. Toxic interaction of mixtures of two coal conversion effluent components (resorcinol and 6-methylquinoline) to *Daphnia magna*. Bull. Environ. Contam. & Toxicol. 27(1).
- Herbes, S.E. 1981. Rates of microbial transformation of polycyclic aromatic hydrocarbons in pristine and petroleum contaminated sediments. Appl. Environ. Sci. 35: 306–316.
- Herichová, A. 1974. Study of the influence of cobalt on the spiralization of the chromosomes. Acta F. R. N. Univ. Comen.-Physiologia Plantarum IX: 73–77.
- Hermanutz, R.O., Müller L.H. & Kempfert, K.D. 1973. Captan toxicity to fathead minnow, bluegills and brook trout. J. Fish. Res. Board Can. 30: 1811–1817.
- Hermanutz, R.O. 1978. Endrin and Malathion toxicity to flagfish. Arch. Environ. Contam. Toxicol. 7: 159–168.
- Hermanutz, R.O. et al. 1987. Ammonia effects on microinvertebrates and fish in outdoor experimental streams. Environ. Pollut. 47: 249.
- Hermens, J., Canton, H., Steyger, N. & Wegman, R. 1984b. Joint effects of a mixture of 14 chemicals on mortality and inhibition of reproduction of *Daphnia magna*. Aquatic Toxicol. 5: 315–322.
- Hermens, J., Canton, H., Janssen, P. & DeJong, R. 1984a. Quantitative structure-activity relationships and toxicity studies of mixtures of chemicals with anesthetic potency: acute lethal and sublethal toxicity to *Daphnia magna*. Aquat. Toxicol. 5(2): 145–154.
- Hermens, J., Leeuwangh, P. & Musch, A. 1985a. Joint toxicity of mixtures of groups of organic aquatic pollutants to the guppy (*Poecilia reticulata*). Ecotox. Environm. Safety 9: 321–326.
- Hermens, J. & Leeuwangh, P. 1982. Joint toxicity of mixtures of 8 and 24 chemicals to the guppy (*Poecilia reticulata*). Ecotoxicol. Environ. Saf. 6: 302.
- Hermens, J. et al. 1985c. Quantitative structure activity relationships and mixture of toxicity studies of organic chemicals in *Photobacterium phosphoreum*: Microtox test. Ecotox. Environ. Safety 9: 17.
- Hermens, J., Broekhuyzen, E., Canton, H. & Wegman, R. 1985b. Quantitative structure acticity relationships and mixture toxicity studies of alcohols and chlorohydrocarbons: effects on growth of *Daphnia magna*. Aquatic Toxicology 6: 209–217.

- Hersh, C.M. & Crumpton, W.G. 1987. Determination of growth rate depression of some green algae by Atrazine. *Bull. Environ. Contam. Toxicol.* 39:1041.
- Herzberg, A.M. 1986. Accumulation and toxicity of endosulfan in the common carp (*Cyprinus carpio*) and Saint Peter's fish (*Oreochromis aureus*). *Bamidgeh (Isr.)* 38:99.
- Hetland, L.B.; Couri, D. & Abdel-Rahman, M.S. 1976. The influence of inhaled ketone solvent vapours on hepatic microsomal biotransformation activities. *Toxicology and Applied Pharmacology* 37: 111.
- Heukelekian, H. and Rand, M. C. 1955. *J Water Pollut Control Assoc.* 29: 1040–1053.
- Heumann, H.G. 1987. Effects of heavy metals on growth and ultrastructure of *Chara vulgaris*. *Protoplasma* 136: 37.
- Hewett, C.J. & Jeffries, D.F. 1976. The accumulation of radioactive caesium from water by the brown trout (*Salmo trutta*) and its comparison with plaice and rays. *J. Fish. Biol.* 9(6): 479–489.
- Hidaka, H. & Tatsukawa, R. 1986. Variations by sex and body size in the avoidance tests of sodium linear laurylbenzene sulfonate and fenitrothion using a fish, medaka *Oryzias latipes*. *Bull. Jpn. Soc. Sci. Fish.* 52: 1753.
- Hildebrand, L.D. et al. 1982. Experimental studies of rainbow trout populations exposed to field applications of Roundup herbicide. *Arch. Environ. Contam. Toxicol.* 11: 93.
- Hilmy, A.M. et al. 1987b. Some physiological and biochemical indices of zinc toxicity in two freshwater fishes, *Clarias lazera* and *Tilapia zilli*. *Comp. Biochem. Physiol.* 87C: 297.
- Hilmy, A.M. et al. 1987. Toxicity in *Tilapia zilli* and *Clarias lazera* (Pisces) induced by zinc, seasonally. *Comp. Biochem. Physiol.* 86C: 263.
- Hine, C.H. & Rowe, V.K. 1981. Epoxy compounds. In: Patty, S.A. (ed.). *Industrial hygiene and toxicology*. 3rd revised ed., New York, Interscience Publishers, Vol. IIa, p. 2141.
- Hine, J. & Mookerjee, P. K. 1975. *J. Org. Chem.* 40: 292–298.
- Hinton, M.J. & Eversole, A.G. 1980. Toxicity and Tolerance Studies with yellow-phase eels: five chemicals. *Progressive Fish-Culturist.* 42: 201.
- Hinton, M.J. & Eversole, A.G. 1979. Toxicity of ten chemicals commonly used in aquaculture to the black eel stage of the American eel. *Proc. World Maricul. Soc.* 10: 554.
- Hinton, M.J. & Eversole, A.G. 1978. Toxicity of ten commonly used chemicals to American eels. *Proc. Ann. Conf. S.E. Assoc. Fish & Wildl. Agencies.* 32: 599.
- Ho, K.T.Y. & Gloss, S.P. 1987. Distribution and persistence of the lampricide Bayer 73 following a control application. *Can. J. Fish. Aquat. Sci.* 43: 112.
- Hobbs, E.J. et al. 1975. Toxicity of polydimethylsiloxane in certain environmental systems. *Environm. Res.* 10: 397.
- Hoben, H.J., Ching, S.A. & Casarett, L.J. 1976. A study of the inhalation of pentachlorophenol by rats. Part III. Inhalation toxicology study. *Bull. Environ. Contam. Toxicol.* 15: 463–465.
- Hochstein, J.R., Aulerich, R.J. & Bursian, S.J. 1988. Acute toxicity of 2,3,7,8-tetrachloro-dibenzo-p-dioxin to mink. *Arch. Environ. Contam. Toxicol.* 17: 33–37.
- Hockenbury, M.R. & Grady, C.P.L. Jr. 1977. Inhibition of nitrification-effects of selected organic compounds. *JWPCF*, May.
- Hodge, H.C. & Smith, F.A. 1965. *Fluorine Chemistry*, Vol. IV. Academic Press Inc., New York and London.
- Hodson, P.V. 1985. Comparison of acute toxicity in fish, rats and mice. *Journal of applied toxicology* 5(4): 220–226.
- Hodson, P.V. & Sprague, J.B. 1975. Temperature-induced changes in acute toxicity of zinc to Atlantic salmon. *J. Fish. Res. Bd. Can.* 32: 1–10.
- Hodson, P.V. et al. 1980. Effects on rainbow trout (*Salmo gairdneri*) of a chronic exposure to waterborne selenium. *Can. J. Fish. Aquat. Sci.* 37: 233.

- Hodson, P.V. & Blunt, B.R. 1981. Temperature-induced changes in pentachlorophenol chronic toxicity to early life stages of rainbow trout. *Aquat. Toxicol.* 1: 113–127.
- Hodson, P.V., Blunt B.R., Spry, D.J. & Austen, K. 1977. Evaluation of erythrocyte delta-amino levolinic acid dehydratase activity as a short-term indicator in fish of harmful exposure to lead. *J. Fish. Res. Board Can.* 34(4): 501–508.
- Hodson, P.V., Dixon, D.G. & Kaiser, K.L.E. 1984. The measurement of median lethal doses (LD₅₀s) as a rapid indication of contaminant toxicity to fish. *Environ. Toxicol. Chem.* 3: 243–254.
- Hokanson, K.E.F. & Smith, L.L., Jr. 1971. Some factors influencing toxicity of linear alkylate sulfonate (LAS) to the bluegill. *Trans. Amer. Fish. Soc.* 100: 1–12.
- Holck, A.R. & Meek, C.L. 1987. Dose-mortality responses of crawfish and mosquitoes to selected pesticides. *J. Am. Mosq. control. Assoc.* 3: 407.
- Holcombe, G.W., Phipps, G.L., Knuth, M.L. & Felhaber, T. 1984. The acute toxicity of selected substituted phenols, benzenes and benzoic acid esters to fathead minnows *Pimephales promelas*. *Environ. Pollut. (Series A)* 35:367-381.
- Holcombe, G.W., Phipps, G.L. & Fiandt, J.T. 1983. Toxicity of selected priority pollutants to various aquatic organisms. *Ecotoxicol. Environ. Saf.* 8(2): 106–117.
- Holcombe, G.W., Benoit, D.A., Leonard, E.N. & McKim, J.M. 1976. Long-term effects of lead exposure on three generations of brook trout. *J. Fish. Res. Board Can.* 33: 1731–1741.
- Holcombe, G.W. et al. 1982. The acute toxicity of Kelthane, Dursban, Disulfoton, Pydrin, and Permethrin to fathead minnows *Pimephales promelas* and rainbow trout *Salmo gairdneri*. *Environ. Pollut.*, 29A: 167.
- Holcombe, G.W., Phipps, G.L. & Fiandt, J.T. 1982. Effects of phenol, 2,4-dimethylphenol, 2,4-dichlorophenol and pentachlorophenol on embryo, larval and early-juvenile fathead minnows. *Arch. Environ. Contam. Toxicol.* 11: 73–78.
- Holcombe, G.W. et al. 1987. Simultaneous multiple species testing: acute toxicity of 13 chemicals to 12 diverse freshwater amphibian, fish, and invertebrate families. *Arch. Environ. Contam. Toxicol.* 16: 697.
- Holden, A.V. 1973. Effects of pesticides on fish. In: Edwards, G.A. (ed.), *Environmental pollution by pesticides*. Lontoo/New York. pp. 213–253.
- Holder, J.W. & Menzel, H.M. 1988. Analysis of 2,3,7,8-TCDD tumor promotion activity and its relationship to cancer. In: *Dioxin '88. The 8th Int. Symp. on Chlorinated Dioxins and Related Compounds*, Aug. 21–26, 1988, Umeå, Sweden, Final Program and Abstracts, p. 180.
- Holdway, D.A. & Sprague, J.B. 1979. Chronic toxicity of vanadium to flagfish. *Water Res.* 13: 905–910.
- Holland, G.A., Lasaster, J.E., Neumann, E.D. & Eldridge, W.E. 1960. Toxic effects of organic and inorganic pollutants on young salmon and trout. *Res. Bull. No. 5. State of Washington Dep. of Fish.*
- Holliday, R.J. & Putwain, P.D. 1977. Evolution of resistance to simazine in *Senecio vulgaris* L.. *Weed Research* 17(5): 291–296.
- Hollingsworth, R.L., Rowe, V.K., Oyen, F., Hoyle, H.R. & Spencer, H.C. 1956. Toxicity of p-dichlorobenzene. *Arch. Ind. Health* 14: 138–147.
- Hollingsworth, R.L., Rowe, V.K., Oyen, F., McCollister, D.D. & Spencer, H.C. 1956. Toxicity of ethylene oxide determined on experimental animals. *Arch. ind. Health* 13: 217–227.
- Holman, W.F. & Macek, K.J. 1980. An aquatic safety assessment of linear alkylbenzene sulfonate: chronic effects on fathead minnow. *Trans. Am. Fish. Soc.* 109: 122–131.
- Holmberg, E., Jensen, S., Larsson, Å., Lewander, K. & Olsson, M. 1972. Metabolic effects of technical pentachlorophenol (PCP) on the eel *Anguilla anguilla* L. *Comp. Biochem. Physiol.* 43B: 171–183.
- Holmbom, B., Voss, R.H., Mortimer, R.D. & Wong, A. 1981. Isolation and identification of an Ames-mutagenic compound present in kraft chlorination effluents. *TAPPI* 64(3): 172–174.

- Holmbom, B. & Lehtinen, K-J. 1980. Acute toxicity to fish of kraft pulp mill waste waters. *Paperi ja Puu* 62: 673–684.
- Hongslo, J. K. et al. 1990. Mutagenesis 5(5) 475–480.
- Hooper, A. & Terry, K. 1973. Specific inhibitors of ammonia oxidation in *Nitrosomonas*. *J. Bacteriol.* 115: 480.
- Horne, A.J. & Goldman, C.R. 1974. Suppression of nitrogen fixation by blue-green algae in a eutrophic lake with trace additions of copper. *Science* 183: 409–411.
- Horning, W.B. & Neiheisel, T.W. 1979. Chronic effect of copper on the bluntnose minnow (*Pimephales notatus*). *Arch. Environ. Contam. Toxicol.* 8: 545–552.
- Hornshaw, T.C., Aulerich, R.J. & Ringer, R.K. 1987. Toxicity of thiram (tetramethylthiuram disulfide) to mink and European ferret. *Bull. Environ. Contam. Toxicol.* 38: 618–626.
- Horowitz, A., Shelton, D.R., Cornell, C.P. & Tredje, J.M. 1982. Anaerobic degradation of aromatic compounds in sediment and digested sludge. *Dev. Ind. Microbial.* 23: 435–444.
- Horvath, A. L. 1982. Halogenated Hydrocarbons: Solubility–Miscibility with Water. New York, N. Y.: Marcel Dekker, Ins. pp 889.
- Hoss, D.E., Coston, L.C., Baptist, J.P. & Engel, D.W. 1975. Environmental effects of cooling systems at nuclear power plants. *Inter. Atomic Energy Agency, Vienna. IAEA-SM-187/19*, 519–527.
- Hossain, A. & Dutta, H.M. 1986. Acid phosphatase activity in the intestine and caeca of bluegill, exposed to methyl mercuric chloride. *Bull. Environ. Contam. Toxicol.* 36: 460.
- Hou, C. T. et al. 1983. *Appl. Environ. Microbiol.* 46: 171–177.
- Hovious, J.C., Conway, R.A., Ganze, C.W. 1973. Anaerobic lagoon pretreatment of petrochemical wastes. *JWPCF* 45(1).
- Howard, P.H. 1989. *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*. Vol. I: Large Production and Priority Pollutants. Lewis Publishers, Inc. Chelsea. pp 574.
- Howard, P.H. 1990. *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*. Vol. II: Solvents. Lewis Publishers, Inc. Chelsea. pp 546.
- Howard, P.H. 1991. *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*. Vol. III Pesticides. 684 p. Lewis Publishers, Inc.
- Howard, P.H. 1993. *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*. Vol. IV Solvents 2. 578 p. Lewis Publishers Inc.
- Howard, P.H., Boethling, R.S., Jarvis, W.F., Meylan, W.M. & Michalenko, E.M., *Handbook of Environmental Degradation Rates*, 1991. Lewis Publicers, Inc., Chelsea, Michigan, U.S.A., pp. 725
- Howard, P.H. and Durkin, P. R. 1981. Sources of contamination, ambient levels, and fate of benzene in the environment. pp. 65 USEPA-560/5-75-005.
- Howard, P.H. et al. 1985. *Environ. Toxicol. Chem.* 4: 653–661.
- Howard, P.H., Santodonato, J. & Saxena, J. 1975. *Investigations of Selected Potential Environmental Contaminants: Chlorinated Parafins*. EPA-560/2-75-007, Office of Toxic Substances, U.S. Environmental Protection Agency, Washington, D.C., 20460.
- Howard, T.E. 1973. Effects of kraft pulp mill effluent on the swimming stamina, temperature tolerance and respiration of some salmonid fish. Ph. D. Dissertation. Univ. Strathclyde, Glasgow, Scotland. 183p.
- Howard, T.E. 1975. Swimming performance of juvenile coho salmon (*Oncorhynchus kisutch*) exposed to bleached kraft mill effluent. *J. Fish. Res. Bd. Can.* 32: 789–794.
- Howard, T.E. & Leach, J.M. 1973a. Identification and treatment of the toxic materials in mechanical pulping effluents. CPAR Rep. No. 149–1. Canadian Forestry Service, Ottawa, Ontario.
- Howard, T.E. & Leach, J.M. 1973b. Identification and treatment of the toxic materials in pulp and paper woodroom effluents. CPAR Rep. No. 148–1, Canadian Forestry Service, Ottawa, Ontario.

- Howard, T.E. & McLeay, D.J. 1972. Sublethal effects of bleached kraft mill effluents to fish. CPAR Report No. 9-2. Canadian Forestry Service, Ottawa, Ontario.
- Howard, T.E. & Walden, C.C. 1965. Pollution and toxicity characteristics of kraft pulp mill effluents. TAPPI 48: 135–141.
- Howard, T.E. & Walden, C.C. 1971. Effluent characteristics of bleached kraft pulp mills. Pulp Paper Mag. Can. 72: T3–T9.
- Howard, T.E. & Walden, C.C. 1974. Measuring stress in fish exposed to pulp mill effluents. TAPPI 57(2): 133–135.
- Hrudey, S. E. et al. 1987. Environ. Tech. Lett. 8: 65–76.
- HSDB Database 1992 -. Hazardous Substances Data Bank. US. National Library of Medicine. TOMES Plus CD-ROM.
- Huang, C.P., Elliot, H.A. & Ashmead, R.M. 1977. Interfacial reaction and the fate of heavy metals in soil-water systems. J. Water Poll. Contr. Fed. 49: 745–752.
- Hubrich, C. and Stuhl, F. 1980. J. Photochem. 12: 93–107.
- Huda, J. & Svobodova, Z. 1977. Acute toxicity of the acetellic biocide to fish. Aquatic Sci. & Fish. Abs. 7: 7Q10524.
- Hudak, A. & Ungvary, G. 1978. Embryotoxic effects of benzene and its methyl derivatives: toluene, xylene. Toxicology 11: 55–63.
- Huddleston, R. L. et al. 1986. Land treatment biological degradation processes pp 41–61 in Water Resource Symposium 13.
- Hudges, E.O., Gorham, P.R. & Zehnder, A. 1958. Toxicity of a unicellular culture of *Microcystis aeruginosa*. Can. J. Microbiol. 4: 225–236.
- Hudson, R.A., Austerberry, C.F. & Bagshaw, J.C. 1981. Phthalate ester hydrolases and phthalate ester toxicity in synchronously developing larvae of the brine shrimps (*Artemia*). Life Sci. 29(18): 1865–1872.
- Hueck, H.J. 1978. Principles of testing for potential biotic environmental effects of chemicals. Central Laboratorium TNO, Publication P 78/2. Delft.
- Huey, D.W., Beitingier, T.L. & Wooten, M.C. 1984. Nitrite-induced methaemoglobin formation and recovery in channel catfish (*Ictalurus punctatus*) at three acclimation temperatures. Bull. Environ. Contam. Toxicol. 674–681.
- Huges, G.M. & Perry, S.F. 1976. Morphometric study of trout gills: A light microscopic method suitable for the evaluating of pollutant action. J. exp. Biol. 64: 447–460.
- Hughes, J.S. & Davis, J.T. 1963. Variation in toxicity to bluegill sunfish of phenoxy herbicides. Weeds 11(1): 50–53.
- Hughes, G.K. & Adeney, R.J. 1977. The effects of zinc on the cardiac and ventilatory rhythms of rainbow trout (*Salmo gairdneri*, Richardson) and their responses to environmental hypoxia. Water Res. 11: 1069–1077.
- Hughes, J.S. & Davis, J.T. 1964. Effects of selected herbicides on bluegill and sunfish. Proceedings Eighteenth Annual Conference, Southeastern Assoc. Game & Fish Commissioners, Oct. 18–21. pp. 480–482.
- Hughes, J.S. & Davis, J.T. 1962. Comparative toxicity to bluegill sunfish of granular and liquid herbicides. Proceedings Sixteenth Annual Conference Southeast Game and Fish Commissioners. pp. 319–323.
- Huijzer, J. C. et al. 1987. Toxicol. Appl. Pharmacol. 90(1), 60–68.
- Huisman, J., Ten Hoopen, Y.G. & Fuchs, A. 1980. The effects of temperature upon toxicity of mercuric chloride to *Scenedesmus acutus* Environ. Pollut. (Ser.A) 22: 133–148.
- Humaydan, H.S. & Scott, E.W. 1977. Methomyl insecticide selective phytotoxicity on sweet corn hybrids and inbreds having the Texas male sterile cytoplasm. Hort. Science 12(4i): 312–313.

- Hunn, J.B et al. 1987b. Influence of pH and Aluminum on developing brook trout in a low Calcium water. Environ. Pollut. 43: 63.
- Hunn, J.B. et al. 1987a. Toxicity of sodium selenite to rainbow trout fry. Water Res. 21: 233.
- Hunt, T.P., Fisher, J.W., Livingston, J.M. & Putnam, M.E. 1981. Temperature effects on hydrozine toxicity to bluegills. Bull. Environm. Contam. 27: 588–595.
- Hunter, J.H. 1980. Propanil for control of green foxtail in wheat and barley. Can. J. Plant Sci. 60(1): 177–184.
- Hushon, J.M., Clerman, R.J. & Wagner, B.O. 1979. Tiered testing for chemical hazard assessment. Environ. Science & Technol. 10: 1202–1207.
- Hustert, K., Kotzias, D. & Korte, F. 1984. Chemosphere 13: 845.
- Hustert, K. et al. 1981. Chemosphere 10: 995–998.
- Hustert, K. et al. 1987. Chemosphere 16: 809–812.
- Hutchins, F.E. 1979. Toxicity of pulp and paper mill effluent. A literature review EPA-600/3-79-013. 44 p.
- Hutchins, S.R. & Ward, C.H. 1984. A predictive laboratory study of trace organic contamination of groundwater: preliminary results. J. Hydrol. 67: 223–233.
- Hutzler, N. J. et al. 1983. Amer. Chem. Soc. 186th Natl. Mtg. Div. Environ. Chem. 23: 499–502.
- Hynes, H.B.N. 1960. The biology of polluted waters. Liverpool University Press, 202 pp.
- Hynninen, E-L. & Blomqvist, H. 1988. Torjunta-aineiden myynti Suomessa 1987. Kemia-Kemi 15(6): 570–573.
- Häkkilä, K. & Niemi, A. 1973. Effects of oil and emulsifiers on eggs and larvae of northern pike (*Esox lucius*) in brackish water. *Aqua Fennica*. 1973: 44–59.
- Hänninen, O., Koivusaari, U., Lindström-Seppä, P. 1982. Seasonal variation of cytochrome P-450 and monooxygenase activities in boreal fresh water fish. In: Cytochrome P-450, Biochemistry, Biophysics and Environmental Implications. Hietanen, E., Laitinen, M. & Hänninen, I. (eds.) Elsevier Biomedical Press B.V. pp. 209–216.
- Hänninen, O. 1966. Effect of salicylamide administration on D-glucuronic acid metabolism in the rat. Ann. Acad. Sci. Fennicae, Ser. A. V(123):1–66.
- Häsänen, E., Miettinen, V., Ojala, O. & Rautapää, J. 1972. The use and replacability of mercury in industry and agriculture in Finland. *Kemian Teollisuus* 29/8): 530–533.
- Häsänen, E. 1978. Itämeren ympäristömyrkky ja radioaktiiviset aineet. *Suomen Luonto* 3-4: 170–171.
- Höglund, C., Allard, A.-S., Neilson, A.H. & Landner, L. 1979. Is the mutagenic activity of bleach plant effluents persistent in the environment? *Svensk papperstidning*. 82: 447–450.
- IARC 1976. International Agency for Research on Cancer. Some carbamates, thiocarbamates and carbazides. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 12, IARC, Lyon, France, pp. 226–236.
- IARC 1979. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 20. Internat. Agency Res. Cancer, Lyon.
- IARC 1979. Pentachlorophenol. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 20, pp. 303–325.
- IARC 1979. Some halogenated hydrocarbons. Monographs on the evaluation of the carcinogenic risk of chemicals to humans, Vol. 20, Internat. Agency Res. Cancer, Lyon. pp. 491–514.
- IARC 1982. International Agency for Research on Cancer. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, Suppl. 4: 133–135.
- IARC 1982. Some industrial chemicals and dyestuffs. Monographs on the evaluation of carcinogenic risk of chemicals to humans, vol. 29, International Agency for Research on Cancer, Lyon.
- IARC 1984. Polynuclear Aromatic Compounds, Part I, Environmental and Experimental Date, Vol. 32. International Agency for Research on Cancer, Lyon.
- IARC Monograph. 1991. Vol 52, 269.

- Ide, A., Niki, Y., Sakamoto, F., Watanabe, I. & Watanabe, H. 1972. Decomposition of pentachlorophenol in paddy soil. *Agr. Biol. Chem.* 36: 1937–1944.
- IJC 1977. New and Revised Great Lakes Water Quality Objectives, Volume II. International Joint Commission.
- Ilmavirta, V. & Jones, R.I. 1977. Factors affecting the ^{14}C method of measuring phytoplankton production. *Ann. Bot. Fennici* 14: 97–101.
- IMO 1989. Reports and studies No. 35. The evaluation of the hazards of harmful substances carried by ships: Revision of GESAMP Reports and Studies No. 17. International Maritime Organization, London.
- IMOS 1975. Fluorocarbons and the environment. Report of federal task force on inadvertent modification of the stratosphere, National Science Foundation, Washington, D.C.
- Ingham, B. & Gallo, M.A. 1975. Effects of asulam in wildlife species: Acute toxicity to birds and fish. *Bull. Environm. Contam. Toxicol.* 13: 194.
- Inham, C.B.E. & Lockwood, A.P.M. 1977. Some effects of methylmercury and lindane on sodium regulation in the amphipod *Gammarus duebeni* during changes in the salinity of its medium. *Comp. Biochem. Phys.* 58A: 67–75.
- Inman, J.C., Strachan, S.D., Sommers, L.E. & Nelson, D.W. 1984. The decomposition of phthalate esters in soil. *J. Environ. Sci. Health., Part B., Pestic. Food. Contam. Agric. Wastes* 19: 245–257.
- INSTA 1980. Determination of acute lethal toxicity of substances to a freshwater fish (*Brachydanio rerio* (Hamilton-Buchanan) Teleost Cyprinidae) using a semi-static procedure.
- INSTA-VH 57 1979. Veden klooriin määritys. Vesihallinnon tieteellinen neuvottelukunta, vesianalyysityöryhmä. Standardiehdotus.
- INSTA-VHB 9 1984. Akuutin myrkkyisyyden määrittäminen kirjolohella (*Salmo gairdneri* Richardson). Vesihallinnon tieteellinen neuvottelukunta, biologinen työryhmä, toksisuustestijasto. Standardiehdotus.
- IRPTC 1984. Data profile on ethylene oxide. Geneva. International Register of Potentially Toxic Chemicals.
- IRPTC Database 1992 -. International Register of Potentially Toxic Chemicals. PC Data Bank, version 2.0. UNEP.
- Isaacson, P. J., & Frink, C. R. 1984. *Environ. Sci Technol.* 18: 43–48.
- Isensee, A.R. et al. 1973. Distribution of alkyl arsenicals in model ecosystem. *Environm. Sci. & Techn.* 7(9): 841–845.
- Ishida, T. et al. 1989. *Xenobiotica*, 19(8), 843–855.
- Ishikura, H. 1972. Impact of pesticide use on the Japanese environment. In: *Environmental Toxicology of Pesticides*, 25, Academic Press, N.Y.
- Ishizaki, H. & Akiya, T. 1978. Effects of chlorine on growth and quality of tobacco. *JARQ* 12(1): 1–6.
- ISO (International Organization for Standardization). 1976. Final (revised) proposal for screening chemicals and products for acute toxicity to freshwater fish. 13 p.
- ISO 1978. Preliminary proposal for a standard method for screening chemicals and products for acute toxicity to freshwater fish.
- ISO. 1979e. *Salmonella/mammalian-microsome mutagenesis assay for complex environmental mixtures. Proposed mutagen assay procedure for discussion at June meeting.* ISO/TC147/SC5/WG7.
- ISO 1982. Water quality—Determination of inhibition of the mobility of *Daphnia magna* Straus (Cladocera, Crustacea).
- ISO 1984. Algal growth inhibition test. Draft metod. ISO/TC 147/SC 5/WG 5 N 84.
- ISO 1984a. Determination of acute lethal toxicity of substances to freshwater fish using a static procedure.

- ISO 1984b. Determination of acute lethal toxicity of substances to freshwater fish using a semi-static procedure.
- ISO 1984c. Determination of acute lethal toxicity of substances to freshwater fish using a flow-through procedure.
- ITO 1973. Studies on the influence of PCB on aquatic organisms. II. Changes in blood characteristics and plasma enzyme activities of carp. Bull. Jap. Soc. Scient. Fish. 39: 1135–1138.
- IUCCLID 1995 -. International Uniform Chemical Information Database. European Commission. European Chemicals Bureau. Existing Chemicals. Ispra, Italy.
- IUPAC 1979. International Union of Pure and Applied Chemistry, IUPAC reports on pesticides, Vol. 7. Toxaphene (camphechlor). A special report. Pure Appl. Chem. 51: 1583–1601.
- Iwama, G.K. & Greer, G.L. 1980. Effect of a bacterial infection on the toxicity of sodium pentachlorophenate to juvenile coho salmon. Trans. Amer. Fish. Soc. 109: 290.
- Iwama, G.K. et al. 1986. Changes in selected haematological parameters in juvenile chinook salmon subjected to a bacterial challenge and a toxicant. J. Fish Biol. 28: 563.
- Iwan, G.R. & Cella, G.E. 1981. On-site critical life stage bioassay with the fathead minnow on effluent from the wastewater treatment facilities of Austin, Minn. In: Aquatic Toxicology and Hazard Assessment: 4th Conf., ASTM STP 737. Branson, D.R. & Dickson, K.L. (ed.) American Society for Testing and Materials, Philadelphia, pp. 312–323.
- Jaakkola, T., Takahashi, H., Soininen, R., Rissanen, K. & Miettinen, J.K. 1973. Cadmium content of sea water, bottom sediment and fish, and its elimination rate in fish. IAEA-PL 469/7: 69–75.
- Jackim, E., Hamlin, J.M. & Sonis, S. 1970. Effects of metal poisoning in five liver enzymes in the killifish (*Fundulus heteroclitus*). J. Fish. Res. Bd. Can. 27: 383–390.
- Jackson, M.D. 1979. Volatilization of methylparathion from fields treated with microencapsulated and emulsifiable concentrate formulations. Bull. Environm. Contam. Toxicol. 21: 202–205.
- Jacob, S.S. et al. 1982. Toxicity of certain pesticides found in the habitat to the larvivorous fishes *Aplochelius lineatus* (Cuv & Val) and *Macropodus cupanus* (Cuv & Val). Proc. Indian Acad. Sci. Nect A (Ind.) 91: 323.
- Jacob, S.S. et al. 1982. Toxicity of certain mosquito larvicides to the larvivorous fishes *Aplochelius lineatus* (Cuv and Val) and *Macropodus cupanus* (Cuv and Val). Environ. Pollut. (G.B.), 28A: 7.
- Jacobson, K.H., Hackley, E.B. & Feinsilver, L. 1956. The toxicity of inhaled ethylene oxide and propylene oxide vapors. Arch. ind. Health 13: 237–244.
- James, M.O. & Bend, J.R. 1980. Polycyclic aromatic hydrocarbon induction of cytochrome P-450-dependent mixed function oxidases in marine fish. Toxicol. Appl. Pharmacol. 54: 117.
- James, W.R.L. 1963. Fatal addiction to trichloroethylene. British Journal of Industrial Medicine 20: 47–49.
- Jamison, V.W., Raymond, R.L. & Hudson, J.O. 1976. Biodegradation of high-octane gasoline. In: J.M. Sharpley and A.M. Kaplan (eds.). Proceedings of the Third International Biodegradation Symposium. Applied Science Publishers, pp. 187–196.
- Jana, S. & Sahana, S.S. 1988. Effects of copper, cadmium and chromium cations on the freshwater fish *Clarias batrachus* L. Physiol. Bohemoslov. 37: 79.
- Jangchudjai, C. et al. 1987. Acute toxicity of the synergism of surfactanc (LAS) and copper on the freshwater fish, *Puntius gonionotus*, Bleeker. J. Sci. Soc. Thailand 13: 159.
- Janhunen, H., Korhonen, K. & Mäkinen, R. 1982. Paperiteollisuuden kemikaalit-tutkimuksen (PAPKEM) raportti.–Lappeenrannan alueyöterveyslaitos. 74 s.
- Janicke, W. & Hilge, G. 1977. Z. Wasser- und Abwasserforsch. 10: 4.
- Jefferies, D.J. & French, M.C. 1971. Hyper- and hypothyroidism in pigeons fed DDT: an explanation for the "thin eggshell phenomenon". Environ. Poll. 1: 235–242.
- Jegrelius, G. 1980. Antal substanser och produkter. Gunnar Jegrelius Research Ab, Vadstena, GR 6026.
- Jegrelius, G. 1981. Toxitetstester: Resultaten är inga fakta–bara indicier. Kemisk Tidskrift 6: 48–51.

- Jenkins, D. et al. 1977. Fish toxicity of jet fuels. I. The toxicity of the synthetic fuel JP-9 and its components. *Water Res.* (G.B.) 11: 1059.
- Jenkins, L.J. Jr., Jones, R.A. & Siegel, J. 1970. Long-term inhalation screening studies of benzene, toluene, o-xylene, and cumene on experimental animals. *Toxicology and Applied Pharmacology* 16: 818–823.
- Jenkins, R.L. & Baird, R.B. 1975. The determination of benzidine in wastewater. *Bull. Environ. Contam. Toxicol.* 13: 436.
- Jenner, P.M. Hagan, E.C., Taylor, J.M., Cook, E.L. & Fitzhugh, D.G. 1964. Food flavourings and compounds of related structure. I. Acute oral toxicity. *Food Cosmet. Toxicol.* 2: 327.
- Jennings, Jr. & Rainbow, P.S. 1979: Accumulation of cadmium by Dunaliella tertiolecta. *J. Plankton Res.* 1: 67-74.
- Jensen, A. 1979. In situ dialysis cultures of unicellular algae for monitoring environmental conditions. Johansen, K.I. (red.). Opertive okotoksikologiske testmetoder for akvatisk miljo. Fofl. Rapport nr. 2. p. 7–8.
- Jensen, A., Rystad, B. & Skoglund, L. 1972. The use of dialysis culture in phytoplankton studies. *J. exp. mar. Biol. Ecol.* 8: 241–248.
- Jensen, B., Arvin, E. & Gundersen, A.T. 1985. The degradation of aromatic hydrocarbons with bacteria from oil contaminated aquifer. Proc. of NWWA/API conference: Petroleum hydrocarbons and organic chemicals in ground water: Prevention, detection, restoration. Nov. 13–15, 1985 in Houston, Texas.
- Jensen, K.I.N., Bandeen, J.D. & Souza Machado, V. 1977. Studies on the differential tolerance of two lamb's-quarters selections to triazine herbicides. *Can. J. Plant Sci.* 57(4): 1169–1177.
- Jensen, L.D. & Gaufin, A.R. 1964. Long-term effects of organic insecticides on two species of stonefly naiads. *Trans. Amer. Fish. Soc.* 93(4): 357–363.
- Jensen, L. D. & Gaufin, A.R. 1966. Acute and long-term effects of organic insecticides on two species of stonefly naiads. *J. Wat. Poll. Contr. Fed.* 38(8): 1273–1286.
- Jensen, S. & Jansson, B. 1976. Anthropogenic substances in seal from the Baltic; methyl sulfone metabolites of PCB and DDE. *Ambio* 5: 257–260.
- Jensen, S. & Renberg, L. 1972. Contaminants in pentachlorophenol: Chlorinated dioxins and predioxins (chlorinated hydroxy-diphenyl-ethers). *Ambio* 1: 62–65.
- Jensen, S. & Renberg, L. 1974. Accumulation of some organochlorine compounds from water and their subsequent elimination. Scientific report to the Oslo commission working group on degradability, Lowestoft 4.
- Jensen, S. & Rosenberg, R. 1975. *Water Res.* 9: 659–661.
- Jessee, J.A., Benoit, R.E., Hendricks, A.C., Allen, G.C. & Neal, J.L. 1983. Anaerobic degradation of cyanuric acid, cysteine and atrazine by a facultative anaerobic bacterium. *Appl. Environ. Microbiol.* 45(1): 97–102.
- Jimenez, B.D. & Burtis, L.S. 1988. Response of the mixed-function oxidase system to toxicant dose, food and acclimation temperature in the bluegill sunfish. *Mar. Environ. Res.* 24: 45.
- Johansen, P.H., Mathers, R.A.S., Brown, J.A. & Colgan, P.W. 1985. Mortality of early stages of Largemouth bass, *Micropterus salmoides* due to pentachlorophenol exposure. *Bull. Environ. Contam. Toxicol.* 34: 377–384.
- Johansen, P.H. et al. 1987. Effect of exposure to several pentachlorophenol concentrations on growth of young-of-year largemouth bass, *Micropterus salmoides*, with comparisons to other indicators of toxicity. *Bull. Environ. Contam. Toxicol.* 39: 379.
- Johansson, N., Larsson, A. & Lewander, K. 1972. Metabolic effects of PCB (polychlorinated biphenyls) on the brown trout (*Salmo trutta*). *Comp. Gen. Pharmacol.* 3: 310–314.
- Johansson, N. 1982. Förekomst och effekter av persistenta ämnen i miljön. SNV PM 1552.

- Johnson, B.T. & Lulves, W. 1975. Biodegradation of di-n-butyl phthalate and di-2-ethyl-hexyl phthalate in freshwater hydrosoil. *J. Fish. Res. Bd. Can.* 32: 333–339.
- Johnson, B.T. et al. 1977. In fate of pollutants in the air and water environment. Suffet, S. H. ed. John Wiley & Sons NY p. 422.
- Johnson, C.R. 1978. Herbicide toxicities in the mosquitofish, *Gambusia affinis*. *Proc. Royal. Soc. Queensland* 89:25.
- Johnson, D.W. 1968. Pesticides and fishes. A review of selected literature. *Trans. Amer. Fish. Soc.* 97: 398–424.
- Johnson, M.K. 1967. Metabolism of chloroethanol in the rat. *Biochem. Pharmacol.* 16: 185–199.
- Johnson, W. E. & Means, J. C. 1986. Am. Chem. Soc. Environ. Chem. 191st Natl. Meeting 26: 241.
- Johnson, W.W. & Julin, A.M. 1980. Acute toxicity of toxaphene to fathead minnows, channel catfish, and bluegills. EPA-600/3-80-005, U.S. Environmental Protection Agency, Duluth, Minn.
- Johnson, W.W. & Sanders, H.O. 1977. Chemical forest fire retardants: Acute toxicity to five freshwater fishes and a squidl. Tech. Rept. No. 91, U.S. Dept. Int., Fish & Wildlife Serv., Washington, D.C.
- Johnson, W.W. & Finley, M.T. 1980. Handbook of acute toxicity of chemicals to fish and aquatic invertebrates. U.S. Department of Interior, Fish & Wildlife Services, Resource Publication 137, Washington D.C.
- Johnston, P.A. 1987. Acute toxicity of inorganic selenium to *Daphnia magna* (Straus) and the effect of sub-acute exposure upon growth and reproduction. *Aquat. Toxicol.* 10: 335.
- Jolly, A.L. et al. 1978a. Effects of a new insecticide on aquatic animals. *Lousiana Agr.* 21:2.
- Jolly, A.L. et al. 1978b. Acute toxicity of permethrin to several aquatic animals. *Trans. Amer. Fish. Soc.* 107: 825.
- Jones, A.H. 1960. *J. Chem. Eng. Data* 5: 196–200.
- Jones, A.R. & Wells, G. 1981. The comparative metabolism of 2-bromoethanol and ethylene oxide in the rat. *Xenobiotica* 11: 763–770.
- Jones, D. 1974. Fungicidal effects of the fumigant Dazomet on selerotia of *Selerotinia scelerotiorum* in soil.—*Trans. Br. mycol. Soc.* 63: 249–254.
- Jones, H.R. 1971. Environmental control in the organic and petrochemical industries. Noyes Data Corporation 1971.
- Jones, J.R.E. 1938. The toxicity of dissolved metallic salts to *Polycelis nigra* (Muller) and *Gammarus pulex* (L.). *J. exp. Biol.* 14: 351–363.
- Jones, K.C. & Bennett, B.G. 1989. Human exposure to environmental polychlorinated dibenzo-p-dioxins and dibenzofurans: an exposure commitment assessment for 2,3,7,8-TCDD. *Sci. Tot. Environ.* 78: 99–116.
- Jones, L.H., Jones, N.V. & Radlett, A.J. 1976. Some effects of salinity on the toxicity of copper to the polychaete *Nereis diversicolor*. *Estuar. Coast. Mar. Sci.* 4(1): 107–.
- Jones, M.B. 1973. The influence of saline and temperature on the toxicity of mercury to marine and brackish water isopods (Crustacea). *Estuar. Coast. mar. Sci.* 1: 425–431.
- Jones, M.B. 1975. Synergistic effects of salinity, temperature and heavy metals on mortality and osmoregulation in marine and estuarine isopods (Crustacea). *Mar. Biol.* 30(1): 13–20.
- Jones, M.B. 1975. Effects of copper on survival and osmoregulation in marine and brackish water isopods (Crustacea). *Proc. 9th Europ. Mar. Biol. Symp.* 419–431.
- Jori, A., Calamari, D., Cattabeni, F., di Domenico, A., Galli, C.L., Galli, E., Ramundo, A. & Silano, V. 1982. Ecotoxicological profile of p-dichlorobenzene. *Ecotoxicol. Environ. Safety* 6: 413–432.
- Joshi, A.G. & Rege, M.S. 1980. Acute toxicit of some pesticides and a few inorganic salts to the mosquito fish, *Gambusia affinis* (Baird & Girard). *Indian J. Exp. Biol.* 18: 435.
- Joshi, B.D. 1974. Effect of starvation on blood glucose and nonprotein nitrogen levels of the fish *Clarias batrachus*. *Experientia* 30: 772–773.

- Joshi, P.C. & Misra, R.B. 1986. Evaluation of chemically-induced phototoxicity to aquatic organism using paramedium as a model. *Biochem. Biophys. Res. Comm.* 139: 79.
- Joshi, S.B., Dodge, M.C. & Bufalini, J.J. 1982. Reactivities of selected organic compounds and contamination effects. *Atmos. Environ.* 16: 1303–1310.
- Joshi, S.N. & Chamoli, P. 1987. Toxicity of zinc sulfate to the hill stream fish *Noemacheilus montanus*. *Environ. Ecol.* 5: 170.
- Jouany, J.M., Truhant, R., Vasseur, P., Klein, D., Ferard, Y.F. & Deschamps, P. 1985. An example of interaction between environmental pollutants: modification of thiram toxicity to freshwater organisms by nitrites or nitrates in relation to nitrosoamine synthesis. *Ecotoxicol. Environ. Safety* 9: 327–338.
- Judy, R.D. 1979. Acute toxicity of copper to *Gammarus fasciatus* a freshwater amphipod. *Bull. Environ. Contam. Toxicol.* 21: 219–224.
- Juhnke, I & Lüdemann, D. 1978. Results of testing of 200 chemical compounds for acute toxicity in fish by the orfe test. *Z. Wasser-Abwasser-Forsch.* 11(5): 161–164.
- Julin, A.M. & Sanders, H.O. 1977. Toxicity and accumulation of insecticide imidan in freshwater invertebrates and fishes. *Trans. Amer. Fish. Soc.* 106: 386.
- Julin, A.M. & Sanders, H.O. 1978. Toxicity of IGR, diflubenzuron to freshwater invertebrates and fishes. *Mosquito News* 38: 256.
- Jung, K.D. 1975. Etude bibliographique de la sensibilité des crustacés utilisés (*Daphnie*, *Gammare*, *Artemia*) vis à vis des produits chimiques. *Tribune de Cébedeau* 28: 301–303.
- Junk, W. 1980. The importance of trophic-level interactions to the abundance and species composition of algae in lakes. *Dev. Hydrobiol.*, vol. 2. In: *Hypertrophic ecosystems*. Barica., Mur., L. (eds.). 90 6193 752 3. pp. 105–116.
- Junkhe, J. & Lüdemann, D. 1978. Ergebnisse der Untersuchung von 200 chemischen Verbindungen auf akute Fishtoxicität mit dem Goldenorfentest. *Z. Wasser-Abwasser Forsch.* 11: 161–164.
- Jurewicz, S. & Buikema, A.L., Jr. 1980. Effects of arsenate on algae, *Daphnia* and mosquito Fish. *Va. J. Sci.* 31: 124.
- Jury, W. A. et al. 1984. *J. Environ. Qual.* 13: 573–579.
- Jäppinen, H. 1965. Havaintoja Kaukaan sulfaattiselluloosatehtaan jätteveden toksisuudesta eräille vesieläimille. *Laudaturyö*. Helsingin yliopiston limnologian laitos. 100 s.
- Järvinen, A.W., Hoffman, M.J. & Thorslund, T.W. 1977. Long term toxic effects of DDT on food and water exposure on fathead minnows (*Pimephales promelas*). *J. Fish. Res. Board Can.* 34: 2089–2103.
- Järvinen, A.W., Nordling, B.R. & Henry, M.E. 1983. Chronic toxicity of Dursban 'Chlorpyrifos' to the fathead minnow 'Pimephales promelas' and the resultant acetylcholinesterase inhibition. *Ecotox. Environm. Safety* 7: 423–434.
- Järvinen, A.W. & Tanner, D.K. 1982. Toxicity of selected controlled release and corresponding unformulated technical grade pesticides to the fathead minnow (*Pimephales promelas*). *Environ. Poll. Ser. A* 27: 179–195.
- Kaare Jensen, S., Nielsen, M., Riber, H. & Skaarup, J. 1987. Nedbrydelighed af miljøfremmede organiske stoffer. Utredningsrapport U1, Lossepladsprojektet, COWI consult, København.
- Kabata-Pendias, A. & Pendias, H. 1984. Trace elements in soils and plants. CRC Press, Inc. Boca Raton, Florida.
- Kaiser, G. & Tölg, G. 1980. Mercury. Hutzinger, O. (Ed.) *The Handbook of Environmental Chemistry: Anthropogenic Compounds*, Vol. 3, Part A.
- Kaiser, K. L. E. et al. 1985. Toxicity of para-chloro-substituted benzene derivates in the Microtox test. *Water Pollut. Res. J. Can.* 20: 38.

- Kaiser, K. L. E. and Ribo, J. M. 1985. QSAR of toxicity of chlorinated aromatic compounds. In: Tichy (Ed), M. QSAR in toxicology and xenobiochemistry. Elsevier, Amsterdam 27.
- Kam-Wing, L. & Furtado, J.I. 1977. The chemical control of *Salvinia molesta* (Mitchell) and some related toxicological studies. *Hydrobiologia* (Den.) 56: 49.
- Kaminsky, R. & Hites, R.A. 1984. Octachlorostyrene in Lake Ontario: sources and fates. *Environ. Sci. Technol.* 18: 275.
- Kamp-Nielsen, L. 1971. The effect of deleterious concentrations of mercury on the photosynthesis and growth of *Chlorella pyrenoidosa*. *Physiol. Plant.* 24: 556–561.
- Kanazawa, J. 1978. Bioconcentration ratio of diazinon by freshwater fish and snail. *Bull. Environm. Contam. Toxicol.* 20:613–617.
- Kanazawa, J. 1983. A method of predicting the bioconcentration potential of pesticides by using fish. *JARQ* 17: 173.
- Kane, D.A. & Rabeni, C.F. 1987. Effects of Aluminum and pH on the early life stages of Smallmouth Bass (*Micropterus dolomieu*). *Water Res.* 21: 633.
- Kangas, I. 1966. Levätesti vesien laatuselvityksissä. *Limnologisymposio* 1966: 95–103.
- Kanje, M., Kjellstrand, P., Fex, K. & Walldorf, A. 1981. Neurotransmitter metabolising enzymes and plasma butyrylcholinesterase in mice exposed to trichloroethylene. *Acta Pharmacologica et Toxicologica* 49: 205–209.
- Kanno, S. & Nojima, K. 1979. *Chemosphere* 8: 225–232.
- Kanwisher, J., Lawson, K. & Sundnes, G. 1974. Acoustic telemetry from fish. *Fish. Bull.* 72: 251–255.
- Kaplan, D. L. et al. 1982. *Environ. Sci Technol* 16: 723–725.
- Kappeler, T. & Whurman, K. 1978. Microbial degradation of the watersoluble fraction of gas oil-II. Bioassays with pure strains. *Water Research*. 12: 335–342.
- Kar, S. & Singh, P.K. 1978. Toxicity of carbofuran to blue-green alga *Nostoc uniscorun*. *Bull. Environm. Contam. Toxicol.* 20: 707–714.
- Karez, C.S., Bonotto, S. & Puiseux-Dao, S. 1989. Response of the unicellular giant alga *Acetabularia acetabulum* to cadmium toxicity and accumulation. *Toxicol. Environ. Chem.* 19: 223–232.
- Karim, A.A.A. et al. 1987. The effect of the Molluscicide, Niclosamide, on non-target organisms of the Geriza irrigated scheme (Sudan). *C.A.Sel.–Environ. Pollut.* 24: 107–192598Y; *J. Biol. Sci. Res.* 18: 101.
- Karimo, K. 1980. Puunjalostustesteollisuus ja vesiensuojelu. Verta, M. (toim.) *Puunjalostustesteollisuus myrkkykuormittajana Suomessa*. Vekary. s. 7–12.
- Karunen, P. & Wilkinson, R.E. 1975. Influence of S-ethyl dipropylthiocarbamate (EPTC) on wheat root phospholipid fatty acid composition. *Physiol. Plant.* 35: 228–231.
- Kassim, G. et al. 1982. *Soil Sci Soc. Am. J.* 46: 305–309.
- Katti, S.R. & Sathyanesan, A.G. 1987a. Lead nitrate induced nuclear inclusions in the oocytes of the catfish *Clarias batrachus* (L.). *Environ. Res.* 44: 238.
- Katti, S.R. & Sathyanesan, A.G. 1987b. Lead nitrate induced changes in the thyroid physiology of the catfish *Clarias batrachus* (L.). *Ecotoxicol. Environ. Saf.* 13: 1.
- Katz, M. 1961. Acute toxicity of some organic insecticides to three species of salmonids and to the threespine stickleback. *Trans. Amer. Fish. Soc.* 90(3): 264–268.
- Katz, M. 1971. Toxicity bioassay techniques using aquatic organisms. Ciaccio, L.L. (ed.): *Water and water pollution handbook 2*. New York. pp. 763–800.
- Kawasaki, M. 1980. Experiences with the test scheme under the Chemical Control Law of Japan: An Approach to structure-activity correlations. *Ecotoxicol. Environ. Safety* 4: 444–454.
- Kawatsu, H. 1977. Studies on the anemia of fish. VIII. Hemorrhagic anemia of carp caused by a herbicide, molinate. *Bull. Jap. Soc. Sci. Fish.* 43: 905.

- Kayser, H. 1976. Waste-water assay with continuous algal cultures. The effect of mercuric acetate on the growth of some marine dinoflagellates. *Mar. biol.* 36: 61–72.
- Keith, L.H. & Telliard, W.A. 1979. Priority pollutants. I. A perspective view. *Environ. Sci. Technol.* 13(4): 416–423.
- Kelso, J.R.M. 1976. Response of yellow perch (*Perca flavescens*) and white sucker (*Catostomus commersoni*) to thermal effluents in a nearshore Great Lakes habitat. *J. Fish. Res. Board Can.* 33: 42–53.
- KEMI 1990–1991. Kemikalieinspektionens ämnesblad. Faktablad för verksamma ämnen i bekämpningsmedel avsedda för jordbruk och trädgårdsnäring mm.
- Kemp, H.T., Little, R.L., Holoman, V.L. & Darby, R.L. 1973. Water quality data book—Vol. 5. Effects of chemicals on aquatic life. EPA. Water pollution control research series 09/73.
- Kenaga, E.E. 1979. Acute and chronic toxicity of 75 pesticides to various animal species. *Down to earth* 35(2): 25–31.
- Kenaga, E. E. 1980. Ecotoxicol. Environ. Safety 4: 26–38.
- Kenaga, E.E. & Goring, C.A.I. 1980. Relationship between water solubility, soil sorption, octanol water partitioning, and bioconcentration of chemicals in biota. In: Eaton, J.C., Parrish, P.R. & Hendricks, A.C. (Eds) Aquatic toxicology, ASTM-Publ. STP 707, Philadelphia, pp. 78–115.
- Kenaga, E.E. & Moolenaar, R.J. 1979. Fish and Daphnia toxicity as surrogates for aquatic vascular plants and algae. *Environ. Sci. Technol.* 13: 1475–1480.
- Kendal, M.W. 1977. Acute effects of methyl mercury toxicity in channel catfish (*Ictalurus punctatus*) liver. *Bull. Environ. Contam. Toxicol.* 18: 143–151.
- Kendall, D.A., Leonardus, G. & Rubin, E.R. 1968. Parameters affecting the determination of odor thresholds. Report C-68988, Arthur D. Little Inc., Cambridge, Mass., U.S.A.
- Kennaway, E.L. 1924. On the cancer-producing factor in tar. *British Medical Journal* 1: 564–567.
- Kennicutt, M.C. 1980. ATP as an indicator of toxicity. *Water Res.* 14: 325–328.
- Kerrison, P.H. et al. 1988. Effects of low concentrations of heavy metals on plankton community dynamics in a small, shallow, fertile lake. *J. Plankton Res.* 10: 779.
- Kettle, W.D. et al. 1987. Diet and reproductive success of bluegill recovered from experimental ponds treated with Atrazine. *Bull. Environ. Contam. Toxicol.* 38: 47.
- Khan M.A.Q. et al. 1973. Toxicity-metabolism relationship of the photoisomers of certain chlorinated cyclodiene insecticide chemicals. *Arch. Environm. Contam. Toxicol.* 1(2): 159–169.
- Khan, M.A.Q., Feroz, M. & Sudershan, P. 1979. Metabolism of cyclodiene insecticides by fish. In: Pesticide and Xenobiotic metabolism in aquatic organisms. American Chemical Society. Symposium series 99.
- Khangarot, B.S. 1981. Chelating agent EDTA decreases the toxicity of copper to fish. *Curr. Sci. (Ind.)* 50: 246.
- Khangarot, B.S. 1981. Lethal effects of zinc and nickel on freshwater Teleosts. *Acta Hydrochim. Hydrobiol. (Ind.)* 9: 297.
- Khangarot, B.S. 1981. The toxic effects of mercury ions on a freshwater Telost, *Puntius sophore* (Hamilton), as assessed by bioassay and histopathological incides. *Acta Hydrochim. Hydrobiol.* 9: 391.
- Khangarot, B.S. 1982. Studies of the acute toxicity of zinc to a freshwater Teleost. *Channa punctatus* (Bloch). *Acta Hydrochim. Hydrobiol.* 10: 285.
- Khangarot, B.S. et al. 1982. Comparative toxicity of heavy metals and interaction of metals on a freshwater pulmonate snail *Lymnaea acuminata* (Lamarck). *Acta Hydrochim. Hydrobiol.* 10: 367.
- Khangarot, B.S. et al. 1987a. *Daphnia magna* as a model to assess heavy metal toxicity: comparative assessment with mouse system. *Acta hydrochim. Hydrobiol.* 15: 427.

- Khangarot, B.S. et al. 1987b. Preventive effects of amino acids on the toxicity of copper to *Daphnia magna*. *Water Air Soil Pollut.* 32: 379.
- Khangarot, B.S. et al. 1988. Influence of copper treatment on the immune response in an air-breathing teleost, *Saccobranchus fossilis*. *Bull. Environ. Contam. Toxicol.* 41: 222.
- Khangarot, B.S. & Ray, P.K. 1987a. Correlation between heavy metal acute toxicity values in *Daphnia magna* and fish. *Bull. Environ. Contam. Toxicol.* 38: 722–726.
- Khangarot, B.S. & Ray, P.K. 1987b. Zinc sensitivity of a freshwater snail, *Lymnaea luteola* L., in relation to seasonal variations in temperature. *Bull. Environ. Contam. Toxicol.* 39: 45.
- Khangarot, B.S. & Ray, P.K. 1987c. Response of a freshwater ostracod (*Cypris subglobosa* Sowerby) exposed to copper at different pH levels. *Acta Hydrochim. Hydrobiol.* 15: 553.
- Khangarot, B.S. & Ray, P.K. 1988a. Sensitivity of freshwater pulmonate snails, *Lymnaea luteola* L., to heavy metals. *Bull. Environ. Contam. Toxicol.* 41: 208.
- Khangarot, B.S. & Ray, P.K. 1988. Effect of lethal concentrations of copper on *Mystus bleekeri* (Day). *Acta Hydrochim. Hydrobiol.* 16: 547.
- Khangarot, B.S., Sehgal, A. & Bhasin, E.K. 1985. Man and biosphere—Studies on the Sikkim Himalayas. Part 5: Acute toxicity of selected heavy metals on the tadpoles of *Rana hexadactyla*. *Acta hydrochim. et hydrobiol.* 13(2): 259–263.
- Khangarot, B.S., Sehgal, A. & Bhasin, M.K. 1985. Man and Biosphere—Studies on the Sikkim Himalayas. Part 6: Toxicity of selected pesticides to frog tadpole *Rana hexadactyla* (Lesson). *Acta hydrochim. hydrobiol.* 13(3): 391–394.
- Khattat, F.H. & Farley, S. 1976. Acute toxicity of certain pesticides to *Acartiatonsa dana*. Environmental Protection Agency Final Report, EPA-68/01/0151.
- Khera, K.S. 1973. Ethylenethiourea: teratogenicity study in rats and rabbits. *Teratology* 7: 243–252.
- Khesina, A., Shcherback, N.P., Shabad, L.M. & Vostrov, I.S. 1969. Benz(a)pyrene breakdown by soil microflora. *Byulleten' experimental'noi biologii i meditsiny* 68: 70.
- Khorram, S. & Knight, A.W. 1977. The toxicity of kelthane to the grass shrimp (*Crangon franciscorum*). *Bull. Environm. Contam. Toxicol.* 18(6): 674–682.
- Kihlström, J.-E., Olsson, M. & Jensen, S. 1976. Effekter på högre djur av organiska miljögifter. Nordforsk, Miljövårdsssekretariatet, Publ. 1976: 2, pp. 567–576.
- Kikuchi, T., Sekizawa, Y., Ikeda, Y. & Ozaki, H. 1974. Behavioural analyses of the central nervous system depressant activity of 2-amino-4-phenylthiazole upon fishes. *Bull. Jap. Soc. Sci. Fish.* 40(4): 325–337.
- Kilzer, L. et al. 1979. *Chemosphere* 8: 751–761.
- Kimball, G.L., Smith, L.L. & Broderius, S.J. 1978. Chronic toxicity of hydrogen cyanide to the bluegill. *Trans. Am. Fish. Soc.* 107: 341–345.
- Kime, D.E. 1984. The effect of cadmium on steroidogenesis by testes of the rainbow trout, *Salmo gairdneri*. *Toxicol. Lett.* 22(2): 83–88.
- Kimerle, R.A. & Swisher, R.D. 1977. Reduction of aquatic toxicity of linear alkylbenzene sulfonate (LAS) by biodegradation. *Water Res.* 11: 31.
- Kimura, E.T., Ebert, D.M. & Dodge, P.W. 1971. Acute toxicity and limits of solvent residue for sixteen organic solvents. *Toxicology and Applied Pharmacology* 19: 699–704.
- Kinae, N., Hashizume, T., Makita, T., Tomita, I., Kimura, I. & Kanamori, H. 1981. Studies on the toxicity of pulp and paper effluents. II. Mutagenicity of the extracts of the liver from spotted sea trout (*Nibea mitsukurii*). *Water Res.* 15: 25–30.
- Kincannon, D.F. & Lin, Y.S. 1985. Microbial degradation of hazardous wastes by land treatment. *Proc. Ind. Waste. Conf.* 40: 607–619.
- King, E. F. and Painter H. A. 1986. Inhibition of respiration of activated sludge: variability and reproducibility of results. *Toxicity Assessment* 1: 27.

- King, E. F. & Painter, H. A. 1983. Ring-test Program 1981-1982. Assessment of Biodegradability of Chemicals in Water by Manometric Respirometry Comm Eur Communities, Eur 8631.
- King, E. F. and Painter, H. A. 1985. The effect of acclimatisation on the toxicity of chemical to activated sludge microorganisms. Environ. Pollut. 39: 267.
- Kinkade, M.L. & Erdman, H.E. 1975. The influence of hardness components (Ca²⁺ and Mg²⁺) in water on the uptake and concentration of cadmium in a simulated freshwater ecosystem. Environ. Res. 10: 308–313.
- Kinne, O. & Rosenthal, H. 1967. Effects of sulfuric water pollutants on fertilization, embryonic development and larvae of the herring, *Clupea harengus*. Marine Biol. 1: 65–83.
- Kinney, L. C. et al. 1969. Photolysis mechanisms for pollution abatement TWRC-13 Robert A Taft Water Res Cent Rep 1969.
- Kirk Othmer Encycl. Chem. Tech. 3rd edition 11: 231–258. 1980.
- Kitano, M. 1978. Biodeg Bioaccum Test on Chem subs, OECD Tokyo Meeting Ref Book TSU-No. 3.
- Kitchens, J. F. et al. 1976. Investigation of selected potential environmental contaminants: Formaldehyde USEPA 560/2-76-009.
- Kiviranta, A. 1975. Maa- ja metsätalouden torjunta-aineiden käytöstä Suomessa ja tärkeimpien yhdisteryhmien vaikutuksista vesissä. Vesihallitus. Tiedotus 100. 121 s.
- Kjellestrand, P., Edstrom, A., Bjerkemo, M. & Holmquist, B. 1982. Effects of trichloroethylene inhalation on acid phosphatase in rodent brain. Toxicology Letters 10: 1–5.
- Kjellestrand, P., Kanje, M., Mansson, L., Bjerkemo, M., Mortensen, I., Lanke, J. & Holmquist, B. 1981. Trichloroethylene: effects on body and organ weights in mice, rats and gerbils. Toxicology 21: 105–115.
- Klaassen, H.E. & Kadoum, A.M. 1979. Distribution and retention of atrazine and carbofuran in fram pond ecosystems. Arch. Environ. Contam. Toxicol. 8: 345.
- Klaverkamp, J.F. & Duncan, D.A. 1987. Acclimation to cadmium toxicity by white suckers; cadmium binding capacity and metal distribution in gill and liver cytosol. Environ. Toxicol. Chem. 6: 275.
- Klaverkamp, J.F., Hodgins, D.A. & Lutz, A. 1983. Selenity toxicity and mercury-selenium interactions in juvenile fish. Environ Contam. Toxicol. 12(4): 405–413.
- Klecka, G. M. et al. 1985. Evaluation of the OECD activated sludge respiration inhibition test. Chemosphere 14: 1239.
- Kleerekoper, H. 1977. Some monitoring and analytical techniques for the study of locomotor responses of fish to environmental variables. Cairns, J., Jr. et. al. (eds.) Biological monitoring of water and effluent quality. ASTM. STP 607. Baltimore. p. 110–120.
- Klemenc, A. & Low, M. 1930. Rec. Trav. Chim. Pays-Bas 49(40): 629–640.
- Klevens, H. B. 1950. J. Phys. Colloid Chem. 54: 283–298.
- Kligermann, A.D.m Erexon, G.L., Phelps, M.E. & Wilmer, J.L. 1983. Sister-chromatid exchange induction in peripheral blood lymphocytes of rats exposed to ethylene oxide by inhalation. Mutat. Res. 120: 37–44.
- Klöppfer, W. 1978. Reflections on the relationship between chemical structure, physical properties and environmental behaviour of chemicals. In: Tests for the ecological effects of chemicals, Umweltbundesamt, Berichte 10/78, erschienen im Erich-Schmidt-Verlag, Berlin.
- Knapek, R. & Lakola, S. 1974. Einige Untersuchung der toxischen Wirkung von Pestiziden im Wasser. Tag.-Ber. Akad Landwirtsch. Wiss. DDR, Berlin 126: 105–109.
- Knauer, G.A. & Martin, J.H. 1972. Mercury in a marine pelagic food chain. Limnol. Oceanogr. 17(6): 868–876.
- Knie, J., Hälke, A., Juhnke, I. & Schiller, W. 1983. Ergebnisse der untersuchungen von chemischen Stoffen mit vier Biotests. Deutsche Gewässerkundliche Mitteilungen, 27. Jahrg., Heft 3: 77–79.

- Knoevenagel, K. & Himmelreich, R. 1976. Degradation of compounds containing carbon atoms by photooxidation in the presence of water. *Arch. Environ. Contam. Toxicol.* 4(4): 324–333.
- Knowles, C.O. et al. 1987. Chronic effects of di-2-ethylhexyl phthalate on biochemical composition, survival and reproduction of *Daphnia magna*. *Environ. Toxicol. Chem.* 6: 201.
- Knowles, C.O. & McKee, M.J. 1987. Protein and nucleic acid content in *Daphnia magna* during chronic exposure to cadmium. *Ecotoxicol. Environ. Saf.* 13: 290.
- Knutzen, J. & Skei, J. 1988. Tiltaksorientert overvåkning i Sandafjorden, 1986–1987. Overvåkningsrapport nr 309/88, Norsk institut for vannforskning (NIVA).
- Kobayashi, H. & Rittman, B.E. 1982. Microbial removal of hazardous organic compounds. *Environ. Sci. Technol.* 16: 170A–183A.
- Kobayashi, K. 1978. Metabolism of pentachlorophenol in Fishes. In: *Pentachlorophenol. Chemistry, pharmacology, and environmental toxicology*. Tao, K. R. (ed.). Plenum Press, New York. pp. 89–105.
- Kobayashi, K. 1979. Metabolism of pentachlorophenol in fish. In: *Pesticide and xenobiotic metabolism in aquatic organisms*, American Chemical Society, Symposium Series 99.
- Kobayashi, K., Akitate, H. & Manabe, K. 1973. Accumulation and toxicity of chlorophenols in fish. Annual Meeting of Japan Soc. Sci. Fish. 41: 1271–1276.
- Kobayashi, K. et al. 1979. *Bull. Japan Soc. Sci. Fish* 45: 173–175.
- Kobayashi, K. et al. 1987. Induction of drug-metabolizing enzymes by long-term administration of PCB and duration of their induced activities in carp. *Nippon Suisan Gakkaishi (Bull. Jpn. Soc. Sci. Fish.)* 53: 487.
- Kobayashi, K., Kimura, S. & Akitate, H. 1976. Studies on the metabolism of chlorophenols in fish. VII. Sulfate conjugation of phenol and PCP by fish livers. *Bull. Japan Soc. Sci. Fish.* 42: 171–177.
- Koch, R.B., Desaiah, D., Yap, H.H. & Cutkomp, L.K. 1972. Polychlorinated biphenyls: effect of long-term exposure on ATPase activity in fish, *Pimephales promelas*. *Bull. Environ. Contam. Toxicol.* 7: 87–92.
- Kodama, J.K. et al. 1961. Some effects of epoxy compounds on the blood. *Arch. Environm. Health* 2: 56–57.
- Koenig, C.C., Livingston, R.J. & Cripe, C.R. 1976. Blue crab mortality: Interaction of temperature and DDT residues. *Arch. Environ. Contam. Toxicol.* 4(1): 119–128.
- Koenst, W.M., Skith, L.L.Jr. & Broderius, S.J. 1977. Effect of chronic exposure of brook trout to sublethal concentrations of hydrogen cyanide. *Environ. Sci. Technol.* 11: 883–887.
- Koivusaari, U., Harri, M. & Hänninen, O. 1981a. Seasonal variation of hepatic biotransformation in female and male rainbow trout (*Salmo gairdneri*). *Comp. Biochem. Physiol.* 70C: 149–157.
- Koivusaari, U., Pesonen, M. & Hänninen, O. 1984. Polysubstrate monooxygenase activity and sex hormones in pre- and post-spawning rainbow trout (*Salmo gairdneri*). *Aquat. Toxicol.* 5(1): 67–76.
- Koivusaari, U., Lindström-Seppä, P. & Hänninen, O. 1980. Xenobiotic metabolism in rainbow trout intestine. *Adv. Physiol. Sci.* 29: 433–440.
- Koivusaari, U., Lindström-Seppä, P., Lang, M., Harri, M. & Hänninen, O. 1981b. Occurrence of cytochrome P-450 in certain fresh water species in northern Europe. In: *Biochemistry, biophysics and regulation of cytochrome P-450*. Gustafsson, J.-Å. et al. (eds.). Elsevier/North-Holland Biomedical Press. pp. 455–458.
- Kondo, M. 1978. Simulation studies of degradation of chemicals in the environment: simulation studies of degradation of chemicals in the water and soil; Environment agency. Office of health studies Japan.
- Konemann, H. & Musch, A. 1981. *Toxicology* 19: 223–228.
- Konemann, H. & van Leeuwen, K. 1980. *Chemosphere* 9: 3.

- Konemann, H., Zelle, R., Busser, F. and Hammers, W. E. 1979. J. Chromatogr. 178: 559–565.
- Konietzko, H., Haberlandt, W., Heilbronner, H., Reill, G. & Weichardt, H. 1978. Chromosome studies on trichloroethylene workers. Archives of Toxicology 40: 201–206.
- Kool, H.J. 1984. Influence of microbial biomass on the biodegradability of organic compounds. Chemosphere 13: 751–761.
- Kopcynski, S. L. et al. 1972. Environ. Sci Technol. 6: 342.
- Korn, S., Moles, D.A. & Rice, S.D. 1979. Effects of temperature on the median tolerance limit of pink salmon and shrimp exposed to toluene, naphthalene and cook inlet crude oil. Bull. Environm. Contam. Toxicol. 21: 521–525.
- Korn, S. et al. 1977. Fish Bull. Natl. Marine Fish Ser. 75: 633–636.
- Korte, F. and Klein, W. 1982. Ecotox. Environ. Safety 6: 311–327.
- Korte, F. et al. 1978. Chemosphere 1: 79–102.
- Kosakowska, A. et al. 1988. Effect of amino acids on the toxicity of heavy metals to phytoplankton. Bull. Environ. Contam. Toxicol. 40: 532.
- Kosalwat, P. & Knight, A.W. 1987. Acute toxicity of aqueous and substrate-bound copper to the midge, *Chironomus decorus*. Arch. Environ. Contam. Toxicol. 16: 275.
- Kosalwat, P. & Knight, A.W. 1987b. Chronic toxicity of copper to a partial life cycle of the midge, *Chironomus decorus*. Arch. Environ. Contam. Toxicol. 16: 283.
- Kostal, L. 1974. Influence of copper on the Golgi apparatus of the meristematic cells of the horse-bean–Vicia faba cv. Povazsky. Acta F. R. N. Univ. Comen.–Physiologia Plantarum IX: 31–38.
- Kotai, J. 1972. Instructions for preparation of modified nutrient solution Z8 for algae. NIVA publication B-11/69.
- Kotzias, D. et al. 1982. Naturwissenschaften 69:444-5.
- Koundinya, P.R. & Ramamurthi, R. 1982. Effect of organophosphorus pesticide Sumithion (Fenitrothion) on alkaline phosphatase activity of freshwater Teleost, *Sarotherodon mosambicus* (Peters). Curr. Sci. (Ind.) 51: 191.
- Kovacs, T.G. & Leduc, G. 1982. Sublethal toxicity of cyanide to rainbow trout (*Salmo gairdneri*) at different temperatures. Can. J. Fish. Aquat. Sci. 39: 1389.
- Koyama, J. & Itazawa, Y. 1977. Effects of oral administration of cadmium on fish. I. Analytical results of the blood and bones. Bull. Jap. Soc. Sci. Fish. 43: 523–526.
- Kpekata, A.E. 1983. Acute toxicity of O.O-(thio-di-4,1 -phenylene) bis(0,0-dimethyl phosphorothioate) (Temephos) to *Lebistes reticulatus* and *Sarotherodon gaitlaea*. Bull. Environ. Contam. Toxicol. 31: 120.
- Kraintz, L. & Talmage, R.V. 1952. Distribution of radioactivity following intravenous administration of trivalent chromium-51 in the rat and rabbit. Pric. Soc. Exp. Biol. Med. 81: 490–492.
- Krasavage, W.J., O'Donoghue, J.L. & Divincenzo, G.D. 1982. Ketones. In: Patty's Industrial Hygiene and Toxicology, Vol 2C, 3rd edn, ed by F.E. Clayton & G.D. Clayton. Wiley-Interscience Publ, New York, pp. 4709–4800.
- Krauss, P.B. & Hutchinson, T.C. 1975. The effects of water-soluble petroleum components on the growth of *Chlorella vulgaris* Beijerinck. Environ. Poll. 9(3): 157–174.
- Kreutzweiser, D.P. & Kingsbury, P.D. 1987. Permethrin treatments in Canadian forests. Part 2: Impact on stream invertebrates. Pestic Sci. 19: 49.
- Krezoski, S. et al. 1988. Presence of Zn, Cu-binding protein in liver of freshwater fishes in the absence of elevated exogenous metal: relevance to toxic metal exposure. Mar. Environ. Res. 24: 147.
- Krieger, K.A. et al. 1988. Effects of herbicides on stream aufwuchs productivity and nutrient uptake. Arch. Environ. Contam. Toxicol. 17: 299.
- Krijgsheld, K. R. & Vandergen, A. 1986. Chemosphere 15: 881–893.

- Krishnan, S. et al. 1979. Cyanoarenes in soot: synthesis and mutagenicity of cyanoacenaphthylenes. Environm. Sci. & Techn. 13(12), 1532–1534.
- Kristoffersson, R. & Broberg, S. 1971. Effects of temperature acclimation on some blood constituents of the pike (*Esox lucius* L.) Ann. Zool. Fennici 8: 427–433.
- Kristoffersson, R., Broberg, S., Oikari, A. & Pekkarinen, M. 1974. Effect of a sublethal concentration of phenol on some blood plasma enzyme activities in the pike (*Esox lucius* L.) in brackish water. Ann. Zool. Fennici 11: 220–223.
- Krzeminski, S.F., Brackett, J.D., Fisher, J. F. & Spinuler, J.F. 1975a. Fate of microbicidal 3-180 thiazol one compounds in the environment: modes and rates of dissipation. Agric. Food Chem. 23(6): 1060–1068.
- Krzeminski, S.F., Brackett, L.K., Fisher, J.D. & Spinuler, F. 1976b. Fate of microbicidal 3-isothiazolone compounds in the environment: Products of degradation–J. Agric. Food Chem., Vol. 23(6): 1068 -.
- KT 1995. Chemical information sheet: chlorobenzene (available in Finnish)/Tietoa kemikaaleista: klooribentseeni. Vesi- ja ympäristöhallitus, kemikaalivalvontayksikkö. Helsinki.
- Kudlesia, V.P. & Bali, N.P., 1984. A study of pesticides in Kalinadi river and evaluation of toxicity of some pesticides on fish *Clarias batrachus*. Acta Ciencia Indica 10: 245.
- Kuehl, D.W., Cook, P.M. & Batterman, A.R. 1986. Uptake and depuration of PCDDs and PCDFs in freshwater fish. Chemosphere 15: 2023–2026.
- Kuhn, E.M., Colberg, P.J., Schnoor, J.L., Wanner, O., Zehnder, A.J.B. & Schwarzenbach, R.P. 1985. Microbial transformation of substituted benzenes during infiltration of river water to groundwater: laboratory column studies. Environ. Sci. Technol. 19: 961–969.
- Kuhn, R., Pattard, M., Pernak, K-D. & Winter, A. 1989. Results of the harmful effects of water pollutants to *Daphnia magna* in the 21 day reproduction test. Water Research 23(4): 501–510.
- Kuiper, J. 1981. Fate and effects of mercury in marine plankton communities in an experimental enclosure. Ecotoxicol. Environ. Safety 5: 106–134.
- Kuivasniemi, K., Eloranta, V. & Knuutinen, J. 1985. Acute toxicity of some chlorinated phenolic compounds to *Selenastrum capricornutum* and phytoplankton. Arch. Environ. Contam. Toxicol. 14: 43–49.
- Kukkonen, J. & Oikari, A. 1987. Effects of aquatic humus on accumulation and acute toxicity of some organic micropollutants. Sci. Total Environm. 62: 399.
- Kulshrestha, S.K. & Arora, N. 1986. Effect of carbofuran, dimethoate and DDT on early development of *Cyprinus carpio*, Linn. Part 1: Egg mortality and hatching. J. Environ. Biol. 7: 113.
- Kumar, N.J. & Krishnamoorthi, K.P. 1983. Evaluation of toxicity of ammonical fertilizer effluents. Environ. Pollut. (G.B.), 30 A: 77.
- Kumar, N. & Nath, K. 1987. Toxicity of nickel to a fresh water teleost, *Colisa fasciatus*. Acta Hydrochim. Hydrobiol. 15: 313.
- Kumar, S. & Pant, S.C. 1988. Comparative sublethal ovarian pathology of some pesticides in the teleost, *Puntius conchonius* Hamilton. Bull. Environ. Contam. Toxicol. 41: 227.
- Kumaraguru, A.K. & Beamish, F.W.H. 1981. Lethal toxicity of permethrin (NRC-143) to rainbow trout, *Salmo gairdneri*, in relation to body weight and water temperature. Water Res. (G.B.) 15: 503.
- Kumaraguru, A.K. & Beamish, F.W.H. 1986. Effect of permethrin (NRDC-143) on the bioenergetics of rainbow trout, *Salmo gairdneri*. Aquat. Toxicol. 9: 47.
- Kuparinen, J. 1981. Sulfiittiselluloosatehtaan jättevesien ja eräiden raskasmetalli- ja orgaanisten yhdisteiden vaikutus vesistön bakteeritoimintaan. Vesihallituksen tiedotus n:o 204. 55 s.
- Kurtak, D. et al. 1987. Evaluation of larvicides for the control of *Simulium damnosum* S.1. (Diptera: Simuliidae) in West Africa. J. Am. Mosq. Control. Assoc., 3: 201.
- Kushneva, V.S., Koloskova, G.A., Koltunova, J.G. & Kirilenko, V.T. 1983. Experimental data to hygienic regulation of isobutylalcohol in the working zone. Gig. Tr. Prof. Zabol. 1: 46–47.

- Kuusela, S. 1976. Sulfittimassan valmistus. INSKO. 143–76(x), 12 s.
- Kyrklund, T., Alling, C., Haglid, K. & Kjellstrand, P. 1983. Chronic exposure to trichloroethylene: lipid and acyl group composition in gerbil cerebral cortex and hippocampus. Neurotoxicology 4 (4): 35–42.
- Kühnhold, W.W. & Busch, F. 1978. Uptake of three different types of hydrocarbons by salmon eggs (*Salmo salar* L.). Meeresforsch. (Ger.) 26: 50.
- Källqvist, T. 1979. Tests with planktonic algae. Johannessen, K.I. (red.). Operative okotoksikologiske testmetoder for akvatisk miljö. Rapport 2. s. 5–6.
- Kästner, M. 1986. Biologische Elimination von leichtfluchtigen Halogenkohlenwasserstoffen (Theoretische Grundlagen und Laborversuche). Fachseminar–Bodensanierung und Grundwasserreinigung–Wiedernutzung von Altstandorten. 24–25/9 1986 in Braunschweig: 155–166.
- Könemann, H. 1981. Quantitative structure-activity relationships in fish toxicity studies. I. Relationship for 50 industrial pollutants. Toxicology 19: 209–221.
- Könemann, H. et al. 1979. Determination of log Poct values of chlorosubstituted benzenes, toluenes, and anilines by HPLC on ODS-silica. J. Chrom. 178: 559–565.
- Könemann, H. & Van Leeuwen, K. 1980. Toxicokinetics in fish—accumulation and elimination of six chlorobenzenes by guppies. Chemosphere 9: 3.
- Könemann, W.H. 1979. Quantitative structure-activity relationships for kinetics and toxicity of aquatic pollutants and their mixtures in fish. Univ. Utrecht, Netherlands.
- La Belle C.W. & Brieger, H. 1955. Vapour toxicity of a composite solvent and its principal components. Archives of Industrial Health 12: 623–627.
- Laake, M. 1976. Biotest med lavere organismer. Organiska miljögifter i vatten. Nordforsk. Miljövårdssekretariatet publikation 2: 509–516.
- Laborde, J.B. & Kimmel, C.A. 1980. The teratogenicity of ethylene oxide administered intravenously to mice. Toxicol. appl. Pharmacol. 56: 16–22.
- Lacaze, J.C. & de Naide, V. O. 1976. Influence of illumination on phototoxicity of crude oil. Mar. Pollut. Bull. 7(4): 73–76.
- Ladonin, V.F. & Lunev, M.I. 1983. Determination of pesticide residues from the phytotoxic index. Zashch. Rast. (Moscow) 4: 28–29.
- Laerence, S.G. & Holoka, M.H. 1987. Effects of low concentrations of cadmium on the crustacean zooplankton community of an artificially acidified lake. Can. J. Fish. Aquat. Sci. 44: 163.
- Laffort, P. & Dravnieks, A. 1973. An approach to a physico-chemical model of olfactory stimulation in vertebrates by single compounds. J. Theor. Biol. 38: 335–345.
- Laiho, A. 1985. Meriliikenteen öljyiset jätteet. Ympäristö ja Terveyt 34: 194–197.
- Laiho, A. 1989. NESTE, MTBE-turvallisustiedote.
- Lake, B.G., Gangolli, S.D., Grasso, P. & Lloud, A.G. 1975. Studies on the hepatic effects of orally administered di-(2-ethylhexyl) phthalate in the rat. Toxic. App. Pharm. 32: 355.
- Lal, B. & Singh, T.P. 1987. The effect of malathion and gamma-BHC on the lipid metabolism in relation to reproduction in the tropical teleost, *Clarias batrachus*. Environ. Pollut. 48: 37.
- Lalasidis, G. & Sjoberg, L.B. 1978. Two new methods of debittering protein hydrolysates and a fraction of hydrolysates with exceptionally high content of essential amino acids. J. agric. food Chem. 26: 742–749.
- Lamb, C. B. & Jenkins, G. F. 1952. Proc. 8th Indus Waste Conf. Purdue Univ. pp. 329.
- Lammering, M.V. & Burbank, M.J., Jr. 1960. The toxicity of phenol, o-chlorophenol and o-nitrophenol to bluegill sunfish. Purdue Univ. Eng. Bull. Ext. Ser. 106: 541–55. Lafayette, Ind.
- Landahl, C.C. 1980. Växtbioassay på avloppsvatten. Lägesrapport. IVL. Stockholm.
- Lande, S.S. et al. 1979. J. Environ. Qual. 8: 133–7.

- Lande, S.S. et al. 1987. Laboratory assessment of environmental impact of phthalazine. Bull. Environ. Contam. Toxicol. 38: 332.
- Landner, L. 1969. Toxicitetstest av pentaklorfenol (PCP) och tribromfenol (TBP). IVL stencil 25.4.69.
- Landner, L. 1976. Svårnedbrytbara, toxiska ämnen från pappers- och cellulosaindustrin. Organiska miljögifter i vatten. Nordforsk. Miljövårdssekretariatet publikation 2. s. 127–150.
- Landner, L. 1978. Krav på stegvis uppbyggda testsystem. Toxitetstester. Nordforsk. Miljövårdssekretariatet publikation 2. s. 7–20.
- Landner, L. 1980. Methods and strategies in evaluating ecological effects of pulp mill discharges. Verta, M. (toim.). Puunjalostusteollisuus myrkkykuormittajana Suomessa. Vekary. s. 20–22.
- Landner, L., Björndal, H. & Düring, L. 1976. Slembekämpningsmedel inom svensk pappersindustri. Hälsorisker och miljöeffekter. IVL Rep. B 281, Stockholm, 81 s.
- Landner, L. & Larsson, T. 1973. Jämförande undersökning av ipappersindustrin använda slembekämpningsmedel. Delrapport 3. Jämviktssföringar i akvatiska modellekosystem.–IVL rap.B180. 8 s.
- Landner, L. & Larsson, T. 1977. Effekter av blekeriavlutar från sulfatmassablekning på tillväxt och fotosyntes av planktiska alger. Svensk Papperstidning 12: 371–380.
- Landner, L., Lindström, K., Karlsson, M., Nordin, J. & Sörensen, L. 1977a. Bioaccumulation in fish of chlorinated phenols from kraft pulp mill bleachery effluents. Bull. Environ. Contam. Technol. 18: 663–673.
- Landner, L., Martin, A.L. & Skoglund, P.O. 1973. Jämförande undersökning av i pappersindustrin använda slembekämpningsmedel. Delrapport 1. Akut toxicitet gentemot vattenlevande organismer. IVL Publ. B 178, 33 s.
- Landner, L., Simon, O., Sörensen, L. & Ullman, P. 1977b. Akut toxicitet mot fisk (regnbåge) hos avloppsvatten från t-massaframställning före och efter biologisk behandling. IVL. B 374. 15 s.
- Landner, L. & Skoglund, P.-O. 1977. Svenska vattenkvalitetskriterier. Kriteriedokument om svårnedbrytbara organiska ämnen. IVL Dec. 1977. För Statens naturvårdverk.
- Landner, L. & Walterson, E. 1985. Rönnskärsvärkens påverkan på den yttre miljön–utvärdering av genomförda undersökningar. MFG-Rapport S-8505, Svenska Miljöforskningsgruppen, Stockholm.
- Landrum, P.F. et al. 1987. Reduction in bioavailability of organic contaminants to the amphipod *Pontoporeia hoyi* by dissolved organic matter of sediment interstitial waters. Environ. Toxicol. Chem. 6:11.
- Lane, C.E. & Scura, E.D. 1970. Effects of dieldrin on glutamic oxaloacetic transaminase in *Poecilia latipinna*. J. Fish. Res. Bd. Can. 27: 1869–1871.
- Lane, C.E. & Livingston, R.E. 1970. Some acute and chronic effects of dieldrin on the sailfin molly, *Poecilia latipinna*. Trans. Amer. Fish. Soc. 99(3): 489–495.
- Langi, A. & Nikunen, E. 1982. Teollisuusjättevesien ja kemikaalien toksisuustestaus. Oy Keskuslaboratorio, Espoo. 111 s.
- Lanno, R.P. et al. 1987. Histological observations on intrahepatocytic copper-containing granules in rainbow trout reared on diets containing elevated levels of copper. Aquat. Toxicol. 10: 251.
- Larson, G.L. et al. 1978. Toxicity of residual chlorine compounds to aquatic organisms. EPA-600/3-78-023, U.S.Environmental Protection Agency, Duluth, Minn.
- Larson, G.L., Hutchins, F.E. & Shleshinger, D.A. 1977a. Acute toxicity of inorganic chloramines to early life stages of brook trout (*Salvelinus fontinalis*). J. Fish Biol. 11: 595–598.
- Larsson, Å., Haux, C., Sjöbeck, M-L. & Lithner, G. 1981. Lägesrapport för fisk/metall–projektets delprojekt A5: Biokemisk mätprogram. NBL Rapport 110, Statens Naturvårdsverk, Stockholm.
- Larsson, Å., Lehtinen, K-J. & Haux, C. 1980. Biochemical effects of a titanium dioxide industrial effluent on fish. Bull. Environ. Contam. Toxicol. 25: 427–435.

- Laughlin, R.B., Jr., Neff, J.M., Hrung, Y.C., Goodwin, T.C. & Gian, C.S. 1978. The effects of three phthalate esters on the larval development of the grass shrimp *Palaemonetes pugio* (Holthuis). Water, Air and Soil Pollut. 9: 323–336.
- Laughton, P. M. & Robertson, R. E. 1959. Can. J. Chem. 37: 1491.
- Lauren, D.J. & McDonald, D.G. 1987a. Acclimation to copper by rainbow trout, *Salmo gairdneri*: Physiology. Can. J. Fish. Aquat. Sci. 44: 99.
- Lauren, D.J. & McDonald, D.G. 1987b. Acclimation to copper by rainbow trout, *Salmo gairdneri*: Biochemistry. Can. J. Fish. Aquat. Sci. 44: 105.
- Lauwers, R.R. 1977. Teollisuustoksikologia 1. Työterveyslaitos. 217 s.
- Laveskog, A., Lindskog, A. & Stenberg, U. 1976. Om metaller. Statens naturvårdsverk.
- Lay, J.P. 1987. Influence of chemicals upon plankton in freshwater systems. Chemosphere 16: 581.
- Lay, J. P. et al. 1984. Arch. Environ. Contam. Toxicol 13: 135–142.
- Lay, J.P. et al. 1987. Effects of gamma-BHC (lindane) on zooplankton under outdoor conditions. Chemosphere 16: 1527.
- Leach, J.M. et al. 1975. Acute toxicity to juvenile rainbow trout (*Salmo gairdneri*) of naturally occurring insect juvenile hormone analogues. J. Fish. Res. Bd. Can. 32: 2556.
- Leach, J.M., Howard, T.E. & Walden, C.C. 1974. Identification and treatment of toxic materials in pulp and paper woodroom effluents. B.C. Research. CPAR Project Rept. 148-1, 148-2. 54 + 40 p.
- Leach, J.M., Müller, J.C. & Walden, C.C. 1978a. Biological detoxification of pulp mill effluents. Process Biochem. 143: 18–22.
- Leach, J.M., Müller, J.C. & Walden, C.C. 1978b. Degradability of toxicants in chlorination-stage effluents. Pulp Paper Can., Trans. Tech. Sect. 4: TR90–TR95.
- Leach, J.M. & Thakore, A.N. 1973. Identification of the constituents of kraft pulping effluents that are toxic to juvenile coho salmon (*Oncorhynchus kisutch*). J. Fish. Res. Bd. Can. 30: 479–484.
- Leach, J.M. & Thakore, A.N. 1974. Identification and treatment of the toxic materials in mechanical pulping effluents. CPAR Rep. No. 149–2. Canadian Forestry Service, Ottawa, Ontario.
- Leach, J.M. & Thakore, A.N. 1975. Isolation and identification of constituents toxic to juvenile rainbow trout (*Salmo gairdneri*) in caustic extraction effluents from kraft pulpmill bleach plants. J. Fish. Res. Bd. Can. 32: 1249–1257.
- Leach, J.M. & Thakore, A.N. 1976. Toxic constituents in mechanical pulping effluents. TAPPI 59 (2): 129–134.
- Leach, J.M. & Thakore, A.N. 1977. Compounds toxic to fish in pulp mill waste streams. Prog. Water Tech. 9: 787–798.
- Leahy, D. L. 1986. J. Pharm. Sci. 75: 629–636.
- Leatherland, J.F. & Sonstegard, R.A. 1981. Effect of dietary mirex and PCBs on calcium and magnesium metabolism in rainbow trout (*Salmo gairdneri*) and coho salmon (*Oncorhynchus kisutch*): A comparison with Great Lakes coho salmon. Comp. Biochem. Physiol. 69C: 345.
- LeBlanc, G.A. 1980. Acute toxicity of priority pollutants to water flea (*Daphnia magna*). Bull. Environm. Contam. Toxicol. 24: 684–691.
- LeBlanc, G.A. 1984. Comparative structure-toxicity relationship between acute and chronic effects to aquatic organisms. In: Kaiser, K.L.E. (Ed.), QSAR in Environmental Toxicology, Reidel Publishing Company, pp. 235–260.
- LeBlanc, G.A. 1984. Interspecies relationships in acute toxicity of chemicals to aquatic organisms. Environ. Toxicol. Chem. 3: 47–60.
- LeBlanc, G.A. & Dean, J.W. 1984. Antimony and thallium toxicity to embryos and larvae of fathead minnows (*Pimephales promelas*). Bull. Environ. Contam. Toxicol. 32 (5): 565–569.
- LeBlanc, G.A. et al. 1988. Relationships between the structures of chlorinated phenols, their toxicity and their ability to induce glutathione S-transferase activity. Aquat. Toxicol. 12: 147.

- LeBlanc, G.A. Mastone, J.D., Paradice, A.P., Wilson, B.F., Lockhart, H.B.Jr. & Robillard, K.A. 1984. The influence of speciation on the toxicity of silver to fathead minnow (*Pimephales promelas*). Environ. Toxicol. Chem. 3(1): 37–46.
- LeBlanc, G.A. & Surprenant, D.C. 1983. The acute and chronic toxicity of acetone, dimethylformamide and triethylene glycol to *Daphnia magna* (Straus). Arch. Environ. Contam. Toxicol. 12: 305.
- Lech, J.J. 1973. Isolation and identification of 3-trifluoromethyl-4-nitrophenylglucuronide from bile of rainbow trout exposed to 3-trifluoromethyl-4-nitrophenol. Toxicol. Appl. Pharmacol. 24: 114–124.
- Lech, J.J. & Bend, J.R. 1980. Relationship between biotransformation and the toxicity and fate of xenobiotic chemicals in fish. Environ. Health Perspect. 34: 115–131.
- Lech, J.J., Glickman, A.H. & Statham, C.N. 1978. Studies on the uptake, disposition and metabolism of pentachlorophenol and pentachloroanisole in rainbow trout (*Salmo gairdneri*). In: Pentachlorophenol. Chemistry, pharmacology, and environmental toxicology. Rao, R.K. (ed.). Plenum Press, New York. pp. 107–113.
- LeDuc, G. 1978. Deleterious effects of cyanide on early life stages of Atlantic salmon. J. Fish. Res. Board Can. 35: 166–174.
- Lee, E.K. & Hong, Y.N. 1982. Studies on the growth of freshwater algae by biocides. I. On the growth of *Chlamydomonas reinhardtii*. Sikmul Hakhoe Chi (Korea), 25, 113(1982); C.A. Selects-Environ. Pollut., 10, 98: 157691x.
- Lee, M.C. et al. 1979. Solubility of polychlorinated biphenyls and capacitor fluid in water. Water Res. 13: 1249–1258.
- Lee, R. F. 1976. Metabolism of petroleum hydrocarbons in marine sediment. In: Sources, Effects and Sinks of Hydrocarbons in the Aquatic Environment, American Institute of Biological Sciences, Washington, D.C., pp. 333–344.
- Lee, R.F. 1977. Fate of petroleum components in estuarine waters of the southeastern United States. Oil Spill Conference, U.S.A.
- Lee, R.F. et al. 1978. Fate of polycyclic aromatic hydrocarbons in controlled ecosystem enclosures. Environm. Sci. & Techn. 12(7): 832–838.
- Lee, R. F. and Ryan, C. 1979. Microbial degradation of pollutants in marine environments pp. 443–450 USEPA-600/9-72-012.
- Lee, R.F. & Takahashi, M. 1977. The fate and effect of petroleum in controlled ecosystem enclosures. Rap. P. V. Réun. Cons. Int. Explor. Mer. 171: 150–156.
- Leeuwangh, P. et al. 1975. Toxicity of hexachlorobutadiene in aquatic organisms. In: Sublethal effects of toxic chemicals in aquatic animals. Koeman, J.H. & Strik, J.J.T.W.A.(Eds.), 167, Elsevier Scientific Publ. Co., New York.
- Leeuwen, C.J., van 1986. Ecotoxicological Aspects of Dithiocarbamates. Utrecht, University of Utrecht (Thesis).
- Lehman, A.J. 1951. Chemicals in food: a report of the association of food and drug officials on current developments, II, Pesticides. Q. Bull. Fed. Drug Off. U.S. 15: 122–133.
- Leeuwen, C.J. van et al. 1987. Effects of chemical stress on the population dynamics of *Daphnia magna*: A comparison of two test procedures. Ecotoxicol. Environ. Saf. 14:1.
- Leeuwen, C.J., van & Maas, H. 1985. The aquatic toxicity of 2,6-dichlorobenzamide (BAM), a degradation product of the herbicide dichlobenil. Environ. Pollut. (Ser. A)37: 105–115.
- Leeuwen, C.J. van, Maas-Diepeveen; J.L., Niebeek, G., Vergoun, W.H.A., Griffioen, P.S. & Luijken, M.W. 1985. Aquatic toxicological aspects of dithiocarbamates and related compounds. I. Short-term toxicity tests. Aquatic Toxicol. 7(3): 145–164.
- Leeuwen, C.J., van, Maas-Diepeveen, J.L. & Overbeek, H.C.M. 1986. Sublethal effects of tetramethylthiuram disulfide (Thiram) in rainbow trout (*Salmo gairdneri*). Aquat. Toxicol. 9: 13–19.

- Leeuwen, C.J. van, Moberts, F. & Niebeck, Y. 1985b. Aquatic toxicological aspects of dithiocarbamates and related compounds. II. Effects on survival, reproduction and growth of *Daphnia magna*. *Aquatic Toxicol.* 7(3): 165–175.
- Legator, M.S. & Malling, H.W. 1971. The host-mediated assay, a practical procedure for evaluating potential mutagenic agents in mammals. Hollaender, A. (ed.). *Chemical mutagens, principles and methods for their detection*. Vol. 2, pp. 569–590.
- Lehmusluoto, P.O. & Heinonen, P. 1970. Eräiden jätevesien vaikutus Saimaan perustuotantoon. *Vesi* 4: 1–8.
- Lehtinen, K.-J. & Oikari, A. 1980. Sublethal effects of kraft pulp mill waste water on the perch, *Perca fluviatilis*, studied by rotatory-flow and histological techniques. *Ann. Zool. Fenn.* 17: 255–259.
- Leibman, K.C. 1971. Reduction of ketones in liver cytosol. *Xenobiotica* 1: 97–104.
- Leland, H.V. et al. 1988. Effects of copper on structure and function of biological communities in a Sierra Nevada, California, stream. *Aquat. Toxicol.* 11: 409.
- Lemmo, N.V., Faust, S.D., Belton, T. & Tucker, R. 1983. Assessment of the chemical and biological significance of arsenical compounds in a heavily contaminated water-shed. Part I. The fate and speciation of arsenical compounds in aquatic environments.—A literature review. *J. Environ. Sci. Health A* 18(3): 335–387.
- Leonard, A., Jacquet, P. & Lauwerys, R.R. 1983. *Mutat. Res.* 114: 1.
- Leonardos, G. et al. 1969. Odour threshold determinations of 53 odourant chemicals. *JAPCA* 19(2): 91–95.
- Lesniak, J.A. & Ruby, S.M. 1982. Histological and quantitative effects of sublethal cyanide exposure on oocyte development in rainbow trout. *Arch. Environ. Contam. Toxicol.* 11: 343.
- Lesnikov, L.A. 1966. Effect of unpurified and purified sulphate waste waters of the pulp and paper industry on aqueous invertebrates. *Biol. Prod. Vodoemov. Sib., Dokl. Soveshch* 273–276. / A.B.I.P.C. 42, 8182/.
- Lett, P.F., Farmer, G.J. & Beamish, F.W.H. 1976. Effect of copper on some aspects of the bioenergetics of rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Bd. Can.* 33: 1335–1342.
- Leuenberger, C. et al. 1985. *Environ. Sci Technol.* 19: 1053–1058.
- Leuenberger, C. et al. 1985. *Water Res.* 19: 885–894.
- Leung, T.S. et al. 1983. Toxicities of two herbicides (Basagran, Diquat) and an algecide (Cutrin-Plus) to mosquitofish *Gambusia affinis*. *Environ. Pollut.* 30A: 153.
- LeValley, M.J. 1982. Acute toxicity of iodine to channel catfish (*Ictalurus punctatus*) *Bull. Environ. Contam. Toxicol.* 29: 7.
- Levin, G.V., Schrot, J.R. & Hess, W.C. 1975. Methodology for the application of adenosine triphosphate determination in waste water treatment. *Envir. Sci. Technol.* 9: 961–965.
- Levvy, G.A. & Conchie, J. 1966. B-glucuronidase and the hydrolysis of glucuronides. In: *Glucuronic acid, free and combined*. Dutton, G.J. (ed.). Academic Press, New York and London. pp. 301–364.
- Lewis, M.A. 1983. Effect of loading density on the acute toxicities of surfactants, copper, and phenol to *Daphnia magna* Straus. *Arch. Environ. Contam. Toxicol.* 12: 51.
- Lewis, M.A. & Suprenant, D. 1983. Comparative acute toxicities of surfactants to aquatic invertebrates. *Ecotoxicol. Environ. Saf.* 7: 313.
- Lewis, M.A. & Wee, V.T. 1983. Aquatic safety assessment for cationic surfactants. *Environ. Toxicol. Chem.* 2: 105–118.
- Lewis, R.J. & Sweet, D.V. 1984. Registry of toxic effects of chemical substances. National Institute for Occupational Safety and Health. No. 83-107-4.
- Lewis, R.J. & Tatken, R.L. 1980. Registry of toxic effects of chemical substances. National Institute for Occupational Safety and Health. No. 81-116.

- Lewis, R.J. Sr. & Tatken, R.L. (Eds.) 1979. Registry of Toxic Effects of Chemical Substances. U.S. Dept. Health and Human Services. Natl. Inst. Occup. Safety Health (NIOSH).
- Lewis, T.E. et al. 1985. p 7 in New Persp. Env. Tox. Chem. Soc. Environ. Tox. Chem. Abstr. 6th Meet.
- Li, W.K.W. 1980. Cellular accumulation and distribution of cadmium in *Isochrysis galbana* during growth inhibition and recovery. *J. Plankton Res.* 2: 283–294.
- Li, W., Merrill, D. E. & Haith, A. 1990. Loading functions for pesticide runoff. *Research Journal WPCF*, 62(1): pp. 16–26.
- Liebmann, M. 1960. Handbuch der Frischwasser- und Abwasserbiologie. II. p. 679–974. München.
- Liguori, V.M. et al. 1983. Toxicity of the herbicide Endothal to juvenile chinook salmon (*Oncorhynchus tshawytscha*). In: Aquatic toxicology and hazard assessment: sixth symposium. ASTM STP 802, W.E. Bishop, et al.(eds.). Am. Soc. Test. Mater., Philadelphia, Pa., 530.
- Liimatainen, A. 1983. Mutageenisuuden ja karsinogeenisuuden toteaminen Amesin Salmonella/mirosomi-testillä. *Emissio* (2): 19–22.
- Lillard, D.A. et al. 1975. Aqueous odour, thresholds of organic pollutants in industrial effluents. EPA-660/4-75-002.
- Lindahl, P.E., Olofsson, S. & Schwanbom, E. 1977. Rotatory-flow technique for testing fitness of fish. In: Biological monitoring of water and effluent quality. Cairns, J., Jr. et al. (eds.). ASTM. STP 607. Baltimore. pp. 75–84.
- Lindegaard-Jørgensen, P. 1983. Biochemical & Biological processes in 4-nitrophenol degradation (4-NP). In: Christiansen, K., B. Koch and F. Bro-Rasmussen (eds): Chemicals in the environment. The Technical University of Denmark, pp: 145–151.
- Lindegaard-Joergensen, P. & Jacobsen, B. N. 1986. In Comm. Eur. Communities, Eur. 10388. Org. Micropollut. Aquat. Environ. p. 429–439.
- Linden, E., Bengtsson, B-E., Svanberg, O. & Sundström, G. 1979. The acute toxicity of 78 chemicals and pesticide formulations against two brackish water organisms, the bleak (*Alburnus alburnus*) and the harpacticoid *Nitocra spinipes*. *Chemosphere* 11/12: 843–851.
- Linden, O. 1974. Effects of oil spill dispersants of the early development of Baltic herring. *Ann. Zool. Fennici* 11: 141–148.
- Linden, O., Ferm, R., Renberg, L., Svanberg, O. & Timm, B. 1981. Karakterisering av industriella avloppsvatten. Lägesrapport från ett projektområde. Nordforsk. Ekotoxicologiska metoder för akvatisk miljö. Rapport Nr 34. 63 s.
- Lindman, U., Förlin, L., Molander, O. & Axelsson, G. 1976. Induction of the drug metabolizing system in rainbow trout (*Salmo gairdneri*) liver by polychlorinated biphenyls (PCBs). *Acta pharmacol. toxicol.* 39: 262–272.
- Lindström-Seppä, P., Koivusaari, U. & Hänninen, O. 1981a. Extrahepatic xenobiotic metabolism in north-european freshwater fish. *Comp. Biochem. Physiol.* Vol. 69C. 259–263.
- Lindström-Seppä, P., Koivusaari, U. & Hänninen, O. 1981b. Metabolism of xenobiotics by vendace (*Coregonus albula*). *Comp. Biochem. Physiol.* Vol. 68C. 121–126.
- Lindström, M. & Lindström, A. 1980a. Swimming activity of *Pontoporeia affinis* (Crustacea, Amphipoda). Seasonal variations and usefulness for environmental studies. *Ann. Zool. Fennici* 17: 213–220.
- Lindström, M. & Lindström, A. 1980b. Changes in the swimming activity of *Pontoporeia affinis* (Crustacea, Amphipoda) at exposures to sublethal concentrations of phenol, 4-chlorophenol and styrene. *Ann. Zool. Fennici* 17: 221–231.
- Lindström, M. & Lindström, A. 1981. The behaviour of *Pontoporeia affinis* Lindstr. as a tool for determining detrimental effects of aquatic pollutants. In: Federley, B.(red.). Projekseminarium. Nordforsk. Ekotoxicologiska metoder för akvatisk miljö. Rapport Nr. 26. 89 s.

- Lindvall, O. 1983. Johdatus lima- ja likaantumisongelmiin. INSKO: Lima- ja limaantumisongelman paperiteollisuudessa. 44–83 I.
- Litchfield, J.T. & Wilcoxon, F.A. 1947. A simplified method of evaluating dose-effect experiments. *J. Pharm. exp. Ther.* 95: 99–113.
- Litvintsev, A.N. 1967. Effect of waste waters from a woodhydrolyzing factory on aquatic organisms. *Biol. Nauk.* 10(3), p. 20–22. (Water Pollut. Abstr. 42, p. 1710).
- Liu, D.H.W. et al. 1983. Toxicity of a complex munitions wastewater to aquatic organisms. In: Aquatic toxicology and hazard assessment: sixth symposium. ASTM STP 802, W.E. Bishop, et al (eds.). Am. Soc. Test. Mater., Philadelphia, Pa., 135.
- Liu, D.H.W. & Lee, J.M. 1975. Toxicity of selected pesticides to the bay mussel (*Mytilus edulis*). Cornwallis, Oregon, U.S. Environmental Protection Agency, Office of Research and development. 102p.
- Lizuka, H. & Masuda, T. 1979. Residual fate of chlorphenamidine in rice plant and paddy soil. *Bull. Environm. Contam. Toxicol.* 22: 745–749.
- Llewellyn, O.P. 1973. Marine antifouling compositions and their applications. *Ann. Occup. Hyg.* 15: 393–396.
- Lloyd, R. 1960. The toxicity of zinc sulfate to rainbow trout. *Ann. appl. Biol.* 48: 84–94.
- Lloyd, R. 1961. Effect of dissolved oxygen concentrations on toxicity of several poisons to rainbow trout (*Salmo gairdneri Richardson*). *J. Exp. Biol.* 38: 447–455.
- Lloyd, R. 1979. In: Dickson, K.L., Maki, A.W. & Cairns Jr. Y.(eds.) *Analysing the Hazard Evaluation Process*, American Fisheries Society, Washington D.C.
- Lloyd, R. & Herbert, D.W.M. 1960. The influence of carbon dioxide on the toxicity of un-ionized ammonia to rainbow trout (*Salmo gairdneri Richardson*). *Ann. Appl. Biol.* 48: 399–404.
- Lloyd, R. & Herbert, D.W.M. 1962. The effect of the environment on the toxicity of poisons to fish. *Inst. Public Health Engineers J.* 61: 132–145.
- Lloyd, R. & Jordan, D.H.M. 1964. Some factors affecting the resistance of rainbow trout (*Salmo gairdneri Richardson*) to acid waters. *Int. J. Air. Wat. Pollut.* 8: 393–403.
- Lloyd, R. & Orr, L.D. 1969. The diuretic response by rainbow trout to sublethal concentrations of ammonia. *Water Res.* 3: 35–344.
- Loch, J.S. & Bryant, W.J. 1972. Toxicity and other pollution characteristics of unbleached kraft mill effluents. Rep. TR 72-3, Resources Development Brach, Fisheries Service, Environment Canada.
- Loch, J.S. & RacLeod, J.S. 1974. Factors affecting acute toxicity bioassays with pulp mill effluent. *Fish. Mar. Serv. Techn. Rep. Ser. CEN/T-74-2:* 31 p.
- Lockhart, W.L. et. al. 1975. Chronic toxicity of a synthetic triaryl phosphate oil to fish. *Environm. Physiol. Biochem.* 5: 361.
- Lockhart, W.L., Uthe, J.F., Kennedy, A.R. & Mehrle, P.M. 1972. Methylmercury in northern pike (*Esox lucius*): distribution, elimination, and some biochemical characteristics of contaminated fish. *J. Fish. Res. Bd. Can.* 29: 1519–1523.
- Loekke, W. 1984. Water, Air, Soil Pollut. 22: 373–387.
- Loekke, D.M. et al. 1983. Effects of chloroform, tetrachloroethylene, and inchloroethylene on survival, growth, and liver of *Poecilia sphenops*. *Bull. Environ. Contam. Toxicol.* 30: 199.
- Loekke, D.M., Schecter, A. & Christian, J.J. 1983. Effects of Chloroform, Tetrachloroethylene, and Trichloroethylene on Survival, Growth, and Liver of *Poecilia sphenops*. *Bull. Environ. Contam. Toxicol.* 30: 199.
- LOGKOW 1994. Octanol-water partition coefficient program. Syracure Research Corporation. Chemical Hazard Assessment Division. Environmental Chemistry Center.
- Løkke, H. 1985. Degradation of 4-nitrophenol in 2 Danish soils. *Environ. Pollut. Ser. A., Ecol. Biol.* 38: 171–182.

- Løkke, H. & Rasmussen, L. 1983. Phytotoxicological effects of di(2-ethylhexyl)phthalate and di(n-butyl)phthalate on higher plants in laboratory and field experiments. Environ. Poll. Ser. A 32(3): 179–199.
- Løkke, H. 1984. Organisk-kemiske stoffers skæbne og effekt i planter og jord. Licentiat afhandling under det naturvidenskabelige fakultet ved Københavns universitet.
- Lombardo, P., Dennison, J.L. & Johnson, W.W. 1975. Bioaccumulation of chlorinated paraffin residues in fish. J. Ass. Office Anal. Chemists 58: 707–710.
- Loney, B.E., Bassette, R. & Ward, G.M. 1963. Some volatile components in milk, blood, and urine from cows fed silage, bromegrass, and hay and grain. Journal of Dairy Science 46: 922.
- Lorz, H.W. & McPherson, B.P. 1976. Effects of copper and zinc in fresh water on the adaptation to sea water and ATPase activity, and the effects of copper on migratory disposition of coho salmon (*Oncorhynchus kisutch*). J. Fish. Res. Bd. Can. 33: 2023–2030.
- Lorz, H.W. & McPherson, B.P. 1977. Effects of copper and zinc on smoltification of coho salmon. EPA-600/3-77-032, U.S.Environmental Protection Agency, 69 p.
- Lorz, H.W. et al. 1979. Effects of selected herbicides on smolting of coho salmon. EPA-600/3-79-071, U.S.Environmental Protection Agency, Corvallis, Oreg.
- Love, R.M. 1970. The chemical biology of fishes. London and New York, Academic Press. 262 p.
- Lowe, J.I. 1967. Effects of prolonged exposure to sevin on an estuarine fish, *Leiostomus xanthurus* Lacepede. Bull. Environm. Contam. Toxicol. 2(3): 147–155.
- Lowe, D. C. et al. 1980. Geophys. Res. Lett. 7: 825–828.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. & Randall, R.J. 1951. Protein measurements with the Folin phenol reagent. J. Biol. Chem. 193: 265–275.
- Lowy, R., Griffaton, G., Brigant, L., Ardonin, B. & Dupuy, F. 1979. The dietary no-effect level of a dithiocarbamate fungicide, thiram, as evaluated from measurement data on rats. II. The various sensitivities of the various parameters. Toxicology 14: 39–53.
- Lu, P.Y. & Metcalf, R. 1975. Environmental fate and biodegradability of benzene derivates as studied in a model aquatic ecosystem. Environ. Health Perspect. 10: 269–284.
- Lu, P.Y., Metcalf, R.L., Plummer, N. & Mandel, D. 1977. The environmental fate of three carcinogenes; Benzo-(a)-pyrene, benzidine and vinyl chloride evaluated in laboratory model ecosystems. Arch. Environ. Contam. Toxicol. 6: 129–45.
- Lu, P. Y. et al. 1977. Arch. Environ. Contam. Toxicol. 9: 1042–1048.
- Lubek, B. M. et al. 1988. Fundam. Appl. Toxicol. 10(4), 596–606.
- Lucas, S. V. 1984. GC/MS analysis of organics in drinking water concentrates and advanced waste treatment concentrates Vol 2 p 145. USEPA-600/1-84-020B NTIS PB85-128239.
- Lucier, G.W. & McDaniel, O.S. 1972. Alterations in at liver microsomal and lysosomal beta-glucuronidase by compounds which induce hepatic drug metabolizing enzymes. Biochem. Biophys. Acta 261: 168.
- Ludzack, F. J. & Ettinger, M. B. 1960. J. Water Pollut. Control Fed. 32: 1173–1200.
- Ludzak, F. J. & Ettinger, M. B. 1971. Proc. 18th Indus. Waste Conf. Purdue Univ. Eng. Bull. Ext. Ser. 18: 278–282.
- Luh, M. D. & Baker, R. A. 1970. Proc. of 25th Industrial Waste Conf. Purdue Univ., Eng. Bull. Ext. Series 25: 534–542.
- Lund, B.-O., Bergman, Å. & Brandt, I. 1988. Metabolic activation and toxicity of a DDT-metabolite, 3-methylsulfonyl-DDE, in the adrenal zona fasciculata in mice. Chem.-Biol. Interactions 65: 25–40.
- Lund, B.-O., Bergman, Å. & Brandt, I. 1988. Metabolic activation and toxicity of a DDT-metabolite, 3-methylsulfonyl-DDE, in the adrenal zona fasciculate in mice. Chem.-Biol. Interactions 65: 25–40.

- Lunn, C.R., Towes, D.P. & Pree, D.J. 1976. Effects of three pesticides of respiration, coughing, and heart rates of rainbow trout (*Salmo gairdneri* Richardson). *Can. J. Zool.* 54: 214–219.
- Luoma, S.N. & Jenne, E.A. 1977. The availability of sediment-bound cobalt, silver, and zinc to a deposit-feeding clam. In: *Biological Implications of Metals in the Environment, Proceedings of the Fifteenth Annual Hanford Life Sciences Symposium at Richland, Washington, September 29–October 1, 1975*. Publ.: Technical Information Center Energy Research and Development Administration.
- Lyarskii, P.P., Yurchenko, V.V., Zhurkov, V.S. & Gleiberman, S.E. 1983. Mutagenic hazards of parenteral administration of ethylene oxide to mammals. *Gig. i Sanit.* 1: 23–26.
- Lydy, M.J. & Wissing, T.E. 1988. Effect of sublethal concentrations of copper on the critical thermal maxima (CTMax) of the fantail (*Etheostoma flabellare*) and johnny (*E. nigrum*) darters. *Aquat. Toxicol.* 12: 311.
- Lyman, W. J. et al. 1982. *Handbook of Chemical Property Estimation Methods. Environmental behavior of organic compounds*. McGraw-Hill New York.
- Lynch, D.W., Lewis, T.R., Moorman, W.J., Burg, J.R., Groth, D.H., Khan, A., Ackermann, L.J. & Cockrell, B.Y. 1984. Carcinogenic and toxicologic effects of inhaled ethylene oxide and propylene oxide in F344 rats. *Toxicol. appl. Pharmacol.* 76: 69–84.
- Lynch, D.W., Lewis, T.R., Moorman, W.J., Lal, J.B., Burg, J.R., Gulati, D.K., Zavos, P.M. & Sabharwal, P.S. 1984. Toxic and mutagenic effects of inhaled ethylene oxide and propylene oxide on spermatogenic functions in monkeys. *Toxicologist* 3: 60.
- Lyons, C. D. et al. 1984. *Appl. Environ. Microbiol.* 48:491-6.
- Löv, E.V. 1983. Vorkommen und mikrobieller Um- und Abbau von aromatischen Polzyzken im Boden und in Siedlungsabfällen. *Forum Städte-Hygiene*. 34: 263–267.
- Maass, W.S.G., Hutzinger, O. & Safe, S. 1976. Metabolism of 4-chlorobiphenyl by lichens. *Arch. Environm. Contam. Toxicol.* 3: 470–478.
- Mabey, W. R., Smith, J. H., Podoll, R. T., Johnson, H. L., Mill, T., Chou, T. W. and Gates, J. 1982. Waight partridge, I., Jaber, H. & Vandenberg, D. Aquatic fate process data for organic priority pollutants. EPA report No. 440/4-81-014.
- Mabey, W. & Mill, T. 1978. *J. Phys. Chem. Ref. Data* 7: 383–415.
- Macek, K.J., Buxton, K.S., Derr, S.K., Dean, J.W. & Sauter, S. 1976a. Chronic toxicity of lindane to selected aquatic invertebrates and fishes. U.S. Environmental Protection Agency, Duluth, MN, EPA 600/3-76-046, 49 pp.
- Macek, K.J., Buxton, K.S., Sauter, S., Gnilka, S. & Dean, J.W. 1976b. Chronic toxicity of atrazine to selected invertebrates and fishes. U.S. Environmental Protection Agency, Duluth, MN, EPA 600/3-76-047, 49 pp.
- Macek, K.J., Hutchinson, C. & Cope, O.B. 1969. The effects of temperature on the susceptibility of bluegills and rainbow trout to selected pesticides. *Bull. Environ. Contam. Toxicol.* 4: 174–183.
- Macek, K.J., Lindberg, M.A., Sauter, S., Buxton, K.S. & Costa, P. A. 1976c. Toxicity of four pesticides to water fleas and fathead minnows. U.S. Environmental Protection Agency, Duluth, MN, EPA 600/3-76-099, 58 pp..
- Macek, K.J. & McAllister, W.A. 1970. Insecticide susceptibility of some common fish family representatives. *Trans. Amer. Fish. Soc.* 99(1): 20–27.
- Macek, K.J. & Sleight, B.H. 1977. Utility of toxicity tests with embryos and fry of fish in evaluating hazards associated with the chronic toxicity of chemicals to fishes. In: *Aquatic toxicology and hazard evaluation, ASTM STP 634*. Mayer, F.L. & Hamelink, J.L. American Society for Testing and Materials, Philadelphia, pp. 137–146.
- Maciorowski, A.F., Sims, J.L., Little, L.W. & Gerrard, E.D. 1981. Bioassay—procedures and results. *Water Pollut.* 53(6): 974–993.

- Mackay, D. 1982. Correlation of bioconcentration factors. Environ. Sci. Technol., 16(5): 274–278.
- Mackay, D. & Shiu, W. Y. 1975. Can. J. Chem. Eng. 53: 239.
- Mackay, D. and Shiu, W. Y. 1981. J. Phys. Chem. Ref. Data 19: 1175–1199.
- Mackay, D., Shiu, W. Y. and Sutherland, R. P. 1979. Environ. Sci. Technol. 13: 333.
- Mackay, D. and Yeun, A. T. K. 1983. Environ. Sci. Technol. 17: 211–217.
- MacKay, D. & Leinonen, P.J. 1975. Rate of evaporation of low solubility contaminants from water bodies to atmosphere. Environm. Sci. and Techn. 9: 1178–1180.
- MacKenzie, K.M. & Angevine, D.M. 1981. Infertility in mice exposed in utero to benzo(a)pyrene. Biol. Reprod. 24: 183–191.
- Macri, A. & Sbardella, E. 1984. Toxicological evaluation of nitrofurazone and furaltadone on *Selenestrum capricornutum*. Ecotoxicol. Environ. Saf. 8(2): 101–5.
- Macy, R. 1948. J. Ind. Hyg. Toxicol. 30: 140.
- Maddock, B.G. & Taylor, D. 1977. The acute toxicity bioaccumulation of some lead alkyl compounds in marine animals.(Imperial Chemical Industries) International Experts Discussion Meeting on Lead—Occurrence, Fate and Pollution in the Marine Environment, Rovinj, Yugoslavia, Oct. 1977.
- Madeley, J.R. & Birtley, R.D.N. 1980. Chlorinated paraffins and the environment. 2. Aquatic and avian toxicology. Environ. Sci. Technol. 14: 1215–1221.
- Majewski, H.S., Klaverkamp, J.F. & Scott, D.P. 1978. Acute lethality and sublethal effects of acetone, ethanol and propyleneglycol on the cardiovascular and respiratory system of rainbow trout. Water Res. 13: 217–221.
- Majewski, H.S. & Giles, M.A. 1981. Cardiovascular-respiratory responses of rainbow trout (*Salmo gairdneri*) during chronic exposure to sublethal concentrations of cadmium. Water Res. 15: 1211.
- Maki, A.W. 1979. Correlations between *Daphnia magna* and fathead minnow (*Pimephales promelas*) chronic toxicity values for several classes of test substances. J. Fish. Res. Board Can. 36: 411–421.
- Maki, A.W. et al. 1979. Reduction of nonionic surfactant toxicity following secondary treatment. J. Water Pollut. Control Fed. 51: 2301.
- Maki, A.W., Geisel, L. & Johnson, H.E. 1975. Comparative toxicity of larval lampricide (TFM: 3-trifluoromethyl-4-nitrophenol) to selected benthic macroinvertebrates. J. Fish. Res. Board Can. 32(8): 1455–1459.
- Maki, A.W., Stewart, K.W. & Silvey, J.K.G. 1973. The effects of dibrom on respiratory activity of the stonefly, *Hydroperia crosbyi*, hellgrammite, *Corydalus cornatus*, and the golden shiner, *Notemigonus crysoleucas*. Trans. Amer. Fish. Soc. 102(4): 806–815.
- Malanchuk, J.L. & Gruendling, G.K. 1973. Toxicity of lead and nitrate to algae. Water, Air and Soil Pollution 2: 181–190.
- Malaney, G.W. J. 1960. J. Water Pollut. Control Fed. 32: 1300–1311.
- Malins, D.C. (toim.) 1977: Effects of petroleum on arctic and subarctic marine environments and organisms. II. Biological effects. 500 p. New York/San Francisco/London.
- Malmqvist, U. & Duus, U. 1989. Minskad kemikalianvändning—ett renare släm. Rapport nr 5 utförd på uppdrag av Miljöprojekt Göteborg.
- Maloney, T.E. & Palmer, C.M. 1956. Toxicity of six chemical compounds to thirty cultures of algae. Water Sewage Works 103: 509–513.
- Malten, K.E., Spruit, D., Boemaars, H.G.M. & De Keizer, M.J.M. 1968. Horny layer injury by solvents. Berufsdermatosen 16: 135.
- Malyarevskaya, A.Ya. & Karasina, F.M. 1987. Effect of lead nitrate on physiological and biochemical characteristics of certain aquatic invertebrates. Hydrobiol. J. (Gidrobiol. Zh.) 23: 84.
- Manck, W.L., Mehrle, P.M. & Mayer, F.L. 1978. Effects of the polychlorinated biphenyl Aroclor 1254 on growth, survival and bone development in brook trout (*Salvelinus fontinalis*). J. Fish. Res. Bd. Can. 35: 1084–1088.

- Mane, U.H. et al. 1987. Changes in metabolites and physiological activities in a freshwater mussel, *Indonaia caeruleus* (Prashad) due to short-term exposure to fluoride. *Fluoride* 20: 84.
- Mani, V.G.T. & Konar, S.K. 1986. Chronic effects of malathion on feeding behavior, survival, growth and reproduction of fish. *Aquat. Sci. Fish. Abstr.* 16: 179.
- Mann, J.D., Jordan, L.S. & Day, B.E. 1965. A survey of herbicides for their effect upon protein synthesis. *Plant Physiol.* 40(5): 840–843.
- Mannström, B. 1976. Mekaanisten massojen valmistus. INSKO 143-76 (VIII), 26 s.
- Manoharan, T. & Subbiah, G.N. 1982. Toxic and sublethal effect of Endosulfan on *Burbus stigma* (Pisces: Cyprinidae). *Prox. Indian Acad Sci. Anim. Sci.* 91, 523 (1982); *Aquat. Sci. Fish. Abstr.*, 13: 145371Q13.
- Manson, J.M., Murphy, M., Richdale, N. & Smith, M.K. 1984. Effects of oral exposure to trichloroethylene on female reproductive function. *Toxicology* 32: 229–242.
- MARC Report 1982. Cadmium in the European Community. MARC Report No. 26.
- Marcelle, C. & Thome, J.P. 1983. Acute Toxicity and Bioaccumulation of Lindane in Gudgeon. *Gobio gobio* (L.). *Bull. Environ. Contam. Toxicol.* 13: 453.
- Marchetti, R. 1978. Acute toxicity of alkylleads to some marine organisms, *Marine Poll. Bull.* 9: 206–207.
- Marchini, S. et al. 1988. Herbicidal Triazines: acute toxicity on *Daphnia*, fish, and plants and analysis of its relationships with structural factors. *Ecotoxicol. Environ. Saf.* 16: 148.
- Marhold, J., Matrka, M., Hub, M. & Ruffer, F. 1968. The possible complicity of diphenyline in the origine of tumours in the manufacture of benzidine. *Neoplasma* 15: 3–10.
- Marking, L.L. 1974a. Toxicity of the synthetic pyrethroid SBP-1382 to fish. *Progr. Fish. Cult.* 36(3): 144.
- Marking, L.L. 1974b. Toxicity of 2-(digeranyl amino)-ethanol, a candidate selective fish toxicant. *Trans. Amer. Fish. Soc.* 103(4): 736–742.
- Marking, L.L. 1975. Effects of pH on toxicity of antimycin on fish. *J. Fish. Res. Board Can.* 72(6): 769–773.
- Marking, L.L. et al. 1977. Toxicity of furanace to fish, aquatic invertebrates, frog eggs and larvae. Investigations in Fish Control No. 76, U.S. dept. Int. Fish & Wildlife Serv., Washington, D.C.
- Marking, L.L. & Bills, T.D. 1977. Chlorine: its toxicity to fish and detoxification of antimycin. Investigations in Fish Control 74, U.S. Dept. Int., Fish Wildlife Serv., Washington, 5 p.
- Marking, L.L. & Bills, T.D. 1981. Sensitivity of four species of carp to selected fish toxicants. *North Am. J. Fish. Manage.*, I: 51.
- Marking, L.L. & Mauck, W.L. 1975. Toxicity of paired mixtures of candidate forest insecticides to rainbow trout. *Bull. Environ. Contam. Toxicol.* 13: 518.
- Marks, T.A., Ledoux, T.A. & Moore, J.A. 1982. Teratogenicity of a commercial xylene mixture in the mouse. *Journal of Toxicology and Environmental Health* 9: 1178–1180.
- Martelin, J.E. & Passinen, K. 1981. Valkaisun jättevesien orgaanisten klooriyhdisteiden aiheuttamista lyhyt- ja pitkääikaisvaikutuksista vesistössä. Kirjallisuuskatsaus. Oy Keskuslaboratorio. 81 s.
- Martin, H. 1968. Pesticide manual, British crop protection council, Clacks Farm, Boreley, Ombersley, Droitwich, Worcester, U.K.
- Martin, T.R. & Holdich, D.M. 1986. The acute lethal toxicity of heavy metals to peracarid crustaceans (with particular reference to fresh-water asellids and gammarids). *Water Res.* 20(9): 1137–1147.
- Martis, L., Kroes, R., Darby, T.D. & Woods, E.F. 1982. Disposition kinetics of ethylene oxide, ethylene glycol, and 2-chloroethanol in the dog. *J. Toxicol. environ. Health* 10: 847–856.
- Mary, Sr.A. et al. 1986. Toxicity evaluation of organophosphorus and chlorinated hydrocarbon pesticides in freshwater prawn *Macrobrachium lamerrii*. *J. Environ. Biol.* 7: 189.
- Masako, V. & Kanazawa, J. 1979. Degradation of o-sec-butylphenyl-N-methylcarbamate (BPMC) in soil. *Bull. Environm. Contam. Toxicol.* 21: 29–36.
- Mathavan, S. & Jayakumar, E. 1987. Long-term effects of pesticides (Fenthion and Temephos) on growth and fecundity of an aquatic bug *Laccotropes griseus* (Guerin). *Indian J. Exp. Biol.* 25: 48.

- Mather-Mihaich, E. & Di Giulio, R.T. 1986. Antioxidant enzyme activities and malondialdehyde, glutathione and methemoglobin concentrations in channel catfish exposed to DEF and N-butyl mercaptan. *Comp. Biochem. Physiol.* 85C: 427.
- Mathur, R. & Saxena, D.M. 1986. Effect of hexachlorocyclohexane (HCH) isomers on growth of, and their accumulation in, the blue-green alga, *Anabaena* sp. (ARM 310). *J. Environ. Biol.* 7: 239.
- Mathur, S.P. 1974a. Phtalate esters in the environment. Pollutants or natural products. *J. Environ. Quality* 3: 189.
- Matinvesi, J. 1974. Vesihallituksen suorittama kemikaalien ja myrkkyjen käyttöä vuonna 1972 koskeva tiedustelu. *Vesihallitus, Tiedotus* 66. 27 pp.
- Matsuda, K & Schnitzer, B. 1971. *Bull. Environ. Contam. Toxicol.* 6: 200–204.
- Matsui, S. et al. 1975. *Prog. Water Technol.* 7: 645–659.
- Matthiessen, P. 1977. Uptake metabolism and excretion of the molluscicide N-tritylmorpholine by the tropical food fish (*Sarotherodon mossambicus* Peters). *J. Fish. Biol.* 11: 497.
- Mattice, J.S. et al. 1981. A toxicity testing system for exposing small invertebrates and fish to short square wave concentrations of chlorine. *Water Res. (G.B.)* 15: 923.
- Mattinen, H. 1976. Kuorimovedet. INSKO 143–76 (VII), 18 s.
- Mattson, J. 1980. Effekter på strömmingens reproduktion av ett raffinaderiabloppsvatten. Lägesrapport. Nordforsk.
- Mattson, V.R., Arthur, J.W. & Walbridge, C.T. 1976. Acute toxicity of selected organic compounds (resorcinol and 6-methylquinoline) to *Daphnia magna*. *Bull. of Env. Cont. & Tox.* 27(1).
- Mattson, V.R., Arthur, J.W. & Walbridge, C.T. 1976. Acute toxicity of selected organic compounds to fathead minnows. Duluth, Minnesota, US EPA Environmental Research Laboratory (EPA No. 600/3-76-097).
- Mauck, W.L. & Olson, L.E. 1976. Toxicity of natural pyrethrins and five pyrethroids to fish. *Arch. Environm. Contam. Toxicol.* 4:18–29.
- Mauck, W.L. et al. 1977. Effects of water quality on deactivation and toxicity of mecacarbate (zectran) to fish. *Arch. Environm. Contam. Toxicol.* 6: 385.
- Mauck, W.L. et al. 1978. Effects of polychlorinated biphenyl Aroclor 1254 on growth, survival, and bone development in brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Bd. Can.* 35: 1084.
- May, W. E. 1980. In: Petroleum in the marine environment, adv. in chemistry series 185: 142–192 Washington DC: American Chemical Society.
- Mayasich, J.M. et al. 1987. Growth responses of *Nannochloris oculata* Droop and *Phaeodactylum tricornutum* Bohlin to the temperature in unialgal and bialgal assemblage. *Aquat. Toxicol.* 10: 187.
- Mayer, F.L. & Ellersiek, M.R. 1986. Manual of acute toxicity: interpretation and data base for 410 chemicals and 66 species of freshwater animals. U.S. Fish and Wildlife Service. Resource Publication 160, Washington, D.C.
- Mayer, F.L., Mehrle, P.M. & Sanders, H.O. 1977. Residue dynamics and biological effects of polychlorinated biphenyls in aquatic organisms. *Arch. Environ. Contam. Toxicol.* 5: 501–511.
- Mayer, F.L., Mehrle, P.W. & Dwyer, W.P. 1977. Toxaphene: chronic toxicity to fathead minnows and channel catfish. U.S. Environmental Protection Agency, Duluth, MN, EPA 600-3-77-069, 38 pp.
- Mayers, F.L. & Sanders, H.D. 1973. Toxicology of phthalic acid esters in aquatic organisms. *Environ. Health Perspect.* 3: 153–157.
- Mayes, M.A. & Dill, D.C. 1984. The acute toxicity of picloram, picloram potassium salt and picloram triisopropanolamine salt to aquatic organisms. *Environm. Toxicol. Chem.* 3: 263.
- Mayes, M.A. & Oliver, G.R. 1985. An aquatic hazard assessment: picloram. In: Bahner, R.C. & Hansen, D.J. (eds.) Aquatic toxicology and hazard assessment: eight symposium. ASTM STP 891. American Society of Testing and Materials, Philadelphia.

- Mayes, M.A. et al. 1987. Toxicity of picloram (4-amino-3,5,6-trichloropicolinic acid) to life stages of the rainbow trout. *Bull. Environ. Contam. Toxicol.* 38: 653.
- Mazeaud, M.M. & Mazeaud, F. 1981. Adrenergic responses to stress in fish. In: Pickering, A.D. (ed.) *Stress and Fish*. Academic Press, London. pp. 49–75.
- Mazeaud, M.M., Mazeaud, F. & Donaldson, E.M. 1977. Primary and secondary effects of stress in fish: some new data with a general review. *Trans. Am. Fish. Soc.* 106: 201–212.
- McAuliffe, C. 1966. *J. Phys. Chem.* 70: 1267.
- McCann, J. et al. 1975. Detection of carcinogens as mutagens in the *Salmonella*/microsome test: Assay of 300 chemicals, *Proc. Nat. Acad. Sci. USA*, 72(12): 5135–5139 Medical Sciences, Dec.
- McCarthy, J.F. & Whitmore, D.K. 1985. Chronic toxicity of di-n-butyl- and di-n-octyl-phthalate to *Daphnia magna* and the fathead minnow. *Environ. Toxicol. Chem.* 4(2): 167–179.
- McCarty, L.S., Henry, J.A.C. & Houston, A.H. 1978. Toxicity of cadmium to goldfish, *Carassius auratus*, in hard and soft water. *J. Fish. Res. Bd. Can.* 35: 35–42.
- McCarty, L.S., Hodson, P.V., Craig, G.R. & Kaiser, K.L.E. 1985. The use of quantitative structure-activity relationship to predict the acute and chronic toxicities of organic chemicals to fish. *Environ. Toxicol. Chem.* 4: 595–606.
- McCarty, L.S. & Houston, A.H. 1976. Effects of exposure to sublethal levels of cadmium upon water-electrolyte status in the goldfish (*Carassius auratus*). *J. Fish Biol.* 9: 11–19.
- McChesney, E.W., Goldberg, L., Parekh, C.K., Russell, J.C. & Min, B.H. 1971. Reappraisal of the toxicology of ethylene glycol. II. Metabolism studies in laboratory animals. *Food Cosmet. Toxicol.* 9: 21–30.
- McClurg, T.P. 1984. Effects of fluorine, cadmium and mercury on the estuarine prawn *Penaeus indicus*. *Wat. SA* 10: 40–45.
- McConnell, G., Ferguson, D. M. and Pearson, C. R. 1975. *Endeavour* 34: 13.
- McCorkle, F.M. et al. 1977. Acute toxicities of selected herbicides to fingerling channel catfish, *Ictalurus punctatus*. *Bull. Environm. Contam. Toxicol.* 18: 267.
- McCrohan, C.R. et al. 1987. Effects of Halothane on feeding motor activity in the snail *Lymnaea stagnalis*. *Com. Biochem. Physiol.* 86C: 55.
- McDevit, W. F. and Long, F. A. 1952. *J. Am. Chem. Soc.* 74: 1773.
- McDonald, T.O., Kasten, K., Hervey, R., Gregg, S., Borgmann, A.R. & Murchison, T. 1973. Acute ocular toxicity of ethylene oxide, ethylene glycol, and ethylene chlorohydrin. *Bull. Parenter. Drug Assoc.* 27: 153–164.
- McDuffie, D. 1981. *Chemosphere* 10: 73–83.
- McFarlane, G.A. & Franzin, W.G. 1978. Elevated heavy metals: a stress on a population of white suckers, *Catostomus commersoni*, in Hamell Lake, Saskatchewan. *J. Fish. Res. Bd. Can.* 35: 963–970.
- McGoven, E. W. 1943. *Ind. Eng. Chem.* 35: 1230
- McIngvale, C.R., Ludke, L. & Ferguson, D.E. 1968. Oxygen consumption of endrin-susceptible and endrin-resistant *Gambusia* during sublethal and acute endrin exposure. *J. Mississippi Acad. Sci.* 14: 116 121.
- McIntyre, J.D. 1973. Toxicity of methylmercury for steel head trout sperm. *Bull. Environ. Contam. Toxicol.* 9(2): 98–99.
- McKague, A.B. 1981. Some toxic constituents of chlorination-stage effluents from bleached kraft pulp mills. *Can J. Fish. Aquat. Sci.* 38: 739.
- McKague, A.B., Leach, J.M., Soniassy, R.N. & Thakore, A.N. 1977. Toxic constituents in woodroom effluents. *Transactions Tech. Sect. CPPA* 3: TR75–TR81.
- McKague, A.B. & Pridmore, R.B. 1978. Toxicity of altoxid and dimilin to juvenile rainbow trout and coho salmon. *Bull. Environm. Contam. Toxicol.* 20: 167–169.

- McKee, J.W. & Wolf, H.W. 1963. Water quality criteria. The Resources Agency of California, State Water Quality Control Board.
- McKee, J.E. & Wolf, H.W. 1971. Water Quality Criteria. US PHS, Control Board, Pub. 3-A, April.
- McKee, J.E. & Wolf, H.W. (eds.) 1976. Water Quality Criteria 1976. Publ. 3-A. California State Water Resources Control Board.
- McKenzie, P. & Hughes, D.E. 1976. Microbial degradation of oil and petrochemicals in the sea. In: Microbiology in agriculture, fisheries and food. Edited by Skinner, F.A. & Carr, J.G., Academic Press.
- McKim, J.M. 1977. Evaluation of tests with the early life stages of fish for predicting long term toxicity. *J. Fish. Res. Board Can.* 34: 1148–1154.
- McKim, J.M. et al. 1987a. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish. Part 1. Pentachlorophenol, 2,4-dinitrophenol, tricaine methanesulfonate and 1-octanol. *Environ. Toxicol. Chem.* 6: 295.
- McKim, J.M. et al. 1987b. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish. Part 2. Malathion, carbaryl, acrolein and benzaldehyde. *Environ. Toxicol. Chem.* 6: 313.
- McKim, J.M., Arfhur, J.W. & Thorslund, T.W. 1975. Toxicity of linear alkylate sulfonate detergent to larvae of four species of freshwater fish. *Bull. Environ. Contam. Toxicol.* 14: 1–7.
- McKim, J.M. & Benoit, D.A. 1971. Effects of long-term exposure to copper on survival, growth and reproduction of brook trout. *J. Fish. Res. Board Can.* 28: 655–662.
- McKim, J.M. & Benoit, D.A. 1974. Duration of toxicity tests for establishing 'no effect' concentration for copper with brook trout. *J. Fish. Res. Board Can.* 31: 449–452.
- McKim, J.M., Eaton, J.G. & Holcombe, G.W. 1978. Metal toxicity to embryos and larvae of eight species of freshwater fish. II. Copper. *Bull. Environ. Contam. Toxicol.* 19: 608–616.
- McKim, J.M., Holcombe, G.W. & Olson, G.F. & Hunt, E.P. 1976. Long-term effects of methylmercuric chloride on three generations of brook trout: toxicity, accumulation, distribution and elimination. *J. Fish. Res. Board Can.* 33: 2726–2739.
- McKnight, D.M. et al. 1983. Effect of retorted-oil shale leachate on a blue-green alga (*Anabaena flos-aquac*). *Bull. Environ. Contam. Toxicol.* 30: 6.
- McLaughlin, S.B. & Barnes, R.L. 1975. Effects of fluoride on photosynthesis and respiration of some south-east American forest trees. *Environ. Poll.* 8(2): 91–96.
- McLeay, D.J. 1973. Effects of a 12-hr and 25-day exposure to kraft pulp mill effluent on the blood and tissues of juvenile coho salmon (*Oncorhynchus kisutch*). *J. Fish. Res. Bd. Can.* 30: 395–400.
- McLeay, D.J. 1975. Sensitivity of blood cell counts in juvenile coho salmon (*Oncorhynchus kisutch*) to stressors including sublethal concentrations of pulpmill effluent and zinc. *J. Fish. Res. Bd. Can.* 32: 2357–2364.
- McLeay, D.J. 1976. A rapid method for measuring the acute toxicity of pulpmill effluents and other toxicants to salmonid fish at ambient room temperatures. *J. Fish. Res. Board Can.* 33: 1303–1311.
- McLeay, D.J. 1977. Development of abloodsugar bioassay for rapidly measuring stressfull levels of pulpmill effluent to salmonidfish. *J. Fish. Res. Bd. Can.* 34: 477–485.
- McLeay, D.J. & Brown, D.A. 1974. Growth stimulation and biochemical changes in juvenile coho salmon (*Oncorhynchus kisutch*) exposed to bleached kraft pulp mill effluent for 200 days. *J. Fish. Res. Board Can.* 31: 1043–1049.
- McLeay, D.J. & Brown, D.A. 1975. Effects of acute exposure to bleached kraft pulpmill effluent on carbohydrate metabolism of juvenile coho salmon (*Oncorhynchus kisutch*) during rest and exercise. *J. Fish.Res. Bd Can.* 32: 753–760.
- McLeay, D.J. & Brown, D.A. 1979. Stress and chronic effects of untreated and treated bleached kraft pulpmill effluent on the biochemistry and stamina of juvenile coho salmon (*Oncorhynchus kisutch*) during rest and exercise. *J. Fish. Res Board Ca.* 32: 753–760.

- McLeay, D.J. & Gordon, M.R. 1977. Leucocrit; A simple haematological technique for measuring acute stress in salmonid fish, including stressful concentrations of pulp mill effluent. *J. Fish. Res. Bd. Can.* 34: 2164–2175.
- McLeay, D.J. & Gordon, M.R. 1978. Effect of seasonal photoperiod on acute toxic responses of juvenile rainbow trout (*Salmo gairdneri*) to pulpmill effluent. *J. Fish. Res. Bd Can.* 35: 1388–1392.
- McLeay, D.J., Walden, C.C. & Munro, J.R. 1979. Effect of pH on toxicity of kraft pulp and paper mill effluent to salmonid fish in fresh and seawater. *Water Res.* 13: 249–254.
- McLeese, D.W. et al. 1980. Lethality of aminocarb and the components of the aminocarb formulation to juvenile atlantic salmon, marine invertebrates, and freshwater clam. *Chemosphere*, 9: 79.
- McLeese, D.W. et al. 1980. Uptake and excretion of aminocarb, nonylphenol and pesticide diluent 585 by mussels (*Mytilus edulis*). *Bull. Environ. Contam. Toxicol.* 24: 575–581.
- McLeese, D.W. et al. 1981. Lethality and accumulation of alkylphenols in Aquatic Fauna. *Chemosphere* (G.B.) 10: 723.
- McLeese, D.W. & Metcalf, C.D. 1979. Toxicity of mixtures of phosphamidon and methidathion to lobsters (*Homarus americanus*). *Chemosphere* 8: 59.
- McLeese, D.W. & Metcalfe, C.D. 1979. Toxicity of creosote to larval and adult lobster and crangon and its accumulation in lobster hepatopancreas, *Bull. Environm. Contam. Toxicol.* 22: 796–799.
- McLeod, J.C. & Pessah, E. 1975. Temperature effects on mercury accumulation, toxicity, and metabolic rate in rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Bd. Can.* 30: 485–492.
- McWhorter, C.G. 1963. Effects of 3-amino-1,2,4-triazole on some chemical constituents of *Zea mays*. *Physiol. Plant.* 16(1): 31–39.
- Mearns, A.J., Oshida, P.S., Sherwood, M.J., Young, D.R. & Reish, D.J. 1976. Chromium effects on coastal organisms. *Journal WPCF* 48(8):1929–1939.
- Means, J. C. 1982. Amer. Chem. Soc. 186th Natl. Mtg. 23:250-1.
- Means, J. C. & Wijayaratne, R. D. 1987. Am. Chem. Soc. Div. Environ. Chem. 193rd Natl. Meeting 27: 417.
- Medlin, L.K. 1980. Effects of dibutylphthalate and salinity on the growth of the diatom *Skeletonema costatum*. *Bull. Environ. Contam. Toxicol.* 25(1): 75–78.
- Meehan, W.R., Norris, L.A. & Sears, H.S. 1974. Toxicity of various formulations of 2,4-D to salmonids in Southeast Alaska. *J. Fish. Res. Board Can.* 31(4): 480–485.
- Megharaj, M. et al. 1988. Effect of insecticides and phenolics on nitrogen fixation by *Nostoc linckia*. *Bull. Environ. Contam. Toxicol.* 41: 277.
- Mehrle, P.M. et al. 1988. Toxicity and bioconcentration of 2,3,7,8-tetrachlorodibenzodioxin and 2,3,7,8-tetrachlorodibenzofuran in rainbow trout. *Environ. Toxicol. Chem.* 7: 47–62.
- Mehrle, P.M., Johnson, W.W. & Mayer Jr, F.L. 1974. Nutritional effects on chlordane toxicity in rainbow trout. *Bull. Environ. Contam. Toxicol.* 12(5): 513–517.
- Mehrle, P.M. & Mayer, F.L. 1975. Toxaphene effects on growth and development of brook trout. *J. Fish. Res. Board Can.* 32: 609–613.
- Mehrle, P.M. & Mayer, F.L. 1975. Toxaphene effects on growth and bone composition of fathead minnows, *Pimephales promelas*. *J. Fish. Res. Bd. Can.* 32 (5): 593–598.
- Mehrle, P.M. & Mayer, F.L. 1977. Bone development and growth of fish as affected by toxaphene. In: Suffet, I.H. (Ed.) *Fate of Pollutants in Air and Water Environments—Part 2*, Wiley-Interscience, New York, N.Y., p. 301.
- Meier, E.P. et al. 1979. Sulfotep, a toxic impurity in formulations of diazinon, *Bull. Environm. Contam. Toxicol.* 23: 158–164.
- Meikle, R.W. et al. 1976. Measurement and prediction of the disappearance rates from soil of 6-chloropicolinic acid. *Arch. Environm. Contam. Toxicol.* 5: 105–117.

- Meikle, R.W. et al. 1978. The hydrolysis and photolysis rates of nitrapyrin in dilute aqueous solution. Arch. Environm. Contam. Toxicol. 7: 149–158.
- Meikle, R.W. & Youngson, C.R. 1978. The hydrolysis rate of chlorpyrifos, 0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl)phosphorothioate and its dimethyl analog, chlorpyrifosmethyl, in dilute aqueous solution. Arch. Environm. Contam. Toxicol. 7: 13–22.
- Meikle, R.W. 1978. The hydrolysis rate of diamidafos in dilute aqueous solution. Bull. Environm. Contam. Toxicol. 19(5): 589–599.
- Meinck, F., Stoof, H. & Kohlschutter, H. 1970. Les eaux residuaires industrielles.
- Meisner, J.D. & Hum. W.Q. 1987. Acute toxicity of zinc to juvenile and subadult rainbow trout, *Salmo gairdneri*. Bull. Environ. Contam. Toxicol. 39: 898.
- Melancon, M.J. & Lech, J.J. 1980. Uptake, metabolism, and elimination of 14C-labelled, 1,2,4-trichlorobenzene in rainbow trout and carp. J. Toxicol. Environ. Health. 6: 645.
- Melin, C. & Egneus, H. 1983. Effect of dibutylphthalate on growth and photosynthesis in algae and on isolated organelles from higher plants. Physiol. Plant. 59(3): 461–466.
- Mellan, I. 1950. Industrial solvents, New York, Van Nostrand Reinhold Company, pp. 482–488.
- Mellon Institute 1950. Methyl ethyl ketone. Report 14-33, unpublished. 1950. Courtesy of Union Carbide Corp. Cited in US Environmental Protection Agency (1976). Investigation of selected potential environmental contaminants; ketonic solvents. US Department of Commerce, Washington DC, NTIS PB-252 970.
- Menzel, D.N. 1977. Summary of experimental results: Controlled ecosystem pollution experiment. Bull. Mar. Sci. 27(1): 142–145.
- Merck Index. 1983. An Encyclopedia of Chemicals, Drugs and Biologicals 10th ed. p 853.
- Merna, J.W. & Eisele, P.J. 1973. The effects of methoxychlor on aquatic biota. U.S. Environmental Protection Agency, Duluth, MN, EPA-R3-73-046. 59 pp.
- Merritt, A.D. & Tomkins, G.M. 1959. Reversible oxidation of cyclic secondary alcohols by liver alcohol dehydrogenase. Journal of Biological Chemistry 234: 2778–2782.
- Meslar, H.W. & White, H.B. 1978. Preparation of lipid-free protein extracts of egg yolk. Anal. Biochem. 91: 75–81.
- Metcalf, R. L. et al. 1975. Laboratory model ecosystem studies of the degradation and fate of radiolabeled tri-, tetra-, and pentachlorobiphenyl compared with DDE. Arch. Environm. Contam. Toxicol. 3(2): 151–165.
- Metcalf, R.L., Booth, G.M., Carter, C.K., Hansen, D.J. & Lu, P.Y. 1973. Uptake and fate of di-2-ethylhexyl phthalate in aquatic organisms and in a model ecosystem. Environ. Health Perspect. 4: 27.
- Metcalfe, C.D. 1988. Induction of micronuclei and nuclear abnormalities in the erythrocytes of mudminnows (*Umbra limi*) and brown bullheads (*Ictalurus nebulosus*). Bull. Environ. Contam. Toxicol. 40: 489.
- Meyers, P.A. & Oas. T.G. 1978. Comparison of associations of different hydrocarbons with clay particles in simulated seawater. Environ. Sci. & Technol. 12(8).
- Mhatre, G.N. & Chaphekar, S.B. 1984. Response of young plants to mercury. Water, Air, Soil Pollut. 21: 1–8.
- Michibata, H. et al. 1987. Stage sensitivity of eggs of the teleost *Oryzias latipes* to cadmium exposure. Environ. Res. 42: 321.
- Michonowicz, C.J. & Weak, T.E. 1984. Effects of pH on toxicity of As, Cr, Cu, Ni and Zn to *Selenastrum capricornutum*. Prinz. Hydrobiologia 118: 299–305.
- Middaugh, D.P., Burnett, L.E. & Couch, J.A. 1980. Toxicological and physiological responses of the fish, *Leiostomus xanthurus*, exposed to chlorine produced oxidants. Estuaries 3(2): 132–141.
- Middaugh, D.P., Couch, J.A. & Crane, A.M. 1977a. Responses of early life history stages of the striped bass, *Morone saxatilis*, to chlorination. Chesapeake Sci. 18: 141–153.

- Middaugh, D.P., Crane, A.M. & Couch, J.A. 1977b. Toxicity of chlorine to juvenile spot, *Leiostomus xanthurus*. *Water Res.* 11: 1089–1096.
- Middelraad, I. & Wilson, M.A. 1974. The effect of hardness on the toxicity to fish of pulp mill effluents. CPAR Project Report 330-1. Environment Canada Forestry Service. 31 s.
- Miettinen, V. 1974. Vesistöjen myrkkykuormituskapasiteetti. INSKO 121-74(V): 55–60.
- Miettinen, V., Aaltonen, R., Taipalinen, I. & Shemeikka, P. 1984. Levä-, bakteeri- ja kalatestien käyttökelpoisuudesta puunjalostusteollisuuden jättevesien vaikutusten arvioinnissa. *Vesihallitus*. Tiedotus 237: 1–71.
- Miettinen, V., Nakari, T. & Lönn, B-E. 1982b. Rautaruukki Oy:n Raahen tehtaiden jättevesien vaikutuksista lohikalojen fysiologiaan. *Vesihallituksen monistesarja* 149.
- Miettinen, V., Lönn, B-E. & Oikari, A. 1982a. Effects of biological treatment on the toxicity for fish of combined debarking and kraft pulp bleaching effluent. *Paperi ja Puu* 4: 251–254.
- Miettinen, V., Nakari, T. & Ruoppa, M. 1982. Kajaani Oy:n sulfiittisellu- ja paperitehtaan jättevesien vaikutuksista kirjolohen fysiologiaan—*Vesihallituksen monistesarja* 150. 38 s.
- Miettinen, J.K., Tillander, M., Rissanen, K., Miettinen, V. & Minkkinen, E. 1968. The excretion by fish, mussel, mollusc and crayfish of methyl mercury nitrate and phenyl mercury nitrate, introduced orally or injected into musculature. Northern Mercury Symp. of Nordforsk, Stockholm, October 10–11.
- Miettinen, J.K., Tillander, M., Rissanen, K., Miettinen, V. & Ohomo, Y. 1969. Distribution and excretion rate of phenyl- and methylmercury nitrate in fish, mussels, molluscs and crayfish. Proc. 9th Japan Conference on Radioisotopes, May 13–15, 1969. Tokyo.
- Mikesell, M.D. & Boyd, S.A. 1985. Reductive dechlorination of the pesticides 2,4-D; 2,4,5-T and pentachlorophenol in anaerobic sludges. *J. Environ. Qual.* 14: 337–340.
- Mikesell, M.D. & Boyd, S.A. 1986. Complete reductive dechlorination and mineralization of pentachlorophenol by anaerobic microorganisms. *Appl. Environ. Microbiol.* 52: 861–865.
- Miles, J.R.W. et al. 1979. Persistence of eight organophosphorus insecticides in sterile and nonsterile mineral and organic soils. *Bull. Environm. Contam. Toxicol.* 22: 312–318.
- Mill, T. & Davenport, J. 1986. ACS Div. Environ. Chem. 192nd Natl. Mtg. 26:59-63.
- Mill, T. & Mabey, W. 1985. Environ. Exposure from Chemicals. Vol 1, p 208–210; Neely, W. B. & Blau, G. E. eds Boca Raton, F. L.: CRC Press.
- Millemann, R.E., Birge, W.J., Black, J.A., Cushman, R.M., McCarthy, J.F. & Stewart, A.J. 1984. Comparative acute toxicity to aquatic organisms of coal-derived synthetic fuels. *Trans. Amer. Fish. Soc.* 113: 74–85.
- Miller, G.C. & Crosby, D. G. 1983. *Chemosphere* 12: 1217–1228.
- Miller, G.R. & Kester, D.R. 1976. Sodium fluoride ion pairs in sea water. *Mar. Chem.* 4: 67–82.
- Miller, J.A. 1970. Carcinogenesis by chemicals: an overview. G.H.A. Clowes Memorial Lecture. *Cancer Res.* 30: 559–576.
- Miller, J.D.H. & Fogg, G.E. 1957. Studies on the growth of Xanthophyceae in pure culture. I The mineral nutrition of *Monodus subterraneus* Petersen. *Arch. Microbiol.* 28: 1–17.
- Miller, L.C. & Tainter, M.L. 1944. Estimation of the ED₅₀ and its error by means of log-probit graph paper. *Proc. Soc. Exp. Biol. Med.* NY, 57: 261–264.
- Miller, M. M., Ghodbane, S., Wasik, S. P., Tewari, Y. B. and Martire, D. E. 1984. *J. Chem. Eng. Data* 29: 184–190.
- Miller, R.A., Norris, L.A. & Hawkes, C.L. 1973. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in aquatic organisms. *Environ. Health Perspekt.* Sept. 117–186.
- Miller, R.A., Norris, L.A. & Loper, B.R. 1979. The response of coho salmon and guppies to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in water.
- Miller, R.W. and Faust, S. D. 1973. *Environ. Lett.* 4: 211–223.

- Miller, W.E., Greene, J.C. & Shiroyama, T. 1978. The *Selenastrum capricornutum* Prinz algal assay bottle test. U.S. Environmental Protection Agency. Corvallis, Oregon. 126 p.
- Millie, D.F. & Hersh, C.M. 1987. Statistical characterizations of the atrazine-induced photosynthetic inhibition of *Cyclotella meneghiniana* (Bacillariophyta). *Aquat. Toxicol.* 10: 239.
- Mills, E. J. & Stack, V. T. 1954. Proc. 8th Indus Waste Conf. Purdue Univ. Extension Series 83: 492-517.
- Mishra, S. & Srivastava, A.K. 1980. The acute toxic effects of copper on the blood of a teleost. *Ecotoxicol. Environ. Safety* 4: 191.
- Misra, V. et al. 1987. Effect of linear alkyl benzene sulfonate in skin of fish fingerlings (*Cirrhina mrigala*): observations with scanning electron microscope. *Ecotoxicol. Environ. Saf.* 13: 164.
- Mitchell, A.J. & Plumb, J.A. 1980. Toxicity and efficacy of furanace on channel catfish (*Ictalurus punctatus* Rafinesqua) infected experimentally with *Aeromonas hydrophila*. *J. Fish. Diseases* 3: 93.
- Mitchell, A.B.S. & Parsons-Smith, B.G. 1969. Trichloroethylene neuropathy. *British Medical Journal* 1: 422-423.
- MITI 1992. Biodegradation and bioaccumulation data of existing chemicals based on the CSCL Japan. Compiled under the Safety Division Basic Industries Bureau Ministry of International Trade & Industry, Japan. Edited by Chemicals Inspection & Testing Institute, Japan.
- Mitrovic, V.V., Brown, V.M., Shurben, D.G. & Berryman, M.H. 1968. Some pathological effects of subacute and acute poisoning of rainbow trout by phenol in hard water. *Water Res.* 2: 249-254.
- Mituzani, Y., Miwa, Y. & Moriguchi, J. 1978. *Jpn. Kokai* 78: 41, 359.
- Miura, T. & Takahashi, T.M. 1976. Effects of a synthetic pyrethroid, SD 43775, on nontarget organisms when utilized as a mosquito larvicide. *Mosquito News*, 36, 322.
- Miyamoto, J. et al. 1979. Metabolism of organophosphorus insecticides in aquatic organisms, with special emphasis on fenitrothion, in Pesticide and Xenobiotic Metabolism in Aquatic Organisms. American Chemical Society Series 99.
- Miyauchi, M. & Uematsu, T. 1987. Effect of biphenyl ether herbicides on the formation of mutagenic intermediates from procarcinogens by rainbow trout. *Bull. Environ. Contam. Toxicol.* 39: 175.
- Mohamed, M.P. et al. 1987. Toxicity of sublethal Aldrin on metabolism and swimming activity in *Oreochromis mossambicus* (Peters). *J. Environ. Biol.* 8: 41.
- Mohlenberg, F. & Jense, A. 1980. The ecotoxicology of cadmium in fresh and sea water, and the water pollution with cadmium in Denmark. *Nat. Agcy. Environm. Protec.*, Copenhagen.
- Mohn, G. 1973. Revertants of an *Escherichia coli* K-12 strain with high sensitivity to radiations and chemicals. *Mutat. Res.* 19: 349 355.
- Mohtashamipur, E., Norpath, K., Woelke, U. & Huber, P. 1985. Effects of ethylbenzene, toluene and xylene on the induction of micronuclei in bone marrow polychromatic erythrocytes of mice. *Archives of Toxicology* 58: 106-109.
- Moilanen, K.W. & Crosby, D.G. 1974. The photodecomposition of bromacil. *Arch. Environm. Contam. Toxicol.* 2(1): 3-8.
- Moles, A. 1980. Sensitivity of parsitized coho salmon fry to crude oil, toluene, and naphthalene. *Trans. Amer. Fish. Soc.* 109: 293.
- Moles, A. et al. 1979. Sensitivity of Alaskan freshwater and anadromous fishes to Prudhoe Bay crude oil nad benzene. *Trans. Amer. Fish. Soc.* 108: 408.
- Monich, J.A. 1968. Alcohols: their chemistry, properties, and manufacture. New York, Amsterdam, London, Chapman and Reinholt.
- Monitor 1982. *Tungmetaller och organiska miljögifter i svensk natur*. Statens naturvårdverk.
- Monitor 1987. *Tungmetaller-förekomst och omsättning i naturen*. Statens Naturvårdsverk.
- Moore, S.A. & Harris, R.C. 1972. *Nature* 240: 356-358.
- Moreale, A. & van Bladel, R. 1976. *J. Soil Sci* 27:48-57.

- Moreau, P., Bailone, A. & Devoret, R. 1976. Prophage induction in Escherichia coli K-12 envA uvrB: A highly sensitive test for potential carcinogens. Proc. Natl. Acad. Sci. 73: 3700–3704.
- Morgan, J.R. 1972. Effects of Aroclor 1242 and DDT on cultures of an alga, protozoan, Daphnid, Ostracod and guppy. Bull. Environ. Contam. Toxicol. 8: 129–137.
- Morgan, W.S.G. 1976. Fishing for toxicity: Biological automonitor for continuous water quality control. Effl. Wat. Treatm. J. Sept.
- Moriarty, F. 1988. Ecotoxicology. The study of pollutants in ecosystems. 2nd ed., Academic Press, London.
- Moriatou-Apostolopoulou, M. & Verriopoulos, G. 1979. Some effects of sub-lethal concentrations of copper on a marine copepod. Mar. Poll. Bull. 10: 88–92.
- Moriguchi, I. 1975. Quantitative structure-activity studies. I. Parameters relating to hydrophobicity. Chem. Pharm. Bull. 23 (2): 247–257.
- Morris, O.P. & Russel, G. 1973. Effect of chelation on toxicity of copper. Mar. Pollut. Bull. 4(10): 159–160.
- Morrison, J.K., Quinton, R.M. & Reinert, H. 1968. The purpose and value of LD50 determinations. Boyland, E. & Goulding, R. (eds.) Modern trends in toxicology. London, Butterworths, pp. 1–17.
- Morrissey, R. E. et al. 1988. Fundam. Appl. Toxicol. 11(2), 369–371.
- Mosser, J.L., Tong, T.C., Walther, W.G. & Wuster, C.F. 1974. Interaction of PCBs, DDT and DDE in a marine diatom. Bull. Environ. Contam. Toxicol. 12(6): 665–668.
- Moulder, S.M. 1980. Combined effect of the chlorides of mercury and copper in sea water on the euryhaline amphipod, Gammarus duebeni. Mar. Biol. Berlin 59: 193–200.
- Mount, D.I. 1962. Chronic effects of endrin on bluntnose minnows and guppies. U.S. Fish and Wildlife Service Research Report No. 58, 38 pp.
- Mount, D.I. 1968. Chronic toxicity of copper to fathead minnows (*Pimephales promelas*, Rafinesque). Water Res. 2: 215–223.
- Mount, D.I. 1977. Present approaches to toxicity testing—a perspective. In: Mayer, F.L. & Hamelink, J.L. (Ed.) Aquatic toxicology and hazard evaluation. ASTM STP 634: 5–14. Philadelphia.
- Mount, D.I. & Norberg, T.J. 1984. A seven-day life-cycle cladoceran toxicity test. Environ. Toxicol. Chem. 3: 425.
- Mount, D.I. & Stephan, C.E. 1967. A method for establishing acceptable toxicant limits for fish-malathion and 2,4-D. Trans. Am. Fish. Soc. 96: 185–193.
- Mount, D.I. & Stephan, C.E. 1969. Chronic toxicity of copper to the fathead minnow (*Pimephales promelas*) in soft water. J. Fish. Res. Board. Can. 26: 2449–2457.
- Moussavi, M. 1979. Effect of polar substituents on autoxidation of phenols. Water Res. 13: 1125–1128.
- Mudder, T. I. 1982. Amer. Chem. Soc. Div. Env. Chem. Conf. p 52–53.
- Muenzinger, A. & Guarducci, M.L. 1988. The effect of low zinc concentrations on some demographic parameters of *Biomphalaria glabrata* (Say), Mollusca: Gastropoda. Aquat. Toxicol. 12: 51.
- Muirhead-Thomson, R.C. 1978. Relative susceptibility of stream macroinvertebrates to temephos and chloryrifos, determined in laboratory continuous-flow systems. Arch. Environm. Contam. Toxicol. 7: 129–137.
- Mukherjee, S. & Bhattacharya, S. 1974. Effect of some industrial pollutants on fish brain cholinesterase activity. Environm. Physiol. Biochem. 4: 226.
- Mukherjee, S. & Bhattacharya, S. 1975a. Changes in the kidney peroxidase activity in fish exposed to some industrial pollutants. Environ. Physiol. Biochem. 5: 300–307.
- Mukherjee, S. & Bhattacharya, S. 1975b. Histopathological lesions in the hepatopancreas of fishes exposed to industrial pollutants. Indian J. Exp. Biol. 13: 571–573.
- Mukhopadhyay, P.K. et al. 1982. Certain biochemical responses in the air-breathing catfish, *Clarias batrachus*, exposed to sublethal Carbofuran. Toxicology 23: 337.

- Muley, D.V. & Mane, U.H. 1987. Malathion induced changes in oxygen consumption in two species of freshwater lamellibranch molluscs from Godavari river, Maharashtra state, India. *J. Environ. Biol.* 8: 267.
- Mulla, M.S. et al. 1978. Toxicity of mosquito larvicidal pyrethroids to four species of freshwater fishes *Environm. Entomol.* 7: 428.
- Muller, J. P. H. & Korte, F. 1977. *Chemosphere* 6: 341–346.
- Mulley, B. A. & Metcalf, A. D. 1966. *Sci. Pharm.* 2: 481–488.
- Munch, J.C. 1972. Aliphatic alcohols and alkyl esters: narcotic and lethal potencies to tadpoles and to rabbits. *Ind. Med.* 41(4): 31–33.
- Munch, J.C. & Schwartz, E.W. 1925. Narcotic and toxic potency of aliphatic alcohols upon rabbits. *J. lab. clin. Med.* 10: 985–996.
- Munies, R. 1965. Investigation of some factors influencing the percutaneous absorption of methyl ethyl ketone. Dissertation, University of Wisconsin, 1965. (In: *Dissertation Abstracts*, 1966, 26: 5384).
- Murphy, L.S. & Belastock, R.A. 1980. The effect of environmental origin on the response of marine diatoms to chemical stress. *Limnol. Oceanogr.* 25: 160–165.
- Murphy, N.B.K., Kaufman, D.D. & Fries, G.F. 1979. Degradation of pentachlorophenol, PCP, in aerobic and anaerobic soil. *J. Environ. Sci. Health B14:* 1–14.
- Murphy, P.G. 1970. Effects of salinity on uptake of DDT, DDE and DDD by fish. *Bull. Environ. Contam. Toxicol.* 5: 404–407.
- Murti, R. et al. 1983. Chromium toxicity to a freshwater prawn *Macrobrachium lamarrei* (Edwards). *Toxicol. Lett.* 18: 257.
- Murti, R. & Shukla, G.S. 1984. Acute toxicity of mercuric chloride and cadmium chloride to freshwater prawn, *Macrobrachium lamarrei* (H. Milne Edwards). *Acta hydrochim. et hydrobiol.* 12(6): 689–692.
- Murty, A.S. et al. 1984. Toxicity of methyl parathion and fensulfothion to the fish *Mystus cavasius*. *Environ. Pollut.(G.B.)* A34:37.
- Mustafa, M. et al. 1982. A technique to evaluate acute toxicity of insecticide (Technical and Formulation) to freshwater fish, *Tilapia mossambica*. *Int. Pest Control.* 24: 90.
- Muthukrishnan, J. et al. 1986. Effect of sublethal concentration of mercuric chloride on transformation of food by the fish *Cyprinus carpio*. *Environ. Ecol.* 4: 529.
- Myers, J. 1947. Culture conditions and the development of the photosynthetic mechanism. V. Influence of the composition of the nutrient medium. *Plant. Physiol.* 22: 590–597.
- Myrkyläki, 1969. Suomen asetuskokonelma 309/1969.
- Müller, H.G. 1980. Experiences with test systems using *Daphnia magna*. *Ecotox. Environ. Safety* 4: 21–24.
- Müller, J.C., Leach, J.M. & Walden, C.C. 1977. Detoxification of bleached kraft mill effluent.—a manageable problem. TAPPI Environmental Conference, Chicago, Illinois. 6 p.
- Müller, J.C. & Walden, C.C. 1973. Investigation of the effect of BOD reduction systems on toxicity. B.C. Research. CPAR Project Rept. 150–1. 145 p.
- Mäenpää, R., Hynninen, P. & Tikka, J. 1968. On the occurrence of abietic and pimaric acid type resin acids in the effluents of sulphite and sulphate pulp mills. *Paperi ja Puu* 50(4a): 143–150.
- Nacci, D. et al. 1986. Comparative evaluation of three rapid marine toxicity tests: Sea Urchin Early Growth test, Sea Urchin Sperm Cell Toxicity test and Microtox. *Environ. Toxicol. Chem.* 5: 521.
- Nafziger, E.D. & Slife, F.W. 1983. Physiological response of common cocklebur (*Xanthium pensylvanicum*) to glyphosate. *Weed Sci.* 31: 874–878.
- Nagabhushanam, R. et. al. 1983. Toxicity of three organophosphate compounds and their effect on the gonad of freshwater prawn. *Macrobrachium lamerii*. *Indian J. Comp. Anim. Physiol.* 1: 71.

- Nagaratnamma, R. & Ramamurthi, R. 1981. Comparative evaluation of methyl parathion toxicity to some selected freshwater organisms. *Curr. Sci. (Ind.)* 50: 334.
- Naidu, K.R.P. et al. 1986. Changes in certain aspects of carbohydrate metabolism in tissues of the fresh water field crab, *Oziotelphusa senex* (Fab.), during endosulfan stress. *Indian. J. Exper. Biol.* 24:797.
- Nakaaki, K. 1974. An experimental study of the effect of exposure to organic solvent vapor in human subjects. *Journal of Science of Labour* 50: 89.
- Nakanishi, H. et al. 1986a. Comparative studies on changes in lipid composition and some histological responses of gills from carp by exposure to acute level of surfactants. *Comp. Biochem. Physiol.* 85C: 375.
- Nakanishi, H. et al. 1986b. Changes in lipid composition and some pathological responses of round crucian carp gills by the exposure to acute levels of dodecylbenzenesulfonate. *Com. Biochem. Physiol.* 85C: 381.
- Nakanishi, H. et al. 1987. Correlative studies on changes in lipid composition of gills and uptake of chemicals of willow shiner fish (*Gnathopogon caerulescens*) by exposure to detergent. *Comp. Biochem. Physiol.* 86C: 339.
- Nakano, T. & Tomlinson, N. 1967. Catecholamine and carbohydrate concentration in rainbow trout (*Salmo gairdneri*) in reaction to physical disturbance. *J.Fish. Res. Bd Can.* 24: 1701–1715.
- Nalepa, T.F. 1977. Water pollution. *Freshwater macroinvertebrates*. *J. Water Poll. Contr. Fed.* 49(6): 1206–1218.
- Naqvi, S.M., Davis, V.O. & Hawkins, R.M. 1985. Percent mortalities and LC50 values for selected microcrustaceans exposed to Treflan, Cutrine-plus, and MSMA herbicides. *Bull. Environ. Contam. Toxicol.* 35: 127–132.
- Naqvi, S.M. & Leung, T-S. 1983. Trifluralin and oryzalin herbicides toxicities to juvenile crawfish (*Procambarus clarkii*) and mosquitofish (*Gambusia affinis*). *Bull. Environ. Contam. Toxicol.* 31: 304–308.
- NAS 1971. Fluorides. Committee on Biologic Effects of Atmospheric Pollutants, National Academy of Sciences, Washington, D.C.
- NAS 1974. Effects of fluorides in animals. National Academy of Sciences, Washington, D.C.
- NAS 1977. National Academy of Sciences. *Drinking Water and Health*, Vol. 1. National Academy Press, Washington, D.C. Hynnenen, E-L. & Blomqvist, H. 1991. *Torjunta-aineiden myynti Suomessa* 1990. *Kemia-Kemi* 18(6): 506–509.
- Natarajan, G.M. 1981. Effect of lethal (LC50/48hrs) concentration of metasystox on selected oxidative enzymes, tissue respiration and histology of gills of the fresh water air-breathing fish. *Channa striatus* (Bleeker). *Curr. Sci. (Ind.)* 50: 985.
- Nathan, M. F. 1978. *Chem. Eng.* 85: 93–100.
- National Academy of Sciences. 1975. *Principles for evaluating chemicals in the environment*. Washington, DC.
- National Academy of Sciences. 1977. *Drinking water and health vol 1*. Washington DC, National Academy of Sciences.
- National Academy of Sciences 1980. *Drinking water and health vol 3*. Washington DC, National Academy Press.
- National Research Council. 1982. Formaldehyde and other aldehydes. USEPA 600/6-82-002.
- Natochin, Yu.V. et al. 1987. Inhibition of membrane transport of sodium in the toxicity mechanism of fenvalerate and cypermethrin. *J. Ichthyol.* 27: 10.
- Nauen, C.E. 1983. *Compilation of Legal Limits for Hazardous Substances in Fish and Fishery Products*. Food and Agriculture Organisation of the United Nations, FAO, Fisheries Circular No. 764.

- Nazarenko, I.V. 1969. Maximum allowable concentrations for butyl and isobutyl alcohol in drinking water. Sanit. ochrana vodozemov at zagraznen. strochn. vodami. M, Medgiz 4: 65–75.
- NCI 1977. Bioassay of Tetrachloroethylene for Possible Carcinogenity. Washington, D.C., U. S. Govt. Printing Office, No. (NIH) 77–813.
- NCI 1979. U.S. Dept. of H.E.W., National Institutes of Health, National Cancer Institute, Report on carcinogenis bioassay of toxaphene. Amer. Ind. Hyg. Ass. J. 40 (5): A26–A23.
- Nebeker, A.V. 1982. Evaluation of a *Daphnia magna* renewal life-cycle test method with silver and endosulfan. Water Res. (G.B.) 16: 739.
- Nebeker, A.V., Cairns, M.A. & Wise, C.M. 1984. Relative sensitivity of *Chironomus tentans* life stages to copper. Environ. Toxicol. Chem. 3(1): 151–158.
- Nebeker, A.V., McAuliffe, C.K., Mshar, R. & Stevens, D.G. 1983. Toxicity of silver to steelhead and rainbow trout, fathead minnows and *Daphnia magna*. Environ. Toxicol. Chem. 2: 95–104.
- Nebeker, A.V., McKinney, P. & Cairns, M.A. 1983. Acute and chronic effects of diflubenzuron (Dimilin) in freshwater fish and invertebrates. Environ. Toxicol. Chem. 2(3): 329–336.
- Nebeker, A.V. & Puglisi, F.A. 1974. Effect of polychlorinated biphenyls (PCB's) on survival and reproduction of *Daphnia*, *Gammarus* and *Tanytarsus*. Trans. Amer. Fish. Soc. 103: 722–728.
- Nebeker, A.V., Puglisi, F.A. & Defoe, D.L. 1974. Effect of polychlorinated biphenyl compounds on survival and reproduction of the fathead minnow and flagfish. Trans. Am. Fish. Soc. 3: 562–568.
- Neely, W.B. 1976. Predicting the flux of organics across the air/water interface. National Conference of Hazardous Material pills, New Orleans.
- Neely, W.B. 1979. A preliminary assessment of the environmental exposure to be expected from addition of the chemical to a simulated aquatic ecosystem. Int. J. Environ. Stud. 13: 101.
- Neely, W. B., Branson, D. R. and Blau, G. E. 1974. Partition coefficient to measure bioconcentration potential of organic chemicals in fish. Environ. Sci. Technol. 8: 1113–1115.
- Neff, J.M. 1979. Polycyclic aromatic hydrocarbons in the aquatic environment. Applied science publishers LTD Ripple Road, Barking, Essex, England.
- Neff, J.M., Anderson, J.W., Cox, B.A., Laughlin, R.B., Rossi, J.R.S.S. & Tatem, H.E. 1976. Effects of petroleum on survival, respiration and growth of marine animals. In: Sources, effects and sinks of hydrocarbons in the aquatic environments. American Institute of Biological Sciences, Washington D.C. pp. 519–539.
- Neglitski, D.S. 1976. Acute toxicity of zinc, cadmium and chromium to marine fishes, yellow-eye mullet (*Aldrichetta forsteri* C. & V.) and small-mouthed hardyhead (*Atherinasoma microstoma* Whitley). Aust. J. Mar. Freshwater Res. 27(1): 137–149.
- Nell, J.A. & Livanos, G. 1988. Effects of fluoride concentration in seawater on growth and fluoride accumulation by Sydney rock oyster (*Saccostrea commercialis*) and flat oyster (*Ostrea angasi*) spot. Water Res. 22(6): 749–753.
- Nelson, D.A., Calabrese, A., Nelson, B.A., MacInnes, J.R. & Wenzloff, D.R. 1976. Bull. Environ. Contam. Toxicol. 16: 275–281.
- Nelson, F.R.S. et al. 1988. Effects of selected insect growth regulators and pesticides on *Dugesia dorotocephala* and *Dugesia tigrina* (Tricladida: Turbellaria. J. Am. Mosq. Control. Assoc. 4: 184.
- Nelson, K.W., Ege, J.F.Jr, Ross, M., Woodman, L.E. & Silverman, L. 1943. Sensory response to certain industrial solvent vapors. Journal of Industrial Hygiene and Toxicology 25: 282–285.
- Nemcsok, J.G. & Hughes, G.M. 1988. The effect of copper sulphate on some biochemical parameters of rainbow trout. Environ. Pollut. 49: 77.
- Nemec, S. 1980. Effects of 11 fungicides on endomycorrhizal development in sour orange. Can. J. Bot. 58(5): 522–526.
- NEN 6506. 1979. Water-determination of toxicity with algae. Ned. Normalisatie Instituut Rijswijk.
- Nestel, H. & Budd, J. 1975. Chronic oral exposure of rainbow trout (*Salmo gairdneri*) to a polychlorinated biphenyl (Aroclor 1254): pathological effects. Canad. J. Comp. Med. 39: 208–215.

- Neudorf, S. & Khan, M.A.Q. 1975. Pick-up and metabolism of DDT, dieldrin and photodieldrin by a freshwater alga (*Ankistrodesmus amalloides*) and a microcrustacean (*Daphnia pulex*). Bull. Environ. Contam. Toxicol. 13(3): 443-450.
- Neuhold, J.M. & Sigler, W.F. 1960. Effects of sodium fluoride on carp and rainbow trout. Trans. Amer. Fish. Soc. 89: 358-370.
- Neumann, H. 1984. Eigenschaften, Auswirkungen und Bewertung der Abwässer von gewerblichen und industriellen Inderekeinleitern. Techn. Mitt. 77: 223.
- Nevins, M.J. & Johnson, W.W. 1978. Acute toxicity of phosphate ester mixtures to invertebrates and fish. Bull. Environm. Contam. Toxicol. 19(2): 250-255.
- Newsome, C.S. 1982. Susceptibility of various fish species at different stages of development to aquatic pollutants. In: Environment and quality of life. Principles for the Interpretation of the results of testing procedures in ecotoxicology. EUR 7549, 284, Comm. Eur. Commun., Luxembourg, Belgium.
- Newsome, C.S. 1980. A multigeneration fish toxicity test as an aid in the hazard evaluation of aquatic pollutants. Ecotoxicol. Environ. Safety 4: 362-369.
- Newsted, J.L. & Giesy, J.P. 1987. Predictive models for photoinduced acute toxicity of polycyclic aromatic hydrocarbons to *Daphnia magna*, Strauss (Cladocera, Crustacea). Environ. Toxicol. Chem. 6: 445.
- Ng, K.S., Müller, J.C. & Walden, C.C. 1973. Detoxification of kraft mill effluents by foam fractionation. Pulp Paper Mag. Can. 74: 187-191.
- Nichols, J.W., Wedemeyer, G.A., Mayer, F.L., Dickhoff, W.W., Gregory, S.V., Yasutake, W.T. & Smith, S.D. 1984. Effects of freshwater exposure to arsenic trioxide on the parr-smolt transformation of coho salmon (*Oncorhynchus kisutch*). Environ. Toxicol. Chem. (1): 143-149.
- Niemi, A. 1971. Eräiden puunjalostusteollisuuden käyttämien torjuntaaineiden vaikutuksista kaloihin. Turun ylioppilas XV 1971: 57-64.
- Niemi, G. J., Veith, G. D., Regal, R. R. & Vaishnav, D. D. 1987. Structural features associated with degradable and persistent chemicals. Environmental Toxicology and Chemistry 6: 515-527.
- Nikinmaa, M. 1982. Effects of adrenaline on red cell volume and concentration gradient of protons across the red cell membrane in the rainbow trout, *Salmo gairdneri*. Molecular Physiol. 2: 287-297.
- Nikinmaa, M. & Oikari, A. 1982. Physiological changes in trout (*Salmo gairdneri*) during a short-term exposure to resin acids and during recovery. Toxicol. L. 14: 103-110.
- Nikinmaa, M., Soivio, A. & Railo, E. 1981. Blood volume of *Salmo gairdneri*: influence of ambient temperature. Comp. Biochem. Physiol. 69 A: 767-769.
- Nikunen, E. 1981. Kemiallisen metsäteollisuuden jättevesien toksisuus. Pro gradu -työ. Helsingin yliopiston limnologian laitos. 112 s. + 11 liites.
- Nikunen, E. 1982. Kemiallisen metsäteollisuuden jättevesien toksisuus ja sen määritysmenetelmät. Seloste. Oy Keskuslaboratorio. 112 s + 11 liites.
- Nikunen, E. 1983. The acute toxicity of some Finnish pulp and paper mill effluents and comparison of three measurement methods. Paperi ja Puu. 11: 726-730.
- Nikunen, E. 1983b. Sköldvikin alueen teollisuuslaitosten jättevesien kalafysiologiset vaikutukset. Vesihallituksen monistesarja 1983:162.
- Nikunen, E. 1984. Jättevesien toksisuustestimenetelmistä sekä Sköldvikin alueen teollisuusjättevesien myrkkyvaikutuksista.
- Nikunen, E. 1985. Toxic impact of effluents from petrochemical industry. Ecotoxicol. Environ. Safety 9: 84-91.
- Nikunen, E., Miettinen, V. & Tulonen, T. 1986. Kemikaalien myrkyllisyys vesielöille.-Ympäristön- ja luonnon suojoelosaston julkaisu D:15. 348 s.
- Nikunen, E. & Soivio, A. 1984. Happamoitumisen vaikutukset kaloihin. Kirjallisuuskatsaus. Suomen Voimalaitosyhdistys ry:n julkaisuja 2/84. 33 s.

- Nikunen, E., Soivio, A. & Tuurala, H. 1985. Selluteollisuuden jätevesien vaikutus natriumhypokloriitin myrkyllisyyteen. Saimaa-seminaari. 21.-22.3.1985. Joensuu yliopisto.
- Nillenberger, E.L. 1982. Toxicant-induced changes in brain, gill, liver, and kidney of brook trout exposed to carbaryl, atrazine, 2,4-D, and parathion: A cytochemical Study. Diss Abstr Int. B, 42, 3922.
- Nilsson, J. & Wallgren, B. 1987. Kadmium i miljön. Bedömningsgrunder. Naturvårdsverkets rapport 3317, Statens naturvårdsverk.
- Nimmo, D.R. et al. 1979. Effect of diflubenzuron on an estuarine crustacean. Bull. Environm. Contam. Toxicol. 22: 767-770.
- Nimmo, D.R., Hansen, D.J., Couch, J.A., Cooley, N.R., Parrish, P.R. & Lowe, J.I. Toxicity of Aroclor 1254 and its physiological activity in several estuarine organisms. Arch. Environm. Contam. Toxicol. 3(1): 22-39.
- NIOSH current intelligence bulletin No. 25. 1978. Ethylene dichloride (1,2-dichloro-ethane), AIHAJ 39(9).
- NIOSH 1977. Manual of analytical methods. 2nd ed. Rockville, Maryland, National Institute of Occupational Safety and Health. Vol. 2.
- NIOSH 1983. National Occupational Exposure Survey. (NOES).
- NIOSH 1983. Registry of Toxic Effects of Chemical Substances RTECS), Vol. 2. National Institute for Occupational Safety and Health (NIOSH), Washington, D.C.
- Nishiuchi, Y. & Hashimoto, Y. 1967. Toxicity of pesticide ingredients to some fresh water organisms. Botyu-Kagaku 32: 5-11.
- Nishiuchi, Y. 1983. Toxicity of pesticides to some aquatic animals. V. Acute toxicity of latest registered pesticides to some aquatic Animals. Settat Kaeaku (jap.), 5,9(1983); C.A. Selects-Environ. Pollut 12, 98, 193036w.
- Nojima, K. & Kanno, S. 1980. Studies on photochemistry of aromatic hydrocarbons, VII. Chemosphere 9: 437-450.
- Nojima, K. & Kanno, S. 1977. Chemosphere 6: 371-376.
- Nollendorf, A., Pakalne, E. & Upitis, V. 1972. Little known trace elements in Chlorella culture. Latv. PSR Zinat. Akad. Vestis (Latvian SSR) 7: 33-43 (in Russian).
- Nordberg, G.F. 1981. Kvicksilver från hälsosynpunkt. Projekt Kol-Hälsa-Miljö, Rapport 192.
- Nordforsk 1980. Toxitetstester utfört på industrielt avloppsvann. Forelopig utskrift av tester registrert pr. 80-08-12. Norsk institutt for vannforskning.
- Nordforsk 1982. Ekotoxicologiska metoder för akvatisk miljö. Del 2: forskningsrapport. Rapport från ett nordiskt projekt. Laake, M. (red.) Miljövårdsserien publikation 1982:2. 314 s.
- Nordic 1988. Comparison of different models for environmental hazard classification of chemicals. Status report from the Joint Nordic Project, December 18, 1988, Kemikalieinspektionen, Solna.
- Nordic 1988. Environmental hazard classification of chemicals. Status report from the Joint Nordic Project, December 19, 1988, Kemikalieinspektionen, Solna.
- Notini, M. 1981. Effects of pulp mill effluents in littoral model ecosystem. In: Workshop on effects of pulp mill bleaching effluents on the northern receiving waters. INSKO. p. 55.
- Notini, M., Holmgren, K. & Rosemarin, A. 1987. Long-term fate and effects of low levels of arsenate on the Baltic sea Fucus vesiculosus ecosystem. Proc. 21st Eur. Mar. Biol. Symp., Gdansk 1986.
- Nottingham, P. M. & Hungate, R. E. 1969. J. Bacter 98: 1170-1172.
- Nriagu, J.O. 1979a. Copper in the atmosphere and precipitation. In: Nriagu, J.O. (es.) Copper in the environment, part I, ecological cycling, John Wiley & Sons, New York, pp. 43-75.
- Nriagu, J.O. 1979b. Global inventory of natural and anthropogenic emissions of trace metals to the atmosphere. Nature 279: 409-411.

- Numminen, S. 1971. Puunjalostusteollisuuden ja asutuksen jättevesien vaikutus leväntuotantoon. Laudaturyö, Helsingin yliopisto, limnologian laitos, 57 s.
- Nuorteva, P. & Häsänen, E. 1975. Bioaccumulation of mercury in *Myoxocephalus quadricornis* (L) (Teleostei, Cottidae) in an unpolluted area of the Baltic. Ann. Zool. Fennici 12: 247–254.
- Nuutinen, M. 1972. Hemoglobiini. Määritys verestä. Kirjassa: Kliniset laboratoriotutkimukset. Hyvärinen, A., Jänes, J., Nikkilä, E., Saris, N-E. & Vuopio, P. (toim.) Porvoo. pp. 445–447.
- Nyberg, H. 1976. The effects of some detergents on the growth of *Nitzschia holsatica* Hust. (Diatomeae). Ann. Bot. Fennici 13: 65–68.
- Nyholm, E. 1985. Metaller i däggdjur och fåglar. SNV PM 1986.
- Nyholm, N., Lindegaard-Jørgensen, P. & Hansen, N. 1984. Biodegradation of 4-nitrophenol in standardized aquatic degradation tests. Ecotoxicol. Environ. Safety 8: 451–470.
- Nylander, G. 1964. Studium av skogsindustriella avloppsvatten. Svensk Papperstidning. 67(5): 176–180.
- Nyman, H.G. 1981. Sublethal effects of lead(Pb) on size selective predation by fish—applications on the ecosystem level. Verh. Int. Ver. Limnol. (Ger.) 21: 1126.
- O'Donoghue, J.L., Krasavage, W.J., Divincenzo, G.D. & Katz, G.V. 1984. Further studies on ketone neurotoxicity and interactions. Toxicology and Applied Pharmacology 72: 201–209.
- O'Donovan, J.T. & Prendeville, G.N. 1977. Uptake patterns of soil-applied 45Ca and 32P in some legume species as influenced by differential trifluralin placement. Weed Research 17(5): 311–314.
- O'Grady, D. P. 1985. Appl. Env. Microb. 49: 443–445.
- O'Sullivan, P.A. & Prendeville, G.N. 1977. Studies on the rate of root growth of intact seedlings in a herbicide medium. Weed Research 14(6): 345–348.
- Odeyemi, O. 1980. Persistence of arasan pesticide in aquatic ecosystems in Nigeria. Pestic. Abstr. 80: 1276.
- OECD 1981. Guideline for testing of chemicals. Alga Growth Inhibition test. 201.
- OECD 1982. Alga, growth inhibition test. OECD guideline for testing of chemicals. 201. 12 p.
- OECD 1982. Fish early life stage toxicity test. OECD guidelines for testing of chemicals, ET 82, 1, draft, 20 pp.
- OECD 1981. *Daphnia* sp., 14-day reproduction test (including on acute immobilization test. Guidelines for testing of chemicals, 202 p.
- OECD 1977. (Organization for Economic Cooperation and Development). The OECD programme on long range transport of air pollutants. Measurements and findings. Paris. p. 268.
- OECD 1979. OECD Chemicals testing programme. Expert group degradation/accumulation. Final Report, Vol. 1, OECD, Tokyo & Berlin.
- OECD 1980. Report on the assessment of potential environmental effects of chemicals; the effects on organisms other than man and on ecosystems. Vol. 1.
- OECD (VCI) 1977. Production figures and used patterns for some high volume chemicals. Paris, June 1977.
- Ogata, M. et al. 1984. Bull. Environ. Contam. Toxicol. 33: 561–567.
- Ogata, M. and Miyake, Y. 1978. Water Res. 12: 1041–1044.
- Ogata, H. & Murai, T. 1987. Effects of ammonium chloride administration on ammonia and free amino acid levels in erythrocytes and plasma of carp. Nippon Suisan Gakkaishi (Bull. Jpn. Soc. Sci. Fish.) 53: 1257.
- Ogata, M., Tomokuni, K. & Takatsuka, Y. 1970. Urinary excretion of hippuric acid and m- or p-methylhippuric acid in the urine of persons exposed to vapors of toluene and m- or p-xylene as a test of exposure. British Journal of Industrial Medicine 27: 43–50.
- OHM/TADS 1985. Data Base. Version 5.00/9.5 December.
- OHMTADS Database 1992 -. Oil and Hazardous Materials/Technical Assistance Data System, USEPA. TOMES Plus CD-ROM.

- Ohnishi, R. & Tanabe, K. 1971. Bull. Chem. Soc. Japan 41: 2647-2649.
- Ohomo, Y., Miettinen, V., Blankenstein, E., Tillander, M., Rissanen, K. & Miettinen, J.K. 1969. Studies on the distribution of 203 Hg-labelled methyl mercury and phenyl mercury in pike. 5th R.I.S. Symp., Helsinki, May 19-20.
- Oikari, A. 1978. Aspects in osmotic and ionic regulation in two Baltic teleosts: Effects of salinity on blood and urine composition. Mar. Biol. 44: 345-355.
- Oikari, A. 1981. Analysis of trout bile can be used for monitoring resin acids load in receiving waters. Workshop on the effects of pulp mill bleaching plant effluents on the receiving waters. Sitra 1.-5.6.1981, Espoo Otaniemi, 4 p.
- Oikari, A., Holmbom, B., Ånäs, E. & Bister, H. 1980. Distribution in a recipient lake and bioaccumulation in fish of resinacids from kraft pulp mill waste waters. Paperi ja Puu 62: 193-202.
- Oikari, A., Holmbom, B., Ånäs, E., Miilunpalo, M., Kruzyansk, G. & Castren, M. 1985. Ecotoxicological aspects of pulp and paper mill effluents discharged to an inland water system: distribution in water, and toxicant residues and physiological effects in caged fish (*Salmo gairdneri*). Aquatic Toxicol. 6: 219-239.
- Oikari, A., Lönn, B-E., Castren, M., Nakari, T., Snickars-Nikinmaa, B., Bister, H. & Virtanen, E. 1983. Toxicological effects of dehydroabietic acid (DHAA) on the trout, *Salmo gairdneri* Richardson, in fresh water. Water Res. 17: 81-89.
- Oikari, A. & Nakari, T. 1982. Kraft pulp mill effluent components cause liver dysfunction in trout. Bull. Environm. Contam. Toxicol. 28: 266-270.
- Oikari, A. & Niittylä, J. 1985. Subacute physiological effects of bleached kraft mill effluent (BKME) on the liver of trout, *Salmo gairdneri*. Ecotoxicol. Environ. Safety 10: 159-172.
- Oikari, A. & Soivio, A. 1976. Physiological condition of fish exposed to water containing pulp and paper industry wastes and sewage. FAO, European Inland Fisheries Advisory Commission, symposium on biological monitoring, Helsinki, 7.-8. June, 1-6 p.
- Oikari, A. & Soivio, A. 1977. Physiological condition of fish exposed to water containing pulp and paper industry wastes and sewage. Teoksessa: Alabaster, J.S. (toim.), Biological monitoring of inland fisheries: 89-96. Lontoo.
- Oikari, A., Soivio, A., Nyholm, K., Tuurala, H. & Lukola, A. 1978a. Metsäteollisuuden pilaaman Vatianjärven veden vaikutuksista järvitaimenen ja kirjolohen fysiologiaan. PuPro (moniste). Helsinki.
- Oikari, A., Soivio, A., Tuurala, H. Nyholm, K., Kajava, R. & Miettinen, V. 1979. Fysiologisia tutkimuksia likaantuneiden vesistöjen hauesta ja tulosten soveltuvuudesta veden laadun arvointiin. Vesihallitus. Tiedotus 166. s. 1-49.
- Oikari, A., Soivio, A., Vuorinen, M., Vuorinen, P.J. & Nyholm, K. 1978. Metsäteollisuuden jätevesistä ja jätevesikomponenteista sekä niiden vaikutuksista kaloihin. PuPro. 69 s.
- Oikari, A., Vuorinen, P.J., Vuorinen, M., Soivio, A., Nyholm, K. & Castren, M. 1978b. Kalojen koliinesterasiin käyttäytymisestä ympäristötutkimuksissa sekä määritysmenetelmien tarkistaminen kirjolohella. PuPro-moniste. Helsinki.
- Oikari, A.O.J. 1987. Acute lethal toxicity of some reference chemicals to freshwater fishes of Scandinavia. Bull. Environ. Contam. Toxicol. 39: 23.
- Oladimeji, A.A., Qadri, S.V. & DeFreitas, A.S.W. 1984. Long-term effects of arsenic accumulation in rainbow trout. *Salmo gairdneri*. Bull. Environ. Contam. Toxicol. 32(6): 732-741.
- Oliver, B.G. 1984. Uptake of chlorinated organics from anthropogenically contaminated sediments by Oligochaete worms. Can. J. Fish. Aquat. Sci. 41: 878.
- Oliver, B. G. 1985. Chemosphere 14: 1087.
- Oliver, B. G. et al. 1979. Environ. Sci Technol. 13: 1075-1077.
- Oliver, B. G. & Niimi, A. J. 1983. Environ. Sci Technol. 17: 287.

- Olson, L.E. & Marking, L.L. 1975. Toxicity of four toxicants to green eggs of salmonids. *Progressive Fish-Culturist*. 37: 143.
- Olson, P.A. & Foster, R.F. 1956. Effect of chronic exposure to sodium dichromate on young chinook salmon and rainbow trout. Battelle Pacific NW Lab., Richland, WA, Report HW-41500, pp. 35–47.
- Olsson, L.E., Allen, J.L. & Mauck, W.L. 1975. Dinitramine: Residues in and toxicity to freshwater fish. *J. Agric. Food. Chem.* 23(3): 437–439.
- Olsson, P.A. & Foster, R.F. 1956. Effect of chronic exposure to sodium dichromate on young chinook salmon and rainbow trout. Battelle Pacidic NW Lab., Richland, WA, Report HW-41500, pp. 35–47.
- Olsson, P.-E. & Haux, C. 1986. Increased hepatic metallothionein content correlates to cadmium accumulation in environmentally exposed perch (*Perca fluviatilis*). *Aquat. Toxicol.* 9: 231.
- Omkar & Shukla, G.S. 1985. Toxicity of insecticides to *Macrobrachium lamarrei* (H. Milne Edwards) (Decapoda, Palaemonidae). *Crustaceana* 48: 1.
- Omura, T. & Sato, R. 1964. The carbon monoxide-binding pigment of liver microsomes. II. Solubilization, purification and properties. *J.Biol. Chem.* 239: 2379–2385.
- Ononye, A. I. et al. 1977. *Bull. Environ. Contam. Toxicol.* 39: 524–32.
- Opdyke, D.L.J. 1975. Fragrance raw materials monographs. Methyl ethyl ketone. *Food and Cosmetics Toxicology* 15: 627–632.
- Orban, L. & Tatrai, I. 1987. The effect of various ambient ammonia concentrations on the nitrogen metabolism of carp fry (*Cyprinus carpio* L.). *Comp. Biochem. Physiol.* 86A: 449.
- Orciari, R.D. 1979. Rotenone resistance of golden shiners from a periodically reclaimed pond. *Trans. Amer. Fish. Soc.* 108: 641.
- Oris, J.T. & Giesy, J.P. et al. 1987. The photo-induced toxicity of polycyclic aromatic hydrocarbons to larvae of the fathead minnow (*Pimephales promelas*): *Chemosphere* 16: 1395.
- Ormerod, K. 1978. Bakterietoksitetstester i bruk med NIVA. Toksitetstester. Nordforsk. Miljövårdssekretariatet publikation 2. s. 65–74.
- Oronsaye, J.A.O. 1987. The uptake and loss of dissolved cadmium by the stickleback, *Gasterosteus aculeatus* L. *Ecotoxicol. Environ. Saf.* 14: 88.
- Osborne, L.L., Davies, R.W., Dixon, K.R. & Moore, R.L. 1982. Mutagenic activity of fish and sediments in the Sheep River, Alberta. *Water Res.* 16: 899–902.
- Oseid, D.M., Smith, L.L. Jr. 1974. Factors influencing acute toxicity estimates of hydrogen sulfide to freshwater invertebrates. *Water Res.* 8: 739–736.
- Oskarsson, A. & Camner, P. 1983. Hälsoeffekter av bly i bensin. SNV PM 1661.
- Overcash, M.R., Weber, J.B. & Miles, M.L. 1982. Behaviour of organic priority pollutants in the terrestrial system; di-n-butyl phthalate ester, toluene, and 2,4-dinitrophenol. *Rep. Water Resour. Res. Inst. Univ. N.C.*, Vol. 171, 103 pp.
- Paasivirta, J., Hattula, M-L., Särkkä, J., Janatuinen, S., Pitkänen, M. & Kurki-Rinne, T. 1976. On the analysis and appearance of the organic chlorine compounds in the lake Päijänne ecosystem. Nordforsk. Miljövårdssekretariatet publikation 2. Organiska miljögifter i vatten. s. 439–462.
- Paasivirta, J. 1981. Enrichment of chlorobleaching residues in food chain. *Symposium om organohalogener og akvatisk miljø*. Porsgrunn mai 1981. Nordfors publ. 1981: 1. Helsinki. pp. 187–195.
- Paasivirta, J., Hattula, M-L. & Särkkä, J. 1975. Päijänteen ravintoketujen myrkkyjäämätutkimus. Moniste, Jyväskylän yliopisto, 156 s.
- Paddle, G.M. 1983. Incidence of liver cancer and trichloroethylene manufacture: joint study by industry and a cancer registry. *British Medical Journal* 286: 846.
- Pagenkopf, G.K., Russo, R.C. & Thurston, R.V. 1974. Effect of complexation on toxicity of copper to fishes. *J. Fish. Res. Bd. Can.* 31: 462–465.

- Pahren, H. R. & Bloodgood, D. E. 1961. Water Pollut. Contr. Fed. J. 33: 233–238.
- Pajari, R. 1982. Limantorjunta- ja säilöntääineet suomalaisessa paperi- ja selluteollisuudessa—Pro gradu-tutkielma, Jyväskylän yliopisto, Kemian laitos. 72 s.
- Pal, A.K. & Konar, S.K. 1986. Chronic effects of the organophosphorus insecticide DDVP on feeding, survival, growth, and reproduction of fish. Aquat. Sci. Fish. Abstr. 16: 180.
- Palachek, R.M. & Tomasso, J.R. 1984. Toxicity of nitrite to channel catfish (*Ictalurus punctatus*), Tilapia (*Tilapia aurea*), and largemouth bass (*Micropterus salmoides*): evidence for a nitrite exclusion mechanisms. Can. J. Fish. Aquat. Sci. 41: 1739–1744.
- Palanichamy, S., Arunachalam, S. & Balasubramanian, M.P. 1985. Food consumption of Sarotherodon mossambicus (Trewaves) exposed to sublethal concentration of diammonium phosphate. Hydrobiologia 128(3): 233–237.
- Palawski, D. et al. 1983. Survival and condition of rainbow trout (*Salmo gairdneri*) after acute exposures to methyl parathion, triphenyl phosphate, and DEF. Bull. Environ. Contam. Toxicol. 30: 614.
- Palawski, D., Hunn, J.B. & Dwyer, F.J. 1985. Sensitivity of young striped bass to organic and inorganic contaminants in fresh and saline waters. Transactions of the American Fisheries Society 114: 748–753.
- Pallas, J.E.Jr. & Jones, J.B.Jr. 1978. Platinum uptake by horticultural crops. Plant and Soil 50(1): 207–212.
- Paller, M.H. & Heidinger, R.C. 1979. Toxicity of ozone to bluegill. J. Environ. Sci. & Health 14A:169.
- Pandey, K. & Shukla, J.P. 1979. Arsenic toxicity in a tropical freshwater fish, *Puntius sophore*. Nat. Acad. Sci. Letters 2: 425.
- Pant et al. 1987. Effects of Aldicarb on the blood and tissues of a freshwater fish. Bull. Environ. Contam. Toxicol. 38: 36.
- Pant, S.C. et al. 1980. Toxicity of copper sulphate and zinc sulphate to fresh water Teleost *Punctius conchonius* (Ham.) in hard water. Comp. Physiol. Ecol. 5: 146.
- Pant, S.C. & Kumar, S. 1981. Toxicity of Temik (Aldicarb) for a fresh water Teleost, *Barbus conchonius* (Hamilton). Experientia (Switz.) 37: 1327.
- Papoutsoglou, S.E. & Abel, P.D. 1988. Sublethal toxicity and accumulation of cadmium in *Tilapia aurea*. Bull. Environ. Contam. Toxicol. 41: 404.
- Parke, D.V. 1974. The biochemistry of foreign compounds. Pergamon Press Ltd., London. 269 p.
- Parris, G.E. 1980. Environ. Sci Technol. 14:1099-105.
- Parrish, P.R., Schimmel, S.C., Hansen, D.J., Patrick Jr., J.M. & Forester, J. 1976. Chlordane: Effects on several estuarine organisms. J. Toxicol. Environ. Health. 1: 485–494.
- Parrish, P.E., Dyar, E.E., Lindberg, M.A., Shanika, C.M. & Enos, J.M. 1977. Chronic toxicity of methoxychlor, malathion and carbofuran to sheepshead minnows. U.S. Environmental Protection Agency, Gulf Breeze, FL, EPA 600/3-77-059, 36 pp.
- Parrish, P.R., Dyar, E.E., Enos, J.M. & Wilson, W.G. 1978. Chronic toxicity of chlordane, trifluralin and pentachlorophenol to sheepshead minnows (*Cyprinodon variegatus*). U.S. Environmental Protection Agency, Gulf Breeze, FL, EPA 600/3-78-010, 53 pp.
- Parsons, F., Wood, P.R. & DeMarco, J. 1984. Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. J. AWWA. 76 (2): 56–59.
- Pascoe, D. & Matthey, D.L. 1977. Studies on toxicity of cadmium to 3-spined stickleback (*Gasterosteus aculeatus* L.). J. Fish Biol. 11: 207–215.
- Pascoe, D. & Gram, P. 1977. Effect of parasitism on toxicity of cadmium to 3-spined stickleback (*Gasterosteus aculeatus* L.). J. Fish Biol. 10: 467–472.
- Passino, D.R.M. & Kramer, J.M. 1980. Toxicity of arsenic and PCBs to fry of deepwater Ciscoes (*Coregonus*). Bull. Environ. Contam. Toxicol. 24: 527.
- Passino, D.R.M & Smith, S.B. Acute bioassays and hazard evaluation of representative contaminants detected in Great Lakes fish. Environ. Toxicol. Chem. 6: 901.

- Patel, P.M. & Wallace, A. 1975. Some interactions in plants among cadmium, other heavy metals and chelating agents, *Agr. abstr. Am. Soc. Agr.*, 26. From: Balsberg Pahlsson, A.M. 1985. Effekter av cadmium och koppar på växter, SNV PM 1996: 1–97.
- Patiemo, S. R. et al. 1989. *Cancer Res.* 49(4), 1038–1044.
- Patrick, R., Cairns, J. & Scheier, A. 1968. The relative sensitivity of diatoms, snails and fish to 20 common constituents of industrial wastes. *Progr. Fish. Cult.* 30: 137–140.
- Patten, B.G. 1977. Sublethal biological effects of petroleum hydrocarbon exposures: fish. In: Malins, D.C.(ed.), *Effects of petroleum on arctic and subarctic marine environments and organisms II, Biological effects*. New York/San Francisco/London. pp. 319–335.
- Patty, F.A. 1963. *Industrial hygiene and toxicology*. 2nd. ed. New York, London, Sydney, John Wiley and Sons, Interscience Publishers. Vol. 2. pp. 1441–1450.
- Patty, F.A. 1967. *Industrial hygiene and toxicology*. Vol 2. Interscience Publishers.
- Patty, F.A. 1982. *Industrial hygiene and toxicology*. 3rd ed. New York, Chichester, Brisbane, Toronto, Singapore, Wiley-Interscience. Vol. IIC. pp. 4571–4578.
- Patty, F.A., Schrenk, H.H. & Yant, W.P. 1935. Butanone. *United States Public Health Report* 50: 1217.
- Paul, D. & Raut, S.K. 1987. Comparative studies on the toxicity of endosulphane in some freshwater fishes under different pH and hardness of water. *Curr. Sci.* 56: 318.
- Paulauskis, J.D. & Winner, R.W. 1988. Effects of water hardness and humic acid on zinc toxicity to *Daphnia magna* Straus. *Aquat. Toxicol.* 12: 273.
- Pavlica, D. A. et al. 1978. *Phytopathology* 68: 758–765.
- Payen, G.G. & Costlow, J.D. 1977. Effects of a juvenile hormone mimic on male and female gametogenesis of the mud-crab, *Rhithropanopeus harrisii* (Gould) (Brachyura: Xanthidae). *Biol Bull.* 152: 199.
- Payne, J.F. & Fancey, L.L. 1981. Mixed function oxidase enzyme induction as a biological monitor and indicator in aquatic toxicology: further studies. International symposium on responses of marine organisms to pollutants. Institute for marine environmental research. Plymouth, U.K. 16 p.
- Peakall, D.B. 1986. Accumulation and effects on birds. In: Waid, J.S. (Ed.) *PCBs and the Environment*, Vol. II, CRC Press, Boca Raton, Florida, pp. 31–48.
- Pearson, C.R. 1982. Halogenated aromatics. In: Hutzinger, O. (Ed.) *The handbook of Environmental Chemistry*, Vol 3, Part B, Springer-Verlag, Berlin, Heidelberg, New York, pp. 89–116.
- Pearson, J.G., Glennon, J.P., Barkley, J.J. & Highfill, J.W. 1979. An approach to the toxicological evaluation of a complex industrial wastewater. In: Marking, L.L. & Kimerle, R.A. (eds.). *Aquatic toxicology*, ASTM STP 667. pp. 284–301.
- Pearson, C.R. & McConnell, G. 1975. Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc. P. Soc. Lond. B.* 189: 305–332.
- Pekkala, C.M. & Koopman, B. 1987. Effect of toxicant on algal sinking rates. *Water Air Soil Pollut.* 36: 155.
- Pellizzari, E. D. et al. 1982. *Environ Sci Technol.* 16: 781–785.
- Peltier, W. 1978. Methods for measuring the acute toxicity of effluents to aquatic organisms. EPA-600/4-78-012, U.S. Environmental Protection Agency, 51 s.
- Penny, C. & Adams, C. 1863. Fourth report, royal commission on pollution of rivers in Scotland. Vol. 2. Evidence. London. pp. 377–381.
- Penttinen, H. 1980. Öljynjalostamon jätevesien vaikutus merialueen rehevöitymiseen. *Vesihallituksen monistesarja* 1980:35.
- Peoples, S. A. et al. 1980. A study of well water collected from selected areas in California to determine the presence of DBCP and certain other pesticide residues. *Bull. Environm. Contam. Toxicol.* 24: 611–618.
- Pero, E.W., Widegren, B., Hogstedt, B. & Mitelman, F. 1981. In vivo and in vitro ethylene oxide exposure of human lymphocytes assessed by chemical stimulation of unscheduled DNA synthesis. *Mutat. Res.* 83: 271–289.

- Perocco, P. & Prodi, G. 1981. DNA damage by haloalkanes in human lymphocytes cultured in vitro. *Cancer Letters* 13: 123–218.
- Perrin, D. D. 1972. Dissociation constants of organic bases in aqueous solution; IUPAC Chemical Data Series; Supplement; London Butterworth.
- Perry, R. A. et al. 1977. *J. Chem. Phys.* 67: 458–462.
- Persson, P.E., Penttinen, H. & Nuorteva, P. 1978. DEHP in the vicinity of an industrial area in Finland. *Environ. Pollut.* 16: 163–166.
- Perwak, J., Goyer, M., Nelken, L., Scow, K., Wald, M. & Wallace, D. 1985. An Exposure and Risk Assessment for Mercury. EPA 4404-85-011.
- Pesch, G. & Pesch, C. 1980. Neanthes arenaceodentata (Polychaeta: Annelida), a proposed cytogenic model for marine genetic toxicology. *Can. J. Fish. Aquat. Sci.* 37. p. 1225–1228.
- Pesonen, L. 1968. Asumajätevesien aiheuttaman eutrofoitumisen biometodista tarkastelua: perustuotantoon ja perustuotantopotentiaaliin vaikuttavista tekijöistä Helsingin Laajalahdessa. Helsingin yliopisto, pro gradu- tutkielma. 106 s.
- PESREG. Application for registration of pesticides accepted by the Pesticide Commission. National Board of Waters and the Environment, Chemicals Control Unit.
- Pesticide Manual. 1987. Worthing, C.R. (toim) A world compendium. The British Crop Protection Council. Eighth edition.
- Petersen, D.W. et al. 1985. *Toxicol. Appl. Pharmacol.* 80: 58–65.
- Petersen, D.W. et al. 1987. Behavioural and histological effects of acrylamide in rainbow trout. *Toxicol. Appl. Pharmacol.* 87: 177.
- Petersen, D.W. & Lech, J.J. 1987. Hepatic effects of acrylamide in rainbow trout. *Toxicol. Appl. Pharmacol.* 89: 249.
- Pezet, R. & Gindrat, D. 1978. Injury to plants caused by cyclohexylamine vapors from silicone rubber in growth chambers. *Plant Dis. Repr.* 62(2): 100–104.
- Pfaender, F. K. & Bartholomew, G. W. 1982. *Appl. Environ. Microbiol.* 44: 159–164.
- Phipps, G.L. & Holcombe, G.W. 1985. A method for multiple species toxicant testing: acute toxicity of 10 chemicals to 5 vertebrates and 2 invertebrates. *Environm. Pollut. (Ser A)* 38: 141–157.
- Piacente, V. et al. 1985. *J. Chem. Eng. Data* 30: 372–376.
- Pickering, Q.H. 1968. Some effects of dissolved oxygen concentrations upon the toxicity of zinc to the bluegill, *Lepomis macrochirus*. *Water Res.* 2: 187–194.
- Pickering, Q.H. 1974. Chronic toxicity of nickel to the fathead minnow. *J. Water Pollut. Control Fed.* 46: 760–765.
- Pickering, Q.H. 1980. Chronic toxicity of hexavalent chromium to the fathead minnow. *Arch. Environ. Contam. Toxicol.* 9: 405–413.
- Pickering, Q.H., Brungs, W. & Gast, M. 1977. Effect of exposure time and copper concentration on reproduction of the fathead minnow (*Pimephales promelas*). *Water Res.* 11: 1079–1083.
- Pickering, Q., Carle, D.O., Pilli, A., Willingham, T. & Lazorchak, J.M. 1989. Effects of pollution on freshwater organisms. *Journal WPCF* 61 (6): 998–1042.
- Pickering, Q.H. & Gast, M.H. 1972. Acute and chronic toxicity of cadmium to the fathead minnow. *J. Fish. Res. Board Can.* 29: 1099–1106.
- Pickering, Q.H. & Gilliam, W.T. 1982. Toxicity of aldicarb and fonofos to the early life stages of the fathead minnow. *Arch. Environ. Contam. Toxicol.* 11: 699–702.
- Pickering, Q.H. & Henderson, C. 1966. Acute toxicity of some important petrochemicals to fish. *J. Water Pollut. Control Feder.* 38: 1419–1429.
- Pickering, Q.H., Henderson, H.C. & Lemke, A.E. 1962. The toxicity of organic phosphorus insecticides to different species of warmwater fishes, *Trans. Amer. Fish. Soc.* 91(2): 175–184.

- Pickering, Q.H. & Thatcher, T.O. 1970. The chronic toxicity of linear alkylbenzene sulfonate to *Pimephales promelas*. J. Water Pollut. Control Fed. 42: 243–254.
- Piekacz, H. 1971. Effect of dioctyl- and dibutylphthalates on rats during oral administration in prolonged experiments. II. Studies of subacute and chronic toxicity. Rocznik Panstw Zakl Hig. 22: 295.
- Pierson, K.B. 1981. Effects of chronic zinc exposure on the growth, sexual maturity, reproduction and bioaccumulation of the guppy, *Poecilia reticulata*. Can. J. Fish. Aquat. Sci. 38: 23–31.
- Piet, G. J. & Morra, C. F. 1983. In: Artificial Groundwater Recharge Huisman, L., Olsthor, T. L. eds Marshfield, M. A.: Pitman Pub pp 31–42.
- Pietr, S. J. 1981. Herbicidal effect on some metabolic processes of *Azotobacter chroococcum*. Acta Microbiologica Polonica, Vol 30(2): 173–182.
- Pillai, P. et al. 1982. Chemosphere 11:299–317.
- Pillard, D.A. et al. 1987. Hexavalent chromium effects on carbon assimilation in *Selenastrum capricornutum*. Bull. Environ. Contam. Toxicol. 38: 715.
- Pilli, A., Carle, D.O., Kline, E., Pickering, Q. & Lazorchak, J. 1988. Effects of pollution on freshwater organisms. JWPCF 60(6): 994–1065.
- Piotrowski, J.K. & Coleman, D.O. 1980. Environmental hazards of heavy metals: Summary evaluation of lead, cadmium and mercury. MARC Report No. 20, Chelsea College, University of London.
- Pitter, P. 1976. Determination of biological degradability of organic substances, Water Res. 10: 231–235.
- Piwoni, M. D. et al. 1986. Haz. Waste Haz. Mat. 3: 43–55.
- Placke, M. E. et al. 1987. Toxicol. Pathol. 15(4), 381–387.
- Podowski, A.A., Banerjee, B.C., Feroz, M., Dudek, M.A., Willey, R.L. & Khan, M.A.Q. 1979. Photolysis of heptachlor and cis-chlordane and toxicity of their photoisomers to animals. Arch. Environm. Contam. Toxicol. 8(5): 509–518.
- Poglazova, M.N., Fedosceva, G.E., Khesina, A.J., Meissel, M.N. & Shabad, L.M. 1967. Destruction of 3,4-benzpyrene by soil bacteria. Life Sci. 6: 1053–1063.
- Poirier, D.G. & Surgeoner, G.A. 1987. Laboratory flow-through bioassays of four forestry insecticides against stream invertebrates. Can. Entomol. 119: 755.
- Poirier, D.G. & Surgeoner, G.A. 1988. Evaluation of a field bioassay technique to predict the impact of aerial applications of forestry insecticides on stream invertebrates. Can. Entomol. 120:627.
- Poirier, L.A. & Weisburger, E.K. 1979. J. Natl. Cancer Inst. 62: 833.
- Polak, J. & Lu, B. C. Y. 1973. Can. J. Chem. 51: 4018.
- Poland, A. et al. 1971. A reciprocal relationship between the induction of delta-aminolevulinic acid synthetase and drug metabolism produced by m-dichlorobenzene. Biochem. Pharm. 20: 1281.
- Pomeroy, S.E., Brauning, S.E. & Kidd, G.H. 1980. Validation of the OECD ecotoxicology testing scheme set. Battelle Columbus Labs., Columbus, Ohio, USA, for the EPA (68-01-5043-80).
- Porkka, H. 1983. Elintarvikekartongin ja -paperin laadunvalvonnassa huomioitavat seikat.–INSKO: Lima- ja limaantumisongelmat paperiteollisuudessa. 44-83 VIII.
- Portmann, J.E. & Wilson, K.W. 1971. The toxicity of 140 substances to the brown shrimp and other marine animals. Shellfish Inf. Leaflet No. 22.
- Poston, T.M., Hanf, R.W.Jr. & Simmons, M.A. 1984. Toxicity of uranium to *Daphnia magna*. Water Air Soil Pollut. 22(3): 289–298.
- Powers, C.D., Rowland, R.G. & Wurster, C.F. 1976. Dialysis membrane chambers as a device for evaluating impacts of pollutants on plankton under natural condition. Water Res. 10: 991–994.
- Prakash, A. 1976. NTA (nitrilotriacetic acid)–an ecological appraisal. Can. Wat. Pollut. Contr. Direct. Environ. Prot. Serv. Rep. Ser. Econom. Techn. Rev. Rep. EPS. 3-WP-76-8. 50 p.
- Prasad, I. 1970. Mutagenic effects of the herbicide 3,4-dichloropropionanilide and its degradation products. Can. J. Microbiol. 16 (5): 369.

- Pratt, J.R. et al. 1988. Effects of Atrazine on freshwater microbial communities. *Arch. Environ. Contam. Toxicol.* 17:449.
- Prein, A.E., Thie, G.M., Alink, G.M., Koeman, J.H. & Poels, C.L.M. 1978. Cytogenic changes in fish exposed to water of the river Rhine. *Sci. Total Environ.* 9: 287–291.
- Premazzi, G. 1984. Evaluation of the impact of malathion on the aquatic environment. *European Appl. Res. Rept.-Environ. and Nat. Res. Sect.* 2(2): 221–292.
- Prendeville, G.N. & Warren, G.F. 1977. Effect of four herbicides and two oils on leaf-cell membrane permeability. *Weed Research* 17(4): 251–258.
- Presing, M. & Ponyi, J.E. 1986. Studies on the acute and chronic effect of a 2,4-D-containing herbicide (Dikonirt) on *Eudiaptomus gracilis* (G.O. Sars) (Crustacea, Copepoda). *Arch. Hydrobiol.* 106: 275.
- Presing, M. & Vero, M. 1983. A new method for determining the heart beat rate of *Daphnia magna*. *Water Res.* 17: 1245.
- Price, K.S. Waggy, G.T. & Conway, R.A. 1974. Brine shrimp bioassay and seawater BOD of petrochemicals. *J. Water Pollut. Control Fed.* 46(1): 63–77.
- Price, L.C. 1975. Am. Assoc. Petrol. Geol. Bull. 60: 213.
- Priester, L.E., Jr., 1966. The accumulation and metabolism of DDT, parathion, and endrin by aquatic food-chain organisms source. *Dissertation Abstr.* 27(5): 1661-B.
- Provasoli, L., McLaughlin, J.J.A. & Droop, M.R. 1957. The development of artificial media for marine algae. *Arch. Mikrobiol.* 25: 392–428.
- Puchase, F.H. 1969. Studies on Kaffircorn malting and brewing. XII. The acute toxicity of some fused oil found in Bantu beer. *S. Afr. med. J.* 53: 795.
- Putte, I. van der, Lubbers, J. & Kolar, Z. 1981. Effect of pH on uptake, tissue distribution and retention of hexavalent chromium in rainbow trout (*Salmo gairdneri*). *Aquat. Toxicol.* 1(1): 3–18.
- QSARTOX 1994 -. QSARTOX-programme. Version 1.0. J.R. Niemelä. Danish Environmental Protection Agency.
- Quinlivan, S.C., Ghassemi, M. & Leshendok, T.V. 1975/1977. Sources, characteristics and treatment and disposal of industrial wastes containing hexachlorobenzene. *J. Hazardous Materials* 1: 343–359.
- Raatikainen, M. & Raatikainen, T. 1979. Lehvästöruiskutusaineiden harkittu käyttö säästää marjasadot. *Kasvinsuojelulehti* 12: 37–41.
- Raatikainen, T. & Mustonen, I. 1977. Lehvästöruiskutusten vaikutuksista kenttä- ja pohjakerroksen eläimistöön ja kasvillisuuteen. *Jyväskylän yliopiston biologian laitoksen tiedonantoja* 7: 47–54.
- Rachlin, J.W. et al. 1982. The growth response of the green alga (*Chlorella saccharophila*) to selected concentrations of the heavy metals Cd, Cu, Pb and Zn. In: *Trace substances in environmental health -XVI*. Hemphill, D.D. (Ed.), Univ. Missouri, Columbia, Mo, 145.
- Rachlin, J.W. et al. 1983. The growth response of the diatom *Navicula incerta* to selected concentrations of the metals: cadmium, copper, lead and zinc. *Bull. Torrey Bot. Club.* 110: 217.
- Radding, S.B. et al. 1975. Rev. Environmental Fate of Selected Chemicals. EPA 566/5-75-001, U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, D.C.
- Radhakrishnaiah, K. 1988. Effect of cadmium on the freshwater mussel, *Lamellidens marginalis* (Lamarck)—A Physiological approach. *J. Environ. Biol.* 9: 73.
- Radhiah, V. et al. 1986. Effects of heptachlor on hydration levels and histosomatic indices in kidney of the fish *Tilapia mossambica*. *Environ. Ecol.* 4(2): 274.
- Radi, A.A.R. & Matkovics, B. 1988. Effects of metal ions on the antioxidant enzyme activities, protein contents and lipid peroxidation of carp tissues. *Comp. Biochem. Physiol.* 90C: 69.
- Rai, L.C., Gaur, J.P. & Kumar, H.D. 1981. Protective effects of certain environmental factors on the toxicity of zinc, mercury, and methylmercury to *Chlorella vulgaris*—Environmental Research 25: 250–259.

- Rai, L.C. & Raizada, M. 1987. Toxicity of nickel and silver to *Nostoc muscorum*: interaction with ascorbic acid, glutathione, and sulfur-containing amino acids. Ecotoxicol. Environ. Saf. 14: 12.
- Rai, L.C. & Raizada, M. 1988. Impact of chromium and lead on *Nostoc muscorum*: regulation of toxicity by ascorbic acid, glutathione, and sulfur-containing amino acids. Ecotoxicol. Environ. Saf. 15: 195.
- Rai, R. 1987a. Responses of serum protein in a freshwater fish to experimental mercury poisoning. J. Environ. Biol.: 8 (2-suppl.): 225.
- Rai, R. 1987b. Hematological responses of a freshwater teleost, *Catla catla* (Ham.) to induced zinc poisoning. Indian J. Appl. Pure Biol. 1: 80.
- Rainbow, P.S., Scott, A.G., Wiggins, E.A. & Jackson, R.W. 1980. Effect of chelating agents on the accumulation of cadmium by the barnacle *Semibalanus balanoides*, and complexation of soluble Cd, Zn, Cu. Mar. Ecol. Progr. Ser. 2: 143–150.
- Rainville, R.P., Copeland, B.J. & McKean, W.T. 1975. Toxicity of kraft mill wastes to an estuarine phytoplankton. J. Water Poll. Cont. Fed. 47: 487–503.
- Rajagopal, B.S., Brahmprakash, G.P., Reddy, B.R., Singh, U.D. & Sethurnathan, N. 1984. Effects and persistence of selected carbamate pesticides in soil. Residue Rev. 93: 1–157.
- Rajbanshi, V.K. & Gupta, A.K. 1988. Alterations in the architecture of the gill surface produced by water-borne copper in heteropneustes fossilis (Bloch). Acta Hydrochim. Hydrobiol. 16: 325.
- Ram, R.N. & Sathyanesan, A.G. 1987. Histopathological changes in liver and thyroid of the teleost fish, *Channa punctatus* (Bloch), in response to ammonium sulfate fertiliser treatment. Ecotoxicol. Environ. Saf. 13: 185.
- Ram, R.N. & Sathyanesan, A.G. 1987. Histopathological and biochemical changes in the liver of a teleost fish, *Channa punctatus* (Bloch) induced by a mercurial fungicide. Environ. Pollut. 47: 135.
- Ramalingam, R. & Reddy, Y.S. 1982. Kinetics of dose-response relationship in the bimodal respiration of *Colisa lalia* (Hamilton-Buchanan) exposed to lindane (gamma-BHC). Water Res. 16: 1.
- Ramel, C. 1969. Genetic effects of organic mercury compounds I. Cytological investigations on Allium roots. Hereditas 61: 208–230.
- Ramel, C. 1978. Testning av mutagena och carcinogena effekter av kemikalier. Toxitetstester. Nordforsk. Miljövårdssekretariatet publikation 2. s. 41–44.
- Randall, W.F. et al. 1979. Acute toxicity of dechlorinated DDT, chlordane and lindane to bluegill (*Lepomis macrochirus*) and *Daphnia magna*. Bull. Environm. Contam. Toxicol. 21: 849–854.
- Rankin, D.P. 1979. The influence of un-ionized ammonia on the long-term survival of sockeye salmon eggs. Tech. Rept. No. 912, Environment Canada, Fisheries & Marine Serv., Nanaimo, B.C., (Can.).
- Rankin, J.C. & Davenport, J.A. 1981. Animal Osmoregulation. Tertiary level biology. Blackie & Son. Glasgow. 202 p.
- Rao, K.S., Moorthy, K.S., Naidu, M.D., Chetty, C.S. & Swami, K.S. 1983. Changes in nitrogen metabolism in tissues of fish (*Sarotherodon mossambicus*) exposed to benthiocarb. Bull. Environ. Contam. Toxicol. 30: 473–478.
- Rao, D.M.R. & Marty, A.S., 1982. Toxicity and metabolism of endosulfan in three freshwater catfishes. Environ. Pollut. 27A: 223
- Rao, D.M.R. et al. 1981. Toxicity and metabolism of endosulfan and its effect on oxygen consumption and total nitrogen excretion of the fish *Macrognathus aculeatum*. Pestic. Biochem. Physiol. 15: 282.
- Rao, D.M.R. et al. 1980. Relative toxicity of endosulfan, its isomers, and formulated products to the freshwater fish *Labeo rohita*. Jour. Toxicol. Environ. Health 6: 825.
- Rao, K.R.S.S. 1987. Variations in the nitrogen products of *Channa punctatus* augmented by interaction of carbaryl and phenthoate in the media. J. Environ. Biol. 8(2-suppl.): 173.
- Rao, K.S. & Dad, N.K. 1979. Studies of herbicide toxicity in some freshwater fishes and Ectoprocta. J. Fish. Biol. 14: 517.

- Rao, K.V.N., Rust, J.H., Mihailovich, N., Vesselinovitch, S.D. & Rice, J.M. 1971. Subacute toxicity of benzidine in the young adult mice (Abstract No. 1386). Fed. Proc. 30: 444.
- Rao, K.S. & Nagabhushanam, R. 1987. Toxicity of DDT and malathion to the freshwater crab *Baratellphusa cunicularis*. Aquat. Sci. Fish. Abstr. Part 1, 17: 11842–1Q17. Environ. Ecol. 5: 203.
- Rao, K.S.P. & Rao, K.V.R. 1982. Toxicity of methyl parathion to the fresh water Teleost, *Tilapia mossambica* (Peters). Comp. Physiol. Ecol. 7: 271.
- Rappe, C. 1980. Chloroaromatic compounds containing oxygen. In: Hutzinger, O. (Ed.) The Handbook of Environmental Chemistry, Vol. 3, Part A, Springer-Verlag, Berlin, Heidelberg, New York, pp. 157–179.
- Rask, M. 1983. The effect of low pH on perch, *Perca fluviatilis* L. 1. Effect of low pH on the development of eggs of perch. Ann. Zool. Fenn. 20: 73–76.
- Rasul, A.R. & Howell, J.M. 1974. The toxicity of some dithiocarbamate compounds in young and adult domestic fowl. Toxicol. Appl. Pharmacol. 30: 63–78.
- Rath, S. & Misra, B.N. 1979. Relative toxicity of dichlorvos (DDVP) to *Tilapia mossambica* Peters, of three different age groups. Exp. Geront. (G.B.) 14: 307.
- Rathbun, R. E. et al. 1982. Chemosphere 11: 1097–1114.
- Rathbun, R. E. or D. Y. 1981. Water Res. 15: 243–250.
- Ray, S.M. & Trieff, N.M. 1980. Bioaccumulation of anthropogenic toxins in the ecosystem. In: Trieff, N.M. (Ed.) Environment and Health, Ann Arbor Sci., Ann Arbor, Michigan, USA, pp. 93–120.
- Ray, L.E., Murray, H.E. & Giam, C.S. 1983. Organic pollutants in marine samples from Portland, Maine. Chemosphere 12(7/8): 1031–1038.
- Raymond, P. et al. 1986. Toxicodynamic study of cyanide and its biotransformation in rainbow trout (*Salmo gairdneri*). Can. J. Fish. Aquat. Sci. 43: 2017.
- Razani, H. et al. 1986. Chronic toxic effect of phenol on zebrafish *Brachydanio rerio*. Bull. Jpn. Soc. Sci. Fish. 52: 1553.
- Reading, J.T. & Buikema, A.L. Jr. 1983. Chronic effects of selenite-selenium on *Daphnia pulex*. Arch. Environ. Contam. Toxicol. 12: 399.
- Reddy, P.S. et al. 1986. Chronic malathion toxicity: effect on carbohydrate metabolism of *Oziotelphusa senex senex*, the Indian rice field crab. Bull. Environ. Contam. Toxicol. 37: 816.
- Reddy, N.M. & Rao, P.V. 1987. Copper toxicity to the fresh water snail, *Lymnaea luteola*. Bull. Environ. Contam. Toxicol. 39: 50.
- Redner, B.D. et al. 1980. Short-term alleviation of ammonia toxicity by environmental sodium chloride in Channel catfish (*Ictalurus punctatus*). J. Tenn. Acad. Sci. 55: 54. Sports Fish. Abs., 25, 80-001696.
- Rehab, F.I. & Wallace, A. 1978. Excess trace metal effects on cotton 2. Copper, zinc, cobalt, and manganese in yolo loam soil. Commun. Soil Sci. Plant Anal. 9(6): 519–527.
- Rehab, F.I. & Wallace, A. 1978. Excess trace metal effects on cotton 5. Nickel and cadmium in solution culture. Commun. Soil Sci. Plant Anal. 9(8): 771–778.
- Rehab, F.I. & Wallace, A. 1978a. Excess trace metal effects on cotton. 1. Copper, zinc, cobalt, and manganese in solution culture. Commun. Soil Sci. Plant Anal. 9(6): 507–518.
- Rehwoldt, R.E., Kelley, E. & Mahoney, M. 1977. Investigations into the acute toxicity on some chronic effects of selected herbicides and pesticides on several fresh water fish species. Bull. Environ. Contam. Toxicol. 18: 361–365.
- Reichenbach-Klinke, H. 1973. Fish Pathology. T.F.H., Neptune City, N.Y. 512 p.
- Reid, S.D. & McDonald, D.G. 1988. Effects of cadmium, copper, and low pH on ion fluxes in the rainbow trout, *Salmo gairdneri*. Can. J. Fish. Aquat. Sci. 45: 244.
- Reid, W.D. 1973. Biochemical mechanism of hepatic necrosis induced by aromatic hydrocarbons. Pharmacol. 10: 193.

- Reiff, B. et al. 1979. The acute toxicity of eleven detergents to fish: results of an interlaboratory excercise. *Water Res.* 13: 207–210.
- Reiner, E.A., Chu, J.P. & Kirsch, E.J. 1978. Microbial metabolism of pentachlorophenol. In: Rao, K.A. (Ed) *Pentachlorophenol*, Plenum Press, New York, pp. 67–81.
- Reinert, R.E. 1972. Accumulation of dieldrin in an alga (*Scenedesmus obliquus*), *Daphnia magna* and the guppy (*Poecilia reticulata*). *J. Fish. Res. Bd. Can.* 29: 1413–1418.
- Reinert, R., Stone, L.J. & Willford, W.A. 1974: Effect of temperature on accumulation of methylmercuric chloride and p,p'DDT by rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Bd. Can.* 31: 1649–1652.
- Reinhold, K.A. & Metcalf, R.L. 1976. Effects of the synergist piperonyl butoxide on metabolism of pesticides in green sunfish. *Pesticide Biochem. Physiol.* 5(6): 401–412.
- Reish, D. 1959. The use of marine invertebrates as indicators of water quality. In: Pearson, E.A. (ed.). *Waste disposal in the marine environment*. pp. 92–103.
- Reish, D.J., Martin, J.M., Piltz, F.M. & Word, J.Q. 1976. The effect of heavy metals on laboratory populations of two polychaetes with comparisons to the water quality conditions and standards in southern California marine waters. *Water Res.* 10: 299–302.
- Renberg, L., Svanberg, O., Bengtsson, B-E. & Sundström, G. 1980. Chlorinated guaiacols and catechols bioaccumulation potential in bleaks (*Alburnus alburnus*), reproductive and toxic effects on the Harpacticoid Nitocra spinipes (Crustacea). *Chemosphere* 9: 143–150.
- Renberg, L. 1980. Bestämning av lipofiliteten hos organiska substanser med kemisk/fysikaliska screening-metoder. Nordforsk. Ekotoxicologiska metoder för akvatisk miljö. Rapport Nr. 17.
- Renberg, L., Sundström, G. & Reutergårdh, L. 1978. Polychlorinated terphenyls (PCT) in Swedish white-tailed eagles and in grey seals. A preliminary study. *Chemosphere* 6: 477–482.
- Renberg, L., Sundström, G. & Sundh-Nygård, K. 1980. Partition coefficients of organic chemicals derived from reversed phase thin layer chromatography. Evaluation of methods and application on phosphate esters, polychlorinated paraffins and some PCB-substitutes. *Chemosphere* 9: 683–691.
- Rennerfelt, J. 1976. Översikt över processer, källor och utsläpp av organiska svårnedbrytbara ämnen inom cellulosaindustrin. Organiska miljögifter i vatten. Nordforsk, publikation 2. s. 93–101.
- Reteuna, C. et al. 1986. Comparison of respiration and luminescen tests in bacterial toxicity assessment. *Toxicity Assessment* 1: 159.
- Reuber, M. 1974. Criteria for tumor diagnosis and classification of malignancy. In: Golberg, L. (ed.). *Carcinogenesis testing of chemicals*. Cleveland, CRC Press. pp. 71–73.
- Reutergårdh, L. 1988. Identification and distribution of chlorinated organic pollutants in the environment. PhD Thesis, SNV Report 3465, Solna, 192 pp.
- Reynolds, F.A. & Haines, T.A. 1980. Effects of chronic exposure to hydrogen sulfide on newly hatched brown trout (*Salmo trutta* L.). *Environ. Poll.* 22A: 11.
- Reynolds, J.H., Middlebrooks, E.J., Porcella, D.B. & Grenney, W.J. 1975. Effects of temperature on growth constants of *Selenastrum capricornutum*. *J. Water Pollut. Control Fed.* 47(10): 2420–2436.
- Reynolds, T. 1977. Comparative effects of aliphatic compounds on inhibition of lettuce fruit germination. *Ann. Bot.* 41(173): 637–648.
- Reynolds, W.W. 1977. Fish orientation behaviour: an electronic device for studying simultaneous responses to two variables. *J. Fish. Res. Board Can.* 34: 300–308.
- Rice, C.D. & Mills, R.R. 1987. Effects of kepone tolerance on liver alkaline phosphomonoesterase and glutamic-oxaloacetic amino transferase from *Fundulus heteroclitus*. *Bull. Environ. Contam. Toxicol.* 39: 655.
- Rice, C.P. & Sikka, H.C. 1973. Fate of dieldrin in selected species of marine algae. *Bull. Environ. Contam. Toxicol.* 9(2): 116–123.

- Rice, C.P. & White, D.S. 1987. PCB availability assessment of river dredging using caged clams and fish. *Environ. Toxicol. Chem.* 6: 259.
- Rice, S.D. & Stokes, R.M. 1975. Acute toxicity of ammonia to several developmental stages of rainbow trout, *Salmo gairdneri*. *Fish Bull.* 73: 207.
- Richard, E.P. Jr. & Baker, J.B. 1979. Response of selected rice (*Oryza sativa*) lines to molinate. *Weed Sci.* 27(2): 219–223.
- Richardson, M. L. et al. 1992–1994. The dictionary of substances and their effects. Vol 1–7. The Royal Society of Chemistry. Thomas Graham House, The Science Park, Cambridge, CB4 4WF.
- Richardson, M. L. & Bowron, J. M. 1985. The fate of pharmaceutical chemicals in the aquatic environment. *J. Pharmacol.* 37: 1–12.
- Richmond, D.V. & Prinz, R.J. 1977. Some cytological effects of systemic fungicides on fungi and plants. *Neth. J. Pl. Path.* 83(1): 403–410.
- Richter, J.E., Peterson, S.F. & Kleinert, C.F. 1983. Acute and chronic toxicity of some chlorinated benzenes, chlorinated ethanes, and tetrachloroethylene to *Daphnia magna*. *Arch. Environ. Contam. Toxicol.* 12: 679–684.
- Ricker, W.E. 1958. handbook of computations for biological statistics of fish populations. *Fish. Res. Board Can. Bull.* 19.
- Riddick, J. A. et al. 1986. Organic solvents: Physical Properties and Methods of Purification, 4th Edit. New York: J. Wiley & Sons.
- Ridgeway, L.P. & Karnofsky, D.A. 1952. The effects of metals on the chick embryo: Toxicity and production of abnormalities in development. *Ann. N.Y. Acad. Sci.* 55: 203.
- Riihimäki, V., Savolainen, K., Pfäffli, P., Pekari, K., Sippel, H.W. & Laine, A. 1982. Metabolic interaction between m-xylene and ethanol. *Archives of Toxicology* 49: 253–263.
- Rincon, D.J. & Warren, G.F. 1978. Effect of five thiocarbamate herbicides on purple nutsedge (*Cyperus rotundus*). *Weed Sci.* 26(2): 127–131.
- Rincon D.J. & Warren, G.F. 1979. Effect of soil placement on the activity of herbicides on *Cyperus rotundus* L.. *Weed Research* 19(2): 81–87.
- Rinke, M. & Zetzs, C. 1984. Rate constants for the reactions of OH radicals with aromatics: benzene, phenol, aniline, and 1,2,4-trichlorobenzene. *Ber. Bunsenges. Phys. Chem.* 88: 55–62.
- Rippen, G. 1988. Handbuch der Umwelt-Chemikalien. Stoffdaten, Prüfverfahren, Vorschriften. Ecomed. Landsberg/Lech, 2. Auflage.
- Rippen, G. et al. 1982. Ecotox. Environ. Safety 6: 236–245.
- Rippen, G. & Frank, R. 1986. Estimation of hexachlorobenzene pathways from the technosphere into the environment. In: Morris, C.R. & Cabral, J.P.R. (Eds.) Hexachlorobenzene. Proceedings of an International Symposium, IARC Scientific Publications No. 77, Lyon, pp. 45–52.
- Roald, S.O. 1977. Acute toxicity of lignosulfonates to rainbow trout (*Salmo gairdneri*). *Bull. Environ. Contam. Toxicol.* 17: 702.
- Roales, R.R. & Perlmutter, A. 1974. Toxicity of methylmercury and copper, applied singly and jointly to the blue gourami, *Trichogaster trichopterus*, *Bull. Environm. Contam. Toxicol.* 12: 633.
- Roberts, H.A. & Bond, W. 1975. Combined treatments of propachlor and trifluralin for weed control in cabbage. *Weed Research* 15(3): 195–198.
- Roberts, M.H. & Bendl, R.E. 1982. Acute toxicity of kepone to selected freshwater fishes. *Estuaries* 5: 158–164.
- Roberts, M.H. Jr., Gleeson, R.A. 1978. Acute toxicity of bromochlorinated seawater to selected estuarine species with a comparison to chlorinated seawater toxicity. *Marine Environm. Res.* 1(1): 19–30.
- Roberts, P. V. et al. 1980. *J. Water Pollut. Control Fed.* 52: 161–171.
- Roberts, P. V. et al. 1984. *J. Water Pollut. Control Fed* 56: 157–163.

- Robinson, G.D., Dunson, W.A., Wright, J.E. & Mamolito, G.E. 1976. Differences in low pH tolerance among strain of brook trout (*Salvelinus fontinalis*). *J. Fish. Biol.* 8: 5–17.
- Roderer, G. 1986. On the toxic effects of tetraethyl lead and its derivatives on the chrysophyte *Poterioochromonas malhamensis*. VI. Effects on lorica formation, mitosis, and cytokinesis. *Environ. Res.* 39: 205.
- Roderer, G. 1987. Toxic effects of tetraethyl lead and its derivatives on the chrysophyte *Poterioochromonas malhamensis*. VIII. Comparative studies with surfactants. *Arch. Environ. Contam. Toxicol.* 16: 291.
- Rodhe, N. 1948. Environmental requirements of freshwater plankton algae. *Symbolae Bot. Ups.* 10: 1–149.
- Roesijadi, G., Petrocelli, S.R., Anderson, J.W., Giam, C.S. & Neff, G.E. 1976. Toxicity of polychlorinated biphenyls (Aroclor 1254) to adult, juvenile, and larval stages of the shrimp *Palaemonetes pugio*. *Bull. Environ. Contam. Toxicol.* 15(3): 297–304.
- Roesijadi, G., Petrocelli, S.R., Anderson, J.W., Presley, B.J. & Sims, R. 1974. Survival and chloride ion regulation of the porcelain crab *Petrolisthes armatus*. *Mar. Biol.* 27(3): 312–218.
- Rogers, I.H., Davis, J.G., Kruzynski, G.M., Kahood, E.W., Servizi, J.A. & Gordon, R.W. 1975. Fish toxicants in kraft effluents. *TAPPI* 58: 136–140.
- Roll, R. & Bär, F. 1967. Die teratogene Wirkung von Monomethylformaneid bei trächtigen Mänssweibdien. *Anzneimittee-Forsch.* 17:610.
- Rombough, P.J. & Garside, E.T. 1982. Cadmium toxicity and accumulation in eggs and alevins of Atlantic salmon, *Salmo salar*. *Can. J. Zool.* 60: 2006.
- Rombough, P.J. & Garside, E.T. 1983. The influence of the zona radiata on the toxicity and uptake of cadmium in embryos of Atlantic salmon (*Salmo salar*). *Can. J. Zool.* 61(10): 2338–2343.
- Rosage, T.E. et al. 1979. Toxicity of un-ionized ammonia to the spotfin shiner (*Notropis spilopterus*). *Proc. Penna. Acad. Sci.* 53: 39.
- Rosehart, R.G., Ozburn, G.W. & Mettinen, R. 1974. Origins of toxicity in sulphite pulping. *Pulp Paper Mag. Can.* 75: T215–T218.
- Rosenfeld, J. M. & Murphy, C. B. 1967. *Talenta* 14: 91.
- Rosenthal, H. & Alderdice, D.F. 1976. Sublethal effects of environmental stressors, natural and pollution, on marine fish eggs and larvae. *J. Fish. Res. Board Can.* 33, 2047–2065.
- Rosicky, P. et al. 1986. Sensitivity of carp and grass-carp early fry to short-term formaldehyde baths. *Bul. Vurh. Vodnany* 3: 25.
- Rossi, A.M., Migliore, L., Barale, R. & Loprieno, N. 1983. In vivo and in vitro mutagenicity studies of a possible carcinogen, trichloroethylene, and its two stabilisers, epichlorohydrin and 1,2-epoxybutane. *Teratogenesis, Carcinogenesis and Mutagenesis* 3: 75–87.
- Rossi, S.S. & Neff, J.M. 1978. Toxicity of polynuclear aromatic hydrocarbons to the polychaete *Neanthes arenaceodentata*. *Marine Poll. Bull.* 9: 220–223.
- Roth L. 1991. *Wassergefährdende Stoffe*. Ecomed Verlag Mbh.
- Rott, B. et al. 1982. *Chemosphere* 11: 531–538.
- Row, R. & Cook, R.H. 1971. Resin acid-soaps-toxicity and treatability. 6th Air and Stream Improvement Conf., Tech. Sect., Can. Pulp Paper Assoc., Quebec City, Quebec.
- Rowe, D.W., Sprague, J.B. & Heming, T.A. 1983a. Sublethal effects of treated liquid effluent from a petroleum refinery, I. Chronic toxicity to flagfish. *Aquat. Toxicol.* 3: 149–159.
- Rowe, D.W., Sprague, J.B., Heming, T.A. & Brown, I.T. 1983b. Sublethal effects of treated liquid effluent from a petroleum refinery. II. Growth of rainbow trout. *Aquat. Toxicol.* 3: 161–169.
- Rowe, V.K. & Wolf, M.A. 1963. Ketones. In: *Patty's Industrial Hygiene and Toxicology*, 2nd edn, ed by F.A. Patty Volume 2. Interscience, New York.

- RTECS Database 1992 -. Registry of Toxic Effects of Chemical Substances. National Institute of Occupational Safety and Health, USA. TOMES Plus CD-ROM.
- Rubin, A.J. & Elmaragh, G.A. 1977. Studies on toxicity of ammonia, nitrate, and their mixtures to guppy fry. *Water Res.* 11: 927.
- Rubin, H.E. et al. 1982. *Appl. Environ. Microbiol.* 43: 1133-1138.
- Ruddrick, J.A. & Khera, K.S. 1975. Pattern of anomalies following single oral doses of ethylenethiourea to pregnant rats. *Teratology* 12: 277-282.
- Rudolph, P. & Boje, R. 1988. Ökotoxikologie nach dem Chemikaliengesetz. Grundlagen für die ökotoxikologische Bewertung von Umweltchemikalien. In: Rippen, G. (Ed.) *Handbuch der Umweltchemikalien*, II-1.2.1, Ecomed. Landsberg/Lech.
- Ruesink, R.G. & Smith, L.L., Jr. 1975. The relationship of the 96-hour LC50 to the lethal threshold concentration of hexavalent chromium, phenol, and sodium pentachlorophenate for fathead minnows (*Pimephales promelas* Rafinesque). *Trans. Amer. Fish. Soc.* 104: 567-570.
- Rumyanstev, A.P., Lobanova, I.Y., Tiunova, L.V. & Chernikova, V.V. 1979. Toxicology of butyl alcohol. Khim. Prom.-st. Ser. Toksikol Sanit. Khim. Plastmass 2: 24-26.
- Ruonala, S. 1985. Jäteveden puhdistusvaatimukset teollisuudelle INSKO 99/85-III. 6 pp.
- Ruoppa, M. 1982. Vesihallinnossa käytettävä kalojen kliniskemialliset ja histologiset määritysmenetelmät. *Vesihallituksen monistesarja* 1982:98. 40 s.
- Ruoppa, M. & Nakari, T. 1982. Vantaanjoen ja Keravanjoen alajuoksun vedenlaadun erityisselvitys kesällä 1981 kalatestit. *Vesihallituksen monistesarja* 1982:133.
- Ruparelia, S.G. et al. 1987. A clinical approach for cadmium intoxication in freshwater fish *Sarotherodon mossambica*. *Aquat. Sci. Fish. Abstr.* 17: 15057-1Q17 (1987); *Environ. Ecol.* 5: 144.
- Russell, D.J., McDuffie, M. & Fineberg, S. 1985. The effect of biodegradation on the determination of some chemodynamic properties of phthalate esters. *J. Environ. Sci. Health., Part A* 20: 927 -942.
- Russo, R.C., Thurston, R.V. & Emerson, K. 1981. Acute toxicity of nitrite to rainbow trout (*Salmo gairdneri*): effects of pH, nitrite species, and anion species. *Can. J. Fish. Aquat. Sci.* 38: 387-393.
- Rye, R.P., Jr. & King, E.L., Jr. 1976. Acute effects of two lambricides to twentyone freshwater invertebrates. *Trans. Amer. Fish. Soc.* 105: 322.
- Saarikoski, J. & Viluksela, M. 1981a. Effect of physicochemical properties of chlorinated phenols on their toxicity and accumulation in fish. Hynninen, P. & Krogell, A. (eds.). *Workshop on effects of pulp mill bleaching effluents on the northern receiving waters*. SITRA. p. 60-64.
- Saarikoski, J. & Viluksela, M. 1981b. Influence of pH on the toxicity of substituted phenols to fish. *Arch. Environm. Contam. Toxicol.* 10: 747-753.
- Saarikoski, J. & Viluksela, M. 1982. Relation between physicochemical properties of phenols and their toxicity and accumulation in fish. *Ecotoxicol. Environ. Safety* 6: 501-512.
- Sabljic, A. 1984. *J. Agric. Food Chem.* 32: 243-246.
- Sabljic, A. 1987. On the prediction of soil sorption coefficients of organic pollutants from molecular structure: application of molecular topology model. *Environ. Sci. Technol.* 21: 358-366.
- Sadtler. 1966. Standard UV Spectra No 325 Philadelphia, PA. Sadtler Research Lab.
- Sadtler. 254 UV Philadelphia, PA: SP Sadtler & Sons.
- Sadtler, N. A. Sadtler Standard Spectra. 1830UV Philadelphia PA; Sadtler Res Lab.
- Saege, V.W. & Tucker, E.S. 1976. Biodegradation of phthalic acid esters in river water and activated sludge. *Appl. Environ. Microbiol.* 31: 29-34.
- Safe, S. 1989. Polychlorinated biphenyls (PCBs): mutagenicity and carcinogenicity. *Mutation Res.* 220: 31-47.
- Sahib, I.K.A. & Rao, K.V.R. 1980. Toxicity of malathion to the freshwater fish *Tilapia mossambica*. *Bull. Environ. Contam. Toxicol.* 24: 870.

- Saida, K. Mendell, J.R. & Weiss, H.S. 1975. Peripheral nerve changes induced by methyl n-butyl ketone and potentiation by methyl ethyl ketone. *Journal of Neuropathology and Experimental Neurology* 35: 207–225.
- Sailatha, D. et al. 1981. Toxicity of technical and commercial grade malathion to the fish, *Tilapia mossambica* (Peters). *Proc. Indian Acad. Sci. (Ind.)*, 90: 87.
- Saito, M. 1975. Studies on the metabolism of lower alcohols. *Nichidai Igaku Zasshi* 34(8-9): 569–585.
- Saito, T. et al. 1984. *Fresenius Z Anal Chem* 319: 433–434.
- Salanki, J. & Varanka, I. 1978. Effects of some insecticides on the periodic activity of the freshwater mussel (*Anodonta cygnea* L.). *Acta Biol. Acad. Sci. Hung.* 29: 173–180.
- Salibian, A. & Fichera, L.E. 1981. Ecotoxicology of pyrethroid insecticides—short-term effects of decis 2-5 on juvenile *Astyanax* (*Astyanax fasciatus* (Tetragonopteridae, Pisces) in captivity. *Comp. Biochem. Physiol.* 70C: 265.
- Salkinoja-Salonen, M. 1983. Liman torjunta paperin ja kartongin valmistuksessa. III. INSKO: Lima- ja limaantumisongelmat paperiteollisuudessa.
- Salkinoja-Salonen, M. 1986. Limantorjunta.—INSKO 32/86. VI.
- Salkinoja-Salonen, M., Saxelin, M.-L., Pere, J., Jaakkola, T., Saarikoski, J., Hakulinen, R. & Koistinen, O. 1980. Analysis of toxicity and biodegradability of organochlorine compounds released into environment in bleaching effluents of kraft pulping. Sec. Chemical. Congress of the North America Continent. Las Vegas, Nevada.
- Salkinoja-Salonen, M., Saxelin, M.-L., Pere, J., Jaakkola, T., Saarikoski, J., Hakulinen, R. & Koistinen, O. 1981. Analysis of toxicity and biodegradability of organochlorine compounds released into the environment in bleaching effluents of kraft pulping. Advances in the identification and analysis of organic pollutants in water. Ann Arbor Sci Publ, Ann Arbor MI Vol 2: 1131–1164.
- Sameshima, K., Simson, B. & Dence, C.W. 1979. The fractionation and characterization of toxic material in kraft spent bleaching liquors, *Svensk Papperstidn.* 82(6): 162–170.
- Sanders, H.O. 1969. Toxicity of pesticides to the Crustacean, *Gammarus lacustris*. Bureau of Sport Fisheries and Wildlife technical paper 25, Government Printing Office, Washington, D.C.
- Sanders, H.O. 1970. Toxicities of some herbicides to six species of freshwater crustaceans. *J. Wat. Pollut. Contr. Fed.* 42(8): 15544–1550.
- Sanders, H.O. 1972. The toxicities of some insecticides to four species of malacostracan crustacea. *Fish Pesticide Res. Lab. Columbia, Mo.*, Bureau of Sport Fish and Wildlife.
- Sanders, H.O. 1980. Sublethal effects of toxaphene on daphnids, scuds, and midges. *Ecol. Res. Ser.*, EPA-600/3-80-006. 25pp.
- Sanders, H.O. & Cope, O.B. 1966. Toxicities of several pesticides to two species of cladocerans. *Trans. Am. Fish Soc.* 95: 165–169.
- Sanders, H.O. & Cope, O.B. 1968. The relative toxicities of several pesticides to naiads of three species of stoneflies. *Limnol. Oceanogr.* 13(1): 112–117.
- Sanders, H.O., Mayer, F.L. Jr. & Walsh, D.F. 1973. Toxicity residue dynamics and reproductive effects phthalate esters in aquatic invertebrates. *Environ. Res.* 6: 84.
- Sanders, V.M., Tucker, A.N., White, K.L., Kauffmann, B.M., Hallett, P., Carchman, R.A., Borzelleca, J.F. & Munson, A.E. 1982. Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicology and Applied Pharmacology* 62: 358–368.
- Sandifer, S. H. et al. 1979. Spermatogenesis in agricultural workers exposed to dibromochloropropane (DBCP). *Bull. Environm. Contam. Toxicol.* 23: 711–716.
- Sandmeyer, E.E. 1981. Aromatic hydrocarbons. In: Clayton, G.D. & Clayton, F.E. (eds.), *Patty's industrial hygiene and toxicology*, 3rd Revised Edition, vol 2B, pp. 3291–3300.
- Sangster, J. 1989. Octanol-water partition coefficients of simple organic compounds. *J. Phys. Chem. Ref. Data*, Vol 18, No. 3: 1111–1229.

- Sanockij, I.V. 1975. Investigation of new substances: permissible limits and threshold of harmful action. Methods used in USSR for establishing biologically safe levels of toxic substances. Geneva, WHO. pp. 9–18.
- Sargent, J. W. & Sanks, R. L. 1974. Light energized oxidation of organic wastes. JWPCF 46(11).
- Sarojini, R. et al. 1987. Sublethal naphthalene induced alterations in total protein, free amino acids, AIAT, AAT and GDH in the freshwater prawn, *Macrobrachium kistnensis*. Indian J. Comp. Anim. Physiol., 5:6.
- Sasaki, K. et al. 1981. Toxicity, absorption and elimination of phosphoric acid triesters by killfish and goldfish. Bull. Environ. Contam. Toxicol. 27: 775.
- Sasaki, S. 1978. The Scientific Aspects of the Chemical Substance Control Law in Japan in Aquatic Pollutants Transformation and Biological Effects. Hutzinger, O. et al. (eds.) Oxford Pergamon Press. pp. 283–98.
- Sastray, K.V. & Gupta, P.K. 1980. Alterations in the activities of a few dehydrogenases in the digestive system of two teleost fishes exposed to lead nitrate. Ecotoxicol. Environ. Safety 4: 232.
- Sastray, K.V. & Gupta, P.K. 1980. Changes in the activities of some digestive enzymes of *Channa punctatus*, exposed chronically to mercuric chloride. J. Environ. Sci. Health, 15B: 109.
- Sastray, K.V. & Malik, P.V. 1981. Acute and chronic effects of diazinon on some enzymes of certain tissues of a freshwater teleost fish, *Channa punctatus* (Bloch.). J. Environ. Biol. 2: 19.
- Sastray, K.V. & Siidiqui, A.A. 1982. Effect of endosulfan and quinalphos on intestinal absorption of glucose in the freshwater murrel, *Channa punctatus*. Toxicol Lett. 12: 289.
- Satler, S.D. & Thimann, K.V. 1980. The influence of aliphatic alcohols on leaf senescences. Plant Physiol 66: 395–399.
- Sato, T. et al. 1980. Toxicological effect of selenium on fish. Environ. Poll. 21A: 217.
- Satoh, S. et al. 1987a. Availability to carp of manganese in white fish meal and of various manganese compounds. Nippon Suisan Gakkaishi (Bull. Jpn. Soc. Sci. Fish.): 53: 825.
- Satoh, S. et al. 1987b. Availability to rainbow trout of zinc in white fish meal and of various zinc compounds. Nippon Suisan Gakkaishi (Bull. Jpn. Soc. Sci. Fish.) 53: 595.
- Sattar, M.A. & Paasivirta, J. 1979. Effects of MCPA on the germination and root system of cereal crops. Chemosphere 8(4): 201–203.
- Savolainen, K. 1980. Combined effects of xylene and alcohol on the central nervous system. Acta Pharmacologica et Toxicologica 46: 366–372.
- Sax, I. 1986. Hazardous chemicals information annual No. 1. Van Nostrand Reinhold Information Services, New York. 766 s.
- Sax, N.I. & Lewis, R.J. Sr. 1987. Hawley's condensed chemical dictionary. Eleventh edition. Van Nostrand Reinhold Company. New York. pp. 1288.
- Sax, N.I. & Lewis, Sr., R.J. 1989. Dangerous properties of industrial materials. Seventh edition. Van Nostrand Reinhold. New York.
- Saxena, O.P. & Parashari, A. 1983. Comparative study of the toxicity of six heavy metals to *Channa punctatus*. J. Environ. Biol. 4: 91.
- Saxena, P.K. & Mani, K. 1987. Effect of safe concentrations of some pesticides on testicular recrudescence in the freshwater murrel, *Channa punctatus* (B1): A morphological study. Ecotoxicol. Environ. Saf. 14: 56.
- Saxene, P.K. & Garg, M. 1978. Effects of insecticidal pollution on ovarian recrudescence in fresh water teleost *Channa punctatus* (B1). Indian J. Exp. Biol. 16: 689.
- Schafer, E.W.Jr., Bowles, W.A.Jr., Hurlbut, J. 1983. The acute oral toxicity, repellency and hazard potential of 993 chemicals to one or more species of wild and domestic birds. Arch. Environ. Contam. Toxicol. 12: 355–382.
- Schafer, E.W. Jr. & Marking, L.L. 1975. Long-term effects of 4-aminopyridine exposure to birds and fish. J. Wildlife Manage. 39(4): 807–811.

- Scheunert, I. et al. 1987. Chemosphere 16: 1031–1041.
- Schiffman, R.H. & Fromm, P.O. 1959. Chromium-induced changes in the blood of rainbow trout. *Sew. Ind. Wastes* 31: 205–211.
- Schimmel, S.C. et al. 1977c. Toxicity and bioconcentration of BHC and lindane in selects estuarine animals, *Arch. Environm. Contam. Toxicol.* 6: 355.
- Schimmel, S.C., Patrick Jr, J.M. & Forester, J. 1977b. Uptake and toxicity of toxaphene in several estuarine organisms. *J. Toxicol. Environm. Health.* 1: 955–965.
- Schimmel, S.C., Hansen, D.J. & Forester, J. 1974. Effects of Aroclor 1254 on laboratory-reared embryos and fry of sheepshead minnows. *Trans. Am. Fish. Soc.* 3: 582–586.
- Schimmel, S.C. et al. 1977a. Acute toxicity to and bioconcentration of endosulfan by estuarine animals. In: *Aquatic toxicology and hazard evaluation*, Mayer, F.L. & Hamelink, J.L. (eds.), Amer. Soc. Testing Materials. 241.
- Schimmel, S.C., Patrick, J.M. Jr. & Forester, J. 1976. Heptaclor: toxicity to and uptake by several estuarine organisms. *J. Toxicol. Environm. Health.* 1: 955–965.
- Schmaltz, J.F. 1979. Can Daphnia replace fish for bioassay. *Pulp Paper Can.* 80: T224–T228.
- Schnoor, J.L. 1981. Fate and transport of dieldrin in coralville reservoir: Residues in fish and water following a pesticide ban. *Science* 211: 840.
- Schoeny, R. et al. 1988. Metabolism of mutagenic polycyclic aromatic hydrocarbons by photosynthetic algal species. *Mutat. Res.* 197: 289.
- Schoettger, R.A. 1970. Toxicology of thiodan in several fish and aquatic invertebrates, Bureau of Sport Fisheries and Wildlife Investigation in Fish Control 35, Government Printing Office, Washington, D.C.
- Schreck, C.V., Whaley, R.A., Bass, M.L., Manuhan, O.E. & Solazzi, M. 1976. Physiological responses of rainbow trout (*Salmo gairdneri*) to electroshock. *J. Fish. Res. Bd. Can.* 33: 76–84.
- Schreiber, E. 1927. Die Reinkultur von marinem Phytoplankton und deren Bedeutung für die Erforschung der Produktionsfähigkeit des Meerwassers. *Wiss. Meer. Biol. Anst. Helgoland* 16.
- Schultz, T.W. & Moulton, B.A. 1985. Structure-activity relationships of selected pyridines. *Ecotox. Environm. Safety* 10: 97–111.
- Schultz, T.W. 1987. The use of the ionization constant (pKa) in selecting models of toxicity in phenols. *Ecotoxicol. Environ. Saf.* 14: 178.
- Schulz, C.O. & Hutchins, G.M. 1975. Acute lung toxicity and sudden death in rats following the intravenous administration of the plasticizer di(2-ethylhexyl) phthalate, solubilized with Tween surfactants. *Toxic. App. Pharm.* 33: 514.
- Schultz, T.W. et al. 1987. Structure-activity relationships of selected pyridines. III Log Kow analysis. *Ecotoxicol. Environ. Saf.* 13: 76.
- Schultz, T.W., Kyte, L.M. & Dumont, J.N. 1978. Structure-toxicity correlations of organic contaminants in aqueous coal-conversion effluents. *Arch. Environ. Contam. Toxicol.* 7: 457–463.
- Schwarz, F. P. 1977. *J. Chem. Eng. Data* 22: 273.
- Schwarzenbach, R.P. 1985. Behaviour and fate of halogenated hydrocarbons in groundwater. In: *Ground water quality*, ed.: C.H. Ward, W. Giger & P.L. McCarty, Wiley-Interscience Publications, Kap. 24: 446–471.
- Schwarzenbach, R.P., Giger, W., Hoehn, E. and Schneider, J. K. 1983. Behavior of organic compounds during infiltration of river water to groundwater. Field studies. *Environ. Sci. Technol.* 17 (8): 472–479.
- Schwarzenbach, R.P. and Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater. Laboratory sorption studies. *Environmental Science & Technology* 15(11): 1360–1367.

- Schweizer, E.E. 1978. Response of sugarbeets (*Beta vulgaris*) to sublethal rates of 2,4-D. *Week Sci.* 26(6): 629–631.
- Schwetz, B.A., Leong, B.K.J. & Gehring, P.J. 1974. Embryo- and fetotoxicity of inhaled carbon tetrachloride, 1,1-dichloroethane and methyl ethyl ketone in rats. *Toxicology and Applied Pharmacology* 28: 452–464.
- Schwetz, B.A., Leong, B.K.J. & Gehring, P.J. 1975. The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform and methylene chloride on embryonal and fetal development in mice and rats. *Toxicology and Applied Pharmacology* 32: 84–96.
- Schwetz, B.A., Quast, I.F., Keeler, P.A., Humiston, C.G. & Kociba, R.J. 1978. Results of two-year toxicity and reproduction studies on pentachlorophenol in rats. In: Ranga Rao, K. (Ed.) *Pentachlorophenol—Chemistry, Pharmacology and Environmental Toxicology*, Environ. Sci. Res., Vol. 12. Plenum Press New York and London, pp. 301–309.
- Schöberl, P. 1985. Der mikrobielle Nonylphenol-Abbau unter aeroben Bedingungen. *Untersuchungsbericht (Nr.85/46)* der Hüls AG, Marl.
- Scorgie H. R. A. & Cooke A. S. 1979. Effects of the triazine herbicide cyanatryn on aquatic animals. *Bull. Environm. Contam. Toxicol.* 22: 135–142.
- Scorticini, B. H. et al. 1987. *Fundam. Appl. Toxicol.* 8(2), 272–279.
- Scott, H. D. et al. 1983. *Environ. Qual.* 11: 107–111.
- Scow, K.M., Simkins, S. & Alexander, M. 1986. Kinetics of mineralization of organic compounds at low concentrations in soil. *Appl. Environ. Microbiol.* 51: 1028–1035.
- Scudder, B.C. et al. 1988. Effects of copper on development of the fathead minnow, *Pimephales promelas* Rafinesque. *Aquat. Toxicol.* 12: 107.
- Scull, F. E. Jr. & Hoigne, J. 1987. *Chemosphere* 16: 681–694.
- Sedivec, V. & Flek, J. 1976. The absorption, metabolism, and excretion of xylenes in man. *International Archives of Occupational and Environmental Health* 37: 205–217.
- Sega, G.M., Lewis, M.J. & Woskow, M.H. 1967. Evaluation of beer flavor compounds. *Proc. Am. Soc. Brew. Chem.* 156–164.
- Sehgal, R. & Saxena, A.B. 1987. Determination of acute toxicity levels of cadmium and lead to the fish *Lebiasina reticulata* (Peters). *Int. J. Environ. Stud.* 29: 157.
- Seidell, A. 1941. Solubilities of Organic Compounds. Voll II., 3rd ed. Van Nostrand Co., New York.
- Seikai, T. 1982. Acute toxicity of organophosphorous insecticides on the development stages of eggs, larvae and juveniles of striped knifejour *Oplegnathus fasciatus*. *Bull. Jpn. Soc. Sci. Fish.* 48: 599.
- Seiler, J.P. 1974. Ethylenethiourea (ETU), a carcinogenic and mutagenic metabolite of ethylenebis-dithiocarbamate. *Mutation Res.* 26: 189–191.
- Seim, W.K., Lichatowich, J.A., Ellis, R.H. & Davis, G.E. 1976. Effects of kraft mill effluents on juvenile coho salmon production in laboratory streams. *Water Res.* 11: 189–196.
- Seinen, W. et al. 1981. Short term toxicity of tri-n-butyltinchloride in rainbow trout (*Salmo gairdneri* Richardson) yolk sac fry. *Sci. Total. Environ.* 19: 155.
- Sekarka, V. & Bobák, M. 1974. Influence of lead upon the plant cell. *Acta F. R. N. Univ. Comen.—Physiologia Plantarum* IX: 1–12.
- Sellers, C.M., Jr., Heath, A.G. & Bass, M.L. 1975. The effect of sublethal concentrations of copper and zinc on ventilatory activity, blood oxygen and pH in rainbow trout (*Salmo gairdneri*). *Water Res.* 9: 401–408.
- Sen, N.P., Donaldson, B.A. & Charbonneau, C. 1974. In: *N-Nitrosocompounds in the environment*. IARC Scientific Publ. No 9: 75–79.
- Seppovaara, O. 1973. The toxicity of the sulphate pulp bleaching effluents. *Paperi ja Puu* 55(10): 713–715, 717–720.

- Seppovaara, O. 1976. Toxicities of bleaching effluents under Finnish conditions. *Organiska Miljögifter i vatten*. Nordforsk. Miljövårdssekreteriatet publikation 2. s. 113–125.
- Seppovaara, O. 1978. Synpunkter angående testning av populations- och ekosystemtoxitet. Toxitetstester. Nordforsk. Miljövårdssekreteriatets publikation 2, s. 313–328.
- Seppovaara, O. & Hattula, T. 1977. The accumulation of chlorinated constituents from pre-bleaching effluents in a food chain in water. *Paperi ja Puu* 8: 489–494.
- Seppovaara, O. & Hyyninen, P. 1970. On the toxicity of sulphate-mill condensates. *Paperi ja Puu* 52(1): 11–13, 15–17, 20–23.
- Seppovaara, O. & Numminen, S. 1974. The effect of municipal forestry effluents upon algal production and the primary production ability of plankton. *Paperi ja Puu* 56: 523–530.
- Serjeant, E. P. & Dempsey, B. 1979. Ionisation constants of organic acids in aqueous solution. IUPAC Chemical Data Series, New York, NY: Pergamon Press 989pp.
- Servant, J. 1982. Atmospheric trace elements from natural and industrial sources. MARC Report, No. 27.
- Servizi, J.A. et al. 1976. Chemical characteristics and acute toxicity of foam on twenty aerated lagoons. *J. Fish. Res. Bd Can.* 33: 1284.
- Servizi, J.A. et al. 1987. Acute toxicity of Garlon 4 and roundup herbicides to Salmon, Daphnia, and trout. *Bull. Environ. Contam. Toxicol.* 39: 15.
- Servizi, J.A. & Martens, D.W. 1974. Preliminary survey of toxicity of chlorinated sewage to sockeye and pink salmon. Progress Report No. 30: 1–42. International Pacific Salmon Fisheries Commission, New Westminster, B.C., Canada.
- Servizi, J.A., Stone, E.T. & Gordon, R.W. 1966. Toxicity and treatment of kraft pulp bleach waste. *Progr. Rept. No. 13. Internat. Pacific Salmon Fish. Comm.*, New Westminster, British Columbia.
- Seuge, J. & Blozat, R. 1983. Acute toxicity of a dithiocarbamate fungicide Thiram in larvae of the mayfly Cloeon dipturus. Effects of Vanous parameters. *Hydrobiologia* (Den.) 101: 215.
- Seymour, A. 1959. Effects of temperature upon the formation of vertebrae and fin rays in young chinook salmon. *Trans. Amer. Fish. Soc.* 88: 58–69.
- SFS. 1984. (Finnish Standards Association) Determination of the acute toxicity with water flea, *Daphnia magna* Straus. Finnish Standard. SFS 5067.
- Shanker, R., Ramakrishna, C. & Seth, P.K. 1985. Degradation of some phthalic acid esters in soil. *Environ. Pollut. Ser. A. Ecol. Biol.* 39: 1–8.
- Sharma, D.C. & Davis, P.S. 1980. Effect of sodium selenite and selenomethionine on the accumulation and acute toxicity of mercuric and methylmercury chloride in the goldfish *carassius auratus*. *Indian J. Exp. Biol. (Ind.)* 18: 82.
- Sharma, G.P. et al. 1988. Genotoxicity of two heavy metal compound–lead acetate and mercuric chloride in the mosquito, *Anopheles stephensi* Liston (Culicidae: Diptera). *Cytologia* 53: 263.
- Sharma, R.M. et al. 1987. Effect of cobalt on primary productivity of *Spirulina platensis*. *Bull. Environ. Contam. Toxicol.* 39: 716.
- Sharma, S.K. et al. 1979. Acute endrin toxicity on oxidases of *Ophiocelphalus punctatus* (Bloch). *Bull. Environ. Contam. Toxicol.* 23: 153.
- Shazili, N.A.M. & Pascoe, D. 1986. Variable sensitivity of rainbow trout (*Salmo gairdneri*) eggs and alewives to heavy metals. *Bull. Environ. Contam. Toxicol.* 36: 468.
- Shea, P.J., Weber, J.B. & Overcash, M.R. 1982. Uptake and phytotoxicity of di-n-butyl phthalate in corn (*Zea mays*). *Bull. Environ. Contam. Toxicol.* 29(2): 153–158.
- Sheehan, R.J. & Lewis, W.M. 1986. Influence of pH and ammonia salts on ammonia toxicity and water balance in young channel catfish. *Trans. Am. Fish. Soc.* 115: 891.
- Shehata, S.A. & Nawar, S.S. 1979. Toxicity effect of anti-germ 50 to algae and fish. *Z. Wass. Abwass. Forsch. (Ger.)* 12: 226.

- Shelton, D. R. et al. 1984. Env. Sci Tech. 18: 93–97.
- Shelton, D.W. et al. 1984. The hepatocarcinogenicity of Diethylnitrosamine to rainbow trout and its enhancement by Aroclors 1242 and 1254. Toxicol. Lett. 22: 37.
- Shelton, D.R. & Tiedje, J.M. 1981. Development of Tests for Determining Anaerobic Biodegradation Potential USEPA 560/5-81-013 NTIS PB84-166495.
- Shelton, D.R. & Tiedje, J.M. 1984. Appl. Environ. Microbiol. 47: 850–7.
- Shema, B.F. 1980. The registration of biocides in pulp and paper mill effluents.—Tappi 63(6): 59–60.
- Shen, T. T. 1982. J. Air Pollut. Control Assoc. 32: 79–82.
- Shenge, J. & Blugat, R. 1983. Acute toxicity of a dithiocarbamate fungicide Thiram in larvae of the mayfly Cloeon dipturus. Effects of Various parameters. Hydrobiologia 101: 215–221.
- Shepard, T.H. 1986. Catalog of teratogenic agents. 5th ed. The John Hopkins Univ. Press.
- Sherman, P.D. Jr. 1978. The butyl alcohols. In Kirk-Othmer Encyclopaedia of Chemical Technology, 3rd ed., Vol. 4. pp. 338–345.
- Sherman, R.E. et al. 1987. A comparison of toxicity tests conducted in the laboratory and in experimental ponds using cadmium and the fathead minnow (*Pimephales promelas*). Water Res. 21: 317.
- Sherr, C.A. & Armitage, K.B. 1973. Preliminary studies of the effects of the dichromate ion on the survival and oxygen consumption of *Daphnia pulex* (L.). Crustaceana 25: 51–69.
- Sherril, T.W. & Sayler, G.S. 1980. Phenanthrene biodegradation in freshwater environments. Appl. Environ. Microbiol. 39: 172–178.
- Shifman, M.A., Graham, D.G., Priest, J.W. & Bouldin, T.W. 1981. The neurotoxicity of 5-nonenone: preliminary report. Toxicology Letters: 283–288.
- Shigeoka, T. et al. 1988. Acute toxicity of chlorophenols to green algae, *Selenastrum capricornutum* and *Chlorella vulgaris*, and quantitative structure-activity relationships. Environ. Toxicol. Chem. 7: 847.
- Shimoda, A., Kohso, Y., Hikida, T., Ichimura, T. & Mori, Y. 1979. Collision-induced decomposition of excited p-dichlorobenzene. Chem. Phys. Lett. 64: 348.
- Shirai, T., Miyata, Y., Nakanishi, K., Murasaki, G.I. & Ito, N. 1978. Hepatocarcinogenicity of polychlorinated terphenyls in ICR mice and its enhancement by hexachlorobenzene. Cancer Letters 4: 271–275.
- Shiu, W. Y., Mackay, D., Seiber, J. N. & Wauchope, R. D. 1990. Solubilities of pesticide chemicals in water. Part II: Data Collection. Reviews of Environmental Contamination and Toxicology 116: 15–187.
- Shivaraj, K.M. & Patil, H.S. 1988. Toxicity of cadmium and copper to a freshwater fish *Puntius arulius*. Environ. Ecol. 6: 5.
- Shriner, C. R. et al. 1978. Reviews of environmental effects of pollutants. II. Benzidine USEPA-600/1-78-024.
- Shubat, P.J., Poirier, S.H., Knuth, M.L. & Brooke, L.T. 1982. Acute toxicity of tetrachloroethylene and tetrachloroethylene with dimethylformamide to Rainbow Trout (*Salmo gairdneri*). Bull. Environ. Contam. Toxicol. 28: 7–10.
- Shugart, L. et al. 1987. Analysis of adduct formation in the bluegill sunfish (*Lepomis macrochirus*) between benzo(a)pyrene and DNA of the liver and hemoglobin of the erythrocyte. Aquat. Toxicol. 9: 319.
- Shukla, G.S. et al. 1982. Acute toxicity of few pesticides to an aquatic Insect, *Ranatra elongata* (Fabr.). J. Adv. Zool. 3: 148.
- Shukla, G.S. & Omkar. 1983. Acute toxicity of insecticides to a freshwater prawn *Macrobrachium lamarrei* (M. Edwards). Indian J. Environ. Health 25: 61.
- Shukla, G.S. & Omkar. 1984. Insecticide toxicity to *Macrobrachium lamarrei* (H. Milne Edwards) (Decapoda, Palaemonidae). Crustaceana 46: 283.

- Shukla, J.P. et al. 1987. Survival and impaired growth in arsenic treated fingerlings of Channa punctatus, a freshwater murrel. *Acta Hydrochim. Hydrobiol.* 15: 307.
- Shukla, J.P. & Pandey, K. 1988. Toxicity and long term effects of a sublethal concentration of cadmium on the growth of the fingerlings of Ophiocephalus punctatus (Bl.). *Acta Hydrochim. Hydrobiol.* 16: 537.
- Shukla, L. & Pandey, A.K. 1986. Restitution of thyroid activity in the DDT Sarotherodon mossambicus: A histological and histochemical profile. *Water Air Soil Pollut.* 27: 225.
- Shultz, T.W. & Applehans, F.M. 1985. Correlations for the acute toxicity of multiple nitrogen substituted aromatic molecules. *Ecotox. Environm. Safety* 10: 75–85.
- Sickles, J. E. II et al. 1980. Proc. Annu. Meet. Air Pollut. Control Assoc. 73rd Paper 80–50.1.
- Siefert, R.E., Spoor, W.A. & Syrett, F.R. 1973. Effects of reduced oxygen concentrations on northern pike (*Esox lucius*) embryos and larvae. *J. Fish. Res. Board Can.* 30: 849–852.
- Siefert, R.E., Carlson, A.R. & Herman, L.J. 1974. Effects of reduced oxygen concentrations on the early life stages of mountain whitefish, smallmouth bass and white bass. *Progr. Fish Cult.* 36, 186–190.
- Sielicki, M. et al. 1978. *Appl. Environ. Microbiol.* 35: 124–128.
- Sigworth, E.A. 1964. Identification and removal of herbicides and pesticides. *J. Am. Water Works Assoc.* 57: 1016–1022.
- Silander, R. 1976. Sulfaattimassan valmistus. INSKO. 14376 (IX) 27 s.
- Sills, J. B. & Allen, J. L. 1979. *Prog. Fish Cult.* 4: 67–68.
- Silverberg, B.A., Wong, P.T.S. & Chan, Y.K. 1977. Effects of tetramethyllead on freshwater green algae, *Arch. Environm. Contam. Toxicol.* 5.
- Simmons, P. et al. 1976. in Book Pap, Int. Tech. Conf. Research Triangle Park, N. C.: Amer. Assoc. Text. p 212–217.
- Singh, B.B. & Narain, A.S. 1982. Acute toxicity of thiodan to catfish (*Heteropneustes fossilis*). *Bull. Environ. Contam. Toxicol.* 28: 122.
- Singh, D.K. & Agarwal, R.A. 1983. In vivo and in vitro studies on synergism with anticholinesterase pesticides in the snail *Lymnaea acuminata*. *Arch. Environ. Contam. Toxicol.* 12: 483.
- Singh, D.N. et al. 1981. Toxicity of some organic biocides to a fresh water fish, *Cyprinus carpio communis* (Linn). *J. Environ. Biol.* 2: 41.
- Singh, H. & Singh, T.P. 1980. Short-term effect of two pesticides on the survival ovarian P uptake and gonadotrophic ootency in freshwater catfish, *Heteropneustes fossilis* (Bloch). *J. Endocrinol.* 85: 193.
- Singh, H.B. et al. 1975. *Environ. Lett.* 10: 253–256.
- Singh, H.B. et al. 1981. *Atmos. Environ.* 15: 601–612.
- Singh, H.B. et al. 1984. Reactivity/volatility classification of selected organic chemicals: existing data. USEPA-600/3-84-082 Menlo Park, CA SRI INTER p. 190.
- Singh, L.J. & Tiwari, D.N. 1988. Effects of selected rice-field herbicides on photosynthesis, respiration, and nitrogen assimilating enzyme systems of paddy soil. *Pestic. Biochem. Physiol.* 31: 120.
- Singh, N.N. & Srivastava, A.K. 1982. Effect of formothion on carbohydrate metabolism in Indian catfish, *Heteropneustes fossilis*. *Environ. Res.* 28: 335.
- Singh, S. & Sahai, S. 1984. Toxicity of some pesticides to two fresh water teleost. *J. Environ. Biol.* 5: 255.
- Singh, S. & Singh, T.P. 1987a. Evaluation of toxicity limit and sex hormone production in response to cythion and BHC in the vitellogenic catfish *Clarias batrachus*. *Environ. Res.* 42: 482.
- Singh, S. & Singh, T.P. 1987b. Impact of malathion and hexachlorocyclohexane on plasma profiles of three sex hormones during different phases of the reproductive cycle in *Clarias batrachus*. *Pestic. Biochem. Physiol.* 27: 301.

- Singh, S.P. & Yadava, V. 1987. Factors affecting cadmium toxicity in *Anacystis nidulans*. *J. Environ. Biol.* 8: 245.
- Singleton, F.L. & Guthrie, R.K. 1977. Aquatic bacterial population and heavy metals—I. Composition of aquatic bacteria in the presence of copper and mercury salts. *Water Res.* 11: 639–642.
- Sinhaseni, P. et al. 1983. Respiratory effects of hexachlorocyclopentadiene on intact rainbow trout (*Salmo gairdneri*) and on oxidative phosphorylation of isolated trout heart mitochondria. *Toxicol. Appl. Pharmacol.* 67: 215.
- Sinley, J.R., Goettl, J.P. & Davies, P. 1974. Effects of zinc on rainbow trout in hard and soft water. *Bull. Environ. Contam. Toxicol.* 12: 193–201.
- SIS. 1980. (Standardiseringskommission i Sverige). Bestämning av kemiska produkters akuta toxicitet för sötvattenfisk—semistatisk metod. Svensk standard SS 028162.
- Sisler, F.D. & Zobell, C.E. 1974. Microbial utilization of carcinogenic hydrocarbons. *Science* 106: 521.
- Sitanov, V.S. Bandik, K.A., Enakaeva, V.G. & Baranova, R.K. 1979. Composition for removing grease and oil from textiles. *Otkrytiya, Izobert., Prom. Obraztsy, Tonaznye Znaky*, 38: 90.
- Sithichaikasem, S. 1978. Some toxicological effects of phosphate esters on rainbow trout and bluegill. *Dissertation ABs.* 39: 7813246.
- Sittig, M. (Ed.) 1980. Priority toxic pollutants—Health impacts and allowable limits. *Environ. Health Series No. 1*, Noyes Data Corp., Park Ridge, N.J., USA.
- Skadsen, J.M. et al. 1980. Measurement of sublethal metabolic stress in rainbow trout (*Salmo gairdneri*) using automated respirometry. *J. Environ. Sci. Health.* 15B: 193.
- Skea, J.C. et al. 1979. Bioaccumulation of Aroclor 1016 in Hudson River fish. *Bull. Environm. Contam. Toxicol* 22: 332–336.
- Skea, J.C. & Simonin, H.A. 1979. Evaluation of cutrin for use in fish culture. *Progressive Fish-Culturist.* 41: 171.
- Skidmore, J.F. 1970. Respiration and osmoregulation in rainbow trout with gills damaged by zinc sulphate. *J. Exp. Biol.* 52: 481–494.
- Skidmore, J.F. 1974. Factors affecting the toxicity of pollutants to fish. *Vet. Rec.* 94: 465–468.
- Skidmore, J.F. & Toveill, W.A. 1972. Toxic effects of zinc sulphate on the gills of rainbow trout. *Water Res.* 6: 217–230.
- Skoglund, L. & Eide, Y. 1978. Hydrokarboners virkning på vekst av planterplanton i felt- og laboratorieforsok. *Nordforsk miljövårdssekretariatet publ.* 1978(2): 201–205.
- Skoog, P. 1973. Ekologia. Suomen luonnon suojelejuliitto ry. 50 s.
- Skulberg, O. 1964. Algal problems related to the eutrophication of European water supplies, and a bioassay method to assess fertilizing influences of pollution on inland waters. In: Jackson, D. (ed.): *Algae and man.* 262–299. New York.
- Slabbert, J.L. 1986. Improved bacterial growth test for rabid water toxicity screening. *Bull. Environ. Contam. Toxicol.* 37: 565.
- Slabbert, J.L. and Grabow, W.O.K. 1986. A rabid water screening test based on oxygen uptake of *Pseudomonas putida*. *Toxicity Assessment*, 1: 13.
- Slabbert, J.L. & Maree, J.P. 1986. Evaluation of interactive toxic effects of chemicals in water using a *Tetrahymena pyriformis* toxicity screening test. *Water SA (Pretoria)* 12: 57.
- Slacik-Erben, R., Roll, R., Franke, G. & Uehleke, H. 1980. Trichloroethylene vapours do not produce dominant lethal mutations in male mice. *Archives of Toxicology* 45: 37–44.
- Slonium, A.R. 1977. Acute toxicity of selected hydrazines to the common guppy. *Water Res.* 11: 889–895.
- Slooff, W. 1983. Benthic macroinvertebrates and water quality assessment: some toxicological considerations. *Aquat. Toxicol.* 4: 73.

- Slooff, W. & Baerseman, R. 1980. Comparison of the usefulness of the Mexican axolotl (*Ambystoma mexicanum*) and the clawed toad (*Xenopus laevis*) in toxicological bioassays. Bull. Environm. Contam. Toxicol. 24: 439–443.
- Slooff, W. & Canton, J.H. 1983. Comparison of the susceptibility of 11 freshwater species to 8 chemical compounds. II (semi)chronic toxicity tests. Aquatic toxicology 4: 271–282.
- Slooff, W., Canton, J.H. & Hermens, J.L.M. 1983. Comparison of the susceptibility of 22 freshwater species to 15 chemical compounds. I (sub)acute toxicity tests. Aquatic toxicology 4: 113–128.
- Smart, G. 1976. The effect of ammonia exposure on gill structure of the rainbow trout (*Salmo gairdneri*). J. Fish Biol. 8: 471–475.
- Smart, L.E. & Stevenson, J.H. 1982. Laboratory estimation of toxicity of pyrethroid insecticides to honeybees: relevance to hazard in the field. Bietox—Allgemein Vgl Rückseite. 150–152.
- Smith, A.R. & Meyers, M.R. 1944. New York State Department of Labour Industrial Bulletin 23: 174–176.
- Smith, C.E. 1984. Hyperplastic lesions of the primitive meninx of fathead minnows, *Pimephales promelas*, induced by ammonia: species potential for carcinogen testing. Natl Cancer Inst Monogr: pp. 119–125.
- Smith, C.E. & Piper, R.G. 1975. Lesions associated with chronic exposure to ammonia.—In: Ribelin, W.E. & Nigaki, G.M. (ed.), The pathology of fishes. Wisconsin / Lontoo. pp. 497–514.
- Smith, C.W. & Siegel, S.M. 1975. Differential permeation of *Artemia* cysts and cucumber seeds by alcohols. J. Histochem. Cytochem 23(1): 80–83.
- Smith, G.E. 1988. Is fluoride a mutagen? Sci. Total Environ. 68: 79–96.
- Smith, E.J. & Sykora, J.L. 1976. Early developmental effect of lime-neutralized iron hydroxide suspensions on brook trout and coho salmon. Trans. Amer. Fish. Soc. 105: 308–312.
- Smith, J.H. & Bomberger, D.C.Jr. 1980. Hydrocarbons and halogenated hydrocarbons in the aquatic environment Afgan, Mackay eds. Plenum NY. pp 445–451.
- Smith, J.H. et al. 1978. Environ. Pathways of Selected Chemicals in Freshwater Systems part II Lab. Studies USEPA-600/7-78-074.
- Smith, J.N. 1968. The comparative metabolism of xenobiotics. In: Adv. in comparative physiology and biochemistry. Lowenstein, O. (ed.). Academic Press, New York and London. Vol. 3: pp. 173–232.
- Smith, R.L. & Williams, R.T. 1966. Implication of the conjugation of drugs and other endogenous compounds in glucuronic acid: free and combined. Dutton, G.J. (ed.). Academic Press, New York and London. pp. 457–491.
- Smith, R.M., Morahji, R.L., Salt, W.G. & Stretton, F.J. 1980. Application of transition metal salts as ionpair reagents in the liquid chromatography of dithiocarbamates.—Analyst 105 (1247): 184–185.
- Smith, M.J. & Heath, A.G. 1979. Acute toxicity of copper, chromate, zinc and cyanide to freshwater fish: effect of different temperatures. Bull. Environm. Contam. Toxicol. 22: 113–119.
- Smith, L.L. et al. 1978. Acute toxicity of hydrogen cyanide to freshwater fishes. Arch. Environm. Contam. Toxicol. 7: 325.
- Smith, L.L. et al. 1979. Acute and chronic toxicity of HCN to fish and invertebrates.—U.S. Environmental Protection Agency, Duluth, Minn., EPA-600/3-79-009.
- Smith, L.L. Jr. & Oseid, D.M. 1975. Chronic effects of low levels of hydrogen sulfide on freshwater fish. Prog. Water Technol. 7: 599.
- Smith, L.L. Jr., Oseid, D.M., Kimball, G.L. & Elkandegy, S.M. 1976. Toxicity of hydrogen sulfide to various life history stages of bluegill (*Lepomis macrochirus*). Trans. Amer. Fish. Soc. 105: 442–449.
- Smith, L.R., Holsen, T.M., Ibay, N.C., Block, R.M. & De Leon, A.B. 1985. Studies on the acute toxicity of fluoride ion to stickleback, Fathead minnow, and Rainbow trout. Chemosphere 14(9): 1383–1389.
- Smith, R.V. and Rosazza, S. P. 1974. Arch. Biochem. Biophys. 161: 551–558.
- Smock, L.A. et al. 1976. The toxic effects of trinitrotoluene (TNT) and its primary degradation products on two species of algae and the fathead minnow. Water Res. 10(6): 537–543.

- Smolenski, W.J. & Suflita, J.M. 1987. Biodegradation of cresol isomers in anoxic aquifers. *Appl. Environ. Microbiol.* 53: 710–716.
- Smyth, H.F. 1956. Hygienic standards for daily inhalation. American Industrial Hygiene Association Journal 17: 129–185.
- Smyth, H.F., Carpenter, C.P. & Weil, C.S. 1966. Toxicologic studies on 3,5-dimethyltetrahydro-1,3,5,2H-thiadiazine-2-thione, a soil fungicide and slimicide. *Toxicol. Appl. Pharmacol.* 9: 521–527.
- Smyth, H.F., Carpenter, C.P., Weil, C.S., Pozzani, U.C. & Striegel, J.A. 1962. Range-finding toxicity data; list 6. American Industrial Hygiene Association Journal 23: 95–107.
- Smyth, H.F., Seaton, J. & Fisher, L. 1941. The single dose toxicity of some glycols and derivatives. *J. Ind. Hyg. Toxicol.* 23: 259–268.
- Smyth, H.F., Carpenter, C.P., Weil, C.S., Pozzani, U.C., Striegel, J.A. & Nycum, J.S. 1969. Range finding toxicity data: List VII. *Amer. Ind. Hyg. Ass. J.* 30: 470.
- Snarski, V.M. & Olson, G.F. 1982. Chronic toxicity and bioaccumulation of mercuric chloride in the fathead minnow, *Pimephales promelas*. *Aquat. Toxicol.* 2: 143–156.
- Snell Environmental Group Inc. 1982. Rate of biodegradation of toxic organic compounds while in contact with organics which are actively composting p. 100 NSF/CEE 82024.
- Snellings, W.M., Weil, C.S. & Maronpot, R.R. 1981. Ethylene oxide: two-year inhalation study on rats. Pittsburgh, Pennsylvania, Bushy Run Research Center (Final Report No. 44–20).
- Snellings, W.M., Weil, C.S. & Maronpot, R.R. 1984. A subchronic inhalation study on the toxicologic potential of ethylene oxide in B6C3F1 mice. *Toxicol. appl. Pharmacol.* 75: 105–117.
- Snellings, W.M., Weil, C.S. & Maronpot, R.R. 1984. A two year inhalation study of the carcinogenic potential of ethylene oxide in Fischer 344 rats. *Toxicol. appl. Pharmacol.* 75: 105–117.
- Snider, J.R. & Dawson, G.A. 1982. *Environ. Int.* 7: 237–58.
- Snider, J.R. and Dawson, G.A. 1985. *J. Geophys. Res. D. Atmos.* 90: 3797–3805.
- SNV 1985. Control of toxic substances in the atmosphere—cadmium, Rapport 3062.
- Snyder, C.E. & Sheridan, R.P. 1974. Toxicity of the pesticide Zectran on photosynthesis, respiration and growth in four algae. *J. Phycol.* 10: 137–139.
- Sobels, F.H. & Vogel, E. 1976. The capacity of drosophila for detecting relevant genetic damage. *Mutat. Res.* 41: 95–106.
- Sodini, G. & Canella, M. 1977. Extraction of phenols and oligosaccharides from plant tissues. *Span.* 445: 653.
- Soivio, A. 1980a. Jätevesien myrkyllisyden mittaus–kalat. Verta, M. (toim.). Puunjalostusteollisuus myrkkykuormittajana Suomessa. Vekary. s. 29–33.
- Soivio, A. 1980b. Myrkkyjen vaikutus kaloihin. Verta, M. (toim.). Puunjalostusteollisuus myrkkykuormittajana Suomessa. Vekary. s. 39–43.
- Soivio, A. & Nikinmaa, M. 1981. Kirjolohen fysiologisesta tilasta kuljetuksen ja sitä seuraavan toipumisen aikana. *Suomen Kalatalous* 49: 49–56.
- Soivio, A. & Nikinmaa, M. 1981. The swelling of erythrocytes in relation to the oxygen affinity of the blood of the rainbow trout, *Salmo gairdneri* Richardson. *Stress and Fish.* Pickering, A.D. (ed.), Academic Press, London. pp. 103–119.
- Soivio, A., Nyholm, K., Vuorinen, P.J., Oikari, A. & Vuorinen, M. 1978. Suomessa käytetyistä fysiologista kalatesteistä. PuPro. 15 s.
- Soivio, A., Oikari, A., Miettinen, V., Castren, M., Ruoppa, M. & Tuurala, H. 1979. Kalan fysiologisen tilan muutoksista puunjalostusteollisuuden vaikutusalueella. *Vesihallitus, tiedotus* 166: 51–77.
- Soivio, A. & Tuurala, H. 1981. Structural and circulatory responses to hypoxia in the secondary lamellae of *Salmo gairdneri* gills at two temperatures. *J. Comp. Physiol.* 145: 37–43.
- Soivio, A. & Virtanen, E. 1980. Methods for physiological experiments nf fish. *Nordforsk. Rapport* 16 / 80. Ekotoxicologiska metoder för akvatisk miljö. 34 s.

- Solbe, J.F.de.L.G., Cooper, V.A., Willis, C.A. & Mallett, M.J. 1985. Effects of pollutants in freshwaters on European non-salmonid fish I: non metals. *J.Fish. Biol.* 27: 197–207.
- Soloman, D.J. & Taylor, A.L. 1979. Critical factors in the transport of live freshwater fish—II. State of feeding and ammonia excretion. *Fish. Management* 10: 81–85.
- Solon, J.M. & Nair, J.H. 1970. The effect of a sublethal concentration of LAS on the acute toxicity of various phosphate pesticides to the fathead minnow *Pimephales promelas* Rafinesque, *Bull. Environm. Contam. Toxicol.* 5(5): 408–413.
- Solyom, P. 1978. Toksitstester med bakterier—praktisk användning av tre metoder. *Toxitetstester. Nordforsk. Miljövårsssekretariatet publikation* 2. s. 75–84.
- Solyom, P. 1980. Karakterisering av avloppsvatten från nedbrytbarhetssynpunkt samt toxicitet mot mikroorganismer. Preliminär rapport. Institutet för vatten och luftvårdforskning, Stockholm.
- Somero, G.N., Yancey, P.H., Chow, T.J. & Snyder, C.B. 1977. Lead effects on tissue and whole organism respiration of the estuarine teleost fish, *Gillichthys mirabilis*. *Arch. Environ. Contam. Toxicol.* 6: 349–354.
- Soniassy, R.N., Müller, J.C. & Walden, C. 1977. The effect of BKME colour and toxic constituents on algal growth. *Pulp Paper Can.* 78: T179–T184.
- Sorensen, E.M.B. 1976. *Bull. Environ. Contam. Toxicol.* 15: 756–761.
- Sorensen, E.M.B. & Smith, N.K.R. 1981. Hermosiderin granules cytotoxic response to arsenic exposure in channel catfish. *Bull. Environ. Contam. Toxicol.* 27: 645.
- Soto, C., Hellebust, J.A., Hutchinson, T.C. & Sawa, T. 1975. Effect of naphthalene and aqueous crude oil extracts on the green flagellate *Chlamydomonas angulosa*. I. Growth. *Can. J. Bot.* 53: 109–117.
- Southworth, G.R., Beauchamp, J.J. & Schmieder, P.K. 1978. Bioaccumulation potential and acute toxicity of synthetic fuels effluents in freshwater biota: Azaarenes. *Environm. Sci. & Techn.* 12(9): 1062–1066.
- Southworth, G.R., Beauchamp, J.J. & Schmieder, P.K. 1979. Bioaccumulation of carbazoles: A potential effluent from synthetic fuels. *Bull. Environm. Contam. Toxicol.* 23: 73–78.
- Southworth, G.R. et al. 1979. Accumulation of acridine from water, food, and sediment by the fathead minnow, *Pimephales promelas*. *Water Air Soil Poll.* 12: 331.
- Southworth, G.R. & Keller, J. L. 1986. *Water Air Soil Pollut.* 28: 239–248.
- Soveri, U.-R. 1979. Kaloilla tehtävien toksisuustestien soveltamisesta automaattiseen biologiseen tarkkailuun. *Vesihallitus. Tiedotus* 197. 140 s.
- Sparks, R.E., Cairns, J., Jr. & Heath, A.G. 1972. The use of bluegill breathing rates to detect zinc. *Water Res.* 6: 895–911.
- Spear, P.A. & Pierce, R.C. 1979. Copper in the aquatic environment. Chemistry, distribution and toxicology. National Research Council of Canada, Publ. No. NRCC 16454.
- Speck, B. & Moeschlin, S. 1968. The effect of toluene, xylene, chloramphenicol and thiouracil on bone marrow. *Schweizerische Medizinische Wochenschrift* 98: 1684–1686.
- Specker, J.L. & Schreck, C.B. 1980. Stress responses to transportation and fitness for marine survival in coho salmon (*Oncorhynchus kisutch*) smolts. *Can. J. Fish. Aquat. Sci.* 37: 765–769.
- Speece, R.E. 1983. *Environ. Sci Technol.* 17: 416A–27A.
- Spehar, R.L. 1976. Cadmium and zinc toxicity to flagfish. *J. Fish. Res. Board Can.* 33: 1939–1945.
- Spehar, R.L., Fiandt, J.T., Anderson, R.L. & DeFoe, D.L. 1980. *Arch. Environ. Contam. Toxicol.* 9: 53–63.
- Spehar, R.L., Leonard, E.N. & Defoe, D.L. 1978. Chronic effects of cadmium and zinc mixtures on flagfish (*Jordanella floridae*). *Trans. Am. Fish. Soc.* 197: 354–360.
- Spehar, R.L., Nelson, H.P., Swanson, M.J. & Renoos, J.W. 1985. Pentachlorophenol toxicity to amphipods and fathead minnows at different test pH values. *Environ. Toxicol. Chem.* 4: 389–397.

- Spehar, R.L., Tanner, D.K. & Gibson, J.H. 1982. Effects of kelthane and pydrin on early life stages of fathead minnows and amphipods (*Hyalella azteca*). In: Aquatic toxicology and hazard assessment; 5th conference, ASTM STP 766. Pearson, J.G., Foster, R.B. & Bishop, W.E. (eds.) American Society for Testing and Materials, Philadelphia. pp. 234–244.
- Spehar, R.L., Tanner, D.K. & Nordling, B.R. 1983. Toxicity of synthetic pyrethroids, permethrin and AC 222, 705 and their accumulation in early life stages of fathead minnows and snails. *Aquat. Toxicol.* 3: 171–182.
- Spehar, R.L., Veith, G.D., DeFoe, D.L. & Bergstedt, B.V. 1979. Toxicity and bioaccumulation of hexachlorocyclopentadiene, hexachloronorbornadiene, and heptachloronorbornene in larval and early juvenile fathead minnows, *Pimephales promelas*. *Bull. Environ. Contam. Toxicol.* 21: 576–583.
- Spencer, P.S. & Schaumberg, H.H. 1976. Feline nervous system response to chronic intoxication with commercial grades of methyl n-butyl ketone, methyl isobutyl ketone and methyl ethyl ketone. *Toxicology and Applied Pharmacology* 37: 301–311.
- Spicer, C. W. et al. 1985. Atmospheric Reaction Products from Hazardous Air Pollut. Degradation. USEPA-600/S3-85-028 pp 4.
- Spitsbergen, J.M. et al. 1988. Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) or Aroclor 1254 on the resistance of rainbow trout, *Salmo gairdneri* Richardson. *J. Fish. Dis.* 11:73.
- Spotila, J.R. & Paladino, F.V. 1979. *Comp. Biochem Physiol.* 62C: 67–69.
- Sprague, J.B. 1969. Review paper. Measurement of pollutant toxicity to fish. Bioassay methods for acute toxicity. *Water Res.* 3: 793–821.
- Sprague, J.B. 1970. Measurement of pollutant toxicity to fish. II. Utilising and applying bioassay results. *Water Res.* 4: 3–32.
- Sprague, J.B. 1971. Review paper. Measurement of pollutant toxicity to fish. III. Sublethal effects and safe concentrations. *Water Res.* 5: 245–266.
- Sprague, J.B. 1973. The ABC's of pollutant bioassay using fish. Cairns, J., Jr. & Dickson, K.L. (eds.). Biological methods for the assessment of water quality. p. 6–30. American Society for Testing and Materials. STP 528. Baltimore.
- Sprague, J.B. 1976. Current status of sublethal tests of pollutants on aquatic organisms. *J. Fish. Res. Board Can.* 33: 1988–1992.
- Sprague, J.B. & Logan, N.J. 1979. Separate and joint toxicity to rainbow trout of substances used in drilling fluids for oil exploration. *Environ. Poll.* 19: 269.
- Sprague, J.B. & McLeese, D.W. 1968. Toxicity of kraft pulp mill effluent for adult and larval lobsters, and juvenile salmon. *Water Res.* 2: 753–760.
- Sprague, J.B. & Ramsay, B. 1965. Lethal levels of mixed copper–zinc solutions for juvenile salmon. *J. Fish. Res. Board Can.* 22: 125–132.
- Springborn Bionomics, Inc. 1984. Chronic toxicity of fourteen phthalate esters to *Daphnia magna*. Chemical Manufacturers Association, Washington, D.C.
- Spry, D.J. & Wood, C.M. 1984. Acid-base, plasma ion and blood gas changes in rainbow trout (*Salmo gairdneri*) during short-term toxic zinc exposure. *J. Comp. Physiol B*: 154(2): 149–158.
- Spry, D.J. et al. 1988. Relative contributions of dietary and waterborne zinc in the rainbow trout, *Salmo gairdneri*. *Can. J. Fish. Aquat. Sci.* 45: 32.
- Squibb, K.S. & Fowler, B.A. 1983. The toxicity of arsenic and its compounds. In: Fowler, B. A. (Ed.) Biological and Environmental Effects of Arsenic, Elsevier, Amsterdam, pp. 233–269.
- Srinivasamoorthy, K. et al. 1986. Dichlorvos induced metabolic changes in tissues of fresh water mussel, *Lamellidens marginalis*. *J. Environ. Biol.* 7: 101.
- Srivastava, A.K. 1987. Changes induced by lead in fish testis. *J. Environ. Biol.* 8: 329.

- Srivastava, A.K. et al. 1979. Effect of chromium on the blood of a freshwater teleost. *Ecotoxicol. Environ. Safety* 3: 321.
- Srivastava, A.K. & Mishra, S. 1979. Blood dyscrasias in a teleost fish, *Colisa fasciatus*, associated with cadmium poisoning. *J. Comp. Pathol.* 89: 609.
- Srivastava, A.K. & Singh, N.N. 1981. Effects of aldrin on carbohydrate metabolism in Indian catfish. *Acta Pharmacol. Toxicol.* 49: 266.
- Srivastava, A.K. & Singh, N.N. 1982. Acute toxicity of propoxur on carbohydrate metabolism of Indian catfish (*Heteropneustes fossilis*). *Toxicol. Lett.* 11: 31.
- Srivastava, A.K. & Srivastava, A.K. 1988. Effects of Aldrin and Malathion on blood chloride in the Indian catfish *Heteropneustes fossilis*. *J. Environ. Biol.* 9: 91.
- Srivastava D.K. & Tyagi, R.K. 1981. Acute toxicity of copper and its probable effect on thyroid of the fry of *Ophichthoides punctatus* (Bloch). *Esperientia (Switz.)* 37: 1317.
- Stahl Jr, R.G. 1979. Effect of a PCB (Aroclor 1254) on a striped hermit crab, *Clibanarius vittatus* (Anomura; Diogenidea) in static bioassays. *Bull. Environm. Contam. Toxicol.* 23: 091–094.
- Stalling, D.L. & Mayer, F.L. 1972. Toxicities of PCBs to fish and environmental residues. *Environ. Health Perspect.* 1: 159–164.
- Stanbro, W.D. & Smith, W.D. 1979. Kinetics and mechanism of the decomposition of N-chloroanaline in aqueous solution. *Environm. Sci. & Techn.* 13(4): 446–451.
- Star, E.G., Caselitz, J. & Loning, T. 1980. The effect of ethylene oxide and chemical disinfectant residues upon the larynx- and tracheal mucosa of rabbits, *Zbl. Bakt. Hyg. (I. Abt. Orig. B)* 170: 539–547.
- Starodub, M.E. et al. 1987b. Influence of complexation and pH on individual and combined heavy metal toxicity to a freshwater green alga. *Can. J. Fish. Aquat. Sci.* 44: 1173.
- Starodub, M.E. et al. 1987. Short term and long term studies on individual and combined toxicities of copper, zinc and lead to *Scenedesmus quadricauda*. *Sci. Total Environ.* 63: 101.
- Starr, R.I. & Cunningham, D.J. 1975. Leaching and degradation of 4-aminopyridine-14C in several soil systems. *Arch. Environm. Contam. Toxicol.* 3(1): 72–83.
- Statham, C.N. 1975. Potention of the acute toxicity of several pesticides and herbicides in trout by carbaryl. *Toxicol. Appl. Pharmacol.* 34(1): 83–87.
- Statham, C.N. & Lech, J.J. 1975. Metabolism of 2',5-dichloro-4'-nitrosalicylanilide (Bayer 73) in rainbow trout (*Salmo gairdneri*). *J. Fish. Res. Board Can.* 32: 515–522.
- Steemann-Nielsen, E. & Bruun Laursen, H. 1976. Effect of CuSO₄ on the photosynthetic rate of phytoplankton in four Danish Lakes. *Oikos* 27: 239–242.
- Steemann-Nielsen, E., Kamp-Nielsen, L. & Wium-Andersen, S. 1969. The effect of deleterious concentrations of copper on the photosynthesis of *Chlorella pyrenoidosa*. *Physiol. Plant* 22: 1121–1133.
- Steen, W.C., Paris, D.F. & Baughman, G.L. 1978. Partitioning of selected polychlorinated biphenyls to natural sediments. *Water Res.* 12: 655–657.
- Steiert, J.G. & Crawford, R.L. 1985. Microbial degradation of chlorinated phenols. *Trends Biotechnol.* 3: 300–305.
- Steinhaeuser, K. G. et al. 1986. Vom Wasser 67: 147-154.
- Stendahl, D.H. & Sprague, J.B. 1982. Effects of water hardness and pH on vanadium lethality to rainbow trout. *Water Res.* 16(10): 1479–1488.
- Stensel, H.D., McDowell, C.S. & Ritter, E.D. 1976. An automated biological nitrification toxicity test. *J. Water Poll. Contr. Fed.* 48: 2343–2350.
- Stephan, C.E. 1977. Methods for calculating an LC50. Mayer, F.L. & Hamelink, J.L. (eds.). *Aquatic toxicology and hazard evaluation*. pp. 65–84.
- Stephens, E. R. & Burleson, F. R. 1967. *J. Air Pollut. Control Assoc.* 17: 147–153.

- Stephenson, G.R., Phatak, S.C., Makowski, R.I. & Bouw, W.J. 1980 Phytotoxic interactions involving metribuzin and other pesticides in tomatoes. *Can. J. Plant Sci.* 60(1): 167–175.
- Stephenson, M.E. 1977. An approach to the identification of organic compounds hazardous to the environment and human health. *Ecotoxicol. Environ. Safety* 1: 39–48.
- Stephenson, R.R. 1982. Aquatic toxicology of cypermethrin. 1. Acute toxicity to some freshwater fish and invertebrates in laboratory tests. *Aquat. Toxicol.* 2: 175–.
- Stephenson, R.R. 1983. Effects of water hardness, water temperature, and size of the test organisms on the susceptibility of the freshwater Shrimp, *Gammarus pulex* (L.). to toxicants. *Bull. Environ. Contam. Toxicol.* 31: 459.
- Stephenson, R.R. 1984. Evaluation of a rapid range-finding test for use in acute lethality studies with fish. *Environ. Pollut. Ser. A*: 35(1): 75–81.
- Stephenson, R.R. & Shires, S.W. 1983. Environmental studies on fish using the two insecticides, Ripcord and Fastac. Proceedings of the 10th International Congress of plant protection, Nov. 1983, Brighton, U.K., 727.
- Stern, A.C. 1968. Air Pollution. Vol. 3, Academic Press N.Y., London. 661 pp.
- Stevens, D.G. & Chapman, G.A. 1984. Toxicity of trivalent chromium to early life stages of steelhead trout. *Environ. Toxicol. Chem.* 3(1): 125–133.
- Stevens, E.D. 1968. The effects of exercise on the distribution of blood to various organs in rainbow trout. *Comp. Biochem. Physiol.* 25: 615–625.
- Stober, Q.L. & Hanson, C.H. 1974. Toxicity of chlorine and heath to pink, *Oncorhynchus gorbuscha*, and chinook salmon, *O. tshawytscha*. *Trans. Am. Fish. Soc.* 102: 569–576.
- Stockham, J., O'Donnell, A. & Drawnieks, A. 1969. Chemical species in engine exhaust and their contribution to exhaust odor. Coordinating Research Council, New York. Report No IITRI C8150-5.
- Stockner, J.G. & Antia, N.J. 1976: Phytoplankton adaptation to environmental stresses from toxicants, nutrients and pollutants—a warning. *J. Fish. Res. Board Can.* 33: 2089–2096.
- Stokes, P.M., Hutchinson, T.C. & Krauter, K. 1973. Heavy metal tolerance in algae isolated from contaminated lakes near Sudbury, Ontario. *Can. J. Bot.* 51: 2155–2168.
- Stokes, P.M. 1973. Heavy metal tolerance in algae isolated from polluted lakes near Sudbury, Ontario smelters. *Water Poll. Res. Can.* 8: 178.
- Stom D.J. et al. 1986. Effect of individual phenolic compounds and of their mixtures on luminous bacteria. Part 3. Combined action of phenolic compounds on aquatic organisms. *Acta Hydrochim. Hydrobiol.* 14: 539.
- Stott, W.T., Quast, J.F. & Watanabe, P.G. 1982. The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicology and Applied Pharmacology* 62: 137–151.
- Stover, E. L. & Kincannon, D. F. 1983. *J. Water Poll. Control Fed.* 55: 97–109.
- Strange, R.J. & Schrenck, C.B. 1978. Anesthetic and handling stress on survival and cortisol concentration in yearling chinook salmon (*Oncorhynchus tshawytscha*). *J. Fish. Res. Bd. Can.* 35: 345.
- Stranger-Johanssen, M. 1983. The role of microorganisms in the formation of pitch deposits in pulp and paper mills. *Proc. Internat. Congress of Biotechnology in Pulp and Paper Industry*. London 12...14 September. 1983.
- Stratton, G.W., Burrel, R.E., Kurp, M.L. & Corke, C.T. 1980. Interactions between the solvent acetone and the pyrethroid insecticide permethrin on activities of the blue-green alga *Anabaena*. *Bull. Environ. Contam. Toxicol.* 24: 562–569.
- Stratton, G.W. & Corke, C.T. 1981. Interaction of permethrin with *Daphnia magna* in the presence and absence of particulate material. *Environ. Pollut. Ser. A* 24(2): 135–144.

- Stratton, G.W. 1987. Toxic effects of organic solvents on the growth of blue-green algae. *Bull. Environ. Contam. Toxicol.* 38: 1012.
- Stratton, G.W. & Corke, C.T. 1979. The effect of mercuric, cadmium and nickel ion combinations on a blue green alga. *Chemosphere* 8: 731.
- Strelakova, E.Y., Chirkova, Y.M. & Golubovich, Y.Y. 1975. Mutagenic action of ethylene oxide on sex and somatic cells in male white rats. *Toksikol. Nov. Prom. Him. Veshchestv.* 6: 11–16.
- Struhsaker, J.W., Eldridge, M.B. & Echeveria, T. 1974. Effects of benzene (a water soluble component of crude oil) on eggs and larvae of Pacific herring and northern anchovy. In: *Pollution and physiology of marine organisms*, edited by F.J. Vernberg and W.B. Bernberg, Academic Press, New York. pp. 254–284.
- Stuckey, D.J., Owen, W.F., Perry, L. & Parkin, G.F. 1980. Anaerobic toxicity evaluation by batch and semi-continuous assays. *J. Wat. Pol. Control. Fed.* 52: 720–729.
- Stuhl, F. 1973. Rate constant for the reaction of OH with n-C₄H₁₀. *Z. Naturforsch* 28a: 1383–1384.
- Su, F. et al. 1979. *J. Phys. Chem.* 83: 3185–3191.
- Subba-rao, R.V., Rubin, H.E. & Alexander, M. 1982. Kinetics and extent of mineralization of organic chemicals at trace levels in freshwater and sewage. *Appl. Environ. Microbiol.* 43: 1139–1150.
- Suckcharoen, S. 1980. Luettelo Suomessa tehdyistä elohopeatutkimuksista. *Ympäristö ja Terveyt* 11(2): 128–132.
- Sudhakar-Barik, P.A., Wahid, C., Ramakrishna et al. 1979. A change in the degradation pathway of parathion after repeated applications to flooded soils. *J. Agric. Food Chem.* 27: 1391–1392.
- Sudhakar-Barik & Sethunathan, N. 1978. Metabolism of nitrophenols in flooded soils. *J. Environ. Qual.* 7: 349–352.
- Suess, M.J. 1976. The environmental load and cycle of polycyclic aromatic hydrocarbons. *Sci. Total Environ.* 6: 239–250.
- Suess, A. et al. 1978. Bayerisches Landwirtschaftliches Jahrbuch. 55:565–70.
- Suess, A. et al. 1978. *Z Pflanzenzemehr Bodenk* 141: 57–55.
- Suflita, J.M. & Miller, G.D. 1985. Microbial metabolism of chlorophenolic compounds in ground water aquifers. *Environ. Toxicol. and Chem.* 4: 751–758.
- Sugatt, R. H. et al. 1984. *Appl. Environ. Microbiol.* 47: 601–606.
- Sugiura, K., Sato, S. & Yoto, M. 1976. Toxicity assessment using an aquatic microcosm. *Chemosphere* 2: 113–118.
- Sullivan, K. F. et al. 1981. *Anal. Chem.* 53: 1718–1719.
- Sumelius, J. 1980. Reduktion av toxiska ämnen vid behandling av spillvatten från barkeri och sulfatmassablekeri i aktivslamanläggning. Diplomarbete, Åbo Akademi.
- Summer, W. 1971. Odor pollution of air, causes and control 1971. Leonard Hill Books.
- Suntio, L. R., Shiu, W. Y. and Mackay, D. 1988. A review of the nature and properties of chemicals present in pulp mill effluents. *Chemosphere* 17(7): 1249–1290.
- Surber, E.W. & Pickering, Q.H. 1962. Acute toxicity of endothal, diquat, hyamine, dalapon, and silvex to fish, *Progr. Fish-Cult.* 24(4): 164–171.
- Sutcliffe, D.W., et al. 1981. Effects of diet, body size, age and temperature on growth rates in the amphipod *Gammarus pulex*. *Freshwater Biol.* 11: 183.
- Sutton, C. & Calder, J. A. 1974. *Environ. Sci. Technol.* 8: 654.
- Suzuki, J. et al. 1983. *Bull. Environ. Contam. Toxicol.* 31:79–84.
- Suzuki, K.T. et al. 1987. Environmental and injected cadmium are sequestered by two major isoforms of basal copper, zinc-metallothionein in gibel (*Carassius auratus*). *Comp. Biochem. Physiol.* 87C: 87.
- Svanberg, O., Bengtsson, B-E. & Larsson, Å. 1981. Prövning av avloppsvatten från ett oljeraffinaderi med avseende på toxicitet hos fisk och kräftdjur. Karakterisering av industriella avloppsvatten 2. NBL Rapport 107, Statens Naturvårdsverk, Stockholm.

- Svanberg, O. 1979. Reserapport. International symposium on testing of chemical substances for ecotoxicological evaluation. Nordforsk. Ekotoxicologiska metoder för akvatisk miljö. Rapport Nr. 3.
- Svanberg, O., Bengtsson, B.E., Granmo, Å. & Haux, C. 1980. Prövning av avloppsvatten från en PVC-fabrik med avseende på toxicitet hos fisk och kräftdjur. Karakterisering av industriella avloppsvatten 1. NBL Rapport 107, Statens Naturvårdsverk, Stockholm.
- Svanberg, O. 1983. Chlorinated paraffins. A review of environmental behaviour and effects. SNV PM 1614.
- Swain, H. M. & Somerville, H. J. 1978. J. Appl. Bacteriol. 45: 147–151.
- Swann, R. L. et al. 1983. Res. Rev. 85: 17–28.
- Swarup, P.A. et al. 1981. Toxicity of endosulfan to the freshwater fish *Cirehinus mrigala*. Bull. Environ. Contam. Toxicol. 27: 850.
- Swedmark, M. 1978. Toxicitetstestning med evertabrater som bas för fastställande av normer för vattenkvalitet. Toxicitetstester. Nordforsk. Miljövårdssekretariatet publikation 2. s. 105–117.
- Swedmark, M. 1980. Rapport över deltagande i årsmötet i ISO/TC 147, Berlin 8–18 oktober 1980. Kristinebergs Marinbiologiska Station.
- Swedmark, M. 1986. Tensider–Egenskaper och miljöeffekter. SNV PM 1986.
- Swedmark, M., Granmo, Å. & Björck, E. 1978. Tensiders inverkan på toxiciteten hos tungmetaller för marina djur. Forskningsredogörelse till Statens naturvårdsverk.
- Swedmark, M. et al. 1971. Biological effects of surface activite agents on marine animals. Mar. Biol. 9: 183–201.
- Sweet, D. 1987. Registry of toxic effects of chemical substances 1985–1986 edition. U.S. Department of health and human services.
- Swope, H. G. & Kenna, M. Sewage Ind. Waste 21: 467–468.
- Tabak, H.H. & Barth, E.F. 1978. Biodegradability of benzidine in aerobic suspended growth reactors. J. Water Poll. Control Fed. 50: 552.
- Tabak, H.H., Quave, S.A., Mashni, C.I. & Barth, E.F. 1981. Biodegradability studies with organic priority pollutant compounds. Journal WPCF. 53: 1503–1518.
- Tada, O., Nakaaki, K. & Fukabori, S. 1972. An experimental study on acetone and methyl ethyl ketone concentrations in urine and expired air after exposure to those vapours. Journal of Science of Labour 48: 305.
- Tafanelli, R. & Summerfelt, R.C. 1975. Cadmium-induced histopathological changes in goldfish.–In: Ribelin, W.E. & Kigaki, G. (ed.). The pathology of fishes. Wisconsin/Lontoo. pp. 613–645.
- Tagatz, M.E., Deans, D.H., Moore, J.C. & Plaia, G.R. 1983. Alterations in composition of field- and laboratory-developed estuarine benthic communities exposed to di-n-butyl phthalate. Aquat. Toxicol. 3(3): 239–248.
- Tagatz, M.E., Plaia, G.R. & Deans, C.H. 1985. Effects of 1,2,4-trichlorobenzene on estuarine macrobenthic communities exposed via water and sediment. Ecotoxicol. Environ. Safety 10: 351–360.
- Takahashi, I.T., Cowgill, U.M. & Murphy, P.G. 1987. Comparison of ethanol toxicity to *Daphnia magna* and *Ceriodaphnia dubia* tested at two different temperatures: Static acute toxicity test results. Bull. Environ. Contam. Toxicol. 39: 229–236.
- Takemoto, S. et al. 1981. Suishitsu Okadu Kenkyu 4: 80–90.
- Takeuchi, H., Katada, M., Takahashi, M., Kawamata, S. & Kohari, H. 1978. Purification of polyolefins. Tokkyo Koho 79: 126, 291.
- Takimoto, Y. et al. 1987. Comparative metabolism of fenitrothion in aquatic organisms. II. Metabolism in the freshwater snails, *Cipangopaludina japonica* and *Physa acuta*. Ecotoxicol. Environ. Saf. 13: 118.
- Takimoto, Y. et al. 1987. Comparative metabolism of fenitrothion in aquatic organisms. III. Metabolism in the crustaceans, *Daphnia pulex* and *Palaemon paucidens*. Ecotoxicol. Environ. Saf. 13: 126.

- Talsi, T. 1981. Bakteerien glukoosinotto selluteollisuuden jättevesien vaikutusten arvointimenetelmänä. Pro gradu -työ. Helsingin yliopiston limnologian laitos. 89 s.
- Talsi, T. 1983. Sköldvikin alueen teollisuuslaitosten jättevesien myrkkyvaikutukset. Tutkimusraportti vuoden 1982 bakteri- ja levämýrkkylisyyystesteistä. Vesihallituksen monistesarja 1983: 161. 51 s.
- Tana, J. 1980. Kokeita valkaisujättevesien myrkyllisyydestä laboratorio-olosuheteissa. Kirjassa: Puunjalostusteollisuus myrkkykuormittajana Suomessa, Vekary, Helsinki. ss. 44–51.
- Tana, J. 1981. Preliminära undersökningar av syreförbrukningen hos zebrafisk med Sapromat. Federley, B. (red.). Projektseminarium. Nordforsk. Ekotoxikologiska metoder för akvatisk miljö. Rapport Nr. 26.
- Tana, J. & Nikunen, E. 1985. Impact of pulp and paper mill effluent on egg hatchability of pike (*Esox lucius* L.). Bull. Environ. Contam. Toxicol. (in press).
- Tanabe, K. & Sano, T. 1962. Hokkaido Daigaku 10: 173–182.
- Tanaka, A. et al. 1984. Determination of trace agrochemicals in water and toxicity of agrochemicals to fish. 2. Toxicity of decomposition products from UV-irradiated organophosphorus agents in water. Gunmaken Eisei Kogai Kenkyusho Nenpo (Jap.) 15:199. C.A. Sel.-Environ.Pollut. 18, 101:67414k.
- Tarkowski, S. & Yrjanheikki, E. 1986. Polychlorinated dibenzo-p-dioxins and dibenzofurans in human milk—reasons for concern. Chemosphere 15: 1641–1648.
- Tarkpea, M., Linden, E. Bengtsson, B.-E., Larsson, Å. & Svanberg, O. 1981. Products control studies at the Brackish Water Toxicology Laboratory 1979–1980. Swedish Environment Protection Board, Brackish Water Toxicology Laboratory, Nyköping, Report NBL 111 (in swedish).
- Tarkpea, M. et al. 1985. Comparison of the Microtox test with the 96-Hr LC50 for the Harpacticoid *Nitocra spinipes*. Ecotoxicol. Environ. Safety 11: 127.
- Tarkpea, M., Hagen, I., Carlberg, G.E., Kolsaker, P. & Storflor, H. 1985. Bull. Environ. Contam. Toxicol. 35:525.
- Tarzwell, C.M. 1967. Water quality requirements for aquatic life. National Symposium on Quality Standards for Natural Waters, Proceedings, Ann Arbor, MI. University of Michigan, School of Public Health, Continued Education Series No. 161, pp. 185–197.
- Tatem, H.E., Anderson, J.W. & Neff, J.M. 1976. Seasonal and laboratory variations in the health of grass shrimp *Palaemonetes pugio*: Dodecyl sodium sulphate bioassay. Bull. Environ. Contam. Toxicol. 16(3): 368–375.
- Taub, F.B. 1976. Demonstration of pollution effects in aquatic microcosm Int. J. Environ. Stud. 10: 23–33.
- Taub, F.B. et al. 1988. Standardized aquatic microcosms: Ecological responses to toxicants. Aquat toxicol. 11: 422.
- Tavlinova, T.I. & Dovyborova, L.N. 1979. Effect of aliphatic alcohols on the crystal formation of hydrates of clinker minerals. Isv. Vyssh. Uchebn. Zaved. Khim. Khim. Tekhnol. 22: 972–975.
- Taylor, A.L. & Solomon, D.J. 1979. Critical factors in the transport of live freshwater fish. I. General considerations and atmospheric gases. Fish. Management 10: 27–32.
- Taylor, D.H., Lagory, K.E., Zaccaro, D.J., Pfohl, R.J. & Laurie, R.D. 1985. Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. Science of the Total Environment 47: 415–420.
- Taylor, M.C., Reeder, S.W. & Demayo, A. 1979. Guidelines for Surface Water Quality, I. Inorganic Chemical Substances. Chromium. Inland Waters Directorate, Water Quality Branch, Ottawa, Canada.
- Temmink, J.H.M. et al. 1983. An ultrastructural study of chromate-induced hyperplasia in the gill of rainbow trout (*Salmo gairdneri*). Aquat.Toxicol. 4: 165.
- Ter Haar, G.L. & Bayard, M.A. 1971. Composition of airborne lead particles. Nature 232: 553–554.

- Terrier, M. & Perrier, H. 1975. Cyclic 3', 5'-adenosine monophosphate level in the plasma of the rainbow trout (*Salmo gairdneri* Richardson) following adrenaline administration and constrained exercise. *Experientia* 31: 196.
- Terriere, L.C., Kiigemagi, U., Gerlach, A.R. & Borovicka, R.L. 1966. The persistence of toxaphene in lake water and its uptake by aquatic plants and animals. *J. Agr. Food Chem.* 14: 66–69.
- TESI 3. 1980. Metsäteollisuuden jätevesien mekaanisten selkeyttämöiden toimivuus ja toiminnan tehostannaminen. Teollisuuden jätevesiprojekti. 98 s.
- Tesmer, M.G. & Joyce, T.W. 1980. Algal assay bottle test response to pulp and paper mill effluents. *Tappi* 63(9): 105–108.
- Tewari, H. et al. 1987. Impact of chronic lead poisoning on the hematological and biochemical profiles of a fish, *Barbus conchonius* (Ham.). *Bull. Environ. Contam. Toxicol.* 38: 778.
- Thatcher, T.C., Schneider, M.J. & Wolf, E.G. 1976. Bioassays on the combined effects of chlorine, heavy metals and temperatures on fishes and fish food organisms. I. Effects of chlorine and temperature on juvenile brook trout (*Salvelinus fontinalis*). *Bull. Environ. Contam. Toxicol.* 15: 40–48.
- The Pesticide Manual 1994. Tomlin, C. (ed.), 10th edition. British Crop Protection Council. The Royal Society of Chemistry.
- Thiersch, J.B. 1962. Effects of acetannide and formansides on the cat litter in utero. *J. Reprod. Fertil.* 1962: 219.
- Thirugnanam, M. & Forgash, A.J. 1977. Environmental impact of mosquito pesticides: Toxicity and anticholinesterase activity of chlorpyrifos to fish in a salt marsh habitat. *Arch. Environm. Contam. Toxicol.* 5: 415–425.
- Thomas, P.M. & Legault, R.O. 1967. The effects of industrial wastes from Charmin Paper Products Company on fish of the Cheboygan River drainage system. *Water Res.* 1: pp. 217–229.
- Thompson, C.R., Kats, G. & Lennox, R.W. 1979. Phytotoxicity of air pollutants by high explosive production. *Environm. Sci. & Techn.* 13(10): 1263–1268.
- Thompson, C.Z. et al. 1983. *Environ. Mutagen.* 5(6), 803–811.
- Thompson, K. et al. 1986. A direct resazurin test for measure chemical toxicity. *Toxicity Assessment* 1: 407.
- Thompson, K.W., Hendricks, A.C., Cairns, J.Jr. 1980. Acute toxicity of zinc and copper singly and in combination to the bluegill *Lepomis macrochirus*. *Bull. Environm. Contam. Toxicol.* 25: 122–129.
- Thompson, L.H. & Baker, R.M. 1973. Isolation of mutants of cultured mammalian cells. Prescott, D.M. (ed.). *Methods in cell biology*. pp. 209–280.
- Thompson, P.A. et al. 1987. Structure-function relationships for monitoring cellular stress and recovery responses with *Selenastrum capricornutum*. *Aquat. Toxicol.* 10: 291.
- Thompson, W. 1947. Use of moving averages and interpolation to estimate median effective dose. *Bac. Rev.* 11: 115–141.
- Thorp, V.J. & Lake, P.S. 1974. Toxicity bioassays of cadmium on selected freshwater invertebrates and the interaction of cadmium and zinc on the freshwater shrimp, *Paratya tasmaniensis* Rick. *Aust. J. Mar. Freshwat. Res.* 25: 97–104.
- Thuren, A. & Woin, P. 1988. Effects of phthalate esters on the locomotor activity of the freshwater amphipod *Gammarus pulex*. In: Thurén, A., Phthalate Esters in the Environment, Dissert., Lund University.
- Thurston, R.V., Russo, R.C. & Phillips, G.R. 1983. Acute toxicity of ammonia to fathead minnows (*Pimephales promelas*). *Trans. Am. Fish. Soc.* 112(5): 705–711.
- Thurston, R.V. & Russo, R.C. 1983. Acute toxicity of ammonia to rainbow trout (*Salmo gairdneri*). *Trans. Am. Fish. Soc.* 112(5): 696–704.

- Thurston, R.V., Russo, R.C., Luedtke, R.J., Smith, C.E., Meyn, E.L., Chakoumakos, D., Wang, K.C. & Brown, C.J.D. 1984. Chronic toxicity of ammonia to rainbow trout. *Trans. Am. Fish. Soc.* 113(1): 56–73.
- Thurston, R.V. et al. 1978. Acute toxicity of ammonia and nitrate to cutthroat trout fry. *Trans. Amer. Fish. Soc.* 107: 361.
- Tilak, K.S. et al. 1981. Toxicity of carbaryl and 1-naphthol to four species of freshwater fish. *J. Biosci.* 3: 457–.
- Tilak, K.S. et al. 1980. Toxicity of carbaryl and 1-naphthol to the freshwater fish *Labeo rohita*. *Indian J. Exp. Biol.* 18, 75.
- Tipton, I.H., Steward, P.L. & Martin, P.G. 1966. Trace elements in diets and excreta. *Health Physics* 12: 1683–1689.
- Tola, S., Vilhunen, R., Järvinen, E. & Korkala, M.L. 1980. A cohort study on workers exposed to trichloroethylene. *Journal of Occupational Medicine* 22: 737–740.
- Tomasso, J.R. et al. 1980. Effects of environmental pH and calcium on ammonia toxicity in channel catfish. *Trans. Amer. Fish. Soc.* 109: 229.
- Tomic, S., Nagasaki, H. & Mega, T. 1973. *Jap. Hyg.* 28: 69.
- Tompkins, T. & Blinn, D.W. 1976. The effect of mercury on the growth rate of *Fragilaria crotonensis* Kitton and *Asterionella formosa* Hass. *Hydrobiologia* 49(2): 111–116.
- Tomson, M. B. et al. 1981. *Water Res.* 15: 1109–1116.
- Tonogai, Y. et al. 1982. Actual survey of TLm (Median Tolerance Limit) values of environmental pollutants, especially on amines, nitriles, aromatic nitrogen compounds and artificial dyes. *J. Toxicol. Sci.* 7: 193.
- Tooby, T.E. et al. 1980. The tolerance of grass carp. *Ctenopharyngodon idella* val, to aquatic herbicides. *J. Fish. Biol.* 16: 591.
- Tooby, T.E., Hursey, P.A. & Alabaster, J.S. 1975: The acute toxicity of 102 pesticides and miscellaneous substances to fish. *Chemistry and Industry* 21: 523–525.
- Toor, H.S. & Kaur, K. 1974. Toxicity of pesticides to the fish, *Cyprinus carpio communis* Linn. *Indian J. Exp. Biol.*, 12: 334.
- Topinka, J. et al. 1989. *Matat. Res.* 227(3), 147–152.
- Torchio, P.F. 1973. Relative toxicity of insecticides to the honey bee, alkali bee and alfalfa leafcutting bee (Hymenoptera, Apidae, Halictidae, Megachilidae). *J. Kans. Entomol. Soc.* 46: 446–453.
- Torkelson, T.R. & Rowe, V.K. 1982. Halogenated aliphatic hydrocarbons containing chlorine, bromine and iodine. In Patty's Industrial Hygiene and Toxicology Volume 2B, edited by G.D. Clayton and F.E. Clayton, 3553–3560, Chapter 48. J. Wiley and Sons.
- Torreblanca, A. et al. 1987. Oxygen uptake and gill morphological alterations in *Procambarus clarkii* (Girard) after sublethal exposure to lead. *Comp. Biochem. Physiol.* 86C: 219.
- Torstensson, L. 1988. Bekämpningsmedel i den yttre miljön. Förekomst, spridning, effekter. SNV Rapport 3536, Solna, 154 pp.
- Toth, J. & Milham, P.J. 1975. Activated carbon and ash-carbon effects on the adsorption and phytotoxicity of diuron. *Weed Research* 15(3): 171–176.
- Tovell, P.W.A., Newsome, C. & Howes, D. 1974. Effects of water hardness on the toxicity of an anionic detergent to fish. *Water Res.* 8(5): 291–296.
- Towle, P. H. et al. 1968. Kirk-Othmer Encycl. chem. Technol 2nd ed 15: 444.
- Toyama, T. & Takazawa, Y. 1971. Herbicide, MO. *Noyaku Seisan Gijutsu*, (23): 1.
- Toyota, H. & Kuwahara, M. 1967. *Nippon Dojohiryogaku Zasshi* 38(2,3): 93–97.
- Trabalka, J.R. & Burch, M.B. 1979. Effects of water-soluble chlorine-containing organics on aquatic environments—another perspective. *Toxicol. Letters* 3: 201.

- Traiger, G.J. & Bruckner, J.V. 1975. The participation of 2-butanone in 2-butanol-induced potentiation of carbon tetrachloride hepatotoxicity. *Journal of Pharmacology and Experimental Therapeutics* 196: 493–500.
- Trevors, J.T. 1982. Effect of temperature on the degradation of pentachlorophenol by *Pseudomonas* species. *Chemosphere* 11: 471–475.
- Trim, A.H. 1987. Acute toxicity of emulsifiable concentrations of three insecticides commonly found in nonpoint source runoff into estuarine waters to the Mummichog, *Fundulus heteroclitus*. *Bull. Environ. Contam. Toxicol.* 38: 681–686.
- Trocmé, M., Tarradellas, J. & Védy, J.-C. 1988. Biotoxicity and persistence of nonylphenol during incubation in a compost-sandstone mixture. *Biology and Fertility of Soils* 5(4): 299–303.
- Trower, M. K. et al. 1985. *Appl. Environ. Microbiol.* 49: 1282–9.
- Trucco, R.G. et al. 1983. Toxicity, accumulation and clearance of aromatic hydrocarbons in *Daphnia pulex*. *Environ. Pollut.* 31A: 191.
- Trump, B.F., Jones, R.T. & Sahaphong, S. 1975. Cellular effects of mercury on fish kidney tubules.—In: Ribelin, W.E. & Migaki, G. (ed.), *The pathology of fishes*. Wisconsin/-Lontoo. pp. 585–612.
- Tsai, C. & McKee, J.A. 1980. Acute toxicity to goldfish of mixtures of chloramines, copper, and linear alkylate sulfonate. *Trans. Amer. Fish. Soc.* 109: 132.
- Tsai, S.C. 1978. Control of chironomids in milk-fish (*Chanos chanos*) ponds with abate (Tempbos) insecticide. *Trans. Amer. Fish. Soc.* 107: 493.
- Tsao, M.V. & Pfeiffer, E.L. 1957. Isolation and identification of a new ketone body in normal urine. *Proceedings of the Society of Experimental Biology* 94: 628.
- TSCA Interagency Testing Committee 1977. Initial report of the TSCA interagency testing committee and information dossiers on substances designated. Washington DC, National Science Foundation, PB-275 367.
- Tsonopoulos, C. & Prausnitz, J. M. 1971. *Ind. Eng. Chem. Fundam.* 10: 593.
- Tsuda, M., Wakabayashi, K., Hirayama, T., Kawachi, T., Sugimura, T. Inactivation of potent pyrolysate mutagens by chlorinated tap water. *Mutat. Res.* 119: 27–34.
- Tu, A.S., Murray, T.A., Hatch, K.M., Sivak, A. & Milman, H.A. 1985. In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Letters* 28: 85–92.
- Tucker, A.N., Sanders, V.M., Barnes, D.W., Bradshaw, T.J., White, K.L., Sain, L.E., Borzelleca, J.F. & Munson, A.E. 1982. Toxicology of trichloroethylene in the mouse. *Toxicology and Applied Pharmacology* 62: 351–357.
- Tucker, C.S. 1987. Short-term effects of propanil on oxygen production by plankton communities from catfish ponds. *Bull. Environ. Contam. Toxicol.* 39: 245.
- Tucker, C.S. & Lloyd, S.W. 1987. Evaluation of potassium ricinoleate as a selective blue-green algicide in channel catfish ponds. *Aquaculture* 65: 141.
- Tucker, C.S. & Schwedler, T.E. 1983. Acclimation of Channel Catfish (*Ictalurus punctatus*) to nitrite. *Bull. Environ. Contam. Toxicol.* 30: 516.
- Tulasi, S.J. & Rao, J.V.R. 1988a. Effects of lead on copper content of fresh water crab *Barytelphusa guerini* (H. Milne Edwards). *Indian J. Exp. Biol.* 26: 323.
- Tulasi, S.J. & Rao, J.V.R. 1988b. Acid-base balance and blood gas changes in the freshwater field crab, *Barytelphusa guerini*, on exposure to organic and inorganic lead. *Bull. Environ. Contam. Toxicol.* 40: 198.
- Tunstall, E.W. & Solinas, M. 1977. *Daphnia pulex* pulls its weight in pulp mill toxicity tests. *Pulp Paper Can.* 78: T93–T98.
- Turk, M. A. M. et al. 1987. *Vet. Pathol.* 24(5), 400–403.
- Turnbull, H., DeMann, J.H. & Weston, R.F. 1954. Toxicity of various refinery materials to fresh water fish. *Ind. Eng. Chem.* 46(2): 324–333.

- Tuurala, H. & Sovio, A. 1979. Morphometry of environmental effects on fish gill structure. Abstr. 2nd Symp. on Fish Physiol., Göteborg, 8th-10th June.
- Tuurala, H. & Sovio, A. 1982. Structural and circulatory changes in the secondary lamellae of *Salmo gairdneri* gills after sublethal exposures to dehydroabietic acid and zinc. Aquatic Toxicol. 2: 21-29.
- U.S. Environmental Protection Agency. 1976. Diagnosing vegetation injury caused by air pollution.
- U.S.E.P.A., Washington, D.C. Phipps, G.L. et al. 1981. Acute toxicity of phenol and substituted phenols to the fathead minnow. Bull. Environ. Contam. Toxicol. 26: 585.
- U.S. EPA, 1982. Fish early life stage toxicity test. Guidelines EG-11-ES-8. In: Environmental Effects Test Guidelines. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, D.C., EPA 560/6-82-002, 97 pp.
- Ugland, K., Lundanes, E., Greibrokk, T. and Bjørseth, A. 1981. J. Chromatogr. 213: 83-90.
- UK MAFF. 1978. Food additives and contaminants. Committee report on the review of solvents in food. London, United Kingdom Ministry of Agriculture, Fisheries and Food.
- Ukeles, R. 1962. Growth of pure cultures of marine phytoplankton in the presence of toxicants. Appl. Microbiol. 10(6): 532-537.
- Ulitzur, S., Weiser, I. & Yannai, S. 1979. A new sensitive and simple bioluminescence test for mutagenic compounds. Mutation Res. 74: 113-124.
- Ulland, B.M. et al. 1972. Thyroid cancer in rats from ethylene thiourea intake.-J. Natl. Caucer Inst. 49: 583-584.
- Umweltbundesamt 1984. Ausgewählter stofflicher Einwirkungen auf den Boden.
- Ungvary, G., Tatrai, E., Hudak, A., Barcza, G. & Lorincz, M. 1980. Studies on the embryotic effects of ortho-, meta- and para-xylene. Toxicology 18: 61-74.
- United States Environmental Protection Agency (EPA) 1976. Investigation of selected potential environmental contaminants; ketonic solvents. US Department of Commerce, Washington DC, NTIS PB-252 970.
- United Stetes National Toxicology Program 1986. Toxicology and carcinogenesis studies of xylenes (mixed) in F344/N rats and B6C3F1 mice. NTP TR 327. Research Triangle Park.
- Urano, K. & Kato, Z. 1986. J. Hazardous Materials. 13:147-59.
- US DHEW. 1978. Registry of toxic effects of chemicals. Washington DC, US Department of Health, Education and Welfare.
- US EPA 1985. Health assessment document for ethylene oxide. Washington DC, US Environmental Protection Agency (EPA 600/8-84/009F).
- US NTP 1983. Technical report on the carcinogenesis studies of trichloroethylene (without epichlorohydrin) in F344/n rats and BCF mice. Research Triangle Park, NC, National Toxicology Program, NIH Publication No 83-1979, NTP TR 243.
- US Bureau of Mines 1980. Mineral industry surveys. Fluorspar in 1979. U.S. Dept. of the Interior, Washington, D.C.
- USEPA 1977. Status assessment of toxic chemicals No. 5, Benzidine. Industrial Pollution Control Division, Cincinnati, OH, Sept. 6.
- USEPA 1980. Ambient. Water Qual. Criteria for Benzidine; pB1 to B6.
- USEPA 1979. Ambient Water Quality Criteria/Dichlorobenzenes. Gov. Rep. Announ. Index U.S. 79(10):98.
- USEPA 1980. Ambient Water Quality Criteria for Chromium. U.S. Environmental Protection Agency, EPA 440/5-80-035.
- USEPA 1980. Ambient Water Quality Criteria for Silver. USEPA Report, NTIS No. PB 81-117822, USEPA Office of Water, Washington, D.C.

- USEPA 1980. Ambient water quality criteria for toxaphene. USEPA, Report EPA-440/5-80-076, Washington, D.C.
- Lowe, J.I. 1964. Chronic exposure of spot, *Leiostomus xanthurus*, to sublethal concentrations of toxaphene in sea water. *Trans. Amer. Fish. Soc.* 93: 396–399.
- USEPA 1980. Water Quality Criteria Documents. Fed. Reg. 45 (231), 79, 318–79, 379, Nov. 28.
- USEPA 1980a. Ambient water quality criteria for chlorinated benzenes. Environmental Protection Agency, Washington, D.C., Oct. 80, PB 81-117392.
- USEPA 1980b. Ambient water quality criteria for dichlorobenzenes. NTIS. Springfield. VA. EPA-440/5-80-039.
- USEPA 1980c. Ambient water quality criteria for copper. Report No. EPA 440/481-015, NTIS No. pB85-227023, USEPA Office of Water Regulations and Standards, Washington, D.C.
- USEPA 1980d. Ambient water quality criteria for benzidine. EPA 440/5-80-023, NTIS No. PB 81-117343.
- USEPA 1980e. Toxic Pollutant Effluent Standards. U.S. Code Fed. Reg., Title 40, Part 129, p. 275.
- USEPA 1986a. Guidelines for carcinogen risk assessment. Fed. Reg. 51(185): 33992–34003, September 24.
- USEPA 1980f. Aldrin/Dieldrin: Ambient Water Quality Criteria. U.S. Environmental Protection Agency, Washington, D.C.
- USEPA 1980h. Ambient water quality criteria for hexachlorobutadiene. PB 81-117640, Springfield, V.A.
- USEPA 1980g. Development document for effluent limitations guidelines and standards for the iron and steel manufacturing. EPA 440/1-80/024-6.
- USEPA 1980i. Ambient Water Quality Criteria. PB 81-117665.
- USEPA 1981. Treatability Manual Vol 1 EPA-600/2-82-001a.
- USEPA 1984. Aquatic toxicity tests to characterize the hazard of volatile organic chemicals in water. A toxicity data summary. Part 1. Report No. EPA-600/3-83-009. NITS No. PB84-141506. (Ed): Ahmad, N. et al. U.S. Environmental protection agency, Duluth, MN 55804.
- USEPA. 1984. Graphical Exposure Modelling System. Fate of Atmospheric Pollutants (FAP) data base Office of Toxic Substances.
- USEPA. 1984. Locating and estimating air emissions from sources of formaldehyde. USEPA 450/4-84-007E.
- USEPA 1985. Health Effects Criteria Document for Chromium. USEPA Criteria and Standards Division (CSD), Office of Drinking Water (ODW), Washington, D.C.
- USEPA 1986b. Water Quality Criteria. USEPA Office of Water Regulations and Standards, Washington, D.C.
- USEPA 1987. EXAMS II Computer Modeling System.
- USEPA 1987. EXAMS II Computer Simulation.
- USEPA 1987. Health and Environmental Effects Document for Chloroanilines ECAO-CIN-G003 (Final Draft).
- USEPA. 1987. The toxicity of 3400 chemicals to fish. EPA 560/6-87-002, US EPA Washington DC.
- USEPA 1987. Toxicological profile for aldrin/dieldrin. Draft. U.S. Environmental Protection Agency, Washington, D.C.
- Uyeta, M., Taue, S., Chikasawa, K. & Mazaki, M. 1976. Photoformation of polychlorinated biphenyls from chlorinated benzenes. *Nature* (London) 264: 583–584.
- Vahter, M. 1983. Metabolism of arsenic. In Fowler, B.A. (Ed) *Biological and Environmental Effects of Arsenic*, Elsevier, Amsterdam pp. 171–198.
- Vainio, H. 1976. Maksa ja elimistölle vieraat aineet.—Ympäristö ja Terveys 8: 768–772.
- Vaishnav, D.D. 1986. Chemical structure-biodegradation inhibition and fish acute toxicity relationships for narcotic industri chemicals. *Toxicity Assessment* 1: 227.
- Vaishnav, D.D. and Babeu, L. 1986. *J. Great Lakes Res.* 12: 184–191.
- Vaishnav, D.D. & Babeu, L. 1987. Comparison of occurrence and rates of chemical biodegradation in natural waters. *Bull. Environ. Contam. Toxicol.* 39: 237–244.

- Vaishnav, D.D. et al. 1987. Chemosphere 16: 695–703.
- Vallin, S. 1933. Cellulosafabrikerna och fisket. Ny Svensk Tidskr. 21: 241–248.
- Valvani, S. C. et al. 1981. J. Pharm. Sci 70: 502–507.
- Van Bladel, R. & Moreale, A. J Soil Sci 28: 93–102.
- van der Shalie, W.H. 1983. The acute and chronic toxicity of 3,5-dinitroaniline, 1,3-dinitrobenzene and 1,3,5-trinitrobenzene to freshwater aquatic organisms. Technical Report 8305. US Army Research and Development Command. Fort Detrick, Frederick, MD 21701.
- van Dijk, P. & van de Vorde, H. 1976. Meded. Fac. Landbouwwet., Rijksuniv. Gent 41: 1491.
- van der Eerden, L.J.M. Influence of ammonia on plants. Resear Institute for Plant Protection, Wageningen, The Netherlands.
- Van Doorn, R., Bos, R.P., Brouns, R.M.E., Leijdekkers, Ch-M. & Henderson, P.T. 1980. Effect of toluene and xylene on liver glutathione and their urinary excretion as mercapturic acids in the rat. Archives of Toxicology 43: 293–304.
- Van Duuren, B.L., Kline, S.A., Melchionne, S. & Seidman, I. 1983. Chemical structure and carcinogenicity relationships of some chloroalkene oxides and their parent olefins. Cancer Research 43: 159–162.
- Van Duuren, B.L., Orris, L. & Nelson, N. 1965. Carcinogenicity of epoxides, lactones, and peroxy compounds. Part II. J. Natl. Cancer Inst. 35: 707–717.
- Van Hoogen, G., & Opperhuizen, A. 1988. Toxicokinetics of chlorobenzenes in fish. Environ Toxicol. Chem. 7: 213.
- Van Horn, W.M. 1947. The toxicity of kraft pulping wastes to typical fish food organisms. Tech. Bull. No. 10. Nat. Council Stream Improvement, New York.
- Van Horn, W.M., Anderson, J.B. & Katz, M. 1950. The effect of kraft pulp mill wastes on fish life. TAPPI 33: 209–212.
- Van Horn, W.M., Anderson, J.B. & Katz, M. 1949. The effect of kraft pulp mill wastes on some aquatic organisms. Trans. Am. Fish. Soc. 79: 55–63.
- Van Leeuwen, C.J. et al. 1988. Intermittent flow system for population toxicity studies demonstrated with Daphnia and copper. Bull. Environ. Contam. Toxicol. 40: 496.
- Van Veld, P.A. & Spain, J.C. 1983. Degradation of selected xenobiotic compounds in three types of aquatic test systems. Chemosphere 12: 1291–1305.
- van Wambeke, E., á Campo, P. & Vanachter, A. 1977. Influence of MBC on some physiological processes in the leaves of gherkin. Neth. J. Pl. Path. 83(1): 411–416.
- Vardia, H.K. & Durve, V.S. 1981. Bioassay study on some freshwater fishes exposed to 2,4-dichlorophenoxyacetic acid. Acta Hydrochim. Hydrobiol. (Ind.) 9: 219.
- Vardia, H.K. & Durve, V.S. 1981. The toxicity of 2,4-D to Cyprinus carpio var. Communis in relation to the seasonal variation in the temperature. Hydrobiologica (Den.) 77: 155.
- Varma, M.M., Wan, L.W. & Prased, C. 1976. Acclimation of wastewater bacteria by induction or mutation selection. J. Water Poll. Contr. Fed. 48: 832–834.
- Vasseur, P. et al. 1986. Influence of physicochemical parameters on the Microtox test response. Toxicity Assessment 1: 283.
- VDI 2306. VDI-Kommission Reinhaltung der Luft. Maximale Immissions-Konzentrationen (MIK). Organische Verbildungen.
- VDI 2310. VDI-Kommission Reinhaltung der Luft. Maximale Immissions-Werte zum Schutze der Vegetation.
- Veith, G.D. et al. 1983. Estimating the acute toxicity of narcotic industrial chemicals to fathead minnows. In: Aquatic toxicology and hazard assessment: sixth symposium. ASTM STP 803. Bishop, W.E. et al. (eds.). Am. Soc. Test. Mater, Philadelphia, Pa, 90.

- Veith, G.D., Call, D.J. & Brooke, L.T. 1981. Estimating the acute toxicity of narcotic industrial chemicals to fathead minnows. Philadelphia, Pennsylvania, American Society of Testing and Materials (ASTM Special Technical Publication No. 802.)
- Veith, R.C., Call, D.J. & Brooke, L.T. 1983. Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can. J. Aquat. Sci.* 40: 743–748.
- Veith, G.D., DeFoe, D.L. & Bergstedt, B.V. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J. Fish Res. Bd. Can.* 36: 1040–1048.
- Velte, J.S. 1984. Acute toxicity of hydrazine hydrate to the fathead minnow (*Pimephales promelas*) and Daphnid (*Daphnia pulex*). *Bull. Environ. Contam. Toxicol.* 33: 598–604.
- Verma, S.R. et al. 1978a. Biocides in relation to water pollution. Part 2. Bioassay studies of few biocides to a fresh water fish, *Channa gachua*, *Acta Hydrochim. Hydrobiol.* (Ind.) 6: 137.
- Verma, S.R. et al. 1978b. Toxicity of selected organic pesticides to a freshwater teleost fish, *Saccobranchus fossilis*, and its application in controlling water pollution. *Arch. Environm. Contam. Toxicol.* 7: 317.
- Verma, S.R. et al. 1980a. Acute toxicity of five synthetic detergents to *Channa punctatus* and *Saccobranchus fossilis*. *Proc. Indian Acad. Sci. (Ind.)* 89: 75.
- Verma, S.R. et al. 1980b. Effects of the pesticides thiotox, dichlorvos, and carbofuran on the test fish *Mystus vittatus*. *Water Air Soil Poll.* 13: 229.
- Verma, S.R. et al. 1980c. Evaluation of acute toxicity of phenol and its chloro-derivatives and nitro-derivatives to certain Teleosts. *Water Air Soil Pollut.* 14: 95.
- Verma, S.R. et al. 1981a. Evaluation of the comparative toxicity of thiotox, dichlorvos and carbofuran to two fresh water Teleosts *Ophiocephalus punctatus* and *Mystus vittatus*. *Acta Hydrochim. Hydrobiol.* (Ind.) 9: 119.
- Verma, S.R. et al. 1981b. Synergism, antagonism, and additivity of phenol, pentachlorophenol, and dinitrophenol to a fish (*Notopterus notopterus*). *Arch. Environ. Contam. Toxicol.* 10: 365.
- Verma, S.R. et al. 1982a. Bioassay trials with 23 pesticides to a freshwater teleost, *Saccobranchus fossilis*. *Water Res.* 16: 525.
- Verma, S.R. et al. 1982b. A laboratory study to assess separate and in-combination effects of zinc, chromium and nickel to the fish. *Mystus vittatus*. *Acta Hydrochim. Hydrobiol.* 10: 23.
- Verschueren, K. 1983. Handbook of environmental data of organic chemicals. Van Nostrand Reinhold Co. Inc., New York. 1310 s.
- Vesala, A. 1974. *Acta Chem. Scand.* 28A(8): 839–845.
- Vesper, S.J. & Weidensaul, T.C. 1978. Effects of cadmium, nickel, copper and zinc on nitrogen fixation by soybeans. *Water, Air, Soil Poll.* 9: 413–422.
- Viader, F., Lechevalier, B. & Morin, P. 1975. Polynevrite toxique chez un travailleur du plastique. Role possible du methyl-ethyl-cetone. *Nouvelle Presse Medicale* 4: 1813.
- Victor, B. et al. 1986. Toxicity of mercury and cadmium on oocyte differentiation and vitellogenesis of the teleost, *Lepidocephalichthys thermalis* (Bleeker). *J. Environ. Biol.* 7: 209.
- Vig, E. et al. 1987. Some pathophysiological data of carp following exposure to selected fungicides and herbicides. *Arch. Exper. Vet. Med.* 41: 491.
- Vigers, G.A. & Maynard, A.W. 1977. The residual oxygen bioassay: a rapid procedure to predict effluent toxicity to rainbow trout. *Water Res.* 11(4): 343–346.
- Vigfusson, N.V. et al. 1983. In vivo induction of sister-chromatid exchange in *Umbra limi* by the insecticides endrin, chlordane, diazinon and guthion. *Mutation Res.* 118:61.
- Vijayakumari, P. et al. 1987. Acute toxicity of endosulfan to crab: effect on transport property of haemocyanin. *Bull. Environ. Contam. Toxicol.* 38: 742.

- Viktor, T. 1981. Studies on late effects on reproduction of fish exposed to bleached kraft mill effluent. In: Workshop an effects of pulp mill bleaching effluents on the northern receiving waters. Sitra. pp. 75–77.
- Viktor, T., Tärnholm, A. & Sörensen, L. 1980. Effekter på reproduktionen hos zebrafisk (*Brachydanio rerio*) av avloppsvatten från textilindustri och kemisk industri. Lägesrapport. Nordforsk.
- Villa, L. 1975. Puunjalostusteollisuuden ja asutuksen jättevesien sekundaarinen vaikutus leväntuotantoon. Limnologian Pro gradu -työ. 63 s.
- Vincent, R.M., Arthur, J.W. & Walbridge, C.R. 1976. Acute toxicity of selected organic compounds to fathead minnows. EPA-600/3-76-097.
- Virtanen, M. & Nuuja, I. 1987. Kemikaalien myrkyllisyys luonnonvaraaisille nisäkkäille. Ympäristöministeriö. Ympäristön- ja luonnonsuojeluosasto. Sarja D: 26.
- Virtanen, P.O.I. 1963. Kinetics of the reactions of ethylene oxide with nucleophiles. Am. Acad. Sci. Fenn. Ser. A. II 124: 1–89.
- Voets, J.P., Pipiju, P., van Lancker, P. & Verstracte, W. 1976. Degradation of microbicides under different environmental conditions.—J. Appl. Bact. 40:67–72.
- Vogel, T.M. & McCarty, P.L. 1985. Biotransformation of tetrachloroethylene to trichloroethylene, dichloroethylene, vinyl chloride, and carbon dioxide under methanogenic conditions. Applied and Environmental Microbiology: 1080–1083.
- Vogel, T.M. & McCarty, P.L. 1987. Rate of abiotic formation of 1,1-dichloroethylene from 1,1,1-trichloroethane in groundwater. Journal of Contaminant Hydrology 1 (1): 299–308.
- Voss, R.H., Wearing, J.T., Mortiner, R.D., Kovacs, T. & Wong, A. 1980. Chlorinated organics in kraft bleachery effluents. 3rd International congress on industrial waste water and wastes. Stockholm, february 6–8.
- Voss, R.H., Wearing, J.T. & Wong, A. 1979. Effect of pulp chlorination conditions on the formation of toxic chlorinated compounds. Pulp and Paper Research Institute of Canada. CPAR Project no 828. 209 p.
- Vuorinen, P.J. 1978. Fennosan F 50-limantorjunta-aineen akutisti tappava myrkyllisyys taimenelle ja kirjolohelle. Moniste, PuPro, Helsinki, 21.
- Vuorinen, P. 1978b. Muovitehtaan eräiden jättevesikomponenttien vaikutuksista järvitaimeneen (*Salmo trutta m. lacustris* L.) ja härkäsimppuun (*Myoxocephalus quadricornis* L.). Pro gradu-tutkielma, Helsingin yliopisto, eläintieteen laitos.
- Vuorinen, P. 1982. Acute toxicity of the slimecide Fennosan F 50 to two species of trout and the effect of acetone on the toxicity. Finn. Fish. Res. 4: 62–68.
- Vuorinen, M. & Vuorinen, P.J. 1978. Fennosan F 50 -limantorjunta-aineen sublethalista vaikutuksista järvitaimeneen. Moniste. PuPro, Helsinki, 22 s.
- Vuorinen, M. & Vuorinen, P. 1983. Sublethal effects of the slimecide Fennosan F 50 on brown trout (*Salmo trutta m. lacustris* L.) during starvation. Sinn Fish. Res.
- Vuorinen, M. & Vuorinen, P.J. 1984. Sublethal effects of an organobromine slimecide on starving brown trout (*Salmo trutta m. lacustris* L.). Finnish Fish. Res. 5: 23–30.
- Vuorinen, P., Vuorinen, M. & Nyholm, K. 1981. Effects of kraft pulp mill effluent on trout and their offspring. Abstracts from the 3rd Symposium on Fish Physiology, Bangor 1981.
- Vuoriranta, P. 1980. Puunjalostusteollisuuden jättevesien toksisuus ja sen vähentämismahdollisuudet.—Vesihallituksen tiedotuksia 203. 60 s.
- Wachtmeister, C.A. & Ekelund, R. 1989. A tentative hazard assessment of hexachlorobenzene in the aquatic environment. In: Landner, L. (Ed.) Chemicals in the aquatic environment: Advanced hazard assessment, Chap. 13, Springer Series on Environmental Management, Springer-Verlag, Berlin, Heidelberg, New York.

- Waddingron, J. 1978. Reactions of sainfoin (*Onobrychis viciaefolia*) seedlings to four herbicides applied after emergence. *Weed Sci.* 26(2): 175–178.
- Wagner, R. 1976. Vom Wasser 47: 241–265.
- Wahner, A. & Zetzsch, C. 1983. *J. Phys. Chem.* 87: 4945–4951.
- Waite, C.P., Patty, F.A. & Yant, W.P. 1930. Acute response of guinea-pigs to vapours of some new commercial organic compounds. IV. Ethylene oxide. *Pub. Health Rep.* 45: 1832–1843.
- Wakabayashi, M. 1970. Beta-glucuronidases in metabolic hydrolysis. In: Fishman, W.H. (ed.) *Metabolic conjugation and metabolic hydrolysis*. Vol. II. Academic Press, New York, 519 p.
- Wakeham, S.G. et al. 1983. *Bull. Environ. Contam. Toxicol.* 31: 582–584.
- Wakeham, S.G. et al. 1983. *Environ. Sci. Tech.* 17: 611–617.
- Walden, C.C. 1976. The toxicity of pulp and paper mill effluents and corresponding measurement procedures. Review paper. *Water Res.* 10: 639–664.
- Walden, C.C. & Howard, T.E. 1974. Effluent toxicity removal on the West Coast. *Pulp Paper Mag. Can.* 75: T 370–T 374.
- Walden, C.C. & Howard, T.E. 1977. Toxicity of pulp and paper mill effluents. A review of regulations and research. *Tappi* 60(1): 122–125.
- Walden, C.C. & Howard, T.E. 1979. Toxicity of pulp and paper mill effluents—a review. *CPPA Tech. Sect., Environ. Imp. Conf. Preprint.* pp. 53–61.
- Walden, C.C., Howard, T.E. & Froud, G.D. 1970. A quantitative assay of the minimum concentration of kraft pulp mill effluents which affect fish respiration. *Water Res.* 4: 61–68.
- Walden, C.C. & McLeay, D.J. 1974. Interrelationships of various bioassay procedures for pulp and paper mill effluents. CPAR Report No. 165–1. Canadian Forestry Service, Ottawa, Ontario.
- Walden, C.C. & McLeay, D.J. 1976. Effect of pH on bioassays in fresh and seawater. B.C. Research. CPAR Project Report 402–1. 76 p.
- Walden, C.C., McLeay, D. & Monteith, D. 1975. Comparing bioassay procedures for pulp and paper effluents. *Pulp Paper Can.* 76: T 130–T 134.
- Waldron, H.A. & Stöfen, D. 1974. Sub-clinical lead poisoning. A.P.
- Walker, A.L. & Wood, R.J. 1986. Laboratory selected resistance to diflubenzuron in larvae of *Aedes aegypti*. *Pestic. Sci.* 17: 495.
- Walker, C.R. 1964. Toxicological effects of herbicides on the fish environment, Water & Sewerage Works, 111(3): 113–116.
- Walker, J.D. 1987. Effects of chemicals on microorganisms. *Journal WPCF* 59 (6): 614–625.
- Wallace, A. & Romney, E.M. 1977. Roots of higher plants as a barrier to translocation of some metals to shoots of plants: In: *Biological Implications of Metals in the Environment*. Proceedings of the Fifteenth Annual Hanford Life Sciences Symposium at Richland, Washington, September 29–October 1, 1975, Publ.: Technical Information Center Energy Research and Development Administration.
- Wallen, I.E., Greer, W.C. & Lasater, R. 1957. Toxicity to *Gambusia affinis* of certain pure chemicals in turbid waters. *Sewage Ind. Wastes* 29(6): 695–711.
- Walles, S.A.S. 1986. Induction of single-strand breaks in DNA of mice by trichloroethylene and tetrachloroethylene. *Toxicology Letters* 31: 31–35.
- Walsh, G.E. 1972. Effects of herbicides on photosynthesis and growth of marine unicellular algae. *Hyacinth Control J.* 10: 45–48.
- Walsh, G.E. et al. 1977. The toxicity and uptake of Kepone in marine unicellular algae. *Chesapeake Sci.* 18: 222.
- Walsh, G.E. & Alexander, S.V. 1980. A marine algal bioassay method: results with pesticides and industrial wastes. *Water Air Soil Pollut.* 13: 45–55.

- Walsh, G.E. & Grow, T.E. 1971. Depression of carbohydrate in marine algae by urea herbicides. *Weed Sci.* 19(5): 568–570.
- Walsh, G.E. & Merrill, R.G. 1984. Algal bioassays of industrial and energy process effluents. In: Shubert, L.E. (ed.) *Algae as ecological indicators*. 329–360. London.
- Walsh, G.E., McLaughlan, L.L., Lores, E.M., Loüie, M.K. & Deans, C.H. 1985. Effects of organotins on growth and survival of two marine diatoms, *Skeletonema costatum* and *Thalassiosira pseudonana*. *Chemosphere* 14: 383–392.
- Walsh, D.F., et al. 1977. Residues of emulsified xylene in aquatic weed control and their impact on rainbow trout, *Salmo gairdneri*. Rept. No. REC-ERC-77-11, Engineering & Res. Center, Bureau of Reclamation, Denver, Colorado.
- Walterson, E. 1987. Effekter på miljön och människan av utsläpp till luft och mark från järn- och stålindustrin, MFG-Rapport S-8703, Svenska Miljöforskargruppen, Stockholm.
- Wan, M. T. et al. 1987. Acute toxicity to juvenile pacific salmonids of Garlon 3A, Garlon 4, trichlopyr, trichlopyr ester, and their transformation products: 3,5,6-trichloro-2-pyridinol and 2-methoxy-3,5,6-trichloropyridine. *Bull. Environ. Contam. Toxicol.* 39: 721.
- Ward, D.M. & Brock, T.D. 1976. Environmental factors influencing the rate of hydrocarbon oxidation in temperate lakes. *Appl. Environ. Microbiol.* 31: 764–772.
- Ward, G.S., Hollister, T.A., Heitmuller, P.T. & Parrish, P.T. 1981. Acute and chronic toxicity of selenium to estuarine organisms. –*Northeast Gulf Sci.* 4(2): 73–78.
- Ward, G.S., Gramm, G.C., Parrish, P.R. & Petrocelli, S.R. 1982. Effect of ammonium jarosite on early life stages of a saltwater fish, *Cyprinodon variegatus*. *Mar. Poll. Bull.* 13: 191–195.
- Ward, G.S. & Parrish, P.R. 1980. Evaluation of early life stage toxicity tests with embryos and juveniles of sheepshead minnows. In: *Aquatic toxicology*, ASTM STP 707. Eaton, J.G., Parrish, P.R. & A.C. Hendricks, A.C. (eds.) American Society for Testing and Materials, Philadelphia. pp. 243–247.
- Ward, R.W. & DeGraeve, G.M. 1978. Residual toxicity of several disinfectants in domestic and industrial wastewaters. *Jour. Water Poll. Control Fed.* 50: 2703.
- Ward, R.W. & DeGraeve, G.M. 1980. Acute residual toxicity of several disinfectants in domestic and industrial waste water. *Water Resources Bull.* 16: 41.
- Ward, R.W., Griffin, R.D., DeGraeve, G.M. & Stone, R.A. 1976. Disinfection efficiency and residual toxicity of several wastewater disinfectants. Vol. 1. Grandville, MI. U.S. Environmental Protection Agency, Cincinnati, OH, EPA-600/2-76-156, 132 pp.
- Ward, T.E. 1985. *Environ. Toxicol. Chem.* 4: 727–737.
- Ware, G.W. (Ed.) 1988. *Reviews of Environmental Contamination and Toxicology*, Vol. 104. Springer Verlag, New York, Berlin, Heidelberg, p. 203–213.
- Ware, G.W. 1983. *Pesticides. Theory and application*. San Francisco. 308 pp.
- Ware, G. W. et al. 1980. *Arch. Environ. Contam. Toxicol.* 9: 135–146.
- Warner, R.E. 1964. Quantitative studies of toxicant-induced behavioural pathology in fish. Ph.D. Thesis filed at Univ. of Calif., Berkley, CA.
- Warren, C.E. & Davis, G.E. 1967. Laboratory studies on the feeding bioenergetics and growth of fish. In: *The biological basis of freshwater fish production*. Gerking, S.D. (ed.) Blackwell, Oxford. pp. 175–214.
- Warren, C.E. & Doudoroff, P. 1958. The development of methods for using bioassays in the control of pulp mill waste disposal. *TAPPI* 41: 211–216.
- Wasik, S. P. et al. 1981. Octanol/water partition coefficients and aqueous solubilities of organic compounds. p66 NBS TR81-2406.
- Waskell, L. 1978. A study of the mutagenicity of anaesthetics and their metabolites. *Mutation Research* 57: 141–153.

- Watenpaugh, D.E. & Beitinger, T.L. 1986. Resistance of nitrite-exposed channel catfish, *Ictalurus punctatus*, to hypoxia. Bull. Environ. Contam. Toxicol. 37: 802.
- Wateral, H., Tanaka, M. and Suzuki, N. 1982. Anal. Chem. 54: 702–705.
- Watkins, C.E., Thayer, D.D. & Haller, W.T. 1985. Toxicity of adjuvants to bluegill. Bull. Environ. Contam. Toxicol. 34: 138–142.
- Watkins, J. 1975. Aldrin and dieldrin uptake in insecticide-resistant and susceptible mosquitofish (*Gambusia affinis*). Bull. Environm. Contam. Toxicol. 14: 731–737.
- Watson, S.J. & Maly, E.J. 1987. Thiocyanate toxicity to *Daphnia magna*: modified by pH and temperature. Aquat Toxicol. 10: 1.
- Watson, T.A., Tilley, P.A.G., McKeown, B.A. & Geen, G.H. 1984. In vitro effects of acephate on acetylcholinesterase activity in the brain and gills of rainbow trout, *Salmo gairdneri*. J. Environ. Sci. Health, Part B: B19 ISS(2): 171–181.
- Watts, M.J. & Collin, H.A. 1979. The effect of asulam on the growth of tissue cultures of celery. Weed Research 19(1): 33–37.
- Wauchope, R. D. and Getzen, F. W. 1972. J. Chem. Eng. Data 17: 38–41.
- Weast, R. C. 1985. CRC Handbook of Chemistry and Physics 66th ed Boca Raton, F. L.: CR Press p D-161.
- Weast, R. C. 1982–1983. Handbook of Chemistry and Physics 63rd ed. CRC Press Inc., Boca Raton, Florida.
- Weast, R. C. 1986. Handbook of Chemistry and Physics 67th ed.
- Webb, L.J. 1984. Characteristics of paper/board mill wastewaters relevant to anaerobic treatment.–Wat. Sci. Tech. 17:29–38.
- Webb, M., Ruber, H. & Leduc, G. 1976. The toxicity of various mining flotation reagents to rainbow trout (*Salmo gairdneri*). Water Res. 10: 303–306.
- Webb, P.W. & Brett, J.R. 1972. The effects of sublethal concentrations of whole mill bleached kraft pulp mill effluent on the growth and food conversion efficiency of underyearling sockeye salmon. J. Fish. Res. Board. Can. 29: 1555–1563.
- Weber, C.I. 1968. The preservation of phytoplankton grab samples. Trans. Amer. Microsc. Soc. 87: 70–81.
- Weber, J.B. 1977. The pesticide scorecard. Environ. Sci. Technol. 11: 756–761.
- Weber, R.C. et al. 1981. Vapor Pressure Distribution of Selected Organic Chemicals. USEPA-600/2-81-021 p 24.
- Webster, G.R.B., Sarna, L.P. & MacDonald, S.R. 1978. Nonbiological degradation of herbicide metribuzin in Manitoba soils. Bull. Environm. Contam. Toxicol. 20: 401–408.
- Wedemeyer, G.A. 1972. Some physiological consequences of handling stress in juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). J. Fish. Res. Bd. Can. 29: 1780–1783.
- Wedemeyer, G. 1973. Some physiological aspects of sublethal heat stress in the juvenile steelhead trout (*Salmo gairdneri*) and coho salmon (*Oncorhynchus kisutch*). J. Fish. Res. Bd. Can. 30: 831–834.
- Wedemeyer, G.A. et al. 1979. Physiological and biochemical aspects of ozone toxicity to rainbow trout (*Salmo gairdneri*). J. Fish. Res. Bd. Can. 36:605.
- Wedemeyer, G.A. & McLeay, D.J. 1981. Methods for determining the tolerance of fishes to environmental stressors. In: Pickering, A.D. (ed.) Stress and Fish. Academic Press, London pp. 257–275.
- Wedemeyer, G.A., Meyer, F.P. & Smith, L. 1976. Environmental stress and fish diseases, Book 5.
- Snieszko, S.F. & Axelrod, H.R. (eds.) Diseases of Fishes. T.H.F. Publ. Inc. New Jersey. pp. 1–192.
- Wedemeyer, G.A., Saunders, R.L. & Clarke, W.L. 1980. Environmental factors affecting smoltification and early marine survival of anadromous salmonids. Mac. Fish. Rev. 42: 1–14.
- Wedemeyer, G.A. & Yasutake, W.T. 1978. Prevention and treatment of nitrite toxicity in juvenile steelhead trout (*Salmo gairdneri*). Jour. Fish. Res. Bd. Can. 35: 822.

- Weecks, M.H. et al. 1979. The toxicity of hexachloroethane in laboratory animals. AIHAJ 40(3).
- Weed Sci Soc of America. 1983. Herbicide handbook 5th ed Champaign. IL Weed Sci Soc of America pp. 8–12.
- Weil, C.S. 1952. Relationship between short-and long-term feeding studies in designing an effective toxicity test. Agri c. Food. Chem. 11: 486–491.
- Weil, L., Dure, G. and Quentin, K. E. 1974. Zeitschrifte Fuer Wasser und Abwasser Forschung 7: 169–175.
- Weinberger, P., Pomber, L. & Prasad, R. 1978. Some toxic effects of fenitrothion on seed germination and early seedling growth of jack pine, spruce, and birches. Can. J. For. Res. 8(2): 243–246.
- Weinberger, P. & Rea, M. 1982. Effects of aminocarb and its formulation adjuncts on the growth of *Chlorella pyrenoidosa* Chick. Environ. Exp. Bot. 22: 491–496.
- Weir & Hime 1970. Arch. Environ. Health 20: 45–51.
- Weis, J.S. & Weis, P. 1977. Effects of heavy metals on development of the killifish, *Fundulus heteroclitus*. J. Fish Biol. 11: 49–54.
- Wellens, H. 1982. Comparison of the sensitivity of *Branchydanio rerio* and *Leucistus idus* by testing the fish toxicity of chemicals and wastewaters. Z. Wasser Abwasser Forsch. (Ger.) 15: 49.
- Wells, J.C.D. 1982. Abuse of trichloroethylene by oral self-administration. Anaesthesia 37: 440–441.
- Wester, P.W. & Canton, J.H. 1987. Histopathological study of *Poecilia reticulata* (guppy) after long-term exposure to bis(tri-N-butyltin)oxide (TBTO) and di-N-butyltindichloride (DBTC). Aquat. toxicol. 10: 143.
- Westlake, G.F., Sprague, J.B. & Brown, I.T. 1983b. Sublethal effects of treated liquid effluent from a petroleum refinery: 4. Respiratory movements and coughing of rainbow trout *Salmo gairdneri*. Aquat. Toxicol. 4(4): 317–326.
- Westlake, G.F., Sprague, J.B., Hines, R.J. & Brown, I.T. 1983a. Sublethal effects of treated liquid effluent from a petroleum refinery: 3. Avoidance and other locomotor responses of rainbow trout (*Salmo gairdneri*). Aquat. Toxicol. 4(3): 235–245.
- Westlake, G.F., Sprague, J.B. & Rowe, D.W. 1983c. Sublethal effects of treated liquid effluent from a petroleum refinery: 5. Reproduction of *Daphnia pulex* and overall evaluation. Aquat. Toxicol. 4(4): 327–340.
- Wetzel, R.G. 1975. Limnology. Philadelphia. 743 p.
- Whitehead, C., Bromage, N.R. & Forster, J.R.M. 1978. Seasonal changes in reproductive function of the rainbow trout (*Salmo gairdneri*). J. Fish. Biol. 12: 601–608.
- Whitman, L.J. & Miller, R.J. 1982. The phototactic behaviour of *Daphnia magna* as an indicator of chronic toxicity. Proc Okla Acad Sci. 62: 22–33.
- Whittle, D.M. & Flood, K.W. 1977: Assessment of the acute toxicity, growth impairment, and flesh tainting potential of a bleached kraft mill effluent on rainbow trout (*Salmo gairdneri*). J. Fish. Res. Bd. Canada 34: 869–878.
- Whitton, B.A. 1984. Algae as monitors of heavy metals in freshwaters. In: Shubert, L.E. (ed.) Algae as ecological indicators. London. 257–280 pp.
- WHO. 1972. (World Health Organization). Health hazards of the human environment. Geneva. 387 p.
- WHO 1975a. Procedures for the testing of intentional food additives to establish their safety for use—2nd report of the joint FAO/WHO Expert Committee on Food Additives. WHO Technical Report Series No. 144. 19 p.
- WHO 1975b. 1974 evaluation of some pesticide residues in food. WHO Pesticide Residues Ser. No. 4, pp. 397–405.
- WHO 1976. Mercury. Environmental Health Criteria 1. World Health Organization, Geneva, Switzerland.

- WHO 1976. Polychlorinated Biphenyls and Terphenyls. Environmental Health Criteria 2. World Health Organization, Geneva, 85 pp.
- WHO 1978. Environmental health problems associated with the manufacture and uses of synthetic organic chemicals, Geneva, World Health Organization (Report No. HCS/78.2).
- WHO. 1978. Principles and Methods for Evaluating the toxicity of Chemicals. Part I. Environmental Health Criteria 6.
- WHO 1979. DDT and its derivatives. Environmental Health Criteria 9: WHO, Geneva, 194 pp.
- WHO 1981. Arsenic. Environmental Health Criteria, Vol. 18. World Health Organization, Geneva.
- WHO 1983. Styrene. Environmental Health Criteria 26.
- WHO 1984. Camphechlor. Environmental Health Criteria 45, WHO, Geneva, 66 p.
- WHO 1984. Fluorine and fluorides. Environ. Health Criteria 36, WHO, Geneva.
- WHO 1985. Ethylene oxide. Environmental Health Criteria 55.
- WHO 1987. Butanols. Four isomers: 1-butanol, 2-butanol, tert-butanol, isobutanol. Environmental Health Criteria 65.
- WHO 1988. Chromium, Environmental Health Criteria 61, WHO, Geneva.
- WHO 1988. Dithiocarbamate Pesticides, Ethylenethiourea, and Propylenethiourea: A General Introduction. Environmental health Criteria 78, WHO, Geneva, 140 pp.
- WHO Working group 1980. Toxicological appraisal of halogenated aromatic compounds following groundwater pollution. World Health Organization, Copenhagen.
- Wilde, E.W. et al. 1983. Acute toxicity of chlorine and bromine to fathead minnows and bluegills. Bull. Environ. Contam. Toxicol. 31: 309.
- Wilkinson, R.E., Hardcastle, W.S. & Smith, A.E. 1981. Herbicide effects on organisms. Toxicology Research Projects Directory 6(10).
- Williams, K.A., Green, D.W.J. & Pascoe, D. 1985. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates 1. Cadmium. Arch. Hydrobiol. 102: 461–471.
- Williams, K.A. et al. 1986. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates. 3. Ammonia. Arch. Hydrobiol. 106: 61.
- Williams, K.A. et al. 1986. The acute toxicity of cadmium to different larval stages of Chironomus riparius (Diptera; Chironomidae) and its ecological significance for pollution regulation. Oecologia 70: 362.
- Williams, K.A. et al. 1987. Effect of cadmium on oviposition and egg viability in Chironomus riparius (Diptera; Chironomidae). Bull. Environ. Contam. Toxicol. 38: 86.
- Williams, R.W., Mains, E.W., Eldridge, W.E. & Lasaster, J.E. 1953. Toxic effects of sulfite waste liquor on young salmon. Res. Bull. No. 1. State of Washington Department of Fisheries, Olympia, WA.
- Williams, R.T. 1971. Pathways of drug metabolism (introduction). In: Concepts in biochemical pharmacology. Brodie, B.B. & Gillette, J.R. (eds.) Vol. XXVIII, part 2. Springer-Verlog, Berling, Heidelberg, New York. pp. 226–242.
- Williams, R.T. 1959. Detoxication mechanisms. The metabolism and detoxification of drugs, toxic substances and other organic compounds. 2nd. edn. Chapman and Hall Ltd, London.
- Wilson, B.H. & Smith, G.B. & Rees, J.F. 1986. Biotransformation of selected alkylbenzenes and halogenated aliphatic hydrocarbons in methanogenic aquifer material: a microcosm. Study. Environ. Sci. Technol. 20: 997–1002.
- Wilson, B.H. & White, M.V. 1986. A fixed-film bioreactor to treat trichloroethylene-laden waters from interdiction wells. Presented at the sixth national symposium and exposition on aquifer restoration and ground water monitoring. May 19–22, Columbus, Ohio.
- Wilson, D.C. & Bond, C.E. 1969. The effects of the herbicides diquat and dichlobenil (casoron) on pond invertebrates. Part I. Acute toxicity. Trans. Am. Fish. Soc. 98(3): 438–443.

- Wilson, J.T. et al. 1983b. Biotransformation of selected organic pollutants in ground water. *Dev. Ind. Microbiol.* 24: Kap 17: 225–235.
- Wilson, J.T. et al. 1983a. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. *Ground Water* 21 (2): 134–142.
- Wilson, J.T., Enfield, C.G., Dunlap, W.H. et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J. Environ. Qual.* 10 (84): 501–506.
- Wilson, J.T. & Wilson, B.H. 1985. Biotransformation of trichloroethylene in soil. *Applied and Environmental Microbiology* 49: 242–243.
- Wilson, K.W. 1975. The laboratory estimation of the biological effects of organic pollutants. *Proc. R. Soc. London B.* 189: 459–477.
- Wilson, K.W. 1977. Acute toxicity of oil dispersants to marine fish larvae. *Mar. Biol.* 40(1): 65–74.
- Wilson, M.A. & Chapell, C.I. 1973. Reduction of toxicity of sulphite effluents. *CPAR Rep. No. 49–2. Can. Forestry Service.*
- Wilson, R.C.H. 1972. Acute toxicity of spent sulphite liquor to Atlantic salmon (*Salmo salar*). *J. Fish. Res. Board Can.* 29: 1225–1228.
- Wilson, R.H., Deeds, F. & Cox, A.J. 1941. The toxicity and carcinogenicity of 2-acetaminofluorene. *Cancer Res.* 1: 595–600.
- Wilson, W.B., Glam, C.S., Goodwin, T.E., Aldrich, A., Carpenter, V. & Hrung, Y.C. 1978. The toxicity of phthalates to the marine dinoflagellate *Gymnodinium breve*. *Bull. Environm. Contam. Toxicol.* 20: 149–154.
- Windaus, G. & Petermann, E. 1975. Bestimmung der Giltigkeit von Papierfabrikwassern mit mikrobiologischen Methoden. *Das Papier* 29(5): 200–206.
- Wingfield, G.I. 1980. Effect of asulam on cellulose decomposition in three soils. *Bull. Environm. Contam. Toxicol.* 24: 473–476.
- Winner, R.W. & Farrell, M.P. 1976. Acute and chronic toxicity of copper to four species of Daphnia. *J. Fish. Res. Board Can.* 33(8): 1685–1691.
- Winterlin, W. & Walker, G. 1973. Carbaryl residues in bees, honey and bee-bread following exposure to carbaryl via the food supply. *Arch. Environm. Contam. Toxicol.* 1(4): 362–380.
- Winters, K., Batterton, J.C. & van Baalen, C. 1977. Phenalen-1-one: Occurrence in fuel oil and toxicity to microalgae. *Environ. Sci. Technol.* 11(3): 270–272.
- Wisson, M., van Hoek, C. & Sauer, H. H. 1976. *Metoxuron. Analytical Methods for Pesticides and Growth Regulators*, Vol VIII, Academic Press. Inc. New York, San Francisco, London. pp 417–431.
- Wlodkovski, T.J. & Rosenkranz, H.S. 1975. Mutagenicity of sodium hypochlorite for *Salmonella typhimurium*. *Mutation Res.* 31: 39–42.
- WMO 1981. *The stratosphere 1981: Theory and measurements*, WMO-Report No. 11, Geneva.
- Wobeser, G. 1975. Prolonged oral administration of methyl mercury chloride to rainbow trout (*Salmo gairdneri*) fingerlings. *J. Fish. Res. Bd. Can.* 32: 2015–2023.
- Woelke, C.E. 1976. Measurement of water quality with the Pacific oyster embryo bioassay. *Water Quality Criteria, ASTM STP 416. Am. Soc. Testing Materials, Philadelphia, PA.*
- Wofford, H.W., Wilsey, C.D., Neff, G.S., Giam, C.S. & Neff, J.M. 1981. Bioaccumulation and metabolism of phthalic esters by oysters, brown shrimp and sheepshead minnows. *Ecotoxicol. Environ. Safety* 5: 202.
- Wohlgemuth, E. 1977. Toxicity of endrin to some species of aquatic vertebrates, *Prirodoved Pr. Ustavu Cesk. Akad. Ved Brne (Czech.)* 11: 1.
- Wojtaszek, T., Cherry, J.H. & Warren, G.F. 1966. Effect of 4,6-dinitro-o-sec-butylphenol on phosphorus accumulation and incorporation in tomato leaf disks. *Pl. Physiol.* 41: 34–38.

- Wolf, M.A., Rowe, V.K., McCollister, D.D., Hollingsworth, R.L. & Oyen, F. 1956. Toxicological studies of certain alkylated benzenes and benzene. *AMA Archives of Industrial Health* 14: 387–398.
- Wolfe, D.A. (toim.) 1977. Fate and effects of petroleum hydrocarbons in marine organisms and ecosystems. Oxford/New York/Toronto/Sydney/Pariisi/Frankfurt. 478 p.
- Wolfe, N.L. 1980. Determining the role of hydrolysis in the fate of organics in natural waters. In: Haque, R. (Ed.) *Dynamics, Exposure and Hazard Assessment of Toxic Chemicals*, Ann Arbor Sci., Michigan, pp. 163–178.
- Wolfe, N.L. et al. 1980. *Chemosphere* 9: 393–402.
- Wolfe, N.L., Zepp, R.G. & Paris, D.F. 1978. Carbaryl, propham, and chlorpropham: a comparison of the rates of hydrolysis and photolysis with the rate of biolysis. *Water Res.* 12: 565–571.
- Wolfe, T.A. et al. 1986. *J. Water Pollut. Control Fed* 58: 68–76.
- Wolfs, P., Dutrieux, M., Scailteur, V., Haxhe, J.-J., Zumofen, M. & Lauwerijs, R. 1983. Surveillance des travailleurs exposés à l'oxyde d'éthylène dans une entreprise de distribution de gaz stérilisants et dans des unités de stérilisation de matériel médical. *Arch. Mal. Prof.* 44: 321–328.
- Wong, A. 1977. Quality of effluents from mechanical pulping processes. *Pulp Paper Can.* 78: T 132–T 136.
- Wong, A., LeBourhis, M., Wostradowski, R. & Prahacs, S. 1978. Toxicity, BOD and colour of effluents from novel bleaching processes. *Pulp Paper Can.* 79: T 235–T 241.
- Wong, P.T.S., Chau, Y.K., Kramar, O. & Bengert, G.A. 1982. Structure-toxicity relationship of tin compounds on algae. *Can. J. Fish. Aquat. Sci.* 39: 483–.
- Wong, P.T.S. & Kaiser, K.L.E. 1975. Bacterial Degradation of polychlorinated biphenyls II. Rate studies. *Bull. Environ. Contam. Toxicol.* 13: 249–256.
- Woodall, C. et al. 1988. Responses of trout fry (*Salmo gairdneri*) and *Xenopus laevis* tadpoles to cadmium and zinc. *Comp. Biochem. Physiol.* 89C: 93.
- Woodard, G. & Woodard, M. 1971. Toxicity of residuals from ethylene oxide gas sterilization. In: *Proceedings of the 1971 HIA Technical Symposium*. Washington DC, Health Industries Association.
- Woodcock, D. 1971. Metabolism of fungicides and nematocides in soils. *Soil Biochemistry*, Vol. 2, Marcel Dekker Inc., New York.
- Woodiwiss, F.S. & Fretwell, G. 1974. The toxicities of sewage effluents, industrial discharges and some chemical substances to brown trout in the Trent River Authority Area. *Water Poll. Control (G.B.)* 73: 396.
- Woodward, D.F. 1976. Toxicity of the herbicides dinoseb and picloram to cutthroat (*Salmo clarki*) and lake trout (*Salvelinus namaycush*). *J. Fish. Res. Board Can.* 33: 1671–1676.
- Woodward, D.F. 1982. Acute toxicity of mixtures of range management herbicides to cutthroat trout. *J. Range Manage* 35: 539.
- Woodward, D.F. & Mauck, W.L. 1980. Toxicity of five forest insecticides to cutthroat trout and two species of aquatic invertebrates. *Bull. Environ. Contam. Toxicol.* 25: 846.
- Woodward, D.F. & Mayer, F.L. Jr. 1978. Toxicity of three herbicides (budyl, isoocetyl, and propylene glycol butyl ether esters of 2,4-D) to cutthroat trout and lake trout.—Tech. Paper No. 97, U.S. Dept. Int. Fish & Wildlife Serv., Washington, D.C.
- Woodward, D.F. & Riley, R.G. 1983. Petroleum hydrocarbon concentrations in a salmonid stream contaminated by oil field discharge water and effects on macrobenthos. *Arch. Environ. Contam. Toxicol.* 12: 327.
- Woodworth, J. & Pascoe, D. 1982. Cadmium toxicity to rainbow trout, *Salmo gairdneri*, Richardson. A study of eggs and alevins. *J. Fish Biol.* 21: 47.

- Woolson, E.A. & Kearney, P.C. 1973. Persistence and reactions of 14C-cacodylic acid in soils. Environ. Sci. & Techn. 7(1): 47–50.
- World Health Organization 1985. Trichloroethylene. Environmental Health Criteria, EHC 50, World Health Organization, Geneva.
- Worobey, B. L. & Webster, G. R. B. 1982. J agric. Food Chem. 30: 164–169.
- WPSREG. Application for registration of wood preservatives/ slimicides. National Board of Waters and the Environment, Chemicals Control Unit.
- WPSREG. Application for registration of wood preservatives/slimicides. Finnish Environment Institute, Chemicals Division.
- Wright, D.A. & Davison, A.W. 1975. The accumulation of fluoride by marine and intertidal animals. Environ. Poll. 8: 1–13.
- Wrist, P. 1973. Environmental legislation in the United States and its impact on the paper industry. Proceedings of the XV EUCEPA Conference on Harmonizing pulp and paper industry with environment. Aticelca, Rome. pp. 87–101.
- Wroblewski, F. & LaDue. 1975. Lactic dehydrogenase activity in blood. Proc. Soc. Exp. Biol. Med. 90: 210–213.
- Wroblewski, R.J. 1979. Physiological and behavioural characterization of the action of chlorfenvinphos on fish *Lebistes reticulatus* Peters. Polskie Arahom. Hydrobiol. (Pol.) 26: 427.
- Wu, Y. et al. 1984. Toxic effects of methamidophos on grass carp (*Ctenopharyngodon idellus*), Silver carp (*Hypophthalmichthys molitrix*) and nile tilapia (*Tilapia nilotica*). Huanjing Kexue (China), 5:1. C. A. Sel. Environ. Pollut. 15:101:18734.
- Wuhrmann, K. & Woker, H. 1948. Experimentelle Untersuchungen über die Ammoniak- und Blausäurevergiftung. Schweiz Z.f. Hydrol. 11.
- Wunder, W. 1981. Hepatic carcinoma in rainbow trout. Med. Wett. (Ger.) 32: 1548.
- Wurster, D.E. & Munies R. 1965. Factors influencing percutaneous absorption. 2. Methyl ethyl ketone. Journal of Pharmaceutical Sciences 54: 554.
- Wängberg, S.-Å. 1989. Arsenate tolerance in periphyton and phytoplankton. Ph. D. Thesis, Dept. of Plant Physiology, Univ. Göteborg.
- Xie, T. M., Hulthe, B. and Folestad, S. 1984. Chemosphere 13: 445.
- Yadav, A.K. & Singh, T.P. 1987. Pesticide-induced impairment of thyroid physiology in the freshwater catfish, *Heteropneustes fossilis*. Environ. Pollut. 43: 29.
- Yager, J.W. & Benz, R.D. 1982. Sister-chromatid exchanges induced in rabbit lymphocytes by ethylene oxide after inhalation exposure. Environ. Mutagen. 4: 121–134.
- Yalkowsky, S.H. 1979. Ind. Chem. Fundam. 18: 108–111.
- Yalkowsky, S.H. et al. 1987. Arizona Database of Aqueous Solubility. U of Arizona.
- Yalkowsky, S.H., Orr, R. J., Valvani, S. C. 1979. Ind. Eng. Chem. Fundam. 18(4): 351–353.
- Yamamitsu, S. et al. 1988. Nippon Suisan Gakkaishi. 53(8), 1737–1746, Japan.
- Yamamoto, K.-I., Itazawa, Y. & Kobayashi, H. 1980. Supply of erythrocytes into the circulating blood from spleen of exercised fish. Comp. Biochem. Physiol. 65 A: 5–13.
- Yamashita, M. et al. 1987. Comparison of the promutagenic activity of liver homogenates from fish and rat in the Ames test. Bull. Environ. Contam. Toxicol. 38: 565.
- Yamazaki, Y. & Kato, K. 1978. Penicillins or cephalosporins. Jpn. Kokai Tokio Koho 78, 107, 484.
- Yanagihara, S. et al. 1977. Proc. Int. Clean Air Cong. 4th, pp 472–477.
- Yang, R.S.H. 1988. Hexachloro-1,3-butadiene: Toxicology, metabolism and mechanisms of toxicity. Rev. Environ. Contam. Toxicol. 101: 121–137.
- Yasuda-Yasaki, Y., Namike-Kanie, S. & Hachisaku, Y. 1978. Inhibition of germination of *Bacillus subtilis* spores by alcohols. Spores 7: 13–16.

- Yaws, C., Yang, H-C. & Pan, X. 1991. Henry's law constants for 362 organic compounds in water. *Chemical Engineering*. November. p 179–185.
- Yockim, R.S. et al. 1978. Distribution and toxicity of TCDD and 2,4,5-T in an aquatic model ecosystem, *Chemosphere* 7: 215.
- Yokote, M. et al. 1977. Effects of some herbicides applied in the forest to the freshwater fishes and other aquatic organisms. IV-Experiments on the assessment of acute and subacute toxicities of 2,4,5-T to the rainbow Trout. *Bull. Freshwater Fish. Res. Lab. (Jap.)* 26: 85.
- Yoshida, A., Sasaki, K. & Akehoshi, H. 1979. Degradation of phthalic acid esters by bacteria (JAPN). *Seitkatsu Eisai* 23: 199–206.
- Yoshida, K. et al. 1983. Ecotox. Environ. Safety 7:179-90.
- Yoshida, O. et al. 1973. Igaku to Seibutsugaku 86: 361-4.
- Yoshioka, Y., Mizuno, T., Ose, Y. & Sato, T. 1986a. The estimation for toxicity of chemicals on fish by physico-chemical properties. *Chemosphere* 15 (2): 195–203.
- Yoshioka, Y., Ose, Y. & Sato, T. 1985. Testing the toxicity of chemicals with Tetrahymena pyriformis. *Sci. Total. Environ.* 43:149.
- Yoshioka, Y., Ose, Y. & Sato, T. 1986b. Correlation of five test methods to assess chemical toxicity and relation to physical properties. *Ecotoxicol. Environ. Safety* 12: 15–21.
- Yost, G. S. et al. 1990. *Toxicol. Appl. Pharmacol.* 103(1), 40–51.
- Young, R. H. F. et al. 1968. *J. Water Pollut. Control Fed.* 40: 354–68.
- Yount, J.D. & Shannon, L.J. 1987. Effects of aniline and three derivatives on laboratory microecosystems. *Environ. Toxicol. Chem.* 6: 463.
- Zahn, R. & Huber, W. 1975. *Tenside Deterg.* 12:266-70.
- Zahn, R. & Wellens, H. 1980. Prüfung der biologischen Abbaubarkeit im Standversuch weitere Erfahrungen und neue Einsatzmöglichkeiten. *Z.f. Wasser und Abwasser Forschung* 13: 1–7.
- Zaikina, E.I., Terekhova, A.I., Chudov, L.N., Shatenshtein, A.I., Petrov, E.S., Shcherbak, V.P., Zakomyrdin, A.A., Simetskii, W.A. & Sokhadze, L.A. 1978. Repellent composition. *Otkrytiya, Izobret., Prom. Obraztsy, Tovarnye, Znaky* 55: 18.
- Zakitis, L.H. 1979. Extraction and gas-liquid chromatographic analysis of chlorphoxim in water and fish. *Bull. Environm. Contam. Toxicol.* 23: 391–397.
- Zanella, E. & Berben, S. 1980. Evaluation of methodologies for the determination of acute toxicity in pulp and paper effluents. *Tappi* 63(3): 77–82.
- Zaroogian, G., Heltshe, J.F. & Johnson, M. 1985. Estimation of toxicity to marine species with structure-activity models developed to estimate toxicity to freshwater fish. *Aquat. Toxicol.* 6: 251.
- Zechner, J. et al. 1976. *Z. Phys. Chem.* 102:137-50.
- Zehnder, A.B. 1984. Decomposition of xenobiotics in soil (Duth.). *Chem. Mag. (Rijswijk, Neth.)*, ISS Dec. ISSN 0167-2746.
- Zeitoun, I.H. 1977. The effect of chlorine toxicity on certain blood parameters on rainbow trout (*Salmo gairdneri*). *Environ. Biol. Fish.* 1: 189–195.
- Zencirci, N. 1980. Contribution a l'étude de l'accumulation et de la toxicité de l'étain et du plomb chez des crustacés gammarides. *Hydrobiologia* 69: 179–186.
- Zenick, H., Blackburn, K., Hope, E., Richdale, N. & Smith, M.K. 1984. Effects of trichloroethylene exposure on male reproductive function in rats. *Toxicology* 31: 237–250.
- Zepp, R.G. et al. 1981. *Chemosphere* 10:109-17.
- Zepp, R.G. & Schlotzhauer, P. F. 1983. *Environ. Sci Technol.* 17:462–8.
- Zeyer, J., Kuhn, E.P. & Schwarzenbach, R.P. 1986. Rapid microbial mineralization of toluene and 1,3-dimethylbenzene in the absence of molecular oxygen. *Appl. Environ. Microbiol.* 52: 944–947.
- Zierath, D. L. et al. 1980. *Soil Sci* 129: 277–81.

- Zinkl, J.G. et al. 1987. Brain cholinesterase activity of rainbow trout poisoned by carbaryl. Bull. Environ. Contam. Toxicol. 38: 29.
- Zinkl, J.G. et al. 1987. Effects of cholinesterases of rainbow trout exposed to Acephate and Methamidophos. Bull. Environ. Contam. Toxicol. 38: 22.
- Zirino, A. & Yamamoto, S. 1972. A pH-dependent model for the chemical speciation of copper, zinc, cadmium, and lead in seawater. Limnol. Oceanogr., Vol. 17: 661–671.
- Zischke, J.A. & Arthur, J.W. 1987. Effects of elevated ammonia levels on the fingernail clam, *Musculium transversum*, in outdoor experimental streams. Arch. Environ. Contam. Toxicol. 16: 225.
- Zitko, V. 1980. Chlorinated paraffins. Hutzinger, O. (Ed.). The Handbook of Environmental Chemistry, Springer Verlag, Vol. 3, part A. p. 149–156.
- Zitko, V. 1980. The uptake and excretion of mirex and dechloranes by Juvenile atlantic salmon. Chemosphere 9: 73.
- Zitko, V. et al. 1976. Toxicity of alkylidinitrophenols to some aquatic organisms. Bull. Environm. Contam. Toxicol. 16: 508.
- Zitko, V. et al. 1977. Seasonal and developmental variation in the lethality of zinc to juvenile Atlantic salmon (*Salmo salar*). J. Fish. Res. Board Can. 34(1): 139–141.
- Zitko, V. et al. 1977. Toxicity of pyrethroids to juvenile Atlantic salmon. Bull. Environm. Contam. Toxicol. 18: 35.
- Zitko, V. & Carson, W.G. 1976. A mechanism of the effects of water hardness on the lethality of heavy metals to fish. Chemosphere 5: 299–303.
- Zlatkis, A., Bertsch, W., Lichtenstein, H.A., Tishbee, A., Shunbo, F., Liebich, H.M., Loscia, A.M. & Fleischer, N. 1973. Profile of volatile metabolites in urine by gas chromatography–mass spectrometry. Analytical Chemistry 45: 763–767.
- Zoeteman, B.C.J., Kraayeveld, A.J.A. & Piet, G.J. 1971. Oil Pollution and drinking water odour. H2O 4(16): 367–371.
- Zoeteman, B.C.J., Piet, G.J., Ruygrok, C.T.M. & Heuvel, R.V.D. 1974. Threshold odour concentrations in water of chemical substances. RID-MEDE-DELING, 74–3.
- Zoeteman, B. C. F. et al. 1980. Chemosphere 9:231-49.
- Åkermark, B., Bäckström, P., Westlin, U., Göthe, R. & Wachtmeister, C.A. 1976. Photochemical dechlorination of 1,2,4-trichlorobenzene. Acta Chem. Scand. B 30: 49–52.
- Åkesson, B. 1975. Bioassay studies with polychaetes of the genus *Ophryotrocha* as test animals. In: Sublethal effects of toxic chemicals on aquatic animals. Koeman, J.H. & Stiik, J.J. (eds.) Elsevier.

Index I: List of chemicals in alphabetical order

Chemical	Chemical nr		
Abate	1	Acetone	13
Abathion	1	Acetone cyanohydrin	1386
Abietic acid	2	Acetoneoxime	16
Abietinic acid	2	Acetonitrile	14
AC 222 *	3	3-(α -Acetonylbenzyl)4-hydroxy-coumarin	2047
AC 705	3	Acetophenone	15
Acenaphthene	4	Acetoxime	16
Acenaphthylene	5	6-Acetoxy-2,4-dimethyl-m-dioxane	857
Acephate	6	1-Acetoxyethylene	2043
Acetaldehyde	7	Aceturic acid	25
Acetamide	8	Acetyl anhydride	11
Acetamide, N, N-dimethyl-	878	Acetyl bromide	17
Acetamido acetic acid	25	Acetyl chloride	18
Acetanilide	9	Acetyl ether	11
Acetic acid	10	Acetyl oxide	11
Acetic acid amine	8	Acetyl tributylcitrate	19
Acetic acid butyl ester	372	N-Acetyl-2-aminoethanoic acid	25
Acetic acid ethyl ester	997	N-Acetyl-4-ethoxyaniline	20
Acetic acid, 2,6-dimethyl-m-dioxan-4-yl ester	857	Acetylamino acetic acid	25
Acetic acid, 3-methoxybutyl ester	1307	2-Acetylaminofluorene	21
Acetic acid, anhydride	11	Acetylbenzene	15
Acetic acid, ester with 2,6-dimethyl-m-dioxan-4-ol	857	Acetylcylohexyl methylcyclohexylamine	22
Acetic acid, mercapto-	1879	Acetylene	23
Acetic acid, phenylmethyl ester	267	Acetylene dichloride	756
Acetic acid, O,O-dimethylthiodiphosphoryl-N-monomethylamide salt	869	Acetylene trichloride	1941
Acetic aldehyde	7	Acetylenetetrabromide	24
Acetic anhydride	11	Acetylenetetrachloride	1845
Acetic ether	997	N-Acetylglycine	25
Acetic oxide	11	1-Acetyl naphthalene	26
Acetidin	997	2-Acetyl naphthalene	27
3-Aceto-6-methyl-2-pyronone	649	3-Acetylloxolane-2-one	28
Acetoacetic acid ethyl ester	1011	N-Acetylphoramidothioic acid	
Acetoacetic ester	1011	O,S-dimethyl ester	6
Acetoacetic n-butylester	363	4-Acetylpyridine	29
Acetoacetic sec-butylester	364	1-Acetylthiourea	30
N-Acetoacetyl-2-methyl aniline	12	Acid Blue 45	31
Acetomethoxane	857	Acid butylphosphate	397
		Acid Red 114	32
		Acid yellow 23	33

Acreoline-HBr	34	Allyl 2,3-epoxypropylether	69
Acridine	35	Allyl aldehyde	36
Acrolein	36	Allyl isothiocyanate	60
Acryl aldehyde	36	Allyl phenyl ether	61
Acrylamide	37	4-Allyl-1,2-dimethoxybenzene	62
Acrylic acid	38	3-Allyl-2-methyl-4-oxocyclopenthe-2-enyl-2,2-dimethyl-3-(2- methyl-prop-1-enyl)-cyclopropylcarboxylate	59
Acrylic acid, isobutyl ester	39	dL-2-Allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one ester of d-transchrysanthemum monocarboxylic acid	59
Acrylic amide	37	Allylacetate	63
Acrylon	40	Allylalcohol	64
Acrylonitrile	40	Allylamine	65
Actusol	41	Allylbromide	66
Adipic acid	42	Allylchloride	67
Adipic acid dinitrile	43	Allylcyanide	68
Adipic acid mono ethyl ester	1425	Allylglycidylether	69
Adiponitrile	43	Allylhomologue of cinerin I	59
Adipyldinitrile	43	Allylidene diacetate	70
Adogen 283 *	44	Allylisosulfo-cyanate	60
Adogen 383 *	45	Allylnitrile	68
Adronol	606	Allyloxycarb	71
Aerozine-50 *	46	2-Allylphenol	72
AFE	1519	Allylsulfocarbamide	73
Aflatoxin B1	47	Allylsulfourea	73
Agallol	450	Allylthiourea	73
AGE	69	Allyltriphenyltin	74
Alachlor	48	Altosid-SR-10	1302
Alamine 336 *	49	Aluminium and aluminium compounds	75
Alanine	50	Aluminium chloride	76
dl-Alanine	50	Aluminium sulfate	77
Alar	1417	Aluminium trisulfate	77
Aldecarb	51	Amberlite LA1 *	78
Aldicarb	51	Ambush *	79
Aldrin	52	Amerol	135
Aliquat 336 *	53	Ametryn	80
Alkyl dimethylbenzyl ammonium chloride	55	Amidol	679
Alkyl(C=10-14)(benzyl)-dimethylammoniumchloride	55	Aminic acid	1081
Alkyl(C=8-11)diphenyl phosphate	54	3-Amino-1,2,4-triazole	135
Alkylethoxylate	56	2-Amino-1,3,4-triazole	135
Alkylethoxysulfate	57	4-Amino-1-hydroxybenzene	130
Alkylphenol ethoxylate	1519	2-Amino-1-methylbenzene	1362
Alkylsulfate	58		
Allethrin	59		
d-trans-Allethrin	59		

3-Amino-1-propene	1420	4-Amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4H)-one	1411
3-Amino-2,4-dinitrotoluene	82	5-Amino-6-nitroquinoline	104
5-Amino-2,4-dinitrotoluene	83	2-Amino-6-nitrotoluene	105
3-Amino-2,5-dichlorobenzoic acid	81	4-Amino-6-tert-butyl-3-methylthio-1,2,4-triazin-5(4H)-one	1411
3-Amino-2,6-dinitrotoluene	84	1-Amino-8-naphthol-3,6-disulfonic acid monosodium salt	106
4-Amino-2,6-dinitrotoluene	85	2-Amino-8-naphthol-6-sulfonic acid	107
1-Amino-2-methoxy-5-methylbenzene	86	Aminoacetic acid	109
1-Amino-2-methylpropane	1398	2-Aminoanisole	1310
2-Amino-2-methylpropane	378	3-Aminoanisole	161
4-Amino-2-nitrophenol	87	p-Aminoanisole	1311
4-Amino-2-nitrotoluene	88	2-Aminoanthracene	110
1-Amino-2-phenylethane	1619	1-Aminoanthraquinone	111
1-Amino-2-propanole	89	2-Aminoanthraquinone	112
1-((4-Amino-2-propyl-5-pyrimidinyl)methyl)-2-picolinium-chloride	147	Aminobenzene	153
Amino-3 pyridine	133	p-Aminobenzenesulfonic acid	157
1-Amino-3,4-dichlorobenzene	732	2-Aminobenzimidazole	113
4-Amino-3,5,6-trichloropicolinic acid	1644	m-Aminobenzoic acid	114
2-Amino-3,5-diiodobenzoic acid	90	o-Aminobenzoic acid	115
4-Amino-3,5-dinitrotoluene	91	p-Aminobenzoic acid	116
4-Amino-3,5-xylenol	92	3-Aminobenzoic acid ethyl ester methanesulfonate	117
2-Amino-3,6-dinitrotoluene	93	2-Aminobiphenyl	281
4-Amino-3-methyl-6-phenyl-1,2,4-triazin-5(4H)-one(C-A)	1293	o-Aminobiphenyl	281
4-Amino-4,5-dihydro-3-methyl-6-phenyl-1,2,4-triazin-5-one	1293	1-Aminobutane	376
2-Amino-4,6-dinitrotoluene	94	2-Aminobutane	377
5-Amino-4-chloro-2-phenyl-3(2H)-pyridazinone	1716	2-Aminobutanedioic acid	180
7-Amino-4-hydroxy-2-naphthalene sulfonic acid	95	2-Aminobutanedioic amide	179
1-Amino-4-nitrobenzene	1478	Aminocarb	118
1-Amino-4-nitronaphthalene	96	o-Aminochlorobenzene	481
2-Amino-4-nitrotoluene	97	Aminocyclohexane	613
3-Amino-4-nitrotoluene	98	p-Aminodimethylaniline	119
4-Amino-5-carbamoylimidazole salt of hydrochloric acid	99	Aminoethane	1012
2-Amino-5-chloro-4-methylbenzene sulfonic acid	100	Aminoethanoic acid	109
2-Amino-5-chlorotoluene	462	2-Aminoethanol	120
2-Amino-5-guanidopentanoic acid	101	β -Aminoethyl alcohol	120
2-Amino-5-methylbenzenesulfonic acid	102	2-(2-Aminoethylamino)ethanol	121
2-Amino-5-nitropyridine	103	Aminoglycol	122
		5-Aminoindazole	123
		5-Aminoindole	124
		2-Aminoisobutane	378
		p-Aminomethoxybenzene	1311

p-Aminomethylphenylether	1311	Ammoniumferricyanide	142
4-Amino-m-toluenesulfone acid	108	Ammoniumfluoride	143
1-Aminonaphthalene	1457	Ammoniumpicrate	144
6-Aminonicotinamide	125	Ammoniumpicronitrate	144
4-Aminonitrobenzene	1478	Amobarbital	145
3-Aminophenol	128	Amphetamine sulfate	146
4-Aminophenol	130	Amprolium	147
m-Aminophenol	128	Amyl alcohol	148
o-Aminophenol	129	Amyl carbinol	1152
p-Aminophenol	130	Amyl cinnamic aldehyde	149
(4-Aminophenyl)arsonic acid	131	Amyl methyl alcohol	1333
2-Aminopropane	1220	Amylacetate	150
dl-2-Aminopropanoic acid	50	n-Amylacetate	150
dl-a-Aminopropanoic acid	50	prim-Amylacetate	150
2-Aminopyridine	132	Amylacetetic ester	150
3-Aminopyridine	133	n-Amylamine	1585
4-Aminopyridine	134	Amylchloride	151
β -Aminopyridine	133	4-tert-Amylphenol	1584
γ -Aminopyridine	134	Anesthetic ether	1001
m-Aminopyridine	133	Anhydrous hydrofluoric acid	1164
p-Aminopyridine	134	Anhydrous hydrogen fluoride	1164
3-Aminoquinoline	126	Anhydrous iron oxide	1196
5-Aminoquinoline	127	Anilazine	152
3-Amino-s-triazole	135	Aniline	153
1- α -Amino-succinamic acid	179	Aniline chloride, aniline salt	154
dl-Aminosuccinic acid	180	Aniline hydrochloride	154
α -Aminotoluene	268	Anilinechloride	154
o-Amino-toluene	1362	m-Anilinesulfonic acid	155
Aminotriazole	135	o-Anilinesulfonic acid	156
2-Aminotriazole	135	p-Anilinesulfonic acid	157
3-Aminotriazole	135	m-Anisic acid	158
Aminozide	1417	o-Anisic acid	159
Amitol	135	p-Anisic acid	160
Amitril	135	m-Anisidine	161
Amitrol	135	o-Anisidine	1310
Amitrole	135	p-Anisidine	1311
Amitrole	135	Anisole	162
Ammonia	136	Anthracene	163
Ammonium sulfate	137	9,10-Anthracenedione, 2-amino-	112
Ammonium sulfite	138	Anthranilic acid	115
Ammoniumacetate	139	Anthraquinone	164
Ammoniumcarbazotate	144	Anthraquinone- α -sulfonic acid	165
Ammoniumcarbonate	140	Antifebrin	9
Ammoniumchloride	141	Antimony and antimony compounds	166

Antimycin	167	B(a)P	246
Antimycin A	168	B(b)F	248
Aphidon	169	B(e)P	250
Aprocarb	1214	B(ghi)P	251
Aquaciene 100	170	B(k)F	252
Aquathol	1545	Balan	371
Aramite	171	Balane	371
Aratan	450	Bandane	188
dl-Arginine	101	Banvel	707
Arsenetrifluoride	172	Barban	189
Arsenic acid	173	Barium and barium compounds	190
Arsenic acid, disodium salt	949	Barium sulfate	191
Arsenic acid, disodium salt, heptahydrate	174	Barygon	1214
Arsenic acid, sodium salt	175	Basalin	1067
Arsenic and arsenic compounds	176	Basic cupric carbonate	577
Arsenic anhydride	177	Basic Green-4	1259
Arsenic oxide	177	Basic Yellow-2	192
Arsenic pentoxide	177	Basis copper carbonate	577
Arsenic trioxide	177	Bay 21/199	569
Arsenic trisulfide	178	Bay 33051	868
Arsenious acid	178	Bay 34042	205
Arsenious anhydride	178	Baycid	1058
Arsenious oxide	178	Bayer 16574	193
Asparacemic acid	178	Bayer 18510	868
Asparagine	180	Bayer 20172	194
l-Asparagine	179	Bayer 22684	195
l-β -Asparagine	179	Bayer 25918	196
Aspartic acid	179	Bayer 28580	197
dl-Aspartic acid	180	Bayer 29491	198
Asulam	180	Bayer 29493	1058
Asuntol	181	Bayer 29952	199
ATA	569	Bayer 30237	200
Atrazine	135	Bayer 30468	201
Auramine hydrochloride	182	Bayer 30749	202
Azinphos-ethyl	192	Bayer 30750	203
Azinphos-methyl	183	Bayer 30911	204
Azobenzene	184	Bayer 34042	205
Azodrin	185	BAYER 36205	439
Azogene FastRed TR	1424	Bayer 37343	206
Azoic CC2	462	Bayer 46676	207
Azoic CC5	186	Bayer 47043	208
Azotic acid	187	Bayer 47416	209
B(a)A	1465	Bayer 47940	210
	232	Bayer 51896	211

Bayer 51937	212	Benzene chloride	488
Bayer 52752	213	Benzene tetrachloride	1842
Bayer 52957	214	Benzene, 1-chloro-2-methyl-3-nitro-	473
Bayer 56200	215	Benzene, 1-chloro-4-	
Bayer 56301	216	(chlorophenylmethyl)-	492
Bayer 56582	217	Benzene, 2-chloro-1-methyl-4-nitro-	471
Bayer 60564	218	Benzene-1,2-dicarboxylic acid bis	
Bayer 60737	219	(2-ethylhexyl)ester	832
Bayer 60738	220	Benzene-1,2-dicarboxylic acid	
Bayer 60830	221	dicyclohexyl	801
Bayer 61035	222	Benzene-1,2-dicarboxylic acid diheptyl	840
Bayer 73	223	Benzene-1,2-dicarboxylic acid diisodecyl	845
Bayer 9007	1058	Benzeneacetonitrile	1611
Bayer 91273	224	Benzeneazobenzene	185
Baylusicide	225	Benzencarbitol	1615
Baymix	569	Benzencarbonal	236
Baytan	450	Benzencarbonitrile	256
Baytex	1058	Benzencarbonylchloride	262
BBP	365	1,3-Benzenediamine	674
Behenic acid	226	1,4-Benzenedicarboxylic acid	1831
Bendiocarb	227	Benzenedicarboxylic acid	
Benefin	371	(bis(2-ethylhexyl) ester	832
Benfluralin	371	1,2-Benzenedicarboxylic acid	
Benomyl	228	anhydride	1641
Bensulide	229	1,2-Benzenedicarboxylic acid,	
Bentazone	230	dibutylester	698
Benz(a)acridine	231	1,4-Benzenedicarboxylic acid,	
Benz(a)anthracene	232	dimethyl ester	1832
1,2-Benz(a)phenanthrene	559	1,2-Benzenedicarboxylic acid,	
Benz(a)pyrene	246	dinonyl ester	920
Benz(b)anthracene	234	1,2-Benzenedicarboxylic acid,	
Benz(c)acridine	235	dioctyl ester	924
Benz[a]anthracene-7,12-quinone	233	o-Benzenedicarboxylic acid,	
3,4-Benzacridine	235	diocetyl ester	924
Benzaldehyde	236	1,2-Benzenediol	437
Benzalkonium chloride	55	1,3-Benzenediol	1746
Benzaminoacetic acid	263	1,4-Benzenediol	1168
1,2-Benzanthracene	232	m-Benzenediol	1746
Benzanthrene	232	Benzenemethanol	1615
Benzanthrone	237	Benzenemethanol, 4-chloro-a-phenyl-	491
Benzenamine	153	Benzenesulfochloride	239
Benzenamine, 4,4'-carbonimidoylbis		Benzenesulfonchloride	239
[N,N-dimethyl-, monohydrochloride]	192	Benzenesulfoneamide	240
Benzene	238	Benzenesulfonic acid	241

Benzenesulfonylchloride	239	3,4-Benzopyrene	246
1,2,3-Benzenetriol	1735	6,7-Benzopyrene	246
1,3,5-Benzenetriol	1980	1,2-Benzopyrone	247
Benzenol	1602	1,4-Benzoquinone	258
Benzenyltrichloride	260	p-Benzoquinone	258
Benzethonium chloride	242	Benzothiazole	259
3,4-Benzfluoranthene	248	Benzothiazole, 2,2'-dithiobis-	685
Benzidine	243	N-(2-Benzothiazolyl)-N'-methylurea	265
Benzidine dihydrochloride	244	Benzotrichloride	260
2-Benzimidazolecarbamic acid, methyl ester	427	Benzotrifluoride	261
Benzo(a)anthracene	232	2-Benzoyl benzoic acid methyl ester	1337
Benzo(a)fluorene	245	Benzoyl chloride	262
Benzo(a)pyrene	246	Benzoylamino acetic acid	263
Benzo(b)fluoranthene	248	Benzoylglycine	263
Benzo(b)fluorene	249	Benzoylperoxide	687
Benzo(b)phenanthrene	232	Benzoylprop ethyl	264
Benzo(def)chrysene	246	2,3-Benzphenanthrene	232
Benzo(def)phenanthrene	1718	1,2-Benzpyrene	246
Benzo(e)pyrene	250	Benzthiazuron	265
Benzo(ghi)perylene	251	N-Benzyl acetamide	266
Benzo(k)fluoranthene	252	Benzyl acetate	267
3,4-Benzoacridine	235	Benzyl amine	268
Benzo- α -pyrone	247	Benzyl benzoate	269
Benzocaine	1008	Benzyl chloride	270
1,3-Benzodioxole-5-carboxaldehyde	1657	Benzyl cyanide	1611
11,12-Benzofluoranthene	252	Benzyl nitrile	1611
8,9-Benzofluoranthene	252	Benzyl pyridyne	271
Benzofuran	253	Benzyl trimethyl ammonium chloride	272
Benzoic acid	254	Benzylalcohol	1615
Benzoic acid, 2,3,6-trichloro-	1936	4-Benzylphenol	273
Benzoic acid, benzyl ester	269	Benzyltrichloride	260
Benzoic acid, ethyl ester	1000	Beryllium and beryllium compounds	274
Benzoic acid, methyl ester	1322	BGE	392
Benzoic acid, phenyl ester	1605	BHC	1129
Benzoic trichloride	260	BHC	1252
Benzoin	255	B γ -BHC	1252
Benzoine	255	p, p'-Bianiline	243
Benzol	238	Bianisidine	889
Benzonitrile	238	Bibenzyl	275
1,12-Benzoperylene	256	Bicyclo(2.2.1)hepta-2,5-diene	276
1,2-Benzophenanthrene	251	Bicyclopentadiene	806
Benzophenone	559	Biethylene	348
1,2-Benzopyrene	257	Bifenoxy	277
	250	Binapacryl	278

Bioresmethrin *	279	2',2'-Bis(methacryloyloxymethyl)butyl	
Biphenyl	280	methacrylate	300
2-Biphenyl amine	281	Bis(N-cyclohexyl diazenium dioxy)-	
2,2'-Biphenyl dicarboxylic acid	282	copper	301
o-Biphenylenemethane	1069	Bis-(O-(1-methyl-thioethylimino)-N-	
2,2'-Bipyridine	283	methylcarbamicacid)-N,N'-sulfide	1238
Bis(1,4-bromoacetoxy)-2-butene	1762	N,N-Bis(octylphenyl) amine	302
Bis(2-(2-butoxy ethoxy)ethyl) adipate	284	2,2-Bis(p-chlorophenyl)-1,1-	
Bis(2,3,5-trichloro-6-		dichloroethane	634
hydroxyphenyl)methane	285	1,1-Bis(p-chlorophenyl)-2,2,2-	
N,N-Bis(2,3-epoxypropyl)aniline	286	trichloroethanol	712
Bis(2,4-dichlorobenzoyl) peroxide	287	Bis(phenoxyarsinyl)oxide	303
N,N'-Bis(2-aminoethyl)ethylene		1,2-Bis(stearoylamino)ethane	304
diamine	288	1,1-Bis(tert-butyldioxy)-3,3,5-	
Bis(2-chloroethyl)ether	289	trimethyl cyclohexane	305
Bis(2-ethylhexyl)hydrogen phosphate	1006	Bis(tributyloxide) of tin	1924
Bis(2-ethylhexyl)phthalate	832	Bis(tributylstannyl)oxide	1924
Bis(2-hydroxyethyl)amine	810	Bis(tributyltin)oxide	1924
Bis(2-hydroxyethyl)ether	825	Bis(tri-n-butyltin)dibromosuccinate	306
Bis(2-hydroxypropyl)amine	849	Bis-2-chloro-1-methylethylether	307
2,2-Bis(3,5-Dibromo-4-(2-hydroxy		Bisidin	308
ethoxy) phenyl)propane	290	Bismethomyl thioester	1238
Bis(3-hydroxypropyl)ether	945	Bisulfite	1821
1,1-Bis(4-chlorophenyl)-2,2,2-trichloro-		Bivinyl	348
ethanol	712	Black leaf forty	1464
2,2-Bis(4-hydroxy-3,5-		Black oxide of iron	1196
dibromophenyl)propane	291	Bladex	592
2,2-Bis(4-hydroxyphenyl) propane	292	Blasticidin-S	309
Bis(α,α -dimethylbenzyl)peroxide	299	Boric acid	310
Bis(aminoethyl) amine	293	Boric anhydride	312
1,3-Bis(aminomethyl) benzene	294	Boron and boron compounds	311
Bis(β -chloroethyl) ether	289	Boron oxide	312
1,4-Bis(benzoyloxyimino)-2,5-		Boron trioxide	312
cyclohexadiene	295	BPMC	396
Bis(chloromethyl)naphthalene	296	Branched sodium alkyl	
Bis(cyanoethyl)amine	297	benzenesulfonate; * C10 ~ C15	313
4,4'-Bis(dimethylamino)benzophenone	298	Brodan	811
Bis(dimethylthiocarbamato)zinc	2063	Bromacil	314
Bis(dimethylthiocarbamoyl)disulfide	1885	Bromine chloride	320
2,2-Bis(hydroxymethyl)-1,3-		4-Bromo-2,5-dichlorophenol	315
propanediol	1576	O-(4-Bromo-2,5-dichlorophenyl)-	
2,4-Bis(isopropylamino)-6-		O-methylphenylphosphonothioate	1250
(methylthio)-s-triazine	1695	1-Bromo-3-chloropropane	465
2,4-Bis(isopropylamino)-6-methoxy-s-		5-Bromo-3-sec-butyl-6-methyluracil	314
triazine	1694		

2-Bromo-4-nitrophenol	316	1,3-Butadiene	348
5-Bromo-6-methyl-3-(1-methylpropyl)uracil	314	Butan-1-ol	351
4-Bromoacetanilide	317	Butan-2-ol	352
4-Bromoaniline	318	Butan-2-one	354
p-Bromoaniline	318	1-Butanal	375
Bromobenzene	319	Butanamide	401
4-Bromobenzeneamine	318	n-Butane	349
Bromochloride	320	Butanecarboxylic acid	2033
Bromochloromethane	321	1-Butanecarboxylic acid	2033
Bromocyanide	322	1,4-Butanedicarboxylic acid	42
Bromocyclohexane	323	1,4-Butanediol	350
Bromodichloromethane	324	Butanenitrile	405
Bromoethane	325	Butanethiol	393
Bromoform	326	n-Butanoic acid	403
Bromomethane	1373	Butanoic acid, 3-oxo, ethyl ester	1011
4-Bromonitrobenzene	327	1-Butanol	351
o-Bromonitrobenzene	328	2-Butanol	352
2-Bromophenol	329	n-Butanol	351
3-Bromophenol	330	sec-Butanol	352
4-Bromophenol	331	t-Butanol	353
m-Bromophenol	330	tert-Butanol	353
o-Bromophenol	329	1-Butanol, 3-methoxy-, acetate	1307
p-Bromophenol	331	Butanol-1	351
Bromophenoim	332	2-Butanone	354
4-Bromophenylphenylether	333	2-Butanone oxime	355
Bromophos	334	2-Butenal	587
Bromophos-ethyl	335	2-Butenal (E)	587
3-Bromopropene	66	2-Butenal (trans)	587
3-Bromopropyl chloride	465	Butenal-2	587
Bromosol	1373	1-Butene	356
β -Bromostyrene	336	cis-2-Butene	357
Bromoxynil	337	trans-2-Butene	358
Bromoxynil octanoate	338	2-Butenedioic acid (E)-, bis	
Brozone	1373	(2-ethylhexyl) ester	657
Brucine	339	Butenedioic acid, mono(2,2-dimethyl-	
Busan 25 *	340	hydrazide)	1417
Busan 70 *	341	cis-Butenedioic anhydride	1263
Busan 72 *	342	3-Butenenitrile	68
Busan 76 *	343	3-Butenoic acid	359
Busan 77 *	344	β -Butenoic acid	359
Busan 881 *	345	Butifos	1901
Busan 90 *	346	Butiphos	1901
Butachlor	347	3-Butoxy-1,2-epoxypropane	392

1-Butoxy-2,3-epoxypropane	392	p-t-Butyl- α -methylhydro cinnamic acid	367
1-Butoxy-2-propanol	360	p-t-Butyl- α -methylhydro cinnamic	
1-n-Butoxy-3-oxabutan-5-ol	826	aldehyde	1346
1-Butoxybutane	390	Butylamine	376
Butoxycarboxim	361	Butylamine	378
2-Butoxyethanol	362	n-Butylamine	376
2-n-Butoxyethanol	362	sec-Butylamine	377
(Butoxymethyl)oxirane	392	tert-Butylamine	378
1-Butyl acetate	372	t-Butylamine borane	379
Butyl acetoacetate	363	2-(tert-Butylamino)-4-(ethylamino)-6-	
sec-Butyl acetoacetate	364	(methylthio)-s-triazine	1829
Butyl alcohol	351	2-(tert-Butylamino)-4-(ethylamino)-6-	
sec-Butyl alcohol	352	methoxy-s-triazine	1109
tert-Butyl alcohol	353	4-tert-Butylamino-2-chloro-6-	
p-tert-Butyl benzoic acid	383	ethylamino-s-triazine	1830
Butyl benzyl phthalate	365	2-tert-Butylamino-4-chloro-6-	
Butyl dichlorophenoxyacetate	628	ethylamino-s-triazine	1830
tert-Butyl methacrylate	366	n-Butylbenzene	380
Butyl methyl ketone	1155	sec-Butylbenzene	381
4-tert-Butyl-1,2-dihydroxybenzene	386	tert-Butylbenzene	382
Butyl-2,3-epoxypropylether	392	p-tert-Butylbenzoic acid	383
N-Butyl-2,6-dinitro-N-ethyl-4-		Butylbutyrate	384
trifluoromethylaniline	371	tert-Butylcarbamic acid ester with	
2-tert-Butyl-4-(2,4-dichloro-5-isopropoxyphenyl)-1,3,4-oxadiazolin-5-one	1546	3(m-hydroxyphenyl)-1,1-dimethylurea	1231
2-sec-Butyl-4,6-dinitrophenol	368	Butylcarbitolacetate	385
2(2-Butyl-4,6-dinitrophenyl)-3,3-dimethylacrylate	278	p-tert-Butylcatechol	386
2-sec-Butyl-4,6-dinitrophenyl-3-methyl-2-butenoate	278	Butylcellosolve	362
2-tert-Butyl-4,6-dinitrophenylacetate	369	Butylcellosolveacetate	387
2,6-tert-Butyl-4-cresol	370	n-Butylchloride	388
N-tert-Butyl-6-chloro-N'-ethyl-1,3,5-triazine-2,4-diamine	1830	Butyldigolacetate	385
Butylacetate	372	α -Butylene	356
n-Butylacetate	372	β -Butylene	358
tert-Butylacetate	373	2-Butylene dichloride	717
Butylacetic acid	421	Butylene hydrate	352
n-Butylacrylate	374	1,2-Butyleneoxide	389
2-Butylalcohol	352	Butylethanate	372
n-Butylalcohol	351	n-Butylether	390
tert-Butylalcohol	353	n-Butylformate	391
1-Butyl-alcohol	351	Butylglycidylether	392
Butylaldehyde	375	n-Butylglycidylether	392
		Butylglycol	362
		Butylglycoether	362
		n-Butylmercaptan	393

N-Butyl-N-ethyl-2,6-dinitro-4-(trifluoromethyl)benzamine	371	Calcium(II) nitrate	416
N-Butyl-N-ethyl-2,6-dinitro-4-trifluoromethylaniline	371	2-Camphanone	418
N-tert-Butyl-N-ethyl-6-methylthio-1,3,5-triazine-2,4-diyl diamine	1829	Camphechlor	1897
N-Butyl-N-ethyl- α,α,α -trifluoro-2,6-dinitro-p-toluidine	371	Camphene	417
Butylphen	394	Camphor	418
4-tert-Butylphenol	394	Capacitor 21	419
p-sec-Butylphenol	1399	n-Capric acid	420
p-tert-Butylphenol	394	Caproic acid	421
2-(p-Butylphenoxy)isopropyl-2-chloroethylsulfite	171	n-Caproic acid	421
p-sec-Butylphenyl-2,3-epoxypropylether	395	Caprolactam	422
o-sec-Butylphenyl-N-methylcarbamate	396	ϵ -Caprolactam	422
n-Butylphosphoric acid	397	Capronic acid	421
4-tert-Butylpyrocatechol	386	Caprylic acid	423
n-Butylsulfide	398	Captan	424
Butylthiobutane	398	Carbamic acid, ethylenbis-(dithio-, manganese zinc complex)	1266
p-tert-Butyltoluene	399	Carbamime	425
2-Butyne-1,4-diol	400	Carbanolate	51
1,4-Butynediol	400	Carbaryl	425
2-Butynediol	400	Carbax	712
Butyraldehyde	375	Carbazole	426
Butyramide	401	Carbazotic acid	1645
Butyranilide	402	Carbendazim	427
n-Butyric acid	403	Carbetamex	428
Butyric alcohol	351	Carbetamide	428
Butyric aldehyde	375	Carbofuran	429
Butyric amide	401	Carbolic acid	1602
γ -Butyrolactone	404	Carbon chloride	432
Butyronitrile	405	Carbon dioxide	430
Cacodylic acid	406	Carbon disulfide	431
Cadmium and cadmium compounds	407	Carbon sulfide	431
Cadmium chloride	408	Carbonbisulfide	431
Cadmium dinitrate	410	Carbodiclsulfide	431
Cadmium nitrate	410	Carbonic acid gas	430
Cadmium sulfate	411	Carbonic acid, dipotassium salt	1680
Cadmium(II)oxide	409	Carbonic acid, disodium salt	1772
Caffeine	412	Carbonic acid, zinc salt	2062
Calcium and calcium compounds	413	Carbonic anhydride	430
Calcium chloride	414	Carbonoxysulfide	433
Calcium di-trichloroacetate	415	Carbontetrachloride	432
		Carbonylsulfide	433
		Carbophenothon	434
		Carboxin	435
		3-Carboxyaniline	114

4-Carboxyaniline	116	4-Chloro-1-hydroxy-3-methylbenzene	467
Cartap	436	2-Chloro-1-methylbenzene	542
Casoron	709	4-Chloro-1-nitro-2-(trifluoromethyl)benzene	
Catechin	437	benzene	454
Catechol	437	2-Chloro-1-nitrobenzene	519
Caustic potash	1686	1-Chloro-1-nitropropane	455
Caustic soda	1783	3-Chloro-1-propanol	456
CCC	449	3-Chloro-1-propene	67
CCS 301	352	3-Chloro-1-propylene	67
CDT	600	1-Chloro-2-(1,2-epoxyethyl)-benzene	457
Cetylpyridiniumbromide	1139	1-Chloro-2-(1,2-ethane-diol)-benzene	458
Cetyltrimethylammoniumbromide	1140	5-Chloro-2-(2,4-dichlorophenoxy) phenol	459
Cetyltrimethylammoniumchloride	1141	1-Chloro-2-(β-chloroethoxy)ethane	289
Chandor *	438	1-Chloro-2,3-epoxypropane	986
Chinomethionat	439	1-Chloro-2,4-dinitrobenzene	460
Chinomethionate	439	5-Chloro-2-aminotoluene	462
Chloramine	440	5-Chloro-2'-chloro-4'-nitrosalicylanilide	223
Chloramphenicol	517	4-Chloro-2-cresol	476
Chlorbenzene	488	1-Chloro-2-hydroxybenzene	524
Chlordanne	441	5-Chloro-2-methyl-4-isotiazoline-3-one	461
Chlordecone	1233	4-Chloro-2-methylaniline	462
Chlordene	442	4-Chloro-2-methylbenzeneamine	462
Chlordimeform	547	4-Chloro-2-methylphenol	476
Chlorex	289	N'-(4-Chloro-2-methylphenyl)-N,N-dimethylmethanimidamide	
Chlorfenamide	547	N'-(4-Chloro-o-tolyl)-N,N-dimethylmethanimidamide	547
Chlorfenidim	568	N'-(4-Chloro-2-methylphenyl)-N,N-dimethylmethanimidamide	
Chlorfenson	443	dimethylformamidine	547
Chlorfenvinphos	444	4-Chloro-2-nitroaniline	463
Chlorinated paraffines	445	1-Chloro-2-nitrobenzene	519
Chlorinated paraffins (C = 20-22)	446	5-Chloro-2-nitrotoluene	464
Chlorine	447	6-Chloro-2-nitrotoluene	473
Chlormephos	448	4-Chloro-2-toluidine	462
Chlormequat	449	2-Chloro-3(4-chlorophenyl)methylpropionate	
Chlornitrofen	521	2-Chloro-3(4-chlorophenyl)methylpropionate	308
Chlornitroph'en	521	1-Chloro-3-bromopropane	465
Chloro(2-methoxyethyl)mercury	450	4-Chloro-3-cresol	
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethylphosphate	450	4-Chloro-3-cresol	467
2-Chloro-1-(2,4-dichlorophenyl)-vinyl diethylphosphate	452	1-Chloro-3-hydroxybenzene	525
3-Chloro-1,2-dibromopropane	444	4-Chloro-3-hydroxytoluene	467
3-Chloro-1,2-propanediol	691	6-Chloro-3-cresol	466
3-Chloro-1,2-propylene glycol	453	1-Chloro-3-hydroxytoluene	467
2-Chloro-1,3-butadiene	453	4-Chloro-3-methylphenol	467
	537	1-Chloro-3-nitrobenzene	468
		2-Chloro-4-(1-cyano-1-methylpropylamino)-6-ethylamino-1,3,5-triazine	
		592	

2-Chloro-4,6-bis(ethylamino)-s-triazine	1761	p-Chlorobenzenesulfonic acid	490
1-Chloro-4-benzenesulfonamide	489	4-Chlorobenzhydrol	491
2-Chloro-4-ethylamino-6-isopropylamino-s-triazine	182	4-Chlorobenzhydryl chloride	492
1-Chloro-4-fluorobenzene	469	2-Chlorobenzoic acid	493
1-Chloro-4-hydroxybenzene	526	3-Chlorobenzoic acid	494
1-Chloro-4-iodobenzene	470	4-Chlorobenzoic acid	495
3-(3-Chloro-4-methoxyphenyl)-1,1-dimethylurea	1410	m-Chlorobenzoic acid	494
N-(3-Chloro-4-methoxyphenyl)-N', N'-dimethylurea	1410	o-Chlorobenzoic acid	493
3-Chloro-4-methyl-7-coumarinyl diethylphosphorotionate	569	p-Chlorobenzoic acid	495
2-Chloro-4-nitrotoluene	471	4-Chlorobenzophenone	496
2-((4-Chloro-6-(ethylamino)-s-triazin-2-yl)amino)-2-methyl-propionitrile	592	4-Chlorobenzylamine	498
2-Chloro-6-(trichloromethyl)-pyridine	472	4-Chlorobenzylchloride	499
4-Chloro-6-methylaniline	462	4-Chlorobenzoylchloride	500
4-Chloro-6-methylphenol	476	o-Chlorobenzylidene malononitrile	501
2-Chloro-6-nitrotoluene	473	p-Chlorobenzyl-pseudothiuroniumchloride	497
2-Chloro- α -(((diethoxyphosphinothioyl)-oxy)imino) benzeneacetonitrile	548	2-Chlorobiphenyl	502
4-Chloro- α -(4-chlorophenyl)- α -(trichloromethyl)benzenemethanol	712	3-Chlorobiphenyl	503
4-Chloro- α,α,α -trifluorotoluene	451	4-Chlorobiphenyl	504
3-Chloroacetanilide	477	1-Chlorobutane	388
Chloroacetic acid	478	p-Chlorocresol	467
Chloroacetone	479	Chlorocyclohexane	505
α -Chloroacetophenone	480	Chloroden	736
Chloroallylene	67	1-Chloro-diethylcarbamoyl-1-propen-2-yl dimethyl phosphate	474
2-Chloroaniline	481	Chlorodifluoromethane	506
3-Chloroaniline	482	Chlorodiphenyl methane	507
4-Chloroaniline	483	Chloroethane	508
m-Chloroaniline	482	2-Chloroethanol	509
o-Chloroaniline	481	Chloroethene	2044
p-Chloroaniline	483	2-Chloroethyl vinyl ether	510
4-Chloroanisole	484	(2-Chloroethyl) trimethyl-ammonium chloride	449
1-Chloroanthraquinone	485	β -Chloroethylalcohol	509
2-Chloroanthraquinone	486	2-Chloroethylbenzhydryl ether	511
Chloroben	736	Chloroethylene	2044
2-Chlorobenzaldehyde	487	Chloroethylether	289
α -Chlorobenzaldehyde	487	Chloroform	512
Chlorobenzene	488	α -Chlorofumaric acid diethyl ester	513
4-Chlorobenzenesulfonamide	489	1-Chloroheptane	514
		Chlorohexidine	515
		6-Chloro-m-cresol	466
		p-Chloro-m-cresol	467
		Chloromethane	1375

Chloromethoxymethane	516	3-(4-Chlorophenyl)-1-methoxy-1-methylurea	1429
Chloromethyl methyl ether	516	1-(p-Chlorophenyl)-3-(2,6-difluorobenzoyl)urea	529
Chloromethylaniline	462	(4-Chlorophenyl)acetic acid	530
Chloromethylether	516	N-(((4-Chlorophenyl)amino)carbonyl)-2,6-difluorobenzamide	529
S-Chloromethyl-O,O-diethylphosphorothiolothionate	448	(o-Chlorophenyl)glyoxylonitrile-oxime-O,O-diethylphosphorothioate	548
Chloro-m-nitrobenzene	468	N'-(4-Chlorophenyl)-N,N-dimethylurea	568
Chloromycetin	517	1-(p-Chlorophenyl)silatrane	532
2-Chloro-N-(4,6-dichloro-1,3,5-triazin-2-yl)aniline	152	4-Chlorophenyl-3'-iodidepropargyl-formal	533
2-Chloro-N,N-diethyl-3-hydroxycrotonamide, dimethyl phosphate	474	4-Chlorophenyl-4-chlorobenzene-sulfonate	443
1-Choronaphthalene	518	2-Chlorophenylamine	481
2'-Chloro-N-isopropylacetanilide	1696	3-Chlorophenylamine	482
2-Chloronitrobenzene	519	4-Chlorophenylamine	483
3-Chloronitrobenzene	468	4-Chlorophenylphenyl sulfone	534
4-Chloronitrobenzene	520	S-((p-Chlorophenylthio)methyl)-O,O-diethylphosphorodithioate	434
m-Chloronitrobenzene	468	S-(4-Chlorophenylthiomethyl)-O,O-diethylphosphorodithioate	434
o-Chloronitrobenzene	519	4-Chlorophenylurea	535
p-Chloronitrobenzene	520	Chlorophos	1959
Chloronitrophene	521	Chloropicolinic acid	536
Chloro-n-paraffin (C=8-22)	475	6-Chloropicolinic acid	536
4-Chloro-o-cresol	476	Chloroprene	537
1-Chlorooctane	522	β -Chloroprene	537
Chloro-o-nitrobenzene	519	3-Chloropropyl bromide	465
4-Chloro-o-toluidine	462	2-Chloropyridine	538
4-(4-Chloro-o-tolyloxy)butyric acid	1275	3-Chloropyridine	539
1-Chloropentane	151	4-Chloropyridine HCl	540
Chlorophacinone	523	Chlorosulfane	1820
Chlorophenamidine	547	Chlorothalonil	541
2-Chlorophenol	524	2-Chlorotoluene	542
3-Chlorophenol	525	3-Chlorotoluene	543
4-Chlorophenol	526	4-Chlorotoluene	544
m-Chlorophenol	525	α -Chlorotoluene	270
o-Chlorophenol	524	o-Chlorotoluene	542
p-Chlorophenol	526	p-Chlorotoluene	544
3-(p-(p-Chlorophenoxy)phenyl)-1,1-dimethylurea	546	Chlorotributylstannane	1918
4-Chlorophenoxyacetic acid	527		
10-Chlorophenoxyarsine	528		
4-Chlorophenyl acetic acid	530		
4-Chlorophenyl isocyanate	531		
3-(4-Chlorophenyl)-1,1-dimethylurea	568		
3-(p-Chlorophenyl)-1,1-dimethylurea	568		

Chlorotriphenylmethane	545	Clopyralid	781
Chlorotriphenylstannane	2009	Clorex	289
Chloroxuron	546	CMME	516
Chlorphenamidine	547	CMU	568
Chlorphoxim	548	Coal naphta	238
Chlorpropham	549	Cobalt and cobalt compounds	570
Chlorpyrifos	811	Cobalt chloride	571
Chlorsulfuron	550	Colamine	120
Chlorthaldimethyl	632	Consin	572
Chlorthalmethyl	632	Copper (II) nitrate	578
Chlorthiamid	551	Copper acetate	573
Chlorthion	552	Copper and copper compounds	574
Chlortoluron	553	Copper dinitrate	578
Chromic acid	558	Copper nitrate	578
Chromic acid, disodium salt	1776	Copper sulfate	579
Chromic anhydride	558	Copper(2)nitrate	578
Chromic trioxide	558	Copper(I) chloride	575
Chromic(VI) acid	558	Copper(II) chloride	576
Chromium (VI) oxide	558	Copper(II)hydroxide carbonate	577
Chromium and chromium compounds	555	Copper, (29H,31H-phthalocyaninato	
Chromium chloride	556	(2)-N 29, N 30, N 31, N 32)- (SP-4-1)-	1646
Chromium oxide	558	Copper, bis(N-hydroxy-N-	
Chromium trioxide	558	nitrosocyclohexanaminato-O, O')-	301
Chromium(3+) compounds	554	Copper-HDO	301
Chromium(VI) compounds	557	Co-ral *	569
Chromium(VI) oxide	558	Corexit 7664	580
Chrysene	559	Coumaphos	569
α -Chrysidine	235	Coumaphos	581
Cidemul	868	o-Coumaric acid lactone	247
Cidial	868	Coumarin	247
Cinnamaldehyde	560	Coumarinic lactone	247
Cinnamene	1815	Coumarone	253
Cinnamic acid	561	CP, polychlorinated alkanes, PCA	445
Cinnamic alcohol	562	4-CPA	527
Cinnamic aldehyde	560	Creosote	582
Cinnamol	1815	Cresol	583
Cinnamyl alcohol	562	2-Cresol	585
Cinnamyl aldehyde	560	3-Cresol	584
Cinnamylic acid	561	m-Cresol	584
Ciodrin	563	m-Cresol, O,O-Dimethyl O-(4-	
Citral	564	(methylthio)-m-tolyl)phosphorothioate	1058
Citrazinic acid	565	o-Cresol	585
Citric acid	566	p-Cresol	586
CL 38906	567	Cresorcinol diisocyanate	1892

o-Cresylic acid	585	Cyclohexanoneisooxime	422
Crotonaldehyde	587	Cyclohexatriene	238
Crotonic aldehyde	587	Cyclohexene	609
Crotoxyphos	563	4-Cyclohexene-1,2-dicarboxylic acid	610
Cryolite	588	1-Cyclohexene-1-carboxylic acid,4-	
Crystolcarbonate	1772	(1,5-dimethyl-3-oxo-4-hexenyl)-,	
Cumarin	247	methyl ester (8CI)	650
Cumene	1221	2-(1-Cyclohexene-1-yl)-1-cyclohexanone	611
o-Cumenyl methylcarbamate	589	2-(1'-Cyclohexenyl)cyclohexanone	611
Cupric nitrate	578	Cycloheximide	612
Cutrin	590	Cyclohexyl amine	613
Cyanatrym	591	3-Cyclohexyl-1,5,6,7-tetrahydrocyclo-	
Cyanazine	592	pentapyrimidine-2,4-(3H)-dione	1249
Cyanide	593	3-Cyclohexyl-5,6-trimethyleneuracil	1249
Cyano-(3-phenoxyphenyl)methyl-4-		3-Cyclohexyl-6,7-dihydro-1H-cyclo-	
chloro- α - (1-methylethyl)-		pentapyrimidine-2,4(3H,5H)-dione	1249
benzeneacetate	1061	Cyclohexylacetate	616
4-Cyano-2,6-diiodophenol	1194	Cyclohexylalcohol	606
(S)- α -Cyano-3-phenoxybenzyl-		N-Cyclohexyl-N-nitrosohydroxylamine	614
(1R,3R)-3-(2,2-dibromovinyl)-2,2-		N-Cyclohexyl-N-nitrosohydroxylamine	
dimethylcyclopropanecarboxylate	642	aluminium salt	615
Cyanoethylene	40	1,5-Cyclooctadiene	617
Cyanogen bromide	322	Cyclopentane	618
Cyanogen chloride	594	1,3-Cyclopentanedisulfonyldifluoride	619
1-Cyanoguanidine	595	Cyclopentanol	620
(Cyanomethyl)benzene	1611	Cyclopentanone	621
1-Cyanoctane	1538	Cyclopentyl alcohol	620
Cyanophos	596	Cyclopropanecarboxylic acid,3-(2,2-	
Cyanopropane	405	dibromoethenyl)-2,2-dimethyl-, cyano	
Cyanopyridine	597	(3-phenoxyphenyl)methyl ester	642
α -Cyanotoluene	1611	Cycocel Plus * (Chlormequat)	622
ω -Cyanotoluene	1611	Cyhexatin	1962
Cycloate	598	m-Cymene	623
Cyclododecane	599	p-Cymene	624
1,5,9-Cyclododecatriene	600	Cypermethrin	625
1,3,5-Cycloheptatriene	601	2,4-D	626
Cycloheptene	602	2,4-D butoxyethanol ester	627
2,5-Cyclohexadien-1,4-dione	258	2,4-D butoxyethyl ester	627
Cyclohexane	603	2,4-D butyl ester	628
1,2-Cyclohexanedicarboxylic acid	604	2,4-D dimethylaminesalt	629
1,2-Cyclohexanedicarboxylic anhydride	605	2,4-D isoctyl ester	630
Cyclohexanol	606	2,4-D sodium salt	631
Cyclohexanone	607	2,4-D(BE)	628
Cyclohexanone oxime	608	2,4-D(BEE)	627

2,4-D(IOE)	630	n-Decylic acid	420
DAC 893	632	DEF	1901
Dacthal	632	DEG	825
Dactinol	1748	Dehydroabietic acid	647
Dalapon	788	Dehydroabietol	648
Dalapon sodium	788	Dehydroacetic acid	649
Daminozide	1417	Dehydrojuvabione	650
2,4-DB	633	Deltamethrin	642
DBCP	691	Demephion S-sulfone	651
3,4-DCA	732	Demeton *	652
DCB	709	Demeton-O	652
DCMO	435	Demeton-O-methylsulfokside	1549
DCMU	963	Demeton-S	652
2,5-DCP	773	Demeton-S-methylsulfone	653
2,6-DCP	774	Desmedipham	654
DCPA	632	Deval Red TR	462
DDD	634	Dexon	655
4,4-DDD	634	Dextrone	1557
DDE	635	D-Glucitol	1098
p, p'-DDE	635	DHA	647
DDM	636	Di(2-chloroethyl) ether	289
DDOA	857	Di(2-ethylhexyl)adipate	656
DDT	637	Di(2-ethylhexyl)fumarate	657
p, p'-DDT	637	Di(2-ethylhexyl)orthophthalate	832
DDVP	793	Di(2-ethylhexyl)phosphoric acid	1006
DEA	810	Di(2-ethylhexyl)phthalate	832
Decabane	709	Di(2-methoxyethyl)phthalate	658
Decabromodiphenyl	638	Di(butoxyethoxyethyl)adipate	284
Decabromodiphenyl ether	639	S-(1,2-Di(ethoxycarbonyl)-ethyl)-O,O-dimethylphosphorodithioate	1261
Decachlorooctahydro-1,3,4-metheno-2H-cyclobuta(cd)pentalen-2-one	1233	Di-2-ethylhexyl sodium salt sulfosuccinate	660
Decachlorotetrahydro-4,7-methano-indeneone	1233	Di-2-naphthyl disulfide	661
Decahydronaphthalene	640	Di-2-propenylamine	669
Decalin	641	Di-n-butylether	390
Decamethrin	642	Diacetic ester	1011
n-Decane	643	Diacetone	667
Decanoic acid	420	Diacetone alcohol	667
Decanol	644	Diallate	668
1-Decanol	644	Diallylamine	669
n-Decanol	644	Diallylpthalate	670
2-Decanone	645	Diamidafos	671
1-Decene	646	Diamide	873
n-Decoic acid	420	1,3-Diamino-2-propanol tetraacetic acid	672

1,2-Diaminobenzene	673	Dibromoneopentylglycol	696
1,3-Diaminobenzene	674	2,3-Dibromosuccinic acid	697
1,4-Diaminobenzene	675	Dibutyl phthalate	698
4,4'-Diaminobiphenyl	243	Dibutyl tin dilaurate	699
4,4'-Diaminodiphenylmethane	636	Dibutyl tin oxide	700
1,2-Diaminoethane	1023	Dibutylamine	701
1,5-Diaminonaphthalene	676	n-Dibutylamine	701
1,8-Diaminonaphthalene	677	Dibutyldichlorostannane	702
2,3-Diaminonaphthalene	678	Dibutylfumarate	703
2,4-Diaminophenol hydrochloride	679	Dibutylsulfide	398
2,4-Diaminotoluene	680	Dibutyltin bis(2-ethylhexoate)	704
Diammonium sulfate	137	Dibutyltin diacetate	705
o-Dianisidine	681	Dibutyltin difluoride	706
Diazinon	682	Dicamba	707
Dibenz(a, h)anthracene	683	Dicaphthoxon	708
1,2:5,6-Dibenzanthracene	683	Dicarbam	425
Dibenzo(b, jk)fluorene	252	1,2-Dicarboxy-3,6-endoxocyclohexane	1545
Dibenzofuran	684	Dichlobenil	709
1,2,5,6-Dibenzonaphthalene	559	Dichlofluanid	710
Dibenzopyrrole	426	Dichlone	714
2,2'-Dibenzothiazolyl disulfide	685	Dichloro difluoro methane	711
Dibenzothiophene	686	Dichloro diphenyl trichloroethane	637
Dibenzoyl peroxide	687	2,6-Dichloro(thiobenzamide)	551
p, p'-Dibenzoylquinonedioxime	295	2,4-Dichloro-1-(4-nitrophenoxy)	
Dibenzyl	275	benzene	779
Dibenzyl toluene	688	4,5-Dichloro-1,2-dithiocyclopenten-3-one	
Dibenzylether	689	4,5-Dichloro-1,2-dithiol-3-one	713
Di-β-naphthol	659	2,3-Dichloro-1,4-naphthaquinone	713
1,3-Dibromo-2,2-bis(bromomethyl)propane	690	3,4-Dichloro-1-butene	714
O-(1,2-Dibromo-2,2-dichloroethyl)-O,O-dimethylphosphate	1440	2,4-Dichloro-1-hydroxynaphthalene	715
1,2-Dibromo-3-chloropropane	691	2,4-Dichloro-1-naphthol	716
2,6-Dibromo-4-cyanophenyl octanoate	338	1,3-Dichloro-1-propylene	786
3,5-Dibromo-4-hydroxybenzaldehyde-o-(2',4'-dinitrophenyl)oxime	332	1,4-Dichloro-2-butene	717
3,5-Dibromo-4-hydroxybenzonitrile	337	cis-1,4-Dichloro-2-butene	717
3,5-Dibromo-4-hydroxyphenyl cyanide	338	1,4-Dichloro-2-butylene	717
3,5-Dibromo-4-octanoyloxy-benzonitrile	338	1,3-Dichloro-2-propanol	718
p-Dibromobenzene	692	4,5-Dichloro-3H-1,2-dithiol-3-one	713
4,4'-Dibromobiphenyl	693	4,5-Dichloro-3-oxo-1,2-dithiol	713
Dibromocresyl glycidyl ether	694	3,3'-Dichloro-4,4'-diaminodiphenylmethane	720
1,10-Dibromodecane	695	1,3-Dichloro-4,6-dinitrobenzene	721
1,2-Dibromoethane	1022	1,2-Dichloro-4-nitrobenzene	722

2,4-Dichloro-4'-nitrodiphenyl ether	779	3,4-Dichlorocatechol	750
1-(2',5'-Dichloro-4'-sulfophenyl)-methyl-5-pyrazolone	719	4,5-Dichlorocatechol	751
3,3'-Dichloro-5,5'-benzidine disulfonic acid	723	Dichlorodehydroabietic acid	752
2,4-Dichloro-6-methylphenol	724	Dichlorodiethyl ether	289
2,4-Dichloro-6-nitrophenol	725	2,2'-Dichlorodiethyl ether	289
4,4'-Dichloro- α -(trichloromethyl)-benzhydrol	727	β,β -Dichlorodiethyl ether	289
Dichloroacetic acid	728	Dichlorodiphenyldichloroethane	634
2,4-Dichloroacetophenone	729	Dichlorodiphenyldichloroethylene	635
S-2,3-Dichloroallyl-N,N-di-isopropylthiocarbamate	668	1,1-Dichloroethane	753
2,3-Dichloro- α -naphthoquinone	714	1,2-Dichloroethane	754
2,3-Dichloroaniline	730	1,1-Dichloroethene	755
2,4-Dichloroaniline	731	cis-1,2-Dichloroethene	757
2,5-Dichloroaniline	732	trans-1,2-Dichloroethene	758
3,4-Dichloroaniline	733	Dichloroether	289
3,5-Dichloroaniline	730	Dichloroethyl ether	289
4,5-Dichloroaniline	731	Dichloroethyl oxide	289
2,6-Dichlorobenzaldehyde	732	1,1-Dichloroethylene	755
2,6-Dichlorobenzamide	733	1,2-Dichloroethylene	756
3,4-Dichlorobenzenamine	734	cis-1,2-Dichloroethylene	757
1,2-Dichlorobenzene	735	sym-Dichloroethylene	756
1,3-Dichlorobenzene	736	trans-1,2-Dichloroethylene	758
1,4-Dichlorobenzene	732	4,5-Dichloroguaiacon	759
m-Dichlorobenzene	736	2,2'-Dichlorohydrazobenzene	760
o-Dichlorobenzene	737	Dichloroisopropyl ether	761
p-Dichlorobenzene	738	Dichloromethane	762
3,3'-Dichlorobenzidine	737	Dichloromethyl benzene	763
4,4'-Dichlorobenzilic acid ethyl ester	736	Dichloro-m-xylene	726
2,4-Dichlorobenzoic acid	738	4,5-Dichloronaphthalene-1,8-dicarboxylic acid	764
2,6-Dichlorobenzoic acid	740	4,4,5-Dichloronaphthalene-1,8-dicarboxylic anhydride	765
3,4-Dichlorobenzoic acid	741	2,3-Dichloronitrobenzene	766
2,6-Dichlorobenzonitrile	742	2,4-Dichloronitrobenzene	767
2,6-Dichlorobenzyl alcohol	743	2,5-Dichloronitrobenzene	768
3,4-Dichlorobenzyl alcohol	709	3,4-Dichloronitrobenzene	722
3,4-Dichlorobenzyl chloride	744	3,5-Dichloronitrobenzene	769
3,4-Dichlorobenzyl)triphenyl-phosninium chloride	745	3,6-Dichloro-o-acidic acid	707
2,4'-Dichlorobiphenyl	746	Dichlorophen	770
4,4'-Dichlorobiphenyl	1047	2,3-Dichlorophenol	771
3,4-Dichlorobutene	747	2,4-Dichlorophenol	772
trans-1,4-Dichlorobutene	748	2,5-Dichlorophenol	773
	749	2,6-Dichlorophenol	774
	717	3,4-Dichlorophenol	775

3,5-Dichlorophenol	776	2,2-Dichlorovinyl-O,O-dimethyl	
4-(2,4-Dichlorophenoxy)butyric acid	633	phosphate	793
2,4-Dichlorophenoxyacetic acid	626	Dichlorvos	793
2,4-Dichlorophenoxyacetic acid isooctylester	630	Dichlorvos-ethyl	794
2,4-Dichlorophenoxyacetic acid, butoxy-ethanol ester	627	Dicofol	712
2,4-Dichlorophenoxyacetic acid, sodium salt	631	Dicopper dihydroxycarbonate	577
2,4-Dichlorophenyl 4-nitrophenyl ether	779	Dicrotophos (cis(E)-isomer)	795
Dichlorophenyl methyl butylurea	777	Dicrotophos (Z-isomer)	796
2,4-Dichlorophenyl p-nitrophenyl ether	779	Dicumyl peroxide	299
3-(3,4-Dichlorophenyl)-1,1-dimethylurea	963	1,3-Dicyanobenzene	797
3-(3,4-Dichlorophenyl)-1-methoxy-1- methylurea	1256	1,4-Dicyanobenzene	798
3-(3,4-Dichlorophenyl)-1-methyl-1-n- butylurea	777	1,4-Dicyanobutane	43
N-(3,4-Dichlorophenyl)-N'-(2'- (4"-chloro-2"-sulfophenoxy)-5'- chlorophenyl)urea	778	1,6-Dicyanohexane	799
N'-(3,4-Dichlorophenyl)-N,N- dimethylurea	963	Dicyanomethane	1265
N-(3,4-Dichlorophenyl)-N'-methoxy-N'- methylurea	1256	Dicyclohexyl amine	800
N-(3,4-Dichlorophenyl)-propionamide	1698	Dicyclohexyl phthalate	801
Dichlorophenylphosphine	780	N,N'-Dicyclohexyl thiourea	802
2,4-Dichlorophenylp-nitrophenyl ether	779	Dicyclohexylcarbodiimide	803
3,6-Dichloropicolinic acid	781	2,6-Dicyclohexylphenol	804
Dichloropropane	782	N,N'-Dicyclohexylurea	805
1,1-Dichloropropane	783	Dicyclopentadiene	806
1,2-Dichloropropane	784	DID 100	807
1,3-Dichloropropane	785	DID 47	303
1,3-Dichloropropene	786	Didecyl disulfide	808
2,3-Dichloropropene	787	Dieldrin	809
3',4'-Dichloropropionanilide	1698	Diethanolamine	810
α,α -Dichloropropionic acid sodium salt	788	S-(1,2-Diethoxycarconyl)ethyl-O,O- dimethylphosphorothioate	1260
2,2-Dichloropropionic acid, sodium salt	788	O,O-Diethyl O-(3,5,6-trichloro-2- pyridyl) phosphorothioate	811
2,6-Dichloropyridine	789	Diethyl biphenyl	812
3,6-Dichloropyridine-2-carboxylic acid	781	Diethyl carbonate	813
9,10-Dichlorostearic acid	790	O,O-Diethyl dithiophosphate	814
2,4-Dichlorotoluene	791	Diethyl ether	1001
3,4-Dichlorotoluene	792	Diethyl ketone	1583
1,4-Dichloro-trans-2-butene	717	O,O-Diethyl O-(3-chloro-4-methyl-2- oxy(2H)1-benzopyran-7-yl- phosphorothioate	581
		Diethyl oxide	1001
		Diethyl p-nitrophenyl thiophosphate	816
		Diethyl sulfate	815
		O,O-Diethyl-O-(4-nitrophenyl)- phosphorothioate	816
		N, N-Diethyl-3-toluamide	817

Diethylamine	818	O,O-Diethyl-O-(4-(methylsulfinyl)-phenyl)-phosphorothioate	1057
(Diethylamino)ethane	1967	O,O-Diethyl-O-(α -cyanobenzylideneamino)-thiophosphate	1639
Diethylaminoethylchloride-HCl	819		
4-Diethylaminosalicylaldehyde	820	O,O-Diethyl-O-(p-nitrophenyl)phosphorothioate	816
N, N-Diethylaniline	821	O,O-Diethyl-O-1-(2',4'-dichlorophenyl)-2-chlorovinylphosphate	444
1,2-Diethylbenzene	822	Diethylolamine	810
1,3-Diethylbenzene	823	Diethylparathion	816
1,4-Diethylbenzene	824	3,5-Diethylphenyl-n-methylcarbamate	1052
m-Diethylbenzene	823	Diethylphthalate	834
o-Diethylbenzene	822	O,O-Diethyl-S-(2-(ethylthio)ethyl)phosphorodithioate	962
p-Diethylbenzene	824	O,O-Diethyl-S-(2-(ethylthio)-ethyl)-phosphorothioate	652
Diethylene dioxide	929	O,O-Diethyl-S-(4-oxo-3-H-1,2,3-benzotriazine-3-yl)- methyl-dithiophosphate	183
1,4-Diethylene dioxide	929	O,O-Diethyl-S-(ethylthiomethyl)-phosphorodithioate	1630
Diethylene ether	929	Diethylsuccinate	835
Diethylene glycol	825	1,3-Diethylthiourea	836
Diethylene glycol monobutylether	826	Diethyltoluamide	817
Diethylene glycol monoethyl ether acetate	827	Difenacoum	837
Diethylene glycol monomethyl ether	830	Difenoquat	838
Diethylene glycol mono-n-butyl ether	826	Difenoquat methyl sulfate	838
Diethyleneglycol diethylether	828	Diflubenzuron	529
Diethyleneglycol monoethylether	829	Difluron	529
Diethyleneglycol monomethylether	830	Difolatan	839
N,N-Diethylethanamine	1967	Diglycol	825
Diethylfumarate	831	Dihexyl phthalate	840
Diethylhexylphthalate	832	1,4-Dihydro-1,4-diketonaphthalene	1456
2-(3-Diethylimino-6-diethylamino-3H-xanthen-9-yl)benzoic acid chloride	1747	2,3-Dihydro-2,2-dimethyl-7-benzofuranylmethylicarbamate	429
Diethylmaleate	833	2,3-Dihydro-2,2-dimethylbenzofuran-7-yl-methylcarbamate	429
N, N-Diethyl-m-toluamide	817	Dihydro-2,5-dioxofuran	1263
O,O-Diethyl-O-(2-(ethylthio)-ethyl)phosphorothioate	652	5,6-Dihydro-2-methyl-1,4-oxathiane-3-carboxanilide	435
O,O-Diethyl-O-(2-isopropyl-4-methyl-6-pyrimidinyl)thiophosphoric acid	682	9,10-Dihydro-4-amino-4-benzoyl-9,10-dioxo-2-anthracenesulfonic acid	165
O,O-Diethyl-O-(2-isopropyl-6-methyl-pyrimidin-4-yl-phosphorothioate)	682	2,3-Dihydro-5-phenyl-carbamoyl-6-methyl-1,4-oxatine	435
O,O-Diethyl-O-(2-propyl-6-methyl-pyrimidin-4-yl)-thiophosphate	682		
O,O-Diethyl-O-(2-quinoxalinyl)phosphorothioate	1738		
O,O-Diethyl-O-(3-chloro-4-methyl-2-oxo(2H)-1-benzopyran-7-yl)-phosphorothioate	569		

9,10-Dihydro-8a,10-diazonia-phenanthrene dibromide	841	Dilauryl-thio dipropionic ester	855
9,10-Dihydro-9,10-diketoanthracene	164	Dimazine	893
Dihydrobutadienesulfone	1818	2,3-Dimercapto-1-propanol	856
Dihydrogen dioxide	1166	2,3-Dimercaptopropanol	856
Dihydroheptachlor	842	1,4:7,10-Dimethanodibenzo(a, e)cyclooctene, 1,2,3,4,7,8,9,10,13,13,14,14-dodecachloro-1,4,4a,5,6,6a,7,10,10a,11,	
Dihydrooxirene	1020	12,12a-dodecahydro-	967
2,4-Dihydroxy-2-methylpentane	1160	Dimethoate	869
2,2'-Dihydroxy-5,5'-dichlorodiphenylmethane	1553	Dimethoxane	857
2,2'-Dihydroxy-5,5'-dichlorodiphenylmethane	770	Dimethoxon	858
1,2-Dihydroxybenzene	437	4,4-Dimethoxy diphenylamine	859
1,3-Dihydroxybenzene	1746	1,2-Dimethoxybenzene	2039
1,4-Dihydroxybenzene	1168	p-Dimethoxybenzene	860
m-Dihydroxybenzene	1746	3,3'-Dimethoxybenzidine	681
o-Dihydroxybenzene	437	Dimethoxystychnine	339
1,4-Dihydroxybutane	350	2,6-Dimethoxytoluene	861
Dihydroxydiethyl ether	825	1,3-Dimethyl alcohol	1333
2,2'-Dihydroxydiethyl ether	825	Dimethyl amine	862
β,β'-Dihydroxydiethyl ether	825	N-Dimethyl amino-β-carbamyl propionic acid	1417
1,2-Dihydroxyethane	1025	N, N-Dimethyl ethanolamine	863
2,6-Dihydroxysonicotinic acid	565	Dimethyl ether	1325
3,5-Diiodo-4-hydroxybenzonitrile	1194	Dimethyl maleate	864
Diisobutyl phthalate	843	2,3-Dimethyl naphthalene	865
Diisobutylketone	844	2,6-Dimethyl naphthalene	866
2,4-Diisocyanato-1-methylbenzene	1892	O,O-Dimethyl O-(4-methylthio-3-methylphenyl)phosphorothioate	1058
2,6-Diisocyanato-1-methylbenzene	1893	2,6-Dimethyl piperidine	867
2,4-Diisocyanatotoluene	1892	O,O-Dimethyl S-(1-carboethoxybenzyl)dithiophosphate	868
2,6-Diisocyanatotoluene	1893	O,O-Dimethyl S-(2(methylamino)-2-oxoethyl) phosphorodithioate	869
Diisodecyl phthalate	845	Dimethyl sulfate	870
Diisononylphthalate	846	Dimethyl sulfoxide	871
Diisopentyl ether	847	Dimethyl terephthalate	1832
Diisophorone hydrazone	848	Dimethyl viologenchloride	1557
Diisopropanol amine	849	O,O-Dimethyl-(2,2,2-trichloro-1-hydroxyethyl)phosphonate	1959
Diisopropyl amine	850	9,10-Dimethyl-1,2-benzanthracene	888
Diisopropyl naphthalene	851	2,6-Dimethyl-1,3-dioxane-4-yl-acetate	857
N,N'-Di-isopropyl-6-methylthio-1,3,5-triazine-2,4-diyl diamine	1695	2,2-Dimethyl-1,3-propanediol	872
Diisopropylbenzene, m-(60%) and p-(40%)	852	Dimethyl-1-methyl-2-(methylcarbamoyl)vinylphosphate	1424
Diisopropylether	853		
Diketene	854		
Dilauryl thiodi ester propionate	855		

N,N-Dimethyl-1-octadecanamine	1529	4-(1-(4-Dimethylaminophenyl)-1-(4-methylaminophenyl)methylene)-2,5-cyclohexadien-1-ylidene)dimethylammonium-p-dodecyldiphenyl
O,O-Dimethyl-2,2,2-trichloro-1-hydroxyethylphosphonate	1959	
N, N-Dimethyl-2,2-diphenylacetamide	873	
1,5-Dimethyl-2,4-dinitrobenzene	874	ether disulfonate
2,6-Dimethyl-2,5-heptadien-4-one	1631	881
3,3-Dimethyl-2-butanone	875	Dimethylaminopyridine
4,5-Dimethyl-2-nitroaniline	876	882
1,2-Dimethyl-3,5-diphenyl-1-H-pyrazolium	838	4-Dimethylaminopyridine
1,2-Dimethyl-3,5-diphenyl-1-H-pyrazolium methyl sulfate	838	882
1,1-Dimethyl-3-phenylurea	1060	S,S'-2-Dimethylaminotrimethylene-bis(thiocarbamate)
Dimethyl-4,4'-(o-phenylene)bis(3-thioallophanate)	1880	436
1,1'-Dimethyl-4,4'-bipyridinium dichloride	1557	Dimethylaniline
N,N'-Dimethyl-4,4'-bipyridinium dichloride	1557	886
1,1'-Dimethyl-4,4'-dipyridylium chloride	1557	2, N-Dimethylaniline
3,5-Dimethyl-4-methylthiophenylmethylcarbamate	1300	1345
N, N-Dimethylacetamide	878	2,4-Dimethylaniline
Dimethylacetone	1583	883
Dimethylacetonylcarbinol	667	2,5-Dimethylaniline
O,S-Dimethylacetylphosphoroamidothioate	6	3,4-Dimethylaniline
4-(Dimethylamine)-3,5-xylyl N-methylcarbamate	879	885
Dimethylamino succinamic acid	1417	N, N-Dimethylaniline
4-(N, N-Dimethylamino)-1,2-dithiolane	1436	886
4-(Dimethylamino)-3,5-dimethylphenol-N-methylcarbamate	879	9,10-Dimethylanthracene
4-(Dimethylamino)-3-methylphenyl-N-methylcarbamate(ester)	118	873
(Dimethylamino)benzene	886	N, N-Dimethyl- α -phenylbenzeneacetamide
4-Dimethylamino-3,5-xylenol	880	406
2-Dimethylamino-5,6-dimethylpyrimidine-4-yl-dimethylcarbamate	1658	7,12-Dimethylbenzanthracene
Dimethylaminoaniline	119	2050
4-Dimethylamino-m-tolylmethylcarbamate	118	Dimethylbenzene
		2052
		1,2-Dimethylbenzene
		2051
		1,3-Dimethylbenzene
		2053
		1,4-Dimethylbenzene
		2052
		o-Dimethylbenzene
		886
		N, N-Dimethylbenzeneamine
		889
		3,3'-Dimethylbenzidine
		890
		N, N-Dimethylbenzylamine
		1212
		Dimethylcarbinol
		1591
		2,2-Dimethylcyclopropanecarboxylate
		873
		N, N-Dimethyldiphenylacetamide
		1557
		4,4'-Dimethylbipyridyl dichloride
		O,O-Dimethylthiophosphoryl
		acetic acid
		869
		Dimethyldodecylamine
		1239
		Dimethyleneoxide
		1020
		4-(1,1-Dimethylethyl)phenol
		394
		4-(α , α -Dimethylethyl)phenol
		394
		1,1-Dimethylethylamine
		378
		sym-Dimethylethylene
		358
		Dimethylformamide
		891
		2,5-Dimethylhexa-2,4-diene
		892
		1,1-Dimethylhydrazine
		893
		N,N-Dimethylhydrazine
		893
		2,6-Dimethyl-m-dioxan-4-ol acetate
		857

N, N-Dimethylmethanamide	891	4-(1,1-Dimethylpropyl)phenol	1584
N,N-Dimethyl-N'-(2-methyl-4-chlorophenyl)formamidine	547	p-(α,α -Dimethylpropyl)phenol	1584
DimethylNitrooxopropyran carboxylic acid ester	894	p-(1,1-Dimethylpropyl)phenol	1584
N, N-Dimethylnitrosoamine	895	O,O-Dimethyl-S-((4-oxo-1,2,3-benzotriazin-3(4H)-yl)methyl) phosphorodithioate	184
O,O-Dimethyl-O-(1-methyl-2-carboxy- α -phenylethyl)-vinylphosphate	563	O,O-Dimethyl-S-(1-ethoxycarbonyl-1-phenyl) methylphosphorodithioate	868
O,O-Dimethyl-O-(2,4,5-trichlorophenyl)-phosphorothioate	1051	O,O-Dimethyl-S-(2-ethylmercaptoethyl)dithiphosphate	877
O,O-Dimethyl-O-(2-chloro-2-(N,N-diethylcarbamoyl)-1-methylvinyl phosphate	474	O,O-Dimethyl-S-(N-methylcarbamoyl-methyl)phosphorodithioate	869
O,O-Dimethyl-O-(2-methylcarbamoyl-1-methyl-vinyl)phosphate	1424	O,O-Dimethyl-S-(N-methylcarbamoyl-methyl) dithiophosphate	869
O,O-Dimethyl-O-(3-methyl-4-methylthiophenyl)-phosphorothioate	1058	O,O-Dimethyl-S-phthalimidemethyl-phosphorodithioate	1191
O,O-Dimethyl-O-(4-nitro-m-tolyl)phosphorothioate	1053	Dimethyltetrachloroterephthalate	632
O,O-Dimethyl-O-(methyl-4-nitrophenyl)phosphorothioate	1053	Dimeton	869
O,O-Dimethyl-O-4-(methylmercapto)-3-methylphenylthiophosphate	1058	Dimilin	529
O,O-Dimethyl-O-4-nitrophenyl-phosphorothioate	1391	Di-n-amylamine	662
Dimethylphenol	2054	Di-n-butylphthalate	698
2,4-Dimethylphenol	2055	Di-n-butylinfluoride	706
2,5-Dimethylphenol	2056	4,6-Dinitro-2-cresol	900
2,6-Dimethylphenol	2057	3,5-Dinitro-2-hydroxytoluene	900
3,4-Dimethylphenol	2058	2,4-Dinitro-6-(1-methylpropyl)phenol	922
3,5-Dimethylphenol	2059	2,4-Dinitro-6-methylphenol	900
Dimethylphenylamine	886	2,4-Dinitro-6-sec-butylphenol	922
Dimethylphosphate	896	3,5-Dinitroaniline	902
Dimethylphosphate of 3-hydroxy-N-methyl-cis-crotonamide-	1424	Dinitrobenzene	903
Dimethylphosphite	897	1,2-Dinitrobenzene	904
O,O-Dimethylphosphorothioate-		1,3-Dinitrobenzene	905
O,O-diester with 4,4'-thiodiphenol	1	1,4-Dinitrobenzene	906
Dimethylphthalate	898	m-Dinitrobenzene	905
Dimethyl-p-phenylenediamine	119	Dinitrobutylphenol	907
S,S'-2-Dimethylpropane-1,3-diyl dithiocarbamate	899	o-Dinitrocresol	900
2,2-Dimethylpropanoic acid	1660	Dinitromethylcyclohexytrienol	900
2,2-Dimethylpropionic acid	1660	2,6-Dinitro-N,N-dipropyl-4-trifluoromethylaniline	1976
		2,4-Dinitro-o-cresol	900
		4,6-Dinitro-o-cresol	900
		4,6-Dinitro-o-sec-amylphenol	901
		Dinitrophenol	908
		2,4-Dinitrophenol	909
		2,5-Dinitrophenol	910

N, N'-Dinitrosopentamethylene		N, N-Diphenyl guanidine	935
tetramine	911	Diphenyl methane	936
Dinitrotoluene	912	Diphenyl methanol	937
2,3-Dinitrotoluene	913	3-(3-p-Diphenyl-1,2,3,4-tetrahydro-	
2,4-Dinitrotoluene	914	naphth-1-yl)-4-hydroxycoumarin	837
2,5-Dinitrotoluene	915	2,2'-Diphenyl-2-hydroxyacetic acid	938
2,6-Dinitrotoluene	916	N, N- α , α -Diphenylacetamide	873
3,4-Dinitrotoluene	917	Diphenylamide	873
3,5-Dinitrotoluene	918	Diphenylamine	940
Dinocap	919	Diphenyldiimide	185
Di-n-octyltin maleate	926	Diphenylene oxide	684
Dinonyl phthalate	920	1,2-Diphenylethane	275
Dinonylnaphthalene sulfonate	921	1,3-Diphenylguanidine	935
Dinoseb	922	N, N'-Diphenylguanidine	935
Dinoterpacetate	369	1,2-Diphenylhydrazine	941
1,4-Diocane-2,3-diyl-bis-		Diphenylmonotridecylphosphite	942
diethylphosphorodithioate	930	2,2-Diphenyl-N,N-dimethylacetamide	873
N, N'-Dioctadecylurea	923	Diphenyloxide phenoxybenzone	934
Diocetyl o-benzenedicarboxylate	924	N, N'-Diphenyl-p-phenylenediamine	939
Diocetyl phthalate	924	Diphenyltin dichloride	943
Diocetyl sebacate	925	Diphosphoric acid, tetraethyl ester	1858
Diocetyl tin maleate	926	Dipotassium dichloride	1681
Dioxacarb	927	Dipotassium octylphosphate and	
1,4-Dioxacyclohexane	929	potassium dioctylphosphate	944
1,3-Dioxane	928	Dipropylenglycol	945
1,4-Dioxane	929	Dipropylphthalate	946
m-Dioxane	928	2,2'-Dipyridyl	283
p-Dioxane	929	Diquat	841
3,6-Dioxaoctane-1,8-diol	1968	Diquat dibromide	841
Dioxathion	930	Direct Black-154	947
1,3-Dioxolan-2-on	931	Direct Yellow-86	948
2-(1,3-Dioxolan-2-yl)-phenylmethyl		2,6-Di-sec-butylphenol	663
carbamate	927	Disodium arsenate	949
1,3-Dioxolane-2-one	931	Disodium arsenic acid	949
1,3-Dioxophthalan	1641	Disodium ethylene-1,2-	
m-Dioxybenzene	1746	bisdithiocarbamate	1439
Dioxyethylene ether	929	Disodium hydrogen orthoarsenate	949
Di-p-amino-di-m-methoxydiphenyl	681	Disodium metasilicate	1756
Dipentamethylene thiuramtetrasulfide	932	Disodium monosilicate	1756
Dipentyl ketone	933	Disodium sulfate	1801
Diphenamide	873	Disodium-2-naphthol-3,6-disulfonate	950
o-Diphenol	437	Disodiumethylenebis(dithiocarbamate)	1439
Diphenyl	280	Disodiummono-hydrogen arsenate	949
Diphenyl ether	934	Disperse Blue 54	952

Disperse Blue-143	951	1-Dodecanol	970
Disperse Orange 73	953	1-Dodecen-2-ylsuccinic acid anhydride	971
Disperse Red 167	954	Dodecenylsuccinic anhydride	971
Disperse Red 206	955	Dodecyl alcohol	970
Disperse Red 207	956	Dodecyl nitrate	1466
Disperse Yellow 163	957	4-Dodecylaniline	972
Disperse Yellow 42	958	Dodecylbenzenesulfonate	973
Disperse Yellow 64	959	Dodecylguanidine acetate	974
Distamycin A	960	n-Dodecylguanidine acetate	974
Distearyl thiodi ester propionate	961	p-Dodecylphenol	975
Distearylthio dipropionic ester	961	Dodecyltrimethylammonium chloride	976
Disulfoton	962	Dodine	974
Disulfur chloride	1820	Dodine acetate	974
2,6-Di-t-butyl-4-ethylphenol	664	Donax	977
3,5-Di-tert-butylbiphenyl-4-ol	665	Dosanex *	1410
2,6-Di-tert-butyl-p-cresol	370	Dowco 139	879
2,4-Di-tert-butylphenol	666	Dowco 160	978
Dithane M-45 *	1266	Dowco 163	472
Dithiol	713	Dowco 179	811
Diuron	963	Dowco 186	2011
Divinyl	348	Dowco 290	781
m-(or p-) Divinylbenzene	964	Dowfume	1373
DMEP	658	Dowicide 2	1953
DMF	891	Dowicide 25	1954
DMFA	891	Dowicide A *	979
DMPA	2072	Dowpon	788
DMSO	871	DPA	788
DMTP	1058	DPP	946
DMU	963	Dry ice	430
DNAP	901	DSE	1439
DNBP	922	Dursban	811
2,4-DNP	909	Ecatox	816
n-Docosane	965	ECH	986
Docosanoic acid	226	EDB	1022
13-Docosenamide	966	EDTA	1024
cis-13-Docosenoic acid amide	966	Eicosane	980
n-Docosic acid	226	Ekatin	877
Dodecachloro dodecahydrodimethano-dibenzo cyclooctene	967	Ekatox	816
1,1a,2,3a,4,5,5a,5b,6-Dodecachloroocta-hydro-1,3,4-methano-1H-cyclobuta(cd)pentalene	1413	Elsan	868
		Emisan 6	450
		Endosulfan	981
1,12-Dodecanedicarboxylic acid	968	Endosulfan A	982
Dodecanoic acid	969	Endosulfan B	983
		Endothal	1545

Endothal	984	1-Ethoxy-3-oxabutan-5-ol	829
3,6-Endoxohexahydrophthalic acid	1545	4-Ethoxyaniline	996
Endrin	985	S- α -Ethoxycarbonylbenzyl O,O-dimethylphosphorodithioate	868
ENT 27318	995	Ethoxyethane	1001
Epichlorohydrin	986	2-Ethoxyethanol	1027
EPN	987	2-Ethoxyethyl acetate	1031
1,4-Epoxy-1,3-butadiene	1085	Ethyl acetate	997
1,2-Epoxy-3-allyloxypropane	69	Ethyl acrylate	998
1,2-Epoxyethane	1020	Ethyl amy1 ketone	1536
Epoxypropane	1702	2-Ethyl anthraquinone	999
1,2-Epoxypropane	1702	Ethyl benzoate	1000
1-(2,3-Epoxypropoxy)-2-ethylhexane	1035	Ethyl butyl ketone	1121
2,3-Epoxypropylbutylether	392	Ethyl carbonate	813
2,3-Epoxypropyltrimethyl ammonium chloride	1103	Ethyl chloroformate	1017
9,10-Epoxystearic acid	988	S-Ethyl dipropylthiocarbamate	989
EPTC	989	Ethyl ethanoate	997
Eradex	811	Ethyl ether	1001
Erythrene	348	Ethyl isodehydroacetate	1002
Essolvene	990	Ethyl m-aminobenzoate methane sulfonate	117
Ethanal	7	Ethyl m-aminobenzoate,	
Ethanamide	8	methanesulfonic acid salt	117
1,2-Ethandiol	1025	Ethyl m-hydroxycarbanilate	
Ethane dichloride	754	carbanilate (ester)	654
Ethane pentachloride	1572	N-Ethyl morpholine	1039
Ethane-1,2-diol	1025	Ethyl N, N-di-N-propylthiocarbamate	989
1,2-Ethanediamide	1023	Ethyl N-chloroacetyl-N-	
1,2-Ethanediol	1025	(2,6-diethylphenyl) aminoacetate	1123
Ethanediol ester montanic acid	991	Ethyl parathion	816
Ethanenitrile	14	Ethyl phenyl ether	1003
Ethaneperoxid acid	1588	Ethyl phenylcarbamate	1009
Ethanoic acid	10	Ethyl phenylurethane	1009
Ethanoic anhydride	11	Ethyl pyrophosphate	1858
Ethanol	992	Ethyl salicylate	1004
Ethanol amine	120	S-Ethyl(3-dimethylaminopropyl)-thiocarbamate	1713
β -Ethanolamine	120	N-Ethyl-1-aminonaphthalene	1005
Ethene	1018	S-Ethyl-1-hexamethylene-iminothiocarbamate	
Ethene oxide	1020	2-Ethyl-1-hexanol hydrogen phosphate	1006
Ethenylbenzene	1815	2-Ethyl-1-hexanol	1033
Ether	1001	2-Ethyl-2-hexenal	1007
Ethine	23	Ethyl-4-aminobenzoate	1008
Ethion	993		
Ethofumesate	994		
Ethoprop	995		

5-Ethyl-5-phenylbarbituric acid	1601	Ethylenediamine tetraacetate	1024
Ethylacetic acid	403	Ethyleneglycol	1025
Ethylacetic ester	997	Ethyleneglycol acetate	1026
Ethylaceto acetate	1011	Ethyleneglycol monobutyl ether acetate	387
Ethylalcohol	992	Ethyleneglycol monoethylether	1027
Ethylaldehyde	7	Ethyleneglycol monomethylether	1028
Ethylamine	1012	Ethyleneglycol monomethylether acetate	1029
Ethylamine hydrochloride	1013	Ethyleneglycolmono-n-butylether	362
6-Ethylamino-4-isopropylamino-2-methylthio-1,3,5-triazine	80	Ethylenenaphthalene	4
2-Ethylamino-4-isopropylamino-6-methylmercapto-s-triazine	80	1,8-Ethylenenaphthalene	4
2-Ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine	80	Ethylethylene	356
2-Ethylamino-4-isopropylamino-6-methylthio-s-triazine	80	Ethylfenthion	1030
2-Ethylamino-6-isopropylamino-4-chloro-1,3,5-triazine	182	Ethylglycol acetate	1031
N-Ethylaniline	1014	S-Ethyl-hexahydro-1H-azepine-1-carbothioate	1416
Ethylbenzene	1015	2-Ethylhexyl acrylate	1537
Ethylbromide	325	2-Ethylhexyl alcohol	1033
Ethylbutyrate	1016	2-Ethylhexyl amine	1034
Ethylchlorocarbonate	1017	2-Ethylhexyl glycidyl ether	1035
Ethylene	1018	N-(2-Ethylhexyl)-1-isopropyl-4-methylbicyclo(2,2,2)- octa-5-ene-2,3-dicarboxyimide	1032
Ethylene alcohol	1025	2-Ethylhexyldiphenyl phosphate	1036
Ethylene dichloride	754	2-Ethylhexylvinylether	1037
Ethylene diglycol	825	Ethyldene chloride	753
Ethylene dihydrate	1025	Ethyldene dichloride	753
Ethylene imine	1019	Ethyldene norbornene	1038
Ethylene oxide	1020	5-Ethyldene-2-norbornene	1038
Ethylene thiourea	1021	Ethylmethylketoxime	355
Ethylene trichloride	1941	n-Ethylmorpholine	1039
1,1'-Ethylene-2,2'-bipyridylum-dibromide	841	S-Ethyl-N,N-dipropyl(thiocarbamate)	989
Ethylenebis(dithiocarbamate), disodium salt	1439	S-Ethyl-N-ethylthiocyclohexane-carbamate	598
Ethylenebis(dithiocarbamic acid) manganous salt	1267	2-Ethynitrobenzene	1040
Ethylenebis(dithiocarbamic acid) sodium salt	1439	o-Ethynitrobenzene	1040
Ethylenebromide	1022	Ethyl-N-phenylcarbamate	1009
Ethylene carboxylic acid	38	O-Ethyl-O-4-nitrophenylphenyl-phosphonothioate	987
Ethylenechlorohydrin	509	Etyloacetate	1011
Ethylenediamine	1023	O-Ethyl-O-p-nitrophenyl-phenylthiophosphonate	987
		Ethyl-p-aminobenzoate	1008
		2-Ethylphenol	1041

3-Ethylphenol	1042	Fentrifanil	1059
4-Ethylphenol	1043	Fenuron	1060
Ethyl-p-nitrophenylbenzenethiophosphonate		Fenvalerate	1061
	987	Ferbam	1062
Ethylpropionate	1044	Ferric chloride	1063
N-Ethyl-p-toluidine	1010	Ferric ion	1195
Ethylpyridine	1045	Ferric oxide	1196
O-Ethyl-S,S-dipropylphosphorodithioate	995	Ferridimethylthiocarbamate	1062
O-Ethyl-S-phenylethylphosphonodithioate		Ferrochromolignosulfonate	1064
	1076	Ferrous ion	1195
Ethylstyrene	1046	Ferrous sulfate	1065
S-(2-(Ethylsulfinyl)-ethyl)-O,O-dimethylphosphorothioate	1549	Flamprop-isopropyl	1066
S-(2-(Ethylsulfonyl)ethyl)-O,O-dimethylphosphorothioate	653	Fluchloralin	1067
Ethyne	23	Fluoranthene	1068
Ethynylcarbinol	1700	Fluorene	1069
Eulan	1047	9-Fluorenone	1070
Eulan NK	1047	Fluorescent-260	1071
Eulan NKU	1047	Fluoric acid	1164
F2	1047	Fluorides	1072
Falisan	1072	Fluorine and fluoride compounds	1072
Famfos	450	1-Fluoro-4-nitrobenzene	1073
Faneron Combi 500 FW *	474	Fluoroacetamide	1074
Faneron Combi 500 FW *	1048	2-Fluorobutanamide-5-(2-(2,4-di-t-amylphenoxy)butanamide)phenol	1075
Faneron Combi 500 FW *	1830	Fluorocarbon 12	711
Faneron Combi 500 FW *	332	Fluorotriphenylstannane	2010
Fatal	332	Flusythrinate	3
Fenam	632	Fonophos	1076
Fenamine	873	Formaldehyde	1077
Fenaminosulf	135	Formaldehyde polymer	1556
Fenaminphos	655	Formaldehyde sodium bisulfate	
Fenbutatin oxide	1049	1/2 hydrate	1078
Fenchlorphos	1050	Formaldehyde, trimer	2003
Fenethcarb	1051	Formalin	1077
Fenitrothion	1052	Formaline	1077
Fennosan H-30 *	1053	Formamide	1079
Fennotox S 2 *	1054	Formetanate-HCL	1080
Fenpropanate	1055	Formic acid	1081
Fensulfothion	1056	Formic acid, methyl ester	1326
Fenthion	1057	Formic aldehyde	1077
Fentoate	1058	Formothion	1082
Fentin acetate	868	1-Formyl-2-hydroxynaphthalene	1083
Fentin hydroxide	2008	Formylic acid	1081
	2011	Fosalone	1084

Fosfamid	869	Glycol ethylene ether	929
Fosfamidon	474	Glycol monobutylether	362
Fosfotox	869	Glycolchlorohydrin	509
Freon 113	1958	Glycoethyl ether	825
Freon R 12	711	Glycomonomethylether acetate	1029
Funulon	1060	Glycyl alcohol	1101
2-Furaldehyde	1087	Glyoxal	1104
Furan	1085	Glyphosate	1105
Furazolidone	1086	Glyphosate, isopropylaminesalt	1106
Furfural	1087	Gold and gold compounds	1107
Furfuraldehyde	1087	Gophacide	1108
Furfuryl alcohol	1088	Gramisan	450
Furpyrinol	1089	GS 14259	1109
Fyrol FR-2	1090	Guaiacol	1110
Gallium compounds	1091	Guazatine acetates	1111
Gardoprime-liquid *	1830	Gum camphor	418
Garlon 3A	1092	Halowax	1112
GC 4276	1093	HCCH	1252
GC 6506	1094	HCH	1129
GD-174	1095	HCH	1252
Geraniol	1096	α -HCH	1130
Germanium and germanium compounds	1097	β -HCH	1131
Glacial acetic acid	10	HCN	1165
Glucitol	1098	HDEHP	1006
Glycerin	1101	HEOD	809
Glycerin acetate	1099	Heptachlor	1113
Glycerin- α -allylether	1100	Heptachlor epoxide	1114
Glycerine	1101	1,4,5,6,7,8,8-Heptachlor-3a,4,7,7a-tetrahydro-4,7-endo-methanoindene	1113
Glyceritol	1101	Heptachloronorbornene	1115
Glycerol	1101	Heptachloronorbornene	1115
Glycidyl methacrylate	1102	4-(Heptaloxy)phenol	1116
Glycidylallylether	69	2,2,4,4,6,8,8-Heptamethylnonane	1117
Glycidylbutylether	392	Heptanal, 2-(phenylmethylene)-	149
Glycidyltrimethyl ammonium chloride	1103	Heptane	1118
Glycine	109	1-Heptanol	1119
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt	1241	n-Heptanol	1119
Glycinol	120	2-Heptanone	1120
Glycocoll	109	3-Heptanone	1121
Glycol	1025	1-Heptene	1122
Glycol alcohol	1025	Heptylchloride	514
Glycol dichloride	754	Hercules 22234	1123
Glycol ether	825	Hexabromo diphenyl ether	1124
		Hexabromobenzene	1125

Hexabutyldistannoxane	1924	Hexamethyl phosphoric triamide	1145
Hexabutyltin	1924	Hexamethylbenzene	1146
1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4-endo, exo-5,8-dimethanonaphthalene	52	Hexamethylenediamine	1147
6,7,8,9,10-Hexachloro-1,5,5a,6,9,9a-hexahydro-6,9-methano-2,4,3 -benzodioxathiepin-3-oxide	981	Hexamethylenetetramine	1148
1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-exo-1,4-endo-5,8-dimethanonaphthalene	809	N-Hexamethylolmelamine	1149
1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octa-hydroexo-1,4-exo-1,4-exo-5,8-dimethanonaphthalene	985	n-Hexane	1150
Hexachlorobenzene	1126	1,6-Hexanediamine	1147
1,4,5,6,7,7-Hexachlorobicyclo-(2,2,1)-5-heptene-2,3-dicarboxylic acid	1127	Hexanedinitrile	43
Hexachlorobutadiene	1128	Hexanedioic acid	42
Hexachlorocyclohexane	1129	Hexanedioic acid dinitrile	43
1,2,3,4,5,6-Hexachlorocyclohexane	1252	Hexanedioic acid, bis(2-(2-butoxyethoxy)ethyl) ester	1970
α -Hexachlorocyclohexane	1130	1,2-Hexanediol	1160
β -Hexachlorocyclohexane	1131	1,2,3,4,5,6-Hexanehexol	1273
δ -Hexachlorocyclohexane	1132	1,2,6-Hexanetriol	1151
γ -Hexachlorocyclohexane	1252	Hexanoic acid	421
Hexachloroclopentadiene	1133	n-Hexanoic acid	421
Hexachloroethane	1134	Hexanol	1152
Hexachloronorbornadiene	1135	1-Hexanol	1152
1-Hexacosanol	1136	2-Hexanol	1153
n-Hexadecane	1137	3-Hexanol	1154
1-Hexadecene	1138	n-Hexanol	1152
Hexadecylpyridiniumbromide	1139	2-Hexanone	1155
Hexadecyltrimethylammonium-bromide	1140	Hexavin	425
Hexadecyltrimethylammonium-chloride	1141	1-Hexene	1156
2,4-Hexadienic acid	1142	n-Hexoic acid	421
2,4-Hexadienoic acid	1142	Hexyl acetate	1157
1,1,1,3,3-Hexafluoro-2-propanol	1143	Hexyl alcohol	1152
Hexahydro-1,3,5-(2-hydroxyethyl)-1,3,5-triazine	1144	4-(Hexyloxy)phenol	1158
Hexahydroaniline	613	p-Hexylphenol	1159
Hexahydrobenzene	603	Higosan	1160
Hexahydrophenol	606	Hexylene glycol	1160
Hexalin	606	Hexyleneglycol	1160
		4-(Hexyloxy)phenol	1161
		p-Hexylphenol	1162
		Higosan	450
		Hexylene glycol	263
		Hexyleneglycol	606
		4-(Hexyloxy)phenol	1163
		p-Hexylphenol	1163
		Hippuric acid	1431
		Hydralin	154
		Hydrazine	1164
		Hydrazomethane	1164
		Hydrochloride benzenamide	1164
		Hydrofluoric acid	1081
		Hydrofluoride	1164
		Hydrogen carboxylic acid	1164

Hydrogen cyanide	1165	p-Hydroxyaniline	130
Hydrogen dioxide	1166	p-Hydroxyanisole	1315
Hydrogen fluoride	1164	1-Hydroxyanthraquinone	1177
Hydrogen nitrate	1465	o-Hydroxybenzaldehyde	1750
Hydrogen peroxide * 90%	1166	Hydroxybenzene	1602
Hydrogen sulfate	1823	3-Hydroxybenzenemethanol	1178
Hydrogen sulfide	1167	3-Hydroxybenzonitrile	1179
Hydroperoxide	1166	2-Hydroxybiphenyl	1606
Hydrophenol	606	1-Hydroxybutane	351
Hydroquinone	1168	2-Hydroxybutane	352
m-Hydroquinone	1746	3-Hydroxycyclohexadien-1-one	1746
o-Hydroquinone	437	Hydroxycyclopentane	620
Hydroquinone monomethyl ether	1315	Hydroxydimethylarsine oxide	406
Hydroquinonemonobenzylether	1169	2-Hydroxyethanol	1025
2-Hydroxy butane	352	2-Hydroxyethyl acrylate	1180
4-Hydroxy diphenylmethane	273	2-Hydroxyethyl methacrylate	1181
2-Hydroxy-1,2,3-propanetricarboxylic acid	566	2-Hydroxyethylamine	120
2-Hydroxy-1,3,5-trinitrobenzene	1645	β -Hydroxyethylamine	120
7-Hydroxy-1,3-naphthalene disulfonic acid dipotassium salt	1170	9-Hydroxyfluorene	1182
2-Hydroxy-1,7,7-trimethyl bicyclo(2,2,1)heptane	1171	α -Hydroxyisobutyronitrile	1386
1-Hydroxy-2-methylbenzene	585	6-(Hydroxymethyl)-2-(2-(5-nitro-2-furyl)vinyl)-pyridine	1089
2-Hydroxy-2-methylpropanenitrile	1386	N-(Hydroxymethyl)alkane-(C=14-18)amide	1183
2-Hydroxy-2-methylpropionitrile	1386	2-((Hydroxymethyl)amino) ethanol	1184
3-Hydroxy-2-naphthoic acid	1172	p-Hydroxymethylaniline	1361
4-Hydroxy-3-(3-oxo-1-phenylbutyl)-coumarin	2047	1-Hydroxymethylpropane	1197
4-Hydroxy-3-(3-oxo-1-phenylbutyl)-quemarin	2047	2-Hydroxynitrobenzene	1497
4-Hydroxy-3,5-diiodobenzonitrile	1194	o-Hydroxynitrobenzene	1497
2-(2'-Hydroxy-3',5'-di-t-butylphenyl)-5-chlorobenzotriazole	1173	3-Hydroxyphenol	1746
2-Hydroxy-4-methoxybenzophenone	1174	4-Hydroxyphenol	586
4-Hydroxy-4-methyl-2-pentanone	667	m-Hydroxyphenol	1746
4-(4-Hydroxy-4-methyl-pentyl)-3-cyclohexenecarbaldehyde	1175	o-Hydroxyphenol	437
2-Hydroxy-4-n-octoxybenzophenone	1540	p-Hydroxyphenol	1168
1-Hydroxy-4-tert-butylbenzene	394	N-(2-Hydroxyphenyl)acetamide	1185
3-Hydroxy-5-hydroxymethyl-2-methylisonicotinaldehyde	1176	2-Hydroxypropionitrile	1235
m-Hydroxyaniline	128	2-Hydroxypyridine	1186
o-Hydroxyaniline	129	4-Hydroxypyridine	1187
		3-Hydroxypyridine	1187
		4-Hydroxystearic acid	1189
		12-Hydroxytoluene	585
		2-Hydroxytoluene	584
		3-Hydroxytoluene	586

α -Hydroxytoluene	1615	Isopimaric acid	1210
β -Hydroxytricarballylic acid	566	Isoprene	1211
Hydroxytriphenylstannane	2011	Isopropanol	1212
Hydroxytriphenyltin	2011	4-Isopropenyl-chlorobenzene	1213
Hymexazol	1190	2-Isopropoxyphenyl methylcarbamate	1214
Hypnone	15	Isopropyl alcohol	1212
Imidan	1191	Isopropyl benzyl alcohol	1215
Imugan	1192	Isopropyl dimethyl carbinol	1333
Iodine	1193	Isopropyl ether	853
Ioxynil	1194	(Isopropyl(2E-4E)-11-methoxy-3,7,11-trimethyl-dodeca-2,4-dienoate	1302
Iron and iron compounds	1195		
Iron(III) oxide	1196	3-Isopropyl-1H-2,1,3-benzothiadiazin-(4)3H-one-dioxide	230
Ironoxide	1196		
Isoamyl salicylate	1198	2-Isopropyl-4-methyl-6-hydroxypyrimidine	1216
Isoamylaldehyde	1374	1-Isopropyl-4-methylbenzene	624
Isobenzan	1199	1-Isopropyl-4-methylcyclohexane	1217
1,3-Isobenzofurandione	1641	Isopropylacetate	1219
Iso-butanol	1197	Isopropylacetone	1328
Isobut enyl methyl ketone	1290	Isopropylamine	1220
Isobutyl acrylate	39	Isopropylbenzene	1221
Isobutyl alcohol	1197	4-Isopropylbenzoic acid	1222
Isobutylacetate	1200	Isopropylbromide	1223
Isobutylamine	1398	Isopropylcarbinol	1197
Isobutylmethylcarbinol	1343	Isopropyldecalin	1224
Isobutylmethylmethanol	1343	Isopropylidene acetone	1290
N-Isobutylmorpholine	1201	Isopropyl-m-cresol	1886
Isobutyraldehyde	1393	Isopropyl-N-(3-chlorophenyl)carbamate	549
Isobutylonitrile	1202	Isopropylnaphthalene	1225
Isocyanic acid, 2-methyl-meta-phenylene ester	1893	p-Isopropyltoluene	1218
Isocyanic acid, 4-methyl-m-phenylene ester	1892	Isoprotiolane	624
Isocyanic acid, methylphenylene ester	1892	Isoproturon	1226
Isocyanuric acid	1203	Isovaleraldehyde	1227
Isodrin	1204	Juvabiol	1374
Isofenphos	1205	Juvabione	1228
Isohexyl alcohol	1333	Kanechlor 500	1229
Isol	1160	Karbutilate	1230
Isooctanol	1206	Kasugamycin	1231
Isooctyl alcohol	1206	Kelthane	712
Isopentanol	1332	Kepone	1233
Isophorone	1207	Ketohexamethylene	607
Isophthalic acid dimethyl ester	1208	Ketopentamethylene	621
Isophthalic acid	1209	Kitazin	1234

Lactonitrile	1235	Malachite green	1259
Landrine	1236	Malaoxon	1260
Lanthanum and lanthanum compounds	1237	Malathion	1261
Larvin	1238	Maleic acid anhydride	1262
LAS	1254	Maleic anhydride	1263
Lauric acid	969	Maleic hydrazine	1264
Lauryl dimethyl amine	1239	Malononitrile	1265
Laurylguanidine acetate	974	Mancofol	1266
Lauryllactam	1240	Mancozeb	1266
N-Layroyl sarcosine sodium salt	1241	Maneb	1267
Layryl nitrate	1466	Maneba *	1267
Lead acetate	1242	Manganese and manganese compounds	1268
Lead and lead compounds	1243	Manganese carbonate	1269
Lead carbonate	1244	Manganese chloride	1270
Lead carbonate, basic	1244	Manganese oxide	1272
Lead chloride	1245	Manganese sulfate	1271
Lead flake	1244	Manganese(2+) sulfate	1271
Lead nitrate	1246	Manganese(II) sulfate	1271
Lead orthoplumbate	1248	Manganeseethylene-1,2-bis-dithiocarbamate	1267
Lead oxide	1248	Manganousethylenebis-(dithiocarbamate)	1267
Lead stearate	1247	Manna sugar	1273
Lead subcarbonate	1244	Mannite	1273
Lead tetraethyl	1856	D-Mannitol	1273
Lead tetraoxide	1248	Manzeb	1266
Lead tetroxide	1248	Matrigon *	781
Lebaycid	1058	MCB	488
Lenacil	1249	MCPA	1274
Leptofos	1250	MCPB	1275
Leptophos	1250	Mediben	707
Levopimamic acid	1653	Mefluidide	1276
Limonene	1251	MEK	354
Lindane	1252	Meldane	1909
Linear alkylbenzene	1253	Melamine	569
Linear alkylbenzene sulfonate	1254	Menadione	1277
Linevol	1255	1,4-p-Menthadiene	1278
Linuron	1256	Menthol	1279
Lithium and lithium compounds	1257	2-Mercapto benzothiazole	1280
Lontrel 100 *	781	2-Mercapto imidazoline	1021
Lorsban	811	2-Mercapto imidazoline	1281
M 3724	1092	Mercaptoacetic acid	1879
Magnesium and magnesium compounds	1258		
Malachite	577		

2-Mercaptobenzimidazole	1282	2-Methoxy-2-methylpropane	1434
Mercaptodimethur	1300	1-Methoxy-3,6-dioxaoctan-8-ol	1969
Mercaptophos	1058	1-Methoxy-3-oxabutan-5-ol	830
Mercaptothiazoline	1283	4-Methoxy-4-methyl-2-pentanone	1305
Mercuric oxide	1286	1-Methoxy-4-nitrobenzene	1480
Mercuric thiocyanate	1287	2-Methoxy-4-propenylphenolmethyl-	
Mercuric(I) chloride	1284	ether	62
Mercuric(II) chloride	1285	4-Methoxyacetanilide	1309
Mercury bichloride	1285	2-Methoxyaniline	1310
Mercury chloride	1285	3-Methoxyaniline	161
Mercury compounds	1288	4-Methoxyaniline	1311
Merex	1233	2-Methoxybenzoic acid	159
Mertect *	1289	3-Methoxybenzoic acid	158
Mesityl oxide	1290	4-Methoxybenzoic acid	160
Mesitylene	1291	2-Methoxycarbamoyl-1-methylvinylid-	
Metyllyl chloride	1292	methylphosphate	1412
Metamitron	1293	2-(Methoxycarbonylamino)	
Metasystox	1294	benzinidazole	427
Metasystox-R	1549	Methoxychlor	1312
Metazol D3T *	1295	Methoxy-DDT	1312
Methacide	1890	2-Methoxyethanol	1028
Methamidophos	1296	2-(2-Methoxyethoxy)ethanol	830
Methanal	1077	2-Methoxyethyl acetate	1029
Methanamide	1079	1-Methoxynaphthalene	1313
Methane dichloride	762	3-Methoxy-n-butanol	1306
Methanecarboxylic acid	10	3-Methoxy-n-butyl acetate	1307
Methanesulfinic acid, hydroxy-, monosodium salt	1782	p-Methoxynitrobenzene	1480
Methanesulfonylchloride	1297	2-Methoxyphenol	1110
Methanetetrachloride	432	3-Methoxyphenol	1314
Methanethiol	1387	4-Methoxyphenol	1315
Methanoic acid	1081	p-Methoxyphenol	1315
Methanol	1298	3-(o-Methoxyphenoxy)-1,2-propanediol-1-carbamate	1316
Methanone (2-hydroxy-4-methoxyphenyl)phenyl-1,3,4-Metheno-2H-cyclobuta(cd)-pentalen-2-one, 1,1a,3,3a,4,5,5,5a,5b,6-decachloroctahydro-	1174	1-(2-Methoxyphenyl)-2-nitroethene	1317
Methidathion	1233	4-(Methoxyphenyl)thiourea	1318
Methiocarb	1299	4-Methoxy-tert-butyl phenol	1308
Methomyl	1300	2-Methoxytetrachlorophenol	1847
Methoprene	1301	Methyl 4-aminobenzenesulfonylcarbamate, Na-	181
3-Methoxy nitrobenzene	1302	Methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate	277
1-Methoxy-2-hydroxypropane	1303	Methyl acetate	1320
	1304	Methyl acetone	354
		Methyl acrylate	1321

Methyl alcohol	1298	Methyl-2,4-dihydroxybenzoate	1334
Methyl amyl ketone	1120	2-Methyl-2,4-pentanediol	1160
o-Methyl aniline	1362	Methyl-2,5-dichlorobenzoate	1335
Methyl benzimidazol-2-yl carbamate (=MBC)	427	6-Methyl-2-aminobenzothiazole- hydrochloride	1336
Methyl benzoate	1322	Methyl-2-benzoyl benzoate	1337
Methyl biphenyl	1323	2-Methyl-2-butanol	1338
Methyl butyl ketone	1155	3-Methyl-2-butanol	1339
Methyl carbamic acid,4- (dimethylamino)-3,5-xylyl ester	879	3-Methyl-2-butanone	1340
Methyl chloroacetate	1324	5-Methyl-2-hexanone	1327
Methyl ether	1325	1-Methyl-2-nitrobenzene	1509
Methyl ethylcarbinol	352	3-Methyl-2-nitrophenol	1341
Methyl ethylketone	354	5-Methyl-2-nitrophenol	1342
Methyl formate	1326	4-Methyl-2-pentanol	1343
Methyl isoamyl ketone	1327	4-Methyl-2-pentanone	1328
Methyl isobutenyl ketone	1290	2-Methyl-2-penten-4-one	1290
Methyl isobutyl ketone	1328	2-Methyl-2-phenylpropane	382
Methyl isopropyl ketone	1340	2-Methyl-2-propanol	353
Methyl methacrylate	1329	2-Methyl-2-propylethanol	1333
Methyl methanoate	1326	3-(1-Methyl-2-pyrrolidine)pyridine sulfate	1464
1-Methyl piperidine	1330	n-Methyl-2-pyrrolidone	1344
Methyl sulfanilylcarbamate	181	N-Methyl-2-toluidine	1345
3-Methyl thiophene	1331	2-Methyl-3-(4-tert- butylphenyl)propionaldehyde	1346
Methyl trichloride stannane	1408	1-Methyl-3,5-dinitrobenzene	918
Methyl(2-pentyl-3-oxo- cyclopentyl)acetate	1319	2-Methyl-3-heptanone	1347
Methyl-1-(butylcarbamoyl)-2- benzimidazole-carbamate	228	7-Methyl-3-methylene-1,6-octadiene	1348
6-Methyl-1,3-dithiolo(4,5-b)quinoxalin- 2-one	439	4-Methyl-3-nitrophenol	1475
1-Methyl-1-butanol	1580	4-Methyl-3-pentene-2-one	1290
3-Methyl-1-butanol	1332	N-Methyl-3-toluidine	1349
2-Methyl-1-nitrobenzene	1509	1-Methyl-4-(1-methylethenyl) cyclohexane	1251
2-Methyl-1-pentanol	1333	5-Methyl-4,6-dinitrobenzenamine	84
2-Methyl-1-propanol	1197	2-Methyl-4,6-dinitrophenol	900
1-Methyl-2-(3-pyridyl)pyrrolidine sulfate	1464	2-Methyl-4-chloroaniline	462
2-Methyl-2-(methylthio)propanal	51	Methyl-4-chlorobenzoate	1350
2-Methyl-2(methylthio)propionaldehyde	51	3-Methyl-4-chlorophenol	467
o-((2-Methyl-2 (methylthio)propylidene)- amino) derivative	51	2-Methyl-4-chlorophenoxyacetic acid	1274
6-Methyl-2,3-quinoxaline dithiocarbonate	439	Methyl-4-nitrobenzoate	1351
		1-Methyl-4-tert-butylbenzene	399
		Methyl-5-norbornene-2,3- dicarboxylic acid	1352

Methyl-5-norbornene-2,3-dicarboxylic acid anhydride	1353	4-Methylcyclohexane-1,2-dicarboxylic acid	1378
Methylacetaldehyde	1704	4-Methylcyclohexane-1,2-dicarboxylic acid anhydride	1379
3-Methylacetanilide	1355	4-Methylcyclohexane-1,2-dicarboxylic anhydride	1379
N-Methylacetanilide	1356	2-Methylcyclohexanone	1380
Methylacetic acid	1705	Methyldinitrobenzene	912
4-Methylacetophenone	1357	4,4'-Methylene bis(2,6-di-t-butylphenol)	1381
Methylaldehyde	1077	Methylene blue	1382
2-(Methylamino)benzoic acid	1358	Methylene chloride	762
2-(N-Methylamino)benzoic acid	1358	Methylene dichloride	762
4-(Methylamino)benzoic acid	1359	Methylene glycol	1077
p-(Methylamino)benzoic acid	1359	Methylene oxide	1077
o-(Methylamino)carbonyl)oxime	51	2,2'-Methylenebiphenyl	1069
p-Methylaminophenol	1360	2,2'-Methylenebis(6-t-butyl-4-methylphenol)	1383
4-Methylaminophenolsulfate	1361	Methylenebisthiocyanate	1384
Methylamylalcohol	1343	p, p'-Methylenedianiline	636
N-Methyl-a-naphthylcarbamate	425	Methylethene	1701
n-Methyl-a-naphthylurethan	425	2-(1-Methylethoxy) phenol methylcarbamate	1214
2-Methylaniline	1362	Methylethyl ketoxime	355
3-Methylaniline	1363	Methylethylene	1701
4-Methylaniline	1364	Methylethylketone	354
N-Methylaniline	1365	2-Methylfuran	1385
9-Methylanthracene	1366	Methylglycol acetate	1029
Methylazoxymethanol acetate	1367	5-Methylheptan-3-one	1347
Methylbenzene	1890	Methylethylene	1431
2-Methylbenzoic acid	1368	Methylethylfuran	1431
3-Methylbenzoic acid	1369	Methylglycol	1327
4-Methylbenzoic acid	1370	1-Methylhydrazine	1327
4-Methylbenzyl alcohol	1371	2-Methylheptan-3-one	1386
α -Methylbenzylamine	1372	Methylhydrazine	1387
Methylbromide	1373	1-Methylhydrazine	1388
3-Methylbutanal	1374	Methylisoamylketone	1389
Methylcarbamate 1-naphthol	425	2-Methyllactonitrile	1389
Methylcarbamic acid	51	Methylmercaptan	1349
Methylcarbamic acid, 1-naphthyl ester	425	Methylmercuric chloride	1349
N-((Methylcarbamoyl)oxy)-thioacetimidic acid methylester	1301	Methylmercury	1349
Methylcarbinol	992	2-Methyl-meta-phenyleneisocyanate	1349
o-(Methylcarbamoyl)oxime	51	N-Methyl-m-toluidine	1350
Methylcellosolveacetate	1029	1-Methylnaphthalene	1350
Methylchloride	1375	2-Methylnitrobenzene	1350
3-Methylcholanthrene	1376	3-Methylnitrobenzene	1350
Methylcyanide	14	4-Methylnitrobenzene	1350
Methylcyclohexane	1377	m-Methylnitrobenzene	1350
		o-Methylnitrobenzene	1350
		p-Methylnitrobenzene	1350

N-Methyl-N-oleoyltaurine sodium salt	1354	
2-(1-Methyl-n-propyl)-4,6-dinitrophenol	922	
2-(1-Methyl-n-propyl)-4,6-dinitrophenyl-		
2-methylcrotonate	278	
N-Methyl-o-toluidine	1345	
8-Methylparacyclopene	399	
Methylparathion	1391	
2-Methylpentane-2,4-diol	1160	
1-Methylphenanthrene	1392	
2-Methylphenol	585	
3-Methylphenol	584	
4-Methylphenol	586	
o-Methylphenol	585	
N-(3-Methylphenyl)ethanamide	1355	
4-Methylphenylene-1,3-diamine	680	
Methylphenylketone	15	
N-Methylpiperidine	1330	
2-Methylpropan-1-ol	1197	
2-Methylpropanal	1393	
2-Methylpropenoic acid, ethyl ester	1394	
2-Methylpropenoic acid, isopropyl ester	1395	Mono sodium 4-amino-5-hydroxy-
2-Methylpropenoic acid, methyl ester	1329	1,3-naphthalene disulfonate
2-Methylpropenoic acid, n-butyl ester	1396	Mono(2,2-dimethylhydrazide)
2-Methylpropenoic acid, tert-butyl ester	366	succinic acid
Methylpropionate	1397	N-Mono(or di)methylphenyl-N'-mono(or di)methylphenyl-1,4-
2-Methylpropyl alcohol	1197	phenylenediamine
1-Methylpropyl amine	377	Monoallylamine
2-Methylpropyl amine	1398	Monobromomethane
4-(1-Methylpropyl)phenol	1399	Monobutylnaphthalene sulfonic acid
Methylpropylcarbinol	1580	and sodium salt
Methylpyridine	1400	Monochloroacetic acid
2-Methylpyridine	1401	Monochlorobenzene
3-Methylpyridine	1402	Monochlorodehydroabietic acid
N-Methylpyrrole	1403	Monochlorodimethylether
2-Methylquinoline	1404	Monochlorohydroquinone
6-Methylquinoline	1405	Monochromium oxide
α -Methylsiloxy- ω -trimethylsilyl-poly(hydro=methylsiloxy)	1406	Monochromium trioxide
α -Methylstyrene	1407	Monocrotophos
Methyltheobromine	412	Monoethanol amine
4-(Methylthio)-, O-ester with O,O-dimethylphosphorothioate	1058	Monoethyl adipate
		Monoethyl biphenyl
		Monoethylene glycol
		Monofluoroacetic acid

Monohydroxybenzene	1602	γ -Naphthoflavone	1448
Monoisopropanolamine	89	1-Naphthoic acid	1449
Monolauryl phosphoric ester	1428	2-Naphthoic acid	1450
Monolinuron	1429	α -Naphthoic acid	1449
N-Monomethylamidesalt	869	1-Naphthol	1451
Monomethylamine hydrochloride	1430	2-Naphthol	1452
Monomethylhydrazine	1431	α -Naphthol	1451
Monophenol	1602	β -Naphthol	1452
Monouron	568	2-Naphthol-3,6-disulfonic acid	
Mordant Black-7	1432	disodium salt	1453
Morestan *	439	1-Naphthol-4-sulfonic acid sodium salt	1454
Morpholine	1433	1,2-Naphthoquinone	1455
Morphothion	877	1,4-Naphthoquinone	1456
MS-222	117	α -Naphthoquinone	1456
MTBE	1434	p-Naphthoquinone	1456
Muscatox	569	1-Naphthyl acetic acid	1438
Mustard oil	60	1-Naphthyl methyl carbamate	425
N-2404	1435	1-Naphthylamine	1457
NAA	1438	2-Naphthylamine sulfonic acid	1458
Nabam	1439	2-Naphthylisobutyl ether	1459
Naled	1440	1-Naphthyl-N-methylcarbamate	425
NAOH	1783	1,4-Naphthylquinone	1456
Naphtha	1441	NBA	351
α -Naphthacridine	235	NCL-C55	353
1-Naphthalenamine, N-ethyl-	1005	Nellite	671
2-Naphthalenamine, N-phenyl-	1437	NFE	1519
Naphthalene	1442	Nickel and nickel compounds	1460
1-Naphthalene carboxaldehyde	1443	Nickel chloride	1461
1-Naphthalene carboxylic acid	1449	Nickel sulfate	1462
2-Naphthalene thiol	1444	Nickelous chloride	1461
Naphthalene, 1,2,3,4-tetrahydro-	1861	Nickelous sulfate	1462
1-Naphthaleneacetic acid	1438	Niclosamide	225
2,6-Naphthalenedicarboxylic acid	1445	Nicotine	1463
1,4-Naphthalenedione	1456	Nicotine sulfate	1464
1-Naphthalenesulfonic acid, 4-amino-, monosodium salt	1447	Nicotinyl alcohol	1731
2-Naphthalenesulfonic acid, 5-amino-, sodium salt	1790	Niobe oil	1322
2-Naphthalenesulfonic acid, 7,7'-(carbonyldiimino)bis-(4-hydroxy-	1446	Nitrapyrin	472
Naphthalin	1442	Nitric acid	1465
Naphthantracene	232	Nitric acid, cadmium salt	410
Naphthene	1442	Nitric acid, copper (2+) salt	578
Naphthionic acid sodium salt	1447	Nitric acid, dodecyl ester	1466
		Nitric acid, sodium salt	1785
		Nitric acid, zinc salt	2065
		Nitrioloacetic acid	1467

1,1',1''-Nitrilotris-2-propanol	2021	2-Nitro-p-cresol	1474
Nitrite ion	1468	3-Nitro-p-cresol	1475
4-Nitro-1,2-diaminobenzene	1469	Nitrophen	779
5-Nitro-2-cresol	1470	Nitrophene	779
4-Nitro-3-(trifluoromethyl)phenol	1973	2-Nitrophenol	1497
2-Nitro-4-cresol	1474	3-Nitrophenol	1498
2-Nitroaniline	1476	4-Nitrophenol	1499
3-Nitroaniline	1477	m-Nitrophenol	1498
4-Nitroaniline	1478	o-Nitrophenol	1497
p-Nitroaniline	1478	p-Nitrophenol	1499
2-Nitroanisole	1479	p-Nitrophenyl phenylether	1500
4-Nitroanisole	1480	p-Nitrophenyl-2,4,6-trichlorophenyl ether	521
m-Nitroanisole	1303		1480
o-Nitroanisole	1479	4-Nitrophenylmethyl ether	1501
Nitrobenzene	1481	3-Nitrophthalic acid	1502
m-Nitrobenzene	905	1-Nitropropane	1503
m-Nitrobenzenesulfonic acid, sodium salt	1763	2-Nitropropane	1504
5-Nitrobenzimidazole	1482	4-Nitropyridine	1505
2-Nitrobenzoic acid	1483	n-Nitrosodiethylamine	1506
3-Nitrobenzoic acid	1484	n-Nitrosodiphenylamine	1507
4-Nitrobenzoic acid	1485	β -Nitrostyrene	1509
m-Nitrobenzoic acid	1484	2-Nitrotoluene	1508
o-Nitrobenzoic acid	1483	3-Nitrotoluene	1510
3-Nitrobenzonitrile	1486	4-Nitrotoluene	1508
4-Nitrobenzonitrile	1487	m-Nitrotoluene	1509
5-Nitrobenzotriazole	1488	o-Nitrotoluene	1510
2-Nitrochlorobenzene	519	p-Nitrotoluene	1508
m-Nitrochlorobenzene	468	3-Nitrotoluol	1791
p-Nitrodiphenyl ether	1500	Nitrous acid, sodium salt	1645
Nitroethane	1489	Nitroxanthic acid	1465
Nitrofen	779	Nitryl hydroxide	1513
Nitrofurazone	1490	Nonacosane	1511
Nitrogen dioxide	1491	Nonadecanenitrile	1511
5-Nitroindole	1492	n-Nonadecanenitrile	1512
5-Nitrokinoline	1493	Nonadecyl amine	1513
6-Nitrokinoline	1494	Nonaeicosane	1513
4-Nitro-m-cresol	1471	Nonane	1538
6-Nitro-m-cresol	1342	Nonanenitrile	1538
Nitromethane	1495	n-Nonanenitrile	1515
1-Nitronaphthalene	1496	1-Nonanol	1538
4-Nitro-o-anisidine	1472	Nonanonitrile	1517
5-Nitro-o-cresol	1470	1-Nonene	1516
2-Nitro-p-anisidine	1473	β -n-Nonenylsuccinic anhydride	1517

Nonyl alcohol	1515	p-Octyldiphenylamine	1539
Nonyl phenol	1518	n-Octylic acid	423
Nonylphenol	1518	4-Octyloxy-2-hydroxybenzophenone	1540
4-Nonylphenol	1518	4-Octylphenol	1541
p-Nonylphenol	1518	p-Octylphenol	1541
Nonylphenol ethoxylates	1519	Di-n-Octylphthalate	924
Norbormide	1520	Oil of bitter almonds	236
Norflurazon	1521	Oleic acid	1542
Normal butyl alcohol	351	Omacide-24 *	1543
Normal-propyl carbinol	351	Optunal	1544
Norvalamine	376	Orthene	6
NRDC 107	279	Orthoarsenic acid	173
N-serve	472	Orthophosphoric acid	1634
N-serve nitrogen stabilizer	472	Osmitol	1273
1,2,4,5,6,7,8,8-Octachloro-3a,4,7,7a-tetrahydro-4,7-endomethano-indene	441	3-Oxa-1,5-pentanediol	825
1,2,4,5,6,7,8,8-Octachloro-4,7-methano-3a,4,7,7a-tetrahydro-indane	441	7-Oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid	1545
2,3,3,3,2',3',3',3'-Octachloro-di-propylether	1522	7-Oxabicyclo(2,2,1)heptane-2,3-dicarboxylic acid, disodium salt	984
Octachloronaphthalene	1523	Oxadiazon	1546
Octachlorostyrene	1524	Oxalic acid	1547
Octachlorovinylbenzene	1524	Oxane	1020
Octadecanethiol	1525	3-Oxapentane-1,5-diol	825
Octadecenylsuccinic acid	1526	2-Oxetanone	1703
Octadecenylsuccinic anhydride	1527	α,β -Oxidoethane	1020
Octadecyl methacrylate	1528	Oxirane	1020
Octadecylisocyanate	1530	5-Oxo-3,4-dichloro-1,2-dithiol	713
N-n-Octadecyl-N,N-dimethyl amine	1529	Oxomethane	1077
1,6-Octadiene, 7-methyl-3-methylene-	1348	2-Oxopyridine	1186
Octamethylpyrophosphoramido	1531	Oxybenzene	1602
Octane	1532	1,1'-Oxybis(2-chloro)ethane	289
Octanoic acid	423	Oxybis(tributyltin)	1924
Octanol	1533	Oxybis(1,1'-Oxybisethane)	1001
1-Octanol	1533	2,2'-Oxybisethanol	825
2-Octanol	1534	Oxycarboxin	1548
n-Octanol	1533	Oxydemeton-methyl	1549
2-Octanone	1535	2,2'-Oxydiethanol	825
3-Octanone	1536	Oxymethylene	1077
n-Octoic acid	423	Oxyphenic acid	437
Octyl acrylate	1537	Ozone	1550
Octyl cyanide	1538	PAA	1588
1-Octyl cyanide	1538	Palmitic acid	1551
n-Octyl cyanide	1538	Palustric resin acid	1552
	1538	PAN	1594

Panacide *	1553	2-Pentanone	1582
Para-acetaldehyde	1986	3-Pentanone	1583
Paraclox R 80 *	1554	Pentiformic acid	421
Paraffin	1555	n-Pentyl alcohol	148
Paraformaldehyde	1556	p-(tert-Pentyl)phenol	1584
Paraquat	1557	Pentylamine	1585
Paraquat chloride	1557	2-Pentylanthraquinone	1586
Parathion	816	Pentylchloride	151
Parathion-ethyl	816	α -Pentylcinnam aldehyde	1587
PCB	1558	Pentylformic acid	421
PCB Aroclor 1016 *	1559	Peracetic acid	1588
PCB Aroclor 1221 *	1560	Perchlorocyclopentadiene	1133
PCB Aroclor 1232	1561	Perchloroethane	1134
PCB Aroclor 1242 *	1562	Perchloroethene	1846
PCB Aroclor 1248 *	1563	Perchloroethylene	1846
PCB Aroclor 1254 *	1564	Perchloromethane	432
PCB Aroclor 1260 *	1565	Perfluidone	1589
PCMC	467	Perfluorotributylamine	1590
PCT	1665	Periethylenenaphthalene	4
Pebulate	1566	Permethrin	1591
Pelargonitrile	1538	Permethrin (cis-isomer)	1592
1,2,3,4,5-Pentabromo-6-chlorocyclohexane	1567	Permethrin (trans-isomer)	1593
Pentabromophenol	1568	Peroxide	1166
Pentabromotoluene	1569	Peroxyacetic acid	1588
Pentachlorobenzene	1570	Peroxyacetyl nitrate	1594
Pentachlorobiphenyl	1571	Perylene	1595
Pentachloroethane	1572	Phenachlor	1953
Pentachloronitrobenzene	1741	Phenacylchloride	480
Pentachlorophenol	1573	Phenanthrene	1596
1,1,2,3,3-Pentachloropropane	1574	Phenanthrene quinone	1597
Pentadecane	1575	Phenazin-5-oxide	1598
n-Pentadecane	1575	Phenethylene	1815
Pentaerythritol	1576	Phenetole	1003
Pentafluorophenol	1577	Phenetole	1599
Pentane	1578	Phenic acid	1602
2,4-Pantanedione	1579	Phenmedipham	1600
Pentanoic acid	2033	Phenobarbital	1601
n-Pentanoic acid	2033	Phenol	1602
1-Pentanol	148	Phenol alcohol	1602
2-Pentanol	1580	Phenol methyl ether	162
3-Pentanol	1581	Phenol trinitrate	1645
tert-Pentanol	1338	Phenol, 2,2'-methylenebis-	
1-Pentanolacetate	150	(6-(1,1-dimethyl ethyl)-4-methyl-	1383

Phenol, 4,4'-methylenebis(2,6-bis(1,1-dimethylethyl)-	1381	Phenylethanenitrile	1611
Phenothiazine	1603	Phenylethanoic acid	1616
1-Phenoxy-2,3-epoxypropane	1620	1-Phenylethanol	1617
Phenoxyacetic acid	1604	2-Phenylethanol	1618
3-Phenoxybenzyl-cis, trans-3-(2,2-dichlorovinyl)-	1591	Phenylethene	1815
Phenthioate	868	Phenylether	934
Phenyl allylic alcohol	562	2-Phenylethyl amine	1619
Phenyl benzoate	1605	S-Phenylethylalcohol	1618
Phenyl hydrate	1602	Phenylethylen	1815
Phenyl hydride	238	Phenylglycidyl ether	1602
Phenyl hydroxide	1602	Phenyllic acid	1602
2-Phenyl phenol	1606	Phenylmethanol	1602
Phenyl salicylate	1607	Phenylmercuryacetate	1621
3-Phenyl-1,1-dimethylurea	1060	Phenylmethane	1890
3-Phenyl-1-propen-1-ol	562	Phenylmethyl alcohol	1615
1-Phenyl-3-pyrazolidone	1608	2-(Phenylmethyl)pyridine	1622
N-Phenylacetamide	9	3-(Phenylmethyl)pyridine	1623
Phenylacetate	1610	Phenylmethylketone	15
Phenylacetonitrile	1611	N-Phenyl-N,N-dimethylurea	1060
2-Phenylacetonitrile	1611	o-Phenylphenol	1606
Phenylacridinium thiocyanate	1612	p-Phenylphenol	1624
β-Phenylacrolein	560	Phenylphosphinic acid	1625
Phenylamine	153	2-Phenylpropane	1221
Phenylamine-hydrochloride	154	3-Phenylpropenal	560
1-(N-Phenylamino)naphthalene	1613	3-Phenylpropenoic acid	561
2-(N-Phenylamino)naphthalene	1437	2-Phenylpyridine	1626
4-Phenylazophenol	1614	3-Phenylpyridine	1627
Phenylbarbital	1601	4-Phenylpyridine	1628
Phenylbromide	319	Phenylurea	1629
1-Phenylbutane	380	Phenyl-xylylmethane	1609
2-Phenylbutane	381	Phorate	1630
Phenylcarbinol	1615	Phorone	1631
Phenylchloride	488	Phos-chek	1632
Phenylchloroform	260	Phosdrin	1412
Phenylcyanide	256	Phosfolan	1633
Phenyldimethylurea	1060	Phosmet	1191
m-Phenylenediamide	674	Phosphamide	869
o-Phenylenediamine	673	Phosphamidon	474
p-Phenylenediamine	675	Phospholan	1633
m-Phenylenedichloride	737	N-(Phosphonomethyl)glycine	1105
o-Phenylenediol	437	Phosphoric acid	1634
N-Phenylethanamide	9	Phosphoric acid, diammonium salt	1632

Phosphoric acid, dimethyl ester, ester with 2-chloro-N,N-diethyl-3- hydroxycrotonamide		2-Pinene	1654
	474	Piperazine	1655
Phosphoric acid, trisodium salt	1635	Piperidine	1656
Phosphorodithioic acid, O,O- dimethylester, s-ester with 2-mercapto-N-methylacetamide		Piperidine, 1,1'-(tetrathiodi- carbonothioyl)bis-	932
Phosphorothioic acid, O,O-Dimethyl-, O-(4-methylthio)-m-tolyl) ester	869	Piperonal	1657
Phosphorous acid, trioctadecyl ester	1058	Pirimicarb	1658
Photoaldrin		Piror P 72 *	1659
Photoheptachlor		Pivalic acid	1660
Photoisodrin		Platinum and platinum compounds	1661
Phoxim		Poly(1,3-butanediol, adipic acid)ester	1662
Phthalazine	1901	Poly(degree of polymerization=10)- oxyethylene p-nonylphenyl ether	1663
p-Phthalic acid	2026	Photochlorinated biphenyls	1558
Phthalic acid anhydride	1636	Photochlorinated triphenyls	1665
Phthalic acid, bis(2-ethylhexyl) ester	1637	Poly(chlorobiphenyl (Cl = 2)	1666
Phthalic acid, dialkyl (C7-9) ester (Linevol 79)	1638	Poly(chlorobiphenyl (Cl = 3)	1667
Phthalic acid, dibutyl ester	1639	Poly(chlorobiphenyl (Cl = 4)	1668
Phthalic acid, dinonyl ester	1640	Poly(chlorobiphenyl (Cl = 6)	1669
Phthalic acid, dioctyl ester	1831	Poly(chloronaphthalene (Cl = 3-5)	1670
Phthalic anhydride	1641	Polydimethylsiloxane	1671
o-Phthalonitrile	1255	Polyethylene glycol	1672
Phygon	698	Polyethylene glycol monomethylether	
Physostigmine sulfate	920	(n = 4 or 5)	1673
Picloram	924	Polyformaldehyde	1556
2-Picoline	1641	Polyoxyethylene	1672
β -Picoline	1642	Polyoxyethylene dodecyl ether	1674
γ -Picoline	714	Polyoxyethylene p-nonylphenyl ether	1519
Picric acid	1643	Polypropylene glycol	1675
Picronitric acid	1644	Polyram	1676
Pigment Blue-15	1401	Polystyrene (average molecular weight ca. 800)	1677
Pigment Green-7	1402	Polyvinyl alcohol	1678
Pigment Orange-13	1400	Potash	1680
Pigment Red-53	1645	Potassium and potassium compounds	1679
Pigment Red-57-9	1646	Potassium carbonate	1680
Pigment Yellow-12	1647	Potassium chloride	1681
Pilocarpine-HCl	1648	Potassium chromate	1682
Pimaric acid	1649	Potassium chromic sulfate	1683
	1650	Potassium cyanide	1684
	1651	Potassium dichromate	1685
	1652	Potassium hydrate	1686
	1653	Potassium hydroxide	1686

Potassium monochloride	1681	2-Propenyl isothiocyanate	60
Potassium nitrate	1687	Propenylalcohol	64
Potassium permanganate	1688	2-Propenylamine	1420
Potassium ricinoleate	1689	2-Propenylamine	65
Potassium sulfate	1690	2-Propenylethanoate	63
Potassium thiocyanate	1691	((2-Propenyloxy)methyl)oxirane	69
Potassium-N-hydroxymethyl-N-methyldithiocarbamate		2-Propenyloxy-2,3-epoxypropane	69
Preegleone	1692	Prophos	995
Primene JM-T *	841	Propiolactone	1703
Princep	1693	β -Propiolactone	1703
Perfume	1761	Propionaldehyde	1704
Prometone	1373	Propione	1583
Prometryne	1694	Propionic acid	1705
Propachlor	1695	Propiophenone	1706
Propan-2-ol	1696	Propoxur	1214
Propanal	1212	Propyl alcohol	1699
(S)-(+)-Propane-1,2-diol	1704	sec-Propyl alcohol	1212
1,2-Propanediol	1697	1-Propylacetate	1707
1,3-Propanediol	1710	n-Propylacetate	1707
1,2,3-Propanetriol	1993	Propylacetic acid	2033
Propanil	1101	n-Propylbenzene	1708
Propanoic acid, ethyl ester	1698	Propylcarbinol	351
2-Propanol	1044	n-Propylcyanide	405
n-Propanol	1212	s-Propyl dipropyldithiocarbamate	1709
2-Propanol, 1,3-dichloro-, phosphate (3:1)	1699	Propylene	1701
2-Propanone	1090	Propylene dichloride	784
2-Propanoneoxime	13	Propyleneglycol	1710
Propargyl alcohol	16	Propyleneoxide	1702
2-Propen-1-ol	1700	Propylenetetramer	1711
2-Propenal	64	Propylenetrimer	1516
Propenamide	36	2-Propyn-1-ol	1700
Propene	37	1-Propyne-3-ol	1700
1-Propene	1701	3-Propynol	1700
2-Propenenitrile	1701	2-Propynyl alcohol	1700
Propeneoxide	40	Propyzamide	1712
Propenoic acid	1702	Prothiocarb	1713
Propenoic acid, ethyl ester	38	Proxel PL *	1714
Propenoic acid, isobutyl ester	998	PTBBA	383
Propenoic acid, methyl ester	39	PTBT	399
Propenoic acid, n-butyl ester	1321	1,3-Pthalandione	1641
Propenol-3	374	Pydraul 50 E	1715
3-Propenoxy-1,2-propanediol	64	Pydraul 50E	1715
	1100	2H-Pyran-2,4(3H)-dione, 3-acetyl-6-methyl-	649

Pyrazon	1716	Quilan	371
Pyrazoxon	1717	Quinaldic acid	1740
Pyrene	1718	Quinalphos	1738
Pyrethrin	1719	Quinoline	1739
3-Pyridinamine	133	2-Quinoline carboxylic acid	1740
4-Pyridinamine	134	Quinoline-2-carboxylic acid	1740
Pyridine	1720	8-Quinolinol	1054
2-Pyridine carboxaldehyde	1721	Quinone	258
3-Pyridine carboxaldehyde	1722	Quintozene	1741
Pyridine-2,5-dicarboxylic acid	1723	R-40244	1742
Pyridine-2,5-dicarboxylic acid		RE 5454	1743
dipropyl	1724	Reactive Black-5	1744
2-Pyridinecarbonitrile	1725	Red Base NTR	462
3-Pyridinecarbonitrile	1726	Red lead oxide	1248
2-Pyridinecarboxylic acid	1727	Red oxide of iron	1196
3-Pyridinecarboxylic acid	1728	Reglon	841
2,6-Pyridinedicarboxylic acid	1729	Reglone	841
2,5-Pyridinedicarboxylic acid,		Reglox	841
dipropyl ester	1724	Resistox	569
2-Pyridinemethanol	1730	Resmethrin	1745
3-Pyridinemethanol	1731	Resorcin	1746
2-Pyridinol	1186	Resorcine	1746
3-Pyridinol	1187	Resorcinol	1746
2-Pyridinone	1186	Rhodamine	1747
2(1H)-Pyridinone	1186	Rogon	869
3-Pyridol	1187	Ro-neet	598
2-Pyridone	1186	Ronnel	1051
2(1H)-Pyridone	1186	Rotenone	1748
α -Pyridone	1186	Rotox	1373
1-(3-Pyridyl)-2-nitropropene	1732	Roundup *	1749
3-Pyridylamine	133	(RS)- α -cyano-3-phenoxybenzyl	
4-Pyridylamine	134	(1RS, 3RS, 1RS, 3SR)-3-(2,2-di-chloro-	
α -Pyridylamine	132	vinylo)-2,2-dimethylcyclopropane-	
2-Pyridylcarbinol	1730	carboxylate	625
Pyridylmethyl(methylthiophenyl)-		RYH-86	713
carbamate	1733	Salicylal	1750
3-Pyridylmethyl-N-4'-nitrophenyl-		Salicylaldehyde	1750
carbamate	1734	Salicylic acid	1751
Pyrocatechol	437	Salicylic acid methylether	159
Pyrogallol	1735	SAS 2074	439
Pyrophosphoric acid, tetraethyl ester	1858	SBA	352
Pyrrole	1736	SD 14114	1050
2-Pyrrolidone	1737	SD 3450	1752
Pyrrolylene	348	sec-act.Amylalcohol	1580

secondary Butylalcohol	352	Sodium dodecylbenzene sulfonate	1779
Selenium and selenium compounds	1753	Sodium fluoride	1780
Selenium dioxide	1754	Sodium fluoroacetate	1781
Sevin	425	Sodium formaldehyde sulfoxylate	1782
Siduron	1755	Sodium hydrate	1783
Silicic acid, disodium salt	1756	Sodium hydrogen sulfide	1802
Silver chloride	1757	Sodium hydrosulfide	1802
Silver compounds	1758	Sodium hydroxide	1783
Silver nitrate	1759	Sodium hypochlorite	1784
Silver sulfide	1760	Sodium lauryl sulfate	1786
Simazine	1761	Sodium lauryl sulfonate	1787
Simazol	135	Sodium mercaptan	1802
Slimacide V10 *	1762	Sodium m-nitrobenzenesulfonate	1763
Soda ash	1772	Sodium molybdate	1788
Soda lye	1783	Sodium naphthenate	1789
Sodium 2,2-dichloropropionate	788	Sodium naphthionate	1790
Sodium 3-nitrobenzene sulfonate	1763	Sodium nitrite	1791
Sodium 4,4'-diamino-2,2'-stilbene disulfonate	1764	Sodium oxalate	1792
Sodium 4-nitrochlorobenzene sulfonate	1765	Sodium pentachlorophenol	1793
Sodium α,α -dichloropropionate	788	Sodium phosphate	1635
Sodium acetate	1766	Sodium phosphate, anhydrous	1635
Sodium acid arsenate	949	Sodium phosphate, tribasic	1635
Sodium alkyl (branched type, C = 10-15) benzenesulfonate	313	Sodium polyoxyethylene monoalkyl ether sulfate	1794
Sodium alloxidine	1767	Sodium propionate	1795
Sodium aluminium fluoride	588	Sodium salt of chloromethylsulfonamide tetrachlorodiphenylether	
Sodium and sodium compounds	1768	derivatives	1796
Sodium arsenate	175	Sodium salts of phenolsulfonic acid	1797
Sodium arsenate	949	Sodium selenate	1798
Sodium benzenesulfinic acid	1769	Sodium selenite	1799
Sodium bicarbonate	1770	Sodium silicate	1756
Sodium bichromate	1776	Sodium stearate	1800
Sodium bisulfide	1802	Sodium sulfate	1801
Sodium bromide	1771	Sodium sulfhydrate	1802
Sodium carbonate	1772	Sodium sulfide	1802
Sodium chloride	1773	Sodium trichloroacetate	1804
Sodium cyanide	1774	Sodium vanadate	1805
Sodium deoxycholate	1775	Sodium(I) nitrate	1785
Sodium dichromate	1776	Sodium= α -sulfonate- ω -nonylphenoxy-polyoxyethylene (the polymerization grade 6)	1803
Sodium diisopropyl naphthalene sulfonate	1777	Sodium-4-nitro-3-trifluoromethyl-phenolate	1871
Sodium dinaphthyl methane disulfonate	1778		

Sodiumhydrogen arsenate	949	Sulfuric acid, dipotassium salt	1690
Sodiummetasilicate	1756	Sulfuric acid, manganese(II) salt	1271
Solvent Red-24	1806	Sulfuric acid, zinc salt	2068
Sorbic acid	1142	Sulfurous acid anhydride	1821
Sorbitan lauric acid monoester	1807	Sulfurous anhydride	1821
Sorbitan monolaurate	1807	Sulfurous oxide	1821
Sorbitan monooleate	1808	Sulphenone	534
Sorbitan oleate	1808	Sulphos	816
Sorbitan oleic acid monoester	1808	Sumicidin *	1824
Sorbitan palmitic acid monoester	1809	Syllit	974
Sorbitan, mono-9-octadecenoate, (Z)-	1808	Sylvic acid	2
Sorbitan, monododecanoate	1807	Systox	652
Sorbitol	1098	2,4,5-T	1825
d-Sorbitol	1098	2,4,6-T	1954
Ss2074	439	t-Butyl hydroxide	353
Stannous chloride	1810	Tafasan	450
Stearic acid	1811	TBA	353
Stropane	1812	TCA	1927
Strychnine	1813	TCA (Na-)	1804
Strychnine sulfate	1814	TCDD	1826
Styphnic acid	2000	TCE	1941
Styrene	1815	2,4,6-TCP	1954
Styrene oxide	1816	2,4,5-TCPPA	1827
Styrol	1815	2,4-TDI	1892
Styrole	1815	2,6-TDI	1893
Styrolene	1815	TEDP	1819
Styryl carbinol	562	TEL	1856
Succinic 1,1-dimethyl hydrazide	1417	Tellurium and tellurium compounds	1828
Succinic acid 2,2-dimethylhydrazide	1417	Telvar	568
Sulfanilic acid	157	Temephos	1
Sulfite	1817	Tenoran	546
Sulfolane	1818	TEPP	1858
Sulfotep	1819	Terbutryne	1829
Sulfoxaline	1818	Terbutylazin	1830
Sulfur chloride	1820	Terbutylazine	1830
Sulfur dioxide	1821	Terephthalonitrile	798
Sulfur Green-14	1822	Terephthalic acid	1831
Sulfur monochloride	1820	Terephthalic acid, dimethyl ester	1832
Sulfur oxide	1821	Terphenyl	1833
Sulfur subchloride	1820	α -Terpineol	1834
Sulfuric acid	1823	1,1,2,2-Tetrabromoethane	24
Sulfuric acid disodium salt	1801	sym-Tetrabromoethane	24
Sulfuric acid, aluminum salt	77	Tetrabutoxy titanate	1835
Sulfuric acid, diammonium salt	137	Tetrabutyl tin	1836

Tetrabutylstannane	1836	Tetrahydronaphthalene	1861
1,1,2,2-Tetrachloro-1,2-difluoroethane	1837	Tetrahydro-p-dioxin	929
2,2',3,3'-Tetrachloro-4,4'-diaminodiphenylmethane	1838	cis-1,2,3,6-Tetrahydronaphthalic acid anhydride	1862
1,2,3,4-Tetrachlorobenzene	1840	Tetrahydrothiophene-1,1-dioxide	1818
1,2,3,5-Tetrachlorobenzene	1841	Tetraisopropoxy titanate	1863
1,2,4,5-Tetrachlorobenzene	1842	Tetralinhydroxyperoxide	1864
s-Tetrachlorobenzene	1842	Tetramethyl lead	1865
Tetrachlorocatechol	1843	1,2,3,4-Tetramethylbenzene	1866
2,3,7,8-Tetrachlorodibenzo-1,4-dioxine	1826	1,2,4,5-Tetramethylbenzene	1867
2,3,7,8-Tetrachlorodibenzo-p-dioxine	1826	Tetramethylenedicyanide	43
Tetrachlorodiphenylethane	634	Tetramethylenedisulfoamine	1868
1,1,1,2-Tetrachloroethane	1844	Tetramethyleneglycol	350
1,1,2,2-Tetrachloroethane	1845	Tetramethylenesulfone	1818
s-Tetrachloroethane	1844	O,O,O',O'-Tetramethyl-O,O-thiodiphenylene phosphorothioate	1
Tetrachloroethene	1846	Tetramethylthiuram disulfide	1885
Tetrachloroethylene	1846	Tetramethylthiuram monosulfide	1869
Tetrachloroguaiacol	1847	Tetraphene	232
3,4,5,6-Tetrachloroguaiacol	1847	Tetrapropylenebenzenesulfonate	1870
Tetrachloroisophthalonitrile	541	Tetrapropylenebenzenesulfonic acid	1870
Tetrachloromethane	432	TFM	1871
2,3,4,5-Tetrachloronitrobenzene	1848	Thallium acetate	1872
2,3,5,6-Tetrachloronitrobenzene	1849	Thallium and thallium compounds	1873
Tetrachloro-p-benzoquinone	1839	Thallium sulfate	1874
2,3,4,5-Tetrachlorophenol	1850	Theine	412
2,3,4,6-Tetrachlorophenol	1851	THF	1859
2,3,5,6-Tetrachlorophenol	1852	Thiameton	877
Tetrachlorophthalic acid monoamide	1853	1-(2-Thienyl)-2-nitroethene	1875
Tetrachlorophthalimide	1854	Thiobencarb	1876
1,2,2,3-Tetrachloropropane	1855	4,4'-Thiobis(6-t-butyl-m-cresol)	1877
Tetrachloroquinone	1839	2,2'-Thiobis-ethanol	1878
Tetraethyl lead	1856	Thiocyclopentane-1,1-dioxide	1818
Tetraethyl tin	1857	2,2'-Thiodiethanol	1878
O,O,O',O'-Tetraethylthiopyrophosphate	1819	Thioglycolic acid	1879
Tetraethylenetetramine	288	Thiometon	877
Tetraethylplumbane	1856	Thiophanate-methyl	1880
Tetraethylpyrophosphate	1858	Thiophene	1881
O,O,O',O'-Tetraethyl-S,S'-methylenediphosphorodithioate)	993	Thiophos	816
Tetrahydro-1,4-oxazine	1433	Thiosemicarbazide	1882
Tetrahydrofuran	1859	Thiosinamine	73
Tetrahydrofurfuryl alcohol	1860	Thiosulfurous dichloride	1820
		Thiourea	1883
		9-Thioxanthone	1884

Thiram	1885	Tremorine	1899
Thymic acid	1886	Triadimefon	1906
Thymol	1886	Triadimenol	450
Tin compounds	1887	Triallylamine	1907
Tioxide	1889	Triallylphosphate	1908
Tirama 50 *	1885	2,4,6-Triamino-1,3,5-triazine	1909
Titanium and titanium compounds	1888	Triazolamine	135
Titanium dioxide	1889	Tribenzylphosphite	1910
Titanium oxide	1889	Tribromoethene	1911
TMA	353	Tribromomethane	326
TML	1865	2,4,6-Tribromophenol	1912
TNT	2001	2,4,6-Tribromophenyl(2-methyl-2,3-dibromopropyl)ether	1913
Toluene	1890	Tri-butoxyethyl phosphate	1900
Toluene diisocyanate	1892	Tributyl phosphate	1915
Toluene diisocyanate	1893	Tributyl-1,2,4-benzene tricarboxylate	1914
4-Toluene sulfonic acid	1891	Tributyltin acetate	1915
Toluene trifluoride	261	Tributyltin benzoate	1917
Toluene-2,4-diisocyanate	1892	S, S, S-Tributylphosphorotrithioate	1901
Toluene-2,6-diisocyanate	1893	Tributyltin chloride	1916
2,4-Toluenediisocyanate	1892	Tributyltin fluoride	1918
2,6-Toluenediisocyanate	1893	Tributyltin hydroxide	1919
4-Toluenesulfonamide	1894	Tributyltin hydroxyacetate	1920
o-Toluenesulfonamide	1894	Tributyltin laurate	1921
p-Toluenesulfonamide	1891	Tributyltin neodecanoate	1922
p-Toluenesulfonate	1891	Tributyltin oxide	1923
p-Toluenesulfonic acid	1891	Tricaine	117
Toluenetrichloride	260	Tricaine methane sulfonate	117
α -Toluenol	1615	Tricarnam	425
m-Toluic acid	1369	Trichlorfon	1959
3-Toluidine	1363	1,3,5-Trichloro-2-(4-nitrophenoxy)-benzene	521
m-Toluidine	1363	1,1,1-Trichloro-2,2-bis(p-chlorophenyl)ethane	637
α -Toluidine	1362	1,1,1-Trichloro-2,2-di(4-methoxyphenyl)ethane	637
p-Toluidine	1364	2,4,4'-Trichloro-2'-hydroxydiphenyl ether	1312
α -Tolunitrile	1611	1,1,1-Trichloro-2-methyl-2-propanol	459
Toluol	1890	2,4,6-Triazine	1925
α -Toluol	585	2,4,6-Triazolamine	1925
m-Tolyl N-methylcarbamate	1896	2,4,6-Triazolylmethane	1925
Tonka bean camphor	247	2,4,6-Triazolylmethane sulfonate	1925
Torque	1050	2,4,6-Triazolylmethane sulfonate sodium salt	1925
Totril *	1194	2,4,6-Triazolylmethane sulfonate sodium salt	1925
Toxaphene *	1897	2,4,6-Triazolylmethane sulfonate sodium salt	1925
TPN-12	1898	2,4,6-Triazolylmethane sulfonate sodium salt	1925
TPTH	2011	2,4,6-Triazolylmethane sulfonate sodium salt	1925
Treflan	1976	2,4,6-Triazolylmethane sulfonate sodium salt	1925

((3,5,6-Trichloro-2-pyridyl)oxy)acetic acid compound with N,N-diethylethanamine	1092	2,4,5-Trichloronitrobenzene 2,4,6-Trichloronitrobenzene Trichloronitromethane	1947 1948 1949
1,2,4-Trichloro-5-nitrobenzene	1947	Trichlorophenol	1950
Trichloroacetaldehyde	1926	Trichlorophenol	1954
Trichloroacetate (Na-)	1804	1,3,5-Trichlorophenol	1954
Trichloroacetic acid	1927	2,3,5-Trichlorophenol	1951
2,3,4-Trichloroacetophenone	1928	2,3,6-Trichlorophenol	1952
2,3,5-Trichloroaniline	1929	2,4,5-Trichlorophenol	1953
2,4,5-Trichloroaniline	1930	2,4,6-Trichlorophenol	1954
2,4,6-Trichloroaniline	1931	3,4,5-Trichlorophenol	1955
Trichlorobenzene	1932	2,4,5-Trichlorophenoxyacetic acid	1825
1,2,3-Trichlorobenzene	1933	2,4,5-Trichlorophenoxypropionic acid	1827
1,2,4-Trichlorobenzene	1934	2,4,6-Trichlorophenyl 4-nitrophenyl ether	521
1,2,6-Trichlorobenzene	1933	2,3,6-Trichlorophenyl acetic acid	1956
1,3,5-Trichlorobenzene	1935	1,2,3-Trichloropropane	1957
as-Trichlorobenzene	1934	Trichlorotrifluoroethane	1958
asym-Trichlorobenzene	1934	Trichlorphon	1959
sym-Trichlorobenzene	1935	Triclopyr	1960
unsym-Trichlorobenzene	1934	Triclopyr triethylamine	1092
2,3,6-Trichlorobenzoic acid	1936	Triclopyr triethylamine salt	1092
1,2,4-Trichlorobenzol	1934	o-Tricresyl phosphate	1903
3,4,4'-Trichlorocarbanilide	1937	p-Tricresyl phosphate	1961
Trichloroethanal	1926	Tricyclohexyltin hydroxide	1962
1,1,1-Trichloroethane	1938	1-Tridecanol	1963
1,1,2-Trichloroethane	1939	Tridecyl alcohol	1963
Trichloroethanoic acid	1927	Trietazine	1964
2,2,2-Trichloroethanol	1940	Triethanolamine	1965
Trichloroethylene	1941	Triethyl phosphate	1966
Trichloroethylethylene	1941	Triethylamine	1967
Trichloroethylphosphate	1942	Triethyleneglycol	1968
Trichlorofluoromethane	1943	Triethyleneglycol monoethylether	1969
4,5,6-Trichloroguaiacol	1945	Triethyleneglycoldi(2-ethylbutyrate)	1970
3,4,5-Trichloroguaiacol	1944	Triethyllead chloride	1971
1,3,5-Trichloroisocyanuric acid	1946	Triethylphosphate	1966
Trichloromethane	512	Triethyltin bromide	1972
Trichloromethyl benzene	260	α,α,α -Trifluoro-2,6-dinitro-N,N-dipropyl-4-toluidine	1976
cis-N-((Trichloromethyl)thio)-4-cyclohexene-1,2-dicarboximide	424	α,α,α -Trifluoro-4-nitro-m-cresol	1973
N-((Trichloromethyl)thio)-4-cyclohexene-1,2-dicarboximide	424	5'-(Trifluoromethanesulfonamido)acet-2',4'-xylidide	1276
N-Trichloromethylthiotetrahydrophthalimide	424	3-Trifluoromethyl-4-nitrophenol	1973
		Trifluoromethylbenzene	261

3-Trifluoromethyl-chlorobenzene	1974	Tri-n-hexylchlorosilane	1902
3-(3-Trifluoromethylphenyl)-1,1-dimethylurea	1975	2,4,6-Trinitro-1,3-benzenediol	2000
1-(m-Trifluoromethylphenyl)-3-chloro-4-chloromethyl-2-pyrrolidone	1742	2,4,6-Trinitro-5-tert-butyl-1,3-xylene	1997
Trifluralin	1976	1,3,5-Trinitrobenzene	1998
Triforin	1977	sym-Trinitrobenzene	1998
Trihexylsilanol	1978	Trinitrobenzene-aniline complex	1999
2,4,6-Trihydroxy-1,3-diazine	1979	1,3,5-Trinitrophenol	1645
1,2,3-Trihydroxybenzene	1735	2,4,6-Trinitrophenol	1645
1,3,5-Trihydroxybenzene	1980	2,4,6-Trinitroresorsinol	2000
1,2,3-Trihydroxypropane	1101	2,4,6-Trinitrotoluene	2001
Triisobutylene	1981	Tri-o-cresylphosphate	1903
Triisopropylnaphthalene	1982	Trioctyl amine	2002
Trilead tetroxide	1248	Tri-o-tolyl phosphate	1903
Trilene	1982	1,3,5-Trioxane	2003
Trimellitic anhydride	1941	s-Trioxane	2003
Trimethyl amine	1983	Triphenyl amine	2004
Trimethyl carbinol	1984	Triphenyl phosphate	2005
Trimethyl methanol	353	Triphenylchlorosilane	2006
Trimethyl phosphate	353	Triphenylsilanol	2007
2,4,6-Trimethyl-1,3,5-trioxane	1985	Triphenyltin acetate	2008
2,2,4-Trimethyl-1,3-pentanediol	1986	Triphenyltin chloride	2009
1,5,5-Trimethyl-1-cyclohexen-3-one	1987	Triphenyltin fluoride	2010
2,4,4-Trimethyl-1-pentene	1207	Triphenyltin hydroxide	2011
N,N, N-Trimethyl-2-hydroxyethylammoniumchloride	1988	Triphenyltin oxide	2011
2,2,4-Trimethyl-3-hydroxypentyl isobutyrate	1989	Tripotassium trichloride	1681
Trimethylaminomethane	1990	Tripropyltin acetate	2012
1,2,3-Trimethylbenzene	378	Tripropyltin chloride	2013
1,2,4-Trimethylbenzene	1991	Tris(1,3-dichloro-2-propyl)phosphate	1090
1,3,5-Trimethylbenzene	1992	Tris(1-chloro-2-propyl)phosphate	2014
Trimethylbenzylammonium chloride	1291	Tris(1-nitroso-2-naphthol)cobalt	2015
Trimethylene chlorobromide	272	Tris(2,3-dibromopropyl)phosphate	2017
Trimethylene glycol	465	Tris(2-chloroethyl)phosphate	2018
Trimethylenebromide chloride	1993	Tris(2-ethylhexyl)benzene-	
Trimethyllead chloride	465	tricarboxylate	2019
Trimethylolpropane	1994	Tris(2-ethylhexyl)phosphate	2020
2,4,6-Trimethylphenol	1995	1,3,5-Tris(2'-hydroxyethyl)-isocyanuric acid	
α,α,α' -Trimethyltrimethyleneglycol	1996	acid	2016
1,3,7-Trimethylxanthine	1160	Tris(2-hydroxypropyl)amine	2021
Trimetion	412	Tris(phenyl, monomethylphenyl, dimethylphenyl, ethylphenyl, nonylphenyl)phosphate	
Tri-n-butylphosphate	869	Tris(p-isopropylphenyl)phosphate	2023
	1915	Tris(polyoxypolypropylene)glyceryl ether (average molecular weight ca. 3000)	2022
			2024

Tris-(tributyltin) phosphate	2025	Vinylcyanide	40
Trisodium orthophosphate	1635	Vinylethylene	348
Trisodium phosphate	1635	Vinylidene dichloride	755
Tristearylphosphite	2026	2-Vinylpyridine	2045
1,3,5-Tri-tert-butylbenzene	1904	4-Vinylpyridine	2046
2,4,6-Tri-tert-butylphenol	1905	Vinyltrichloride	1939
Triton X-405	2027	Vitavax	435
N-Tritylmorpholine	2028	Vitriol	1823
Trizinc diphosphide	2067	Vitriolic acid	1823
U 15766	2029	V-Trichlorobenzene	1933
Ucon-113 solvent	1958	Warfarin	2047
UDMH	893	Water glass	1756
Undecanol	2030	Weedazin	135
1-Undecanol	2030	Weedazol	135
Uranium and uranium compounds	2031	White lead	1244
Urea	2032	Win 29148a	2048
6,6'-Ureylene-bis(1-naphthol-3-sulfonic acid disodium salt)		Xanthone	2049
Valerianic acid	1446	Xylene	2050
Valeric acid	2033	1,2-Xylene	2052
n-Valeric acid	2033	3,4-Xylene	2052
Vamidothion	2034	m-Xylene	2051
Vanadium and vanadium compounds	2035	o-Xylene	2052
Vanadium pentoxide	2036	p-Xylene	2053
Vapan	2037	Xylenol	2054
Vat Blue-1	2038	2,4-Xylenol	2055
Vendex	1050	2,5-Xylenol	2056
Venturol	974	2,6-Xylenol	2057
Venzar *	1249	3,4-Xylenol	2058
Veratrol	2039	3,5-Xylenol	2059
Versatic 10	2040	Xylidene	886
VIC-Trichlorobenzene	1933	3,4-Xyldidine	885
Vinclozolin	1933	Xyligen Cu	301
Vinegar acid	2041	Xylol	2052
Vinegar naphtha	10	3,5-Xylyl N-methylcarbamate	2060
Vinyl acetate	997	Yellow oxide of iron	1196
Vinyl chloride	2043	Zectran	879
4-Vinyl-1-cyclohexene	2044	Zinc and zinc compounds	2061
Vinylacetate	2042	Zinc bis(dimethylthiocarbamoyl)-disulfide	2063
Vinylacetic acid	2043	Zinc carbonate	2062
Vinylbenzene	359	Zinc chloride	2064
Vinylbenzol	1815	Zinc dichloride	2064
Vinylcarbinol	1815	Zinc dimethyldithiocarbamate	2063
Vinylchloride	64	Zinc dinitrate	2065

Zinc nitrate	2065
Zinc oxide	2066
Zinc phosphide	2067
Zinc sulfate	2068
Zinc vitriol	2068
Zinc(II)chloride	2064
Zincate	2068
Zinc-bis-N,N-dimethyldithiocarbamate	2063
Zineb	2069
Zink-O, O-dialkyl(C=4-5)-dithiophosphate	2070
Ziram	2063
Zirconium compounds	2071
ZR-515	1302
Zytox	1373
Zytron	2072

Index II: List of chemicals in CAS-number order

CAS-nr	Doc. nr				
50-00-0	1077	57-12-5	593	64-10-8	1629
50-06-6	1601	57-13-6	2032	64-17-5	992
50-29-3	637	57-14-7	893	64-18-6	1081
50-30-6	742	57-15-8	1925	64-19-7	10
50-31-7	1936	57-24-9	1813	64-47-1	1643
50-32-8	246	57-43-2	145	64-67-5	815
50-65-7	223	57-55-6	1710	65-30-5	1464
50-70-4	1098	57-57-8	1703	65-85-0	254
50-84-0	741	57-74-9	441	66-72-8	1176
51-28-5	909	58-08-2	412	66-77-3	1443
51-44-5	743	58-27-5	1277	66-81-9	612
51-66-1	1309	58-36-6	303	67-45-8	1086
51-73-0	1899	58-89-9	1252	67-48-1	1989
52-68-6	1959	58-90-2	1851	67-52-7	1979
53-70-3	683	59-50-7	467	67-56-1	1298
53-96-3	21	59-52-9	856	67-63-0	1212
54-11-5	1463	59-67-6	1728	67-64-1	13
54-71-7	1652	59-87-0	1490	67-66-3	512
55-18-5	1505	60-00-4	1024	67-68-5	871
55-38-9	1058	60-12-8	1618	67-72-1	1134
55-55-0	1361	60-13-9	146	68-11-1	1879
55-56-1	515	60-29-7	1001	68-12-2	891
56-23-5	432	60-34-4	1431	69-65-8	1273
56-35-9	1924	60-35-5	8	69-72-7	1751
56-36-0	1916	60-41-3	1814	70-30-4	285
56-38-2	816	60-51-5	869	70-47-3	179
56-40-6	109	60-57-1	809	70-55-3	1894
56-41-7	50	61-73-4	1382	71-23-8	1699
56-49-5	1376	61-82-5	135	71-36-3	351
56-55-3	232	62-23-7	1485	71-41-0	148
56-72-4	569	62-38-4	1621	71-43-2	238
56-72-4	581	62-44-2	20	71-55-6	1938
56-75-7	517	62-53-3	153	72-00-4	794
56-81-5	1101	62-56-6	1883	72-20-8	985
56-84-8	180	62-73-7	793	72-40-2	99
56-93-9	272	62-74-8	1781	72-43-5	1312
57-06-7	60	62-75-9	895	72-54-8	634
57-09-0	1140	62-76-0	1792	72-55-9	635
57-10-3	1551	63-25-2	425	74-11-3	495
57-11-4	1811	64-04-0	1619	74-31-7	939
				74-79-3	101

74-83-9	1373	76-22-2	418	79-21-0	1588
74-85-1	1018	76-44-8	1113	79-24-3	1489
74-86-2	23	76-63-1	74	79-27-6	24
74-87-3	1375	76-83-5	545	79-34-5	1845
74-90-8	1165	76-86-8	2006	79-43-6	727
74-93-1	1387	76-87-9	2011	79-46-9	1503
74-96-4	325	76-93-7	938	79-92-5	417
74-97-5	321	77-47-4	1133	79-94-7	291
75-00-3	508	77-58-7	699	80-00-2	534
75-01-4	2044	77-68-9	1990	80-05-7	292
75-04-7	1012	77-73-6	806	80-12-6	1868
75-05-8	14	77-78-1	870	80-33-1	443
75-07-0	7	77-90-7	19	80-43-3	299
75-09-2	762	77-92-9	566	80-46-6	1584
75-12-7	1079	77-99-6	1995	80-54-6	1346
75-15-0	431	78-00-2	1856	80-56-8	1654
75-21-8	1020	78-30-8	1903	80-62-6	1329
75-25-2	326	78-34-2	930	81-15-2	1997
75-26-3	1223	78-40-0	1966	81-16-3	1458
75-27-4	324	78-42-2	2020	81-81-2	2047
75-31-0	1220	78-48-8	1901	81-88-9	1747
75-34-3	753	78-51-3	1900	82-05-3	237
75-35-4	755	78-59-1	1207	82-44-0	485
75-36-5	18	78-79-5	1211	82-45-1	111
75-45-6	506	78-81-9	1398	82-68-8	1741
75-50-3	1984	78-82-0	1202	82-71-3	2000
75-52-5	1495	78-83-1	1197	83-32-9	4
75-56-9	1702	78-84-2	1393	83-38-5	734
75-60-5	406	78-87-5	784	83-42-1	473
75-64-9	378	78-88-6	787	83-79-4	1748
75-65-0	353	78-92-2	352	84-11-7	1597
75-69-4	1943	78-93-3	354	84-51-5	999
75-71-8	711	78-95-5	479	84-57-1	719
75-74-1	1865	78-96-6	89	84-61-7	801
75-85-4	1338	78-97-7	1235	84-65-1	164
75-86-5	1386	78-99-9	783	84-66-2	834
75-87-6	1926	79-00-5	1939	84-69-5	843
75-97-8	875	79-01-6	1941	84-74-2	698
75-98-9	1660	79-06-1	37	84-76-4	920
76-01-7	1572	79-09-4	1705	85-00-7	841
76-03-9	1927	79-10-7	38	85-01-8	1596
76-06-2	1949	79-11-8	478	85-34-7	1956
76-12-0	1837	79-19-6	1882	85-42-7	605
76-13-1	1958	79-20-9	1320	85-44-9	1641

85-45-0	1472	89-98-5	487	93-68-5	12
85-68-7	365	90-00-6	1041	93-72-1	1827
85-83-6	1806	90-02-8	1750	93-76-5	1825
86-30-6	1506	90-04-0	1310	93-89-0	1000
86-50-0	184	90-05-1	1110	93-99-2	1605
86-55-5	1449	90-12-0	1390	94-09-7	1008
86-57-7	1496	90-13-1	518	94-36-0	687
86-73-7	1069	90-15-3	1451	94-52-0	1482
86-74-8	426	90-30-2	1613	94-74-6	1274
86-87-3	1438	90-41-5	281	94-75-7	626
87-02-5	95	90-43-7	1606	94-80-4	628
87-20-7	1198	90-47-1	2049	94-81-5	1275
87-52-5	977	90-51-7	107	94-82-6	633
87-61-6	1933	90-94-8	298	95-16-9	259
87-65-0	774	90-99-3	507	95-47-6	2052
87-66-1	1735	91-01-0	937	95-48-7	585
87-68-3	1128	91-08-7	1893	95-49-8	542
87-82-1	1125	91-15-6	1642	95-50-1	736
87-83-2	1569	91-16-7	2039	95-51-2	481
87-84-3	1567	91-17-8	640	95-53-4	1362
87-85-4	1146	91-20-3	1442	95-54-5	673
87-86-5	1573	91-22-5	1739	95-55-6	129
87-90-1	1946	91-23-6	1479	95-56-7	329
88-06-2	1954	91-60-1	1444	95-57-8	524
88-19-7	1895	91-63-4	1404	95-63-6	1992
88-21-1	156	91-64-5	247	95-64-7	885
88-30-2	1973	91-66-7	821	95-65-8	2058
88-44-8	102	91-94-1	739	95-68-1	883
88-53-9	100	91-96-3	187	95-69-2	462
88-72-2	1509	92-24-0	234	95-73-8	791
88-73-3	519	92-43-2	1608	95-75-0	792
88-74-4	1476	92-52-4	280	95-76-1	732
88-75-5	1497	92-69-3	1624	95-77-2	775
88-85-7	368	92-70-6	1172	95-78-3	884
88-85-7	922	92-77-3	186	95-80-7	680
88-89-1	1645	92-84-2	1603	95-82-9	731
88-98-2	610	92-86-4	693	95-87-4	2056
89-61-2	768	92-87-5	243	95-93-2	1867
89-62-3	88	93-08-3	27	95-94-3	1842
89-63-4	463	93-09-4	1450	95-95-4	1953
89-69-0	1947	93-10-7	1740	96-09-3	1816
89-78-1	1279	93-15-2	62	96-12-8	691
89-83-8	1886	93-55-0	1706	96-18-4	1957
89-93-0	1372	93-58-3	1322	96-22-0	1583

96-23-1	718	98-95-3	1481	100-97-0	1148
96-24-2	453	98-98-6	1727	101-05-3	152
96-29-7	355	99-04-7	1369	101-14-4	720
96-33-3	1321	99-05-8	114	101-20-2	1937
96-34-4	1324	99-08-1	1508	101-21-3	549
96-41-3	620	99-09-2	1477	101-25-7	911
96-45-7	1021	99-11-6	565	101-27-1	189
96-48-0	404	99-35-4	1998	101-42-8	1060
96-49-1	931	99-54-7	722	101-53-1	273
96-53-7	1283	99-56-9	1469	101-55-3	333
96-54-8	1403	99-65-0	905	101-70-2	859
96-69-5	1877	99-71-8	1399	101-77-9	636
96-76-4	666	99-82-1	1217	101-81-5	936
96-96-8	1473	99-85-4	1278	101-82-6	1622
97-00-7	460	99-87-6	624	101-83-7	800
97-23-4	770	99-94-5	1370	101-84-8	934
97-23-4	1553	99-98-9	119	101-99-5	1009
97-63-2	1394	99-99-0	1510	102-06-7	935
97-74-5	1869	100-00-5	520	102-47-6	746
97-88-1	1396	100-01-6	1478	102-70-5	1907
97-99-4	1860	100-02-7	1499	102-71-6	1965
98-00-0	1088	100-09-4	160	102-76-1	1099
98-01-1	1087	100-17-4	1480	102-96-5	1507
98-06-6	382	100-21-0	1831	103-09-3	1034
98-07-7	260	100-25-4	906	103-11-7	1537
98-08-8	261	100-26-5	1723	103-16-2	1169
98-09-9	239	100-40-3	2042	103-23-1	656
98-10-2	240	100-41-4	1015	103-29-7	275
98-11-3	241	100-42-5	1815	103-33-3	185
98-15-7	1974	100-43-6	2046	103-44-6	1037
98-29-3	386	100-44-7	270	103-50-4	689
98-33-9	108	100-46-9	268	103-64-0	336
98-50-0	131	100-47-0	256	103-65-1	1708
98-51-1	399	100-48-1	597	103-69-5	1014
98-54-4	394	100-51-6	1615	103-71-1	1599
98-55-5	1834	100-52-7	236	103-73-1	1003
98-56-6	451	100-54-9	1726	103-82-2	1616
98-64-6	489	100-55-0	1731	103-83-3	890
98-73-7	383	100-61-8	1365	103-84-4	9
98-82-8	1221	100-64-1	608	103-88-8	317
98-83-9	1407	100-66-3	162	104-12-1	531
98-86-2	15	100-69-6	2045	104-15-4	1891
98-87-3	763	100-70-9	1725	104-40-5	1518
98-88-4	262	100-74-3	1039	104-42-7	972

104-51-8	380	107-05-1	67	108-78-1	1909
104-54-1	562	107-06-2	754	108-80-5	1203
104-55-2	560	107-07-3	509	108-83-8	844
104-76-7	1033	107-11-9	65	108-85-0	323
104-83-6	499	107-11-9	1420	108-86-1	319
104-86-9	498	107-13-1	40	108-87-2	1377
104-94-9	1311	107-15-3	1023	108-88-3	1890
105-05-5	824	107-18-6	64	108-89-4	1400
105-30-6	1333	107-19-7	1700	108-90-7	488
105-37-3	1044	107-21-1	1025	108-91-8	613
105-54-4	1016	107-22-2	1104	108-93-0	606
105-55-5	836	107-30-2	516	108-94-1	607
105-58-8	813	107-31-3	1326	108-95-2	1602
105-60-2	422	107-39-1	1988	108-99-6	1402
105-67-9	2055	107-41-5	1160	109-00-2	1187
105-75-9	703	107-49-3	1858	109-06-8	1401
106-14-9	1189	107-70-0	1305	109-09-1	538
106-24-1	1096	107-87-9	1582	109-21-7	384
106-35-4	1121	107-92-6	403	109-52-4	2033
106-37-6	692	107-98-2	1304	109-57-9	73
106-40-1	318	108-01-0	863	109-60-4	1707
106-41-2	331	108-03-2	1502	109-66-0	1578
106-42-3	2053	108-05-4	2043	109-69-3	388
106-43-4	544	108-10-1	1328	109-70-6	465
106-44-5	586	108-11-2	1343	109-73-9	376
106-46-7	738	108-18-9	850	109-74-0	405
106-47-8	483	108-20-3	853	109-75-1	68
106-48-9	526	108-21-4	1219	109-77-3	1265
106-49-0	1364	108-24-7	11	109-79-5	393
106-50-3	675	108-31-6	1263	109-86-4	1028
106-51-4	258	108-34-9	1717	109-89-7	818
106-63-8	39	108-38-3	2051	109-97-7	1736
106-68-3	1536	108-39-4	584	109-99-9	1859
106-69-4	1151	108-41-8	543	110-00-9	1085
106-88-7	389	108-42-9	482	110-02-1	1881
106-89-8	986	108-43-0	525	110-12-3	1327
106-91-2	1102	108-44-1	1363	110-16-7	1262
106-92-3	69	108-45-2	674	110-19-0	1200
106-93-4	1022	108-46-3	1746	110-30-5	304
106-95-6	66	108-60-1	307	110-43-0	1120
106-97-8	349	108-67-8	1291	110-44-1	1142
106-98-9	356	108-68-9	2059	110-49-6	1029
106-99-0	348	108-70-3	1935	110-54-3	1150
107-02-8	36	108-73-6	1980	110-58-7	1585

110-63-4	350	112-42-5	2030	119-34-6	87
110-65-6	400	112-50-5	1969	119-47-1	1383
110-75-8	510	112-53-8	970	119-53-9	255
110-80-5	1027	112-70-9	1963	119-56-2	491
110-82-7	603	112-80-1	1542	119-61-9	257
110-83-8	609	112-84-5	966	119-64-2	1861
110-85-0	1655	112-85-6	226	119-68-6	1358
110-86-1	1720	112-95-8	980	119-90-4	681
110-88-3	2003	112-96-9	1530	119-93-7	889
110-89-4	1656	114-26-1	1214	120-12-7	163
110-91-8	1433	115-07-1	1701	120-51-4	269
110-97-4	849	115-09-3	1388	120-52-5	295
110-98-5	945	115-10-6	1325	120-54-7	932
111-13-7	1535	115-20-8	1940	120-57-0	1657
111-15-9	1031	115-28-6	1127	120-61-6	1832
111-27-3	1152	115-29-7	981	120-71-8	86
111-40-0	293	115-32-2	712	120-78-5	685
111-41-1	121	115-69-5	122	120-80-9	437
111-42-2	810	115-77-5	1576	120-82-1	1934
111-44-4	289	115-86-6	2005	120-83-2	772
111-46-6	825	115-90-2	1057	120-92-3	621
111-48-8	1878	115-91-3	196	121-00-6	1308
111-55-7	1026	115-96-8	2018	121-14-2	914
111-65-9	1532	116-06-3	51	121-25-5	147
111-69-3	43	117-18-0	1849	121-44-8	1967
111-70-6	1119	117-79-3	112	121-46-0	276
111-76-2	362	117-80-6	714	121-47-1	155
111-77-3	830	117-81-7	832	121-54-0	242
111-84-2	1514	117-82-8	658	121-57-3	157
111-85-3	522	117-84-0	924	121-69-7	886
111-87-5	1533	118-44-5	1005	121-73-3	468
111-90-0	829	118-55-8	1607	121-75-5	1261
111-92-2	701	118-61-6	1004	121-86-8	471
111-94-4	297	118-74-1	1126	121-91-5	1209
112-00-5	976	118-75-2	1839	121-92-6	1484
112-02-7	1141	118-79-6	1912	122-00-9	1357
112-07-2	387	118-82-1	1381	122-01-0	500
112-15-2	827	118-83-2	454	122-14-5	1053
112-18-5	1239	118-90-1	1368	122-20-3	2021
112-24-3	288	118-91-2	493	122-34-9	1761
112-27-6	1968	118-92-3	115	122-39-4	940
112-30-1	644	118-96-7	2001	122-40-7	149
112-34-5	826	119-32-4	97	122-42-9	1218
112-36-7	828	119-33-5	1474	122-59-8	1604

122-60-1	1620	127-20-8	788	140-11-4	267
122-66-7	941	127-65-1	440	140-29-4	1611
122-79-2	1610	127-68-4	1763	140-38-5	535
122-88-3	527	127-90-2	1522	140-56-7	655
123-01-3	1253	128-37-0	370	140-57-8	171
123-07-9	1043	129-00-0	1718	140-72-7	1139
123-25-1	835	129-09-3	1766	140-88-5	998
123-28-4	855	129-43-1	1177	141-02-6	657
123-30-8	130	129-67-9	984	141-05-9	833
123-31-9	1168	130-13-2	1447	141-17-3	284
123-33-1	1264	130-15-4	1456	141-17-3	1970
123-34-2	1100	131-09-9	486	141-32-2	374
123-35-3	1348	131-11-3	898	141-43-5	120
123-38-6	1704	131-16-8	946	141-66-2	795
123-42-2	667	131-17-9	670	141-78-6	997
123-51-3	1332	131-52-2	1793	141-79-7	1290
123-54-6	1579	131-57-7	1174	141-93-5	823
123-63-7	1986	131-74-8	144	141-97-9	1011
123-72-8	375	132-27-4	979	142-04-1	154
123-73-9	587	132-64-9	684	142-08-5	1186
123-86-4	372	132-65-0	686	142-28-9	785
123-88-6	450	133-06-2	424	142-59-6	1439
123-91-1	929	133-14-2	287	142-62-1	421
123-92-2	1157	133-90-4	81	142-71-2	573
123-96-6	1534	134-32-7	1457	142-82-5	1118
124-02-7	669	134-47-4	1446	142-96-1	390
124-04-9	42	134-62-3	817	143-07-7	969
124-07-2	423	134-83-8	492	143-08-8	1515
124-09-4	1147	134-85-0	496	143-33-9	1774
124-11-8	1516	135-01-3	822	143-50-0	1233
124-17-4	385	135-19-3	1452	144-19-4	1987
124-18-5	643	135-51-3	950	144-49-0	1427
124-28-7	1529	135-88-6	1437	144-55-8	1770
124-38-9	430	135-98-8	381	144-62-7	1547
124-40-3	862	136-45-8	1724	145-73-3	1545
126-30-7	872	137-09-7	679	147-14-8	1646
126-33-0	1818	137-16-6	1241	148-24-3	1054
126-72-7	2017	137-20-2	1354	148-79-8	1289
126-73-8	1915	137-26-8	1885	149-30-4	1280
126-75-0	652	137-30-4	2063	149-44-0	1782
126-99-8	537	137-40-6	1795	150-13-0	116
127-06-0	16	137-42-8	2037	150-19-6	1314
127-18-4	1846	138-86-3	1251	150-68-5	568
127-19-5	878	139-13-9	1467	150-75-4	1360

150-76-5	1315	314-40-9	314	505-22-6	928
150-78-7	860	315-18-4	879	506-52-5	1136
151-21-3	1786	319-84-6	1130	506-68-3	322
151-50-8	1684	319-85-7	1131	506-77-4	594
151-56-4	1019	319-86-8	1132	506-87-6	140
152-16-9	1531	328-04-1	1435	506-96-7	17
156-43-4	996	329-71-5	910	507-70-7	1171
156-59-2	757	329-89-5	125	510-15-6	740
156-60-5	758	330-54-1	963	510-39-4	1653
191-24-2	251	330-55-2	1256	512-56-1	1985
192-97-2	250	333-20-0	1691	514-10-3	2
198-55-0	1595	333-41-5	682	517-23-7	28
205-99-2	248	334-48-5	420	518-75-2	167
206-44-0	1068	346-10-1	1075	520-45-6	649
207-08-9	252	350-46-9	1073	524-42-5	1455
208-96-8	5	352-33-0	469	526-73-8	1991
218-01-9	559	357-57-3	339	526-78-3	697
225-11-6	231	366-18-7	283	527-60-6	1996
225-51-4	235	379-52-2	2010	528-29-0	904
238-84-6	245	461-58-5	595	531-85-1	244
253-52-1	1640	462-08-8	133	532-03-6	1316
260-94-6	35	463-58-1	433	532-27-4	480
271-89-6	253	465-73-6	1204	534-22-5	1385
287-92-3	618	470-90-6	444	534-52-1	900
294-62-2	599	479-27-6	677	535-77-3	623
297-78-9	1199	482-05-3	282	535-80-8	494
298-00-0	1391	482-89-3	2038	536-60-7	1215
298-02-2	1630	485-31-4	278	536-66-3	1222
298-04-4	962	486-25-9	1070	536-72-4	1045
298-03-3	652	488-23-3	1866	536-90-3	161
298-06-6	814	491-35-0	1405	537-92-8	1355
298-07-7	1006	492-22-8	1884	538-75-0	803
299-84-3	1051	493-01-6	641	539-51-1	1430
299-85-4	2072	493-02-7	641	540-59-0	756
300-08-3	34	495-69-2	263	540-88-5	373
300-76-5	1440	497-19-8	1772	541-35-5	401
301-04-2	1242	499-83-2	1729	541-41-3	1017
301-12-2	1549	500-22-1	1722	541-73-1	737
302-01-2	1163	500-28-7	552	541-85-5	1347
302-95-4	1775	504-03-0	867	542-18-7	505
304-81-4	1598	504-20-1	1631	542-75-6	786
306-52-5	1942	504-24-5	134	543-24-8	25
309-00-2	52	504-29-0	132	543-59-9	151
311-89-7	1590	504-63-2	1993	544-01-4	847

544-25-2	601	590-18-1	357	616-45-5	1737
544-40-1	398	590-86-3	1374	618-41-7	1769
544-47-8	497	591-08-2	30	618-62-2	769
544-76-3	1137	591-20-8	330	618-85-9	918
546-68-9	1863	591-27-5	128	618-87-1	902
552-16-9	1483	591-35-5	776	619-15-8	915
552-30-7	1983	591-60-6	363	619-24-9	1486
554-00-7	730	591-78-6	1155	619-50-1	1351
554-12-1	1397	591-87-7	63	619-72-7	1487
554-84-7	1498	592-41-6	1156	620-17-7	1042
555-03-3	1303	592-62-1	1367	620-24-6	1178
555-37-3	777	592-76-7	1122	620-88-2	1500
557-66-4	1013	592-84-7	391	620-95-1	1623
563-12-2	993	592-85-8	1287	621-82-9	561
563-25-7	706	597-64-8	1857	622-45-7	616
563-47-3	1292	598-62-9	1269	622-57-1	1010
563-68-8	1872	598-63-0	1244	623-12-1	484
563-80-4	1340	598-75-4	1339	623-26-7	798
569-64-2	1259	602-01-7	913	623-37-0	1154
570-24-1	105	602-09-5	659	623-91-6	831
576-24-9	771	603-11-2	1501	624-48-6	864
576-26-1	2057	603-34-9	2004	624-64-6	358
577-11-7	660	604-59-1	1448	625-38-7	359
577-19-5	328	606-20-2	916	626-16-4	726
578-46-1	98	606-28-0	1337	626-17-5	797
579-10-2	1356	607-34-1	1493	626-43-7	733
579-75-9	159	608-27-5	729	626-60-8	539
580-17-6	126	608-71-9	1568	626-64-2	1188
581-40-8	865	608-73-1	1129	626-67-5	1330
581-42-0	866	608-93-5	1570	626-86-8	1425
583-39-1	1282	609-19-8	1955	626-93-7	1153
583-60-8	1380	609-86-9	90	627-30-5	456
583-78-8	773	609-89-2	725	628-63-7	150
584-02-1	1581	610-39-9	917	628-92-2	602
584-08-7	1680	611-06-3	767	629-06-1	514
584-79-2	59	611-21-2	1345	629-40-3	799
584-84-9	1892	611-34-7	127	629-62-9	1575
585-07-9	366	612-22-6	1040	629-73-2	1138
586-38-9	158	613-13-8	110	629-97-0	965
586-78-7	327	613-50-3	1494	630-03-5	1513
586-98-1	1730	614-80-2	1185	630-20-6	1844
588-07-8	477	615-67-8	1423	631-61-8	139
588-46-5	266	615-74-7	466	634-66-2	1840
589-18-4	1371	616-44-4	1331	634-90-2	1841

634-93-5	1931	828-00-2	857	1067-33-0	705
636-30-6	1930	832-69-9	1392	1067-97-6	1920
636-47-5	960	834-12-8	80	1071-83-6	1105
637-87-6	470	839-90-7	2016	1071-83-6	1749
639-58-7	2009	842-18-2	1170	1077-16-3	1159
640-15-3	877	868-77-9	1181	1085-98-9	710
640-19-7	1074	868-85-9	897	1113-02-6	858
644-97-3	780	869-24-9	819	1114-71-2	1566
645-62-5	1007	869-29-4	70	1116-76-3	2002
650-51-1	1804	872-05-9	646	1121-60-4	1721
654-66-0	1871	872-35-5	1281	1122-54-9	29
672-06-0	2029	872-50-4	1344	1122-58-3	882
674-82-8	854	873-62-1	1179	1122-61-8	1504
680-31-9	1145	874-84-0	1875	1126-46-1	1350
683-18-1	702	879-39-0	1848	1129-41-5	1896
693-36-7	961	886-50-0	1829	1129-50-6	402
693-54-9	645	886-86-2	117	1134-23-2	598
696-44-6	1349	900-95-8	2008	1135-99-5	943
700-38-9	1342	920-66-1	1143	1141-38-4	1445
708-06-5	1083	922-86-1	208	1156-52-1	216
709-98-8	1698	927-49-1	933	1162-65-8	47
728-40-5	197	933-75-5	1952	1163-19-5	639
732-11-6	1191	933-78-8	1951	1192-52-5	713
732-26-3	1905	934-32-7	113	1194-65-6	709
741-58-2	229	935-79-5	1862	1198-55-6	1843
749-23-0	1689	935-95-5	1852	1212-29-9	802
759-94-4	989	939-23-1	1628	1241-94-7	1036
760-23-6	715	941-98-0	26	1300-51-2	1797
764-13-6	892	944-22-9	1076	1300-71-6	2054
764-41-0	717	946-30-5	1765	1303-28-2	177
771-29-9	1864	947-02-4	1633	1303-33-9	172
771-61-9	1577	947-04-6	1240	1303-86-2	312
771-97-1	678	950-37-8	1299	1306-19-0	409
776-34-1	96	957-51-7	873	1309-37-1	1196
779-02-2	1366	959-98-8	982	1310-58-3	1686
781-43-1	887	961-11-5	452	1310-73-2	1783
782-74-1	760	991-42-4	1520	1313-13-9	1272
786-19-6	434	993-16-8	1408	1314-13-2	2066
791-31-1	2007	999-81-5	449	1314-41-6	1248
813-78-5	896	999-81-5	622	1314-62-1	2036
818-08-6	700	1008-88-4	1627	1314-84-7	2067
818-61-1	1180	1008-89-5	1626	1319-46-6	1244
821-38-5	968	1024-57-3	1114	1319-77-3	583
822-16-2	1800	1067-14-7	1971	1321-74-0	964

1322-93-6	1777	1726-23-4	1914	2050-92-2	662
1327-53-3	178	1740-19-8	647	2051-60-7	502
1328-53-6	1647	1745-81-9	72	2051-61-8	503
1330-20-7	2050	1746-01-6	1826	2051-62-9	504
1330-78-5	1961	1746-13-0	61	2079-00-7	309
1331-92-6	1587	1746-81-2	1429	2082-80-6	2026
1333-82-0	558	1754-58-1	671	2095-06-9	286
1336-36-3	1558	1779-48-2	1625	2104-64-5	987
1338-39-2	1807	1804-58-6	222	2104-96-3	334
1338-43-8	1808	1805-32-9	745	2116-65-6	271
1397-94-0	168	1806-26-4	1541	2142-68-9	457
1420-04-8	225	1836-75-5	779	2150-47-2	1334
1420-06-0	2028	1836-77-7	521	2164-08-1	1249
1459-93-4	1208	1843-05-6	1540	2164-17-2	1975
1460-02-2	1904	1861-32-1	632	2173-57-1	1459
1461-22-9	1918	1861-40-1	371	2212-67-1	1416
1461-25-2	1836	1878-66-6	530	2216-51-5	1279
1477-55-0	294	1886-81-3	973	2216-69-5	1313
1502-22-3	611	1897-45-6	541	2234-13-1	1523
1517-69-7	1617	1910-42-5	1557	2234-16-4	728
1520-78-1	1994	1912-24-9	182	2243-27-8	1538
1552-12-1	617	1912-26-1	1964	2243-62-1	676
1563-66-2	429	1918-00-9	707	2275-23-2	2034
1570-64-5	476	1918-02-1	1644	2278-22-0	1594
1570-65-6	724	1918-13-4	551	2279-76-7	2013
1571-13-7	1854	1918-16-7	1696	2293-07-4	1318
1582-09-8	1976	1929-73-3	627	2302-17-2	181
1594-56-5	1468	1929-77-7	1709	2303-16-4	668
1596-84-5	1417	1929-82-4	472	2310-17-0	1084
1610-18-0	1694	1929-88-0	265	2338-12-7	1488
1623-19-4	1908	1934-21-0	33	2385-85-5	1413
1631-58-9	1436	1940-42-7	315	2386-53-0	1787
1634-04-4	1434	1945-53-5	1552	2387-23-7	805
1634-78-2	1260	1970-15-6	219	2402-78-0	789
1687-30-5	604	1982-47-4	546	2425-06-1	839
1689-64-1	1182	1982-49-6	1755	2426-08-6	392
1689-82-3	1614	1983-10-4	1919	2432-87-3	925
1689-83-4	1194	2008-39-1	629	2439-01-2	439
1689-84-5	337	2008-58-4	735	2439-10-3	974
1689-99-2	338	2032-59-9	118	2443-39-2	988
1698-60-8	1716	2032-65-7	1300	2446-69-7	1162
1702-17-6	781	2042-14-0	1475	2460-49-3	759
1712-70-5	1213	2050-68-2	748	2461-15-6	1035
1716-09-2	1030	2050-76-2	716	2465-27-2	192

2491-38-5	346	3212-19-9	195	4175-37-5	1539
2498-66-0	233	3212-28-0	1638	4214-76-0	103
2517-43-3	1306	3229-00-3	690	4254-15-3	1697
2536-91-6	1336	3251-23-8	578	4342-36-3	1917
2539-17-5	1847	3254-63-5	1094	4390-04-9	1117
2540-82-1	1082	3267-78-5	2012	4435-53-4	1307
2581-34-2	1471	3290-92-4	300	4655-34-9	1395
2587-94-2	651	3296-90-0	696	4684-94-0	536
2597-03-7	868	3309-71-5	203	4719-04-4	1144
2627-35-2	1428	3316-24-3	1317	4821-19-6	804
2631-40-5	589	3319-31-1	2019	4824-78-6	335
2634-33-5	1714	3337-71-1	181	4849-32-5	1231
2636-23-9	202	3370-35-2	1183	4883-72-1	614
2636-26-2	596	3380-34-5	459	4901-51-3	1850
2642-71-9	183	3383-96-8	1	4904-61-4	600
2655-14-3	2060	3385-34-0	1002	4920-77-8	1341
2667-49-4	204	3389-71-7	1135	5124-25-4	958
2668-24-8	1945	3428-24-8	751	5131-66-8	360
2668-47-5	665	3486-35-9	2062	5137-55-3	53
2698-41-1	501	3506-28-3	206	5138-90-9	490
2702-72-9	631	3518-65-8	1297	5160-02-1	1649
2703-13-1	199	3520-72-7	1648	5192-03-0	124
2767-54-6	1972	3568-51-2	193	5234-68-4	435
2781-10-4	704	3568-56-7	205	5259-88-1	1548
2799-95-3	220	3618-60-8	1432	5267-27-6	83
2814-20-2	1216	3634-67-1	1902	5281-04-9	1650
2830-86-6	209	3648-21-3	840	5367-28-2	464
2861-02-1	31	3687-70-5	1047	5392-40-5	564
2865-70-5	528	3689-24-5	1819	5401-94-5	123
2885-00-9	1525	3691-35-8	523	5428-54-6	1470
2905-69-3	1335	3698-83-7	721	5460-09-3	106
2921-88-2	811	3734-48-3	442	5510-99-6	663
2951-17-9	198	3766-81-2	396	5586-15-2	661
3033-77-0	1103	3772-55-2	648	5673-07-4	861
3089-11-0	1149	3864-99-1	1173	5827-05-4	169
3090-36-6	1922	3978-67-4	750	5829-48-1	790
3096-70-6	92	4051-66-5	923	5835-26-7	1210
3101-79-9	1999	4097-36-3	901	5847-48-3	1921
3148-72-9	672	4101-68-2	695	5847-59-6	316
3156-53-4	1732	4104-14-7	1108	5902-46-5	194
3186-12-7	201	4130-42-1	664	5915-41-3	1048
3186-14-9	200	4156-44-9	214	5915-41-3	1830
3204-27-1	369	4162-45-2	290	59365-6-5	458
3209-22-1	766	4170-30-3	587	598-16-13	1911

6032-29-7	1580	7440-38-2	176	7722-64-7	1688
6099-57-6	1454	7440-39-3	190	7722-84-1	1166
6119-92-2	919	7440-41-7	274	7727-43-7	191
6120-10-1	880	7440-42-8	311	7733-02-0	2068
6146-52-7	1492	7440-43-9	407	7756-94-7	1981
6164-98-3	547	7440-47-3	555	7757-79-1	1687
6272-87-3	894	7440-48-4	570	7757-82-6	1801
6317-18-6	1384	7440-50-8	574	7758-89-6	575
6358-85-6	1651	7440-55-3	1091	7758-95-4	1245
6392-46-7	71	7440-56-4	1097	7758-98-7	579
6393-42-6	91	7440-57-5	1107	7761-88-8	1759
6459-94-5	32	7440-61-1	2031	7772-99-8	1810
6731-36-8	305	7440-62-2	2035	7773-01-5	1270
6834-92-0	1756	7440-66-6	2061	7778-39-4	173
6842-15-5	1711	7440-67-7	2071	7778-43-0	949
6923-22-4	1424	7440-70-2	413	7778-50-9	1685
6972-71-0	876	7446-08-4	1754	7778-80-5	1690
6980-18-3	1232	7446-09-5	1821	7779-88-6	2065
6988-21-2	927	7446-70-0	76	7782-41-4	1072
7205-22-3	217	7447-39-4	576	7782-49-2	1753
7267-11-0	764	7447-40-7	1681	7782-50-5	447
7267-14-3	765	7487-94-7	1285	7783-06-4	1167
7287-19-6	1695	7546-30-7	1284	7783-20-2	137
7337-45-3	379	7553-56-2	1193	7783-28-0	1632
7379-35-3	540	7601-54-9	1635	7783-90-6	1757
7393-66-0	807	7631-89-2	175	7785-87-7	1271
7428-48-0	1247	7631-95-0	1788	7786-34-7	1412
7429-90-5	75	7631-99-4	1785	7786-81-4	1462
7439-89-6	1195	7632-00-0	1791	7789-00-6	1682
7439-91-0	1237	7646-79-9	571	8001-35-2	1897
7439-92-1	1243	7646-85-7	2064	8001-50-1	1812
7439-93-2	1257	7647-14-5	1773	8001-54-5	55
7439-95-4	1258	7647-15-6	1771	8001-58-9	582
7439-96-5	1268	7664-38-2	1634	8002-74-2	1555
7439-97-6	1288	7664-39-3	1164	8003-34-7	1719
7440-02-0	1460	7664-41-7	136	8018-01-7	1266
7440-06-4	1661	7664-93-9	1823	8022-00-2	1294
7440-09-7	1679	7681-49-4	1780	8029-29-6	188
7440-22-4	1758	7681-52-9	1784	8030-30-6	1441
7440-23-5	1768	7697-37-2	1465	8065-48-3	652
7440-28-0	1873	7700-17-6	563	8065-75-6	46
7440-31-5	1887	7705-08-0	1063	8070-47-1	345
7440-32-6	1888	7718-54-9	1461	8070-92-6	438
7440-36-0	166	7720-78-7	1065	8075-74-9	1064

9002-81-7	1664	11141-16-5	1561	13936-21-5	1586
9002-89-5	1678	12002-48-1	1932	13952-84-6	377
9002-92-0	1674	12069-69-1	577	14130-05-3	1512
9002-93-1	2027	12122-67-7	2069	14221-48-8	142
9003-53-6	1677	12125-01-8	143	14265-45-3	1817
9004-82-4	1794	12125-02-9	141	14437-17-3	308
9006-42-2	1676	12217-77-5	952	14458-95-8	1752
9014-90-8	1803	12227-06-4	1822	14484-64-1	1062
9016-00-6	1671	12407-86-2	1236	14759-08-6	1898
9016-45-9	1519	12427-38-2	1267	14816-18-3	1639
10004-44-1	1190	12642-13-6	78	14816-20-7	548
10025-67-9	1820	12642-23-8	1665	15096-52-3	588
10025-73-7	556	12672-29-6	1563	15104-61-7	1574
10028-15-6	1550	12674-11-2	1559	15205-57-9	1910
10031-59-1	1874	12774-30-0	580	15258-73-8	744
10043-01-3	77	12788-93-1	397	15263-52-2	436
10043-35-3	310	13037-86-0	1116	15263-53-3	899
10043-52-4	414	13116-53-5	1855	15356-70-4	1279
10048-95-0	174	13121-70-5	1962	15545-48-9	553
10099-74-8	1246	13171-21-6	474	15627-09-5	301
10102-18-8	1799	13181-17-4	332	15883-57-5	1453
10102-44-0	1491	13181-17-4	1048	15922-78-8	1543
10108-64-2	408	13194-48-4	995	15942-48-0	1743
10113-28-7	2023	13277-59-3	1466	15972-60-8	48
10124-36-4	411	13350-71-5	1636	16060-78-9	650
10124-37-5	416	13356-08-6	1050	16065-83-1	554
10141-00-1	1683	13358-11-7	1032	16090-02-1	1071
10191-74-9	567	13410-01-0	1798	16091-18-2	926
10196-04-0	138	13411-16-0	1089	16118-44-3	428
10202-92-3	84	13435-05-7	2025	16219-75-3	1038
10265-92-6	1296	13463-67-7	1889	16721-80-5	1802
10302-94-0	513	13494-80-9	1828	16752-77-5	1301
10315-98-7	1201	13540-50-6	1609	16984-48-8	455
10319-14-9	959	13560-89-9	967	17040-19-6	653
10325-94-7	410	13562-76-0	364	17095-24-8	1744
10453-86-8	1745	13593-03-8	1738	17650-76-9	708
10496-18-1	808	13608-87-2	1928	17754-90-4	820
10541-83-0	1359	13654-09-6	638	17804-35-2	228
10588-01-9	1776	13674-84-5	2014	17904-27-7	1229
10605-21-7	427	13674-87-8	1090	18250-63-0	796
11067-81-5	1870	13684-56-5	654	18487-39-3	1929
11096-82-5	1565	13684-63-4	1600	18540-29-9	557
11097-69-1	1564	13718-26-8	1805	18708-70-8	1948
11104-28-2	1560	13863-41-7	320	18979-55-0	1161

19045-79-5	944	25321-09-9	852	28434-01-7	279
19406-51-0	85	25321-14-6	912	28553-12-0	846
19438-60-9	1379	25322-17-2	921	28575-17-9	812
19622-08-3	1713	25322-68-3	1672	28623-46-3	1511
19666-30-9	1546	25322-69-4	1675	28652-72-4	1323
19902-04-6	1095	25323-68-6	1667	28680-45-7	1115
19937-59-8	1410	25377-73-5	971	28726-30-9	1418
20679-58-7	1762	25394-13-2	1764	28777-98-2	1527
20856-57-9	1192	25395-31-7	1099	28801-69-6	1923
21087-64-9	1411	25429-29-2	1571	28907-84-8	1790
21348-16-3	415	25512-42-9	1666	28928-97-4	1517
21548-73-2	1760	25537-46-6	207	29025-67-0	532
21564-17-0	341	25550-58-7	908	29082-74-4	1524
21564-17-0	342	25638-17-9	1421	29253-36-9	1225
21609-90-5	1250	25791-96-2	2024	29690-50-9	1224
21689-84-9	591	25918-54-1	211	29761-21-5	54
21725-46-2	592	26027-38-3	1663	29772-02-9	533
21908-53-2	1286	26076-28-8	2015	30087-47-9	1052
22212-55-1	264	26087-47-8	1234	30171-80-3	694
22224-92-6	1049	26140-60-3	1833	30525-89-4	1556
22683-22-3	2048	26172-55-4	461	30560-19-1	6
22781-23-3	227	26225-79-6	994	30777-19-6	249
22967-92-6	1389	26266-57-9	1809	31512-74-0	344
23103-98-2	1658	26446-35-5	1099	31732-71-5	306
23184-66-9	347	26545-58-4	1778	31906-04-4	1175
23422-53-9	1544	26601-64-9	1669	32360-05-7	1528
23564-05-8	1880	26603-23-6	302	32669-06-0	511
23778-52-1	1673	26630-87-5	955	33213-65-9	983
23783-42-8	1673	26638-19-7	782	33245-39-5	1067
23950-58-5	1712	26644-46-2	1977	33360-84-8	842
24019-05-4	778	26761-40-0	845	33442-83-0	1637
24353-61-5	1080	26787-65-5	991	33693-04-8	1109
24537-30-2	1183	26898-17-9	688	34123-59-6	1227
24851-98-7	1319	26914-33-0	1668	34375-28-5	1184
24934-91-6	448	26952-21-6	1206	34681-23-7	361
25057-89-0	230	26967-76-0	2022	34883-43-7	747
25134-21-8	1353	27156-22-5	296	34911-46-1	1554
25154-52-3	1518	27193-86-8	975	35367-38-5	529
25154-54-5	903	27314-13-2	1521	35572-78-2	94
25155-30-0	1779	27417-40-9	1418	35723-83-2	45
25167-82-2	1950	27983-69-3	343	35860-37-8	1982
25168-26-7	630	28106-30-1	1046	35944-73-1	619
25205-08-7	224	28249-77-6	1876	35944-82-2	978
25311-71-1	1205	28299-29-8	1526	35944-86-6	1093

35975-00-9	104	52820-00-5	642	65894-78-2	165
36065-30-2	1913	53469-21-9	1562	66003-55-2	1767
36483-60-0	1124	53710-61-5	22	66419-38-3	419
37226-28-1	990	53762-96-2	41	66555-33-7	590
37301-44-3	340	53763-47-6	170	66594-31-8	1715
37317-41-2	1230	53780-34-0	1276	66735-04-4	367
37372-50-2	947	54774-45-7	1592	67557-76-0	395
37924-13-3	1589	54830-30-7	1835	68814-95-9	49
38289-27-9	1670	55335-06-3	1960	69225-84-9	1693
38640-62-9	851	55634-91-8	1767	70124-77-5	3
38641-94-0	1106	56073-07-5	837	70290-05-0	1418
38727-55-8	1123	56113-42-9	1853	70343-06-5	82
39515-41-8	1056	56207-39-7	93	71767-67-4	957
40027-80-3	615	57017-81-9	572	72319-10-9	1406
40529-66-6	1426	57055-38-6	1422	73482-03-8	1659
40596-69-8	1302	57055-39-7	752	73482-04-9	1295
40690-89-9	953	57057-83-7	1944	75797-91-0	1415
41122-70-7	1158	57157-80-9	44	82679-88-7	1612
41394-05-2	1293	57213-69-1	1092	82679-90-1	215
42121-43-3	1906	57353-42-1	1066	82980-43-6	212
42240-73-3	1838	57520-17-9	1414	82980-44-7	213
42398-17-4	848	57567-84-7	1378	82980-46-9	221
42576-02-3	277	59669-26-0	1238	83968-18-7	1255
42615-29-2	1254	59722-76-8	956	100468-92-6	1796
43772-48-6	838	60108-89-6	1662	101453-46-7	1183
49866-87-7	838	60134-56-7	1228	115044-19-4	1111
50471-44-8	2041	60628-17-3	942	123251-96-7	723
50512-35-1	1226	60782-58-3	1978		
50853-70-8	1352	61213-25-0	1742		
50925-42-3	948	61788-76-9	446		
51026-28-9	1692	61788-76-9	475		
51053-28-2	907	61790-13-4	1789		
51218-45-2	1409	61968-28-3	951		
51569-12-1	1112	61968-52-3	954		
51594-83-3	1734	62441-54-7	1059		
51594-86-6	1733	63148-74-3	1078		
51630-58-1	1061	63283-80-7	761		
51630-58-1	1824	63428-00-2	881		
51877-74-8	1593	63449-39-8	445		
52315-07-8	625	63981-11-3	210		
52627-73-3	2040	64037-54-3	749		
52645-53-1	79	64205-22-7	218		
52645-53-1	1591	64902-72-3	550		
52789-62-5	1419	65280-29-7	1055		

Documentation page

Publisher	Finnish Environment Institute	Date of publication May 2000
Author(s)	Esa Nikunen, Riitta Leinonen, Birgit Kemiläinen and Arto Kultamaa	
Title of publication	Environmental Properties of Chemicals – 2nd Revised Edition	
Parts of publication/ other project publications	Volume 1: Contents of the report, Environmental properties of chemicals Volume 2: Abbreviations and explanations, List of exposed species, References, Indexes The contents of the publication are also available as a CD ROM version: EnviChem 2.0, a PC database running under Windows OS.	
Abstract	This handbook has been compiled from the Data Bank of Environmental Properties of Chemicals maintained by the Finnish Environment Institute. The information is mainly derived from scientific literature, handbooks and other material at the disposal of Finnish environment authorities. The handbook contains information related to general information, physico-chemical properties, degradation, metabolism, bioaccumulation and the effects of the chemical to terrestrial and aquatic environment. The most extensive part of the report is the toxicity to aquatic organisms. Information has been gathered of 2 073 chemicals. In addition the handbook contains lists of abbreviations and exposed species (Scientific–English–Finnish) and two indexes. The other index is sorted by the name of the chemical and the other one by CAS number (Chemical Abstract Service number).	
Keywords	Chemicals, toxicity, metabolism, decomposition, accumulation, environmental impacts, biological impacts, indexes	
Publication series and number	Environment Guide 71	
Theme of publication	Environmental protection	
Project name and number, if any		
Financier/ commissioner	Finnish Environment Institute	
Project organization		
	ISSN 1238-8602	ISBN 951-37-2967-2 (publisher) 952-11-0670-0 (co-publisher)
	No. of pages Vol. 1: 1165 p. Vol. 2: 241 p.	Language English
	Restrictions Public	Price FIM 645
For sale at/ distributor	>Edita Ltd, PB 800, FIN-00043 Edita tel. +358 9 566 0266, telefax (09) 566 0380, e-mail: asiakaspalvelu@edita.fi www-server: http://www.edita.fi/netmarket	
Financier of publication	Finnish Environment Institute P.O. Box 140, FIN-00251 Helsinki, FINLAND	
Printing place and year	Edita Ltd Helsinki 2000	

Kuvailulehti

Julkaisija	Suomen ympäristökeskus	Julkaisuaika Toukokuu 2000
Tekijä(t)	Esa Nikunen, Riitta Leinonen, Birgit Kemiläinen ja Arto Kultamaa	
Julkaisun nimi	Environmental Properties of Chemicals – 2nd Revised Edition	
Julkaisun osat/ muut saman projektin tuottamat julkaisut	Nide 1: Raportin sisällyks, Kemikaalien ympäristöominaisuksia Nide 2: Lyhenteet ja selitteet, Lajiluettelo, Viitteet, Hakemistot Tietosisältö on saatavana myös CD-ROM-versiona: EnviChem 2.0, tietokantasovellus Windows-käyttöjärjestelmiin.	
Tiivistelmä	Tämä käsikirja on koottu Suomen ympäristökeskuksen Kemikaalien ympäristötietorekisterin tietosisällöstä. Tiedot rekisteriin on koottu tieteellisestä kirjalaisuudesta, käsikirjoista, tietokannoista ja muista ympäristöviranomaisten käytössä olevista aineistoista. Käsikirja sisältää kemikaaliin liittyviä yleisiä tietoja, fysikaalis-kemiallisia tietoja, kemikaalin hajoamiseen liittyviä tietoja, tietoa kemikaalin metabolismasta ja kertymisestä sekä tietoa kemikaalin vaikutuksista maa- ja vesiympäristössä. Suurin yksittäinen kokonaisuus on vesielömyrkylisyyss. Edellä mainittuja tietoja on kerätty 2 073 kemikaalista. Lisäksi käsikirja sisältää luettelot käytetyistä lyhenteistä ja mainitusta lajeista (tieteellinen–englanti–suomi) sekä hakemistot kemikaalin nimen ja Chemical Abstract Service (CAS) -numerona mukaisesti järjestettyinä.	
Asiasanat	Kemikaalit, toksisuus, aineenvaihdunta, hajoaminen, rikastuminen, ympäristövaikutukset, biologiset vaikutukset, hakemistot	
Julkaisusarjan nimi ja numero	Ympäristöopas 71	
Julkaisun teema	Ympäristönsuojelu	
Projektihankkeen nimi ja projektinumero		
Rahoittaja/ toimeksiantaja	Suomen ympäristökeskus	
Projektiryhmään kuuluvat organisaatiot		
	ISSN 1238-8602	ISBN 951-37-2967-2 (kustantaja) 952-11-0670-0 (julkaisija)
	Sivuja Nide 1: 1165 s. Nide 2: 241 s.	Kieli Englanti
	Luottamuksellisuus Julkinen	Hinta 645 mk
Julkaisun myynti/ jakaja	Oy Edita Ab, Asiakaspalvelu, PL 800, 00043 Edita puh. (09) 566 0266, telefax (09) 566 0380, sähköpostiosoite: asiakaspalvelu@edita.fi, www-palvelin: http://www.edita.fi/netmarket	
Julkaisun kustantaja	Suomen ympäristökeskus PL 140, 00251 Helsinki	
Painopaikka ja -aika	Oy Edita Ab Helsinki 2000	

Presentationsblad

Utgivare	Finlands miljöcentral	Datum Maj 2000
Författare	Esa Nikunen, Riitta Leinonen, Birgit Kemiläinen och Arto Kultamaa	
Publikationens titel	Environmental Properties of Chemicals – 2nd Revised Edition	
Publikationens delar/ andra publikationer inom samma projekt	Volym 1: Rapportens innehåll, Information om kemikalier Volym 2: Förkortningar och förklaringar, Förteckning över arter, Referenser, Index Handbokens innehåll utges även som CD-ROM: EnviChem 2.0, databas-tillämpning för Windows OS.	
Sammandrag	Denna handbok har sammanställts på basis av Finlands miljöcentrals register över kemikaliers miljödata. Uppgifterna för registret har tagits från vetenskaplig litteratur, handböcker, databaser och annat material som miljövårdsmyndigheterna har haft tillgång till. Handboken innehåller allmän information om kemikalier, fysikalisk-kemiska data, uppgifter om kemikaliers metabolism, beständighet och ackumulering i omgivningen samt uppgifter om kemikaliers inverkan i terrestra och akvatiska miljön. Den största enskilda helheten är toxiciteten för vattenorganismer. Uppgifter har samlats om 2 073 kemikalier. Därtill innehåller handboken listor om förkortningar och i rapporten nämnda arter (vetenskapligt–engelskt–finskt). Dessutom finns det två index sorterade enligt kemikaliens namn och CAS (Chemical Abstract Service) - nummer.	
Nyckelord	Kemikalier, toxicitet, metabolism, nedbrytning, ackumulering, miljökonsekvenser, biologiska konsekvenser, index	
Publikationsserie och nummer	Miljöhandledning 71	
Publikationens tema	Miljövård	
Projektets namn och nummer		
Finansiär/ updragsgivare	Finlands miljöcentral	
Organisationer inom projektgruppen		
	ISSN 1238-8602	ISBN 951-37-2967-2 (förläggare) 952-11-0670-0 (utgivare)
	Sidoantal Volym 1: 1165 s. Volym 2: 241 s.	Språk Engelska
	Offentlighet Offentlig	Pris 645 mk
Beställningar/ distribution	>Edita Ab, Kundservice, PB 800, 00043 Edita tel. (09) 566 0266, telefax (09) 566 0380, e-mail: asiakaspalvelu@edita.fi www-server: http://www.edita.fi/netmarket	
Förläggare	Finlands miljöcentral PB 140, 00251 Helsingfors	
Tryckeri/ tryckningsort och -år	Oy Edita Ab Helsingfors 2000	



**ENVIRONMENTAL
PROTECTION**

Environmental properties of chemicals • Volume 2

This handbook contains a comprehensive collection of data relating to the fate and behaviour of chemicals in the environment. The material is divided into two volumes. Volume 1 contains information on the physico-chemical properties, degradation, metabolism, bioaccumulation, toxicity and ecotoxicity of 2,073 chemicals. The most extensive part details the toxicity of chemicals to aquatic organisms. Volume 2 contains lists of abbreviations, a list of exposed species (Scientific-English-Finnish), and two indexes, one an alphabetical list of chemicals and the other a numerical list of these chemicals according to their CAS-numbers.

The handbook has been compiled from the Data Bank of Environmental Properties of Chemicals maintained by the Finnish Environment Institute. The information is derived from over 3,000 scientific publications, handbooks and other sources.

The contents of this publication are also available as a CD-ROM EnviChem 2.0, a PC database running under Windows operating systems.

ISBN 951-37-2967-2 (publisher)

ISBN 952-11-0670-0 (co-publisher)

ISSN 1238-8602

63.5

EDITA Ltd.
PO Box 800, FIN-00043 EDITA, Finland
Phone + 358 9 566 01
MAIL ORDERS
Phone + 358 9 566 0266, fax + 358 9 566 0380
EDITA-BOOKSHOPS IN HELSINKI
Annankatu 44, phone (09) 566 0566
Eteläesplanadi 4, phone (09) 662 801

9 789513 729677