

Technical University of Denmark



## The Ulysses supplement to the Granat/WATCH catalog of cosmic gamma-ray bursts

**Hurley, K.; Lund, Niels; Brandt, Søren; Barat, C.; Cline, T.; Sunyaev, R.; Terekhov, O.; Kuznetsov, A.; Sazonov, S.; Castro-Tirado, A.**

*Published in:*  
Astrophysical Journal Supplement Series

*Publication date:*  
2000

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Hurley, K., Lund, N., Brandt, S. K., Barat, C., Cline, T., Sunyaev, R., ... Castro-Tirado, A. (2000). The Ulysses supplement to the Granat/WATCH catalog of cosmic gamma-ray bursts. *Astrophysical Journal Supplement Series*, 128(2), 549-560.

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## THE *ULYSSES* SUPPLEMENT TO THE *GRANAT*/WATCH CATALOG OF COSMIC GAMMA-RAY BURSTS

K. HURLEY

University of California, Berkeley, Space Sciences Laboratory, Berkeley, CA 94720-7450

N. LUND AND S. BRANDT

Danish Space Research Institute, DK-2100 Copenhagen, Denmark

C. BARAT

Centre d'Étude Spatiale des Rayonnements, F-31029 Toulouse Cedex, France

T. CLINE

NASA Goddard Space Flight Center, Greenbelt, MD 20771

R. SUNYAEV, O. TEREKHOV, A. KUZNETSOV, AND S. SAZONOV

Institut Kosmicheskij Isledovanija, 117810 Moscow, Russia

AND

A. CASTRO-TIRADO<sup>1</sup>

Laboratorio de Astrofísica Espacial y Física Fundamental (LAEFF-INTA), P.O. Box 50727, E-28080 Madrid, Spain

Received 2000 January 3; accepted 2000 February 9

### ABSTRACT

We present third Interplanetary Network (IPN) localization data for 56 gamma-ray bursts in the *Granat*/WATCH catalog that occurred between 1990 November and 1994 September. These localizations are obtained by triangulation using various combinations of spacecraft and instruments in the IPN, which consisted of *Ulysses*, BATSE, *Pioneer Venus Orbiter*, *Mars Observer*, WATCH, and PHEBUS. The intersections of the triangulation annuli with the WATCH error circles produce error boxes with areas as small as 16 arcmin<sup>2</sup>, reducing the sizes of the error circles by factors of up to 800.

*Subject headings:* catalogs — gamma rays: bursts

### 1. INTRODUCTION

The multiwavelength counterparts to numerous gamma-ray bursts (GRBs) have now been identified using the rapid, precise localizations available from the *BeppoSAX* spacecraft (e.g., Costa et al. 1997; van Paradijs et al. 1997), as well as from the *Rossi X-Ray Timing Explorer* and the Interplanetary Network. However, there is still a need for less precise GRB localizations of older bursts, for several reasons. For example, the discovery of bright optical emission coincident with one burst (Akerlof et al. 1999) indicates that searches through archival optical data may reveal other examples of this interesting phenomenon. Also, the possible association of one GRB with a nearby supernova (Galama et al. 1998), if valid, means that other such associations may exist in the historical records. Because the current rate of rapid, precise localizations remains low ( $\sim$ eight events yr<sup>-1</sup>), it is important to add as many bursts as possible to the existing database. The *Granat*/WATCH GRB catalog contains data on 95 bursts observed between 1989 and 1994 (Sazonov et al. 1998); of the 95, 47 bursts were localized to error circles with radii between 0°2 and 1°6. The third Interplanetary Network (IPN) began operations in 1990 with the launch of the *Ulysses* spacecraft. By combining WATCH data with IPN data, it is possible to reduce the sizes of these error circles by as much as a factor of 800, making them more useful for archival studies. This is the seventh in a series of catalogs of IPN localizations. The supplements to the BATSE 3B and 4Br catalogs appeared in Hurley et al. (1999a, 1999b; 218 and 147 bursts,

respectively). Localizations involving the *Mars Observer* (MO) and *Pioneer Venus Orbiter* (PVO) spacecraft have been presented in Laros et al. (1997, 1998; nine and 37 bursts, respectively). Fifteen *Ulysses*, PVO, SIGMA, WATCH, and PHEBUS burst localizations were published in Hurley et al. (2000a). *Ulysses*/*BeppoSAX* bursts may be found in Hurley et al. (2000b; 16 bursts). Localization data for the bursts in all these catalogs may also be found on the IPN Web site.<sup>2</sup>

### 2. INSTRUMENTATION

The gamma-ray bursts in this paper were observed by at least two instruments. One was the omnidirectional GRB detector aboard the *Ulysses* spacecraft, consisting of two 3 mm thick hemispherical CsI scintillators with a projected area of  $\sim$ 20 cm<sup>2</sup> in any direction. The instrument observes bursts in the 25–150 keV energy range in either a triggered mode, in which the time resolution is as high as 8 ms, or, for the weaker bursts, in a real-time mode, in which the time resolution is between 0.25 and 2 s. A more complete description of the experiment may be found in Hurley et al. (1992).

The second was the WATCH experiment aboard the *Granat* spacecraft. WATCH employs a unique rotating modulation collimator technique to determine the positions of bursts to  $\sim$ 1° accuracy. The detector is a scintillator operating in the 8–60 keV range with a field of view of 74° and a maximum effective area of 47 cm<sup>2</sup>. Four independent modules were deployed aboard the *Granat* spacecraft, and  $\sim$ 80% of the sky was monitored with them. See Sazonov et al. (1998) for a more detailed description.

<sup>1</sup> Instituto de Astrofísica de Andalucía (IAA-CSIC), P.O. Box 03004, E-18080 Granada, Spain.

<sup>2</sup> ssl.berkeley.edu/ipn3/index.html.




FIG. 1.—IPN  $3\sigma$  annulus and WATCH  $3\sigma$  error circle for 901121. The large width of the annulus, just visible in the lower part of the figure, is due to the fact that *Ulysses* had just been launched and was only 67 lt-s from Earth.

To localize the GRBs in this supplement, use was sometimes made of the data from other experiments, too. These are noted in the following section.

### 3. TECHNIQUE

The methodology employed here is similar or identical to that used for the *Ulysses* supplement to the BATSE 3B and 4Br catalogs (Hurley et al. 1999a, 1999b). Each WATCH




FIG. 2.—IPN annulus ( $3\sigma$ ), COMPTTEL ( $1\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 910627.




FIG. 3.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 910927.

burst was searched for in the *Ulysses* data. One or more annuli of possible arrival directions was derived by triangulation for each burst identified using the data from *Ulysses* and at least one other instrument. The bursts in this catalog thus fall into one of the following categories:

1. Event observed by *Ulysses* and WATCH only. In this case, the triangulation annulus was obtained utilizing the data of these two instruments.




FIG. 4.—*PVO/Ulysses/BATSE*  $3\sigma$  error box from Laros et al. (1998), WATCH  $3\sigma$  error circle, and BATSE  $1\sigma$  error circle for 911202.




FIG. 5.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 911209.

2. Event observed by *Ulysses*, WATCH, and PHEBUS. PHEBUS was also aboard the *Granat* spacecraft (Barat et al. 1988; Terekhov et al. 1991). It consisted of six 12 cm long by 7.8 cm diameter BGO detectors oriented along the axes of a Cartesian coordinate system, operating in the 100 keV–100 MeV energy range, with 1/128 s to 1/32 s time resolution. In this case, the triangulation was done using *Ulysses* and the instrument that resulted in the most precise triangulation annulus. The WATCH data have the advantage of being taken in an energy range that corresponds more closely to that of *Ulysses*, but the time resolution of the WATCH data was sometimes rather coarse ( $\sim 10$  s or more). On the other hand, the PHEBUS data, although taken in an energy range higher than that of *Ulysses*, have the advantages of good time resolution and in some cases better statistics. The more accurate of the two possible triangulation annuli is quoted here.




FIG. 6.—PVO/*Ulysses*/BATSE error box ( $3\sigma$ ) from Laros et al. (1998), WATCH error circle ( $3\sigma$ ), and BATSE error circle ( $1\sigma$ ) for 920311.




FIG. 7.—PVO/*Ulysses*/BATSE error box ( $3\sigma$ ) from Laros et al. (1998), WATCH error circle ( $3\sigma$ ), and BATSE error circle ( $1\sigma$ ) for 920404.

3. Event observed by *Ulysses*, WATCH, and BATSE. BATSE consists of eight detector modules aboard the *Compton Gamma-Ray Observatory (CGRO)*. Each module has an area  $\sim 2025$  cm<sup>2</sup>. The DISCSC data type was used, which gives 0.064 ms resolution data for the 25–100 keV energy range. BATSE is described in Meegan et al. (1996). For the purposes of triangulation, the *Granat* and *CGRO* spacecraft were close enough to one another ( $< 250$  lt-ms) that the accuracy of the triangulation could not be improved by including the data from both spacecraft. (For comparison, the *Ulysses*-Earth distance was as great as several thousand light-seconds.) In this case, the *Ulysses*-BATSE annulus was used since the BATSE energy range corresponds closely to that of *Ulysses*, the time resolution is good, and the statistics are always better. These annuli have appeared in Hurley et al. (1999a), but their intersections with the WATCH error circles are presented here for the first time. The BATSE error circles may be found in Meegan et al. (1996) and in the revised 4Br catalog of Paciesas et al.




FIG. 8.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for the burst of 920718 at 14:40.




FIG. 9.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for the burst of 920718 at 21:32.

(1999). The radii of the error circles presented here include both statistical and systematic errors. In those cases where WATCH did not localize the burst, the *Ulysses*-BATSE localization information consists of the intersection of the IPN annulus with BATSE error circle. Because the error circle is large, the curvature of the annulus does not allow a simple description of the error box, and no localization information appears in Table 2; it may be found in Hurley et al. (1999a).

4. Event observed by *Ulysses*, WATCH, and one or more of the following experiments: BATSE, COMPTEL (Kippen et al. 1998), SIGMA (Claret et al. 1994), *PVO* (Laros et al. 1997), or *MO* (Laros et al. 1998). Here triangulation using *PVO* or *MO* data, and/or the independent localization capabilities of COMPTEL or SIGMA, have been utilized. These special cases are noted in Table 2, and the previously




FIG. 11.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 920814.

published error box coordinates have been included in the table for convenience. In most cases the error box is fully contained within the WATCH error circle. If no figure has been previously published showing the WATCH error circle and the IPN triangulation result, one appears in this paper.

#### 4. THE DATA

In Table 1 the WATCH bursts also detected by *Ulysses* are listed. Column (1) gives the date, column (2) gives the detection time at WATCH, and column (3) indicates the *Ulysses* data mode (RI for rate increase, observed in the low




FIG. 10.—*PVO/Ulysses/BATSE* error box ( $3\sigma$ ) from Laros et al. (1998), WATCH error circle ( $3\sigma$ ), and BATSE error circle ( $1\sigma$ ) for 920720.




FIG. 12.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 920902.




FIG. 13.—IPN annulus ( $3\sigma$ ) and WATCH error circle ( $3\sigma$ ) for the burst of 920903 at 01:37.




FIG. 15.—IPN annulus ( $3\sigma$ ) and WATCH error circle ( $3\sigma$ ) for the burst of 920925 at 20:30.

time resolution real-time mode, trigger for the high time resolution triggered mode). Column (4) indicates whether BATSE observed the burst. Here N/O means not observable (*CGRO* had not been launched yet), and a number, if present, is the BATSE trigger number. Column (5) indicates whether the burst was localized by WATCH, and column (6) indicates whether PHEBUS observed the event.

Table 2 gives the localization information for the events in Table 1. Columns (1) and (2) give the date and the time. For those bursts localized by WATCH, columns (3) and (4) give the right ascension and declination of the center of the WATCH error circle (J2000), and column (5) gives the

WATCH  $3\sigma$  error circle radius. These data are taken directly from Sazonov et al. (1998), and the error circle radius includes both statistical and systematic errors. Columns (6) and (7) give the right ascension and declination ( $\alpha$ ,  $\delta$ ) of the center of the IPN annulus (J2000); columns (8) and (9) give the radius  $R$  of the center line of the annulus and the  $3\sigma$  half-width of the annulus  $\delta R$ . That is, the annulus is described by two small circles on the celestial sphere both centered at  $\alpha$ ,  $\delta$ , with radii  $R - \delta R$  and  $R + \delta R$ . The annulus half-width is calculated taking both statistical and systematic errors into account. For those cases where there is a WATCH error circle and the annulus intersects it, additional data are given in columns (10) and (11). (The possible exceptions are, first, cases where the IPN annulus is wider than the error circle diameter and therefore does not intersect it and, second, cases where an actual error box has




FIG. 14.—IPN annulus ( $3\sigma$ ) and WATCH error circle ( $3\sigma$ ) for the burst of 920903 at 23:29.




FIG. 16.—IPN annulus ( $3\sigma$ ) and WATCH error circle ( $3\sigma$ ) for the burst of 920925 at 22:46.




FIG. 17.—IPN annulus (3  $\sigma$ ) and WATCH error circle (3  $\sigma$ ) for 921013.

been obtained and published elsewhere.) Column (10) gives the right ascensions and declinations (J2000) of the IPN error box, and column (11) gives the error box area. Note that, strictly speaking, it is not possible to define a true error




FIG. 18.—IPN annulus (3  $\sigma$ ), BATSE (1  $\sigma$ ), and WATCH (3  $\sigma$ ) error circles for 921022.




FIG. 19.—IPN annulus (3  $\sigma$ ), BATSE (1  $\sigma$ ), and WATCH (3  $\sigma$ ) error circles for 921029.

box with straight line segments among the four intersection points of a WATCH error circle with an IPN annulus due to the curvatures of both the annulus and the error circle. However, for many purposes, this may be negligible.

5. DISCUSSION AND CONCLUSIONS

There is good agreement between the IPN annuli and the WATCH error circles in all cases. We call attention to some of the more precise error boxes:

1. 940703.—The error box area is 16 arcmin<sup>2</sup>, a reduction in area from the 0°24 WATCH error circle of a factor of ~41.
2. 921022.—The error box area is 22 arcmin<sup>2</sup>, a reduction in area from the 0°72 WATCH error circle of a factor of ~265.




FIG. 20.—IPN 3  $\sigma$  annuli (*Ulysses*/*BATSE*/*MO*) and BATSE (1  $\sigma$ ), COMPTEL (1  $\sigma$ ), and WATCH (3  $\sigma$ ) error circles for 930612. The narrow inner IPN annulus and the wider outer IPN annulus intersect outside the figure to form a long error box.




FIG. 21.—IPN annulus ( $3\sigma$ ) and WATCH error circle ( $3\sigma$ ) for 930703.




FIG. 24.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for the burst of 940701.




FIG. 22.—IPN  $3\sigma$  annuli (*Ulysses/BATSE/MO*), BATSE ( $1\sigma$ ), and WATCH ( $3\sigma$ ) error circles for 930706.




FIG. 23.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for 940419.




FIG. 25.—IPN annulus ( $3\sigma$ ), WATCH ( $3\sigma$ ), and BATSE ( $1\sigma$ ) error circles for the burst of 940703.

3. 921013.—The error box area is  $32 \text{ arcmin}^2$ , a reduction in area from the  $1^\circ 51'$  WATCH error circle of a factor of  $\sim 800$ .

The localizations in Table 2 are presented in Figures 1–25. (Figures for the WATCH bursts involving SIGMA, which have already appeared in Hurley et al. 2000a, have been omitted.) As these figures show, the combination of WATCH and the IPN results in very precise location information for these bursts. Another version of the WATCH experiment was flown aboard the *EURECA* spacecraft. Analysis of these events is currently underway.

K. H. is grateful to J. P. L. for *Ulysses* support under contract 958056 and to NASA for Compton Gamma-Ray Observatory support under grant NAG 5-3811.



TABLE 1  
*ULYSSES*-WATCH BURSTS

Date (1)	Time (UT) (2)	<i>Ulysses</i> (3)	BATSE (4)	WATCH (5)	PHEBUS (6)
1990 Nov 12 .....	14:57:41	RI	N/O	No	Yes
1990 Nov 21 .....	18:07:11	RI	N/O	Yes	Yes
1991 Jan 17 .....	0:58:13	RI	N/O	No	Yes
1991 Jan 22 .....	15:14:00	Trigger	N/O	Yes	Yes
1991 Feb 19 .....	11:45:24	Trigger	N/O	Yes	N/O
1991 Mar 10 .....	13:02:03	Trigger	N/O	Yes	N/O
1991 Apr 25 .....	0:38:05	RI	109	No	No
1991 May 17 .....	5:02:38	RI		No	Yes
1991 Jun 27 .....	4:29:23	Trigger	451	Yes	Yes
1991 Jul 17 .....	4:33:06	Trigger	543	No	Yes
1991 Jul 17 .....	13:07:23	Trigger		No	N/O
1991 Jul 21 .....	19:30:17	RI	563	No	No
1991 Aug 14 .....	19:14:38	RI	678	No	Yes
1991 Aug 15 .....	12:34:25	RI		No	No
1991 Sep 27 .....	23:27:00	Trigger	829	Yes	N/O
1991 Oct 16 .....	11:01:34	RI	907	Yes	Yes
1991 Oct 22 .....	4:14:00	RI	914	No	No
1991 Dec 2 .....	20:28:51	Trigger	1141	Yes	N/O
1991 Dec 9 .....	18:36:11	Trigger	1157	Yes	N/O
1992 Mar 7 .....	0:18:11	RI	1467	No	No
1992 Mar 11 .....	2:20:26	Trigger	1473	Yes	Yes
1992 Mar 25 .....	17:17:37	Trigger	1519	No	Yes
1992 Apr 4 .....	13:11:45	Trigger	1538	Yes	N/O
1992 Jul 11 .....	16:09:17	Trigger	1695	No	N/O
1992 Jul 14 .....	13:04:33	RI	1698	Yes	Yes
1992 Jul 18 .....	14:40:43	RI	1708	Yes	No
1992 Jul 18 .....	21:32:44	Trigger	1709	Yes	Yes
1992 Jul 20 .....	5:53:20	RI	1712	Yes	No
1992 Jul 23 .....	1:00:49	Trigger	1721	No	Yes
1992 Jul 23 .....	20:03:09	Trigger		Yes	Yes
1992 Aug 14 .....	6:10:35	RI	1815	Yes	No
1992 Sep 2 .....	0:29:02	Trigger	1886	Yes	Yes
1992 Sep 3 .....	1:35:46	RI		Yes	Yes
1992 Sep 3 .....	23:29:01	Trigger		Yes	Yes
1992 Sep 25 .....	20:30:42	RI		Yes	Yes
1992 Sep 25 .....	21:45:20	RI	1956	No	No
1992 Sep 25 .....	22:46:24	RI		Yes	No
1992 Oct 13 .....	23:00:42	Trigger		Yes	Yes
1992 Oct 22 .....	15:21:00	Trigger	1997	Yes	N/O
1992 Oct 25 .....	13:55:40	Trigger		No	Yes
1992 Oct 29 .....	12:38:05	RI	2018	Yes	No
1993 Jan 6 .....	15:37:40	Trigger	2121	No	Yes
1993 Jan 16 .....	2:47:06	RI	2136	No	No
1993 Jun 9 .....	10:07:30	RI	2383	No	No
1993 Jun 12 .....	0:44:20	RI	2387	Yes	Yes
1993 Jul 3 .....	11:26:30	Trigger		Yes	N/O
1993 Jul 5 .....	12:39:18	RI	2429	No	No
1993 Jul 6 .....	5:13:31	Trigger	2431	Yes	Yes
1993 Jul 14 .....	16:13:04	RI	2446	No	Yes
1993 Sep 10 .....	12:12:30	RI	2522	No	No
1993 Sep 27 .....	4:18:15	RI	2542	No	No
1994 Mar 29 .....	18:15:44	RI	2897	No	No
1994 Apr 19 .....	19:11:07	RI	2940	Yes	Yes
1994 Jun 19 .....	21:32:32	RI	3035	No	Yes
1994 Jul 1 .....	21:44:29	RI	3055	Yes	No
1994 Jul 3 .....	4:40:55	Trigger	3057	Yes	Yes
1994 Sep 10 .....	23:57:56	Trigger		No	Yes

TABLE 2  
LOCALIZATIONS

DATE (1)	TIME (UT) (2)	WATCH			IPN				ERROR BOX CORNERS ( $\alpha$ , $\delta$ ) (10)	AREA (arcmin <sup>2</sup> ) (11)
		$\alpha$ (3)	$\delta$ (4)	$R$ (5)	$\alpha$ (6)	$\delta$ (7)	$R$ (8)	$\delta R$ (9)		
1990 Nov 12 .....	14:57:41				115.525	28.474	48.575	0.678		
1990 Nov 21 .....	18:07:11	30.39	72.40	0.59	113.042	28.773	61.102	2.369		
1991 Jan 17 .....	0:58:13				95.972	27.621	64.757	0.629		
1991 Jan 22 <sup>a</sup> .....	15:14:00	297.48	-71.23	0.69					296.918, -70.681 296.595, -70.612 296.674, -70.660 296.838, -70.633 297.000, -70.667 296.512, -70.626	18
1991 Feb 19 <sup>a</sup> .....	11:45:24	212.94	58.54	0.95					213.731, 58.671 213.657, 58.705 213.723, 58.710 213.665, 58.666 213.701, 58.649 213.687, 58.727	7.3
1991 Mar 10 <sup>a</sup> .....	13:02:03	184.10	6.38	0.55					184.358, 7.266 184.249, 7.125 184.198, 6.921 184.405, 7.462 184.424, 7.480 184.178, 6.901	63
1991 Apr 25 <sup>b</sup> .....	00:38:05								150.475, -42.876 150.730, -42.693 149.659, -43.107 151.546, -42.447 151.545, -42.447 149.659, -43.107	236
1991 May 17 <sup>a</sup> .....	05:02:38								198.986, -3.502 199.758, -1.522 198.966, -3.488 199.734, -1.518	180
1991 Jun 27 <sup>c,d</sup> .....	04:29:23	199.60	-2.60	1.09	134.826	18.423	66.820	0.012	247.4875, -59.2052 247.2591, -58.1126 247.3284, -58.3370 247.4138, -58.9874 247.4810, -59.2876 247.2667, -58.0269	66
1991 Jul 17 <sup>c</sup> .....	04:33:06				320.805	-16.587	89.903	0.252		
1991 Jul 17 .....	13:07:23								344.4255, 29.0772 343.2790, 29.4813 343.5043, 29.3878 344.1460, 29.1948 345.2056, 28.8168 342.7718, 29.6208	139
1991 Jul 21 <sup>b</sup> .....	19:30:17								49.326, -43.620 49.579, -41.784 49.230, -43.595 49.482, -41.794	475
1991 Aug 14 <sup>c</sup> .....	19:14:38								297.996, -5.386 298.151, -4.220 298.148, -5.205 298.251, -4.434	540
1991 Sep 27 <sup>b</sup> .....	23:27:00	49.70	-42.72	0.94	338.937	-10.074	68.870	0.036		
1991 Oct 16 <sup>a</sup> .....	11:01:34	297.37	-4.71	0.92					171.6210, -23.3936 173.9107, -22.9482 173.7281, -23.0788 171.8002, -23.2773 171.6010, -23.3436 173.9318, -22.9972	707
1991 Oct 22 <sup>b</sup> .....	04:14:00								262.465, -44.866 262.520, -43.541 262.474, -44.863 262.529, -43.545	29
1991 Dec 2 <sup>c</sup> .....	20:28:51	171.97	-22.59	0.94						
1991 Dec 9 <sup>b</sup> .....	18:36:11	261.92	-44.19	0.78	348.333	-6.380	82.576	0.003		

TABLE 2—Continued

DATE (1)	TIME (UT) (2)	WATCH			IPN				ERROR BOX CORNERS ( $\alpha$ , $\delta$ ) (10)	AREA (arcmin <sup>2</sup> ) (11)
		$\alpha$ (3)	$\delta$ (4)	$R$ (5)	$\alpha$ (6)	$\delta$ (7)	$R$ (8)	$\delta R$ (9)		
1992 Mar 7 <sup>b</sup> .....	00:18:11									
1992 Mar 11 <sup>c</sup> .....	2:20:26	132.25	-36.39	0.33					131.9906, -36.3137 132.3481, -36.4731 132.1533, -36.3975 132.1847, -36.3899 132.0761, -36.3403 132.2621, -36.4469	15
1992 Mar 25 <sup>c</sup> .....	17:17:37								350.5032, 13.0873 350.6150, 13.0463 350.5214, 13.0739 350.5968, 13.0597 350.5757, 13.0725 350.5425, 13.0612	4.8
1992 Apr 4 <sup>c</sup> .....	13:11:45	323.07	22.53	0.66					323.2934, 22.4946 323.4784, 22.5744 323.4180, 22.5292 323.3537, 22.5400 323.3093, 22.5176 323.4625, 22.5515	14.1
1992 Jul 11 <sup>c</sup> .....	16:09:17								281.5245, 72.8744 281.5087, 72.8867 281.5545, 72.8851 281.4786, 72.8760 281.4663, 72.8691 281.5669, 72.8919	0.92
1992 Jul 14 <sup>a</sup> .....	13:04:33	221.43	-30.75	0.52					220.826, -30.721 220.897, -30.506 220.848, -30.607	36
1992 Jul 18 <sup>b</sup> .....	14:40:43	21.37	-3.36	0.78	332.718	-4.782	49.196	0.032	22.079, -3.688 22.034, -2.949 22.019, -3.794 21.963, -2.852	175
1992 Jul 18 <sup>b</sup> .....	21:32:44	296.17	-55.95	0.65	332.751	-4.760	58.948	0.004	296.924, -56.446 295.262, -55.549 296.936, -56.441 295.271, -55.542	39
1992 Jul 20 <sup>c</sup> .....	05:53:20	145.67	-11.20	1.09					145.5853, -11.0979 145.3282, -10.4052 145.0168, -10.8227 145.8982, -10.6772 146.0366, -10.8810 144.8843, -10.6118	1580
1992 Jul 23 <sup>b</sup> .....	01:00:49								287.128, 27.216 287.155, 27.248 287.126, 27.210 287.157, 27.255 287.148, 27.249 287.135, 27.215	0.9
1992 Jul 23 <sup>a</sup> .....	20:03:09	287.08	27.33	0.28					260.657, -46.267 260.166, -43.953 260.672, -46.262 260.182, -43.956	95
1992 Aug 14 <sup>b</sup> .....	06:10:35	259.83	-45.17	1.24	336.053	-2.478	78.143	0.006	279.400, -23.163 279.212, -22.366 279.427, -23.141 279.246, -22.376	86
1992 Sep 2 <sup>b</sup> .....	00:29:02	279.08	-22.81	0.46	338.594	-0.651	61.607	0.015	295.021, 35.571 295.380, 36.036 295.215, 35.009 296.093, 36.136	855
1992 Sep 3 .....	01:35:46	295.87	35.46	0.70	338.740	-0.540	54.168	0.215	301.344, 22.351 301.638, 22.876 301.356, 22.343 301.652, 22.872	29
1992 Sep 3 .....	23:29:01	301.54	22.59	0.30	338.863	-0.453	43.062	0.007		

TABLE 2—Continued

DATE (1)	TIME (UT) (2)	WATCH			IPN				ERROR BOX CORNERS ( $\alpha$ , $\delta$ ) (10)	AREA (arcmin <sup>2</sup> ) (11)
		$\alpha$ (3)	$\delta$ (4)	$R$ (5)	$\alpha$ (6)	$\delta$ (7)	$R$ (8)	$\delta R$ (9)		
1992 Sep 25 .....	20:30:42	201.11	42.20	0.76	161.767	-1.864	56.582	0.007	201.776, 41.624 200.440, 42.778 201.762, 41.615 200.426, 42.769	74
1992 Sep 25 <sup>b</sup> .....	21:45:20									
1992 Sep 25 .....	22:46:24	330.80	25.48	0.39	341.779	1.878	25.717	0.086	330.448, 25.255 331.214, 25.591 330.603, 25.133 331.224, 25.404	475
1992 Oct 13 .....	23:00:42	117.71	33.41	0.32	163.948	-3.879	57.350	0.007	117.556, 33.117 117.950, 33.660 117.572, 33.112 117.963, 33.651	32
1992 Oct 22 <sup>b</sup> .....	15:21:00	254.43	-9.64	0.72	164.862	-4.861	88.377	0.002	254.093, -10.279 253.993, -9.063 254.088, -10.276 253.988, -9.067	22
1992 Oct 25 .....	13:55:40				345.153	5.208	27.696	0.013		
1992 Oct 29 <sup>b</sup> .....	12:38:05	35.82	-0.42	1.25	345.514	5.651	50.169	0.045	35.277, -1.546 35.594, 0.809 35.192, -1.501 35.501, 0.789	770
1993 Jan 6 <sup>b</sup> .....	15:37:40									
1993 Jan 16 <sup>b</sup> .....	02:47:06									
1993 Jun 9 <sup>b</sup> .....	10:07:30									
1993 Jun 12 <sup>d,e</sup> .....	00:44:20	109.24	-71.20	0.70	143.975	-11.183	63.927	0.053	110.227, -71.826 107.144, -71.028 110.533, -71.767 107.261, -70.922	480
1993 Jul 3 .....	11:26:30	311.06	8.04	0.77	326.006	11.775	15.185	0.044	311.244, 7.292 310.830, 8.776 311.328, 7.317 310.915, 8.797	480
1993 Jul 5 <sup>b</sup> .....	12:39:18									
1993 Jul 6 <sup>e</sup> .....	05:13:31	281.42	-20.18	0.47					281.2524, -20.1137 281.2359, -20.0678 281.2214, -20.0669 281.2669, -20.1146 281.2674, -20.1259 281.2209, -20.0557	3
1993 Jul 14 <sup>b</sup> .....	16:13:04									
1993 Sep 10 <sup>b</sup> .....	12:12:30									
1993 Sep 27 <sup>b</sup> .....	04:18:15									
1994 Mar 29 <sup>b</sup> .....	18:15:44									
1994 Apr 19 <sup>b</sup> .....	19:11:07	358.82	-48.19	1.02	121.768	-46.270	73.314	0.062	357.496, -48.709 359.915, -47.483 357.601, -48.813 0.036, -47.577	906
1994 Jun 19 <sup>b</sup> .....	21:32:32									
1994 Jul 1 <sup>b</sup> .....	21:44:29	145.67	-6.15	1.56	126.479	-39.199	37.139	0.157	147.078, -6.841 144.231, -5.530 146.909, -7.108 144.135, -5.830	3500
1994 Jul 3 <sup>b</sup> .....	04:40:55	133.20	28.11	0.24	126.771	-39.239	67.508	0.005	133.434, 27.988 132.944, 28.029 133.427, 27.978 132.949, 28.018	16
1994 Sep 10 .....	23:57:56				150.200	-51.597	70.732	0.046		

NOTE.—Units of right ascension and declination are degrees.

<sup>a</sup> Localized using *PVO*, *SIGMA*, and *PHEBUS* (Hurley et al. 2000a).<sup>b</sup> *Ulysses*-*BATSE* error box in Hurley et al. 1999a.<sup>c</sup> Also observed by and/or localized using *PVO* (Laros et al. 1998).<sup>d</sup> Also localized by *COMPTEL* (Kippen et al. 1998).<sup>e</sup> Also observed by and/or localized using *MO* (Laros et al. 1997).

## REFERENCES

- Akerlof, C., et al. 1999, *Nature*, 398, 400  
Barat, C., et al. 1988, in *AIP Conf. Ser. 170, Nuclear Spectroscopy of Astrophysical Sources*, ed. N. Gehrels & G. Share (New York: AIP), 395  
Claret, A., et al. 1994, *A&A*, 287, 824  
Costa, E., et al. 1997, *Nature*, 387, 783  
Galama, T., et al. 1998, *Nature*, 395, 670  
Hurley, K., Briggs, M., Kippen, R., Kouveliotou, C., Meegan, C., Fishman, G., Cline, T., & Boer, M. 1999a, *ApJS*, 120, 399  
———. 1999b, *ApJS*, 122, 497  
Hurley, K., et al. 1992, *A&AS*, 92, 401  
———. 2000a, *ApJ*, 533, 884  
Hurley, K., et al. 2000b, *ApJ*, 534, 258  
Kippen, R., et al. 1998, *ApJ*, 492, 246  
Laros, J., et al. 1997, *ApJS*, 110, 157  
———. 1998, *ApJS*, 118, 391  
Meegan, C. A., et al. 1996, *ApJS*, 106, 65  
Paciesas, W. S., et al. 1999, *ApJS*, 122, 465  
Sazonov, S., Sunyaev, R., Terekhov, O., Lund, N., Brandt, S., & Castro-Tirado, A. 1998, *A&AS*, 129, 1  
Terekhov, O., et al. 1991, *Adv. Space Res.*, 11(8), 129  
van Paradijs, J., et al. 1997, *Nature*, 386, 686