



Aerosol nucleation induced by a high energy particle beam

Enghoff, Martin Andreas Bødker; Pedersen, Jens Olaf Pepke; Uggerhøj, Ulrik I.; Paling, Sean; Svensmark, Henrik

Publication date:
2010

[Link back to DTU Orbit](#)

Citation (APA):

Enghoff, M. A. B., Pedersen, J. O. P., Uggerhøj, U. I., Paling, S., & Svensmark, H. (2010). Aerosol nucleation induced by a high energy particle beam. Abstract from American Geophysical Union, Fall Meeting, .

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Aerosol nucleation induced by a high energy particle beam

Martin Bødker Enghoff,¹ Jens Olaf Pepke Pedersen,¹ Ulrik I. Uggerhøj,² Sean Paling,³ and Henrik Svensmark¹

(1) National Space Institute, Technical University of Denmark, Copenhagen, Denmark ,

(2) Department of Physics and Astronomy, University of Aarhus, Aarhus, Denmark

(3) Department of Physics and Astronomy, Sheffield University, Sheffield, U.K.

The effect of ions in aerosol nucleation is a subject where much remains to be discovered. That ions can enhance nucleation has been shown by theory, observations, and experiments. However, the exact mechanism still remains to be determined. One question is if the nature of the ionization affects the nucleation. This is an essential question since many experiments have been performed using radioactive sources that ionize differently than the cosmic rays which are responsible for the majority of atmospheric ionization.

Here we report on an experimental study of sulphuric acid aerosol nucleation under near atmospheric conditions using a 580 MeV electron beam to ionize the volume of the reaction chamber. We find a clear and significant contribution from ion induced nucleation and consider this to be an unambiguous observation of the ion-effect on aerosol nucleation using a particle beam under conditions not far from the Earth's atmosphere. By comparison with ionization using a gamma source we further show that the nature of the ionizing particles is not important for the ion component of the nucleation.