

Radar@Sea - Towards improving short-term wind power forecasts

Trombe, Pierre-Julien ; Pinson, Pierre; Thomsen, Sven Creutz; Madsen, Henrik

Publication date:
2011

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Trombe, P.-J., Pinson, P., Thomsen, S. C., & Madsen, H. (2011). Radar@Sea - Towards improving short-term wind power forecasts. Poster session presented at European Geosciences Union General Assembly 2011, Vienna, Austria.

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Background

Large-scale offshore wind farms will provide significant amounts of energy in the near future. Nowadays, in the north of Europe, the production of a single of these offshore wind farms can already meet the yearly consumption of about 200000 households. However, the high volatility of the power generation of these wind farms and its lack of predictability make that:

- power producers can not optimally **value the wind resource**,
- Transmission System Operators face growing challenges in **balancing production and consumption**.


Accurate wind power forecasts could help in overcoming these problems.

Motivation

Integrating wind power into electricity grids is an operation that takes place at time-scales from a few minutes up to half an hour. At such time-scales, and for individual wind farms, offshore wind power fluctuations of an amplitude larger than 60% of the nominal power of the wind farm have already been observed [1]. Extreme wind speed variability has been identified as a key factor [2], but the origins of such severe events are still not clear. It is assumed that wind power generation is influenced by more complex meteorological phenomena.

Offshore wind power data insights provided by statistical models [3] highlight frequent and almost instantaneous changes in the behaviour of wind farms. However, **forecasts generated by the same models have a relatively limited accuracy which calls for extra inputs**. Ideally, these inputs would be generated at high frequencies and would contain spatio-temporal information of the meteorological conditions in the neighborhood of offshore wind farms.

Question: (How) Can we improve the predictability of such wind power fluctuations?



Radar@Sea

Radar@Sea is an applied research project in which it is assumed that **rain is a marker for weather conditions generating complex wind power fluctuations**.

Goals:


- to demonstrate the interest of detecting rain fronts at high frequencies to prevent unexpected wind power fluctuations,
- to evaluate the **influence of rain on wind power fluctuations**,
- to **improve wind power predictability** by integrating new inputs,
- to **propose operational solutions** for wind power production management.

Partners:

- wind farm operators and energy producers such as **DONG Energy** and **Vattenfall**,
- DHI**, a research organisation with strong competences in weather radars,
- the **Technical University of Denmark** (the National Laboratory for Sustainable Energy - Risø - and the Department of Informatics) with many years of experience in wind power and meteorology.

Experimental design

A **Local Area Weather Radar (LAWR)** device is installed on the transformer platform of the Horns Rev 2 wind farm, approximately 30km off the west coast of Denmark, in the North Sea. It can detect rainfalls in a radius of 60km. The wind farm of interest is Horns Rev 1 (see image below) and consists of 80 turbines with a total capacity of 160MW.



Project structure

1. The experimental part:

- radar installation and calibration,
- onsite maintenance,
- continuous data collection,

DHI has experience in these fields and already operated a radar at Horns Rev, in the frame of a bird watch study.

2. Data mining:

- extraction of informative spatio-temporal variables,
- highlighting the influence of rain on the different regimes of wind power fluctuations (creation of a catalogue of events) from a statistical perspective,
- extending the understanding of the wind power climatology at Horns Rev and reveal the importance of rain along with thermal stability and wind direction/speed.


3. Improving the methodology for very short-term wind power predictability:

- development of regime-switching models able to account for rain events and generate forecasts accordingly,
- elaboration of new data assimilation techniques for short-term updates of local meteorological models (potential application: correction of phase errors),
- characterization of spatio-temporal aspects of wind power forecasts errors.

4. Applications for improving wind farm controllability:


- wind power fluctuation reduction through regime-switching approaches based on rain front detection and high resolution wind power forecasts from WP3 (limit ramp-down strategies),
- storm-ride-through control, potentially involving a cascading approach as the front goes through the wind farm in order to avoid cutting out wind turbines all at once.

Timeline




Rain or not?

Operating a LAWR device in an operational environment as challenging as offshore conditions raises some issues.



Example of rain events (30/05/2010)



References

- Akhmatov V (2007). Influence of wind direction on intense power fluctuations in large offshore wind farms on the North Sea. *Wind Engineering*, 31: 59-64.
- Vincent C, Giebel G, Pinson P and Madsen H (2010). Resolving nonstationary spectral information in wind speed time series using the Hilbert-Huang transform. *Journal of Applied Meteorology and Climatology*, 49: 253-269.
- Pinson P and Madsen H (2011). Adaptive modelling and forecasting of offshore wind power fluctuations with Markov-switching autoregressive models. *Journal of Forecasting* (In Press).

Acknowledgement

This work is supported by the Danish Public Service Obligation (PSO) fund project 'Radar@Sea' (under contract PSO 2009-1-0226) which is gratefully acknowledged. We thank DHI for assistance with the weather radar images and DONG Energy for providing wind power data from the Horns Rev 1 wind farm.