

Table of Exposure Rate Constants and Dose Equivalent Rate Constants

Lauridsen, Bente

Publication date:
1982

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Lauridsen, B. (1982). Table of Exposure Rate Constants and Dose Equivalent Rate Constants. (Risø-M; No. 2322).

DTU Library
Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

TABLE OF EXPOSURE RATE CONSTANTS AND DOSE EQUIVALENT
RATE CONSTANTS

Bente Lauridsen

Abstract. The exposure rate constant r is calculated and tabulated for 1084 nuclides. The exposure rate constant is defined as the ratio of the product of the exposure rate and the square of the distance from a radioactive point source to the source strength Q .

The dose equivalent rate constant τ is here defined as the ratio of the mean dose equivalent rate to a water cylinder of 30 cm diameter and 100 cm height placed 100 cm from a radioactive source to the source strength Q . The source is placed at the mid-plane of the cylinder. The dimensions of the cylinder were chosen to approximate a human phantom of 70 kg mass. The dose equivalent rate constant is calculated and tabulated for 1084 nuclides. For both quantities, r and τ , the contributions from photon energies below 30 keV and X-rays are omitted.

(Continue on next page)

December 1982

Risø National Laboratory, DK 4000 Roskilde, Denmark

The data are based on the Evaluated Nuclear Structure Data File,
which is compiled by the Nuclear Data Group at Oak Ridge National
Laboratory.

INIS descriptors: BUILDUP; CROSS SECTIONS; DOSE EQUIVALENTS;
DOSE RATES; EVALUATED DATA; EXTERNAL IRRADIATION; GAMMA RADIATION;
PHANTOMS; PHOTONS; RADIATION DOSES; RADIOISOTOPES

UDC 539.122.08 : 539.166.3.08

ISBN 87-550-0898-4

ISSN 0418-6435

Risø Repro 1983

CONTENTS

	Page
1. INTRODUCTION	1
2. DEFINITION OF THE EXPOSURE RATE CONSTANT	1
3. CALCULATION OF THE EXPOSURE RATE CONSTANT	2
4. CALCULATION OF THE MEAN DOSE RATE TO A CYLINDER	3
4.1. Dose rate at a point from a cylindrical source ...	4
4.2. Mean dose rate to a cylinder from a point source .	4
5. DOSE BUILD-UP FACTORS	7
6. MASS ENERGY ABSORPTION COEFFICIENTS AND LINEAR ATTENUATION COEFFICIENT	8
7. DATA	8
8. TABLES	9
9. FINAL REMARKS	9
10. REFERENCES	10

TABLES

1. Mass Energy Absorption Coefficient for Air	11
2. Mass Energy Absorption Coefficient for Water	14
3. Mass Attenuation Coefficient for Water	17
4. Exposure Rate Constants and Dose Equivalent Rate Constants	20

1. INTRODUCTION

It is often convenient to know the exposure rate at a given distance from a radioactive source and the mean whole body dose equivalent rate to a person who is situated in the radiation field from the source.

The simulation of a human phantom is in this report made by a 30 cm diameter cylinder with a 100 cm height . The cylinder material is water which is approximately equivalent to human tissue regarding photon absorption and attenuation properties.

In this report the exposure rate and the mean dose equivalent rate to the above mentioned cylinder 1 m from the source is calculated for 1084 photon-emitting nuclides. The source geometry is that of a point source.

The contribution to these two quantities from photon energies below 30 keV and from X-rays are omitted because such low energy radiation has no practical importance when handling radioactive sources.

2. DEFINITION OF THE EXPOSURE RATE CONSTANT.

The exposure rate constant Γ is defined as the ratio of $\dot{X} \cdot d^2$ to Q, where \dot{X} is the exposure rate at the distance d from a photon-emitting point source of strength Q

$$\Gamma = \dot{X} \cdot \frac{d^2}{Q} \quad (1)$$

and then

$$\dot{X} = \Gamma \cdot \frac{Q}{d^2} \quad (2)$$

If Γ is expressed in units of $R \cdot m^2/Ci \cdot h$, Γ is then the exposure rate in R/h at 1 m's distance from a point source with the source strength of 1 Ci.

3. CALCULATION OF THE EXPOSURE RATE CONSTANT

A general expression for the exposure rate in air is

$$\dot{X} = \phi \cdot \left(\frac{\mu_{en}}{\rho}\right)_{air} \cdot E_\gamma \quad (3)$$

where

ϕ = fluence rate

$\left(\frac{\mu_{en}}{\rho}\right)_{air}$ = mass energy absorption coefficient in air

E_γ = photon energy

The fluence rate from a point isotropic source is calculated as:

$$\phi = \frac{Q}{4\pi d^2} \quad (4)$$

which gives the exposure rate:

$$\dot{X} = \frac{Q}{4\pi d^2} \left(\frac{\mu_{en}}{\rho}\right)_{air} \cdot E_\gamma \quad (5)$$

Setting (2) equal to (5) gives an expression for the exposure rate constant Γ . Inserting E_γ in units of MeV/photon, $(\mu_{en}/\rho)_{air}$ in cm^2/g gives Γ in $\text{R} \cdot \text{m}^2/\text{Ci} \cdot \text{h}$ if the following conversion factors are used:

$$1 \text{ MeV} = 1.602 \cdot 10^{-13} \text{ Joule}$$

$$1 \text{ Joule} = 10^5 \text{ rad} \cdot \text{g}$$

$$1 \text{ R} = 0.869 \text{ rad in air}$$

$$1 \text{ Ci} = 3.7 \cdot 10^{10} \text{ disintegrations/sec}$$

$$1 \text{ h} = 3600 \text{ sec}$$

$$1 \text{ cm}^2 = 10^{-4} \text{ m}^2$$

For a radioactive source emitting n photons each of energy E_i and yield f_i the exposure rate constant is then given by:

$$\Gamma = \frac{1}{4\pi} \cdot 10^8 \cdot 1.602 \cdot 10^{-13} \cdot 10^5 \cdot \frac{3.7 \cdot 10^{10}}{0.869} \cdot \sum_{i=1}^n \left(\left(\frac{\mu_{en}}{\rho} \right)_{air} \right)_i \cdot E_i \cdot f_i \quad (6)$$

or

$$\Gamma = 17.54 \cdot \sum_{i=1}^n \left(\left(\frac{\mu_{en}}{\rho} \right)_{air} \right)_i \cdot E_i \cdot f_i \quad (7)$$

4. CALCULATION OF THE MEAN DOSE RATE TO A CYLINDER

The mean dose rate to a given cylinder from a photon-emitting point source of strength Q can be calculated as the dose rate at the source position from the cylinder, where the activity Q is homogeneously distributed in the cylinder (reciprocity theorem). This is shown in the following with reference to Figure 1.




Figure 1. Geometry for calculating the dose rate at a point P from a cylindrical source and for calculating the mean dose rate to a cylinder from a point source.

A general expression for the dose rate D is

$$D = \phi \left(\frac{\mu_{en}}{\rho} \right) \cdot E_Y \quad (8)$$

where

ϕ = fluence rate

$\frac{\mu_{en}}{\rho}$ = mass energy absorption coefficient

E_Y = photon energy

4.1. Dose rate at a point from a cylindrical source.

The fluence rate at a point P from a cylindrical source of strength S_V is given by

$$\phi(P \leftarrow \text{Cyl}) = \frac{S_V}{4\pi} \int_V \frac{1}{(r_1+r_2)^2} \cdot B(E, \mu_1 r_1) \cdot e^{-\mu_1 r_1} dv \quad (9)$$

and then the dose rate at the point P from the cylinder

$$D(P \leftarrow \text{Cyl}) = \left(\frac{\mu_{en}}{\rho} \right)_{\text{air}} \cdot E_Y \cdot \frac{S_V}{4\pi} \int A dv \quad (10)$$

where

$$A = \frac{1}{(r_1+r_2)^2} \cdot B(E, \mu_1 r_1) \cdot e^{-\mu_1 r_1}$$

μ_1 = total linear attenuation coefficient for cylinder material

$$S_V = \frac{Q}{\pi R^2 h}$$

B = dose build-up factor

4.2. Mean dose rate to a cylinder from a point source.

The fluence rate at a point C in the cylinder from a photon-emitting point source with the source strength Q placed at P is given by

$$\Phi(C \leftarrow P) = \frac{Q}{4\pi(r_1+r_2)^2} \cdot B(E, \mu_1 r_1) \cdot e^{-\mu_1 r_1} \quad (11)$$

which gives the dose rate at C

$$\dot{D}(C \leftarrow P) = \left(\frac{\mu en}{\rho}\right)_{water} \cdot E_Y \cdot \frac{Q}{\pi} \cdot A \quad (12)$$

The mean dose rate in the cylinder is then given as

$$\bar{\dot{D}}(Cyl \leftarrow P) = \frac{1}{\pi R^2 h} \int_V \left(\frac{\mu en}{\rho}\right)_{water} \cdot E_Y \cdot \frac{Q}{4\pi} \cdot AdV \quad (13)$$

Comparing (13) to (10) gives

$$\bar{\dot{D}}(Cyl \leftarrow P) = \left(\frac{\mu en}{\rho}\right)_{water} \cdot \left(\frac{\mu en}{\rho}\right)_{air}^{-1} \cdot \dot{D}(P \leftarrow Cyl) \quad (14)$$

For a nuclide emitting N photons each of energy E_j and yield f_j the mean dose rate to a water filled cylinder from a point source of strength Q placed 1 m from the centerline and in the midplane of the cylinder is given by

$$\bar{\dot{D}}(Cyl \leftarrow P) = \frac{Q}{4\pi^2 R^2 h} \sum_{j=1}^N \left(\int_V AdV \right)_j \cdot E_j \cdot f_j \left(\left(\frac{\mu en}{\rho}\right)_{water} \right)_j \quad (15)$$

the integral $\int_V AdV$ can be expressed as

$$\int_V AdV = 2 \cdot R \cdot G(k, p, \mu R) \quad (16)$$

where

$$k = h/R$$

$$p = b/R$$

$G(k, p, \mu R)$ is given in ref. 1, but that expression does not include dose build-up. In this report G is calculated by numerical integration where dose build-up in the cylinder material is also considered. G is calculated from the equation:

$$G(k, p, \mu R) = \int_0^1 \int_0^\pi \int_0^k \frac{m \cdot dm \cdot d\theta \cdot dn \cdot B(E, \mu r')}{n^2 + m^2 + p^2 - 2mp \cos \theta} e^{-\mu r'} \quad (17)$$

where

$$r^* = R \cdot \frac{m^2 - mp \cdot \cos\theta + \sqrt{m^2 + p^2 - 2mp \cdot \cos\theta - m^2 n^2 \sin^2\theta}}{m^2 + p^2 - 2mp \cdot \cos\theta} \\ \cdot \sqrt{n^2 + m^2 + p^2 - 2mp \cdot \cos\theta}$$

$$m = \frac{1}{R}$$

$$n = \frac{z}{R}$$

$$p = \frac{b}{R}$$

Hence

$$\bar{\frac{D}{Q}}(\text{Cyl} \leftarrow P) = \frac{0}{4\pi^2 R^2 h} \cdot 2R \sum_{j=1}^N G_j(k, p, \mu R) \cdot f_j \cdot E_j \cdot \left(\left(\frac{\mu en}{\rho} \right)_{\text{water}} \right)_j \quad (18)$$

Introducing the conversion factors mentioned in Section 3 gives

$$\bar{\frac{D}{Q}}(\text{Cyl} \leftarrow P) = 3.7 \cdot 10^{10} \cdot 3600 \cdot 1.602 \cdot 10^{-13} \cdot 10^5 \cdot$$

$$\frac{1}{2\pi^2} \cdot \frac{1}{R \cdot h} \cdot \sum_{j=1}^N G_j(k, p, \mu R) \cdot f_j \cdot E_j \left(\left(\frac{\mu en}{\rho} \right)_{\text{water}} \right)_j \\ = 1.08 \cdot 10^5 \cdot \frac{1}{R \cdot h} \cdot \sum_{j=1}^N G_j(k, p, \mu R) \cdot f_j \cdot E_j \left(\left(\frac{\mu en}{\rho} \right)_{\text{water}} \right)_j \quad (19)$$

With the quality factor Q_f for gamma radiation equal 1, expressing R and h in units of cm, E_γ in units of MeV, and $(\mu en/\rho)_{\text{water}}$ in units of cm/g gives the dose equivalent rate constant T in units of rem/h.Ci.

$$T = \frac{\bar{\frac{D}{Q}}(\text{Cyl} \leftarrow P)}{Q_f} \cdot Q_f \quad (20)$$

5. DOSE BUILD-UP FACTORS

The dose build-up factors are calculated from Capo's formula (see ref. 2) for photon energies greater than 255 keV.

$$B(E, \mu R) = \sum_{i=0}^3 \sum_{j=0}^4 c_{ij} \cdot E^{-j} (\mu R)^i \quad (21)$$

or

$$B(E, \mu R) = \sum_{i=0}^3 \beta_i (\mu R)^i \quad (22)$$

where

$$\beta_i = \sum_{j=0}^4 c_{ij} \cdot E^{-j} \quad (23)$$

The coefficients c_{ij} are tabulated in ref. 2 for different materials. In this report the figures for water are used.

For energies below or equal to 255 keV the Berger formula

$$B(E, \mu R) = 1 + C(E) \cdot (\mu R) \cdot e^{D(E) \cdot \mu R} \quad (24)$$

is used.

Vrubel (see ref. 3) has given values for C and D in air in the energy range 20 keV - 6 MeV. As the build-up factors for water is nearly equal to those for air Vrubels data are used to calculate dose build-up in water. The data are fitted to a linear polynomial of order 13 in E.

6. MASS ENERGY ABSORPTION COEFFICIENTS AND TOTAL LINEAR ATTENUATION COEFICIENT.

The values for $(\mu_{en}/\rho)_{air}$, $(\mu_{en}/\rho)_{water}$, and $(\mu/\rho)_{water}$ are tabulated in ref. 4 for 27 photon energies in the range 10 kev to 10 MeV. Setting $\rho_{water} = 1 \text{ g/cm}^3$ gives the numerical value of μ_{water} to be equal to the numerical value of $(\mu/\rho)_{water}$.

Logarithmic polynomials are fitted to the above mentioned values so that

$$\left(\frac{\mu_{en}(E)}{\rho}\right)_{air} = 10 \sum_{i=1}^{15} a_i (\log E)^i \quad (25)$$

$$\left(\frac{\mu_{en}(E)}{\rho}\right)_{water} = 10 \sum_{j=1}^{15} a_j (\log E)^j \quad (26)$$

$$\left(\frac{\mu(E)}{\rho}\right)_{water} = 10 \sum_{k=1}^{13} a_k (\log E)^k \quad (27)$$

The values for a_i , a_j , and a_k are calculated by a standard computer program. In Table 1, 2, and 3 the values for $(\mu_{en}/\rho)_{air}$, $(\mu_{en}/\rho)_{water}$, and $(\mu/\rho)_{water}$ are given for a number of photon energies.

7. DATA

The calculations are based on data from the Evaluated Nuclear Structure Data File of the Oak Ridge Nuclear Data Project. This file contains radioactive decay data for nearly all nuclides. The computer program MEDLIST (see ref. 5), among other things, calculates the energies and intensities of the gamma radiation from each nuclide and tabulates them in order of increasing energy. A low intensity cutoff limit for the photon yields, 0.1 percent, is build into MEDLIST.

Fachinformationszentrum Energie, Physik, Mathematik GmbH, Fachabteilung III, Daten und Fakten in Karlsruhe continually updates the MEDLIST file from the latest ENDSDF-tapes .

8. TABLES

In table 1, 2, and 3 the mass energy absorption coefficients for air, the mass energy absorption coefficient for water, and the mass attenuation coefficient for water are tabulated.

Table 4 gives the calculated values for the exposure rate constant Γ and the dose equivalent rate constant T for 1084 nuclides. The nuclide ^{137}Cs does not emit photons but decays to $^{137\text{m}}\text{Ba}$. This nuclide emits photons with an energy of 661.645 keV and is given as $^{137}\text{Cs}+^{137}\text{Ba m}$ in the table. ^{226}Ra , decaying to ^{214}Pb and ^{214}Bi is given as 226 Ra + da., and the contributions from ^{214}Pb , ^{214}Bi and ^{226}Ra are included in Γ and T . Nuclides with a metastable phase are marked with a "m".

Table 4 is organized in the following way

Column 1. The mass number and the name of the nuclide.

- 2. The atomic number for the nuclide.
- 3. Half life $T_{1/2}$.
- 4. Photon energy E_1 in keV.
- 5. Photon yield f_1 in photons per disintegration.
- 6. Exposure rate constant Γ in $\text{R} \cdot \text{m}^2/\text{Ci} \cdot \text{h}$.
- 7. Dose equivalent rate constant T in rem/Ci·h.

9. FINAL REMARKS

The tables in this report will be updated every fourth year with data based on the latest MEDLIST file from Fachinformationszentrum, Karlsruhe.

10. REFERENCES

1. Engineering Compendium on Radiation Shielding.Vol 1(1968). Edited by R. G. Jaeger et al.
2. Capo M.A. : Polynomial Approximation of Gamma-ray Build-up Factors for a Point Isotropic Source. Apex-510(1958)
3. Vrubel M.N., Sidnev S.N., and Strelkov A.S. : Build-up Factors for Scattered Gammaradiation Released from a Point Source in an Infinite Air Medium. Atomnaya Energiya 34(1973).
4. Storm E. and Israel H.I. :Photon Cross Sections from 0.001 to 100 MeV for Elements 1 through 100. La-3753(1967).
5. A Handbook of Radioactivity Measurements Procedures. NCRP Report No. 58(1978).

TABLE 1

μ_{en}/ρ for air as a function of energy

Energy keV	$\frac{\mu_{\text{en}}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{\text{en}}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{\text{en}}}{\rho}$ cm^2/g
10	4.5699	40	0.0611	70	0.0247
11	3.6775	41	0.0574	71	0.0245
12	2.7540	42	0.0541	72	0.0243
13	2.0653	43	0.0512	73	0.0241
14	1.5858	44	0.0485	74	0.0239
15	1.2505	45	0.0462	75	0.0238
16	1.0097	46	0.0440	76	0.0236
17	0.8309	47	0.0421	77	0.0235
18	0.6940	48	0.0404	78	0.0233
19	0.5864	49	0.0388	79	0.0232
20	0.5002	50	0.0374	80	0.0231
21	0.4298	51	0.0361	81	0.0230
22	0.3718	52	0.0349	82	0.0230
23	0.3234	53	0.0338	83	0.0229
24	0.2828	54	0.0329	84	0.0228
25	0.2485	55	0.0320	85	0.0228
26	0.2195	56	0.0312	86	0.0227
27	0.1947	57	0.0304	87	0.0227
28	0.1736	58	0.0297	88	0.0226
29	0.1554	59	0.0291	89	0.0226
30	0.1398	60	0.0285	90	0.0226
31	0.1263	61	0.0280	91	0.0226
32	0.1146	62	0.0275	92	0.0225
33	0.1045	63	0.0270	93	0.0225
34	0.0956	64	0.0266	94	0.0225
35	0.0879	65	0.0262	95	0.0225
36	0.0811	66	0.0259	96	0.0225
37	0.0751	67	0.0256	97	0.0225
38	0.0699	68	0.0253	98	0.0225
39	0.0652	69	0.0250	99	0.0226

TABLE 1 continued

μ_{en}/ρ for air as a function of energy

Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g
100	0.0226	400	0.0294	700	0.0292
110	0.0228	410	0.0295	710	0.0292
120	0.0232	420	0.0295	720	0.0292
130	0.0237	430	0.0295	730	0.0291
40	0.0242	440	0.0296	740	0.0291
150	0.0247	450	0.0296	750	0.0290
160	0.0251	460	0.0296	760	0.0290
170	0.0256	470	0.0296	770	0.0289
180	0.0259	480	0.0296	780	0.0289
190	0.0263	490	0.0296	790	0.0289
200	0.0266	500	0.0296	800	0.0288
210	0.0269	510	0.0296	810	0.0288
220	0.0272	520	0.0296	820	0.0287
230	0.0275	530	0.0296	830	0.0287
240	0.0277	540	0.0296	840	0.0286
250	0.0279	550	0.0296	850	0.0286
260	0.0281	560	0.0295	860	0.0285
270	0.0282	570	0.0296	870	0.0285
280	0.0284	580	0.0296	880	0.0284
290	0.0285	590	0.0296	890	0.0284
300	0.0287	600	0.0295	900	0.0283
310	0.0288	610	0.0295	910	0.0283
320	0.0289	620	0.0295	920	0.0282
330	0.0290	630	0.0295	930	0.0282
340	0.0291	640	0.0294	940	0.0281
350	0.0291	650	0.0294	950	0.0281
360	0.0292	660	0.0294	960	0.0280
370	0.0293	670	0.0293	970	0.0280
380	0.0293	680	0.0293	980	0.0279
390	0.0294	690	0.0293	990	0.0279

TABLE 1 continued

μ_{en}/ρ for air as a function of energy

Energy MeV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy MeV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy MeV	$\frac{\mu_{en}}{\rho}$ cm^2/g
1.0	0.0278	4.0	0.0187	7.0	0.0158
1.1	0.0273	4.1	0.0185	7.1	0.0158
1.2	0.0268	4.2	0.0184	7.2	0.0157
1.3	0.0263	4.3	0.0182	7.3	0.0157
1.4	0.0258	4.4	0.0181	7.4	0.0156
1.5	0.0253	4.5	0.0180	7.5	0.0156
1.6	0.0249	4.6	0.0178	7.6	0.0155
1.7	0.0245	4.7	0.0177	7.7	0.0155
1.8	0.0241	4.8	0.0176	7.8	0.0154
1.9	0.0237	4.9	0.0175	7.9	0.0154
2.0	0.0234	5.0	0.0174	8.0	0.0153
2.1	0.0230	5.1	0.0173	8.1	0.0153
2.2	0.0227	5.2	0.0172	8.2	0.0153
2.3	0.0224	5.3	0.0171	8.3	0.0152
2.4	0.0221	5.4	0.0170	8.4	0.0152
2.5	0.0218	5.5	0.0169	8.5	0.0151
2.6	0.0216	5.6	0.0168	8.6	0.0151
2.7	0.0213	5.7	0.0167	8.7	0.0150
2.8	0.0210	5.8	0.0166	8.8	0.0150
2.9	0.0208	5.9	0.0166	8.9	0.0150
3.0	0.0206	6.0	0.0165	9.0	0.0149
3.1	0.0204	6.1	0.0164	9.1	0.0149
3.2	0.0201	6.2	0.0163	9.2	0.0149
3.3	0.0199	6.3	0.0163	9.3	0.0148
3.4	0.0197	6.4	0.0162	9.4	0.0148
3.5	0.0195	6.5	0.0161	9.5	0.0147
3.6	0.0194	6.6	0.0161	9.6	0.0147
3.7	0.0192	6.7	0.0160	9.7	0.0147
3.8	0.0190	6.8	0.0160	9.8	0.0146
3.9	0.0188	6.9	0.0159	9.9	0.0146
10.0	0.0146				

TABLE 2

μ_{en}/ρ for water as a function of energy

Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g
10	4.7199	40	0.0616	70	0.0263
11	4.0855	41	0.0579	71	0.0261
12	3.0384	42	0.0547	72	0.0259
13	2.2213	43	0.0518	73	0.0257
14	1.6652	44	0.0492	74	0.0256
15	1.2904	45	0.0469	75	0.0254
16	1.0302	46	0.0448	76	0.0253
17	0.8423	47	0.0429	77	0.0252
18	0.7012	48	0.0412	78	0.0251
19	0.5917	49	0.0397	79	0.0250
20	0.5044	50	0.0383	80	0.0249
21	0.4334	51	0.0371	81	0.0248
22	0.3749	52	0.0359	82	0.0248
23	0.3262	53	0.0349	83	0.0247
24	0.2852	54	0.0339	84	0.0247
25	0.2506	55	0.0331	85	0.0246
26	0.2212	56	0.0323	86	0.0246
27	0.1961	57	0.0316	87	0.0246
28	0.1747	58	0.0309	88	0.0246
29	0.1564	59	0.0303	89	0.0246
30	0.1406	60	0.0298	90	0.0246
31	0.1270	61	0.0293	91	0.0246
32	0.1152	62	0.0288	92	0.0246
33	0.1050	63	0.0284	93	0.0246
34	0.0961	64	0.0280	94	0.0246
35	0.0883	65	0.0276	95	0.0246
36	0.0815	66	0.0273	96	0.0246
37	0.0756	67	0.0270	97	0.0246
38	0.0703	68	0.0267	98	0.0247
39	0.0657	69	0.0265	99	0.0247

TABLE 2 continued

μ_{en}/ρ for water as a function of energy

Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g	Energy keV	$\frac{\mu_{en}}{\rho}$ cm^2/g
100	0.0247	400	0.0328	700	0.0325
110	0.0251	410	0.0328	710	0.0325
120	0.0256	420	0.0328	720	0.0324
130	0.0262	430	0.0329	730	0.0324
140	0.0268	440	0.0329	740	0.0323
150	0.0274	450	0.0329	750	0.0323
160	0.0279	460	0.0329	760	0.0322
170	0.0284	470	0.0330	770	0.0322
180	0.0288	480	0.0330	780	0.0321
190	0.0292	490	0.0330	790	0.0321
200	0.0296	500	0.0330	800	0.0320
210	0.0300	510	0.0330	810	0.0320
220	0.0303	520	0.0330	820	0.0319
230	0.0305	530	0.0330	830	0.0319
240	0.0308	540	0.0330	840	0.0318
250	0.0310	550	0.0329	850	0.0318
260	0.0312	560	0.0329	860	0.0317
270	0.0314	570	0.0329	870	0.0317
280	0.0316	580	0.0329	880	0.0316
290	0.0318	590	0.0329	890	0.0316
300	0.0319	600	0.0328	900	0.0315
310	0.0320	610	0.0328	910	0.0315
320	0.0321	620	0.0328	920	0.0314
330	0.0323	630	0.0328	930	0.0313
340	0.0324	640	0.0327	940	0.0313
350	0.0324	650	0.0327	950	0.0312
360	0.0325	660	0.0327	960	0.0312
370	0.0326	670	0.0326	970	0.0311
380	0.0327	680	0.0326	980	0.0311
390	0.0327	690	0.0325	990	0.0310

TABLE 2 continued

μ_{en}/ρ fcr water as a function of energy

Energy	$\frac{\mu_{en}}{\rho}$	Energy	$\frac{\mu_{en}}{\rho}$	Energy	$\frac{\mu_{en}}{\rho}$
MeV	cm ² /g	MeV	cm ² /g	MeV	cm ² /g
1.0	0.0310	4.0	0.0206	7.0	0.0173
1.1	0.0304	4.1	0.0205	7.1	0.0173
1.2	0.0298	4.2	0.0203	7.2	0.0172
1.3	0.0293	4.3	0.0202	7.3	0.0171
1.4	0.0287	4.4	0.0200	7.4	0.0171
1.5	0.0282	4.5	0.0199	7.5	0.0170
1.6	0.0277	4.6	0.0197	7.6	0.0169
1.7	0.0273	4.7	0.0196	7.7	0.0169
1.8	0.0268	4.8	0.0194	7.8	0.0168
1.9	0.0264	4.9	0.0193	7.9	0.0168
2.0	0.0260	5.0	0.0192	8.0	0.0167
2.1	0.0256	5.1	0.0191	8.1	0.0167
2.2	0.0252	5.2	0.0189	8.2	0.0166
2.3	0.0249	5.3	0.0188	8.3	0.0165
2.4	0.0245	5.4	0.0187	8.4	0.0165
2.5	0.0242	5.5	0.0186	8.5	0.0164
.6	0.0239	5.6	0.0185	8.6	0.0164
2.7	0.0236	5.7	0.0184	8.7	0.0163
2.8	0.0233	5.8	0.0183	8.8	0.0163
2.9	0.0230	5.9	0.0182	8.9	0.0163
3.0	0.0228	6.0	0.0181	9.0	0.0162
3.1	0.0225	6.1	0.0180	9.1	0.0162
3.2	0.0223	6.2	0.0179	9.2	0.0161
3.3	0.0220	6.3	0.0179	9.3	0.0161
3.4	0.0218	6.4	0.0178	9.4	0.0160
3.5	0.0216	6.5	0.0177	9.5	0.0160
3.6	0.0214	6.6	0.0176	9.6	0.0159
3.7	0.0212	6.7	0.0175	9.7	0.0159
3.8	0.0210	6.8	0.0175	9.8	0.0159
3.9	0.0208	6.9	0.0174	9.9	0.0158
10.0	0.0158				

TABLE 3

 μ/ρ for water as a function of energy

Energy	$\frac{\mu}{\rho}$	Energy	$\frac{\mu}{\rho}$	Energy	$\frac{\mu}{\rho}$
keV	cm ² /g	keV	cm ² /g	keV	cm ² /g
10	4.8699	40	0.2330	70	0.1813
11	3.5989	41	0.2288	71	0.1806
12	2.7725	42	0.2250	72	0.1799
13	2.1917	43	0.2215	73	0.1792
14	1.7675	44	0.2183	74	0.1786
15	1.4504	45	0.2154	75	0.1779
16	1.2095	46	0.2127	76	0.1773
17	1.0242	47	0.2103	77	0.1767
18	0.8799	48	0.2080	78	0.1761
19	0.7662	49	0.2059	79	0.1755
20	0.6756	50	0.2039	80	0.1750
21	0.6026	51	0.2021	81	0.1744
22	0.5433	52	0.2004	82	0.1739
23	0.4946	53	0.1988	83	0.1733
24	0.4542	54	0.1973	84	0.1728
25	0.4205	55	0.1958	85	0.1723
26	0.3920	56	0.1945	86	0.1718
27	0.3679	57	0.1933	87	0.1713
28	0.3473	58	0.1921	88	0.1708
29	0.3296	59	0.1909	89	0.1703
30	0.3143	60	0.1899	90	0.1698
31	0.3009	61	0.1888	91	0.1694
32	0.2893	62	0.1878	92	0.1689
33	0.2791	63	0.1869	93	0.1684
34	0.2700	64	0.1860	94	0.1680
35	0.2620	65	0.1851	95	0.1675
36	0.2549	66	0.1843	96	0.1671
37	0.2485	67	0.1835	97	0.1666
38	0.2428	68	0.1827	98	0.1662
39	0.2377	69	0.1820	99	0.1657

TABLE 3 continued

μ/ρ for water as a function of energy

Energy keV	$\frac{\mu}{\rho}$ cm^2/g	Energy keV	$\frac{\mu}{\rho}$ cm^2/g	Energy keV	$\frac{\mu}{\rho}$ cm^2/g
100	0.1653	400	0.1059	700	0.0836
110	0.1612	410	0.1049	710	0.0831
120	0.1575	420	0.1039	720	0.0825
130	0.1540	430	0.1029	730	0.0820
140	0.1508	440	0.1020	740	0.0815
150	0.1478	450	0.1011	750	0.0810
160	0.1449	460	0.1002	760	0.0805
170	0.1423	470	0.0993	770	0.0800
180	0.1398	480	0.0985	780	0.0795
190	0.1374	490	0.0976	790	0.0790
200	0.1352	500	0.0968	800	0.0786
210	0.1330	510	0.0960	810	0.0781
220	0.1310	520	0.0952	820	0.0777
230	0.1291	530	0.0945	830	0.0772
240	0.1273	540	0.0937	840	0.0768
250	0.1256	550	0.0930	850	0.0763
260	0.1239	560	0.0923	860	0.0759
270	0.1223	570	0.0916	870	0.0755
280	0.1207	580	0.0909	880	0.0751
290	0.1193	590	0.0902	890	0.0747
300	0.1178	600	0.0896	900	0.0743
310	0.1165	610	0.0889	910	0.0739
320	0.1151	620	0.0883	920	0.0735
330	0.1139	630	0.0877	930	0.0731
340	0.1126	640	0.0870	940	0.0727
350	0.1114	650	0.0864	950	0.0724
360	0.1102	660	0.0859	960	0.0720
370	0.1091	670	0.0853	970	0.0716
380	0.1080	680	0.0847	980	0.0713
390	0.1069	690	0.0841	990	0.0709

TABLE 3 continued

μ/ρ for water as a function of energy

Energy MeV	$\frac{\mu}{\rho}$ cm^2/g	Energy MeV	$\frac{\mu}{\rho}$ cm^2/g	Energy MeV	$\frac{\mu}{\rho}$ cm^2/g
1.0	0.0706	4.0	0.0340	7.0	0.0257
1.1	0.0673	4.1	0.0336	7.1	0.0256
1.2	0.0644	4.2	0.0332	7.2	0.0254
1.3	0.0618	4.3	0.0328	7.3	0.0253
1.4	0.0595	4.4	0.0324	7.4	0.0251
1.5	0.0574	4.5	0.0320	7.5	0.0249
1.6	0.0555	4.6	0.0316	7.6	0.0248
1.7	0.0538	4.7	0.0313	7.7	0.0247
1.8	0.0522	4.8	0.0310	7.8	0.0245
1.9	0.0507	4.9	0.0306	7.9	0.0244
2.0	0.0493	5.0	0.0303	8.0	0.0242
2.1	0.0481	5.1	0.0300	8.1	0.0241
2.2	0.0469	5.2	0.0297	8.2	0.0240
2.3	0.0458	5.3	0.0294	8.3	0.0239
2.4	0.0447	5.4	0.0292	8.4	0.0237
2.5	0.0438	5.5	0.0289	8.5	0.0236
2.6	0.0428	5.6	0.0286	8.6	0.0235
2.7	0.0420	5.7	0.0284	8.7	0.0234
2.8	0.0412	5.8	0.0282	8.8	0.0233
2.9	0.0404	5.9	0.0279	8.9	0.0231
3.0	0.0397	6.0	0.0277	9.0	0.0230
3.1	0.0390	6.1	0.0275	9.1	0.0229
3.2	0.0383	6.2	0.0273	9.2	0.0228
3.3	0.0377	6.3	0.0271	9.3	0.0227
3.4	0.0371	6.4	0.0269	9.4	0.0226
3.5	0.0365	6.5	0.0267	9.5	0.0225
3.6	0.0360	6.6	0.0265	9.6	0.0224
3.7	0.0354	6.7	0.0263	9.7	0.0223
3.8	0.0349	6.8	0.0261	9.8	0.0222
3.9	0.0345	6.9	0.0259	9.9	0.0222
10.0	0.0221				

TABLE 4

EXPOSURE RATE CONSTANTS
AND
DOSE EQUIVALENT RATE CONSTANTS

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
7 Be	4	53.300 d	477.605	0.1034	0.0285	0.0222
9 Li	3	0.178 s	2429.000	0.3000	0.3118	0.2299
11 C	6	20.380 m	511.000	1.9952	0.5881	0.4485
13 B	5	0.017 s	596.000 3088.000 3684.000 8857.000	0.0012 0.0012 0.0750 0.0016	0.1099	0.0802
13 N	7	9.965 m	511.000	1.9964	0.5884	0.4488
13 O	8	0.009 s	511.000	1.9978	0.5888	0.4491
14 B	5	0.016 s	634.000 6093.000 6726.000	0.0020 0.8100 0.0800	1.7451	1.2860
14 O	8	1.177 m	511.000 2312.660	1.9975 0.9933	1.5867	1.1858
15 C	6	2.449 s	5297.900	0.6800	1.2032	0.8821
15 O	8	2.037 m	511.000	1.9977	0.5888	0.4491
16 N	7	7.120 s	1753.000 2741.000 6129.390 7117.000	0.0013 0.0076 0.6900 0.0500	1.4678	1.0818
17 N	7	4.169 s	870.800 2184.400	0.0334 0.0034	0.0195	0.0142
18 N	7	0.630 s	820.000 1650.000 1980.000 2470.000	0.6000 0.6300 1.0000 0.4300	2.1311	1.5716
18 F	9	1.829 h	511.000	2.0000	0.5895	0.4496
18 Ne	10	1.672 s	511.000 660.000 1041.300	2.0000 0.0015 0.0719	0.6305	0.4796
19 O	8	26.910 s	197.000 1356.000 1444.000 1550.000 2583.000 4179.000	0.9034 0.5030 0.0330 0.0220 0.0016 0.0014	0.4838	0.3759
19 Ne	10	17.220 s	511.000	2.0000	0.5895	0.4496
20 O	8	13.570 s	234.000 401.000	0.0200 0.0200	0.5665	0.4148

Muclide	Z	Half Life	Energy keV	Yield	R	T
					Rem2/h/Ci	Rem/h/Ci
20 O	8	13.570 s	656.000 1057.000	0.0320 0.9600	0.5665	0.2148
20 F	9	11.000 s	1633.600	1.0000	0.7885	0.5830
20 Na	11	0.446 s	511.000 1634.000 11261.000	2.0066 0.7950 0.0014	1.2229	0.9179
21 F	9	4.320 s	350.500 1395.100 1745.600	0.6400 0.0050 0.0710	0.1897	0.1605
21 Na	11	22.550 s	350.500 511.000	0.0510 1.9980	0.5990	0.4583
21 Mg	12	0.123 s	331.900 511.000 1384.000 1716.000	0.5100 1.9346 0.1010 0.0080	0.7432	0.5801
22 F	9	4.230 s	1274.600 1900.000 2082.600 2166.100 2283.900 2987.700 3983.500 4247.900 4366.100	1.0000 0.0870 0.8190 0.6160 0.0510 0.0700 0.0120 0.0100 0.1130	2.4347	1.7948
22 Na	11	2.604 y	511.000 1274.540	1.7980 0.9994	1.1882	0.8881
22 Mg	12	3.857 s	74.000 511.000 583.030 1279.900	0.6070 1.9996 1.0000 0.0580	0.9844	0.7493
23 Ne	10	37.240 s	439.900 1636.500 2076.400	0.3300 0.0100 0.0010	0.0923	0.0736
23 Mg	12	11.360 s	439.900 511.000	0.0860 1.9985	0.6108	0.4668
24 Ne	10	3.380 m	472.300 874.350	1.0000 0.0790	0.3107	0.2408
24 Na	11	15.000 h	1368.530 2754.090	1.0000 0.9986	1.8266	1.3435
24 Al	13	0.130 s	511.000 1368.000 2868.000	0.1400 0.0260 0.0070	0.0675	0.0508
24 Al	13	2.066 s	511.000 822.000	1.9881 0.0060	3.6867	2.7275

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
²⁴ Al	13	2.066 s	1078.000	0.1600	3.6867	2.7275
			1368.000	0.9640		
			1899.000	0.0060		
			2753.000	0.4300		
			2868.000	0.0140		
			3205.000	0.0360		
			3505.000	0.0230		
			3866.000	0.0560		
			4200.000	0.0440		
			4282.000	0.0030		
			4315.000	0.1500		
			4640.000	0.0360		
			5177.000	0.0100		
			5392.000	0.2000		
			6246.000	0.0070		
			7066.000	0.4100		
			7928.000	0.0140		
²⁵ Ne	10	0.602 s	89.530	0.9550	0.1898	0.1527
			979.770	0.1810		
			1069.300	0.0230		
			1132.800	0.0040		
			2112.500	0.0062		
			2202.100	0.0110		
			3220.000	0.0053		
			3599.000	0.0022		
			3688.000	0.0096		
²⁵ Na	11	59.600 s	389.660	0.1290	0.2284	0.1713
			585.060	0.1260		
			836.100	0.0011		
			974.710	0.1450		
			990.100	0.0015		
			1379.700	0.0026		
			1611.700	0.0950		
			1964.800	0.0016		
			2215.700	0.0010		
²⁵ Al	13	7.230 s	511.000	1.9982	0.5955	0.4541
			1611.500	0.0084		
²⁶ Na	11	1.087 s	1002.900	0.0080	1.0092	0.7461
			1129.700	0.0570		
			1383.100	0.0050		
			1394.000	0.0018		
			1412.300	0.0320		
			1791.200	0.0148		
			1808.650	0.9890		
			1896.700	0.0198		
			2133.000	0.0059		
			2172.100	0.0020		
			2509.800	0.0054		
			2523.300	0.0132		
			2541.000	0.0243		
			2776.900	0.0020		
			2938.240	0.0060		
			3026.000	0.0012		
			3091.400	0.0030		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
26 Na	11	1.087 s	4332.000 4835.000	0.0015 0.0032	1.0092	0.7461
26 Al m	13	6.347 s	511.000	1.9984	0.5890	0.4492
26 Al	13	716490.411 y	511.000 1129.670 1808.650 2938.240	1.6360 0.0250 0.9976 0.0024	1.3450	1.0061
26 Si	14	2.200 s	511.000 829.600 1622.400 1843.500	1.9998 0.2180 0.0290 0.0040	0.7171	0.5427
27 Na	11	0.304 s	984.700 1698.500	0.8600 0.1400	0.5765	0.4215
27 Mg	12	9.462 m	170.686 843.760 1014.440	0.0080 0.7180 0.2800	0.4944	0.3600
27 Si	14	4.170 s	511.000 2210.500	1.9985 0.0018	0.5908	0.4506
28 Na	11	0.030 s	1475.000 2380.000	0.3000 0.1600	0.3839	0.2833
28 Mg	12	20.910 h	30.640 400.690 941.450 1342.250 1372.890 1589.360 1620.000	0.6600 0.3660 0.3830 0.5260 0.0470 0.0420 0.0030	0.7617	0.5403
28 Al	13	2.240 m	1778.850	1.0000	0.8372	0.6195
28 P	15	0.270 s	511.000 1522.000 1657.000 1659.000 1778.000 2839.000 3040.000 4498.000 6021.000 6481.000 6810.000 7537.000 7603.000 7933.000 8889.000	1.9798 0.0060 0.0050 0.0100 0.9550 0.0190 0.0300 0.1100 0.0190 0.0040 0.0340 0.0850 0.0073 0.0190 0.0012	2.0064	1.4955
29 Al	13	6.520 m	754.900 1152.300 1273.300 2028.200	0.0020 0.0080 0.9110 0.0340	0.6937	0.5102

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	Γ	T
						Rem/h/Ci	
29 Al	13	6.520 m	2425.600	0.0550	0.6937	0.5102	
29 P	15	4.149 s	511.000 1273.300 2425.600	1.9978 0.0100 0.0040	0.5996	0.4570	
30 Al	13	3.685 s	421.400 1040.000 1263.100 1311.500 1331.900 1733.000 2235.300 2574.000 2595.100 2995.900 3498.300 3769.600 4809.700	0.0010 0.0020 0.3900 0.0256 0.0093 0.0185 0.6400 0.0093 0.0574 0.0050 0.3200 0.0012 0.0209	1.4660	1.0778	
30 P	15	2.499 m	511.000	1.9972	0.5886	0.4490	
30 S	16	1.240 s	511.000 677.200 709.000 2341.400	1.9976 0.8010 0.0050 0.0260	0.9275	0.6965	
31 S	16	2.605 s	511.000 1266.130	2.0022 0.0125	0.5983	0.4561	
38 Cl m	17	0.716 s	671.270	0.9993	0.3840	0.2805	
38 Cl	17	37.210 m	1642.420 2167.510	0.3250 0.4400	0.6799	0.5026	
38 K m	19	0.929 s	511.000	2.0000	0.5895	0.4496	
38 K	19	7.636 m	511.000 2167.000 3936.000	1.9835 0.9980 0.0019	1.5458	1.1563	
39 Cl	17	55.600 m	250.000 986.000 1091.000 1236.000 1267.200 1312.000 1517.000 1562.000	0.4700 0.0218 0.0256 0.0011 0.5400 0.0029 0.3800 0.0030	0.7343	0.5506	
39 Ca	20	0.876 s	511.000	2.0000	0.5895	0.4496	
40 K	19	1.281E+09 y	1460.750	0.1070	0.0779	0.0575	
41 Ar	18	1.827 h	1293.640	0.9916	0.6605	0.4857	
42 K	19	12.360 h	312.750 1524.665	0.0032 0.1790	0.1350	0.0998	

Nuclide	Z	Half Life	Energy keV	Yield	R* Rm2/h/Ci	T Rem/h/Ci
42 Sc	21	0.684 s	511.000	2.0000	0.5895	0.4496
42 Sc m	21	1.022 m	439.000	1.0000	2.2327	1.6770
			511.000	2.0000		
			1226.800	1.0000		
			1524.200	1.0000		
43 K	19	22.600 h	184.000	0.0027	0.5549	0.4371
			220.608	0.0411		
			372.763	0.8730		
			396.870	0.1143		
			404.300	0.0011		
			593.400	0.1100		
			617.494	0.8050		
			800.800	0.0015		
			990.250	0.0033		
			1015.100	0.0016		
			1021.790	0.0188		
			1394.200	0.0010		
43 Sc m	21	0.632 s	151.700	0.9600	0.0704	0.0719
43 Sc	21	3.891 h	372.810	0.7500	0.6318	0.4990
44 K	19	22.130 m	368.000	0.0200	1.0520	0.7729
			646.000	0.0014		
			651.000	0.0160		
			682.000	0.0060		
			726.000	0.0310		
			876.000	0.0160		
			891.000	0.0010		
			1019.000	0.0100		
			1025.000	0.0700		
			1050.000	0.0050		
			1126.000	0.0800		
			1156.000	0.5900		
			1244.000	0.0120		
			1499.000	0.0250		
			1702.000	0.0013		
			1777.000	0.0140		
			2145.000	0.0080		
			2151.000	0.2300		
			2504.000	0.0040		
			2519.000	0.0800		
			2619.000	0.0024		
			2656.000	0.0030		
			3201.000	0.0070		
			3251.000	0.0650		
			3302.000	0.0040		
			3395.000	0.0170		
			3660.000	0.0440		
			4865.000	0.0040		
			4383.000	0.0050		
			5025.000	0.0010		
			5309.000	0.0020		
44 Sc	21	3.927 h	511.000	1.8874	1.1756	0.8782

Nuclide	Z	Half Life	Energy keV	Yield	Γ Rem2/h/Ci	T Rem/h/Ci
44 Sc	21	3.927 h	1157.002 1499.451 2656.410	0.9988 0.0091 0.0011	1.1756	0.8782
44 Sc m	21	2.442 d	271.241 1001.820 1126.060 1157.002	0.8630 0.0137 0.0137 0.0137	0.1536	0.1383
44 Ti	22	47.332 y	67.850 78.400 147.000	0.8770 0.9470 0.0010	0.0632	0.0674
45 Ar	18	21.000 s	474.400 549.100 619.300 1020.090 1106.900 1639.100 1808.580 2357.400 3707.200	0.0129 0.0270 0.0233 0.3230 0.1150 0.0860 0.1290 0.0750 0.2610	0.8839	0.6480
45 K	19	20.000 m	174.300 1260.700 1435.000 1705.600 2354.200 2598.800	0.8000 0.0700 0.0340 0.6900 0.1400 0.0340	0.8807	0.6677
45 Ti	22	3.080 h	511.000 719.600	1.7021 0.0015	0.5023	0.3831
46 Ar	18	8.000 s	1944.000	0.9000	0.8016	0.5932
46 K	19	1.783 m	1235.000 1345.000 1675.000 2060.000 2285.000 3710.000 3735.000 4075.000 4520.000 4950.000 5280.000	0.0640 1.0000 0.0350 0.0450 0.0500 0.0100 0.2140 0.0200 0.0060 0.0040 0.0010	1.2071	0.8867
46 Sc m	21	18.700 s	142.528	0.6200	0.0419	0.0435
46 Sc	21	83.830 d	889.250 1120.510	0.9998 0.9999	1.0912	0.7965
46 V m	23	1.000E-03 s	801.100	1.0000	0.4516	0.3281
46 V	23	0.422 s	511.000	1.9980	0.5889	0.4492
46 Cr	24	0.260 s	511.000	2.0000	0.5895	0.4496
47 K	19	17.500 s	564.700	0.1460	1.2468	0.9230

Nuclide	Z	Half Life	Energy keV	Yield	R _{rem2} /h/Ci	T Rem/h/Ci
⁴⁷ K	19	17.500 s	585.800 2013.100	0.8500 1.0000	1.2468	0.9230
⁴⁷ Ca	20	4.536 d	489.230 530.400 767.000 807.860 1297.090	0.0670 0.0011 0.0020 0.0690 0.7490	0.5513	0.4059
⁴⁷ Sc	21	3.351 d	159.381	0.6800	0.0532	0.0536
⁴⁷ V	23	32.600 m	159.800 511.000 1793.900	0.0011 1.9309 0.0019	0.5708	0.4354
⁴⁷ Cr	24	0.460 s	511.000	2.0000	0.5695	0.4496
⁴⁸ K	19	6.900 s	671.220 675.230 715.400 753.300 780.160 793.110 862.750 866.500 1300.900 1315.650 1525.380 1537.840 1633.600 1783.100 2031.300 2073.700 2177.500 2283.000 2388.130 2788.900 3062.990 3831.530 4557.200 6613.700 7300.900	0.0360 0.1730 0.0140 0.0090 0.3190 0.0990 0.0440 0.0340 0.0900 0.1310 0.0400 0.1510 0.0640 0.0890 0.0300 0.0190 0.0240 0.0260 0.1100 0.1660 0.0380 0.8000 0.0380 0.1360 0.0250	2.7084	1.9847
⁴⁸ Sc	21	1.821 d	175.357 983.501 1037.500 1212.849 1312.087	0.0747 1.0000 0.9750 0.0238 1.0000	1.7803	1.3048
⁴⁸ V	23	16.238 d	511.000 803.230 928.320 944.101 983.501 1312.087 1437.300 2240.341	0.9918 0.0015 0.0077 0.0776 1.0000 0.9750 0.0012 0.0241	1.5560	1.1488
⁴⁸ Cr	24	22.960 h	112.440	0.9900	0.2315	0.2241

Nuclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T Rem/h/Ci
48 Cr	24	22.960 h	308.330 511.000	1.0000 0.0294	0.2315	0.2241
49 Ca	20	8.716 m	856.100 1144.500 1408.900 2228.900 2371.700 3084.400 4071.900 4738.200	0.0013 0.0011 0.0063 0.0019 0.0049 0.9200 0.0700 0.0021	1.2478	0.9137
49 Cr	24	42.090 m	62.289 90.639 152.928 511.000	0.1670 0.5420 0.3090 1.8502	0.5953	0.4686
50 Ca	20	13.900 s	71.540 256.940 1519.400 1591.000	0.6000 1.0000 0.5800 0.4200	0.9209	0.7076
50 Sc m	21	0.350 s	256.940	0.8700	0.1227	0.1086
50 Sc	21	1.708 m	523.500 1121.030 1553.710	0.8800 1.0000 1.0200	1.6391	1.2120
50 Mn	25	0.283 s	511.000	2.0000	0.5895	0.4496
50 Mn m	25	1.750 m	511.000 661.500 712.000 783.300 1098.000 1282.400 1443.300 1793.500 1944.500 1993.400 2016.900 2404.400 2540.800 2811.500 3115.200	2.1740 0.2500 0.0050 1.0000 1.0300 0.3300 0.6900 0.0050 0.0380 0.0090 0.0060 0.0016 0.0060 0.0020 0.0100	2.5762	1.9067
51 Sc	21	12.400 s	331.200 386.700 576.300 706.600 717.700 775.600 887.000 907.200 977.200 1033.000 1124.000 1163.000	0.0286 0.0183 0.0335 0.0095 0.0710 0.0061 0.0084 0.0930 0.0063 0.0026 0.0140 0.0033	1.1342	0.8379

Nuclide	Z	Half Life	Energy keV	Yield	R ^{rem2/h/Ci}	T Rem/h/Ci
51 Sc	21	12.400 s	1166.000 1253.800 1293.800 1351.800 1437.300 1474.400 1481.900 1567.500 1625.000 1750.000 1800.000 2051.100 2144.100 2181.500 2619.000 2691.000 2738.000 2919.000	0.0064 0.0040 0.0610 0.0071 0.5200 0.0194 0.0208 0.1490 0.0338 0.0014 0.0030 0.0830 0.3180 0.0194 0.0033 0.0023 0.0017 0.0044	1.1342	0.8379
51 Ti	22	5.760 m	320.076 608.550 928.630	0.9300 0.0118 0.0690	0.2074	0.1856
51 Cr	24	27.704 d	320.076	0.0983	0.0177	0.0166
51 Mn	25	46.200 m	511.000 749.070	1.9417 0.0026	0.5734	0.4373
51 Fe	26	0.270 s	511.000	2.0600	0.6072	0.4631
52 Ti	22	1.700 m	124.453	1.0000	0.0568	0.0605
52 V	23	3.750 m	1333.620 1434.060 1530.670	0.0059 1.0000 0.0012	0.7233	0.5334
52 Mn m	25	21.100 m	377.738 511.000 1434.060 1727.530	0.0168 1.9343 0.9830 0.0022	1.2817	0.9601
52 Mn	25	5.591 d	346.030 399.560 502.050 511.000 600.180 647.500 744.214 848.130 935.520 1246.246 1247.850 1333.615 1434.056	0.0098 0.0018 0.0021 0.5880 0.0039 0.0040 0.9000 0.0332 0.9450 0.0421 0.0038 0.0507 1.0000	1.8456	1.3571
52 Fe m	26	46.000 s	511.000 870.000 929.000	2.0000 0.8000 0.8000	1.9689	1.4589

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
52 Fe m	26	46.000 s	1416.000 2286.000	0.7600 0.0400	1.9689	1.4589
52 Fe	26	8.275 h	168.684 377.738 511.000	0.9920 0.0168 1.1200	0.4172	0.3376
53 Ti	22	32.700 s	100.800 127.600 228.400 679.600 1001.000 1033.100 1321.100 1421.700 1675.500 1729.200 1776.500 1855.500 1904.000 1956.400 2355.500 2456.600 2601.000 2702.000 2702.000 2829.100	0.2030 0.4600 0.3980 0.0400 0.0440 0.0250 0.0600 0.1070 0.2500 0.0480 0.0410 0.0320 0.1230 0.0350 0.0310 0.0530 0.0620 0.0290 0.0100 0.0200	0.9180	0.6975
53 V	23	1.610 m	247.000 282.700 442.700 531.000 563.600 1006.000 1289.100	0.0018 0.0076 0.0039 0.0018 0.0039 0.8960 0.1004	0.5618	0.4106
53 Fe m	26	2.580 m	701.100 1011.500 1328.100 1712.600 2339.600	0.9860 0.8400 0.8500 0.0128 0.1380	1.5843	1.1605
53 Fe	26	8.510 m	377.900 511.000 1619.900 2273.500 2748.800	0.4000 1.9484 0.0048 0.0036 0.0013	0.6694	0.5191
54 V	23	49.800 s	563.680 626.600 639.350 646.270 834.750 923.290 988.960 1009.250 1336.200 1398.630	0.0423 0.0070 0.0360 0.0220 0.9710 0.0810 0.8010 0.0140 0.0250 0.0460	2.0156	1.4780

Muclide	Z	Half Life	Energy keV	Yield	R _{rem} 2/h/Ci	T Rem/h/Ci
54 V	23	49.800 s	1463.510 1784.440 1831.270 1961.530 1974.330 2239.110 2259.350 2325.000 2394.800 2602.000 2621.300 2627.000 2964.290 3382.960	0.0860 0.0820 0.0480 0.1000 0.0450 0.0130 0.4560 0.0220 0.0300 0.0270 0.0290 0.0160 0.0350 0.0400	2.0156	1.4780
54 Mn	25	312.500 d	834.827	0.9998	0.4681	0.3402
54 Co	27	0.193 s	511.000	1.9800	0.5836	0.4451
54 Co m	27	1.480 m	511.000 511.000 1130.000 1407.000	1.0000 1.9920 1.0000 1.0000	2.1324	1.6055
55 Co	27	17.540 h	91.800 385.000 411.000 477.200 511.000 520.300 803.800 827.500 931.500 984.500 1213.100 1316.700 1370.000 1408.700 2143.600 2176.800 2871.900	0.0270 0.0050 0.0097 0.2030 1.4849 0.0100 0.0210 0.0031 0.7500 0.0050 0.0032 0.0710 0.0300 0.1650 0.0011 0.0028 0.0012	1.0934	0.8166
56 Cr	24	5.940 m	83.000	0.7100	0.0263	0.0289
56 Mn	25	2.579 h	846.754 1810.720 2113.050 2522.880 2657.450 2959.770 3369.600	0.9890 0.2720 0.1430 0.0099 0.0365 0.0031 0.0017	0.8580	0.6285
56 Co	27	78.760 d	511.000 733.630 787.840 846.752 977.420 996.900	0.3934 0.0019 0.0031 0.9993 0.0140 0.0014	1.7694	1.3000

Muclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
56 Co	27	78.760 d	1037.820 1140.320 1175.090 1238.260 1335.510 1360.210 1442.690 1771.400 1810.660 1963.790 2015.350 2034.910 2113.330 2213.010 2276.080 2598.550 3009.670 3202.240 3253.520 3273.200 3451.420 3548.140	0.1409 0.0013 0.0226 0.6700 0.0012 0.0429 0.0017 0.1551 0.0065 0.0070 0.0303 0.0777 0.0038 0.0038 0.0012 0.1674 0.0103 0.0302 0.0740 0.0173 0.0089 0.0017	1.7694	1.3000
56 Ni	28	6.100 d	158.380 269.500 480.440 749.950 811.850 1561.800	0.9880 0.3650 0.3650 0.4950 0.8600 0.1400	0.9426	0.7241
57 Mn	25	1.610 m	122.063 136.476 230.250 339.600 352.320 366.730 569.930 692.000 706.420 870.680 992.680 1260.540 1612.820 1725.180	0.1040 0.0143 0.0016 0.0013 0.0156 0.0030 0.0039 0.0410 0.0018 0.0019 0.0011 0.0024 0.0055 0.0012	0.0375	0.0304
57 Co	27	270.900 d	122.063 136.476 692.000	0.8559 0.1061 0.0016	0.0548	0.0583
57 Ni	28	1.503 d	127.190 511.000 1046.400 1377.590 1757.480 1919.430 2803.900	0.1290 0.8074 0.0013 0.7790 0.0710 0.1470 0.0013	0.9799	0.7312
58 Mn	25	1.088 m	459.160	0.2140	1.2296	0.9044

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
58 Mn	25	1.088 m	466.480	0.0127	1.2296	0.9044
			523.860	0.0370		
			632.710	0.0056		
			810.761	0.8800		
			863.940	0.1480		
			925.680	0.0168		
			1156.770	0.0105		
			1265.740	0.0910		
			1301.100	0.0069		
			1323.090	0.5940		
			1488.170	0.0016		
			1558.710	0.0051		
			1674.720	0.1160		
			1767.740	0.0318		
			1789.590	0.0287		
			2065.590	0.0016		
			2179.080	0.0048		
			2226.880	0.0030		
			2236.330	0.0034		
			2422.450	0.0112		
			2433.050	0.0012		
			2638.150	0.0133		
			2699.940	0.0011		
			2818.500	0.0085		
			3778.100	0.0015		
58 Co	27	70.800 d	511.000	0.3000	0.5495	0.4025
			810.757	0.9940		
			863.935	0.0068		
			1674.680	0.0052		
58 Cu	29	3.204 s	40.500	0.0480	0.8395	0.6336
			167.000	0.0091		
			511.000	2.0040		
			818.600	0.0011		
			855.000	0.0066		
			1321.300	0.0117		
			1448.100	0.1150		
			1454.300	0.1600		
			1488.400	0.0106		
			1584.200	0.0020		
			1810.000	0.0040		
			2902.500	0.0052		
			3038.500	0.0010		
			3264.500	0.0070		
			3595.000	0.0043		
59 Fe	26	44.529 d	142.648	0.0100	0.624:	0.4587
			192.344	0.0300		
			334.800	0.0027		
			1099.224	0.5610		
			1291.560	0.4360		
59 Cu	29	1.367 m	339.300	0.0802	0.8203	0.6229
			423.400	0.0252		
			465.000	0.0576		
			511.000	1.9974		
			538.600	0.0015		

Nuclide	Z	Half Life	Energy keV	Yield	R# m ² /h/Ci	T ^r	T ^t
59 Cu	29	1.367 m	545.800 836.500	0.0022 0.0219	0.8203	0.6229	
			1189.100	0.0037			
			1269.800	0.0021			
			1301.500	0.1460			
			1340.400	0.0140			
			1395.300	0.0032			
			1679.700	0.0023			
			1734.700	0.0117			
			1949.800	0.0012			
60 Co m	27	10.470 m	58.600 1330.000	0.0207 0.0025	0.0024	0.0019	
			497.900	0.0352			
			511.000	1.8525			
			643.200	0.0097			
			826.400	0.2170			
			839.200	0.0046			
			896.300	0.0013			
			909.200	0.0202			
			952.400	0.0273			
			965.200	0.0330			
			1035.200	0.0370			
			1110.500	0.0106			
			1173.200	0.0026			
			1234.200	0.0011			
			1293.700	0.0185			
			1307.100	0.0511			
			1332.500	0.8800			
			1420.100	0.0011			
			1451.400	0.0017			
			1791.600	0.4540			
			1861.600	0.0480			
			1919.700	0.0070			
			1936.900	0.0220			
			2061.000	0.0079			
			2158.900	0.0334			
			2263.600	0.0011			
			2389.600	0.0012			
			2403.300	0.0077			
			2675.300	0.0013			
			2687.900	0.0044			
			2746.100	0.0106			
			2986.300	0.0012			
			3124.100	0.0480			
			3160.800	0.0058			
			3194.100	0.0202			
			3269.400	0.0077			
			4020.400	0.0077			
60 Zn	30	2.380 m	62.000	0.1700	0.7996	0.6093	

Nuclide	Z	Half Life	Energy keV	Yield	R ^a /h/Ci	T
					Rem/h/Ci	Rem/h/Ci
60 Zn	30	2.380 m	273.000	0.0750	0.7996	0.6093
			334.000	0.0650		
			365.000	0.0250		
			511.000	1.9320		
			669.000	0.5000		
			947.000	0.0080		
61 Fe	26	5.980 m	120.340	0.0530	0.7183	0.5364
			177.610	0.0201		
			297.900	0.2220		
			333.000	0.0022		
			349.700	0.0016		
			440.500	0.0022		
			618.400	0.0093		
			657.300	0.0022		
			686.000	0.0040		
			696.900	0.0011		
			748.100	0.0081		
			769.400	0.0016		
			806.300	0.0019		
			925.600	0.0034		
			945.400	0.0011		
			984.100	0.0061		
			989.200	0.0061		
			1027.420	0.4300		
			1097.800	0.0070		
			1205.070	0.4360		
			1275.000	0.0061		
			1285.700	0.0037		
			1381.400	0.0040		
			1403.900	0.0012		
			1538.800	0.0027		
			1618.900	0.0037		
			1645.950	0.0700		
			1659.300	0.0078		
			1837.200	0.0014		
			1879.400	0.0026		
			1889.000	0.0018		
			1999.800	0.0013		
			2011.600	0.0440		
			2177.100	0.0021		
			2230.800	0.0011		
			2484.400	0.0012		
			2754.400	0.0077		
61 Co	27	1.650 h	67.415	0.8600	0.0467	0.0429
			841.700	0.0059		
			909.200	0.0300		
61 Cu	29	3.408 h	67.370	0.0510	0.4672	0.3587
			283.000	0.1280		
			372.900	0.0202		
			511.000	1.2288		
			529.400	0.0041		
			588.600	0.0128		
			656.000	0.1010		
			816.800	0.0038		
			841.400	0.0024		

Nuclide	Z	Half Life	Energy keV	Yield	$R^2/m^2/h/Ci$	Rem/h/Ci
61 Cu	29	3.408 h	908.800	0.0113	0.4672	0.3587
61 Zn	30	1.485 m	266.400	0.0042	0.8216	0.6224
62 Fe	26	1.133 m	506.100	1.0000	0.2919	0.2232
62 Co	27	1.500 m	1128.900	0.1110	0.7929	0.5822
62 Co m	27	13.910 m	777.500	0.0180	1.3706	1.0067

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
62 Co m	27	13.910 m	1163.500 1172.900 1718.600 1753.500 2003.700 2104.600 2301.900 2882.300 3271.100	0.6810 0.9790 0.0680 0.0060 0.1860 0.0650 0.0180 0.0110 0.0030	1.3706	1.0067
62 Cu	29	9.740 m	511.000 875.710 1173.020	1.9486 0.0015 0.0033	0.5771	0.4401
62 Zn	30	9.260 h	40.850 243.360 246.950 260.430 304.880 349.600 394.030 507.600 511.000 548.350 596.560 637.410	0.2520 0.0249 0.0188 0.0134 0.0029 0.0044 0.0221 0.1460 0.1680 0.1520 0.2570 0.0025	0.2552	0.1910
62 Ga	31	0.116 s	511.000	2.0000	0.5895	0.4496
63 Co	27	27.400 s	87.130 155.600 913.600 981.700 1069.100 2174.500	0.4930 0.0177 0.0046 0.0260 0.0163 0.0120	0.0575	0.0495
63 Zn	30	38.100 m	449.930 511.000 669.620 962.060 1123.720 1412.080 1547.040	0.0024 1.8571 0.0840 0.0660 0.0011 0.0076 0.0013	0.6221	0.4721
63 Ga	31	32.400 s	193.000 248.000 389.800 415.000 457.900 511.000 627.100 637.000 650.100 768.500 1054.600 1065.200 1147.000 1203.400	0.0570 0.0340 0.0038 0.0029 0.0060 1.9880 0.1020 0.1110 0.0490 0.0210 0.0026 0.0220 0.0034 0.0027	0.7775	0.5898

Nuclide	Z	Half Life	Energy keV	Yield	\bar{R} R ² m ² /h/Ci	\bar{T} Rem/h/Ci
63 Ga	31	32.400 s	1395.400 1498.500 1691.700	0.0410 0.0032 0.0300	0.7775	0.5898
64 Cu	29	12.701 h	511.000 1345.900	0.3574 0.0049	0.1087	0.0828
64 Ga	31	2.630 m	511.000 756.520 807.850 918.780 991.510 1276.370 1387.270 1455.590 1566.470 1617.540 1625.740 1799.430 1995.800 2195.250 2270.420 2374.320 2433.700 2803.700 3262.900 3365.870 3425.060 3795.100 4454.300	2.0500 0.0160 0.1400 0.0830 0.4600 0.0690 0.1400 0.0190 0.0430 0.0170 0.0140 0.0460 0.0290 0.1100 0.0230 0.0780 0.0060 0.0070 0.0030 0.1700 0.0500 0.0100 0.0090	1.7887	1.3292
65 Ni	28	2.520 h	366.270 507.800 609.300 1115.530 1481.840 1623.420 1724.920	0.0461 0.0029 0.0014 0.1480 0.2350 0.0048 0.0039	0.2788	0.2066
65 Zn	30	243.900 d	511.000 1115.520	0.0292 0.5075	0.3105	0.2275
65 Ga	31	15.200 m	53.800 61.100 115.100 153.000 206.900 511.000 560.100 653.700 659.900 702.700 714.800 751.800 768.900 794.600 813.000 855.800	0.0490 0.1160 0.5500 0.0900 0.0260 1.7800 0.0011 0.0076 0.0012 0.0011 0.0016 0.0820 0.0129 0.0027 0.0013 0.0018	0.6492	0.5046

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
65 Ga	31	15.200 m	866.800	0.0012	0.6492	0.5046
			909.700	0.0052		
			932.200	0.0180		
			1047.400	0.0091		
			1137.000	0.0015		
			1228.800	0.0073		
			1343.900	0.0022		
			1354.700	0.0080		
			1415.900	0.0023		
			2212.100	0.0014		
65 Ge	32	30.900 s	62.000	0.2700	1.0164	0.7673
			190.800	0.1030		
			459.100	0.0200		
			511.000	2.0000		
			587.700	0.0260		
			618.700	0.0150		
			649.700	0.3300		
			753.000	0.0129		
			809.100	0.2140		
			826.800	0.0036		
			884.900	0.0033		
			970.700	0.0023		
			1070.200	0.0092		
			1075.900	0.0082		
			1150.700	0.0013		
			1183.600	0.0046		
			1205.700	0.0122		
			1229.800	0.0220		
			1237.100	0.0125		
			1511.900	0.0033		
			1600.800	0.0069		
			1616.600	0.0073		
			1688.500	0.0220		
			1816.300	0.0040		
			1879.200	0.0096		
			1902.000	0.0040		
			2099.600	0.0148		
			2121.600	0.0033		
			2162.600	0.0053		
			2219.000	0.0023		
			2279.500	0.0033		
			2387.600	0.0036		
			2448.000	0.0139		
			2469.300	0.0033		
			2703.500	0.0020		
			2717.200	0.0033		
			2968.500	0.0049		
			3085.900	0.0023		
			3280.000	0.0030		
66 Cu	29	5.100 m	833.400	0.0018	0.0458	0.0335
			1039.200	0.0800		
66 Ga	31	9.400 h	448.900	0.0011	1.1574	0.8582
			511.000	1.1290		
			686.280	0.0026		
			833.560	0.0612		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m ² /h/Ci	Rem/h/Ci
66 Ga	31	9.400 h	856.700	0.0012	1.1574	0.8582
			907.000	0.0012		
			1039.290	0.3840		
			1190.360	0.0013		
			1232.900	0.0054		
			1333.200	0.0125		
			1356.200	0.0038		
			1356.600	0.0013		
			1357.000	0.0019		
			1418.880	0.0065		
			1508.330	0.0058		
			1899.180	0.0043		
			1918.640	0.0217		
			2173.900	0.0012		
			2190.000	0.0576		
			2213.600	0.0014		
			2393.300	0.0025		
			2422.700	0.0197		
			2752.100	0.2350		
			2780.500	0.0013		
			2934.300	0.0022		
			3229.260	0.0151		
			3381.320	0.0143		
			3422.640	0.0083		
			3433.000	0.0028		
			3767.400	0.0014		
			3791.470	0.0102		
			4086.360	0.0115		
			4295.700	0.0353		
			4462.010	0.0072		
			4806.590	0.0149		
66 Ge	32	2.270 h	39.970	0.0036	0.3813	0.3062
			41.840	0.0014		
			42.830	0.0110		
			43.890	0.2860		
			53.400	0.0031		
			65.120	0.0710		
			71.620	0.0017		
			90.940	0.0039		
			96.340	0.0019		
			108.850	0.1040		
			125.170	0.0031		
			147.790	0.0130		
			154.740	0.0031		
			169.470	0.0017		
			182.030	0.0560		
			190.200	0.0560		
			225.900	0.0019		
			245.710	0.0530		
			272.970	0.1040		
			291.230	0.0025		
			302.520	0.0247		
			315.550	0.0081		
			323.800	0.0014		
			338.050	0.0860		
			381.850	0.2780		
			415.280	0.0042		

Nuclide	Z	Half Life	Energy keV	Yield	R ⁺ R ⁻ rem ² /h/Ci	R ⁺ R ⁻ rem/h/Ci
66 Ge	32	2.270 h	427.830 470.620 472.000 492.630 511.000 536.740 555.000 597.140 639.740 662.190 705.940 757.310 865.800 919.400 1101.260 1165.800 1174.740 1221.880 1322.540 1412.540 1490.430 1507.800 1512.870	0.0053 0.0730 0.0320 0.0061 0.4989 0.0610 0.0011 0.0025 0.0058 0.0011 0.0420 0.0064 0.0025 0.0014 0.0015 0.0022 0.0012 0.0044 0.0044 0.0036 0.0011 0.0017 0.0067	0.3813	0.3062
67 Cu	29	2.578 d	91.266 93.315 184.577 208.951 300.219 393.529	0.0701 0.1612 0.4870 0.0012 0.0080 0.0022	0.0573	0.0565
67 Ga	31	3.261 d	91.266 93.311 184.577 208.951 300.219 393.529 887.693	0.0307 0.3830 0.2090 0.0237 0.1680 0.0470 0.0015	0.0788	0.0764
67 Ge	32	18.700 m	167.010 253.300 359.500 468.600 511.000 661.100 728.200 728.700 811.800 828.300 898.500 911.200 914.800 981.300 1081.300 1280.600 1450.700 1472.800 1639.500	0.7700 0.0030 0.0135 0.0012 2.0090 0.0028 0.0040 0.0220 0.0072 0.0270 0.0090 0.0280 0.0280 0.0103 0.0094 0.0035 0.0060 0.0450 0.0058	0.8026	0.6231

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	\bar{T} Rem/h/Ci
67 Ge	32	18.700 m	1643.000	0.0081	0.8026	0.6231
			1809.400	0.0121		
			1976.200	0.0013		
			2526.600	0.0019		
			2563.600	0.0021		
			3058.300	0.0017		
			3162.800	0.0010		
			3401.500	0.0014		
68 Cu	29	31.000 s	151.800	0.0480	0.8023	0.5895
			498.600	0.0080		
			578.100	0.0136		
			587.300	0.0048		
			670.700	0.0048		
			670.720	0.0048		
			737.000	0.0080		
			805.300	0.0040		
			1007.000	0.0060		
			1041.000	0.0910		
			1077.400	0.7200		
			1142.400	0.0032		
			1260.900	0.1410		
			1291.800	0.0080		
			1340.300	0.1170		
			1386.000	0.0032		
			1433.400	0.0230		
			1531.500	0.0080		
			1540.000	0.0080		
			1676.100	0.0210		
			1744.700	0.0140		
			1883.200	0.0380		
			2108.100	0.0160		
			2340.300	0.0230		
68 Cu m	29	3.750 m	84.300	0.7700	0.3174	0.2523
			111.200	0.1790		
			525.900	0.8010		
			609.500	0.0110		
			636.600	0.0900		
68 Ga	31	68.000 m	511.000	1.7816	0.5455	0.4154
			1077.400	0.0330		
			1883.200	0.0014		
68 As	33	2.650 m	511.000	2.0740	1.6417	1.2220
			613.500	0.0550		
			651.200	0.2320		
			740.000	0.0240		
			762.600	0.2250		
			1016.500	0.6500		
			1253.400	0.0097		
			1263.500	0.0360		
			1333.500	0.0180		
			1412.500	0.1170		
			1622.000	0.0270		
			1634.000	0.0084		
			1643.000	0.0084		
			1778.700	0.2130		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
68 As	33	2.650 m	2008.000	0.0290	1.6417	1.2220
			2454.000	0.0260		
			2457.000	0.0260		
			2506.000	0.0097		
			3058.000	0.0071		
			3087.000	0.0110		
			3220.000	0.0052		
69 Cu	29	3.000 m	84.000	0.0040	0.1211	0.0888
			110.000	0.0020		
			173.000	0.0030		
			530.700	0.0300		
			595.200	0.0100		
			649.000	0.0140		
			834.000	0.0620		
			897.500	0.0030		
			992.000	0.0060		
			1006.500	0.1000		
			1179.500	0.0100		
			1428.000	0.0090		
			1497.000	0.0010		
			1825.000	0.0010		
69 Zn	30	13.760 h	438.634	0.9490	0.2394	0.1926
69 Ge	32	1.627 d	234.400	0.0044	0.4807	0.3590
			318.400	0.0131		
			511.000	0.6931		
			532.400	0.0021		
			553.100	0.0051		
			573.900	0.1110		
			587.100	0.0021		
			762.000	0.0019		
			787.700	0.0031		
			871.700	0.0980		
			1051.500	0.0033		
			1106.400	0.2570		
			1206.600	0.0023		
			1336.200	0.0290		
			1349.500	0.0023		
			1525.700	0.0015		
			1572.900	0.0012		
			1890.800	0.0026		
			2022.200	0.0033		
69 As	33	15.200 m	86.800	0.0330	0.5793	0.4441
			145.800	0.0240		
			232.700	0.0490		
			287.100	0.0090		
			374.100	0.0070		
			398.100	0.0059		
			511.000	1.9200		
69 Se	34	27.300 s	66.400	0.2600	0.6753	0.5244
			98.200	0.6000		
			511.000	2.0000		
			691.400	0.1300		
70 Cu	29	4.500 s	884.800	0.5400	0.2658	0.1933

Muclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
70 Cu m	29	46.000 s	386.500	0.0800		
			884.800	1.0000		
			901.700	0.8700		
			1108.700	0.0800		
			1251.700	0.5700		
			1271.000	0.0100		
			1428.000	0.0300		
			1476.500	0.0130		
			1520.000	0.0140		
			1690.600	0.0470		
			1953.500	0.0210		
			2061.400	0.0370		
			3062.000	0.0140		
70 Ga	31	21.150 m	176.170	0.0030	0.0041	0.0030
			1039.200	0.0068		
70 As	33	52.600 m	175.300	0.0260	2.1467	1.5919
			240.500	0.0021		
			252.300	0.0290		
			294.200	0.0019		
			298.800	0.0038		
			373.000	0.0123		
			448.000	0.0016		
			450.900	0.0011		
			492.200	0.0098		
			497.000	0.0253		
			511.000	1.7186		
			595.200	0.1630		
			607.600	0.0390		
			615.000	0.0400		
			655.000	0.0060		
			668.400	0.2120		
			686.000	0.0200		
			696.000	0.0163		
			744.800	0.2080		
			760.200	0.0025		
			828.100	0.0035		
			889.300	0.0310		
			893.100	0.0196		
			901.900	0.0139		
			905.700	0.1220		
			942.100	0.0139		
			953.800	0.0047		
			1040.000	0.8200		
			1099.300	0.0440		
			1114.300	0.2120		
			1118.100	0.0320		
			1218.300	0.0018		
			1250.000	0.0380		
			1296.100	0.0017		
			1332.200	0.0061		
			1336.000	0.0061		
			1339.400	0.0890		
			1351.800	0.0059		
			1412.500	0.0860		
			1418.300	0.0050		

Muclide	Z	Half Life	Energy keV	Yield	R ^a m ² /h/Ci	T Rem/h/Ci
70 As	33	52.600 m	1496.100	0.0155	2.1467	1.5919
			1507.100	0.0039		
			1512.100	0.0028		
			1523.300	0.0510		
			1566.600	0.0029		
			1587.900	0.0044		
			1707.900	0.1790		
			1781.300	0.0390		
			1883.100	0.0051		
			1949.000	0.0016		
			2007.700	0.0290		
			2020.000	0.1670		
			2065.000	0.0012		
			2096.000	0.0018		
			2157.600	0.0037		
			2219.300	0.0011		
			2256.100	0.0013		
			2326.600	0.0011		
			2449.300	0.0035		
			2637.200	0.0030		
			3290.000	0.0018		
			3470.000	0.0015		
			3920.000	0.0016		
70 Se	34	41.000 m	32.050	0.0190	0.5705	0.4460
			39.590	0.0040		
			49.510	0.3540		
			86.250	0.0078		
			113.530	0.0156		
			129.490	0.0029		
			132.540	0.0348		
			135.630	0.0259		
			153.200	0.0043		
			160.790	0.0078		
			198.700	0.0017		
			202.730	0.0484		
			223.410	0.0063		
			244.140	0.0282		
			247.500	0.0043		
			255.860	0.0181		
			263.200	0.0274		
			290.200	0.0043		
			293.590	0.0279		
			297.100	0.0043		
			301.800	0.0035		
			312.600	0.0023		
			343.850	0.0066		
			376.650	0.0933		
			413.910	0.0207		
			426.150	0.2880		
			458.420	0.0026		
			499.700	0.0127		
			511.000	1.4092		
			545.910	0.0032		
			549.690	0.0029		
			561.560	0.0017		
			564.860	0.0017		
			858.700	0.0012		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
70 Se	34	41.000 m	1323.700	0.0035	0.5705	0.4460
			1570.500	0.0029		
			1618.800	0.0017		
71 Zn	30	2.400 m	121.500	0.0300	0.1722	0.1304
			389.900	0.0360		
			398.600	0.0060		
			453.000	0.0018		
			487.300	0.0012		
			511.600	0.3200		
			666.800	0.0090		
			721.400	0.0054		
			910.300	0.0784		
			964.800	0.0077		
			1109.300	0.0016		
			1120.000	0.0190		
			1631.600	0.0036		
			1904.400	0.0017		
71 Zn m	30	3.920 h	121.500	0.0290	0.8771	0.6805
			142.600	0.0550		
			386.300	0.9200		
			389.900	0.0260		
			453.000	0.0100		
			487.300	0.6200		
			511.600	0.2900		
			566.200	0.0019		
			574.900	0.0010		
			588.600	0.0050		
			596.000	0.2800		
			620.200	0.5600		
			753.400	0.0320		
			771.300	0.0200		
			910.000	0.0030		
			956.700	0.0019		
			964.600	0.0050		
			964.700	0.0420		
			974.700	0.0035		
			988.600	0.0120		
			1006.500	0.0070		
			1011.400	0.0067		
			1107.000	0.0070		
			1107.400	0.0200		
			1139.800	0.0020		
			1282.700	0.0027		
			1306.700	0.0010		
			1311.400	0.0010		
			1322.200	0.0023		
			1380.800	0.0036		
			1476.000	0.0060		
			1759.600	0.0090		
71 As	33	2.700 d	174.900	0.9100	0.3084	0.2525
			247.300	0.0013		
			279.200	0.0015		
			327.400	0.0276		
			350.000	0.0022		
			391.400	0.0056		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	
71 As	33	2.700 d	500.000	0.0300		0.3084	0.2525
			503.900	0.0015			
			511.000	0.5743			
			526.700	0.0073			
			572.300	0.0017			
			615.400	0.0045			
			679.700	0.0023			
			708.200	0.0023			
			712.600	0.0028			
			747.200	0.0012			
			851.700	0.0018			
			920.700	0.0028			
			1026.800	0.0025			
			1033.800	0.0015			
			1037.700	0.0018			
			1095.700	0.0380			
			1139.500	0.0069			
			1212.700	0.0025			
			1298.800	0.0018			
71 Se	34	4.930 m	147.200	0.4740		0.8287	0.6333
			511.000	1.9060			
			724.100	0.0460			
			830.900	0.1260			
			871.100	0.0670			
			978.400	0.0240			
			1096.000	0.1020			
			1243.200	0.0610			
			1265.000	0.0170			
72 Zn	30	1.938 d	41.900	0.0083		0.0706	0.0723
			46.800	0.0058			
			79.400	0.0174			
			88.700	0.0216			
			102.800	0.0232			
			112.100	0.0207			
			144.700	0.8300			
			191.500	0.0938			
72 Ga	31	14.100 h	112.520	0.0011		1.3423	0.9842
			289.300	0.0017			
			336.300	0.0011			
			381.200	0.0027			
			428.300	0.0022			
			449.600	0.0015			
			479.100	0.0011			
			587.900	0.0011			
			600.850	0.0545			
			629.860	0.2520			
			691.200	0.0049			
			735.900	0.0037			
			786.400	0.0326			
			810.240	0.0201			
			834.020	0.9559			
			861.110	0.0092			
			894.220	0.0990			
			924.100	0.0014			
			939.400	0.0026			

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
72 Ga	31	14.100 h	970.540	0.0109	1.3423	0.9842
			999.860	0.0080		
			1050.690	0.0688		
			1215.160	0.0078		
			1230.860	0.0146		
			1260.100	0.0110		
			1276.750	0.0156		
			1464.000	0.0354		
			1567.900	0.0020		
			1571.500	0.0080		
			1596.650	0.0430		
			1680.770	0.0099		
			1710.900	0.0041		
			1837.800	0.0023		
			1861.090	0.0526		
			1878.000	0.0023		
			1920.200	0.0014		
			1991.300	0.0011		
			2109.500	0.0107		
			2201.670	0.2560		
			2214.500	0.0015		
			2490.980	0.0793		
			2507.800	0.1270		
			2515.600	0.0024		
			2621.000	0.0014		
			2844.100	0.0048		
72 As	33	1.083 d	511.000	1.7513	0.9870	0.7367
			600.900	0.0032		
			629.930	0.0810		
			786.430	0.0043		
			834.000	0.7970		
			894.270	0.0079		
			1050.760	0.0098		
			1215.140	0.0023		
			1390.440	0.0024		
			1464.000	0.0114		
			1475.910	0.0050		
			1568.200	0.0014		
			1680.700	0.0012		
			1710.900	0.0027		
			1991.140	0.0038		
			2105.900	0.0074		
			2109.800	0.0022		
			2201.740	0.0052		
			2248.500	0.0033		
			2507.900	0.0033		
			2621.500	0.0039		
			2940.100	0.0033		
			2982.100	0.0019		
			3094.300	0.0014		
72 Br	35	1.300 m	75.000	0.0660	1.5801	1.1789
			379.900	0.0360		
			454.700	0.1330		
			511.000	1.9830		
			512.000	0.0210		
			537.600	0.0130		

Nuclide	Z	Half Life	Energy keV	Yield	R _{rem} R _{rem} 2/h/Ci	R _{rem} R _{rem} 1/h/Ci
72 Br	35	1.300 m	559.300	0.0260	1.5801	1.1789
			710.200	0.0160		
			752.800	0.0300		
			774.800	0.0720		
			832.000	0.0210		
			862.000	0.7115		
			1014.000	0.0070		
			1054.700	0.0380		
			1061.600	0.0560		
			1089.200	0.0320		
			1125.100	0.0540		
			1136.400	0.0710		
			1227.300	0.0110		
			1269.500	0.0090		
			1316.700	0.1750		
			1349.900	0.0230		
			1433.600	0.0100		
			1509.800	0.0330		
			1571.300	0.0380		
			1648.500	0.0160		
			1724.000	0.0350		
			1807.400	0.0180		
			1909.400	0.0140		
			2150.700	0.0100		
			2371.900	0.0760		
			2432.700	0.0130		
72 Kr	36	17.400 s	147.000	0.0220	0.6647	0.5166
			162.600	0.0770		
			252.200	0.0330		
			310.000	0.1480		
			415.000	0.1920		
			511.000	1.9000		
			576.600	0.0630		
73 Ga	31	4.910 h	53.390	1.0000	0.2058	0.1874
			297.370	0.7740		
			325.740	0.1300		
			739.370	0.0430		
73 As	33	80.300 d	53.437	0.1050	0.0037	0.0031
73 Se m	34	39.000 m	67.000	0.0010	0.1368	0.1049
			84.500	0.0090		
			181.500	0.0014		
			254.300	0.0110		
			320.800	0.0041		
			393.600	0.0078		
			401.600	0.0061		
			510.000	0.0045		
			511.000	0.4257		
			571.200	0.0011		
			577.800	0.0046		
			850.500	0.0011		
			1078.100	0.0028		
73 Se	34	7.150 h	67.000	0.7730	0.6169	0.5015
			361.100	0.9660		

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
73 Se	34	7.150 h	510.000	0.0110	0.6169	0.5015
			511.000	1.3044		
			865.400	0.0047		
			901.200	0.0012		
			1111.000	0.0017		
			1422.900	0.0011		
73 Kr	36	25.900 s	151.100	0.1260	0.7288	0.5779
			178.100	0.6620		
			213.600	0.0860		
			241.300	0.0730		
			303.600	0.0400		
			329.200	0.0460		
			391.900	0.0483		
			473.600	0.1060		
			511.000	1.9864		
74 Zn	30	1.583 m	50.300	0.1700	0.0950	0.0897
			53.100	0.0920		
			56.500	0.7400		
			86.100	0.0330		
			116.700	0.0350		
			140.000	0.3400		
			190.400	0.2400		
			347.300	0.0570		
74 Ga m	31	9.500 s	59.700	0.1000	0.0033	0.0032
74 Ga	31	8.100 m	233.200	0.0016	1.4640	1.0801
			258.800	0.0011		
			302.000	0.0011		
			471.100	0.0039		
			484.900	0.0107		
			493.000	0.0510		
			497.650	0.0101		
			504.700	0.0010		
			521.000	0.0012		
			540.900	0.0016		
			551.800	0.0011		
			595.880	0.9188		
			604.220	0.0294		
			608.400	0.1470		
			639.110	0.0083		
			701.500	0.0085		
			715.600	0.0022		
			734.000	0.0011		
			784.210	0.0071		
			809.800	0.0025		
			867.800	0.0891		
			886.720	0.0039		
			942.450	0.0129		
			960.980	0.0164		
			974.900	0.0028		
			993.550	0.0065		
			999.800	0.0031		
			1023.800	0.0013		
			1101.340	0.0544		
			1131.580	0.0085		

Nuclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T R [*] m/h/Ci
74 Ga	31	8.100 m	1134.600	0.0039	1.4640	1.0801
			1160.360	0.0064		
			1177.500	0.0024		
			1184.600	0.0028		
			1204.290	0.0763		
			1293.500	0.0027		
			1312.820	0.0067		
			1332.200	0.0175		
			1337.190	0.0161		
			1357.900	0.0032		
			1443.380	0.0372		
			1471.500	0.0019		
			1478.200	0.0030		
			1489.350	0.0289		
			1510.200	0.0024		
			1570.340	0.0096		
			1602.000	0.0030		
			1676.620	0.0074		
			1744.820	0.0483		
			1806.400	0.0029		
			1829.590	0.0189		
			1940.640	0.0549		
			1970.800	0.0022		
			1999.250	0.0040		
			2004.700	0.0051		
			2014.440	0.0132		
			2024.050	0.0048		
			2036.200	0.0017		
			2074.100	0.0027		
			2097.920	0.0089		
			2131.800	0.0020		
			2138.600	0.0084		
			2197.900	0.0033		
			2198.000	0.0050		
			2231.900	0.0017		
			2257.050	0.0180		
			2279.000	0.0236		
			2353.530	0.4520		
			2362.430	0.0017		
			2438.480	0.0028		
			2504.300	0.0066		
			2580.070	0.0130		
			2616.680	0.0024		
			2690.950	0.0101		
			2737.900	0.0017		
			2747.130	0.0085		
			2771.800	0.0012		
			2785.930	0.0063		
			2790.780	0.0052		
			2970.900	0.0109		
			2997.400	0.0010		
			3030.300	0.0017		
			3031.640	0.0022		
			3211.100	0.0074		
			3232.320	0.0066		
			3298.930	0.0038		
			3354.020	0.0074		
			3605.350	0.0033		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
⁷⁴ As	33	17.760 d	511.000	0.5820	0.3783	0.2836
			595.800	0.5920		
			608.390	0.0053		
			1204.340	0.0029		
⁷⁴ As	33	17.780 d	634.780	0.1540	0.0567	0.0416
			635.000	0.0014		
⁷⁴ Br	35	25.300 m	218.900	0.1760	2.0961	1.5562
			511.000	1.7844		
			615.100	0.0025		
			634.100	0.1520		
			634.800	0.6340		
			871.400	0.0025		
			936.400	0.0076		
			984.900	0.0406		
			1022.800	0.0520		
			1045.100	0.0051		
			1109.600	0.0057		
			1161.300	0.0019		
			1203.900	0.0152		
			1225.600	0.0127		
			1249.200	0.0019		
			1268.900	0.0680		
			1310.100	0.0051		
			1409.700	0.0063		
			1459.200	0.0101		
			1474.500	0.0108		
			1512.800	0.0190		
			1524.600	0.0032		
			1679.100	0.0082		
			1700.800	0.0^82		
			1715.700	0.0127		
			1743.900	0.0133		
			1842.800	0.0228		
			1882.300	0.0152		
			1949.600	0.0152		
			1981.000	0.0133		
			2087.400	0.0130		
			2130.600	0.0285		
			2158.000	0.0032		
			2270.600	0.0178		
			2356.000	0.0076		
			2378.300	0.0032		
			2387.400	0.0044		
			2396.100	0.0279		
			2437.500	0.0070		
			2465.000	0.0095		
			2518.300	0.0057		
			2541.500	0.0032		
			2615.200	0.0730		
			2661.600	0.0520		
			2685.400	0.0025		
			2704.000	0.0152		
			2770.800	0.0203		
			2879.700	0.0044		
			2904.500	0.0165		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
74 Br	35	25.300 m	2934.200	0.0076	2.0961	1.5562
			2951.000	0.0063		
			2975.600	0.0152		
			2990.000	0.0032		
			3098.200	0.0044		
			3110.200	0.0032		
			3119.000	0.0095		
			3190.200	0.0095		
			3241.000	0.0063		
			3249.900	0.0610		
			3267.500	0.0051		
			3295.500	0.0273		
			3338.600	0.0044		
			3410.000	0.0038		
			3412.000	0.0070		
			3460.000	0.0120		
			3488.600	0.0038		
			3526.100	0.0063		
			3539.800	0.0063		
			3624.600	0.0552		
			3631.900	0.0254		
			3733.300	0.0178		
			3745.100	0.0063		
			3788.000	0.0399		
			3852.400	0.0127		
			3901.500	0.0139		
			3972.700	0.0228		
			4044.100	0.0082		
			4093.900	0.0051		
			4222.000	0.0044		
			4266.500	0.0108		
			4342.400	0.0133		
			4379.600	0.0410		
			4486.900	0.0019		
			4538.000	0.0013		
			4649.500	0.0038		
74 Br m	35	41.500 m	219.000	0.0500	2.0488	1.5200
			368.500	0.0016		
			511.000	1.8517		
			521.200	0.0064		
			615.200	0.0740		
			634.300	0.1750		
			634.800	0.9190		
			679.200	0.0064		
			724.900	0.0050		
			728.300	0.3500		
			744.600	0.0280		
			763.600	0.0023		
			777.600	0.0064		
			838.900	0.0550		
			850.500	0.0092		
			868.000	0.0074		
			979.500	0.0046		
			984.900	0.0340		
			986.500	0.0070		
			1022.700	0.0040		
			1044.700	0.0037		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	
74 Br m	35	41.500 m	1080.100	0.0046		2.0488	1.5200
			1080.500	0.0046			
			1145.800	0.0051			
			1198.000	0.0037			
			1200.500	0.0530			
			1204.000	0.0046			
			1249.500	0.0700			
			1261.700	0.0060			
			1269.100	0.0810			
			1289.300	0.0046			
			1294.500	0.0190			
			1299.700	0.0021			
			1366.700	0.0230			
			1421.700	0.0064			
			1455.700	0.0180			
			1460.500	0.0083			
			1468.600	0.0055			
			1473.100	0.0147			
			1494.500	0.0040			
			1508.000	0.0022			
			1515.700	0.0027			
			1555.400	0.0032			
			1566.400	0.0033			
			1649.800	0.0036			
			1679.800	0.0074			
			1714.900	0.0600			
			1746.100	0.0013			
			1769.900	0.0016			
			1837.600	0.0083			
			1843.200	0.0092			
			1853.800	0.0046			
			1890.000	0.0074			
			1928.700	0.0064			
			1933.800	0.0046			
			1952.800	0.0032			
			1994.800	0.0046			
			2028.200	0.0046			
			2098.700	0.0046			
			2115.200	0.0036			
			2131.400	0.0076			
			2150.700	0.0074			
			2158.200	0.0046			
			2167.400	0.0064			
			2183.400	0.0101			
			2207.400	0.0055			
			2217.100	0.0046			
			2228.600	0.0027			
			2276.200	0.0064			
			2283.800	0.0280			
			2311.900	0.0340			
			2333.500	0.0083			
			2370.700	0.0069			
			2398.300	0.0110			
			2396.900	0.0014			
			2408.700	0.0090			
			2443.700	0.0037			
			2472.200	0.0074			
			2478.400	0.0037			

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	Γ	T
						Rem/h/Ci	
74 Br m	35	41.500 m	2478.400	0.0018		2.0488	1.5200
			2485.600	0.0037			
			2502.300	0.0017			
			2558.000	0.0037			
			2661.900	0.0064			
			2679.800	0.0074			
			2695.500	0.0074			
			2701.800	0.0119			
			2708.500	0.0055			
			2745.700	0.0037			
			2754.500	0.0028			
			3040.400	0.0101			
			3137.100	0.0064			
			3153.300	0.0101			
			3173.100	0.0110			
			3227.500	0.0110			
			3297.700	0.0090			
			3323.200	0.0055			
			3336.300	0.0119			
			3393.800	0.0055			
			3430.800	0.0129			
			3625.000	0.0014			
			3684.600	0.0017			
			3786.700	0.0023			
			3806.600	0.0110			
			3861.600	0.0138			
			3881.500	0.0074			
			3951.500	0.0110			
			3957.600	0.0350			
			4027.000	0.0110			
			4064.400	0.0019			
			4123.500	0.0011			
			4200.400	0.0012			
			4380.400	0.0020			
74 Kr	36	11.500 m	62.800	0.1060		0.6622	0.5285
			67.400	0.0137		.	
			72.200	0.0025			
			79.900	0.0028			
			83.600	0.0012			
			89.700	0.0094			
			89.700	0.3120			
			93.800	0.0349			
			123.400	0.0940			
			132.600	0.0066			
			140.300	0.0910			
			149.700	0.0225			
			166.800	0.0034			
			179.100	0.0031			
			203.000	0.1950			
			212.800	0.0094			
			216.900	0.1020			
			225.100	0.0028			
			229.400	0.0025			
			233.900	0.0530			
			238.400	0.0016			
			296.700	0.1130			
			300.400	0.0097			

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T
					Rem ² /h/Ci	
74 Kr	36	11.500 m	306.500	0.1050	0.6622	0.5285
			311.100	0.0087		
			369.700	0.0031		
			373.600	0.0031		
			396.100	0.0084		
			444.800	0.0050		
			488.900	0.0025		
			511.000	1.7360		
			519.600	0.0050		
			530.500	0.0019		
			534.500	0.0031		
			536.000	0.0031		
			606.500	0.0025		
			609.100	0.0106		
			611.500	0.0019		
			618.900	0.0025		
			628.800	0.0025		
			691.500	0.0028		
			701.300	0.0172		
			738.800	0.0019		
			757.300	0.0059		
			765.900	0.0019		
			797.600	0.0022		
			831.900	0.0016		
			862.000	0.0012		
			879.500	0.0016		
			900.000	0.0022		
			969.600	0.0025		
			978.100	0.0016		
			1013.800	0.0022		
			1060.900	0.0022		
75 Ga	31	2.170 m	177.000	0.0061	0.0292	0.0232
			203.900	0.0030		
			252.800	0.0570		
			279.300	0.0017		
			310.400	0.0038		
			316.800	0.0019		
			321.600	0.0011		
			457.100	0.0026		
			568.500	0.0014		
			574.300	0.0180		
			632.200	0.0031		
			647.500	0.0010		
			783.200	0.0012		
			885.400	0.0063		
			927.200	0.0038		
			1043.300	0.0015		
			1248.500	0.0031		
			1501.100	0.0026		
75 Ge	32	1.380 h	65.600	0.0019	0.0188	0.0170
			199.200	0.0083		
			264.800	0.1110		
			418.600	0.0027		
			468.700	0.0020		
			617.800	0.0013		
75 Se	34	119.800 d	66.050	0.0110	0.2056	0.1945

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
75 Se	34	119.800 d	96.733	0.0350	0.2058	0.1945
			121.115	0.1770		
			136.000	0.6060		
			198.596	0.0150		
			264.651	0.5940		
			279.528	0.2520		
			303.910	0.0131		
			400.646	0.1135		
75 Br	35	1.633 h	112.100	0.0170	0.6906	0.5572
			141.190	0.0690		
			236.100	0.0083		
			286.500	0.9200		
			292.850	0.0280		
			299.400	0.0025		
			315.610	0.0063		
			319.700	0.0010		
			325.400	0.0025		
			349.200	0.0018		
			377.390	0.0410		
			427.790	0.0450		
			431.750	0.0400		
			460.900	0.0012		
			467.300	0.0013		
			484.400	0.0029		
			488.100	0.0018		
			490.700	0.0034		
			511.000	1.4594		
			534.800	0.0014		
			551.650	0.0031		
			566.430	0.0047		
			572.930	0.0210		
			586.100	0.0019		
			598.200	0.0034		
			608.900	0.0176		
			646.100	0.0016		
			652.200	0.0015		
			659.100	0.0037		
			663.800	0.0012		
			676.600	0.0012		
			701.600	0.0019		
			733.900	0.0160		
			770.800	0.0049		
			781.000	0.0011		
			788.700	0.0035		
			859.300	0.0025		
			890.700	0.0026		
			897.600	0.0052		
			912.100	0.0106		
			946.200	0.0015		
			952.100	0.0170		
			959.000	0.0028		
			961.400	0.0046		
			1074.200	0.0011		
			1144.500	0.0019		
			1245.500	0.0050		
			1380.500	0.0011		
			1448.900	0.0034		

Muclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	Γ	T
						Rem/h/Ci	Rem/h/Ci
75 Br	35	1.633 h	1515.800	0.0012		0.6906	0.5572
			1561.000	0.0013			
75 Kr	36	4.500 m	88.400	0.0330		0.6415	0.5093
			119.500	0.0178			
			132.500	0.7400			
			153.300	0.0620			
			154.700	0.2100			
			179.400	0.0028			
			216.400	0.0013			
			219.600	0.0030			
			220.900	0.0019			
			241.700	0.0133			
			273.100	0.0059			
			296.000	0.0027			
			352.500	0.0081			
			511.000	1.9260			
76 Ga	31	27.100 s	335.900	0.0530		1.2964	0.9592
			431.000	0.0920			
			545.510	0.2590			
			562.930	0.6580			
			661.400	0.0074			
			843.800	0.0114			
			847.150	0.0355			
			885.830	0.0132			
			911.400	0.0100			
			927.050	0.0092			
			976.500	0.0461			
			1014.200	0.0036			
			1043.600	0.0030			
			1051.700	0.0047			
			1108.410	0.1580			
			1175.700	0.0047			
			1182.100	0.0051			
			1208.020	0.0153			
			1249.100	0.0064			
			1259.900	0.0030			
			1273.050	0.0120			
			1310.600	0.0028			
			1348.130	0.0074			
			1358.900	0.0018			
			1443.900	0.0026			
			1461.200	0.0033			
			1482.500	0.0049			
			1489.600	0.0023			
			1502.300	0.0049			
			1546.000	0.0043			
			1583.900	0.0020			
			1612.700	0.0045			
			1634.000	0.0114			
			1639.300	0.0553			
			1642.800	0.0093			
			1660.300	0.0077			
			1721.900	0.0014			
			1732.700	0.0072			
			1811.100	0.0084			
			1878.300	0.0036			

Muclide	Z	Half Life	Energy keV	Yield	R ^a /m ² /h/Ci	T
					Rem/h/Ci	
76 Ga	31	27.100 s	1892.700	0.0040	1.2964	0.9592
			1902.200	0.0042		
			1912.700	0.0059		
			1924.600	0.0020		
			1940.300	0.0068		
			1980.400	0.0022		
			2040.700	0.0033		
			2073.750	0.0423		
			2091.900	0.0018		
			2129.460	0.0220		
			2185.200	0.0049		
			2203.860	0.0137		
			2214.360	0.0223		
			2278.800	0.0044		
			2347.400	0.0043		
			2356.880	0.0246		
			2369.800	0.0028		
			2435.600	0.0037		
			2476.600	0.0022		
			2481.100	0.0020		
			2489.600	0.0020		
			2524.000	0.0080		
			2578.550	0.0224		
			2591.000	0.0027		
			2619.200	0.0224		
			2668.800	0.0016		
			2680.900	0.0032		
			2691.600	0.0015		
			2700.500	0.0020		
			2759.950	0.0110		
			2779.100	0.0080		
			2782.700	0.0101		
			2843.500	0.0159		
			2868.100	0.0035		
			2882.900	0.0014		
			2914.600	0.0074		
			2919.850	0.0910		
			2970.900	0.0039		
			2981.200	0.0020		
			3034.600	0.0052		
			3069.900	0.0092		
			3130.700	0.0021		
			3141.400	0.0421		
			3145.300	0.0030		
			3190.600	0.0321		
			3275.900	0.0058		
			3283.600	0.0017		
			3325.200	0.0011		
			3328.700	0.0020		
			3334.600	0.0019		
			3366.500	0.0015		
			3388.800	0.0283		
			3402.400	0.0013		
			3465.500	0.0014		
			3496.700	0.0011		
			3559.500	0.0059		
			3675.600	0.0045		
			3736.900	0.0016		

Muclide	Z	Half Life	Energy keV	Yield	R R ^b m ² /h/Ci	T Rem/h/Ci
76 Ga	31	27.100 s	3752.100	0.0016	1.2964	0.9592
			3913.300	0.0013		
			3925.200	0.0034		
			3951.700	0.0420		
			3994.300	0.0022		
			4121.800	0.0025		
			4253.300	0.0022		
76 As	33	1.097 d	559.100	0.4470	0.2349	0.1743
			563.230	0.0117		
			571.300	0.0014		
			657.030	0.0610		
			665.310	0.0039		
			740.120	0.0012		
			771.760	0.0012		
			867.630	0.0013		
			1129.870	0.0014		
			1212.720	0.0163		
			1216.020	0.0384		
			1228.520	0.0139		
			1439.130	0.0033		
			1453.600	0.0013		
			1787.670	0.0033		
			2096.330	0.0066		
			2110.790	0.0039		
76 Br	35	16.200 h	400.000	0.0010	1.3174	0.9811
			472.910	0.0189		
			489.700	0.0031		
			511.000	1.1427		
			559.110	0.7230		
			563.220	0.0282		
			571.700	0.0018		
			599.200	0.0025		
			604.400	0.0015		
			657.000	0.1550		
			665.100	0.0062		
			681.400	0.0041		
			695.800	0.0049		
			727.500	0.0085		
			730.400	0.0049		
			740.000	0.0010		
			771.800	0.0041		
			789.100	0.0047		
			803.500	0.0048		
			836.500	0.0044		
			867.500	0.0027		
			882.300	0.0040		
			886.100	0.0034		
			900.600	0.0012		
			942.300	0.0017		
			980.800	0.0030		
			1030.300	0.0061		
			1032.500	0.0061		
			1129.850	0.0434		
			1158.200	0.0015		
			1178.000	0.0012		
			1213.100	0.0116		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
76 Br	35	16.200 h	1216.100	0.0870	1.3174	0.9811
			1224.300	0.0017		
			1228.650	0.0202		
			1300.000	0.0014		
			1372.100	0.0049		
			1380.560	0.0241		
			1429.200	0.0023		
			1439.500	0.0055		
			1454.100	0.0083		
			1471.140	0.0231		
			1560.200	0.0043		
			1568.490	0.0087		
			1612.000	0.0022		
			1654.700	0.0012		
			1672.500	0.0017		
			1741.700	0.0012		
			1769.900	0.0023		
			1788.100	0.0050		
			1815.000	0.0015		
			1833.600	0.0028		
			1853.680	0.1400		
			1868.300	0.0014		
			1944.300	0.0038		
			1956.200	0.0024		
			2046.100	0.0017		
			2096.780	0.0128		
			2111.270	0.0231		
			2127.400	0.0014		
			2135.640	0.0085		
			2183.100	0.0014		
			2391.290	0.0450		
			2483.500	0.0011		
			2510.850	0.0180		
			2601.300	0.0067		
			2658.400	0.0017		
			2690.000	0.0035		
			2792.720	0.0530		
			2900.500	0.0036		
			2950.550	0.0760		
			2997.380	0.0095		
			3093.300	0.0016		
			3159.000	0.0014		
			3352.800	0.0025		
			3370.500	0.0010		
			3411.400	0.0029		
			3525.200	0.0018		
			3603.990	0.0158		
			3638.800	0.0017		
76 Kr	36	14.800 h	38.000	0.0013	0.2410	0.2103
			45.500	0.1810		
			76.300	0.0013		
			91.000	0.0022		
			96.600	0.0011		
			103.200	0.0370		
			113.400	0.0013		
			121.300	0.0020		
			134.800	0.0270		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
76 Kr	36	14.800 h	136.300	0.0107	0.2410	0.2103
			141.900	0.0020		
			150.500	0.0021		
			166.700	0.0017		
			171.000	0.0013		
			179.900	0.0017		
			199.800	0.0127		
			214.500	0.0032		
			232.500	0.0010		
			234.700	0.0014		
			239.003	0.0027		
			252.100	0.0670		
			270.300	0.2150		
			271.700	0.0470		
			294.900	0.0021		
			299.000	0.0094		
			300.200	0.0046		
			309.800	0.0250		
			315.700	0.4000		
			317.200	0.0047		
			355.300	0.0520		
			364.000	0.0056		
			406.500	0.1230		
			428.500	0.0017		
			438.600	0.0013		
			446.400	0.0042		
			452.000	0.0900		
			452.000	0.0050		
			473.100	0.0033		
			490.300	0.0021		
			499.800	0.0047		
			520.900	0.0020		
			543.600	0.0032		
			548.300	0.0013		
			552.600	0.0154		
			570.800	0.0013		
			575.900	0.0013		
			581.500	0.0047		
			582.500	0.0107		
			599.200	0.0020		
			619.500	0.0036		
			640.900	0.0020		
			666.000	0.0013		
			684.500	0.0016		
			731.100	0.0021		
			796.100	0.0031		
			822.600	0.0028		
			853.000	0.0015		
			868.200	0.0027		
			891.000	0.0013		
			898.200	0.0017		
			911.000	0.0013		
			936.000	0.0011		
			1002.000	0.0013		
			1030.300	0.0027		
			1070.300	0.0030		
76 Rb	37	36.800 s	64.000	0.0110	0.8829	0.6807

Muclide	Z	Half Life	Energy keV	Yield	R Rm2/h/Ci	T Rem/h/Ci
76 Rb	37	36.800 s	244.000	0.0110	0.8829	0.6807
			254.000	0.0100		
			344.000	0.0620		
			354.000	0.1010		
			423.000	0.4800		
			453.000	0.0260		
			511.000	2.0320		
			612.000	0.0150		
			768.000	0.0180		
			800.000	0.0350		
			823.000	0.0110		
			869.000	0.0110		
			885.000	0.0440		
			919.000	0.0360		
			937.000	0.0120		
			974.000	0.0210		
			1173.000	0.0220		
			1219.000	0.0230		
77 Ge m	32	54.000 s	159.700	0.1134	0.0337	0.0318
			194.800	0.0050		
			215.500	0.2100		
			419.400	0.0010		
77 Ge	32	11.300 h	156.360	0.0081	0.5749	0.4604
			159.110	0.0023		
			177.280	0.0018		
			194.762	0.0179		
			208.980	0.0095		
			211.031	0.3110		
			215.505	0.2890		
			219.100	0.0015		
			254.740	0.0021		
			264.440	0.5440		
			268.100	0.0030		
			337.630	0.0023		
			338.660	0.0067		
			367.397	0.1410		
			416.328	0.2200		
			419.750	0.0124		
			439.438	0.0020		
			461.378	0.0128		
			475.433	0.0100		
			520.000	0.0030		
			558.018	0.1620		
			582.537	0.0079		
			614.390	0.0051		
			624.760	0.0018		
			631.823	0.0703		
			634.389	0.0210		
			673.000	0.0054		
			673.000	0.0013		
			698.538	0.0023		
			705.240	0.0011		
			712.350	0.0094		
			714.345	0.0721		
			743.649	0.0018		
			745.748	0.0097		

Nuclide	Z	Half Life	Energy	Yield	T	$R^{\alpha}/h/Ci$	$R^{232}/h/Ci$	$R^{238}/h/Ci$
77 Ge	32	11.300 h	749.861	0.0089	0.5749	0.4604		
77 Br	35	4.280 m	106.200	0.1370	0.0064	0.0070		
77 As	33	1.617 d	87.876	0.0021	0.0047	0.0040		
77 Br β^-	35							
			520.652	0.0062				
			249.790	0.0043				
			238.999	0.0160				
			161.933	0.0013				
			161.933	0.0013				
			2089.600	0.0024				
			2077.200	0.0024				
			2000.100	0.0057				
			1846.410	0.0017				
			1727.180	0.0015				
			1719.656	0.0040				
			1709.812	0.0031				
			1573.688	0.0066				
			1538.763	0.0014				
			1495.597	0.0050				
			1479.000	0.0013				
			1476.524	0.0024				
			1452.590	0.0012				
			1368.000	0.0340				
			1319.662	0.0030				
			1312.802	0.0036				
			1309.271	0.0049				
			1279.957	0.0017				
			1263.862	0.0086				
			1242.183	0.0040				
			1215.418	0.0013				
			1193.263	0.0259				
			1151.837	0.0020				
			1124.990	0.0012				
			1114.800	0.0010				
			1085.188	0.0610				
			1080.820	0.0024				
			1061.699	0.0015				
			996.550	0.0011				
			939.350	0.0029				
			928.853	0.0105				
			925.473	0.0072				
			923.143	0.0070				
			913.805	0.0037				
			906.986	0.0096				
			900.970	0.0012				
			896.510	0.0012				
			875.191	0.0079				
			843.173	0.0021				
			823.130	0.0061				
			813.360	0.0013				
			810.352	0.0229				
			794.328	0.0028				
			784.770	0.0133				
			781.261	0.0102				
			766.715	0.0079				
			749.861	0.0089				

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
77 Br	35	2.333 d	138.950	0.0013	0.1757	0.1406
			161.830	0.0110		
			180.680	0.0028		
			200.400	0.0121		
			236.980	0.2310		
			249.770	0.0298		
			270.830	0.0032		
			281.650	0.0229		
			297.230	0.0416		
			303.760	0.0118		
			384.990	0.0084		
			439.470	0.0156		
			484.570	0.0100		
			511.000	0.0146		
			517.900	0.0016		
			520.690	0.2240		
			565.910	0.0043		
			567.900	0.0086		
			574.640	0.0119		
			578.910	0.0296		
			585.480	0.0157		
			755.350	0.0167		
			817.790	0.0208		
			1005.050	0.0092		
77 Kr	36	1.245 h	106.200	0.0126	0.5699	0.4598
			129.700	0.8730		
			146.500	0.4090		
			162.000	0.0022		
			276.200	0.0320		
			312.200	0.0358		
			511.000	1.5960		
			588.200	0.0012		
			606.000	0.0040		
			734.600	0.0038		
			837.000	0.0013		
			860.900	0.0017		
			1299.500	0.0028		
78 Ge	32	1.450 h	277.300	0.9600	0.1544	0.1455
			293.900	0.0403		
78 As	33	1.512 h	176.300	0.0012	0.5920	0.4357
			354.300	0.0190		
			545.400	0.0300		
			552.900	0.0030		
			613.600	0.5400		
			686.200	0.0200		
			695.400	0.1800		
			722.000	0.0019		
			786.200	0.0012		
			827.600	0.0750		
			842.400	0.0076		
			848.700	0.0017		
			884.600	0.0054		
			889.200	0.0100		
			1080.000	0.0190		
			1198.500	0.0050		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
78 As	33	1.512 h	1239.900	0.0580	0.5920	0.4357
			1308.800	0.1100		
			1339.300	0.0075		
			1382.100	0.0065		
			1435.900	0.0032		
			1475.900	0.0012		
			1530.000	0.0250		
			1714.300	0.0180		
			1720.000	0.0065		
			1738.600	0.0036		
			1894.700	0.0080		
			1924.100	0.0160		
			1995.500	0.0110		
			2068.900	0.0059		
			2095.300	0.0032		
			2226.100	0.0080		
			2613.400	0.0025		
			2616.800	0.0062		
			2629.300	0.0017		
			2682.500	0.0140		
			2798.500	0.0030		
			2839.200	0.0014		
78 Br m	35	1.192E-04 s	32.300	0.3850	0.0818	0.0633
			148.500	0.7700		
78 Br	35	6.460 m	511.000	1.8478	0.5926	0.4507
			613.630	0.1360		
79 Ge	32	42.000 s	230.400	0.2000	0.0630	0.0511
			542.500	0.1220		
79 As	33	9.010 m	95.500	0.0940	0.0138	0.0121
			364.500	0.0106		
			432.000	0.0085		
			446.800	0.0015		
			476.000	0.0020		
			715.100	0.0017		
			878.500	0.0080		
79 Kr	36	1.460 d	44.200	0.0021	0.1401	0.1124
			135.990	0.0100		
			180.210	0.0010		
			208.450	0.0078		
			217.020	0.0240		
			261.260	0.1270		
			299.510	0.0157		
			306.310	0.0260		
			344.700	0.0024		
			389.000	0.0152		
			397.560	0.0950		
			511.000	0.1421		
			522.980	0.0025		
			525.320	0.0043		
			606.070	0.0810		
			832.040	0.0126		
			934.810	0.0013		
			1025.700	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R \cdot m ² /h/Ci	Rem/h/Ci
79 Kr	36	1.460 d	1115.100 1332.130	0.0037 0.0044	0.1401	0.1124
79 Rb	37	22.900 m	52.330 108.900 130.010 143.490 147.230 154.840 160.680 182.820 200.720 218.760 303.170 350.660 383.890 388.800 397.650 402.150 417.100 428.600 461.490 486.390 505.300 511.000 524.400 533.230 540.970 569.050 603.190 622.080 643.600 688.120 774.400 787.440 915.850 921.700 934.690 941.320 1184.300 1475.000	0.0031 0.0015 0.1000 0.1120 0.0780 0.0590 0.0700 0.1620 0.0017 0.0120 0.0031 0.0680 0.0118 0.0019 0.0540 0.0053 0.0024 0.0055 0.0120 0.0029 0.1290 1.7140 0.0019 0.0135 0.0087 0.0113 0.0072 0.0710 0.0024 0.2410 0.0070 0.0022 0.0055 0.0036 0.0029 0.0017 0.0022 0.0012	0.7733	0.6000
80 As	33	16.500 s	665.800 782.400 811.300 860.700 1035.700 1064.700 1206.800 1294.000 1448.800 1645.000 1847.800 1960.000 2357.800 2514.000 2774.200 2836.200	0.4180 0.0079 0.0046 0.0071 0.0038 0.0013 0.0420 0.0096 0.0100 0.0650 0.0092 0.0038 0.0088 0.0017 0.0029 0.0025	0.2912	0.2136

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	
80 Br	35	17.400 m	511.000 616.200 639.400 703.800	0.0520 0.0663 0.0024 0.0020	0.0405	0.0302	
80 Br m	35	4.420 h	37.052 48.900	0.3900 0.0032	0.0212	0.0088	
80 Rb	37	34.000 s	511.000 620.000	1.9600 0.3900	0.7167	0.5428	
81 As	33	33.000 s	156.000 467.600 491.000 521.000 756.000 836.000 938.900 949.700 1406.000 1561.900 2029.600 2102.200 2301.800 2569.500 2832.400	0.0017 0.1232 0.0523 0.0090 0.0010 0.0020 0.0020 0.0022 0.0060 0.0023 0.0014 0.0023 0.0017 0.0010 0.0017	0.0686	0.0527	
81 Se	34	18.500 m	275.900 290.000 552.400 566.000 828.300	0.0087 0.0067 0.0010 0.0026 0.0032	0.0051	0.0042	
81 Se m	34	57.250 m	103.000	0.1260	0.0057	0.0063	
81 Kr	36	210143.836 y	275.990	0.0200	0.0031	0.0029	
81 Rb m	37	32.000 m	85.000	0.0500	0.0019	0.0021	
81 Rb	37	4.580 h	190.000 244.200 357.900 389.200 446.300 456.800 476.700 499.700 511.000 511.000 537.600 549.000 568.800 608.200 724.000 803.400 834.700 977.000	0.6450 0.0026 0.0066 0.0047 0.2286 0.0265 0.0050 0.0036 0.0250 0.6104 0.0226 0.0040 0.0053 0.0030 0.0028 0.0077 0.0076 0.0048	0.3459	0.2781	

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
81 Rb	37	4.580 h	1041.000	0.0049	0.3459	0.2781
81 Sr	38	25.500 m	131.000	0.0010	0.7703	0.6057
			142.300	0.0400		
			147.800	0.3080		
			153.400	0.3650		
			172.000	0.0010		
			188.300	0.2090		
			206.400	0.0020		
			218.400	0.0010		
			237.000	0.0010		
			245.400	0.0080		
			255.000	0.0170		
			289.700	0.0010		
			290.000	0.0010		
			301.200	0.0200		
			386.500	0.0370		
			412.600	0.0010		
			421.000	0.0150		
			421.200	0.0150		
			443.500	0.1730		
			465.600	0.0090		
			477.000	0.0030		
			477.000	0.0020		
			496.500	0.0020		
			511.000	1.7116		
			517.000	0.0100		
			523.600	0.0090		
			549.200	0.0040		
			560.400	0.0010		
			574.500	0.0620		
			607.900	0.0130		
			632.000	0.0010		
			644.700	0.0040		
			701.500	0.0140		
			712.000	0.0130		
			721.300	0.0290		
			769.000	0.0010		
			809.000	0.0030		
			819.200	0.0010		
			851.600	0.0060		
			897.000	0.0020		
			909.300	0.0300		
			922.900	0.0040		
			938.600	0.0290		
			978.500	0.0040		
			1067.000	0.0020		
			1080.700	0.0040		
			1110.000	0.0020		
			1194.000	0.0050		
			1211.000	0.0030		
			1253.000	0.0030		
			1323.500	0.0020		
			1344.000	0.0010		
			1381.000	0.0040		
			1399.000	0.0050		
			1553.000	0.0050		
			1600.000	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
82 As	33	13.000 s	343.500	0.7400	1.9205	1.4374
			560.500	0.2000		
			654.800	0.7700		
			815.500	0.1100		
			818.700	0.3000		
			902.700	0.0300		
			1076.200	0.0740		
			1080.400	0.2100		
			1541.000	0.1000		
			1718.000	0.0440		
			1731.400	0.2300		
			1896.000	0.4700		
			2355.500	0.0600		
			2514.300	0.0800		
			2605.300	0.1000		
			3149.500	0.0700		
82 As	33	21.000 s	185.700	0.0060	0.1889	0.1389
			654.800	0.1500		
			1076.200	0.0150		
			1080.400	0.0220		
			1731.400	0.0500		
			1971.000	0.0130		
			2590.100	0.0150		
			2834.000	0.0180		
			3666.000	0.0150		
82 Br m1	35	6.100 m	776.490	0.0020	0.0009	0.0006
82 Br m2	35	6.130 m	46.000	0.0024	0.0001	0.0001
82 Br	35	1.471 d	92.184	0.0072	1.4543	1.0679
			137.400	0.0014		
			221.450	0.0226		
			273.450	0.0080		
			554.320	0.7080		
			606.300	0.0117		
			619.070	0.4350		
			698.330	0.2850		
			776.490	0.8360		
			827.810	0.2404		
			952.100	0.0037		
			1007.570	0.0127		
			1043.970	0.2720		
			1081.400	0.0063		
			1317.470	0.2650		
			1426.000	0.0011		
			1474.820	0.1632		
			1650.300	0.0074		
			1779.600	0.0011		
82 Rb	37	1.300 m	511.000	1.9057	0.6247	0.4742
			698.330	0.0015		
			776.490	0.1340		
			1395.200	0.0050		
82 Rb m	37	6.200 h	92.184	0.0045	1.5987	1.1780

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
82 Rb m	37	6.200 h	183.200	0.0173	1.5987	1.1780
			221.450	0.0173		
			273.450	0.0069		
			308.500	0.0019		
			401.120	0.0029		
			455.100	0.0091		
			499.500	0.0021		
			511.000	0.4618		
			554.320	0.6300		
			606.300	0.0157		
			619.070	0.3700		
			698.330	0.2400		
			776.490	0.8260		
			827.810	0.2060		
			952.100	0.0066		
			1007.570	0.0690		
			1043.970	0.3300		
			1072.600	0.0091		
			1081.400	0.0124		
			1100.000	0.0033		
			1180.200	0.0017		
			1191.300	0.0025		
			1317.470	0.2560		
			1474.820	0.1730		
			1650.300	0.0132		
			1779.600	0.0026		
			1834.800	0.0013		
			1974.200	0.0012		
			2242.000	0.0019		
83 Se m	34	1.173 m	188.900	0.0017	0.4817	0.3586
			231.500	0.0033		
			356.660	0.1730		
			391.400	0.0010		
			510.040	0.0036		
			631.200	0.0047		
			673.880	0.1510		
			799.000	0.0123		
			987.900	0.1530		
			997.600	0.0128		
			1020.600	0.0197		
			1030.500	0.2090		
			1053.600	0.0149		
			1063.400	0.0339		
			1303.000	0.0093		
			1660.000	0.0178		
			1694.500	0.0074		
			1779.000	0.0071		
			2051.400	0.1100		
83 Se	34	22.500 m	208.300	0.0185	1.2759	0.9704
			225.160	0.3190		
			296.100	0.0027		
			340.200	0.0041		
			356.660	0.6860		
			371.600	0.0055		
			389.200	0.0062		
			442.400	0.0110		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
83 Se	34	22.500 m	451.600	0.0082	1.2759	0.9704
			457.400	0.0350		
			472.700	0.0014		
			485.700	0.0226		
			510.040	0.4430		
			553.100	0.0430		
			571.900	0.0446		
			593.400	0.0075		
			609.200	0.0309		
			621.600	0.0041		
			664.800	0.0322		
			679.400	0.0110		
			706.100	0.0021		
			712.100	0.0268		
			718.000	0.1630		
			735.100	0.0082		
			799.000	0.1600		
			836.500	0.1590		
			866.600	0.0880		
			883.600	0.0780		
			887.800	0.0473		
			933.700	0.0069		
			943.300	0.0089		
			995.900	0.0130		
			1036.500	0.0021		
			1064.100	0.0590		
			1082.000	0.0268		
			1110.300	0.0041		
			1191.700	0.0418		
			1225.900	0.0123		
			1245.200	0.0069		
			1259.300	0.0089		
			1293.800	0.0160		
			1299.100	0.0580		
			1305.900	0.0055		
			1316.900	0.0410		
			1341.200	0.0570		
			1352.500	0.0480		
			1420.600	0.0110		
			1447.400	0.0048		
			1554.800	0.0254		
			1664.600	0.0055		
			1715.900	0.0062		
			1779.900	0.0190		
			1847.600	0.0069		
			1854.400	0.0151		
			1871.200	0.0144		
			1894.800	0.0780		
			2290.200	0.0930		
			2337.400	0.0343		
83 Br	35	2.390 h	529.500	0.0130	0.0040	0.0030
83 Rb	37	86.200 d	520.350	0.4610	0.2862	0.2163
			529.540	0.3000		
			552.500	0.1630		
			788.930	0.0070		
			798.400	0.0026		

Mucleotide	Z	Half Life	Energy	KeV	$R_{\text{p}}/\text{h}/\text{Ci}$	$R_{\text{e}}/\text{h}/\text{Ci}$
83 Sr	38	1.350 d	42.300	0.0157	0.4168	0.3166
83 X	39	7.060 ■	35.600	0.1360	0.6645	0.5024
83 X ■	39	2.850 ■	259.300	0.8800	0.7446	0.5882
			511.000	1.8840		
			421.000	0.2640		
			2147.600	0.0018		
			2090.100	0.0014		
			2047.900	0.0011		
			1952.100	0.0086		
			1562.300	0.0196		
			1385.400	0.0010		
			1324.600	0.0025		
			1296.500	0.0014		
			1238.100	0.0022		
			1215.400	0.0023		
			1202.200	0.0017		
			1160.400	0.0153		
			1147.700	0.0123		
			1098.400	0.0026		
			1054.700	0.0021		
			1050.700	0.0010		
			1044.300	0.0036		
			944.600	0.0015		
			916.900	0.0013		
			907.800	0.0033		
			890.000	0.0017		
			853.800	0.0013		
			848.400	0.0021		
			819.300	0.0083		
			778.500	0.0194		
			762.700	0.3000		
			759.160	0.0041		
			737.100	0.0021		
			565.000	0.0012		
			559.500	0.0019		
			511.000	0.4863		
			438.300	0.0090		
			423.700	0.0156		
			418.400	0.0500		
			389.46C	0.0155		
			381.600	0.11190		
			381.600	0.0770		
			290.100	0.0053		
			160.000	0.0015		
			94.200	0.0041		
			42.300	0.0157		

Muclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
83 Y	39	7.060 m	858.800 882.100 951.700 1336.500 1372.000	0.0222 0.0460 0.0133 0.0234 0.0063	0.6645	0.5024
84 As	33	5.500 s	577.500 667.100 1244.600 1248.700 1317.100 1443.900 1455.100 1843.700 2086.600 2461.200 2723.000 3037.900 3475.000 4435.900 4886.000 4945.900 5087.700 5151.000	0.0370 0.2100 0.0320 0.0130 0.0170 0.0240 0.4900 0.0340 0.0470 0.0400 0.0088 0.0150 0.0080 0.0100 0.0040 0.0140 0.0090 0.0100	0.7390	0.5440
84 Se	34	3.250 m	408.200 498.500	1.0000 0.0240	0.2410	0.1999
84 Br m	35	6.000 m	424.000 447.000 881.600 1016.000 1462.800 1897.700	1.0000 0.0300 0.9800 0.0100 0.9700 0.0200	1.4622	1.0934
84 Br	35	31.790 m	230.200 354.700 382.000 604.800 736.500 802.200 881.600 947.500 987.300 1005.700 1015.900 1082.600 1119.100 1185.000 1213.300 1463.800 1578.100 1607.600 1741.200 1818.700 1877.500 1897.600 2029.600	0.0029 0.0029 0.0057 0.0170 0.0127 0.0590 0.4100 0.0037 0.0078 0.0045 0.0610 0.0014 0.0014 0.0011 0.0250 0.0190 0.0066 0.0039 0.0160 0.0024 0.0111 0.1450 0.0200	0.7977	0.5848

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
84 Br	35	31.790 m	2094.200 2200.700 2484.100 2593.700 2622.900 2758.700 2824.100 2988.700 3045.400 3202.100 3235.300 3365.800 3927.500 4084.600	0.0020 0.0115 0.0660 0.0014 0.0030 0.0049 0.0111 0.0016 0.0250 0.0020 0.0200 0.0280 0.0670 0.0029	0.7977	0.5848
84 Kr	36	1.840E-06 s	881.000 1078.000 1214.000	1.1200 0.9200 0.9700	1.6980	1.2411
84 Rb m	37	20.490 m	216.100 248.240 464.300	0.3400 0.6300 0.3100	0.2073	0.1774
84 Rb	37	32.870 d	511.000 881.460 1015.900 1897.000	0.5172 0.6790 0.0041 0.0075	0.4945	0.3651
84 Y	39	4.600 s	511.000 793.000	1.9800 0.3500	0.7402	0.5589
84 Y	39	40.200 m	288.300 462.800 511.000 602.200 660.700 680.600 703.600 793.100 974.400 994.200 1039.800 1092.300 1110.300 1144.300 1255.000 1262.700 1453.400 1502.800 1614.500 1654.600 1744.400 1763.600 1810.800 2006.700 2295.300	0.0078 0.0940 1.7720 0.0880 0.1460 0.0410 0.0430 0.9800 0.7400 0.0410 0.4520 0.0440 0.0320 0.0300 0.0588 0.0245 0.0200 0.0640 0.0176 0.0255 0.0225 0.0196 0.0090 0.0029 0.0220	2.0582	1.5215
84 Nb	41	12.000 s	511.000	2.0000	0.9956	0.7528

Nuclide	Z	Half Life	Energy	Yield	T	R _m s/h/Ci	R _m /h/Ci
84 Nb	41	12.000 s	540.000	1.0000	722.800	0.2300	0.9956 0.7528
85 As	33	2.050 s	577.500	0.0098	667.100	0.0690	0.1619 0.1193
85 Se	34	2.900 m	345.100	0.4570	432.800	0.0270	0.9806 0.7353
85 Br	35	2.867 m	794.780	0.0010	0.0313	0.0228	
			3826.300	0.0114			
			3773.300	0.0300			
			3741.400	0.0069			
			3683.000	0.0219			
			3654.600	0.0390			
			3624.500	0.0155			
			3555.000	0.0050			
			3539.300	0.0128			
			3479.100	0.0069			
			3396.300	0.0840			
			3007.300	0.0320			
			2871.900	0.0064			
			2723.800	0.0114			
			2601.300	0.0170			
			2583.800	0.0174			
			2565.400	0.0096			
			2550.300	0.0119			
			2542.900	0.0073			
			2454.500	0.0360			
			2446.900	0.0046			
			2416.700	0.0290			
			2303.700	0.0050			
			2245.600	0.0027			
			2232.900	0.0224			
			2091.200	0.0069			
			2029.400	0.0101			
			1943.300	0.0206			
			1794.800	0.0137			
			1724.000	0.0238			
			1700.500	0.0206			
			1598.200	0.0119			
			1552.800	0.0082			
			1449.700	0.0242			
			1426.600	0.0750			
			1373.100	0.0197			
			1246.900	0.0155			
			1207.700	0.0560			
			1191.000	0.0192			
			1081.500	0.0290			
			987.900	0.0174			
			955.400	0.0550			
			940.300	0.0270			
			839.400	0.0270			
			610.300	0.0350			
			597.400	0.0133			
			432.800	0.0270			
			345.100	0.4570	1843.700	0.0113	

Muclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T
					Rem/h/Ci	
85 Br	35	2.867 m	802.410 861.760 865.220 913.310 919.060 924.630 1037.830 1727.020 1832.500	0.0256 0.0023 0.0018 0.0013 0.0065 0.0163 0.0010 0.0038 0.0015	0.0313	0.0228
85 Kr *	36	4.480 h	151.170 304.860	0.7540 0.1380	0.0786	0.0787
85 Kr	36	10.727 y	517.000	0.0043	0.0013	0.0010
85 Sr *	38	67.660 m	151.240 231.670 238.610	0.1212 0.8441 0.0034	0.1147	0.1047
85 Sr	38	64.840 d	513.993	0.9830	0.2914	0.2219
85 Y *	39	2.680 h	215.900 231.650 238.770 409.500 504.440 511.000 698.000 913.890 1278.100 1320.600	0.0019 0.8400 0.0034 0.0064 0.6030 1.3231 0.0018 0.0900 0.0024 0.0037	0.7233	0.5654
85 Y	39	4.860 h	193.400 231.650 438.400 468.400 504.400 511.000 535.600 546.700 558.200 568.400 576.700 587.500 611.900 616.500 667.500 698.000 724.500 763.200 767.300 768.600 769.700 787.900 796.400 810.800 816.800 821.600	0.0035 0.2340 0.0017 0.0012 0.0155 1.1533 0.0355 0.0122 0.0027 0.0172 0.0023 0.0012 0.0111 0.0089 0.0015 0.0133 0.0045 0.0018 0.0370 0.0133 0.0030 0.0161 0.0024 0.0019 0.0080 0.0022	0.6963	0.5269

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
85 Y	39	4.860 h	861.600	0.0100		
			865.500	0.0012		
			910.000	0.0021		
			914.500	0.0013		
			944.500	0.0017		
			996.500	0.0055		
			1026.800	0.0011		
			1030.100	0.0207		
			1110.400	0.0011		
			1123.200	0.0183		
			1186.900	0.0028		
			1220.500	0.0203		
			1261.900	0.0066		
			1323.400	0.0070		
			1338.400	0.0017		
			1356.300	0.0055		
			1356.300	0.0013		
			1395.500	0.0045		
			1404.600	0.0316		
			1414.800	0.0042		
			1555.300	0.0022		
			1566.200	0.0023		
			1584.400	0.0122		
			1588.700	0.0034		
			1626.800	0.0028		
			1658.000	0.0013		
			1687.800	0.0015		
			1705.400	0.0061		
			1854.300	0.0042		
			1892.200	0.0183		
			1919.700	0.0014		
			1934.200	0.0022		
			1940.400	0.0059		
			2086.200	0.0015		
			2120.200	0.0081		
			2123.800	0.0510		
			2166.000	0.0045		
			2172.100	0.0233		
			2351.700	0.0058		
			2550.200	0.0023		
			2642.300	0.0013		
			2748.300	0.0011		
			2782.200	0.0034		
			2814.600	0.0012		
85 Zr	40	7.860 m	266.300	0.0237		
			358.000	0.0112		
			416.300	0.2500		
			416.300	0.0025		
			454.300	0.4160		
			480.400	0.0021		
			511.000	1.9032		
			622.800	0.0025		
			636.700	0.0075		
			744.100	0.0029		
			782.100	0.0158		
			799.900	0.0067		
			810.900	0.0042		

Nuclide	Z	Half Life	Energ: keV	Yield	Γ R*m2/n/Ci	T Rem/h/Ci
85 Zr	40	7.860 m	836.700	0.0062	0.8547	0.6564
			837.500	0.0025		
			874.600	0.0037		
			957.300	0.0071		
			986.800	0.0025		
			990.600	0.0046		
			1118.200	0.0033		
			1170.300	0.0029		
			1191.500	0.0025		
			1198.400	0.0450		
			1290.800	0.0037		
			1339.400	0.0012		
			1410.200	0.0104		
			1419.100	0.0021		
			1518.000	0.0017		
			1567.400	0.0042		
			1730.100	0.0071		
			1768.200	0.0179		
			1876.200	0.0042		
			1934.100	0.0046		
			1937.900	0.0062		
			1955.700	0.0042		
86 Br	35	55.000 s	499.300	0.0050	1.4551	1.0722
			749.500	0.0071		
			785.120	0.0380		
			803.500	0.0280		
			1217.240	0.0600		
			1286.000	0.0770		
			1361.650	0.1050		
			1389.870	0.0990		
			1465.200	0.0560		
			1534.700	0.0930		
			1564.920	0.6400		
			1769.600	0.0120		
			1966.200	0.0720		
			2349.530	0.0960		
			2751.200	0.2120		
			2926.200	0.0270		
			5406.800	0.0460		
			5519.200	0.0280		
			6210.700	0.0058		
86 Rb m	37	1.017 m	556.070	0.9790	0.3139	0.2347
86 Rb	37	18.660 d	1076.600	0.0878	0.0508	0.0371
86 Sr	38	4.600E-07 s	99.000	0.4850	1.5712	1.1588
			627.000	1.0000		
			1078.000	1.0000		
			1154.000	1.0000		
86 Y m	39	48.000 m	98.600	0.0034	0.1164	0.1059
			208.100	0.9365		
			511.000	0.0090		
			627.200	0.0070		
			1076.600	0.0070		
			1153.100	0.0070		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
86 Y	39	14.740 h	132.340	0.0017	1.8827	1.3941
			182.340	0.0011		
			187.870	0.0126		
			190.800	0.0101		
			209.800	0.0040		
			235.370	0.0040		
			237.900	0.0013		
			252.050	0.0037		
			264.530	0.0054		
			307.000	0.0346		
			331.080	0.0083		
			370.280	0.0082		
			380.400	0.0045		
			382.860	0.0363		
			425.970	0.0031		
			439.500	0.0020		
			443.130	0.1690		
			444.180	0.0064		
			469.240	0.0030		
			511.000	0.6678		
			515.180	0.0489		
			580.570	0.0478		
			608.290	0.0201		
			618.200	0.0021		
			627.720	0.3260		
			644.820	0.0220		
			645.870	0.0920		
			689.290	0.0017		
			702.200	0.0025		
			703.330	0.1540		
			709.900	0.0262		
			719.170	0.0022		
			720.810	0.0136		
			767.630	0.0240		
			768.250	0.0032		
			777.370	0.2240		
			783.600	0.0026		
			826.020	0.0330		
			833.720	0.0150		
			835.670	0.0440		
			882.960	0.0025		
			887.400	0.0044		
			955.350	0.0104		
			971.430	0.0027		
			1017.930	0.0018		
			1024.040	0.0379		
			1076.630	0.8250		
			1092.680	0.0069		
			1102.020	0.0020		
			1133.300	0.0030		
			1153.050	0.3050		
			1163.030	0.0118		
			1253.110	0.0153		
			1270.160	0.0065		
			1283.960	0.0029		
			1294.900	0.0029		
			1296.030	0.0054		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R [*] m ² /h/Ci	T Rem/h/Ci
86 Y	39	14.740 h	1349.150 1404.800 1415.200 1507.860 1533.190 1535.670 1564.400 1696.250 1711.600 1724.150 1790.900 1801.700 1854.380 1920.720 2017.100 2088.090 2291.800 2482.080 2567.970 2610.110 2641.900 2794.900 2865.900 3069.700 3334.000	0.0295 0.0018 0.0033 0.0035 0.0022 0.0012 0.0018 0.0064 0.0017 0.0055 0.0100 0.0165 0.1720 0.2080 0.0013 0.0025 0.0012 0.0012 0.0225 0.0124 0.0016 0.0021 0.0038 0.0012 0.0012	1.8827	1.3941
86 Zr	40	16.500 h	135.600 242.800 612.000 620.600	0.0047 0.9580 0.0570 0.0027	0.1478	0.1291
87 Br	35	55.690 s	158.140 229.900 263.710 380.400 421.820 461.600 493.290 529.390 531.900 585.690 610.460 652.060 681.190 698.700 714.720 831.140 874.550 893.960 920.900 944.190 952.830 954.980 1021.280 1069.160 1095.400 1146.390 1185.650	0.0020 0.0086 0.0037 0.0018 0.0500 0.0066 0.0018 0.0120 0.0800 0.0084 0.0114 0.0170 0.0051 0.0015 0.0020 0.0120 0.0060 0.0045 0.0077 0.0188 0.0097 0.0042 0.0188 0.0031 0.0610 0.0035 0.0019	1.7010	1.2517

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ^a m ² /h/Ci	T Rem/h/Ci
87 Br	35	55.690 s	1278.100	0.0028	1.7010	1.2517
			1338.170	0.0085		
			1349.510	0.0042		
			1360.890	0.0490		
			1412.580	0.0087		
			1419.830	0.3200		
			1449.350	0.0172		
			1476.190	0.1170		
			1577.730	0.0860		
			1607.300	0.0185		
			1640.760	0.0045		
			1659.640	0.0031		
			1768.440	0.0103		
			1798.400	0.0096		
			1836.800	0.0140		
			1868.800	0.0028		
			1881.290	0.0420		
			1934.420	0.0040		
			2005.550	0.0770		
			2058.900	0.0021		
			2071.560	0.0350		
			2122.640	0.0178		
			2169.680	0.0067		
			2232.900	0.0033		
			2254.300	0.0034		
			2259.000	0.0036		
			2299.430	0.0060		
			2340.300	0.0046		
			2372.420	0.0139		
			2378.300	0.0030		
			2398.100	0.0077		
			2452.650	0.0101		
			2454.600	0.0064		
			2498.730	0.0083		
			2510.800	0.0036		
			2518.000	0.0090		
			2546.000	0.0015		
			2575.710	0.0090		
			2638.330	0.0083		
			2641.890	0.0082		
			2663.770	0.0032		
			2695.160	0.0036		
			2705.130	0.0256		
			2713.700	0.0035		
			2747.700	0.0122		
			2810.600	0.0012		
			2821.210	0.0253		
			2836.600	0.0217		
			2869.900	0.0047		
			2997.500	0.0330		
			3027.300	0.0181		
			3063.100	0.0030		
			3080.600	0.0024		
			3091.080	0.0047		
			3120.990	0.0044		
			3132.900	0.0042		
			3143.100	0.0036		
			3167.890	0.0052		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
87 Br	35	55.690 s	3176.400	0.0187	1.7010	1.2517
			3182.500	0.0044		
			3201.100	0.0011		
			3207.500	0.0016		
			3217.170	0.0038		
			3248.690	0.0060		
			3256.870	0.0044		
			3271.500	0.0046		
			3461.100	0.0043		
			3496.600	0.0031		
			3523.000	0.0017		
			3541.750	0.0065		
			3580.400	0.0017		
			3794.760	0.0096		
			3809.490	0.0056		
			3895.600	0.0020		
			3903.300	0.0019		
			3917.310	0.0290		
			3953.000	0.0032		
			4088.600	0.0030		
			4181.260	0.0660		
			4297.550	0.0065		
			4464.900	0.0011		
			4523.300	0.0035		
			4572.650	0.0147		
			4620.970	0.0052		
			4645.390	0.0149		
			4663.000	0.0043		
			4710.700	0.0070		
			4752.900	0.0033		
			4784.770	0.0267		
			4824.300	0.0023		
			4836.200	0.0010		
			4872.470	0.0050		
			4961.780	0.0280		
			4997.100	0.0019		
			5022.200	0.0026		
			5044.900	0.0060		
			5089.100	0.0028		
			5104.160	0.0071		
			5118.000	0.0032		
			5120.500	0.0088		
			5195.500	0.0075		
			5201.300	0.0096		
			5214.300	0.0033		
			5474.200	0.0061		
			5686.900	0.0016		
			5687.400	0.0016		
87 Kr	36	1.272 h	402.578	0.5000	0.3780	0.2896
			673.830	0.0189		
			814.250	0.0016		
			836.370	0.0077		
			845.440	0.0730		
			946.690	0.0013		
			1175.400	0.0111		
			1338.000	0.0063		
			1382.550	0.0029		

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
87 Kr	36	1.272 h	1389.870 1531.200 1578.030 1611.180 1740.520 1842.610 2011.880 2408.500 2554.800 2558.100 2811.400 3308.500	0.0012 0.0036 0.0013 0.0010 0.0204 0.0014 0.0288 0.0023 0.0920 0.0390 0.0032 0.0045	0.3780	0.2896
87 Sr	38	2.810 h	388.400	0.8226	0.1828	0.1558
87 Y m	39	12.900 h	381.000 511.000	0.7805 0.0150	0.1744	0.1496
87 Y	39	3.346 d	388.400 484.900 511.000	0.8180 0.9220 0.0042	0.4408	0.3555
87 Zr m	40	14.000 s	135.100 201.200	0.2740 0.9600	0.1183	0.1133
87 Zr	40	1.733 h	381.000 511.000 611.000 772.000 794.000 797.000 973.000 1024.000 1159.000 1203.000 1210.000 1227.000 1400.000 2222.000	0.7900 1.6039 0.0012 0.0024 0.0030 0.0018 0.0012 0.0085 0.0024 0.0015 0.0100 0.0303 0.0012 0.0027	0.6854	0.5384
87 Nb	41	2.600 m	201.200 269.000 470.600 511.000 600.000 616.600 801.700 887.000 983.000 1066.800 1083.000 1168.000 1285.000 1559.000 1683.600 1884.500 2153.300	0.4590 0.0275 0.3380 1.7600 0.0400 0.1340 0.0240 0.0339 0.0220 0.1200 0.0140 0.0170 0.0180 0.0140 0.0520 0.1480 0.0170	1.0603	0.8093
87 Nb m	41	3.820 m	135.100	0.2720	0.6817	0.5429

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
87 Nb m	41	3.820 m	201.200 511.000	0.9600 1.9120	0.6817	0.5429
88 Br	35	16.300 s	121.500 288.900 698.000 764.900 775.200 793.400 802.100 868.500 1053.700 1073.800 1285.900 1351.900 1369.000 1428.600 1440.700 1467.900 1567.000 1577.500 1644.200 1855.500 1877.100 2052.900 2154.400 2216.200 2270.000 2288.100 2428.500 2491.400 2504.200 2624.500 2828.600 2875.300 2945.700 3019.400 3278.800 3399.800 3493.000 3932.200 4021.700 4147.900 4255.200 4311.000 4562.800 4663.500 4713.400 5019.300 5297.400 5478.800	0.0015 0.0015 0.0023 0.0080 0.0120 0.0150 0.0410 0.0177 0.0131 0.0054 0.0069 0.0110 0.0031 0.0500 0.0031 0.0230 0.0350 0.0310 0.0085 0.0038 0.0054 0.0046 0.0054 0.0085 0.0054 0.0077 0.0031 0.0038 0.0177 0.0054 0.0200 0.0239 0.0115 0.0285 0.0092 0.0146 0.0500 0.0262 0.0420 0.0092 0.0077 0.0320 0.0085 0.0108 0.0208 0.0054 0.0038	1.1304	0.8258
88 Kr	36	2.840 h	122.270 165.980 196.320 240.710 311.690 334.710	0.0020 0.0310 0.2600 0.0025 0.0011 0.0015	0.8852	0.6606

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R $\text{m}^2/\text{h/Ci}$	Rem/h/Ci
88 Kr	36	2.840 h	362.226	0.0225	0.8862	0.6606
			390.543	0.0064		
			421.700	0.0013		
			471.800	0.0073		
			677.340	0.0024		
			788.280	0.0053		
			790.320	0.0013		
			834.830	0.1300		
			850.340	0.0017		
			862.327	0.0067		
			944.920	0.0029		
			985.780	0.0131		
			990.090	0.0014		
			1039.590	0.0048		
			1049.480	0.0014		
			1141.330	0.0128		
			1179.510	0.0100		
			1184.950	0.0069		
			1209.840	0.0014		
			1212.730	0.0014		
			1245.220	0.0036		
			1250.670	0.0112		
			1324.980	0.0016		
			1352.320	0.0016		
			1369.500	0.0148		
			1406.940	0.0022		
			1464.840	0.0011		
			1518.390	0.0215		
			1529.770	0.1090		
			1603.790	0.0046		
			1685.600	0.0066		
			1892.760	0.0014		
			1908.700	0.0010		
			2029.840	0.0453		
			2035.411	0.0374		
			2186.500	0.0029		
			2195.842	0.1320		
			2231.772	0.0339		
			2352.080	0.0073		
			2392.110	0.3460		
			2468.910	0.0010		
			2548.400	0.0062		
			2771.020	0.0015		
88 Rb	37	17.800 m	898.030	0.1400	0.2965	0.2183
			1366.260	0.0010		
			1382.390	0.0074		
			1779.830	0.0022		
			1836.000	0.2140		
			2111.220	0.0012		
			2577.720	0.0018		
			2677.860	0.0195		
			2734.030	0.0011		
			3009.430	0.0024		
			3218.480	0.0021		
			3486.460	0.0013		
			4742.690	0.0014		
88 Y	39	106.640 d	511.000	0.0044	1.3245	0.9743

Nuclide	Z	Half Life	Energy keV	Yield	R ^a m ² /h/Ci	T Rem/h/Ci
88 Y	39	106.640 d	898.020 1836.040 2734.030	0.9340 0.9935 0.0064	1.3245	0.9743
88 Zr	40	83.400 d	392.900	1.0000	0.2249	0.1906
88 Nb m	41	7.800 m	262.500 399.600 451.000 511.000 534.100 638.200 661.800 760.700 918.400 1056.900 1082.500 1399.200 1817.900 1975.400	0.1020 0.4400 0.2500 1.8860 0.1370 0.2590 0.0430 0.1690 0.1130 0.9300 0.5900 0.0590 0.1020 0.0600	2.0753	1.5546
88 Nb	41	14.300 m	76.700 271.900 399.600 502.800 511.000 671.000 1056.900 1082.500	0.2400 0.2900 0.3200 0.8000 1.8200 0.6600 1.0000 0.9800	2.2867	1.7164
89 Kr	36	3.170 m	196.200 197.500 205.030 220.900 264.110 338.200 345.030 356.060 364.880 369.300 402.250 411.420 438.080 466.130 490.760 497.500 498.600 557.300 576.960 585.800 626.200 629.750 665.720 671.400 674.110 696.240 707.010 710.050	0.0021 0.0181 0.0012 0.1990 0.0066 0.0034 0.0117 0.0410 0.0090 0.0137 0.0032 0.0255 0.0096 0.0080 0.0032 0.0660 0.0113 0.0016 0.0560 0.1640 0.0060 0.0034 0.0011 0.0011 0.0023 0.0177 0.0050 0.0078	0.8099	0.6042

Muclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
89 Kr	36	3.170 m	729.630	0.0029	0.8099	0.6042
			738.390	0.0420		
			747.400	0.0011		
			762.900	0.0040		
			762.900	0.0092		
			776.490	0.0111		
			826.750	0.0076		
			835.530	0.0109		
			857.370	0.0028		
			867.080	0.0590		
			870.420	0.0016		
			904.270	0.0710		
			930.950	0.0062		
			944.190	0.0016		
			953.180	0.0011		
			960.420	0.0032		
			974.390	0.0098		
			997.370	0.0066		
			1010.840	0.0011		
			1044.400	0.0041		
			1076.480	0.0023		
			1088.070	0.0036		
			1103.180	0.0090		
			1107.780	0.0291		
			1116.610	0.0165		
			1131.510	0.0016		
			1162.500	0.0021		
			1172.330	0.0098		
			1182.380	0.0017		
			1186.540	0.0018		
			1228.800	0.0014		
			1235.620	0.0059		
			1273.730	0.0135		
			1324.280	0.0304		
			1335.400	0.0013		
			1340.600	0.0019		
			1367.480	0.0015		
			1372.160	0.0013		
			1412.590	0.0026		
			1421.640	0.0022		
			1461.300	0.0012		
			1464.200	0.0018		
			1468.500	0.0019		
			1472.760	0.0680		
			1500.960	0.0131		
			1506.100	0.0011		
			1530.040	0.0330		
			1533.680	0.0510		
			1555.280	0.0015		
			1573.780	0.0019		
			1634.060	0.0082		
			1643.820	0.0034		
			1667.510	0.0013		
			1676.900	0.0014		
			1683.800	0.0013		
			1692.000	0.0025		
			1693.700	0.0440		
			1721.290	0.0022		

Nuclide	Z	Half Life	Energy keV	Yield	R^{γ}	Γ	T	R^{α}	$m^2/h/Ci$	R^{α}	$m/h/Ci$
89 Kr	36	3.170 m	1777.600	0.0076				0.8099	0.6042		
			1788.200	0.0011							
			1810.730	0.0014							
			1837.500	0.0012							
			1839.720	0.0035							
			1868.470	0.0020							
			1879.800	0.0016							
			1903.400	0.0103							
			1939.110	0.0064							
			1966.550	0.0013							
			1998.600	0.0012							
			2012.230	0.0155							
			2021.040	0.0024							
			2046.470	0.0026							
			2100.630	0.0094							
			2160.020	0.0053							
			2195.800	0.0013							
			2280.200	0.0020							
			2377.400	0.0080							
			2400.990	0.0072							
			2597.920	0.0011							
			2645.260	0.0042							
			2750.900	0.0012							
			2782.110	0.0076							
			2793.750	0.0068							
			2819.580	0.0013							
			2853.300	0.0024							
			2866.230	0.0173							
			2878.690	0.0032							
			3017.900	0.0025							
			3029.160	0.0027							
			3107.260	0.0019							
			3140.260	0.0103							
			3219.840	0.0043							
			3361.700	0.0103							
			3371.100	0.0062							
			3399.900	0.0014							
			3532.880	0.0133							
			3583.900	0.0026							
			3717.800	0.0084							
			3732.500	0.0014							
			3781.400	0.0013							
			3827.400	0.0014							
			3842.700	0.0011							
			3901.700	0.0013							
			3923.000	0.0041							
			3965.500	0.0021							
			3977.500	0.0027							
			3996.000	0.0014							
			4048.000	0.0012							
			4341.100	0.0010							
			4489.200	0.0013							
89 Rb	37	15.200 m	272.450	0.0142	1.0219	0.7504					
			289.760	0.0054							
			657.710	0.1000							
			766.790	0.0016							
			947.690	0.0220							

Nuclide	Z	Half Life	Energy keV	Yield	R# m ² /h/Ci	T Rem/h/Ci
89 Rb	37	15.200 m	1025.300 1031.880 1220.320 1228.400 1248.100 1473.220 1501.070 1538.080 1940.200 2007.540 2058.000 2196.000 2280.060 2570.140 2707.200 3508.840	0.0023 0.5800 0.0022 0.0012 0.4300 0.0035 0.0020 0.0255 0.0033 0.0238 0.0023 0.1330 0.0018 0.0990 0.0203 0.0115	1.0219	0.7504
89 Y	39	16.060 s	909.200	1.0000	0.5038	0.3666
89 Zr m	40	4.180 m	511.000 587.800 1507.400	0.0302 0.8954 0.0604	0.3570	0.2645
89 Zr	40	3.268 d	511.000 909.200 1712.900 1744.500	0.4528 0.9987 0.0077 0.0013	0.6440	0.4733
89 Nb m	41	66.000 m	507.400 511.000 588.000 650.300 769.600 1277.500	0.8500 1.6380 1.0000 0.0080 0.0650 0.0160	1.1120	0.8396
89 Nb	41	2.033 h	229.200 355.700 480.800 507.400 511.000 532.400 588.000 738.600 863.100 920.500 964.000 1060.500 1127.000 1242.500 1259.000 1303.000 1332.300 1447.700 1464.800 1511.400 1580.800 1627.200 1641.200	0.0014 0.0025 0.0014 0.0080 1.5101 0.0054 0.0120 0.0023 0.0047 0.0148 0.0011 0.0027 0.0220 0.0025 0.0127 0.0033 0.0127 0.0040 0.0090 0.0199 0.0054 0.0362 0.0020	0.7124	0.5364

Isotope	Z	Half Life	Energy keV	Yield	R ^a m ² /h/Ci	T Rem/h/Ci
89 Nb	41	2.033 h	1833.400	0.0340	0.7124	0.5364
			2101.100	0.0062		
			2128.200	0.0058		
			2132.000	0.0013		
			2221.000	0.0019		
			2297.000	0.0012		
			2572.300	0.0275		
			2612.100	0.0031		
			2753.500	0.0047		
			2889.600	0.0021		
			2925.800	0.0019		
			2960.100	0.0181		
			3016.200	0.0022		
			3092.700	0.0310		
			3575.800	0.0020		
90 Kr	36	32.320 s	106.050	0.0039	0.6514	0.4909
			120.520	0.0280		
			121.820	0.3300		
			227.760	0.0012		
			234.440	0.0260		
			242.190	0.0980		
			249.320	0.0131		
			309.070	0.0013		
			356.000	0.0010		
			386.480	0.0013		
			419.120	0.0031		
			429.930	0.0015		
			433.470	0.0128		
			470.340	0.0023		
			492.630	0.0118		
			498.590	0.0015		
			539.490	0.3000		
			554.370	0.0500		
			565.190	0.0020		
			569.200	0.0059		
			614.380	0.0021		
			619.080	0.0106		
			626.490	0.0028		
			661.230	0.0032		
			677.690	0.0037		
			690.720	0.0039		
			705.470	0.0012		
			731.330	0.0146		
			925.490	0.0022		
			941.850	0.0131		
			967.330	0.0021		
			980.290	0.0018		
			1039.110	0.0041		
			1103.920	0.0034		
			1118.690	0.3800		
			1165.560	0.0081		
			1240.340	0.0034		
			1341.310	0.0015		
			1386.620	0.0019		
			1423.770	0.0290		
			1466.260	0.0024		
			1537.850	0.0950		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
90 Kr	36	32.320 s	1552.180	0.0215	0.6514	0.4909
			1620.220	0.0015		
			1658.180	0.0130		
			1780.040	0.0660		
			1885.420	0.0022		
			1899.610	0.0019		
			1980.990	0.0017		
			2006.000	0.0012		
			2127.520	0.0135		
			2149.510	0.0027		
			2191.460	0.0011		
			2417.330	0.0019		
			2432.780	0.0015		
			2468.560	0.0046		
			2726.680	0.0086		
			2855.400	0.0032		
			2865.730	0.0018		
			3344.300	0.0011		
90 Rb	37	2.550 m	824.230	0.0075	0.8524	0.6224
			831.690	0.3300		
			997.850	0.0051		
			1038.630	0.0035		
			1060.700	0.0780		
			1140.500	0.0013		
			1302.200	0.0012		
			1326.500	0.0015		
			1375.360	0.0035		
			1590.300	0.0016		
			1631.780	0.0019		
			1665.610	0.0037		
			1668.900	0.0017		
			1804.100	0.0067		
			1829.800	0.0017		
			1892.280	0.0044		
			2139.300	0.0036		
			2148.200	0.0024		
			2207.470	0.0051		
			2216.290	0.0059		
			2239.700	0.0018		
			2473.900	0.0068		
			2476.700	0.0012		
			2688.900	0.0014		
			2724.300	0.0016		
			2789.100	0.0010		
			2980.700	0.0010		
			3039.170	0.0082		
			3081.300	0.0017		
			3205.090	0.0055		
			3295.090	0.0095		
			3303.910	0.0098		
			3317.000	0.0031		
			3361.880	0.0108		
			3383.240	0.0750		
			3534.240	0.0450		
			3538.600	0.0017		
			3627.400	0.0014		
			3814.360	0.0065		

Nuclide	Z	Half Life	Energy keV	Yield	R R* $m^2/h/Ci$	T Rem/h/Ci
90 Rb	37	2.550 m	4061.700	0.0026	0.8524	0.6224
			4087.300	0.0028		
			4135.510	0.0750		
			4332.100	0.0043		
			4355.800	0.0049		
			4365.900	0.0880		
			4599.400	0.0017		
			4646.450	0.0248		
			4974.100	0.0023		
			5070.200	0.0016		
			5187.400	0.0129		
			5254.300	0.0026		
			5333.000	0.0048		
90 Rb m	37	4.300 m	106.920	0.0037	1.4777	1.0819
			196.800	0.0029		
			314.500	0.0082		
			442.300	0.0012		
			522.100	0.0040		
			551.200	0.0085		
			720.700	0.0056		
			779.900	0.0027		
			824.230	0.0730		
			831.690	0.9100		
			872.000	0.0053		
			921.200	0.0023		
			952.440	0.0170		
			1013.950	0.0026		
			1027.100	0.0014		
			1060.700	0.0930		
			1140.500	0.0080		
			1242.840	0.0306		
			1271.770	0.0160		
			1298.500	0.0020		
			1375.360	0.1660		
			1377.200	0.0230		
			1391.600	0.0044		
			1425.200	0.0027		
			1456.700	0.0026		
			1460.100	0.0019		
			1485.600	0.0021		
			1489.000	0.0035		
			1576.900	0.0012		
			1603.520	0.0047		
			1658.900	0.0044		
			1665.610	0.0449		
			1692.100	0.0027		
			1696.160	0.0166		
			1738.930	0.0193		
			1747.300	0.0026		
			1793.890	0.0085		
			1838.150	0.0083		
			1877.400	0.0045		
			1892.280	0.0064		
			1903.100	0.0011		
			1941.810	0.0062		
			2128.300	0.0526		
			2139.330	0.0012		

Muclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
90 Rb m	37	4.300 m	2200.900	0.0648	1.4777	1.0819
			2207.470	0.0016		
			2245.200	0.0029		
			2256.550	0.0067		
			2298.100	0.0037		
			2311.200	0.0029		
			2335.200	0.0021		
			2442.900	0.0026		
			2497.270	0.0072		
			2537.800	0.0017		
			2543.900	0.0056		
			2592.300	0.0065		
			2617.800	0.0062		
			2724.270	0.0050		
			2741.000	0.0015		
			2752.680	0.1160		
			2834.430	0.0186		
			2900.300	0.0011		
			2911.700	0.0013		
			3032.100	0.0044		
			3039.170	0.0027		
			3148.580	0.0250		
			3197.900	0.0015		
			3214.500	0.0014		
			3317.000	0.1440		
			3370.800	0.0040		
			3383.240	0.0042		
			3503.520	0.0238		
			3572.820	0.0155		
			3620.800	0.0058		
			3627.400	0.0090		
			3972.200	0.0037		
			4115.600	0.0036		
			4192.800	0.0086		
			4209.500	0.0091		
			4257.300	0.0074		
			4454.070	0.0119		
			4726.100	0.0011		
90 Y	39	3.190 h	202.510	0.9581	0.3517	0.2900
			479.530	0.8998		
			682.000	0.0036		
90 Nb	41	14.600 h	132.590	0.0450	2.0264	1.5159
			141.149	0.7000		
			337.000	0.0046		
			371.010	0.0150		
			511.000	1.0620		
			518.220	0.0050		
			554.500	0.0028		
			758.000	0.0014		
			784.000	0.0013		
			827.700	0.0090		
			890.600	0.0173		
			899.000	0.0022		
			1054.000	0.0020		
			1129.100	0.9200		
			1270.600	0.0145		

Nuclide	Z	Half Life	Energy keV	Yield	R R ^{em2/h/Ci}	T Rem/h/Ci
90 Nb	41	14.600 h	1470.500	0.0060	2.0264	1.5159
			1574.800	0.0047		
			1611.800	0.0239		
			1656.000	0.0024		
			1698.500	0.0017		
			1716.200	0.0052		
			1740.000	0.0016		
			1787.500	0.0046		
			1843.300	0.0075		
			1876.000	0.0028		
			1882.000	0.0018		
			1913.300	0.0130		
			1926.000	0.0030		
			1984.000	0.0060		
			2085.000	0.0046		
			2186.400	0.1809		
			2222.500	0.0064		
			2319.200	0.8200		
90 Mo	42	5.670 h	42.700	0.0217	0.4387	0.3613
			122.370	0.6400		
			162.930	0.0600		
			203.130	0.0640		
			257.340	0.7800		
			323.200	0.0630		
			424.400	0.0036		
			440.500	0.0093		
			445.370	0.0600		
			472.200	0.0142		
			489.800	0.0070		
			511.000	0.4960		
			941.500	0.0550		
			946.400	0.0070		
			990.200	0.0101		
			1271.300	0.0410		
			1387.400	0.0186		
			1454.600	0.0190		
			1463.500	0.0070		
			1481.600	0.0023		
90 Tc	43	7.900 s	511.000	1.9880	0.6637	0.5035
			947.900	0.1490		
91 Kr	36	8.570 s	108.780	0.4300	0.8113	0.6073
			215.460	0.0018		
			397.830	0.0157		
			400.700	0.0021		
			412.040	0.0235		
			446.780	0.0165		
			474.630	0.0091		
			481.390	0.0124		
			489.490	0.0043		
			501.970	0.0160		
			506.580	0.1910		
			545.960	0.0041		
			555.570	0.0194		
			569.000	0.0020		
			588.220	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ^{rem} /h/Ci	T Rem/h/Ci
91 Kr	36	8.570 s	612.870	0.0770	0.8113	0.6073
			630.140	0.0222		
			662.420	0.0128		
			671.460	0.0070		
			680.000	0.0012		
			712.390	0.0022		
			721.550	0.0066		
			740.640	0.0057		
			761.010	0.0104		
			771.860	0.0035		
			780.200	0.0010		
			785.250	0.0047		
			797.680	0.0024		
			802.170	0.0012		
			807.140	0.0057		
			814.000	0.0013		
			817.640	0.0046		
			822.140	0.0040		
			825.820	0.0041		
			846.700	0.0011		
			858.680	0.0026		
			874.920	0.0127		
			879.500	0.0013		
			893.600	0.0017		
			895.000	0.0029		
			900.500	0.0016		
			953.240	0.0033		
			955.740	0.0032		
			992.100	0.0013		
			995.080	0.0080		
			1008.980	0.0019		
			1024.910	0.0290		
			1028.300	0.0065		
			1041.800	0.0022		
			1058.900	0.0027		
			1085.900	0.0012		
			1091.610	0.0034		
			1102.180	0.0076		
			1108.680	0.0720		
			1129.800	0.0011		
			1136.810	0.0104		
			1158.800	0.0010		
			1178.030	0.0129		
			1195.420	0.0026		
			1202.200	0.0012		
			1215.570	0.0066		
			1227.490	0.0012		
			1247.400	0.0017		
			1267.830	0.0067		
			1277.000	0.0021		
			1281.110	0.0062		
			1292.950	0.0049		
			1304.280	0.0125		
			1311.340	0.0044		
			1315.540	0.0059		
			1324.220	0.0055		
			1327.300	0.0013		
			1338.000	0.0017		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
91 Kr	36	8.570 s	1353.540	0.0060	0.8113	0.6073
			1356.170	0.0075		
			1359.630	0.0022		
			1365.300	0.0023		
			1368.500	0.0033		
			1386.990	0.0055		
			1392.740	0.0055		
			1402.000	0.0023		
			1419.720	0.0084		
			1426.100	0.0010		
			1439.110	0.0036		
			1456.500	0.0035		
			1459.000	0.0028		
			1468.200	0.0016		
			1479.900	0.0054		
			1500.600	0.0070		
			1501.100	0.0480		
			1506.400	0.0083		
			1525.000	0.0016		
			1528.290	0.0091		
			1537.340	0.0033		
			1547.650	0.0037		
			1555.300	0.0061		
			1557.200	0.0048		
			1563.600	0.0017		
			1583.510	0.0038		
			1589.200	0.0011		
			1614.070	0.0104		
			1626.700	0.0033		
			1633.500	0.0014		
			1650.220	0.0017		
			1659.400	0.0010		
			1666.730	0.0079		
			1666.730	0.0027		
			1675.830	0.0038		
			1681.200	0.0017		
			1697.600	0.0015		
			1710.000	0.0024		
			1725.200	0.0019		
			1727.850	0.0050		
			1741.780	0.0080		
			1752.900	0.0019		
			1778.850	0.0082		
			1783.400	0.0038		
			1789.430	0.0041		
			1823.050	0.0030		
			1827.100	0.0020		
			1834.600	0.0013		
			1843.100	0.0013		
			1866.200	0.0017		
			1871.800	0.0019		
			1874.990	0.0047		
			1880.100	0.0024		
			1884.300	0.0010		
			1965.110	0.0067		
			1982.700	0.0017		
			2039.360	0.0039		
			2057.270	0.0042		

Muclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
91 Kr	36	8.570 s	2072.250	0.0031	0.8113	0.6073
			2087.000	0.0017		
			2139.980	0.0071		
			2195.990	0.0035		
			2242.500	0.0017		
			2251.400	0.0014		
			2268.600	0.0023		
			2281.100	0.0015		
			2322.600	0.0011		
			2377.340	0.0036		
			2381.870	0.0022		
			2391.800	0.0011		
			2395.100	0.0013		
			2413.700	0.0034		
			2425.000	0.0015		
			2447.300	0.0025		
			2450.700	0.0068		
			2457.700	0.0035		
			2473.100	0.0041		
			2480.000	0.0021		
			2484.350	0.0278		
			2495.820	0.0069		
			2539.400	0.0017		
			2550.600	0.0018		
			2558.000	0.0017		
			2559.400	0.0035		
			2585.600	0.0010		
			2593.150	0.0054		
			2606.900	0.0024		
			2620.330	0.0067		
			2627.700	0.0017		
			2642.500	0.0020		
			2732.100	0.0024		
			2735.830	0.0148		
			2752.590	0.0074		
			2769.400	0.0021		
			2809.900	0.0012		
			2811.700	0.0027		
			2845.000	0.0033		
			2855.300	0.0040		
			2870.540	0.0085		
			2893.500	0.0040		
			2919.900	0.0027		
			2930.800	0.0020		
			2966.600	0.0013		
			2981.850	0.0130		
			3001.900	0.0026		
			3005.100	0.0011		
			3041.300	0.0013		
			3052.600	0.0016		
			3056.800	0.0087		
			3097.400	0.0037		
			3109.600	0.0036		
			3113.500	0.0213		
			3180.900	0.0011		
			3324.900	0.0022		
			3393.600	0.0028		
			3403.400	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
91 Kr	36	8.570 s	3444.400	0.0021	0.8113	0.6073
			3578.400	0.0011		
91 Rb	37	58.400 s	93.630	0.3400	0.9559	0.7097
			345.430	0.0830		
			439.150	0.0209		
			509.600	0.0017		
			593.230	0.0129		
			602.850	0.0283		
			702.660	0.0010		
			749.730	0.0011		
			816.500	0.0010		
			875.000	0.0011		
			917.590	0.0019		
			948.490	0.0117		
			993.690	0.0030		
			1023.200	0.0044		
			1034.900	0.0013		
			1041.990	0.0219		
			1137.240	0.0390		
			1205.600	0.0012		
			1230.640	0.0029		
			1274.050	0.0025		
			1299.900	0.0016		
			1367.760	0.0076		
			1388.130	0.0022		
			1482.170	0.0145		
			1594.150	0.0041		
			1615.860	0.0246		
			1624.800	0.0050		
			1625.400	0.0071		
			1628.490	0.0090		
			1645.510	0.0026		
			1712.000	0.0021		
			1719.900	0.0031		
			1740.250	0.0142		
			1766.170	0.0017		
			1794.500	0.0012		
			1823.300	0.0036		
			1841.100	0.0013		
			1849.270	0.0330		
			1859.560	0.0015		
			1874.400	0.0011		
			1917.110	0.0076		
			1942.810	0.0040		
			1970.990	0.0670		
			2013.500	0.0027		
			2036.100	0.0037		
			2064.690	0.0079		
			2143.220	0.0067		
			2161.800	0.0012		
			2196.000	0.0019		
			2208.500	0.0010		
			2218.200	0.0028		
			2236.900	0.0014		
			2254.600	0.0012		
			2263.100	0.0015		
			2322.340	0.0045		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
91 Rb	37	58.400 s	2448.500	0.0015	0.9559	0.7097
			2505.950	0.0142		
			2564.190	0.1250		
			2606.700	0.0314		
			2724.200	0.0017		
			2783.300	0.0033		
			2789.600	0.0049		
			2847.390	0.0065		
			2872.500	0.0019		
			2897.600	0.0021		
			2912.000	0.0033		
			2925.720	0.0152		
			2958.600	0.0013		
			2990.600	0.0020		
			3007.600	0.0027		
			3107.900	0.0016		
			3147.300	0.0065		
			3224.400	0.0033		
			3270.900	0.0044		
			3284.700	0.0016		
			3302.200	0.0014		
			3337.800	0.0022		
			3346.200	0.0018		
			3353.100	0.0020		
			3376.500	0.0027		
			3395.400	0.0032		
			3446.500	0.0148		
			3599.670	0.1040		
			3604.300	0.0037		
			3639.140	0.0121		
			3643.750	0.0079		
			3736.500	0.0057		
			3745.900	0.0020		
			3800.700	0.0015		
			3839.300	0.0061		
			3844.330	0.0102		
			3888.400	0.0028		
			3938.700	0.0018		
			3949.560	0.0064		
			3984.700	0.0041		
			4043.260	0.0074		
			4061.300	0.0011		
			4078.250	0.0410		
			4095.700	0.0024		
			4157.480	0.0070		
			4171.700	0.0028		
			4189.200	0.0023		
			4224.800	0.0010		
			4234.100	0.0022		
			4249.000	0.0034		
			4253.700	0.0038		
			4265.450	0.0143		
			4297.100	0.0012		
			4453.100	0.0015		
91 Sr	38	9.520 h	261.200	0.0045	0.5632	0.4148
			272.600	0.0026		
			274.700	0.0103		

Muclide	Z	Half Life	Energy keV	Yield	R _{rem2} /h/Ci	T
					Rem/h/Ci	
91 Sr	38	9.520 h	379.900	0.0015	6.5632	0.4148
			555.600	0.5600		
			620.100	0.0177		
			631.300	0.0055		
			652.300	0.0300		
			652.900	0.0800		
			653.000	0.0037		
			660.900	0.0010		
			749.800	0.2360		
			761.400	0.0057		
			820.800	0.0016		
			879.700	0.0019		
			925.800	0.0380		
			1024.300	0.3340		
			1054.600	0.0022		
			1140.800	0.0013		
			1280.900	0.0093		
			1413.400	0.0098		
			1473.800	0.0017		
			1651.400	0.0029		
			1724.000	0.0016		
91 Y m	39	49.710 m	555.600	1.0000	0.3203	0.2396
91 Y	39	58.510 d	1204.900	0.0030	0.0019	0.0014
91 Zr	40	4.350E-06 s	289.800	0.1120	1.4402	1.0630
			537.000	0.0147		
			570.000	0.0112		
			596.900	0.0340		
			725.700	0.0550		
			859.000	0.8400		
			879.400	0.0380		
			2131.100	0.1380		
			2169.900	0.8600		
91 Nb	41	3.600E-06 s	50.100	0.0651	0.9184	0.6867
			194.100	0.3400		
			603.500	0.0130		
			1082.600	0.0109		
			1790.600	0.3630		
			1984.600	0.6260		
91 Nb m	41	62.000 d	104.500	0.0056	0.0224	0.0165
			1205.000	0.0350		
91 Nb	41	10006.849 y	511.000	0.0033	0.0010	0.0007
91 Mo m	42	1.092 m	425.900	0.0017	0.5748	0.4301
			511.000	0.8760		
			732.600	0.0017		
			1032.700	0.0053		
			1082.200	0.0050		
			1158.500	0.0028		
			1208.100	0.1880		
			1508.000	0.2440		
			2240.700	0.0073		
91 Mo	42	15.490 m	511.000	1.8748	0.5582	0.4256

Muclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	Rem/h/Ci
91 Mo	42	15.490 m	1581.500	0.0023	0.5582	0.4256
			1637.300	0.0033		
			2631.900	0.0012		
91 Tc	43	3.140 m	217.800	0.0014	1.2214	0.9145
			277.900	0.0062		
			297.100	0.0024		
			337.500	0.0115		
			375.800	0.0051		
			483.200	0.0109		
			502.900	0.0083		
			511.000	1.8092		
			548.700	0.0168		
			562.000	0.0018		
			628.400	0.0075		
			652.900	0.0080		
			668.800	0.0032		
			811.000	0.0510		
			813.900	0.0180		
			844.900	0.0122		
			851.800	0.0086		
			878.400	0.0110		
			902.800	0.0162		
			935.900	0.0021		
			985.000	0.0022		
			992.700	0.0022		
			1076.500	0.0094		
			1088.900	0.0059		
			1111.100	0.0320		
			1146.700	0.0015		
			1244.200	0.0011		
			1255.600	0.0011		
			1286.000	0.0029		
			1322.600	0.0070		
			1354.400	0.0073		
			1362.000	0.0440		
			1414.200	0.0078		
			1491.400	0.0019		
			1564.900	0.0700		
			1605.200	0.0790		
			1639.900	0.0920		
			1650.400	0.0057		
			1671.100	0.0015		
			1731.000	0.0014		
			1752.000	0.0010		
			1762.700	0.0011		
			1795.400	0.0011		
			1902.300	0.0610		
			2173.000	0.0031		
			2233.800	0.0133		
			2296.300	0.0048		
			2450.900	0.1380		
			2492.300	0.0062		
			2527.400	0.0067		
			2580.800	0.0013		
			2716.400	0.0187		
			2724.100	0.0013		
			2781.300	0.0320		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	$\Gamma_{Rem2/h/Ci}$	$\Gamma_{Rem/h/Ci}$
91 Tc	43	3.140 m	2793.700 2859.600 2887.800 3009.200 3118.300 3197.400 3419.400 3453.600 3592.900 3737.000	0.0026 0.0014 0.0140 0.0025 0.0024 0.0018 0.0020 0.0012 0.0017 0.0012	1.2214	0.9145	
91 Tc	43	3.300 m	502.900 511.000 606.700 652.900 927.600 1328.400 1362.000 1430.400 1534.400 1605.200 1639.900 2037.400 3045.600 3081.400 3531.000	0.5000 1.9260 0.0145 0.9400 0.0370 0.0251 0.0250 0.0196 0.0245 0.0012 0.0035 0.0052 0.0037 0.0012 0.0071	1.1795	0.8861	
92 Kr	36	1.850 s	142.400 159.200 167.900 185.600 191.100 214.900 281.950 316.800 342.300 350.300 372.300 394.700 436.200 440.000 480.900 484.700 492.600 535.000 548.300 585.900 623.700 632.600 678.100 737.400 785.700 812.600 826.000 876.300 921.000	0.6600 0.0011 0.0013 0.0011 0.0086 0.0037 0.0028 0.0600 0.0218 0.0028 0.0012 0.0012 0.0022 0.0062 0.0018 0.0330 0.0030 0.0042 0.1440 0.0023 0.0139 0.0019 0.0038 0.0053 0.0046 0.1500 0.0013 0.0040 0.0028	0.7305	0.5540	

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
92 Kr	36	1.850 s	928.000	0.0014		
			1044.200	0.0490	0.7305	0.5540
			1115.800	0.0011		
			1178.900	0.0011		
			1218.600	0.6200		
			1240.500	0.0016		
			1310.700	0.0012		
			1345.500	0.0046		
			1360.800	0.0356		
			1415.100	0.0017		
			1554.400	0.0040		
			1896.800	0.0086		
			1973.400	0.0015		
			1987.400	0.0025		
			2039.000	0.0020		
			2277.300	0.0012		
			2435.100	0.0011		
			2444.900	0.0018		
			2468.500	0.0018		
			2585.100	0.0013		
			2587.500	0.0025		
			2611.400	0.0030		
			2718.700	0.0028		
			2759.000	0.0022		
			2832.800	0.0031		
			3056.900	0.0013		
			3149.000	0.0013		
			3199.500	0.0045		
92 Rb	37	4.500 s	393.500	0.0015	0.0842	0.0617
			569.800	0.0068		
			756.000	0.0014		
			814.700	0.0400		
			963.500	0.0018		
			1273.400	0.0012		
			1325.800	0.0017		
			1384.600	0.0044		
			1712.300	0.0052		
			2820.600	0.0075		
			3110.000	0.0012		
			4427.900	0.0016		
			4637.700	0.0027		
			4809.300	0.0013		
			4835.900	0.0012		
			4922.600	0.0013		
			5086.200	0.0010		
			5188.100	0.0030		
			5215.100	0.0013		
			5248.700	0.0013		
			5301.700	0.0010		
			5497.700	0.0010		
			5573.700	0.0010		
			5584.200	0.0020		
			5632.200	0.0024		
			5900.600	0.0011		
			6114.800	0.0010		
92 Sr	38	2.710 h	241.520	0.0300	0.6807	0.5026

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
92 Sr	38	2.710 h	430.560 491.300 650.800 953.320 1142.300 1383.940	0.0330 0.0026 0.0037 0.0360 0.0290 0.9000	0.6807	0.5026
92 Y	39	3.540 h	448.500 492.600 561.100 844.300 912.800 934.500 1132.400 1405.400 1847.300	0.0230 0.0049 0.0240 0.0125 0.0063 0.1390 0.0024 0.0480 0.0036	0.1344	0.0988
92 Nb m	41	10.150 d	912.600 934.440 1847.500	0.0178 0.9900 0.0088	0.5269	0.3837
92 Nb	41	3.502E+07 y	561.100 934.510	1.0000 1.0000	0.8390	0.6168
92 Tc	43	4.400 m	85.000 147.900 243.700 329.300 511.000 773.100 1337.100 1509.600 1567.900 1596.000 1703.300 1785.900 2158.800 2308.300 2511.500 2705.000 2853.500 2873.400 2904.200 3026.100 3134.300 3911.900 4085.500 4135.900 4368.400 4572.300	0.1210 0.7600 0.1380 0.8000 1.8876 1.0000 0.0100 1.0000 0.0070 0.0025 0.0090 0.0030 0.0180 0.0140 0.0031 0.0066 0.0050 0.0050 0.0030 0.0053 0.0010 0.0019 0.0015 0.0015 0.0035 0.0030	2.0713	1.5854
92 Ru	44	3.650 m	47.460 56.340 134.600 213.810 259.270 306.800 410.400	0.2700 0.0870 0.6480 0.9500 0.9100 0.0031 0.0178	1.0295	0.8211

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
92 Ru	44	3.650 m	436.500	0.0044	1.0295	0.8211
			450.700	0.0674		
			511.000	1.0495		
			570.100	0.0062		
			585.000	0.0058		
			594.300	0.0058		
			618.300	0.0034		
			634.800	0.0028		
			656.300	0.0019		
			663.600	0.0048		
			828.000	0.0047		
			839.100	0.0032		
			867.000	0.1130		
			903.600	0.0078		
			910.200	0.0321		
			938.100	0.0024		
			945.000	0.0270		
			947.200	0.0270		
			958.800	0.0037		
			968.000	0.0038		
			974.300	0.0031		
			1024.200	0.0054		
			1064.100	0.0040		
			1118.700	0.0024		
			1219.600	0.0600		
			1229.100	0.0332		
			1268.900	0.0034		
			1394.900	0.0048		
			1403.600	0.0161		
			1460.100	0.0063		
			1517.600	0.0190		
			1560.700	0.0074		
			1604.700	0.0361		
			1679.600	0.0910		
			1738.500	0.0032		
			1814.000	0.0019		
			1882.500	0.0019		
			1900.600	0.0037		
			1928.500	0.0018		
			2059.700	0.0342		
			2194.300	0.0080		
			2241.300	0.0026		
			2302.300	0.0104		
			2427.500	0.0067		
			2471.200	0.0020		
93 Kr	36	1.289 s	57.110	0.0026	1.0298	0.7872
			70.570	0.0157		
			182.020	0.0550		
			239.260	0.0016		
			252.510	0.2000		
			253.420	0.4200		
			254.830	0.0671		
			266.830	0.2100		
			316.720	0.0025		
			323.890	0.2460		
			399.010	0.0012		
			496.560	0.0184		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
93 Kr	36	1.289 s	529.590	0.0050	1.0298	0.7872
			555.410	0.0011		
			567.050	0.0017		
			570.160	0.0122		
			616.510	0.0010		
			644.780	0.0028		
			686.510	0.0014		
			722.680	0.0028		
			733.720	0.0090		
			770.700	0.0014		
			777.570	0.0020		
			820.450	0.0379		
			844.120	0.0057		
			895.050	0.0018		
			921.190	0.0023		
			965.010	0.0022		
			976.080	0.0072		
			1005.650	0.0017		
			1026.190	0.0221		
			1046.570	0.0012		
			1054.550	0.0011		
			1058.710	0.0031		
			1060.530	0.0039		
			1083.420	0.0083		
			1097.140	0.0013		
			1139.170	0.0020		
			1157.090	0.0032		
			1191.490	0.0024		
			1214.980	0.0180		
			1235.500	0.0014		
			1238.760	0.0113		
			1290.540	0.0024		
			1296.080	0.0192		
			1309.510	0.0011		
			1313.440	0.0030		
			1318.380	0.0093		
			1350.240	0.0076		
			1360.260	0.0023		
			1364.770	0.0070		
			1374.780	0.0043		
			1382.700	0.0019		
			1387.920	0.0138		
			1421.790	0.0098		
			1435.350	0.0103		
			1445.640	0.0021		
			1458.500	0.0040		
			1471.300	0.0039		
			1505.760	0.0229		
			1508.410	0.0022		
			1525.890	0.0022		
			1528.900	0.0015		
			1543.150	0.0035		
			1556.320	0.0025		
			1563.090	0.0096		
			1586.890	0.0086		
			1596.200	0.0140		
			1613.330	0.0035		
			1627.100	0.0202		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
93 Kr	36	1.289 s	1638.040	0.0051	1.0293	0.7872
			1641.080	0.0148		
			1651.870	0.0071		
			1662.740	0.0042		
			1685.070	0.0056		
			1687.400	0.0015		
			1697.840	0.0143		
			1704.450	0.0026		
			1710.780	0.0051		
			1713.400	0.0031		
			1742.490	0.0130		
			1745.280	0.0042		
			1755.860	0.0032		
			1779.680	0.0059		
			1785.800	0.0013		
			1788.960	0.0032		
			1794.300	0.0089		
			1798.300	0.0018		
			1803.710	0.0023		
			1822.300	0.0017		
			1823.800	0.0034		
			1840.100	0.0027		
			1862.680	0.0027		
			1886.790	0.0071		
			1929.700	0.0032		
			1943.540	0.0048		
			1957.100	0.0036		
			1961.830	0.0182		
			1989.300	0.0029		
			1994.410	0.0027		
			2011.680	0.0023		
			2018.870	0.0143		
			2035.260	0.0184		
			2082.620	0.0030		
			2088.210	0.0028		
			2181.540	0.0118		
			2239.200	0.0018		
			2342.400	0.0018		
			2349.960	0.0750		
			2366.000	0.0013		
			2368.500	0.0014		
			2411.440	0.0032		
			2424.260	0.0018		
			2491.200	0.0047		
			2496.050	0.0234		
			2521.470	0.0048		
			2531.900	0.0013		
			2548.020	0.0063		
			2557.260	0.0060		
			2561.330	0.0102		
			2589.180	0.0052		
			2602.610	0.0428		
			2606.650	0.0073		
			2663.490	0.0052		
			2678.000	0.0027		
			2700.500	0.0022		
			2720.200	0.0020		
			2739.140	0.0052		

Nuclide	Z	Half Life	Energy kev	Yield	R	T
					R*m2/h/Ci	Rem/h/Ci
93 Kr	36	1.289 s	2755.620	0.0022		
			2772.900	0.0021		
			2782.260	0.0056		
			2796.560	0.0037		
			2809.920	0.0045		
			2826.620	0.0020		
			2838.500	0.0018		
			2846.000	0.0070		
			2852.600	0.0019		
			2855.950	0.0221		
			2913.500	0.0021		
			2944.600	0.0018		
			2948.320	0.0062		
			2956.680	0.0061		
			2972.220	0.0045		
			2992.500	0.0064		
			3000.500	0.0034		
			3014.700	0.0032		
			3026.500	0.0018		
			3105.400	0.0030		
			3150.800	0.0021		
			3196.800	0.0015		
			3214.500	0.0022		
			3220.300	0.0018		
			3226.700	0.0101		
			3229.900	0.0015		
			3250.300	0.0016		
			3285.300	0.0018		
			3294.800	0.0021		
			3298.310	0.0065		
			3303.900	0.0011		
			3307.200	0.0010		
			3356.000	0.0022		
			3358.800	0.0012		
			3379.700	0.0017		
			3408.090	0.0046		
			3412.700	0.0014		
			3453.300	0.0021		
			3460.700	0.0071		
			3464.400	0.0032		
			3467.200	0.0027		
			3471.300	0.0015		
			3482.400	0.0012		
			3582.700	0.0016		
			3634.700	0.0019		
			3645.900	0.0024		
			3649.200	0.0031		
			3655.500	0.0014		
			3705.870	0.0030		
			3776.000	0.0015		
			3887.100	0.0013		
			4032.880	0.0022		
93 Rb	37	5.860 s	213.390	0.0480		
			219.160	0.0197		
			432.510	0.1250		
			595.870	0.0016		
			610.100	0.0013		
					0.5525	0.4095

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
93 Rb	37	5.860 s	661.640	0.0020	0.5525	0.4095
			709.950	0.0380		
			793.650	0.0077		
			822.410	0.0012		
			910.910	0.0010		
			929.040	0.0031		
			934.700	0.0023		
			986.050	0.0489		
			1068.510	0.0044		
			1096.710	0.0029		
			1100.630	0.0013		
			1130.120	0.0014		
			1138.000	0.0015		
			1142.580	0.0023		
			1148.180	0.0110		
			1150.380	0.0033		
			1208.550	0.0011		
			1238.300	0.0106		
			1284.000	0.0011		
			1315.640	0.0027		
			1332.970	0.0076		
			1349.670	0.0010		
			1359.920	0.0015		
			1365.360	0.0023		
			1385.210	0.0410		
			1388.700	0.0016		
			1437.100	0.0030		
			1470.130	0.0014		
			1494.850	0.0017		
			1501.180	0.0025		
			1507.770	0.0017		
			1533.800	0.0010		
			1547.780	0.0020		
			1562.910	0.0072		
			1578.000	0.0011		
			1594.610	0.0042		
			1612.870	0.0120		
			1635.200	0.0027		
			1662.160	0.0026		
			1684.760	0.0039		
			1749.610	0.0018		
			1793.620	0.0019		
			1803.600	0.0017		
			1808.500	0.0201		
			1812.760	0.0018		
			1821.860	0.0041		
			1831.100	0.0015		
			1836.400	0.0020		
			1838.000	0.0034		
			1869.690	0.0136		
			1886.600	0.0010		
			1892.700	0.0013		
			1900.940	0.0033		
			1910.720	0.0082		
			1927.640	0.0054		
			1933.900	0.0018		
			1956.400	0.0013		
			1978.280	0.0057		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
93 Rb	37	5.860 s	1991.800	0.0012	0.5525	0.4095
			2026.880	0.0017		
			2043.820	0.0022		
			2054.060	0.0096		
			2058.780	0.0025		
			2068.360	0.0010		
			2087.400	0.0013		
			2147.600	0.0021		
			2168.240	0.0032		
			2206.200	0.0013		
			2229.440	0.0067		
			2258.400	0.0019		
			2262.000	0.0010		
			2270.200	0.0039		
			2292.800	0.0038		
			2349.580	0.0044		
			2359.450	0.0023		
			2386.720	0.0016		
			2418.220	0.0024		
			2451.700	0.0012		
			2454.970	0.0035		
			2461.980	0.0034		
			2491.200	0.0028		
			2505.200	0.0059		
			2523.700	0.0017		
			2550.060	0.0019		
			2568.590	0.0027		
			2602.380	0.0025		
			2638.100	0.0020		
			2646.600	0.0012		
			2652.620	0.0022		
			2661.080	0.0022		
			2704.970	0.0074		
			2724.600	0.0040		
			2766.480	0.0029		
			2799.900	0.0011		
			2861.340	0.0030		
			2869.230	0.0032		
			2880.480	0.0027		
			2886.300	0.0024		
			2890.400	0.0029		
			2903.600	0.0016		
			2954.930	0.0032		
			2958.100	0.0012		
			3113.850	0.0027		
			3172.100	0.0014		
			3226.400	0.0022		
			3366.600	0.0016		
			3370.970	0.0081		
			3403.560	0.0033		
			3458.190	0.0267		
			3477.390	0.0019		
			3501.900	0.0041		
			3544.000	0.0011		
			3547.200	0.0010		
			3572.050	0.0021		
			3664.750	0.0039		
			3721.600	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
93 Rb	37	5.860 s	3770.400	0.0013	0.5525	0.4095
			3789.300	0.0011		
			3803.980	0.0112		
			3867.600	0.0185		
			3876.700	0.0015		
			3883.950	0.0032		
			3890.500	0.0015		
			3934.340	0.0070		
			4017.550	0.0030		
			4271.230	0.0024		
			4281.900	0.0012		
			4875.100	0.0013		
93 Sr	38	7.320 m	166.600	0.0061	1.1393	0.8452
			168.690	0.1800		
			260.120	0.0720		
			285.650	0.0027		
			332.040	0.0035		
			346.490	0.0321		
			377.360	0.0145		
			406.710	0.0042		
			424.700	0.0025		
			428.030	0.0015		
			432.670	0.0145		
			440.800	0.0019		
			446.200	0.0231		
			481.960	0.0111		
			483.730	0.0163		
			486.700	0.0012		
			518.500	0.0013		
			541.890	0.0071		
			545.810	0.0039		
			559.920	0.0020		
			571.960	0.0021		
			586.500	0.0044		
			590.280	0.6600		
			593.810	0.0109		
			596.150	0.0130		
			610.930	0.0106		
			630.970	0.0019		
			633.500	0.0011		
			650.560	0.0019		
			658.560	0.0041		
			663.580	0.0161		
			687.790	0.0065		
			690.060	0.0099		
			692.000	0.0022		
			710.400	0.2130		
			716.800	0.0029		
			718.330	0.0146		
			771.190	0.0114		
			776.070	0.0026		
			782.830	0.0021		
			788.680	0.0075		
			791.100	0.0025		
			795.290	0.0023		
			834.890	0.0164		
			837.850	0.0012		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
93 Sr	38	7.320 m	858.470	0.0071	1.1393	0.8452
			875.730	0.2390		
			888.130	0.2160		
			900.980	0.0068		
			910.180	0.0080		
			922.700	0.0033		
			927.690	0.0063		
			930.910	0.0040		
			952.580	0.0011		
			991.590	0.0012		
			1035.500	0.0020		
			1040.630	0.0313		
			1055.130	0.0034		
			1064.370	0.0037		
			1077.860	0.0023		
			1094.000	0.0172		
			1104.690	0.0015		
			1122.480	0.0392		
			1136.770	0.0019		
			1180.760	0.0024		
			1196.230	0.0096		
			1215.480	0.0244		
			1239.150	0.0012		
			1243.410	0.0078		
			1266.380	0.0109		
			1269.470	0.0700		
			1277.990	0.0085		
			1308.600	0.0039		
			1321.240	0.0255		
			1332.500	0.0050		
			1334.500	0.0066		
			1378.980	0.0035		
			1387.110	0.0339		
			1434.010	0.0088		
			1438.930	0.0049		
			1469.500	0.0051		
			1492.130	0.0054		
			1520.100	0.0031		
			1551.590	0.0100		
			1609.770	0.0019		
			1634.050	0.0142		
			1647.530	0.0087		
			1668.700	0.0016		
			1684.840	0.0070		
			1694.070	0.0253		
			1699.060	0.0326		
			1706.590	0.0108		
			1765.360	0.0104		
			1774.830	0.0016		
			1811.450	0.0138		
			1816.120	0.0023		
			1894.100	0.0012		
			1907.730	0.0017		
			1928.790	0.0114		
			1944.750	0.0055		
			2010.800	0.0012		
			2054.680	0.0013		
			2063.640	0.0061		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
93 Sr	38	7.320 m	2104.780 2179.490 2230.270 2296.130 2364.720 2416.300 2543.840 2574.200 2688.650 2828.540 2985.720 3006.860	0.0031 0.0029 0.0152 0.0072 0.0154 0.0011 0.0296 0.0013 0.0208 0.0017 0.0019 0.0012	1.1393	0.8452
93 Y	39	10.100 h	266.870 680.300 947.100 1203.300 1425.500 1450.500 1917.800 2184.700 2190.800	0.0680 0.0061 0.0194 0.0010 0.0024 0.0033 0.0140 0.0016 0.0017	0.0428	0.0333
93 Mo	42	6.850 h	113.920 263.000 684.700 1364.700 1477.200	0.0071 0.5350 0.9200 0.0062 1.0000	1.1763	0.8785
94 Y	39	19.100 m	381.750 550.100 588.000 694.000 750.520 918.240 1139.100 1162.200 1232.800 1325.000 1363.500 1402.700 1447.300 1668.600 1892.800 1915.600 2140.400 2444.000 2467.000 2492.000 2527.600 2629.000 2834.000	0.0228 0.0600 0.0037 0.0022 0.0290 0.7350 0.0710 0.0110 0.0132 0.0073 0.0132 0.0169 0.0051 0.0300 0.0110 0.0206 0.0100 0.0015 0.0088 0.0029 0.0029 0.0037 0.0066	0.5898	0.4319
94 Nb m	41	6.260 m	871.099	0.0048	0.0023	0.0017
94 Nb	41	20313.904 y	702.627 871.099	1.0000 1.0000	0.8868	0.6453
94 Tc m	43	52.000 m	511.000	1.4064	1.0430	0.7747

Nuclide	Z	Half Life	Energy keV	Yield	R# Rm2/h/Ci	T Rem/h/Ci
94 Tc m	43	52.000 m	871.030	0.9410	1.0430	0.7747
			993.100	0.0230		
			1196.100	0.0075		
			1264.900	0.0022		
			1521.800	0.0450		
			1868.680	0.0570		
			2393.200	0.0047		
			2529.800	0.0031		
			2739.900	0.0390		
			3128.600	0.0141		
94 Tc	43	4.883 h	83.000	0.0020	1.4553	1.0910
			449.100	0.0330		
			511.000	0.2206		
			532.100	0.0240		
			702.640	0.9980		
			742.300	0.0120		
			849.700	0.9770		
			871.030	1.0000		
			916.120	0.0760		
			1591.900	0.0230		
			1765.600	0.0029		
94 Ru	44	51.800 m	367.200	0.7140	0.2955	0.2374
			525.000	0.0140		
			892.100	0.2860		
95 Y	39	10.700 m	396.800	0.0025	0.3979	0.2924
			432.400	0.0139		
			569.200	0.0012		
			580.500	0.0011		
			632.500	0.0022		
			954.200	0.1320		
			1002.000	0.0026		
			1048.500	0.0071		
			1174.000	0.0049		
			1294.000	0.0015		
			1324.300	0.0370		
			1357.200	0.0050		
			1418.800	0.0036		
			1511.900	0.0048		
			1618.500	0.0120		
			1683.700	0.0036		
			1721.400	0.0025		
			1805.900	0.0103		
			1813.500	0.0015		
			1856.000	0.0015		
			1892.800	0.0046		
			1904.500	0.0013		
			1925.500	0.0045		
			1940.600	0.0191		
			1955.900	0.0026		
			2176.000	0.0570		
			2252.900	0.0032		
			2295.900	0.0100		
			2373.300	0.0057		
			2498.100	0.0040		
			2633.000	0.0350		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ^o m ² /h/Ci	T Rem/h/Ci
95 Y	39	10.700 m	2760.000	0.0020	0.3979	0.2923
			3129.800	0.0048		
			3253.200	0.0088		
			3452.000	0.0050		
			3577.000	0.0530		
			3684.000	0.0026		
			3887.000	0.0020		
			3924.000	0.0013		
			4068.000	0.0013		
95 Zr	40	63.980 d	724.230	0.4450	0.4195	0.3051
			756.740	0.5500		
95 Nb m	41	3.608 d	234.700	0.2610	0.0331	0.0298
95 Nb	41	35.150 d	765.830	1.0000	0.4338	0.3153
96 Nb	41	23.350 h	219.100	0.0390	1.4153	1.0441
			241.400	0.0400		
			314.600	0.0010		
			349.700	0.0075		
			350.100	0.0115		
			352.560	0.0085		
			371.810	0.0290		
			434.790	0.0055		
			460.030	0.2910		
			480.680	0.0650		
			568.860	0.5750		
			591.200	0.0100		
			593.300	0.0032		
			719.540	0.0750		
			721.800	0.3980		
			778.220	1.0000		
			810.250	0.1020		
			812.400	0.0350		
			847.600	0.0170		
			849.900	0.2140		
			1091.310	0.5100		
			1126.800	0.0055		
			1200.190	0.2070		
			1441.080	0.0041		
			1497.680	0.0310		
96 Tc m	43	51.500 m	480.700	0.0034	0.0220	0.0161
			719.550	0.0029		
			778.220	0.0230		
			847.600	0.0012		
			849.850	0.0028		
			1200.150	0.0110		
			1497.650	0.0012		
96 Tc	43	4.280 d	314.270	0.0244	1.3965	1.0172
			316.500	0.0140		
			434.700	0.0075		
			460.000	0.0043		
			535.780	0.0040		
			568.880	0.0092		
			591.300	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
96 Tc	43	4.280 d	719.500	0.0020		
			721.500	0.0012	1.3965	1.0172
			778.220	1.0000		
			812.540	0.8220		
			849.860	0.9780		
			885.400	0.0010		
			1091.300	0.0100		
			1126.850	0.1520		
			1200.170	0.0037		
97 Sr	38	0.400 s	216.400	0.0126		
			307.100	0.1428	0.9153	0.6824
			310.600	0.0168		
			365.800	0.0588		
			412.500	0.0300		
			474.100	0.0280		
			479.900	0.0322		
			528.200	0.0168		
			652.200	0.1428		
			697.300	0.0571		
			767.000	0.0200		
			801.400	0.0655		
			892.000	0.0515		
			953.800	0.2688		
			1258.000	0.1200		
			1301.700	0.0200		
			1515.000	0.0280		
			1524.600	0.0280		
			1905.100	0.2800		
			2121.300	0.0300		
			2212.100	0.1176		
			2287.500	0.0420		
97 Y m	39	0.210 s	161.400	0.0180		
			296.900	0.0135	0.9670	0.7113
			375.300	0.0432		
			407.100	0.0559		
			420.100	0.0072		
			427.400	0.0090		
			456.700	0.0171		
			542.600	0.0090		
			594.700	0.0090		
			667.300	0.0630		
			756.000	0.0360		
			938.000	0.0180		
			970.000	0.3883		
			999.500	0.0252		
			1103.000	0.9000		
			1192.800	0.0144		
			1244.100	0.0784		
			1264.200	0.0540		
			1400.000	0.0450		
97 Y	39	3.700 s	161.400	0.1400		
			296.900	0.0127	0.7660	0.5651
			544.800	0.0090		
			594.700	0.0036		
			756.000	0.0100		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
97 Y	39	3.700 s	1103.000 1264.200 1291.200 1344.000 1400.000 1428.900 1639.800 1887.400 1996.600 2057.300 2743.100 3287.600 3401.300 3549.500	0.0500 0.0018 0.0574 0.0090 0.0452 0.0072 0.0083 0.0186 0.0748 0.0094 0.0655 0.1800 0.1420 0.0311	0.7660	0.5651
97 Zr	40	16.900 h	218.870 254.150 272.270 330.430 355.390 400.390 507.630 513.380 602.410 690.630 699.200 703.800 804.530 829.800 854.900 971.390 1021.300 1110.450 1147.950 1276.090 1362.660 1750.460 1851.550	0.0018 0.0125 0.0025 0.0011 0.0227 0.0032 0.0510 0.0056 0.0139 0.0025 0.0012 0.0093 0.0065 0.0022 0.0033 0.0029 0.0134 0.0011 0.0260 0.0097 0.0134 0.0134 0.0035	0.0953	0.0716
97 Nb m	41	60.000 s	743.360	0.9795	0.4136	0.3008
97 Nb	41	1.202 h	480.900 657.920 1268.630 1515.640	0.0015 0.9834 0.0016 0.0012	0.3732	0.2730
97 Ru	44	2.900 d	108.800 215.680 324.550 460.550 569.270	0.0011 0.8600 0.1020 0.0012 0.0089	0.1205	0.1107
98 Y	39	0.650 s	213.100 268.600 367.600 368.500 386.100 521.600	0.0148 0.0258 0.0025 0.0018 0.0030 0.0074	0.3901	0.2876

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
98 Y	39	0.650 s	547.500	0.0030	0.3901	0.2876
			600.000	0.0030		
			636.200	0.0050		
			736.700	0.0043		
			840.300	0.0030		
			890.300	0.0037		
			1222.800	0.1230		
			1590.700	0.0500		
			1744.100	0.0141		
			2305.500	0.0068		
			2420.600	0.0166		
			2573.900	0.0086		
			2941.300	0.0600		
			3064.400	0.0050		
			3203.700	0.0080		
			3228.300	0.0141		
			3310.000	0.0246		
			3375.700	0.0068		
			3468.600	0.0068		
			4450.100	0.0350		
98 Y m	39	2.000 s	241.500	0.0700	1.6424	1.2113
			253.100	0.0415		
			368.500	0.0138		
			583.300	0.1800		
			620.500	0.7479		
			647.300	0.5540		
			752.600	0.0700		
			1222.800	0.9700		
			1590.700	0.0277		
			1787.300	0.0415		
			1801.600	0.4570		
98 Nb	41	2.800 s	644.600	0.0080	0.0638	0.0466
			735.300	0.0550		
			787.500	0.0300		
			971.300	0.0080		
			1023.500	0.0150		
			1250.200	0.0020		
			1419.600	0.0040		
			1432.000	0.0080		
			1758.800	0.0014		
			1821.000	0.0010		
98 Nb m	41	51.500 m	172.000	0.0260	1.2964	0.9510
			335.500	0.1010		
			644.600	0.0450		
			713.600	0.0870		
			722.300	0.7700		
			787.200	0.9500		
			792.000	0.0500		
			833.300	0.1020		
			995.000	0.0200		
			1025.000	0.0200		
			1169.000	0.1750		
			1258.000	0.0100		
			1334.000	0.0100		
			1431.000	0.0300		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
98 Nb m	41	51.500 m	1435.000 1511.000 1548.000 1701.000 1946.000 1981.000 2021.000 2235.000	0.0400 0.0610 0.0350 0.00930 0.0150 0.0280 0.0100 0.0100	1.2964	0.9510
98 Tc	43	4.203E+06 y	652.410 745.350	1.0000 1.0200	0.8059	0.5878
98 Rh	45	9.050 m	511.000 597.700 652.900 745.400 762.300 1164.400 1414.900 1817.000	1.7700 0.0080 0.9420 0.0530 0.0160 0.0450 0.0100 0.0470	0.9812	0.7345
99 Y	39	1.500 s	121.700 130.000 194.000 276.400 406.000 415.200 453.800 472.300 536.200 575.400 600.000 602.600 614.000 639.900 724.200 730.000 782.200 930.100 1013.800	0.4780 0.0670 0.0240 0.0290 0.0190 0.0072 0.0530 0.0100 0.0960 0.1190 0.0670 0.0480 0.0480 0.0380 0.2200 0.0190 0.0530 0.0480 0.0860	0.3939	0.3023
99 Zr	40	2.100 s	56.000 81.900 179.200 387.200 414.800 461.800 469.300 489.900 545.900 581.000 594.100 627.700 650.000 961.000	0.0280 0.0465 0.0500 0.0963 0.0500 0.1200 0.5600 0.0084 0.4777 0.0056 0.2760 0.0180 0.0224 0.0056	0.4906	0.3779
99 Nb	41	2.600 m	98.000 137.500	0.1200 0.0264	0.3906	0.2945

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
99 Nb	41	2.600 m	173.500	0.0066	0.3906	0.2945
			197.000	0.0042		
			254.000	0.0684		
			264.000	0.0132		
			272.500	0.0030		
			279.000	0.0048		
			352.000	0.0500		
			365.500	0.0024		
			379.500	0.0042		
			393.000	0.0036		
			427.000	0.0072		
			451.000	0.0240		
			498.000	0.0036		
			508.500	0.0036		
			525.000	0.0156		
			535.000	0.0024		
			548.500	0.0114		
			554.500	0.0100		
			593.000	0.0084		
			598.000	0.0144		
			631.000	0.0228		
			655.500	0.0100		
			673.500	0.0132		
			793.000	0.0240		
			856.000	0.0018		
			868.000	0.0018		
			889.000	0.0066		
			905.000	0.0048		
			945.000	0.0114		
			1027.000	0.0066		
			1100.000	0.0078		
			1112.000	0.0042		
			1259.000	0.0084		
			1293.000	0.0060		
			1317.000	0.0084		
			1475.000	0.0132		
			1698.000	0.0132		
			1735.000	0.0100		
			1886.000	0.0042		
			1898.000	0.0042		
			2010.000	0.0078		
			2241.000	0.0096		
			2544.000	0.0120		
			2642.000	0.0600		
			2693.000	0.0168		
			2734.000	0.0180		
			2791.000	0.0090		
			2854.000	0.0576		
			2918.000	0.0030		
			2927.000	0.0030		
			3017.000	0.0048		
99 Mo	42	2.750 d	40.587	0.0115	0.0828	0.0628
			140.466	0.0495		
			181.057	0.0606		
			366.421	0.0119		
			739.500	0.1219		
			777.921	0.0432		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	$R^{*2}/h/Ci$	Γ
99 Mo	42	2.750 d	822.972	0.0013	0.0828	0.0628	
99 Tc m	43	6.020 h	140.466	0.8897	0.0590	0.0614	
99 Rh m	45	4.700 h	89.600	0.0590	0.3158	0.2559	
			232.000	0.0020			
			251.000	0.0028			
			277.200	0.0170			
			322.000	0.0130			
			340.600	0.6400			
			379.000	0.0020			
			486.200	0.0060			
			502.000	0.0026			
			528.200	0.0200			
			575.000	0.0042			
			618.000	0.1250			
			686.000	0.0090			
			718.000	0.0080			
			919.300	0.0100			
			936.700	0.0290			
			1260.700	0.1550			
			1761.000	0.0016			
99 Rh	45	16.000 d	89.400	0.8500	0.3103	0.2557	
			175.200	0.0150			
			232.300	0.0029			
			232.400	0.0029			
			295.700	0.0100			
			322.400	0.0370			
			353.000	0.3190			
			442.800	0.0220			
			486.500	0.0036			
			527.700	0.4070			
			575.200	0.0019			
			618.000	0.0480			
			734.200	0.0025			
			763.900	0.0036			
			764.400	0.0036			
			806.600	0.0140			
			850.300	0.0045			
			897.200	0.0085			
			941.500	0.0140			
			1000.200	0.0080			
			1061.200	0.0022			
			1089.400	0.0040			
			1208.300	0.0027			
			1292.000	0.0029			
			1323.900	0.0027			
			1382.900	0.0012			
			1442.000	0.0014			
			1532.900	0.0053			
			1572.400	0.0053			
			1618.000	0.0040			
			1749.000	0.0024			
			2058.600	0.0013			
99 Pd	46	21.400 m	136.000	0.8460	0.4009	0.3162	
			236.000	0.0017			

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
99 Pd	46	21.400 m	263.600	0.1560	0.4009	0.3182
			293.300	0.0140		
			368.000	0.0015		
			386.700	0.0290		
			399.800	0.0370		
			410.300	0.0140		
			427.300	0.0200		
			524.000	0.0035		
			627.000	0.0029		
			646.000	0.0060		
			650.400	0.0140		
			652.800	0.0150		
			653.000	0.0270		
			662.400	0.0039		
			673.400	0.0700		
			684.800	0.0010		
			702.700	0.0025		
			718.700	0.0044		
			740.000	0.0017		
			758.500	0.0016		
			767.200	0.0023		
			786.600	0.0350		
			809.800	0.0200		
			817.600	0.0100		
			852.300	0.0030		
			886.500	0.0035		
			910.900	0.0029		
			954.000	0.0018		
			967.000	0.0100		
			1013.400	0.0150		
			1022.000	0.0028		
			1046.600	0.0045		
			1071.700	0.0090		
			1095.000	0.0025		
			1099.600	0.0100		
			1124.400	0.0023		
			1157.200	0.0069		
			1165.600	0.0077		
			1201.000	0.0010		
			1219.500	0.0030		
			1231.000	0.0075		
			1274.200	0.0015		
			1302.200	0.0024		
			1325.000	0.0086		
			1335.600	0.0480		
			1350.900	0.0018		
			1391.600	0.0014		
			1422.200	0.0017		
			1429.400	0.0020		
			1471.200	0.0023		
			1504.600	0.0056		
			1515.000	0.0020		
			1528.000	0.0029		
			1540.800	0.0016		
			1559.600	0.0016		
			1587.600	0.0013		
			1614.000	0.0049		
			1680.500	0.0064		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
99 Pd	46	21.400 m	1697.300	0.0057	0.4009	0.3182
			1717.600	0.0066		
			1735.000	0.0010		
			1754.000	0.0014		
			1789.600	0.0022		
			1804.200	0.0018		
			1840.000	0.0019		
			1851.600	0.0047		
			1863.600	0.0019		
			1879.600	0.0017		
			1904.700	0.0068		
			1924.800	0.0048		
			1943.400	0.0027		
			1999.000	0.0080		
			2142.400	0.0043		
			2154.500	0.0017		
			2182.000	0.0030		
			2188.400	0.0020		
			2246.200	0.0085		
			2273.300	0.0036		
			2278.200	0.0019		
			2324.600	0.0057		
			2508.700	0.0012		
			2536.300	0.0060		
			2557.800	0.0019		
			2633.600	0.0010		
			2694.900	0.0014		
			2847.300	0.0016		
100 Tc	43	15.800 s	539.590	0.0700	0.0445	0.0332
			590.830	0.0570		
			1512.200	0.0044		
100 Rh	45	20.800 h	229.100	0.0010	1.3239	0.9811
			302.300	0.0066		
			370.600	0.0041		
			398.700	0.0014		
			403.500	0.0019		
			446.200	0.1120		
			465.800	0.0010		
			499.800	0.0014		
			519.100	0.0072		
			539.600	0.7800		
			588.200	0.0410		
			590.800	0.0141		
			599.900	0.0027		
			604.900	0.0037		
			650.900	0.0052		
			654.500	0.0045		
			686.900	0.0066		
			734.700	0.0024		
			736.900	0.0010		
			748.500	0.0082		
			817.000	0.0060		
			822.500	0.2010		
			903.000	0.0013		
			1034.300	0.0141		
			1107.100	0.1320		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
100 Rh	45	20.800 h	1155.100	0.0014	1.3239	0.9811
			1325.700	0.0031		
			1341.600	0.0484		
			1362.100	0.1510		
			1386.500	0.0039		
			1512.200	0.0013		
			1553.400	0.2050		
			1559.700	0.0062		
			1627.500	0.0157		
			1701.000	0.0023		
			1709.000	0.0023		
			1865.200	0.0039		
			1929.700	0.1220		
			1976.800	0.0031		
			2167.000	0.0019		
			2194.000	0.0013		
			2376.100	0.3500		
			2395.700	0.0010		
			2469.400	0.0019		
			2530.200	0.0270		
			2613.300	0.0010		
			2784.500	0.0024		
101 Zr	40	3.300 s	293.000	1.0000	0.1981	0.1846
			400.000	0.1500		
101 Mo	42	14.620 m	80.920	0.0350	0.6829	0.5097
			104.700	0.0015		
			105.950	0.0023		
			191.930	0.1820		
			195.940	0.0280		
			212.000	0.0043		
			318.000	0.0024		
			327.850	0.0019		
			333.700	0.0066		
			352.800	0.0011		
			371.200	0.0019		
			381.000	0.0035		
			398.850	0.0079		
			408.590	0.0140		
			421.410	0.0052		
			432.900	0.0011		
			448.630	0.0062		
			452.600	0.0014		
			469.300	0.0011		
			499.590	0.0134		
			505.880	0.1140		
			510.360	0.0032		
			512.710	0.0120		
			515.150	0.0073		
			524.200	0.0012		
			533.550	0.0038		
			571.300	0.0016		
			590.820	0.1940		
			608.310	0.0098		
			642.700	0.0110		
			660.800	0.0026		
			695.530	0.0660		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ² m ² /h/Ci	Rem/h/Ci
101 Mo	42	14.620 m	701.800	0.0040	0.6829	0.5097
			713.020	0.0310		
			732.900	0.0023		
			774.100	0.0035		
			789.800	0.0012		
			804.250	0.0086		
			815.200	0.0014		
			853.100	0.0024		
			859.300	0.0014		
			871.050	0.0166		
			877.380	0.0310		
			883.250	0.0064		
			887.900	0.0015		
			887.900	0.0021		
			895.900	0.0015		
			903.600	0.0019		
			934.200	0.0370		
			943.200	0.0015		
			980.700	0.0026		
			987.900	0.0018		
			1010.000	0.0300		
			1010.000	0.0085		
			1012.350	0.1140		
			1018.900	0.0047		
			1018.900	0.0102		
			1049.900	0.0032		
			1064.500	0.0027		
			1066.000	0.0015		
			1160.930	0.0360		
			1168.500	0.0017		
			1186.620	0.0097		
			1199.920	0.0162		
			1210.200	0.0013		
			1251.100	0.0420		
			1291.900	0.0015		
			1303.920	0.0239		
			1314.000	0.0013		
			1323.400	0.0014		
			1326.100	0.0027		
			1337.100	0.0019		
			1345.790	0.0095		
			1355.600	0.0162		
			1377.300	0.0021		
			1382.150	0.0111		
			1394.500	0.0057		
			1413.500	0.0042		
			1418.000	0.0080		
			1430.600	0.0028		
			1433.400	0.0075		
			1440.600	0.0010		
			1514.400	0.0016		
			1518.900	0.0025		
			1522.400	0.0026		
			1532.270	0.0540		
			1547.500	0.0015		
			1589.600	0.0024		
			1599.050	0.0157		
			1662.200	0.0050		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
101 Mo	42	14.620 m	1662.200	0.0014		
			1673.560	0.0153	0.6829	0.5097
			1712.800	0.0019		
			1754.800	0.0042		
			1759.900	0.0064		
			1759.900	0.0037		
			1767.400	0.0012		
			1840.400	0.0111		
			1840.400	0.0015		
			2031.950	0.0610		
			2040.900	0.0200		
			2046.800	0.0011		
			2088.400	0.0068		
			2113.700	0.0055		
			2221.600	0.0015		
101 Tc	43	14.200 m	127.210	0.0255	0.1844	0.1690
			179.590	0.0055		
			184.110	0.0154		
			233.700	0.0026		
			238.300	0.0027		
			306.860	0.8800		
			311.300	0.0031		
			531.300	0.0101		
			545.110	0.0600		
			626.980	0.0047		
			715.600	0.0062		
			720.000	0.0022		
			842.700	0.0020		
101 Rh m	45	4.340 d	127.220	0.0057	0.1641	0.1528
			157.320	0.0023		
			179.550	0.0049		
			184.060	0.0014		
			233.550	0.0017		
			238.010	0.0020		
			306.770	0.8700		
			544.850	0.0401		
101 Rh	45	3.202 y	127.210	0.6500	0.1278	0.1248
			137.600	0.0019		
			198.000	0.6300		
			217.000	0.0058		
			295.000	0.0065		
			325.200	0.1190		
			344.000	0.0019		
			422.500	0.0034		
101 Pd	46	8.270 h	269.660	0.0560	0.1355	0.1082
			296.250	0.1800		
			320.640	0.0058		
			355.140	0.0023		
			427.540	0.0010		
			453.570	0.0059		
			565.200	0.0020		
			565.770	0.0295		
			590.360	0.1110		
			723.000	0.0027		

Nuclide	Z	Half Life	Energy keV	Yield	R^* m ² /h/Ci	τ Rem/h/Ci
101 Pd	46	8.270 h	723.800 748.330 881.320 992.800 1177.590 1202.030 1218.270 1289.030 1311.300	0.0193 0.0047 0.0011 0.0086 0.0035 0.0140 0.0050 0.0216 0.0018	0.1355	0.1082
102 Tc	43	5.280 s	468.000 475.000 628.000 1105.000 1105.000	0.0880 0.5900 0.1120 0.0650 0.0530	0.2953	0.2253
102 Tc	43	4.350 m	416.300 418.400 475.200 497.200 500.000 628.100 630.200 691.800 696.900 920.200 1046.400 1074.700 1103.300 1113.100 1127.500 1179.200 1197.600 1292.500 1318.000 1338.600 1488.100 1511.100 1596.200 1615.300 1711.200 1810.700 1907.300 1945.800 1967.000 2139.200 2225.700 2244.700 2340.000 2438.400 2536.000	0.0079 0.0450 0.8300 0.0580 0.0500 0.2540 0.1530 0.0223 0.0600 0.0079 0.1220 0.0120 0.1200 0.0218 0.0113 0.0060 0.0730 0.0410 0.0088 0.0400 0.0065 0.0089 0.0269 0.1500 0.0273 0.0560 0.0159 0.0149 0.0141 0.0173 0.0550 0.1150 0.0053 0.0450 0.0048	1.2315	0.9186
102 Rh	45	207.000 d	70.000 418.520 468.580 475.060 556.600 628.050	0.0500 0.0012 0.0280 0.4500 0.0200 0.0440	0.1886	0.1451

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
102 Rh	45	207.000 d	636.800 680.660 739.580 1046.590 1103.160 1105.700 1158.100 1362.100 1562.200	0.0022 0.0056 0.0054 0.0042 0.0280 0.0038 0.0060 0.0038 0.0011	0.1886	0.1451
102 Rh m	45	2.902 y	75.600 345.890 415.250 418.520 420.400 475.060 628.050 631.290 692.400 695.600 697.490 766.840 1046.590 1103.160 1112.840 1323.600	0.0021 0.0086 0.0210 0.0931 0.0320 0.9400 0.0820 0.5550 0.0160 0.0280 0.4320 0.3380 0.3380 0.0450 0.1880 0.0045	1.1938	0.8885
102 Ag m	47	7.700 m	556.700 977.700 1461.100 1534.800 1588.800 1692.300 1834.700 2017.800 2054.500 2159.400 2566.900 2682.100 2716.500 3238.600	0.4200 0.0270 0.0450 0.0270 0.0120 0.0230 0.0980 0.0280 0.0660 0.0500 0.0080 0.0170 0.0190 0.0490	0.5597	0.4141
102 Ag	47	12.900 m	556.700 603.600 719.400 835.400 865.700 891.500 937.400 964.400 977.700 1025.000 1055.500 1067.300 1257.100 1305.700 1394.400 1474.300	0.9800 0.0170 0.5800 0.1380 0.0370 0.0410 0.0110 0.0140 0.0210 0.0430 0.0090 0.0100 0.1280 0.0230 0.0110 0.0270	1.3479	0.9934

Muclide	Z	Half Life	Energy keV	Yield	R	T
					Rem2/h/Ci	Rem/h/Ci
102 Ag	47	12.900 m	1522.700	0.0270	1.3479	0.9934
			1534.800	0.0230		
			1555.800	0.0260		
			1581.600	0.1380		
			1744.600	0.1730		
			1800.700	0.0280		
			1890.100	0.0070		
			1924.900	0.0110		
			2110.750	0.0060		
			2242.900	0.0100		
			2310.200	0.0140		
			2493.900	0.0090		
			2613.000	0.0350		
			2690.900	0.0100		
			2726.900	0.0140		
			2805.600	0.0090		
			3398.000	0.0140		
			3406.500	0.0170		
102 Cd	48	5.500 m	58.900	0.0149	0.3673	0.2837
			97.400	0.0310		
			116.000	0.0610		
			120.400	0.0240		
			147.000	0.0056		
			213.300	0.0460		
			243.700	0.0031		
			360.300	0.0370		
			414.800	0.0750		
			481.000	0.6200		
			505.100	0.0930		
			531.000	0.0130		
			621.100	0.0130		
			675.700	0.0370		
			920.900	0.0060		
			1036.600	0.1260		
			1359.800	0.0490		
103 Ru	44	39.280 d	53.285	0.0038	0.2819	0.2162
			294.980	0.0025		
			443.800	0.0032		
			497.080	0.9010		
			557.040	0.0082		
			510.330	0.0559		
103 Ag	47	65.700 m	118.740	0.2220	0.3944	0.3085
			148.200	0.2010		
			243.960	0.0600		
			265.000	0.0060		
			266.860	0.0950		
			288.050	0.0050		
			298.430	0.0011		
			380.300	0.0011		
			385.400	0.0038		
			432.000	0.0012		
			484.100	0.0014		
			504.300	0.0018		
			511.000	0.7047		
			531.920	0.0622		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
103 Ag	47	65.700 m	575.330	0.0054	0.3944	0.3085
			580.160	0.0067		
			625.900	0.0012		
			698.770	0.0016		
			717.970	0.0024		
			742.110	0.0181		
			874.290	0.0020		
			884.600	0.0016		
			900.020	0.0016		
			938.900	0.0045		
			1007.080	0.0230		
			1029.970	0.0092		
			1064.080	0.0051		
			1072.700	0.0015		
			1142.200	0.0011		
			1155.270	0.0217		
			1182.770	0.0108		
			1267.900	0.0012		
			1272.000	0.0024		
			1273.830	0.0664		
			1280.700	0.0014		
			1325.520	0.0029		
			1386.070	0.0037		
			1486.000	0.0015		
			1547.100	0.0012		
			1775.700	0.0012		
104 Tc	43	18.200 m	135.300	0.0018	0.9697	0.7453
			150.800	0.0044		
			153.400	0.0027		
			160.400	0.0190		
			163.200	0.0036		
			170.000	0.0027		
			176.800	0.0062		
			179.100	0.0044		
			219.000	0.0036		
			245.500	0.0044		
			272.000	0.0018		
			277.100	0.0027		
			280.800	0.0018		
			285.500	0.0036		
			294.900	0.0060		
			349.600	0.0250		
			353.400	0.0036		
			357.990	0.8900		
			407.100	0.0027		
			421.800	0.0027		
			519.400	0.0080		
			530.530	0.1550		
			535.100	0.1370		
			542.700	0.0027		
			553.900	0.0044		
			581.200	0.0027		
			585.200	0.0036		
			605.200	0.0071		
			613.900	0.0120		
			622.000	0.0027		
			630.100	0.0130		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
104 Tc	43	18.200 m	660.200	0.0027	0.9697	0.7453
			667.500	0.0110		
			692.900	0.0044		
			711.000	0.0018		
			792.400	0.0200		
			796.800	0.0040		
			804.700	0.0036		
			838.500	0.0062		
			884.330	0.0990		
			888.200	0.0080		
			892.970	0.0890		
			977.300	0.0090		
			981.700	0.0100		
			986.400	0.0060		
			1017.700	0.0044		
			1020.600	0.0060		
			1085.200	0.0018		
			1093.000	0.0062		
			1157.400	0.0290		
			1172.200	0.0027		
			1187.000	0.0062		
			1199.100	0.0053		
			1201.300	0.0062		
			1209.400	0.0044		
			1247.800	0.0062		
			1251.000	0.0110		
			1267.600	0.0053		
			1270.400	0.0036		
			1282.000	0.0130		
			1338.200	0.0044		
			1343.900	0.0044		
			1346.700	0.0044		
			1380.600	0.0130		
			1396.500	0.0240		
			1472.200	0.0053		
			1515.700	0.0062		
			1518.400	0.0062		
			1541.200	0.0044		
			1596.800	0.0280		
			1601.000	0.0053		
			1612.400	0.0550		
			1636.000	0.0053		
			1654.200	0.0053		
			1676.900	0.0680		
			1709.400	0.0053		
			1722.900	0.0090		
			1729.800	0.0089		
			1736.900	0.0200		
			1760.800	0.0053		
			1769.600	0.0036		
			1840.300	0.0044		
			1905.600	0.0053		
			1911.600	0.0180		
			1927.800	0.0036		
			1931.300	0.0036		
			1971.300	0.0062		
			1997.900	0.0036		
			2015.700	0.0062		

Nuclide	Z	Half Life	Energy keV	Yield	Γ $R^*m^2/h/Ci$	T Rem/h/Ci
104 Tc	43	18.200 m	2043.500	0.0062	0.9697	0.7453
			2123.900	0.0140		
			2128.300	0.0018		
			2190.300	0.0110		
			2239.000	0.0036		
			2258.100	0.0053		
			2332.100	0.0100		
			2395.000	0.0053		
			2465.600	0.0080		
			2477.000	0.0027		
			2513.300	0.0044		
			2533.000	0.0100		
			2543.900	0.0053		
			2547.500	0.0036		
			2550.600	0.0080		
			2608.000	0.0140		
			2637.100	0.0062		
			2655.300	0.0044		
			2666.200	0.0036		
			2691.000	0.0027		
			2788.600	0.0071		
			3007.400	0.0044		
			3104.100	0.0036		
			3143.800	0.0044		
			3149.600	0.0110		
			3196.100	0.0027		
			3225.100	0.0027		
			3370.700	0.0027		
			3418.000	0.0036		
			3516.500	0.0018		
			3711.900	0.0018		
104 Rh	45	42.300 s	555.810	0.0199	0.0064	0.0048
104 Rh m	45	4.340 m	51.423	0.4820	0.0261	0.0212
			555.800	0.6100		
			767.600	0.0061		
			97.114	0.0207		
			777.700	0.0043		
			785.700	0.0128		
			934.600	0.0030		
			996.100	0.0034		
			1191.500	0.0012		
			1238.800	0.0259		
			1265.200	0.0030		
			1341.800	0.0110		
			1636.000	0.0018		
			1689.500	0.0061		
			1720.800	0.0116		
			1781.800	0.0140		
			1794.600	0.0027		
			1977.500	0.0058		
			2065.900	0.0015		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ²³² /h/Ci	Rem/h/Ci
104 Ag	47	69.200 m	1478.700	0.0028	1.4769	1.0893
			1526.600	0.0710		
			1544.700	0.0046		
			1551.600	0.0019		
			1600.200	0.0102		
			1625.800	0.0510		
			1636.000	0.0019		
			1687.000	0.0019		
			1709.500	0.0093		
			1723.000	0.0019		
			1763.100	0.0065		
			1781.800	0.0320		
			1792.000	0.0019		
			1813.700	0.0093		
			1889.900	0.0070		
			1986.000	0.0065		
			2014.000	0.0019		
			2157.000	0.0020		
			2267.400	0.0019		
104 Cd	48	57.700 m	66.600	0.0240	0.1301	0.1021
			83.500	0.4700		
			123.700	0.0035		
			150.200	0.0011		
			511.000	0.0150		
			559.000	0.0630		
			625.700	0.0220		
			709.300	0.1950		
105 Ru	44	4.440 h	85.900	0.0032	0.4404	0.3338
			149.200	0.0167		
			163.600	0.0014		
			183.600	0.0010		
			225.000	0.0015		
			262.900	0.0720		
			316.500	0.1170		
			326.100	0.0118		
			330.900	0.0079		
			350.000	0.0030		
			350.200	0.0110		
			393.400	0.0420		
			407.500	0.0018		
			413.500	0.0248		
			469.400	0.1750		
			470.000	0.0130		
			489.600	0.0059		
			499.200	0.0240		
			500.400	0.0030		
			513.700	0.0036		
			539.200	0.0013		
			575.000	0.0013		
			575.300	0.0107		
			632.300	0.0023		
			638.600	0.0028		
			652.600	0.0035		
			656.000	0.0020		
			656.100	0.0240		
			676.400	0.1670		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
105 Ru	44	4.440 h	724.500	0.4900		
			822.100	0.0019		
			845.900	0.0073		
			875.800	0.0340		
			907.700	0.0059		
			969.400	0.0234		
			1017.200	0.0034		
			1321.100	0.0023		
105 Rh m	45	45.000 s	129.700	0.2050	0.0123	0.0130
105 Rh	45	1.473 d	280.100	0.0017	0.0436	0.0409
			306.100	0.0513		
			318.900	0.1920		
105 Ag m	47	7.230 m	319.160	0.0016	0.0003	0.0003
105 Ag	47	41.000 d	63.980	0.1050	0.2845	0.2400
			155.390	0.0036		
			182.850	0.0034		
			280.440	0.2940		
			289.180	0.0014		
			306.250	0.0082		
			311.640	0.0012		
			319.160	0.0430		
			325.260	0.0022		
			328.610	0.0034		
			331.510	0.0440		
			344.520	0.4090		
			360.660	0.0049		
			370.170	0.0079		
			392.640	0.0213		
			401.650	0.0025		
			414.660	0.0030		
			420.940	0.0013		
			437.120	0.0020		
			442.250	0.0049		
			443.370	0.1140		
			527.200	0.0015		
			560.720	0.0058		
			617.850	0.0115		
			644.550	0.1140		
			646.000	0.0017		
			650.720	0.0258		
			673.210	0.0109		
			681.900	0.0010		
			727.220	0.0012		
			743.310	0.0054		
			807.460	0.0127		
			962.430	0.0013		
			1087.940	0.0397		
106 Rh	45	29.900 s	511.800	0.2060	0.1120	0.0840
			616.200	0.0070		
			621.800	0.0980		
			873.100	0.0042		
			1050.100	0.0146		
			1128.000	0.0039		

Nuclide	Z	Half Life	Energy	Yield	T	R _{rem} /h/Ci	R _{rem} /h/Ci
106 Rh ∞	45	2.200 h	195.100	0.0060	1.5871	1.1830	
106 Rh	45	29.900 s	1562.000	0.0015	0.1120	0.0840	
106 Rh ∞	45	2.200 h	195.100	0.0060	1.5871	1.1830	
106 Ag ∞	47	8.410 d	195.050	0.0031	1.5354	1.1456	
106 Ag	47	23.960 ∞	511.600	0.1690	0.0541	0.0411	
			2260.000	0.0086			
			2020.000	0.0173			
			1840.600	0.0190			
			1724.600	0.0220			
			1573.900	0.0670			
			1565.400	0.0060			
			1395.500	0.0290			
			1224.200	0.0820			
			1200.500	0.1150			
			1127.700	0.1360			
			1046.700	0.3070			
			1020.500	0.0199			
			848.000	0.0360			
			825.000	0.1370			
			808.400	0.0752			
			804.600	0.1313			
			793.800	0.0570			
			748.500	0.1953			
			717.200	0.2920			
			703.100	0.0450			
			680.600	0.0190			
			645.800	0.0276			
			616.100	0.2039			
			601.200	0.0302			
			586.000	0.0086			
			511.700	0.8600			
			473.200	0.0090			
			450.800	0.2450			
			429.400	0.1339			
			419.200	0.0360			
			406.000	0.1180			
			390.800	0.0350			
			326.300	0.0121			
			319.600	0.0086			
			228.600	0.0207			
			221.800	0.0648			
			195.100	0.0060			
106 Rh ∞	45	29.900 s	1562.000	0.0015	0.1120	0.0840	
106 Ag ∞	47	8.410 d	195.050	0.0031	1.5354	1.1456	

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
106 Ag m	47	8.410 d	474.060	0.0093	1.5354	1.1456
			511.850	0.8800		
			585.970	0.0044		
			601.170	0.0162		
			616.170	0.2170		
			646.030	0.0146		
			680.190	0.0220		
			703.110	0.0450		
			717.340	0.2910		
			748.360	0.2070		
			793.170	0.0590		
			804.280	0.1240		
			808.360	0.0410		
			824.690	0.1540		
			847.600	0.0247		
			848.200	0.0194		
			874.810	0.0034		
			949.500	0.0019		
			956.218	0.0048		
			1019.720	0.0105		
			1045.830	0.2970		
			1050.600	0.0026		
			1053.770	0.0097		
			1121.590	0.0057		
			1128.020	0.1180		
			1136.850	0.0023		
			1178.070	0.0011		
			1199.390	0.1130		
			1222.880	0.0710		
			1349.500	0.0012		
			1394.350	0.0150		
			1527.650	0.1640		
			1565.400	0.0049		
			1572.350	0.0660		
			1722.760	0.0141		
			1839.050	0.0200		
107 Ru	44	4.200 m	194.500	0.1430	0.1304	0.1001
			375.000	0.0600		
			860.000	0.0700		
			931.200	0.0400		
			1030.000	0.0400		
			1290.000	0.0400		
107 Rh	45	21.700 m	115.700	0.0058	0.1941	0.1774
			219.400	0.0011		
			232.400	0.0023		
			266.100	0.0031		
			277.600	0.0190		
			288.300	0.0080		
			302.800	0.7300		
			312.200	0.0533		
			321.800	0.0248		
			348.200	0.0248		
			357.800	0.0045		
			367.300	0.0212		
			381.900	0.0072		
			392.500	0.0970		

Nuclide	Z	Half Life	Energy keV	Yield	I R ²³² /h/Ci	T Rem/h/Ci
107 Rh	45	21.700 m	431.700	0.0029	0.1941	0.1774
			451.900	0.0056		
			471.200	0.0013		
			567.700	0.0124		
			670.100	0.0248		
			753.800	0.0015		
			789.900	0.0010		
107 Cd	48	6.490 h	93.100	0.0460	0.0027	0.0027
			828.900	0.0018		
107 In	49	32.700 m	205.000	0.4800	0.5723	0.4381
			300.400	0.0017		
			303.700	0.0062		
			311.400	0.0014		
			320.900	0.0960		
			365.600	0.0355		
			414.000	0.0100		
			416.300	0.0144		
			456.200	0.0067		
			459.500	0.0014		
			505.400	0.1272		
			519.300	0.0020		
			549.700	0.0020		
			554.600	0.0086		
			585.300	0.0014		
			597.600	0.0048		
			600.700	0.0043		
			603.900	0.0140		
			611.200	0.0065		
			617.700	0.0024		
			629.300	0.0024		
			638.000	0.0017		
			640.700	0.0053		
			646.300	0.0020		
			649.600	0.0024		
			669.800	0.0020		
			676.700	0.0024		
			700.000	0.0020		
			702.800	0.0034		
			715.000	0.0048		
			716.500	0.0038		
			725.200	0.0053		
			728.000	0.0278		
			762.600	0.0067		
			793.000	0.0014		
			807.500	0.0053		
			809.000	0.0240		
			869.000	0.0072		
			903.000	0.0067		
			915.000	0.0115		
			921.500	0.0149		
			938.000	0.0034		
			947.000	0.0067		
			954.000	0.0043		
			984.700	0.0038		
			995.600	0.0024		
			998.700	0.0100		

Nuclide	Z	Half Life	Energy keV	Yield	R ^a m ² /h/Ci	T Rem/h/Ci
107 In	49	32.700 m	1038.600	0.0024	0.5723	0.4381
			1050.500	0.0024		
			1057.200	0.0100		
			1063.300	0.0130		
			1085.000	0.0043		
			1092.500	0.0024		
			1115.500	0.0029		
			1142.000	0.0038		
			1145.600	0.0077		
			1197.000	0.0043		
			1209.800	0.0029		
			1236.300	0.0043		
			1268.400	0.0432		
			1301.000	0.0029		
			1324.500	0.0067		
			1343.500	0.0140		
			1365.000	0.0029		
			1377.700	0.0125		
			1404.000	0.0024		
			1411.000	0.0096		
			1455.400	0.0082		
			1501.000	0.0096		
			1508.000	0.0014		
			1546.000	0.0034		
			1556.500	0.0077		
			1571.500	0.0120		
			1589.300	0.0034		
			1603.000	0.0086		
			1609.000	0.0024		
			1716.800	0.0048		
			1733.500	0.0024		
			1744.300	0.0048		
			1767.000	0.0038		
			1777.000	0.0144		
			1793.000	0.0038		
			1819.000	0.0014		
			1830.000	0.0062		
			1853.000	0.0029		
			1860.000	0.0038		
			1877.000	0.0072		
			1922.000	0.0154		
			1957.000	0.0053		
			1964.000	0.0048		
			1980.000	0.0072		
			1984.500	0.0120		
			2006.700	0.0173		
			2047.000	0.0029		
			2064.500	0.0144		
			2100.300	0.0072		
			2184.000	0.0086		
			2202.500	0.0029		
			2252.000	0.0014		
			2264.000	0.0024		
			2286.000	0.0100		
			2305.000	0.0110		
			2332.000	0.0038		
			2406.500	0.0024		
			2462.000	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
107 In	49	32.700 m	2471.000 2498.000 2509.000 2586.500 2654.000 2666.000 2682.000 2701.500 2718.000 2784.500 2863.000 2875.000 2986.000	0.0014 0.0014 0.0014 0.0024 0.0029 0.0072 0.0024 0.0014 0.0043 0.0020 0.0020 0.0067 0.0020	0.5723	0.4381
108 Ru	44	4.500 m	164.950	0.2800	0.0229	0.0228
108 Rh	45	16.800 s	433.700 497.500 510.600 618.700 1520.000 2000.000	0.4300 0.0688 0.1032 0.1900 0.0516 0.0300	0.2908	0.2235
108 Rh m	45	5.900 m	404.600 434.200 497.300 581.100 614.600 723.000 901.400 931.300 947.100 1092.700 1234.300 1528.000 1815.600	0.2751 0.9100 0.2300 0.5858 0.2779 0.0729 0.3052 0.0900 0.4974 0.0300 0.0800 0.0091 0.0600	1.2663	0.9542
108 Ag	47	2.370 m	433.927 618.860 632.980	0.0050 0.0026 0.0175	0.0085	0.0064
108 Ag m	47	127.087 y	79.200 433.927 614.370 722.950	0.0680 0.9030 0.9080 0.9090	0.9227	0.6933
109 Rh	45	1.333 m	35.340 81.780 113.350 149.820 152.910 178.030 200.130 211.880 213.810 215.280 245.030 249.160	0.0134 0.0073 0.0590 0.0062 0.0067 0.0790 0.0050 0.0067 0.0056 0.0180 0.0134 0.0600	0.1776	0.1618

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
109 Rh	45	1.333 m	264.330	0.0039	0.1776	0.1618
			266.260	0.0028		
			274.210	0.0011		
			276.260	0.0220		
			291.360	0.0780		
			295.540	0.0034		
			325.430	0.0150		
			326.830	0.5600		
			378.050	0.0129		
			426.140	0.0800		
			491.700	0.0039		
			540.700	0.0050		
			597.300	0.0011		
			617.900	0.0011		
			692.000	0.0011		
			1041.700	0.0011		
			1318.000	0.0011		
109 Pd m	46	4.690 m	188.900	0.5590	0.0544	0.0521
109 Pd	46	13.427 h	88.040	0.0360	0.0014	0.0015
109 Cd	48	1.060E-05 s	203.500	1.0000	0.2351	0.2153
			259.500	0.9000		
109 Cd	48	1.200E-05 s	59.900	0.0950	0.0032	0.0030
109 Cd	48	1.271 y	88.032	0.0361	0.0014	0.0015
109 In	49	0.210 s	405.000	0.2100	1.1188	0.8261
			680.000	1.0000		
			1030.000	0.1900		
			1435.000	0.8000		
109 In m	49	1.340 m	650.100	0.9370	0.3494	0.2558
109 In	49	4.200 h	59.900	0.0018	0.3033	0.2420
			74.800	0.0221		
			84.000	0.0294		
			203.500	0.7350		
			288.400	0.0176		
			324.400	0.0037		
			326.300	0.0054		
			347.500	0.0220		
			420.500	0.0099		
			426.200	0.0423		
			461.400	0.0010		
			482.200	0.0013		
			529.300	0.0059		
			583.800	0.0029		
			613.600	0.0250		
			619.000	0.0176		
			619.800	0.0019		
			623.500	0.0600		
			649.800	0.0301		
			652.900	0.0191		
			678.800	0.0099		
			721.500	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
109 In	49	4.200 h	727.400	0.0026	0.3033	0.2420
			730.900	0.0039		
			753.900	0.0044		
			793.900	0.0059		
			800.000	0.0040		
			822.500	0.0140		
			832.200	0.0026		
			852.300	0.0026		
			862.200	0.0017		
			890.500	0.0028		
			900.700	0.0047		
			925.800	0.0088		
			930.300	0.0029		
			949.100	0.0154		
			998.500	0.0071		
			1004.100	0.0022		
			1049.700	0.0116		
			1106.200	0.0032		
			1149.100	0.0430		
			1196.500	0.0176		
			1272.900	0.0059		
			1346.900	0.0059		
			1352.300	0.0073		
			1419.200	0.0132		
			1475.800	0.0044		
			1539.300	0.0014		
			1569.000	0.0013		
			1622.300	0.0206		
			1771.900	0.0044		
110 Rh	45	3.000 s	375.000	0.5100	0.1092	0.0947
110 Rh m	45	28.500 s	373.800	0.9100	1.4162	1.0744
			398.500	0.1490		
			440.000	0.2600		
			478.800	0.0400		
			531.200	0.0180		
			546.300	0.3600		
			584.900	0.1740		
			653.400	0.1700		
			687.700	0.2800		
			813.700	0.0910		
			838.100	0.2200		
			890.500	0.1280		
			904.500	0.2700		
			979.600	0.0460		
			1048.300	0.0790		
			1086.500	0.0310		
			1216.500	0.0740		
			1230.900	0.1270		
			1392.100	0.0450		
			1406.600	0.0660		
			1525.800	0.0180		
			1579.200	0.0160		
			1593.600	0.0630		
			1871.700	0.0140		
			1885.100	0.0400		
110 Ag	47	24.600 s	657.749	0.0450	0.0170	0.0124

Nuclide	Z	Half Life	Energy keV	Yield	$\frac{\text{R}^2}{\text{Ci}}/\text{h}$	$\frac{\text{T}^2}{\text{Ci}}/\text{h}$
110 Ag m	47	249.900 d	365.441 446.797 620.346 626.246 657.749 676.600 677.606 686.988 706.670 708.115 744.260 763.928 818.016 884.667 937.478 997.233 1334.304 1384.270 1475.759 1505.091 1562.266	0.0011 0.0366 0.0278 0.0024 0.9470 0.0014 0.1072 0.0649 0.1674 0.0028 0.0466 0.2236 0.0732 0.7290 0.3430 0.0013 0.0013 0.2435 0.0399 0.1311 0.0118	1.5078	1.1023
110 In	49	69.100 m	657.750 815.350 818.016 884.667 1125.750 1235.600 1421.100 1475.760 1602.580 1698.100 1783.490 1975.410 2002.540 2129.480 2211.490 2317.540 2420.800 2444.200 2535.800 2808.300 2975.210 3043.690 3078.260 3475.240 3596.850	0.9800 0.0028 0.0079 0.0011 0.0102 0.0026 0.0042 0.0047 0.0013 0.0027 0.0028 0.0015 0.0013 0.0213 0.0176 0.0131 0.0054 0.0030 0.0024 0.0055 0.0014 0.0013 0.0030 0.0065 0.0013	0.4826	0.3535
110 In m	49	4.900 h	121.170 409.600 461.100 461.800 467.000 560.320 581.930 584.210 626.240	0.0039 0.0046 0.0223 0.0470 0.0014 0.0184 0.0840 0.0640 0.0145	1.6951	1.2383

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
110 In m	49	4.900 h	641.680	0.2560	1.6951	1.2383
			648.580	0.0039		
			657.750	0.9700		
			677.600	0.0450		
			706.670	0.0013		
			707.400	0.2910		
			708.120	0.0165		
			744.260	0.0194		
			759.870	0.0310		
			764.000	0.0017		
			795.420	0.0032		
			818.016	0.0223		
			844.667	0.0320		
			871.080	0.0031		
			884.667	0.9200		
			901.530	0.0194		
			937.478	0.6750		
			997.160	0.1040		
			1018.870	0.0029		
			1019.480	0.0068		
			1045.240	0.0080		
			1085.520	0.0135		
			1117.360	0.0417		
			1125.670	0.0019		
			1163.280	0.0029		
			1305.110	0.0034		
			1334.140	0.0097		
			1384.390	0.0018		
			1421.040	0.0046		
			1475.760	0.0123		
			1505.000	0.0025		
			1521.660	0.0016		
			1562.260	0.0049		
			1579.070	0.0025		
			1592.690	0.0012		
			1697.770	0.0025		
			1783.500	0.0015		
			1802.390	0.0061		
			1903.360	0.0029		
			1982.770	0.0038		
110 Sn	50	4.000 h	283.000	1.0000	0.1575	0.1493
111 Pd	46	5.500 h	172.000	0.3250	0.0280	0.0276
111 Ag	47	7.450 d	96.750	0.0012	0.0147	0.0133
			245.400	0.0123		
			342.130	0.0670		
111 In	49	2.830 d	171.280	0.9093	0.2039	0.1895
			245.390	0.9417		
111 Sn	50	35.300 m	372.000	0.0046	0.0810	0.0598
			457.400	0.0035		
			536.300	0.0032		
			564.300	0.0028		
			761.300	0.0140		
			953.800	0.0049		

Nucleide	Z	Half Life	Energy keV	Yield fm ² /h/Ci	R _{rem} /h/Ci
111 Sn	50	35.300 m	1026.000	0.0026	0.0810 0.0598
112 Ag	47	3.120 h	119.900	0.0020	0.3337 0.2457
112 Ag	47	3.120 h	119.900	0.0020	0.3337 0.2457
113 In	49	14.400 m	606.400	0.0124	0.0251 0.0185
113 In	49	1.658 h	391.688	0.6490	0.1455 0.1235
113 Sn	50	115.100 d	255.115	0.0185	0.0026 0.0023
114 Ag	47	4.520 s	558.000	0.1500	0.0722 0.0537
			576.100	0.0120	
			651.300	0.0049	
			747.000	0.0010	
			808.200	0.0045	
			1208.000	0.0022	

Nuclide	Z	Half Life	Energy keV	Yield	Γ $R^* m^2/h/Ci$	T Rem/h/Ci
114 Ag	47	4.520 s	1286.000	0.0010	0.0722	0.0537
			1302.900	0.0082		
			1364.000	0.0027		
			1660.600	0.0045		
			2454.800	0.0025		
114 In	49	1.198 m	1299.830	0.0020	0.0013	0.0010
114 In m	49	49.510 d	190.270	0.1541	0.0470	0.0380
			558.430	0.0440		
			725.240	0.0430		
114 Sb	51	3.430 m	322.000	0.0550	0.7912	0.5833
			392.000	0.0110		
			716.600	0.0490		
			887.700	0.1830		
			1299.800	1.0000		
115 Ag	47	20.000 m	131.400	0.0446	0.3375	0.2622
			213.500	0.0769		
			229.700	0.3250		
			237.100	0.0068		
			243.500	0.0056		
			277.400	0.0012		
			303.300	0.0105		
			326.500	0.0325		
			360.900	0.0102		
			372.600	0.0316		
			389.300	0.0059		
			417.300	0.0053		
			473.200	0.0580		
			507.700	0.0220		
			539.600	0.0022		
			548.300	0.0034		
			585.000	0.0025		
			649.900	0.0430		
			699.200	0.0313		
			719.000	0.0012		
			750.000	0.0015		
			777.900	0.0096		
			820.900	0.0012		
			830.600	0.0019		
			852.400	0.0015		
			862.800	0.0015		
			932.800	0.0019		
			963.800	0.0074		
			1091.900	0.0062		
			1127.700	0.0031		
			1135.100	0.0081		
			1151.600	0.0031		
			1183.300	0.0043		
			1223.000	0.0022		
			1364.000	0.0037		
			1379.900	0.0090		
			1395.000	0.0028		
			1407.100	0.0031		
			1435.600	0.0025		
			1463.900	0.0084		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
115 Ag	47	20.000 m	1507.400 1608.600 1648.900 1653.000 1665.100 1713.800 1795.400 1842.000 1884.900 1911.700 1927.600 2031.300 2114.200 2156.800 2387.800 2457.800 2495.400 2908.100	0.0208 0.0031 0.0062 0.0031 0.0037 0.0025 0.0046 0.0270 0.0065 0.0034 0.0217 0.0015 0.0189 0.0496 0.0031 0.0015 0.0025 0.0015	0.3375	0.2622
115 Cd	48	2.227 d	35.630 231.470 260.800 492.140 527.700	0.0046 0.0082 0.0220 0.1020 0.3290	0.1335	0.1019
115 Cd m	48	44.600 d	484.350 933.600 1290.500	0.0020 0.0133 0.0060	0.0114	0.0084
115 In	49	4.300 h	336.241	0.4670	0.0890	0.0815
115 Sb	51	31.800 m	114.500 491.000 499.000 748.000 986.000 1008.000 1121.000 1136.000 1236.000 1279.000 1621.000 1690.000 1729.000 2224.000	0.0019 0.0370 0.9930 0.0019 0.0038 0.0036 0.0013 0.0016 0.0068 0.0029 0.0039 0.0010 0.0019 0.0013	0.3159	0.2420
115 Te	52	6.900E-06 s	281.000	0.8425	0.1316	0.1246
115 Te	52	6.000 m	374.000 427.000 602.000 633.000 656.000 722.700 771.000 1098.000 1277.000 1289.000	0.0300 0.0100 0.0400 0.0100 0.0600 0.3000 0.0700 0.1800 0.0200 0.0600	0.7063	0.5192

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
115 Te	52	6.000 m	1326.000 1354.000 1380.000 1600.000 1619.000 2207.000 2634.000 2689.000	0.1900 0.0200 0.2100 0.0300 0.0070 0.0100 0.0050 0.0100	0.7063	0.5192
116 Ag m	47	10.400 s	513.930 666.780 699.850 706.260 709.780 807.500 867.320 1029.850 1213.510 1408.750	0.7200 0.0560 0.0580 0.4610 0.1440 0.1220 0.0108 0.2480 0.0480 0.0190	0.7451	0.5503
116 Ag	47	2.680 m	513.930 699.850 706.260 708.580 769.410 867.320 1213.510 1305.380 1408.750 2478.790	0.7000 0.1100 0.0160 0.0100 0.0160 0.0130 0.0650 0.0550 0.0380 0.1000	0.4857	0.3623
116 In	49	14.100 s	450.000 950.000 1270.000	0.0012 0.0010 0.0125	0.0090	0.0057
116 In m	49	54.150 m	138.326 262.950 278.490 303.800 355.360 416.860 463.140 655.700 689.000 705.700 781.100 818.700 972.550 1097.300 1293.540 1507.400 1753.800 2112.100	0.0329 0.0012 0.0014 0.0012 0.0083 0.2920 0.0083 0.0011 0.0016 0.0017 0.0011 0.1150 0.0045 0.5620 0.8440 0.1000 0.0246 0.1550	1.2673	0.9384
116 Sb	51	15.800 m	931.800 1293.540 2225.330 2843.500	0.2470 0.8480 0.1420 0.0075	0.8414	0.6183

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
116 Sb	51	15.800 m	2970.000	0.0017	0.8414	0.6183
116 Sb m	51	60.300 m	99.818	0.8300	1.5980	1.2047
			135.520	0.3600		
			407.350	0.4200		
			436.680	0.0400		
			542.872	0.5200		
			844.000	0.1200		
			972.550	0.7200		
			1072.360	0.2800		
			1293.540	1.0000		
116 Te	52	2.490 h	94.000	0.2900	0.0210	0.0205
			103.000	0.0400		
			628.700	0.0200		
116 I	53	2.900 s	540.200	0.0115	0.0424	0.0310
			679.000	0.1000		
117 Ag	47	5.340 s	104.700	0.0018	0.4105	0.3442
			135.400	0.4600		
			142.100	0.0450		
			157.100	0.0590		
			184.500	0.0590		
			202.200	0.0060		
			204.600	0.0540		
			215.300	0.0064		
			219.700	0.0310		
			249.500	0.0100		
			298.100	0.2000		
			307.200	0.0210		
			322.100	0.0670		
			337.700	0.0880		
			341.100	0.0190		
			353.100	0.0046		
			362.300	0.0160		
			365.400	0.0150		
			377.600	0.0110		
			386.800	0.3800		
			413.800	0.0260		
			421.200	0.0210		
			442.600	0.0120		
			482.400	0.0190		
			486.800	0.0090		
			492.700	0.0090		
			500.600	0.0100		
			522.100	0.0890		
			526.400	0.0120		
			529.900	0.0070		
			543.200	0.0028		
			546.500	0.0032		
			555.200	0.0046		
			557.800	0.0200		
			569.900	0.0060		
			581.900	0.0092		
			585.400	0.0028		
			591.900	0.0028		
			608.800	0.0051		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
117 Ag	47	5.340 s	637.300	0.0140	0.4105	0.3442
			665.100	0.0060		
			684.600	0.0750		
			691.700	0.0023		
			743.100	0.0032		
			754.800	0.0110		
			772.100	0.0018		
			786.300	0.0170		
			801.200	0.0051		
			819.900	0.0170		
			834.200	0.0046		
			895.800	0.0032		
			899.500	0.0014		
			913.400	0.0046		
			1038.000	0.0092		
			1130.600	0.0160		
			1141.900	0.0055		
			1220.400	0.0101		
			1258.600	0.0150		
			1330.300	0.0090		
			1455.800	0.0032		
			1508.600	0.0028		
117 Cd	48	2.490 h	71.120	0.0039	0.5553	0.4258
			89.730	0.0326		
			160.800	0.0025		
			220.920	0.0117		
			273.349	0.2790		
			279.800	0.0011		
			292.050	0.0064		
			344.459	0.1790		
			387.960	0.0031		
			397.200	0.0020		
			419.790	0.0018		
			434.190	0.0980		
			439.390	0.0011		
			463.040	0.0075		
			497.770	0.0011		
			527.000	0.0014		
			627.010	0.0011		
			660.830	0.0011		
			699.580	0.0024		
			712.710	0.0056		
			716.430	0.0020		
			728.640	0.0024		
			748.050	0.0056		
			831.800	0.0226		
			840.210	0.0081		
			850.720	0.0012		
			861.300	0.0028		
			862.600	0.0061		
			880.710	0.0396		
			945.670	0.0153		
			949.630	0.0022		
			952.330	0.0014		
			963.110	0.0061		
			969.300	0.0045		
			1035.610	0.0024		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
117 Cd	48	2.490 h	1051.700	0.0379	0.5553	0.4258
			1052.700	0.0073		
			1116.600	0.0103		
			1120.050	0.0024		
			1125.100	0.0045		
			1142.430	0.0167		
			1143.500	0.0014		
			1183.400	0.0013		
			1229.110	0.0061		
			1232.300	0.0028		
			1247.890	0.0120		
			1260.000	0.0114		
			1272.730	0.0073		
			1291.000	0.0067		
			1294.300	0.0045		
			1303.270	0.1840		
			1314.710	0.0059		
			1337.570	0.0162		
			1362.400	0.0024		
			1404.400	0.0012		
			1408.720	0.0128		
			1422.270	0.0033		
			1430.970	0.0056		
			1433.500	0.0011		
			1450.150	0.0061		
			1475.460	0.0042		
			1562.240	0.0142		
			1576.620	0.1120		
			1578.400	0.0014		
			1652.100	0.0028		
			1682.070	0.0070		
			1706.930	0.0100		
			1723.060	0.0201		
			1739.130	0.0013		
			1856.400	0.0025		
			1867.300	0.0011		
			2012.490	0.0011		
117 Cd m	48	3.360 h	97.700	0.0105	1.0059	0.7423
			99.400	0.0010		
			168.630	0.0029		
			220.920	0.0024		
			292.050	0.0010		
			295.450	0.0045		
			310.260	0.0050		
			325.300	0.0013		
			366.910	0.0333		
			439.390	0.0018		
			460.940	0.0162		
			484.790	0.0102		
			545.000	0.0016		
			564.397	0.1470		
			597.340	0.0013		
			617.500	0.0034		
			627.260	0.0024		
			631.800	0.0280		
			663.500	0.0068		
			712.710	0.0100		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
117 Cd m	48	3.360 h	730.800	0.0010	1.0059	0.7423
			748.060	0.0450		
			762.720	0.0173		
			788.160	0.0050		
			827.600	0.0026		
			860.410	0.0790		
			880.710	0.0070		
			886.000	0.0039		
			929.300	0.0079		
			931.370	0.0364		
			957.200	0.0039		
			1029.060	0.1170		
			1065.980	0.2310		
			1170.710	0.0065		
			1196.200	0.0039		
			1205.500	0.0013		
			1209.000	0.0013		
			1209.000	0.0018		
			1234.590	0.1100		
			1256.900	0.0018		
			1339.300	0.0207		
			1365.540	0.0165		
			1432.910	0.1340		
			1652.240	0.0047		
			1669.500	0.0063		
			1957.500	0.0016		
			1997.330	0.2620		
			2096.400	0.0744		
			2322.750	0.0786		
			2400.450	0.0076		
			2417.400	0.0102		
			2462.500	0.0021		
			2476.200	0.0019		
			2540.730	0.0015		
117 In	49	43.800 m	158.600	0.8700	0.3867	0.3072
			396.600	0.0014		
			552.900	1.0000		
117 In m	49	1.942 h	158.600	0.1590	0.0463	0.0443
			315.302	0.1910		
117 Sn	50	13.610 d	156.020	0.0211	0.0687	0.0694
			158.560	0.8640		
117 Sb	51	2.800 h	158.562	0.8590	0.0705	0.0702
			861.350	0.0031		
			1004.510	0.0021		
			1020.600	0.0010		
			1021.000	0.0011		
117 Te	52	0.103 s	100.000	1.0000	0.1883	0.1838
			274.400	0.9500		
117 Te	52	62.000 m	568.800	0.0065	0.6464	0.4737
			634.500	0.0045		
			719.700	0.6470		
			831.000	0.0052		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
117 Te	52	62.000 m	886.700	0.0149	0.6464	0.4737
			923.900	0.0620		
			930.200	0.0019		
			996.700	0.0390		
			1090.700	0.0690		
			1354.500	0.0052		
			1360.500	0.0045		
			1454.500	0.0084		
			1565.100	0.0097		
			1580.500	0.0019		
			1595.300	0.0019		
			1716.400	0.1590		
			2213.000	0.0032		
			2284.800	0.0039		
			2300.000	0.1120		
			2379.300	0.0013		
117 I	53	2.300 m	111.400	0.0039	0.1978	0.1803
			274.400	0.2079		
			294.700	0.0100		
			303.200	0.0154		
			325.900	0.7700		
			407.000	0.0070		
			497.200	0.0116		
			683.000	0.0200		
			837.300	0.0154		
117 Xe	54	1.017 m	73.700	0.0402	0.3422	0.2798
			94.900	0.0332		
			112.000	0.0138		
			117.000	0.1107		
			155.360	0.0297		
			160.740	0.0913		
			203.300	0.0121		
			221.400	0.2700		
			257.000	0.0448		
			294.750	0.2010		
			303.400	0.0613		
			315.770	0.0691		
			353.200	0.0529		
			439.150	0.0537		
			519.000	0.1500		
			609.700	0.0121		
			639.000	0.1360		
			661.340	0.1500		
			1523.240	0.0640		
118 Ag m	47	2.800 s	127.700	0.0722	1.2171	0.8994
			487.750	0.5883		
			677.000	0.5783		
			770.900	0.2000		
			808.280	0.0600		
			1058.600	0.3200		
			1939.000	0.0500		
			2101.500	0.0990		
			2779.200	0.0800		
			2789.400	0.1140		
			3225.900	0.1320		

Muclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T Rem/h/Ci
118 Ag	47	3.700 s	487.750 677.000 770.900 781.500 797.800 808.280 1058.600 1270.000	0.8100 0.3400 0.0060 0.0580 0.0700 0.0020 0.0200 0.0430	0.4598	0.3455
118 In	49	5.000 s	528.000 827.000 1229.500 1680.000 1880.000	0.0540 0.0120 0.1500 0.0300 0.0300	0.1684	0.1243
118 In m2	49	8.500 s	138.200	0.2157	0.0140	0.0146
118 In m1	49	4.450 m	208.600 230.000 445.800 474.400 560.200 637.300 683.300 813.700 1050.800 1097.000 1173.200 1229.500 1259.000 1504.200 1550.000 1734.600 2042.300 2325.000	0.0230 0.0090 0.0590 0.0300 0.0140 0.0350 0.5500 0.0330 0.8200 0.0340 0.0130 0.9600 0.0390 0.0090 0.0100 0.0050 0.0340 0.0020	1.4603	1.0717
118 Sb	51	3.600 m	528.200 826.900 1229.640 1267.000	0.0039 0.0036 0.0247 0.0057	0.0224	0.0165
118 Sb m	51	5.000 h	41.000 253.678 1050.690 1091.500 1229.640	0.1800 0.9900 0.9700 0.0360 1.0000	1.3584	1.0147
118 I	53	13.700 m	496.400 544.800 551.800 559.500 605.200 684.900 711.200 740.700 1149.900 1257.000	0.0020 0.1230 0.0200 0.0020 0.9500 0.0040 0.0040 0.0160 0.0500 0.0380	0.5308	0.3917

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
118 I	53	13.700 m	1285.900 1338.400	0.0060 0.1240	0.5308	0.3917
120 Ag	47	0.320 s	203.000	0.2300	0.0245	0.0230
120 Cd	48	50.800 s	251.500 1207.500 2039.800 2390.200	0.0019 0.0059 0.0186 0.0114	0.0328	0.0243
120 In	49	3.080 s	251.500 704.200 990.000 1172.500 1185.800 1207.500 1250.800 2039.800 2098.300 2390.200	0.0019 0.0142 0.0013 0.1900 0.0091 0.0059 0.0023 0.0186 0.0042 0.0114	0.1678	0.1233
120 In m	49	44.400 s	89.900 177.500 197.300 268.100 354.700 401.200 414.700 449.100 465.500 545.600 592.200 610.000 637.200 697.000 702.800 713.500 863.800 925.000 965.000 985.100 1023.200 1162.500 1171.600 1184.400 1246.500 1250.800 1294.700 1472.200 1582.000 1886.600 2007.300 2096.600 2178.300 2266.700 2354.500 2420.000 2605.000	0.0630 0.0029 0.0790 0.0150 0.0140 0.0080 0.0270 0.0058 0.0078 0.0160 0.0150 0.0150 0.0160 0.0170 0.0240 0.0690 0.3010 0.0150 0.0790 0.0230 0.6020 0.0190 0.9710 0.0260 0.0050 0.0130 0.1080 0.0440 0.0029 0.0390 0.0630 0.0120 0.0240 0.0140 0.0090 0.0090 0.0190	1.5598	1.1472

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
120 Sb	51	15.890 m	703.800 1171.200	0.0015 0.0169	0.0110	0.0081
120 Sb m	51	5.760 d	89.800 197.300 1023.300 1113.400 1171.700	0.8000 0.8800 0.9900 0.0130 1.0000	1.2976	0.9806
120 I m	53	53.000 m	425.700 433.000 477.900 485.100 560.400 601.100 614.700 651.900 654.500 694.400 703.900 728.500 763.200 874.700 881.800 921.300 976.000 1031.500 1039.900 1054.000 1059.200 1158.000 1197.300 1261.300 1328.000 1334.600 1345.900 1363.500 1402.100 1405.000 1441.100 1453.000 1761.400 1775.800 1851.400 1868.300 1922.800 1988.200 2094.300 2305.400 2403.200 2462.800 2560.600 2602.500 2811.200 2864.300 2932.900 3105.100	0.0280 0.0210 0.0120 0.0120 1.0000 0.8700 0.6700 0.0070 0.0210 0.0056 0.0190 0.1000 0.0350 0.0100 0.0230 0.0430 0.3500 0.0150 0.0650 0.1000 0.0510 0.0270 0.0230 0.0170 0.0600 0.0440 0.1890 0.0420 0.0360 0.0930 0.0130 0.1200 0.0380 0.0510 0.0160 0.0380 0.0200 0.0230 0.0220 0.0200 0.0670 0.0410 0.0370 0.0320 0.0410 0.0230 0.0430 0.0210	2.3096	1.7031

Muclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
120 I	53	1.350 h	433.000	0.0036	0.8714	0.6442
			477.900	0.0020		
			485.100	0.0020		
			542.700	0.0109		
			560.400	0.7300		
			601.100	0.0580		
			614.000	0.0066		
			641.100	0.0910		
			653.000	0.0022		
			662.100	0.0112		
			701.400	0.0030		
			713.000	0.0015		
			729.200	0.0030		
			735.300	0.0035		
			743.100	0.0035		
			752.000	0.0030		
			764.000	0.0030		
			853.300	0.0017		
			874.700	0.0015		
			881.800	0.0036		
			908.500	0.0028		
			921.300	0.0069		
			969.100	0.0019		
			975.100	0.0161		
			979.600	0.0039		
			1039.000	0.0051		
			1085.900	0.0015		
			1101.000	0.0041		
			1158.000	0.0044		
			1168.800	0.0058		
			1201.600	0.0193		
			1255.400	0.0080		
			1283.400	0.0036		
			1299.400	0.0042		
			1302.700	0.0082		
			1363.500	0.0066		
			1383.000	0.0051		
			1410.900	0.0131		
			1422.900	0.0080		
			1441.100	0.0022		
			1451.700	0.0051		
			1492.000	0.0044		
			1523.000	0.1120		
			1534.900	0.0204		
			1543.000	0.0117		
			1547.500	0.0091		
			1552.200	0.0036		
			1605.000	0.0073		
			1663.600	0.0036		
			1674.000	0.0051		
			1761.400	0.0066		
			1764.000	0.0051		
			1769.000	0.0022		
			1775.800	0.0082		
			1790.000	0.0131		
			1851.400	0.0026		
			1868.300	0.0058		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
120 I	53	1.350 h	1874.700	0.0058	0.8714	0.6442
			1895.000	0.0058		
			1911.000	0.0058		
			1922.800	0.0029		
			1935.000	0.0030		
			1983.400	0.0044		
			2034.000	0.0036		
			2045.000	0.0022		
			2082.000	0.0095		
			2094.300	0.0036		
			2109.100	0.0055		
			2129.400	0.0080		
			2142.000	0.0036		
			2158.000	0.0036		
			2172.000	0.0073		
			2181.000	0.0051		
			2188.000	0.0139		
			2218.000	0.0022		
			2305.400	0.0029		
			2375.300	0.0036		
			2378.400	0.0048		
			2404.000	0.0100		
			2454.800	0.0204		
			2462.800	0.0066		
			2491.800	0.0102		
			2510.000	0.0030		
			2526.000	0.0030		
			2564.400	0.0196		
			2602.500	0.0051		
			2638.000	0.0022		
			2654.000	0.0022		
			2697.200	0.0036		
			2740.000	0.0044		
			2747.000	0.0030		
			2778.000	0.0036		
			2800.000	0.0030		
			2811.200	0.0066		
			2829.000	0.0022		
			2864.300	0.0036		
			2932.900	0.0070		
			2939.000	0.0030		
			2987.000	0.0044		
			3029.000	0.0036		
			3047.000	0.0131		
			3082.000	0.0030		
			3098.000	0.0036		
			3105.100	0.0036		
			3160.000	0.0022		
			3182.000	0.0066		
			3334.000	0.0022		
			3395.000	0.0030		
			3442.000	0.0022		
			3545.000	0.0030		
			3580.000	0.0030		
120 Xe	54	40.000 m	40.900	0.0067	0.1917	0.1508
			40.900	0.0015		
			51.500	0.0043		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
120 Xe	54	40.000 m	69.600	0.0094	0.1917	0.1508
			72.600	0.0900		
			77.200	0.0400		
			81.100	0.0052		
			86.100	0.0058		
			88.700	0.0018		
			89.800	0.0179		
			97.000	0.0019		
			99.000	0.0054		
			99.000	0.0160		
			101.300	0.0012		
			124.800	0.0014		
			128.800	0.0157		
			133.500	0.0025		
			139.900	0.0066		
			146.900	0.0028		
			164.900	0.0030		
			172.200	0.0099		
			172.200	0.0036		
			174.500	0.0040		
			176.000	0.0094		
			176.000	0.0450		
			178.100	0.0670		
			195.300	0.0013		
			200.800	0.0031		
			203.500	0.0022		
			205.800	0.0034		
			221.600	0.0050		
			246.300	0.0023		
			271.800	0.0014		
			277.500	0.0037		
			279.600	0.0038		
			282.900	0.0014		
			285.500	0.0011		
			295.600	0.0112		
			302.300	0.0011		
			309.600	0.0058		
			315.800	0.0017		
			317.200	0.0021		
			322.500	0.0013		
			323.700	0.0015		
			331.400	0.0016		
			335.900	0.0104		
			342.100	0.0025		
			346.900	0.0054		
			350.200	0.0043		
			359.500	0.0094		
			365.700	0.0011		
			375.500	0.0023		
			376.500	0.0013		
			385.000	0.0094		
			401.400	0.0022		
			404.000	0.0014		
			424.200	0.0121		
			426.900	0.0035		
			429.400	0.0022		
			439.700	0.0019		
			446.400	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
120 Xe	54	40.000 m	449.200	0.0166	0.1917	0.1508
			451.100	0.0027		
			457.600	0.0011		
			464.100	0.0014		
			465.700	0.0031		
			467.200	0.0053		
			476.000	0.0058		
			478.400	0.0033		
			481.400	0.0015		
			489.700	0.0022		
			504.500	0.0027		
			504.500	0.0040		
			506.900	0.0018		
			516.200	0.0030		
			529.400	0.0138		
			535.900	0.0019		
			540.800	0.0025		
			551.400	0.0014		
			555.600	0.0148		
			562.500	0.0024		
			569.000	0.0038		
			572.400	0.0033		
			574.200	0.0022		
			580.600	0.0077		
			590.400	0.0157		
			594.200	0.0054		
			596.400	0.0025		
			604.800	0.0032		
			627.700	0.0018		
			631.100	0.0104		
			638.500	0.0030		
			647.800	0.0039		
			652.400	0.0011		
			656.700	0.0024		
			663.600	0.0012		
			664.700	0.0044		
			678.900	0.0164		
			682.600	0.0056		
			685.500	0.0024		
			689.000	0.0014		
			694.700	0.0013		
			697.000	0.0017		
			726.000	0.0049		
			744.100	0.0014		
			745.400	0.0016		
			748.400	0.0106		
			753.300	0.0145		
			762.500	0.0450		
			793.400	0.0130		
			811.700	0.0073		
			820.400	0.0022		
			822.600	0.0024		
			825.400	0.0035		
			850.700	0.0020		
			852.100	0.0044		
			863.400	0.0061		
			867.100	0.0023		
			869.700	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ² m ² /h/Ci	Rem/h/Ci
120 Xe	54	40.000 m	872.600	0.0015	0.1917	0.1508
			875.700	0.0085		
			884.000	0.0011		
			885.200	0.0032		
			921.100	0.0029		
			930.400	0.0022		
			940.500	0.0034		
			965.500	0.0120		
			971.000	0.0031		
			989.100	0.0058		
			998.400	0.0017		
			1023.300	0.0033		
			1029.400	0.0027		
			1033.200	0.0047		
121 Te	52	17.000 d	37.138	0.0012	0.3210	0.2399
			65.548	0.0026		
			470.472	0.0141		
			507.591	0.1770		
			573.139	0.8030		
121 Te m	52	154.000 d	37.138	0.0094	0.1068	0.0958
			212.190	0.8150		
			1102.149	0.0250		
121 I	53	2.120 h	212.500	0.8420	0.1340	0.1179
			230.400	0.0030		
			244.300	0.0010		
			279.000	0.0015		
			319.700	0.0100		
			382.200	0.0049		
			471.500	0.0086		
			475.000	0.0100		
			531.900	0.0616		
			594.000	0.0037		
			598.700	0.0154		
			695.400	0.0017		
			699.700	0.0019		
			806.900	0.0024		
			936.800	0.0019		
			1014.500	0.0029		
122 In	49	1.500 s	1141.100	0.2900	0.1756	0.1286
122 In m	49	10.000 s	103.600	0.7040	1.6135	1.2032
			163.200	0.4280		
			243.900	0.0480		
			407.600	0.0600		
			877.900	0.0950		
			1001.700	1.0000		
			1121.800	0.5500		
			1141.000	1.0000		
122 Sb	51	2.700 d	564.240	0.7004	0.2527	0.1881
			692.650	0.0382		
			1140.670	0.0074		
			1256.930	0.0081		
122 I	53	3.620 m	564.000	0.1770	0.0793	0.0588

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
122 I	53	3.620 m	683.500 692.600 793.000 1257.000 1499.500 1747.200 2193.000	0.0085 0.0131 0.0124 0.0027 0.0015 0.0030 0.0024	0.0793	0.0588
122 Xe	54	20.100 h	61.800 72.600 90.700 116.300 148.800 163.300 174.700 175.700 187.100 201.600 253.700 288.400 350.200 355.200 416.900	0.0037 0.0019 0.0061 0.0010 0.0310 0.0015 0.0016 0.0033 0.0062 0.0013 0.0012 0.0047 0.0780 0.0018 0.0180	0.0251	0.0227
123 In	49	5.970 s	174.180 223.500 284.700 425.400 536.400 618.800 845.500 931.200 957.300 1019.700 1130.500 1131.000 1382.300 2001.200	0.0019 0.0012 0.0017 0.0017 0.0090 0.0019 0.0013 0.0030 0.0040 0.2800 0.5700 0.0020 0.0112 0.0027	0.5179	0.3791
123 Sn m	50	40.080 m	160.330	0.8500	0.0670	0.0674
123 Sn	50	129.200 d	1088.640	0.0060	0.0035	0.0026
123 Te	52	119.700 d	159.000	0.8400	0.0655	0.0661
123 I	53	13.200 h	158.970 346.350 440.020 505.330 528.960 538.540	0.8280 0.0013 0.0042 0.0031 0.0138 0.0038	0.0721	0.0710
123 Xe	54	2.080 h	138.000 148.900 178.000 330.200 474.200 680.500	0.0025 0.4880 0.1530 0.0890 0.0010 0.0020	0.1772	0.1468

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T	$R^{*}n^2/h/Ci$	$R^{*}m/h/Ci$
123 Xe	54	2.080 h	691.500	0.0010			0.1772	0.1468
			718.500	0.0017				
			782.900	0.0045				
			870.700	0.0029				
			899.600	0.0246				
			934.900	0.0030				
			964.000	0.6054				
			979.400	0.0029				
			1011.300	0.0044				
			1013.500	0.0012				
			1048.900	0.0014				
			1060.700	0.0079				
			1064.300	0.0066				
			1093.400	0.0280				
			1113.000	0.0157				
			1161.300	0.0010				
			1242.000	0.0010				
			1242.000	0.0045				
			1310.300	0.0013				
			1390.900	0.0012				
			1534.900	0.0030				
			1603.900	0.0017				
			1625.900	0.0059				
			1656.800	0.0013				
			1686.800	0.0060				
			1715.900	0.0019				
			1732.200	0.0014				
			1807.300	0.0124				
			1822.300	0.0012				
			1884.500	0.0064				
			1934.200	0.0022				
			1974.300	0.0014				
			2003.300	0.0019				
			2037.600	0.0024				
			2071.900	0.0017				
			2101.300	0.0016				
124 Sb m	51	1.550 m	498.400	0.1974	0.2021	0.1504		
			602.720	0.2000				
			645.800	0.2000				
			1101.000	0.0032				
124 Sb d	51	60.200 d	400.030	0.0053	0.9549	0.7047		
			443.990	0.0035				
			525.500	0.0031				
			602.720	0.9792				
			632.360	0.0016				
			645.820	0.0721				
			709.310	0.0142				
			713.820	0.0239				
			722.780	0.1126				
			735.850	0.0013				
			790.780	0.0574				
			968.250	0.0183				
			1045.240	0.0184				
			1325.490	0.0141				
			1355.170	0.0093				
			1368.230	0.0235				

Nuclide	Z	Half Life	Energy keV	Yield	R R*cm ² /h/Ci	T Rem/h/Ci
124 Sb	51	60.200 d	1376.100	0.0043	0.9549	0.7047
			1436.660	0.0102		
			1445.250	0.0021		
			1489.030	0.0055		
			1526.330	0.0039		
			1579.900	0.0020		
			1691.020	0.4880		
			2091.000	0.0558		
124 I	53	4.180 d	541.200	0.0019	0.4359	0.3214
			602.720	0.6100		
			645.820	0.0095		
			695.000	0.0012		
			713.800	0.0011		
			722.780	0.1010		
			968.220	0.0041		
			976.320	0.0010		
			1045.000	0.0043		
			1054.000	0.0012		
			1325.500	0.0145		
			1368.200	0.0029		
			1376.000	0.0168		
			1488.900	0.0018		
			1509.490	0.0301		
			1559.800	0.0016		
			1637.700	0.0020		
			1675.800	0.0011		
			1691.020	0.1050		
			1720.370	0.0017		
			1851.400	0.0021		
			1918.580	0.0016		
			2038.300	0.0034		
			2078.860	0.0035		
			2091.000	0.0057		
			2099.090	0.0014		
			2144.320	0.0011		
			2232.250	0.0057		
			2283.250	0.0066		
			2746.900	0.0046		
124 Cs	55	26.500 s	354.300	0.3990	0.0963	0.0838
			492.500	0.0360		
			847.000	0.0120		
125 Sn m	50	9.520 m	331.900	1.0000	0.1978	0.1803
			589.600	0.0021		
			643.000	0.0016		
			1017.300	0.0010		
			1368.800	0.0010		
			1404.000	0.0072		
			1483.900	0.0019		
			1615.300	0.0012		
125 Sn	50	9.640 d	332.000	0.0130	0.1626	0.1196
			350.900	0.0023		
			469.700	0.0130		
			800.500	0.0100		
			822.600	0.0390		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
125 Sn	50	9.640 d	893.700	0.0024	0.1626	0.1196
			915.500	0.0390		
			934.700	0.0015		
			1017.100	0.0027		
			1066.600	0.0890		
			1087.400	0.0100		
			1088.900	0.0420		
			1151.300	0.0011		
			1173.200	0.0020		
			1221.000	0.0022		
			1419.500	0.0048		
			1805.700	0.0015		
			2001.700	0.0210		
			2275.200	0.0019		
125 Sb	51	2.772 y	35.460	0.0431	0.2403	0.1853
			116.940	0.0033		
			172.600	0.0026		
			176.290	0.0670		
			204.070	0.0027		
			208.000	0.0019		
			227.700	0.0012		
			321.000	0.0045		
			380.500	0.0150		
			408.000	0.0013		
			427.900	0.2950		
			443.300	0.0029		
			463.400	0.1030		
			600.600	0.1760		
			606.700	0.0484		
			636.000	0.1130		
			671.500	0.0172		
125 Te	52	58.000 d	35.460	0.0667	0.0040	0.0016
			109.270	0.0028		
125 I	53	60.140 d	35.492	0.0667	0.0039	0.0014
125 Xe m	54	57.000 s	111.000	0.6250	0.0438	0.0470
			141.000	0.1950		
125 Xe	54	17.000 h	54.960	0.0590	0.1212	0.1082
			74.860	0.0012		
			113.570	0.0040		
			188.430	0.5500		
			243.400	0.2890		
			372.080	0.0025		
			453.830	0.0423		
			511.000	0.0052		
			635.800	0.0023		
			846.500	0.0103		
			901.500	0.0054		
			937.300	0.0012		
			992.500	0.0010		
			1007.500	0.0014		
			1138.400	0.0029		
			1180.800	0.0035		
125 Cs	55	45.000 m	112.000	0.0600	0.1645	0.1256

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
125 Cs	55	45.000 m	412.000	0.0600	0.1645	0.1256
			428.000	0.0178		
			526.000	0.2772		
			540.000	0.0350		
			600.000	0.0350		
			712.000	0.0400		
			1158.000	0.0049		
			1200.000	0.0020		
			1212.000	0.0039		
			1311.000	0.0025		
			1326.000	0.0010		
			1468.000	0.0030		
			1579.000	0.0032		
			1698.000	0.0032		
			2154.000	0.0020		
			2523.000	0.0014		
126 Sn	50	100068.493 y	42.640	0.0050	0.0211	0.0229
			64.280	0.0960		
			86.940	0.0890		
			87.570	0.3700		
126 Sb m	51	19.000 m	414.500	0.8600	0.8858	0.6661
			620.000	0.0154		
			666.100	0.8600		
			694.800	0.8200		
			928.200	0.0130		
			1034.900	0.0180		
			1061.600	0.0051		
			1476.100	0.0034		
126 Sb	51	12.400 d	149.300	0.0030	1.6131	1.2001
			223.800	0.0170		
			278.600	0.0190		
			297.300	0.0500		
			414.800	0.8567		
			414.800	0.0200		
			555.200	0.0200		
			573.800	0.0687		
			593.000	0.0877		
			620.200	0.0130		
			639.700	0.0150		
			656.300	0.0260		
			666.300	0.9962		
			675.000	0.0418		
			695.000	0.9962		
			697.000	0.3188		
			720.500	0.5778		
			856.700	0.1700		
			954.000	0.0140		
			959.600	0.0050		
			989.300	0.0677		
			1034.800	0.0100		
			1061.300	0.0040		
			1063.900	0.0060		
			1213.000	0.0230		
			1476.200	0.0030		
126 I	53	13.020 d	388.633	0.3400	0.2337	0.1802

Nuclide	Z	Half Life	Energy keV	Yield	R Rem2/h/Ci	T Rem/h/Ci
126 I	53	13.020 d	491.243	0.0285	0.2337	0.1802
			666.331	0.3310		
			753.819	0.0420		
			879.876	0.0075		
			1420.190	0.0030		
126 Cs	55	1.640 m	388.500	0.3800	0.1214	0.1004
			492.000	0.1300		
127 Sn	50	2.100 h	66.400	0.0014	0.9896	0.7352
			70.300	0.0038		
			83.400	0.0019		
			97.200	0.0045		
			104.100	0.0019		
			110.100	0.0038		
			119.700	0.0216		
			141.900	0.0042		
			143.700	0.0049		
			152.500	0.0133		
			155.600	0.0023		
			156.900	0.0027		
			169.200	0.0201		
			178.000	0.0011		
			181.100	0.0015		
			184.000	0.0045		
			184.700	0.0110		
			190.100	0.0057		
			202.800	0.0076		
			204.100	0.0023		
			205.200	0.0023		
			208.000	0.0015		
			211.500	0.0011		
			212.900	0.0011		
			220.400	0.0030		
			228.400	0.0019		
			232.200	0.0083		
			234.300	0.0053		
			235.300	0.0027		
			255.300	0.0011		
			262.500	0.0231		
			266.200	0.0212		
			271.500	0.0011		
			279.300	0.0057		
			282.000	0.0053		
			284.300	0.0270		
			292.900	0.0125		
			301.700	0.0011		
			331.700	0.0045		
			348.400	0.0049		
			353.300	0.0011		
			357.000	0.0019		
			360.600	0.0019		
			362.700	0.0042		
			365.500	0.0019		
			378.900	0.0019		
			390.500	0.0125		
			396.900	0.0034		
			405.000	0.0045		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m^2/h/Ci	T Rem/h/Ci
127 Sn	50	2.100 h	407.100	0.0151	0.9896	0.7352
			420.700	0.0015		
			425.700	0.0023		
			438.200	0.0610		
			444.700	0.0045		
			446.300	0.0023		
			452.100	0.0038		
			468.700	0.0045		
			487.500	0.0045		
			490.900	0.0530		
			493.200	0.0310		
			500.700	0.0151		
			509.000	0.0140		
			509.700	0.0076		
			513.900	0.0027		
			518.200	0.0019		
			528.500	0.0011		
			530.600	0.0011		
			539.600	0.0023		
			545.400	0.0227		
			563.400	0.0015		
			565.800	0.0011		
			570.100	0.0057		
			583.300	0.0320		
			592.300	0.0201		
			609.500	0.0030		
			616.100	0.0023		
			621.900	0.0045		
			631.600	0.0053		
			634.900	0.0027		
			649.100	0.0080		
			668.600	0.0019		
			702.600	0.0015		
			708.700	0.0019		
			759.100	0.0015		
			773.700	0.0042		
			805.900	0.0820		
			823.100	0.1060		
			824.700	0.0610		
			847.600	0.0019		
			859.500	0.0800		
			865.000	0.0034		
			889.000	0.0034		
			898.800	0.0019		
			912.400	0.0011		
			916.500	0.0117		
			929.700	0.0034		
			976.100	0.0076		
			979.200	0.0720		
			980.300	0.0076		
			981.400	0.0038		
			997.900	0.0193		
			1002.600	0.0174		
			1036.100	0.0197		
			1044.900	0.0027		
			1055.500	0.0023		
			1093.300	0.0380		
			1095.600	0.1900		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
127 Sn	50	2.100 h	1114.300	0.3800	0.9896	0.7352
			1134.500	0.0011		
			1142.000	0.0019		
			1159.200	0.0091		
			1160.400	0.0240		
			1179.200	0.0049		
			1220.500	0.0053		
			1237.400	0.0011		
			1292.100	0.0076		
			1295.500	0.0015		
			1360.300	0.0015		
			1368.400	0.0053		
			1434.400	0.0030		
			1458.400	0.0027		
			1471.200	0.0076		
			1472.500	0.0120		
			1491.900	0.0030		
			1562.800	0.0034		
			1584.300	0.0178		
			1600.000	0.0015		
			1610.800	0.0015		
			1647.800	0.0102		
			1666.500	0.0049		
			1673.700	0.0042		
			1709.900	0.0027		
			1720.000	0.0019		
			1750.700	0.0019		
			1752.800	0.0027		
			1783.400	0.0011		
			1812.800	0.0011		
			1824.100	0.0034		
			2003.400	0.0530		
			2073.500	0.0019		
			2102.400	0.0049		
			2160.000	0.0030		
			2184.500	0.0023		
			2304.200	0.0011		
			2317.400	0.0110		
			2335.100	0.0015		
			2389.500	0.0011		
			2447.500	0.0034		
			2470.000	0.0011		
			2513.900	0.0011		
			2584.900	0.0155		
			2695.900	0.0163		
			2805.700	0.0038		
			2846.400	0.0095		
			2881.100	0.0027		
127 Sb	51	3.850 d	61.100	0.0143	0.3901	0.2937
			154.300	0.0015		
			252.400	0.0850		
			280.400	0.0066		
			290.800	0.0201		
			293.300	0.0029		
			310.000	0.0026		
			391.800	0.0095		
			412.100	0.0380		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
127 Sb	51	3.850 d	441.000	0.0070	0.3901	0.2937
			445.100	0.0432		
			451.000	0.0018		
			456.000	0.0011		
			473.000	0.2570		
			502.800	0.0080		
			543.300	0.0290		
			584.200	0.0033		
			603.500	0.0443		
			637.800	0.0044		
			652.300	0.0037		
			667.500	0.0073		
			682.300	0.0050		
			685.700	0.3660		
			698.500	0.0362		
			722.200	0.0187		
			783.700	0.1500		
			817.000	0.0040		
			820.600	0.0022		
			924.400	0.0051		
			1141.600	0.0037		
			1290.300	0.0037		
127 Te	52	9.350 h	360.300	0.0013	0.0027	0.0022
			417.900	0.0099		
127 Xe m	54	1.167 m	124.700	0.6100	0.0642	0.0659
			172.500	0.3400		
127 Xe	54	36.410 d	57.600	0.0133	0.1349	0.1253
			145.220	0.0429		
			172.100	0.2550		
			202.840	0.6830		
			374.960	0.1720		
127 Cs	55	6.250 h	124.700	0.1800	0.2050	0.1705
			174.900	0.0025		
			196.200	0.0040		
			286.600	0.0380		
			321.300	0.0090		
			411.000	0.6300		
			461.800	0.0520		
			586.700	0.0450		
			804.000	0.0040		
			929.000	0.0040		
			1181.000	0.0010		
			1196.000	0.0023		
			1260.000	0.0010		
			1305.000	0.0020		
			1409.000	0.0012		
128 Sn	50	59.100 m	32.100	0.0520	0.3575	0.2766
			45.700	0.1410		
			75.100	0.3000		
			152.700	0.0710		
			160.400	0.0450		
			404.400	0.0640		
			436.700	0.0450		

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
128 Sn	50	59.100 m	482.300	0.6400	0.3575	0.2766
			557.300	0.1790		
			680.500	0.1730		
128 Sb m	51	10.400 m	193.500	0.0100	1.1296	0.8577
			314.000	0.9500		
			594.100	0.0340		
			743.240	1.0000		
			753.900	1.0000		
			787.600	0.0740		
			844.000	0.0230		
			908.300	0.0240		
			1040.900	0.0230		
			1098.400	0.0030		
			1101.800	0.0040		
			1141.700	0.0080		
			1158.000	0.0180		
			1354.600	0.0060		
			1585.200	0.0030		
			1608.500	0.0050		
128 Sb	51	9.010 h	102.800	0.0040	1.7469	1.3061
			118.400	0.0060		
			152.600	0.0050		
			204.400	0.0100		
			214.800	0.0190		
			227.300	0.0150		
			235.000	0.0030		
			249.700	0.0060		
			278.300	0.0060		
			314.100	0.6100		
			317.700	0.0300		
			322.400	0.0300		
			357.000	0.0150		
			366.100	0.0150		
			404.300	0.0100		
			445.700	0.0150		
			454.500	0.0150		
			459.500	0.0150		
			526.500	0.4500		
			582.900	0.0100		
			594.300	0.0100		
			603.000	0.0170		
			628.700	0.3100		
			636.200	0.3600		
			654.200	0.1700		
			667.100	0.0250		
			683.900	0.0300		
			692.900	0.0200		
			727.600	0.0400		
			743.300	1.0000		
			754.000	1.0000		
			773.200	0.0150		
			802.700	0.0120		
			813.600	0.1300		
			835.300	0.0100		
			845.800	0.0250		
			860.800	0.0040		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
128 Sb	51	9.010 h	878.000	0.0350	1.7469	1.3061
			908.800	0.0100		
			972.300	0.0100		
			1047.500	0.0350		
			1078.600	0.0200		
			1112.700	0.0200		
			1129.600	0.0080		
			1158.200	0.0130		
			1181.600	0.0450		
			1250.500	0.0100		
			1259.500	0.0100		
			1339.800	0.0100		
			1378.000	0.0180		
			1593.200	0.0050		
			1685.700	0.0050		
			1707.900	0.0030		
			1785.500	0.0040		
128 I	53	24.990 m	442.910	0.1600	0.0480	0.0381
			526.620	0.0153		
			743.500	0.0014		
			969.400	0.0038		
128 Cs	55	3.900 m	443.000	0.3400	0.1107	0.0872
			526.500	0.0250		
			613.500	0.0032		
			969.500	0.0054		
			1139.900	0.0140		
			1304.900	0.0015		
			1631.000	0.0012		
			2157.200	0.0020		
128 Ba	56	2.430 d	273.000	0.2000	0.0302	0.0283
129 Sb	51	4.320 h	96.100	0.0017	0.7247	0.5331
			116.200	0.0017		
			146.600	0.0022		
			180.800	0.0255		
			244.700	0.0052		
			268.600	0.0026		
			295.500	0.0104		
			359.400	0.0290		
			363.000	0.0043		
			405.000	0.0139		
			453.500	0.0078		
			499.600	0.0022		
			523.800	0.0160		
			544.700	0.1810		
			633.700	0.0277		
			654.300	0.0303		
			669.800	0.0082		
			683.600	0.0580		
			737.100	0.0039		
			761.000	0.0380		
			773.400	0.0277		
			786.600	0.0191		
			812.800	0.4330		
			876.200	0.0260		

Nuclide	Z	Half Life	Energy keV	Yield	R ^T m ² /h/Ci	R ^T m/h/Ci
129 Sb	51	4.320 h	914.600 939.700 966.400 995.400 1030.100	0.2020 0.0074 0.0780 0.0013 0.1270	0.7247	0.5331
			1093.800 1104.300 1167.800	0.0052 0.0022 0.0026		
			1208.500 1237.400 1261.300	0.0091 0.0026 0.0074		
			1273.000 1280.800 1300.000	0.0026 0.0056 0.0026		
			1325.900 1418.600 1436.100	0.0052 0.0052 0.0030		
			1479.700 1525.900 1540.000	0.0048 0.0043 0.0013		
			1568.700 1598.500 1621.100	0.0069 0.0052 0.0026		
			1654.600 1724.100 1736.500	0.0100 0.0026 0.0600		
			1869.900 2069.600	0.0030 0.0056		
			2113.000	0.0035		
129 Te	52	69.600 m	208.960 250.620 278.430 281.260 459.600 487.390 802.100 1083.850 1111.640	0.0017 0.0037 0.0054 0.0016 0.0740 0.0135 0.0018 0.0047 0.0018	0.0298 0.0234	
129 Te n	52	33.600 d	105.500 556.650 695.880 729.570	0.0015 0.0012 0.0310 0.0071	0.0157 0.0115	
129 I	53	1.571E+07 y	39.580	0.0750	0.0036	0.0018
129 Xe	54	8.000 d	39.580 196.560	0.0750 0.0470	0.0084	0.0063
129 Cs	55	1.336 d	39.581 93.329 177.036 266.820 270.352 278.614	0.0299 0.0066 0.0027 0.0021 0.0133	0.1420	0.1198

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
129 Cs	55	1.336 d	282.131	0.0024	0.1420	0.1198
			318.180	0.0246		
			371.918	0.3080		
			411.490	0.2250		
			548.945	0.0342		
			588.549	0.0061		
			906.425	0.0022		
130 In	49	0.530 s	127.000	0.8000	1.1212	0.8350
			775.000	1.0000		
			1217.000	1.0000		
130 Sn m	50	1.700 m	43.800	0.0310	0.1721	0.1410
			60.200	0.0480		
			63.100	0.0480		
			84.700	0.1430		
			144.900	0.3400		
			311.300	0.1390		
			543.600	0.0990		
			899.200	0.1670		
130 Sn	50	3.720 m	70.000	0.3600	0.5117	0.4021
			192.500	0.7100		
			229.200	0.2400		
			316.400	0.0142		
			341.300	0.0210		
			384.400	0.0142		
			434.700	0.1420		
			472.000	0.0071		
			550.500	0.0320		
			726.000	0.0071		
			743.100	0.1870		
			779.800	0.5900		
130 Sb m	51	6.300 m	182.300	0.4100	1.4832	1.0935
			348.500	0.0510		
			369.300	0.0230		
			370.000	0.0200		
			405.200	0.0050		
			468.000	0.0310		
			481.600	0.0190		
			502.600	0.0190		
			627.100	0.0510		
			647.700	0.0480		
			647.900	0.0270		
			658.000	0.0070		
			697.400	0.0440		
			748.900	0.0400		
			793.400	0.8600		
			816.300	0.1200		
			839.400	1.0000		
			861.600	0.0040		
			920.800	0.0400		
			942.200	0.0280		
			949.800	0.0100		
			985.400	0.0160		
			1017.500	0.3000		
			1039.600	0.0100		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
130 Sb m	51	6.300 m	1046.500	0.0280	1.4832	1.0935
			1071.700	0.0220		
			1102.800	0.0370		
			1131.900	0.0130		
			1142.000	0.0560		
			1177.300	0.0220		
			1200.000	0.0360		
			1232.300	0.0130		
			1298.900	0.0080		
			1323.100	0.0040		
			1491.200	0.0130		
			1598.000	0.0260		
			1896.900	0.0130		
			1925.700	0.0040		
130 Sb	51	40.000 m	182.300	0.6500	1.7951	1.3594
			258.000	0.0400		
			285.300	0.0350		
			303.300	0.0580		
			330.900	0.7800		
			455.400	0.0480		
			462.500	0.0080		
			468.000	0.1800		
			483.600	0.0220		
			506.700	0.0200		
			595.500	0.0100		
			626.700	0.0280		
			635.700	0.0160		
			654.700	0.0200		
			658.200	0.0170		
			669.200	0.0110		
			680.900	0.0650		
			686.600	0.0320		
			732.000	0.2200		
			793.400	1.0000		
			829.800	0.0180		
			839.400	1.0000		
			855.700	0.0160		
			883.400	0.0120		
			914.900	0.0180		
			926.000	0.0040		
			934.900	0.1900		
			992.000	0.0190		
			1000.200	0.0230		
			1030.700	0.0150		
			1075.500	0.0040		
			1089.500	0.0370		
			1134.200	0.0040		
			1137.600	0.0030		
			1141.400	0.0200		
			1146.200	0.0060		
			1239.000	0.0180		
			1258.500	0.0100		
			1292.300	0.0370		
			1368.700	0.0100		
			1419.300	0.0120		
			1443.700	0.0250		
			1473.000	0.0060		

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
130 Sb	51	40.000 m	1488.400 1499.600 1521.000 1533.700 1561.600 1581.900 1617.000 1626.600 1655.600 1749.800 1762.600 1884.400 1948.000 1997.400 2023.300	0.0060 0.0040 0.0080 0.0090 0.0060 0.0190 0.0090 0.0060 0.0080 0.0030 0.0250 0.0070 0.0120 0.0210 0.0040	1.7951	1.3594
130 I m	53	9.000 m	536.000 586.000 1122.150 1614.000	0.1670 0.0114 0.0018 0.0048	0.7603	0.0453
130 I	53	12.360 h	418.010 457.720 510.350 536.090 539.100 553.900 586.050 603.530 668.540 685.990 739.480 800.230 808.290 877.350 967.020 1096.480 1122.150 1157.470 1222.560 1272.120 1403.900	0.3420 0.0024 0.0085 0.9900 0.0140 0.0066 0.0169 0.0061 0.9610 0.0107 0.8230 0.0010 0.0024 0.0019 0.0088 0.0055 0.0025 0.1131 0.0018 0.0075 0.0034	1.2132	0.9003
130 Cs	55	29.900 m	536.000 586.000 894.500 1615.000 1687.400 1707.000 1997.300	0.0410 0.0050 0.0041 0.0027 0.0021 0.0015 0.0018	0.0230	0.0171
130 Ba	56	0.011 s	80.300 357.200 420.300 452.500 463.000 544.500 550.700	0.0670 1.0000 0.0300 0.0300 0.1300 0.8500 0.0300	1.2654	0.9647

Nuclide	Z	Half Life	Energy keV	Yield	R _{EM} /h/Ci	R _{EM} /h/Ci
130 Ba	56	0.011 s	652.500	0.0700	1.2654	0.9647
130 La	57	8.700 m	196.200	0.0020	0.7070	0.5475
131 Sb	51	23.000 m	134.600	0.0240	0.9095	0.6684

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
131 Sb	51	23.000 m	854.600	0.0310	0.9095	0.6684
			866.000	0.0044		
			911.000	0.0066		
			933.100	0.2500		
			943.400	0.4400		
			958.600	0.0057		
			991.500	0.0130		
			1050.500	0.0060		
			1123.500	0.0830		
			1207.400	0.0380		
			1233.800	0.0220		
			1249.100	0.0048		
			1267.500	0.0280		
			1331.800	0.0079		
			1360.400	0.0090		
			1391.900	0.0070		
			1398.900	0.0128		
			1455.100	0.0044		
			1470.300	0.0145		
			1517.200	0.0114		
			1538.000	0.0040		
			1544.200	0.0080		
			1553.400	0.0050		
			1559.000	0.0040		
			1573.500	0.0097		
			1608.800	0.0130		
			1722.000	0.0229		
			1756.100	0.0106		
			1821.300	0.0114		
			1854.400	0.0400		
			1916.200	0.0030		
			1956.500	0.0070		
			1965.700	0.0120		
			1984.900	0.0040		
			2017.000	0.0060		
			2031.000	0.0022		
			2115.900	0.0018		
			2149.800	0.0050		
			2167.500	0.0031		
			2179.900	0.0210		
			2255.400	0.0066		
			2335.000	0.0176		
			2354.500	0.0031		
			2398.900	0.0106		
			2496.600	0.0062		
			2552.000	0.0035		
			2662.300	0.0101		
131 Te	52	25.000 m	149.716	0.6890	0.2196	0.1794
			151.100	0.0017		
			342.945	0.0070		
			381.059	0.0090		
			452.323	0.1822		
			492.660	0.0484		
			544.880	0.0043		
			567.330	0.0010		
			602.039	0.0420		
			605.550	0.0012		

Nuclide	Z	Half Life	Energy keV	Yield	R R [*] m ² /h/Ci	T Rem/h/Ci
131 Te	52	25.000 m	654.260	0.0153	0.2196	0.1794
			696.190	0.0018		
			727.000	0.0047		
			841.990	0.0020		
			856.080	0.0013		
			898.540	0.0014		
			934.483	0.0086		
			948.542	0.0226		
			951.390	0.0033		
			997.250	0.0334		
			1007.960	0.0080		
			1098.250	0.0017		
			1146.960	0.0496		
			1148.510	0.0011		
			1277.440	0.0012		
			1294.340	0.0048		
			1427.140	0.0011		
			1500.620	0.0012		
131 Te m	52	1.250 d	79.190	0.0013	0.7597	0.5675
			81.140	0.0406		
			86.430	0.0015		
			101.600	0.0017		
			102.060	0.0790		
			134.860	0.0071		
			149.710	0.0510		
			159.660	0.0013		
			182.250	0.0073		
			182.250	0.0085		
			183.110	0.0016		
			188.130	0.0021		
			189.760	0.0050		
			190.520	0.0012		
			200.630	0.0754		
			213.980	0.0042		
			230.650	0.0019		
			240.930	0.0758		
			253.170	0.0065		
			255.440	0.0031		
			269.200	0.0011		
			278.560	0.0178		
			283.200	0.0039		
			309.470	0.0038		
			334.270	0.0960		
			335.440	0.0014		
			342.920	0.0039		
			351.300	0.0021		
			354.700	0.0023		
			364.980	0.0120		
			383.900	0.0020		
			417.400	0.0028		
			432.400	0.0066		
			452.300	0.0150		
			462.920	0.0182		
			468.160	0.0031		
			524.800	0.0014		
			530.700	0.0010		
			541.400	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T _{rem} /h/Ci
131 Te m	52	1.250 d	586.300	0.0197	0.7597	0.5675
			602.090	0.0031		
			609.400	0.0014		
			655.050	0.0433		
			685.900	0.0016		
			695.620	0.0040		
			702.500	0.0039		
			713.100	0.0143		
			744.200	0.0159		
			773.670	0.3810		
			774.100	0.0054		
			782.490	0.0780		
			793.750	0.1380		
			822.780	0.0611		
			844.900	0.0015		
			852.210	0.0039		
			852.210	0.2060		
			856.050	0.0062		
			865.100	0.0019		
			872.300	0.0010		
			910.000	0.0329		
			920.620	0.0120		
			923.400	0.0012		
			941.270	0.0078		
			987.800	0.0016		
			999.200	0.0017		
			1035.400	0.0010		
			1059.690	0.0155		
			1125.460	0.1140		
			1127.960	0.0097		
			1148.890	0.0150		
			1148.890	0.0042		
			1150.900	0.0066		
			1165.500	0.0014		
			1206.600	0.0970		
			1237.320	0.0066		
			1315.160	0.0070		
			1340.600	0.0010		
			1394.830	0.0011		
			1646.310	0.0124		
			1887.700	0.0135		
			2000.940	0.0201		
			2168.540	0.0035		
			2270.650	0.0038		
131 I	53	8.040 d	80.183	0.0262	0.2158	0.1856
			177.210	0.0026		
			284.298	0.0606		
			325.781	0.0025		
			364.480	0.8120		
			502.991	0.0036		
			636.973	0.0727		
			642.703	0.0022		
			722.893	0.0180		
131 Xe	54	11.900 d	163.930	0.0196	0.0016	0.0016
131 Ba m	56	14.600 m	79.050	0.0130	0.0269	0.0293

Nuclide	Z	Half Life	Energy keV	Yield	R ^a Rem ² /h/Ci	T Rem/h/Ci
131 Ba m	56	14.600 m	108.450	0.5500	0.0269	0.0293
131 Ba	56	11.800 d	78.755	0.0075	0.2369	0.1944
			92.301	0.0064		
			123.803	0.2910		
			133.607	0.0219		
			157.150	0.0020		
			216.090	0.1990		
			239.630	0.0241		
			246.920	0.0060		
			249.440	0.0281		
			294.540	0.0015		
			351.150	0.0012		
			373.250	0.1330		
			404.040	0.0129		
			480.380	0.0034		
			486.480	0.0189		
			496.280	0.4400		
			572.660	0.0016		
			585.020	0.0123		
			620.050	0.0157		
			674.410	0.0013		
			696.460	0.0015		
			831.630	0.0022		
			923.860	0.0070		
			1046.900	0.0020		
			1047.560	0.0119		
131 La	57	59.000 m	80.100	0.0078	0.2114	0.1775
			108.450	0.2310		
			160.900	0.0200		
			177.300	0.0018		
			209.700	0.0290		
			209.700	0.0055		
			241.000	0.0140		
			245.600	0.0036		
			257.500	0.0350		
			285.700	0.1300		
			317.200	0.0113		
			353.300	0.0091		
			365.800	0.1600		
			402.600	0.0100		
			418.400	0.1820		
			434.400	0.0080		
			439.000	0.0027		
			454.200	0.0640		
			526.300	0.0980		
			561.700	0.0130		
			594.100	0.0160		
			611.100	0.0098		
			628.400	0.0016		
			658.200	0.0038		
			660.400	0.0038		
			718.600	0.0020		
			770.000	0.0013		
			841.300	0.0025		
			866.000	0.0120		
			879.000	0.0015		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
131 La	57	59.000 m	974.200	0.0073	0.2114	0.1775
			1178.000	0.0029		
			1292.000	0.0013		
			1387.000	0.0013		
			1698.000	0.0011		
131 Ce	58	10.000 m	119.200	0.0740	0.4169	0.3190
			145.200	0.0120		
			146.000	0.0020		
			169.400	0.2000		
			195.500	0.0100		
			244.800	0.0420		
			263.600	0.0060		
			271.200	0.0120		
			302.800	0.0040		
			326.300	0.0060		
			390.000	0.0100		
			392.200	0.0220		
			401.500	0.0040		
			404.000	0.0120		
			414.200	0.1060		
			433.000	0.0120		
			442.500	0.0220		
			470.400	0.0120		
			475.700	0.0320		
			478.000	0.3200		
			547.500	0.0240		
			582.300	0.0140		
			597.700	0.0140		
			601.800	0.0200		
			613.400	0.0080		
			638.300	0.0080		
			643.300	0.0080		
			651.400	0.0040		
			656.200	0.0100		
			679.000	0.0040		
			687.000	0.0020		
			692.500	0.0020		
			694.500	0.0020		
			701.700	0.0040		
			714.200	0.0060		
			718.500	0.0040		
			727.000	0.0080		
			731.000	0.0020		
			742.800	0.0020		
			749.000	0.0120		
			799.500	0.0060		
			813.000	0.0140		
			818.000	0.0040		
			835.000	0.0220		
			865.000	0.0220		
			878.400	0.0060		
			884.200	0.0240		
			902.700	0.0060		
			910.000	0.0140		
			928.400	0.0060		
			963.300	0.0120		
			973.300	0.0060		

Nuclide	Z	Half Life	Energy	Yield	KEV	$R^{\alpha}/h/Ci$	Rem/h/Ci
131 Ce	58		998.000	0.0200	10.000 m	0.0120	0.3190
132 Sn	50		40.000 s	0.4860	0.6990	0.5422	
132 Sb	51		2.800 m	0.1400	103.400	0.0070	1.4237 1.0468

Nuclide	Z	Half Life	Energy keV	Yield	R ^{2m2} /h/Ci	T Rem/h/Ci
132 Sb	51	2.800 m	1306.500	0.0100	1.4237	1.0468
			1436.300	0.0200		
			1454.000	0.0060		
			1513.500	0.0200		
			1540.400	0.0100		
			1575.000	0.0130		
			1634.000	0.0100		
			1644.500	0.0200		
			1788.000	0.0350		
			1890.900	0.0100		
			1893.700	0.0090		
			2280.400	0.0100		
			2588.300	0.0150		
			2633.800	0.0050		
			2913.200	0.0050		
132 Sb m	51	4.200 m	103.400	0.3500	1.3904	1.0433
			150.600	0.6600		
			276.000	0.0400		
			293.000	0.0400		
			368.600	0.0700		
			382.300	0.0700		
			496.500	0.1300		
			696.800	1.0000		
			881.900	0.0600		
			973.900	1.0000		
			1041.500	0.1800		
			1166.900	0.1000		
			1378.800	0.0400		
			1763.700	0.0400		
			1854.600	0.0200		
			2664.000	0.0400		
132 Te	52	3.258 d	49.720	0.1440	0.1154	0.1042
			111.760	0.0185		
			116.300	0.0194		
			225.150	0.3820		
132 I m	53	1.393 h	98.000	0.0370	0.1765	0.1318
			175.000	0.0830		
			310.000	0.0061		
			599.800	0.1320		
			610.000	0.0139		
			614.000	0.0240		
			667.700	0.1316		
			772.600	0.1310		
132 I	53	2.300 h	147.200	0.0024	1.2566	0.9209
			183.300	0.0016		
			254.800	0.0019		
			262.700	0.0144		
			284.800	0.0079		
			306.600	0.0011		
			316.500	0.0016		
			363.500	0.0049		
			387.800	0.0017		
			416.800	0.0046		
			431.900	0.0045		

Nucleide	Z	Half Life	Energy	Yield	T	R ² m ² /h/Ci	Rem/h/Ci
i32 I	53	2.300 h	446.000	0.0067	473.400	0.0027	1.2566 0.9209
					487.500	0.0018	
					505.900	0.0503	
					522.650	0.1610	
					535.500	0.0052	
					547.100	0.0125	
					620.800	0.0039	
					621.200	0.0158	
					630.220	0.1370	
					650.600	0.0266	
					667.690	0.9670	
					669.800	0.0490	
					671.600	0.0520	
					727.000	0.0220	
					729.500	0.0110	
					772.600	0.7620	
					780.200	0.0123	
					784.500	0.0042	
					809.800	0.0290	
					812.200	0.0560	
					863.300	0.0059	
					876.800	0.0108	
					910.300	0.0092	
					927.600	0.0044	
					954.550	0.1810	
					984.500	0.0056	
					1034.700	0.0057	
					1148.200	0.0021	
					1143.400	0.0138	
					1136.030	0.0296	
					1290.700	0.0114	
					1295.300	0.0197	
					1298.200	0.0089	
					1317.100	0.0012	
					1372.070	0.0247	
					1398.570	0.0710	
					1442.560	0.0142	
					1476.800	0.0014	
					1757.500	0.0038	
					1921.080	0.0118	
					2002.300	0.0109	
					2086.820	0.0025	
					2172.680	0.0019	
					2223.170	0.0012	
					2390.480	0.0017	
132 Cs	55	6.475 d	0.3921	0.2869			

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
132 La	57	4.800 h	193.000	0.0115	0.7735	0.5814
			305.850	0.0051		
			360.660	0.0020		
			383.280	0.0043		
			464.550	0.7700		
			479.470	0.0223		
			498.790	0.0054		
			515.780	0.0510		
			540.360	0.0780		
			553.430	0.0021		
			567.140	0.1590		
			601.750	0.0035		
			645.050	0.0032		
			654.030	0.0035		
			663.070	0.0920		
			688.660	0.0027		
			697.680	0.0095		
			838.000	0.0011		
			856.410	0.0010		
			859.310	0.0027		
			881.570	0.0095		
			899.320	0.0470		
			918.680	0.0020		
			929.680	0.0020		
			940.870	0.0027		
			966.450	0.0040		
			994.380	0.0018		
			1031.700	0.0790		
			1036.920	0.0032		
			1046.560	0.0350		
			1150.000	0.0015		
			1173.120	0.0012		
			1188.350	0.0029		
			1198.670	0.0012		
			1208.480	0.0023		
			1221.230	0.0297		
			1242.060	0.0021		
			1246.810	0.0035		
			1264.770	0.0028		
			1342.810	0.0036		
			1396.990	0.0018		
			1439.800	0.0028		
			1533.660	0.0149		
			1537.000	0.0023		
			1581.750	0.0089		
			1604.030	0.0370		
			1800.340	0.0027		
			1824.080	0.0055		
			1876.670	0.0025		
			1909.910	0.0910		
			1948.740	0.0015		
			1998.380	0.0047		
			2082.390	0.0012		
			2102.840	0.0590		
			2187.550	0.0015		
			2296.180	0.0013		
			2367.080	0.0022		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R \cdot m ² /h/Ci	Rem/h/Ci
132 La	57	4.800 h	2391.350	0.0099		
			2631.630	0.0025	0.7735	0.5814
			2692.000	0.0055		
			2743.830	0.0015		
			2754.730	0.0162		
			2959.490	0.0095		
			3030.800	0.0016		
			3098.450	0.0049		
			3154.000	0.0011		
			3170.630	0.0028		
			3199.040	0.0072		
			3635.600	0.0034		
133 Te	52	12.450 m	312.100	0.7080		
			384.600	0.0028	0.5007	0.4003
			392.900	0.0057		
			407.900	0.3010		
			475.400	0.0120		
			546.400	0.0057		
			587.100	0.0050		
			613.600	0.0028		
			720.100	0.0670		
			787.400	0.0560		
			844.500	0.0330		
			931.100	0.0450		
			1000.300	0.0620		
			1021.000	0.0270		
			1061.800	0.0127		
			1252.000	0.0113		
			1307.700	0.0090		
			1313.500	0.0080		
			1333.400	0.0990		
			1405.600	0.0057		
			1474.000	0.0035		
			1518.600	0.0050		
			1588.200	0.0028		
			1717.500	0.0340		
			1825.100	0.0057		
			1881.800	0.0142		
			2136.500	0.0028		
			2228.000	0.0028		
133 Te m	52	55.400 m	74.100	0.0070	1.2492	0.9278
			81.500	0.0070		
			88.000	0.0261		
			94.900	0.0522		
			164.340	0.0139		
			168.870	0.1040		
			177.100	0.0130		
			178.200	0.0087		
			184.450	0.0035		
			193.220	0.0104		
			198.200	0.0052		
			213.360	0.0365		
			220.940	0.0043		
			224.030	0.0035		
			244.280	0.0061		
			251.490	0.0052		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
133 Te m	52	55.400 m	257.640	0.0087	1.2492	0.9278
			261.550	0.1220		
			334.140	0.0540		
			344.500	0.0130		
			347.220	0.0113		
			355.570	0.0052		
			362.810	0.0096		
			376.830	0.0052		
			396.960	0.0148		
			429.020	0.0313		
			444.900	0.0383		
			462.110	0.0296		
			471.850	0.0200		
			478.590	0.0157		
			519.600	0.0043		
			534.850	0.0174		
			574.040	0.0313		
			622.030	0.0139		
			647.400	0.2960		
			702.750	0.0374		
			731.690	0.0148		
			733.890	0.0287		
			779.750	0.0339		
			795.700	0.0130		
			800.510	0.0191		
			863.910	0.2520		
			882.830	0.0418		
			897.700	0.0043		
			912.580	0.8700		
			914.720	0.1650		
			934.400	0.0130		
			978.190	0.0810		
			980.400	0.0235		
			982.900	0.0113		
			1029.800	0.0157		
			1061.830	0.0270		
			1348.900	0.0252		
			1459.100	0.0217		
			1516.100	0.0096		
			1531.600	0.0087		
			1587.400	0.0191		
			1682.300	0.0583		
			1704.400	0.0096		
			1885.700	0.0113		
			2004.900	0.0470		
			2027.700	0.0122		
			2049.200	0.0148		
133 I m	53	9.000 s	73.000	0.0380	0.8781	0.6412
			647.000	1.0000		
			913.000	1.0000		
133 I	53	20.800 h	262.702	0.0036	0.3433	0.2579
			267.173	0.0012		
			345.430	0.0010		
			361.090	0.0011		
			417.556	0.0015		
			422.910	0.0031		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*cm ² /h/Ci	T Rem/h/Ci
133 I	53	20.800 h	510.530	0.0181	0.3433	0.2579
			529.872	0.8630		
			617.974	0.0054		
			680.247	0.0065		
			706.578	0.0149		
			768.382	0.0046		
			820.506	0.0015		
			856.278	0.0123		
			875.329	0.0447		
			909.670	0.0021		
			1052.296	0.0055		
			1060.070	0.0014		
			1236.411	0.0143		
			1298.223	0.0233		
			1350.380	0.0015		
133 Xe m	54	2.190 d	233.180	0.1030	0.0130	0.0117
133 Xe	54	5.245 d	79.621	0.0022	0.0136	0.0149
			81.000	0.3710		
133 Ba m	56	1.621 d	276.090	0.1800	0.0276	0.0259
133 Ba	56	10.747 y	53.155	0.0217	0.2024	0.1847
			79.621	0.0266		
			80.997	0.3350		
			160.605	0.0062		
			223.250	0.0046		
			276.397	0.0709		
			302.851	0.1840		
			356.005	0.6210		
			383.851	0.0891		
134 Sb	51	11.000 s	115.200	0.4900	1.0766	0.8334
			297.000	0.9700		
			706.300	0.5700		
			1279.000	1.0000		
134 Te	52	41.800 m	76.230	0.0029	0.4911	0.3863
			79.450	0.2090		
			101.420	0.0034		
			131.050	0.0015		
			180.890	0.1840		
			183.050	0.0060		
			201.240	0.0890		
			210.470	0.2240		
			259.590	0.0049		
			277.950	0.2180		
			435.060	0.1900		
			460.990	0.1110		
			464.640	0.0522		
			565.990	0.1930		
			636.260	0.0210		
			665.850	0.0104		
			712.970	0.0421		
			742.590	0.1500		
			767.200	0.3070		
			844.060	0.0120		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
134 Te	52	41.800 m	896.020	0.0018	0.4911	0.3863
			925.550	0.0169		
			1027.000	0.0046		
134 I m	53	3.700 m	44.400	0.1030	0.1447	0.1297
			234.300	0.0139		
			271.900	0.7900		
			316.300	0.0026		
			847.000	0.0200		
			884.000	0.0200		
134 I	53	52.600 m	135.399	0.0376	1.4228	1.0444
			139.030	0.0069		
			151.980	0.0011		
			162.480	0.0026		
			188.470	0.0070		
			217.000	0.0025		
			235.470	0.0198		
			278.800	0.0013		
			319.810	0.0052		
			351.080	0.0050		
			405.451	0.0730		
			411.000	0.0061		
			433.350	0.0419		
			458.920	0.0130		
			465.500	0.0036		
			488.880	0.0141		
			514.400	0.0234		
			540.825	0.0780		
			565.520	0.0088		
			570.750	0.0021		
			595.362	0.1140		
			621.790	0.1060		
			627.960	0.0237		
			677.340	0.0850		
			706.650	0.0083		
			730.740	0.0191		
			739.180	0.0076		
			766.680	0.0410		
			816.380	0.0052		
			847.025	0.9540		
			857.280	0.0696		
			864.000	0.0019		
			884.090	0.6530		
			922.600	0.0014		
			947.860	0.0404		
			966.900	0.0035		
			974.670	0.0470		
			1040.21	0.0191		
			1072.550	0.1530		
			1100.070	0.0069		
			1103.180	0.0073		
			1136.160	0.0970		
			1159.100	0.0035		
			1164.000	0.0013		
			1190.030	0.0035		
			1239.000	0.0021		
			1269.490	0.0056		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /m ² /h/Ci	T Rem/h/Ci
134 I	53	52.600 m	1322.400 1336.000 1352.620 1414.300 1428.200 1431.350 1455.240 1470.000 1505.500 1541.510 1613.800 1629.240 1644.250 1655.190 1741.490 1806.840 1925.880 2020.600 2159.900 2312.400 2467.400	0.0010 0.0014 0.0045 0.0022 0.0017 0.0017 0.0229 0.0077 0.0011 0.0051 0.0436 0.0026 0.0040 0.0023 0.0267 0.0570 0.0018 0.0017 0.0021 0.0024 0.0015	1.4228	1.0444
134 Xe	54	0.290 s	232.900 845.900 879.900	0.6800 1.0000 0.9400	1.0197	0.7562
134 Cs m	55	2.900 h	127.420	0.1290	0.0075	0.0080
134 Cs	55	2.063 y	475.350 563.227 569.315 604.699 795.845 801.932 1038.570 1167.940 1365.150	0.0146 0.0838 0.1543 0.9760 0.8540 0.0873 0.0100 0.0180 0.0304	0.8820	0.6466
134 La	57	6.670 m	563.240 604.656 1211.200 1424.540 1483.587 1555.000 1732.270	0.0037 0.0500 0.0012 0.0018 0.0015 0.0040 0.0023	0.0267	0.0197
135 Te	52	19.200 s	256.800 603.500 870.300	0.1220 0.8130 0.1870	0.3910	0.2909
135 I	53	6.610 h	220.502 229.720 264.260 288.451 290.270 361.850 403.030 414.830	0.0175 0.0023 0.0018 0.0309 0.0030 0.0019 0.0023 0.0030	0.7964	0.5886

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
135 I	53	6.610 h	417.630 429.930 433.741 451.630 546.557 575.970 649.850 690.130 707.920 785.480 797.710 836.804 961.460 972.000 972.600 995.090 1038.760 1101.580 1124.000 1131.511 1159.900 1169.040 1240.470 1260.409 1367.890 1448.350 1457.560 1502.790 1566.410 1678.030 1706.460 1791.200 1830.690 1927.300 2045.880 2255.460 2408.650	0.0352 0.0030 0.0055 0.0032 0.0713 0.0013 0.0046 0.0013 0.0066 0.0015 0.0017 0.0667 0.0015 0.0089 0.0120 0.0015 0.0790 0.0160 0.0361 0.2250 0.0010 0.0087 0.0090 0.2860 0.0061 0.0031 0.0860 0.0107 0.0129 0.0950 0.0409 0.0770 0.0058 0.0030 0.0087 0.0061 0.0095	0.7964	0.5886
135 Xe m	54	15.290 m	526.571	0.8120	0.2466	0.1866
135 Xe	54	9.090 h	158.197 249.794 358.390 407.990 608.185	0.0029 0.9013 0.0022 0.0036 0.0290	0.1347	0.1184
135 Cs	55	53.000 m	780.000 840.000	1.0000 0.9580	0.8919	0.6482
135 Ba	56	1.196 d	268.238	0.1600	0.0237	0.0219
135 La	57	19.500 h	480.500 587.830 874.500	0.0156 0.0010 0.0017	0.0055	0.0042
135 Ce m	58	20.000 s	82.400 150.200 212.800	0.2162 0.2120 0.7314	0.1320	0.1258

Muclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T ²³² Ren/h/Ci
135 Nd	60	12.000 m.	112.600	0.4300	0.3915	0.3145
			164.700	0.0550		
			185.000	0.0350		
			204.000	0.6030		
			206.000	0.0360		
			221.000	0.0050		
			233.400	0.0140		
			245.400	0.0390		
			247.500	0.0020		
			256.000	0.0290		
			271.900	0.0270		
			316.700	0.0150		
			351.600	0.0100		
			372.800	0.0250		
			385.900	0.0150		
			415.000	0.0100		
			441.200	0.1500		
			442.700	0.0100		
			451.900	0.0450		
			475.800	0.0850		
			482.000	0.0180		
			490.300	0.0090		
			493.400	0.0150		
			501.600	0.1000		
			531.700	0.0200		
			572.000	0.0130		
			593.400	0.0200		
			616.500	0.0190		
			670.600	0.0060		
			739.400	0.0060		
			746.000	0.0100		
			777.700	0.0060		
			966.600	0.0270		
			1480.600	0.0120		
			1586.000	0.0080		
			1752.000	0.0480		
136 I m	53	46.000 s	197.300	0.7100	1.0170	0.7956
			370.000	0.1670		
			381.500	1.0000		
			481.300	0.0090		
			751.000	0.0110		
			812.900	0.0220		
			1313.200	1.0000		
136 I	53	1.383 m	219.500	0.0130	1.0392	0.7657
			345.400	0.0201		
			976.400	0.0370		
			1247.200	0.0250		
			1313.200	0.6700		
			1321.300	0.2500		
			1535.800	0.0180		
			1962.800	0.0250		
			2289.700	0.1130		
			2414.800	0.0680		
			2635.500	0.0680		
			2871.000	0.0400		
			2956.500	0.0087		

Nuclide	Z	Half Life	Energy keV	Yield	R Rem2/h/Ci	T Rem/h/Ci
136 I	53	1.383 m	3141.000 3210.000 3244.000	0.0090 0.0040 0.0080	1.0392	0.7657
136 Cs	55	13.100 d	66.910 86.290 109.660 153.220 163.890 166.530 176.560 187.250 273.650 319.870 340.570 507.210 818.500 1048.070 1235.340	0.1250 0.0630 0.0041 0.0750 0.0462 0.0063 0.1360 0.0060 0.1270 0.0060 0.4680 0.0098 1.0000 0.7970 0.1980	1.1818	0.8906
136 La	57	9.870 m	760.500 818.510 1322.990	0.0025 0.0200 0.0023	0.0118	0.0086
136 Pr	59	13.100 m	221.900 460.850 523.900 539.750 552.160 672.830 761.300 841.300 855.920 974.200 991.000 1000.800 1012.100 1032.400 1041.500 1063.200 1091.900 1203.800 1282.400 1359.800 1368.300 1425.000 1503.300 1514.800 1590.300 1602.800 1628.200 1677.900 1735.700 1773.800 1886.700 1899.000 1919.300 1965.100	0.0013 0.0770 0.0034 0.5200 0.7600 0.0024 0.0150 0.0076 0.0014 0.0034 0.0017 0.0500 0.0022 0.0011 0.0016 0.0021 0.1850 0.0021 0.0013 0.0099 0.0017 0.0094 0.0025 0.0190 0.0015 0.0390 0.0011 0.0014 0.0043 0.0024 0.0013 0.0094 0.0011 0.0016	0.7671	0.5711

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T	R _{me2} /h/Ci	R _{ea} /h/Ci
136 Pr	59	13.100 ■	2042.700	0.0074			0.7671	0.5711
			2066.800	0.0300				
			2082.400	0.0018				
			2110.500	0.0013				
			2131.100	0.0021				
			2140.800	0.0018				
			2154.900	0.0034				
			2171.000	0.0021				
			2189.900	0.0021				
			2240.700	0.0068				
			2270.200	0.0036				
			2275.000	0.0024				
			2313.600	0.0063				
			2351.800	0.0050				
			2379.800	0.0029				
			2389.500	0.0011				
			2439.500	0.0013				
			2450.800	0.0071				
			2460.400	0.0013				
			2469.900	0.0014				
			2596.000	0.0016				
			2613.100	0.0011				
			2622.700	0.0013				
			2681.200	0.0013				
			2728.700	0.0013				
			2792.600	0.0011				
			2808.700	0.0018				
			3262.700	0.0045				
			3471.100	0.0011				
136 Nd	60	55.000 ■	100.900	0.0180				
			108.900	0.4600				
			130.900	0.0168				
			139.600	0.0024				
			144.500	0.0116				
			149.200	0.0760				
			184.800	0.0060				
			211.600	0.0024				
			241.000	0.0024				
			287.900	0.0024				
			294.700	0.0109				
			390.300	0.0084				
			498.800	0.0016				
			535.060	0.0112				
			574.830	0.1180				
			583.700	0.0016				
			605.600	0.0056				
			645.300	0.0056				
			653.400	0.0044				
			684.800	0.0016				
			754.800	0.0056				
			871.300	0.0020				
			941.900	0.0068				
			972.000	0.0112				
			1154.000	0.0032				
			1.0163	0.7788				

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
136 Pm	61	1.783 m	373.500 488.000 602.700 678.000 693.000 696.000 770.400 815.000 858.000 862.000 1060.000 1070.000	0.9200 0.0938 0.5100 0.0700 0.0267 0.1030 0.1840 0.3165 0.3220 0.0800 0.1030 0.0267	1.0163	0.7788
137Cs+137Ba m 14		30.021 y	661.645	0.8505	0.3224	0.2357
137 Xe	54	3.830 m	298.000 393.350 455.510 848.840 982.100 1119.210 1273.100 1612.500 1783.420 2849.800	0.0012 0.0014 0.3000 0.0062 0.0020 0.0010 0.0019 0.0012 0.0039 0.0017	0.0912	0.0716
137 Ba	56	2.552 m	661.645	0.8990	0.3408	0.2492
137 Ce	58	9.000 h	436.500 447.100	0.0023 0.0140	0.0042	0.0033
137 Ce m	58	1.433 d	169.300 254.300 824.900	0.0016 0.1080 0.0021	0.0162	0.0142
137 Pr	59	1.277 h	160.320 329.040 353.690 433.890 511.020 513.980 602.630 665.160 745.380 763.180 836.650 866.520 921.230 1001.610 1088.640 1096.890 1437.310 1699.760 1800.920	0.0097 0.0018 0.0058 0.0128 0.2500 0.0108 0.0031 0.0012 0.0019 0.0019 0.0180 0.0025 0.0017 0.0011 0.0042 0.0020 0.0025 0.0013 0.0016	0.1045	0.0795
137 Nd	60	1.600 s	108.400 177.500 233.700	0.3400 0.5700 0.6300	0.1789	0.1697

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
137 Nd	60	1.600 s	286.100	0.2000	0.1789	0.1697
138 I	53	6.330 s	483.670	0.0710	0.5615	0.4148
			588.870	0.9800		
			830.800	0.0380		
			875.290	0.1820		
			1277.700	0.0490		
			1463.200	0.0080		
			1809.500	0.0570		
			2398.300	0.0160		
138 I	53	6.400 s	482.700	0.4000	0.4505	0.3375
			589.000	1.0000		
138 Xe	54	14.170 m	153.750	0.0595	0.5307	0.4068
			242.560	0.0350		
			258.310	0.3150		
			282.510	0.0043		
			335.280	0.0011		
			371.440	0.0050		
			396.430	0.0630		
			401.360	0.0217		
			434.490	0.2030		
			500.220	0.0036		
			530.070	0.0025		
			537.760	0.0012		
			555.950	0.0012		
			568.530	0.0031		
			588.840	0.0012		
			654.080	0.0015		
			865.820	0.0030		
			869.350	0.0062		
			896.870	0.0013		
			912.510	0.0033		
			917.130	0.0092		
			936.350	0.0014		
			941.250	0.0023		
			1093.870	0.0041		
			1098.770	0.0021		
			1102.240	0.0011		
			1114.290	0.0147		
			1141.640	0.0051		
			1145.440	0.0013		
			1571.840	0.0026		
			1614.570	0.0024		
			1768.260	0.1670		
			1812.540	0.0018		
			1850.860	0.0142		
			1925.360	0.0056		
			2004.750	0.0535		
			2015.820	0.1230		
			2079.170	0.0144		
			2252.260	0.0229		
			2321.900	0.0062		
			2475.260	0.0031		
			2497.560	0.0017		
138 Cs m	55	2.900 m	79.900	0.0034	0.2747	0.2114

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
¹³⁸ Cs m	55	2.900 m	107.500	0.0025	0.2747	0.2114
			112.500	0.0200		
			191.700	0.2000		
			212.000	0.0070		
			324.500	0.0150		
			408.800	0.0013		
			463.000	0.2500		
			516.200	0.0080		
			871.800	0.0020		
			1436.000	0.2500		
¹³⁸ Cs	55	32.200 m	112.600	0.0013	1.1623	0.8623
			138.100	0.0149		
			191.960	0.0050		
			193.890	0.0033		
			212.320	0.0017		
			227.760	0.0151		
			324.900	0.0029		
			363.930	0.0024		
			365.290	0.0019		
			408.930	0.0466		
			421.530	0.0043		
			462.700	0.3070		
			516.740	0.0043		
			545.940	0.1076		
			683.590	0.0011		
			766.100	0.0015		
			773.310	0.0023		
			782.080	0.0033		
			871.800	0.0511		
			880.800	0.0011		
			935.030	0.0018		
			1009.780	0.2980		
			1054.320	0.0016		
			1147.220	0.0124		
			1199.150	0.0017		
			1203.690	0.0040		
			1264.940	0.0014		
			1343.590	0.0114		
			1415.680	0.0037		
			1435.860	0.7630		
			1445.040	0.0097		
			1495.630	0.0018		
			1555.310	0.0037		
			1614.090	0.0014		
			1717.100	0.0011		
			1727.680	0.0011		
			1778.250	0.0014		
			2023.930	0.0012		
			2062.340	0.0011		
			2210.700	0.0021		
			2218.000	0.1520		
			2499.400	0.0017		
			2583.150	0.0024		
			2639.590	0.0763		
			2731.120	0.0012		
			3339.010	0.0015		
			3366.980	0.0023		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
138 La	57	1.351E+11 y	788.400 1435.600	0.3290 0.6710	0.6289	0.4622
138 Ce	58	0.009 s	301.000 800.000 1040.000	0.8415 1.0000 1.0000	1.1557	0.8734
138 Pr	59	1.450 m	688.200 788.700 1447.800 1551.100	0.0082 0.0240 0.0013 0.0042	0.0180	0.0132
138 Pr m	59	2.100 h	75.500 79.400 158.000 170.000 206.000 231.000 302.700 351.000 359.400 390.900 457.900 547.500 635.700 680.800 770.400 788.700 940.000 1037.800 1083.100 1239.000 1348.000 1393.000 1453.300 1527.600 1540.900 1583.200 1671.200 1797.500 1808.100 1864.400 2026.600	0.0011 0.0012 0.0011 0.0014 0.0016 0.0012 0.8000 0.0011 0.0024 0.0610 0.0050 0.0520 0.0178 0.0021 0.0066 1.0000 0.0050 1.0100 0.0020 0.0012 0.0033 0.0012 0.0026 0.0017 0.0016 0.0012 0.0010 0.0010 0.0025 0.0021 0.0019	1.2118	0.9153
138 Nd	60	5.040 h	126.140 132.730 194.210 199.500 215.310 325.760 341.650	0.0011 0.0018 0.0026 0.0056 0.0029 0.0290 0.0041	0.0075	0.0070
138 Pm	61	3.500 m	437.000 493.000 521.000 729.000 741.000	0.0800 0.2000 0.9300 0.3600 0.0560	0.8798	0.6543

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
138 Pm	61	3.500 m	809.000	0.0370	0.8798	0.6543
			829.000	0.0650		
			931.000	0.0560		
			971.000	0.0930		
			1014.000	0.0700		
			1015.000	0.0900		
			1137.000	0.0460		
			1280.000	0.0800		
			1675.000	0.0700		
139 Xe	54	39.500 s	71.000	0.0025	0.4195	0.3379
			103.750	0.0031		
			121.370	0.0037		
			174.970	0.1920		
			181.300	0.0050		
			218.590	0.5400		
			225.380	0.0280		
			289.780	0.0890		
			296.530	0.2100		
			338.860	0.0058		
			356.720	0.0048		
			393.500	0.0650		
			442.700	0.0015		
			454.460	0.0019		
			466.800	0.0070		
			491.470	0.0139		
			505.070	0.0031		
			513.880	0.0081		
			515.440	0.0050		
			549.020	0.0056		
			595.430	0.0019		
			601.840	0.0050		
			612.820	0.0530		
			626.890	0.0076		
			646.500	0.0057		
			652.280	0.0023		
			672.390	0.0014		
			675.790	0.0016		
			710.400	0.0017		
			716.960	0.0016		
			723.840	0.0174		
			730.500	0.0022		
			732.420	0.0170		
			745.160	0.0051		
			761.040	0.0019		
			786.700	0.0021		
			788.040	0.0320		
			801.620	0.0054		
			818.290	0.0027		
			832.410	0.0010		
			847.450	0.0024		
			879.740	0.0015		
			891.760	0.0021		
			896.300	0.0010		
			924.500	0.0011		
			942.610	0.0011		
			980.590	0.0016		
			986.020	0.0032		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*cm ² /h/Ci	T Rem/h/Ci
139 Xe	54	39.500 s	996.190	0.0031	0.4195	0.3379
			1006.250	0.0011		
			1017.700	0.0013		
			1046.310	0.0026		
			1067.560	0.0013		
			1105.600	0.0011		
			1114.480	0.0032		
			1137.520	0.0038		
			1149.200	0.0012		
			1178.730	0.0049		
			1190.600	0.0049		
			1199.430	0.0013		
			1206.450	0.0060		
			1219.330	0.0015		
			1242.880	0.0057		
			1259.260	0.0050		
			1289.470	0.0042		
			1291.400	0.0017		
			1297.850	0.0039		
			1316.400	0.0010		
			1324.380	0.0018		
			1344.930	0.0111		
			1362.910	0.0028		
			1367.190	0.0018		
			1386.190	0.0056		
			1404.160	0.0012		
			1416.940	0.0015		
			1428.700	0.0017		
			1434.130	0.0016		
			1448.700	0.0010		
			1453.320	0.0046		
			1458.980	0.0016		
			1490.000	0.0024		
			1503.100	0.0013		
			1520.170	0.0079		
			1579.500	0.0020		
			1609.300	0.0010		
			1612.500	0.0014		
			1615.000	0.0015		
			1641.700	0.0015		
			1652.800	0.0011		
			1670.330	0.0108		
			1681.100	0.0010		
			1699.800	0.0010		
			1711.440	0.0022		
			1773.840	0.0032		
			1790.850	0.0037		
			1793.000	0.0012		
			1803.990	0.0012		
			1814.100	0.0012		
			1816.700	0.0012		
			1851.900	0.0011		
			1854.500	0.0012		
			1857.600	0.0011		
			1862.400	0.0015		
			1864.000	0.0024		
			1895.980	0.0060		
			1911.420	0.0012		

Nuclide	Z	Half Life	Energy keV	Yield	R^{γ}	τ^{γ}	R^{α}	τ^{α}
139 Xe	54	39.500 s	1967.300	0.0012	0.4195	0.3379		
			1979.570	0.0051				
			1994.200	0.0010				
			2015.110	0.0015				
			2063.900	0.0040				
			2085.910	0.0065				
			2099.480	0.0012				
			2110.120	0.0028				
			2116.880	0.032				
			2192.320	0.0033				
			2227.280	0.0036				
			2291.610	0.0039				
			2304.970	0.0028				
			2328.800	0.0061				
			2366.970	0.0013				
			2403.750	0.0025				
			2510.410	0.0026				
			2574.040	0.0033				
			2633.750	0.0010				
			2736.700	0.0011				
			2769.370	6.002 ^y				
			2790.890	0.0026				
			2815.030	0.0022				
			2872.650	0.0012				
			2918.300	0.0012				
			3375.510	0.0015				
139 Cs	55	9.400 m	454.660	0.0013	0.1175	0.0866		
			531.980	0.0021				
			567.720	0.0013				
			627.240	0.0150				
			827.520	0.0011				
			929.180	0.0023				
			946.460	0.0010				
			1190.420	0.0018				
			1283.230	0.0700				
			1306.090	0.0011				
			1308.130	0.0037				
			1321.770	0.0023				
			1410.580	0.0015				
			1420.660	0.0080				
			1620.740	0.0042				
			1680.720	0.0060				
			1698.660	0.0018				
			1877.450	0.0034				
			1887.570	0.0022				
			1904.500	0.0012				
			1933.480	0.0024				
			2020.760	0.0013				
			2089.910	0.0014				
			2110.910	0.0066				
			2173.980	0.0020				
			2349.920	0.0056				
			2380.660	0.0019				
			2531.840	0.0042				
			2605.750	0.0024				
			2649.320	0.0017				
			2847.630	0.0010				

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m2/h/Ci	Rem/h/Ci
139 Cs	55	9.400 m	3464.340 3665.610	0.0011 0.0014	0.1175	0.0866
139 Ba	56	1.378 h	165.850 1420.500	0.2200 0.0025	0.0199	0.0194
139 Ce m	58	56.200 s	754.400	0.9250	0.3958	0.2878
139 Ce	58	137.660 d	165.853	0.7994	0.0658	0.0655
139 Pr	59	4.510 h	254.700 1347.400 1375.300 1630.600	0.0022 0.0040 0.0013 0.0028	0.0062	0.0046
139 Nd	60	29.700 m	113.870 183.500 405.000 411.500 475.500 485.000 511.000 588.800 669.000 916.900 923.400 1074.200 1096.500 1213.400 1311.800 1328.800 1405.500 1449.000 1500.500 1532.000	0.0122 0.0080 0.0600 0.0013 0.0111 0.0039 0.0260 0.0068 0.0129 0.0129 0.0110 0.0210 0.0032 0.0027 0.0026 0.0024 0.0052 0.0013 0.0021 0.0011	0.0729	0.0557
139 Nd m	60	5.500 h	93.000 101.200 113.880 147.900 209.650 214.600 231.150 254.600 302.700 340.500 362.420 403.750 424.300 547.650 572.300 601.200 673.300 701.200 708.000 738.200 796.500 802.000	0.0330 0.0042 0.7600 0.0099 0.0209 0.0057 0.0076 0.0131 0.0060 0.0064 0.0237 0.0248 0.0081 0.0241 0.0078 0.0057 0.0064 0.0420 0.2650 0.3500 0.0420 0.0700	0.8321	0.6245

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
139 Nd m	60	5.500 h	809.600	0.0640	0.8321	0.6245
			822.000	0.0177		
			827.800	0.1040		
			852.000	0.0018		
			910.000	0.0760		
			982.200	0.2650		
			1006.200	0.0322		
			1012.300	0.0276		
			1024.900	0.0152		
			1075.200	0.0350		
			1105.300	0.0272		
			1219.600	0.0166		
			1226.700	0.0134		
			1322.300	0.0187		
			1344.800	0.0046		
			1374.700	0.0042		
			1463.600	0.0032		
			1470.200	0.0058		
			1510.500	0.0014		
			2060.900	0.0480		
140 Ba	56	12.740 d	132.670	0.0020	0.1010	0.0795
			162.609	0.0621		
			304.850	0.0430		
			423.722	0.0315		
			437.575	0.0193		
			467.570	0.0015		
			537.274	0.2439		
140 La	57	1.678 d	109.417	0.0020	1.1698	0.8745
			131.121	0.0049		
			173.544	0.0013		
			241.966	0.0047		
			266.551	0.0045		
			328.768	0.2074		
			432.520	0.0299		
			487.029	0.4590		
			751.830	0.0441		
			815.780	0.2364		
			867.840	0.0559		
			919.540	0.0268		
			925.190	0.0705		
			951.000	0.0054		
			1596.170	0.9540		
			2347.800	0.0085		
			2521.320	0.0343		
			2547.140	0.0010		
140 Pr	59	3.390 m	306.900	0.0019	0.0042	0.0032
			1596.500	0.0050		
141 Xe	54	1.720 s	68.980	0.0420	0.4279	0.3224
			81.810	0.0220		
			89.700	0.0064		
			100.760	0.0240		
			105.960	0.0810		
			118.710	0.1160		
			137.680	0.0073		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
¹⁴¹ Xe	54	1.720 s	187.610	0.0260	0.4279	0.3224
			254.320	0.0012		
			283.130	0.0040		
			286.060	0.0022		
			362.020	0.0087		
			369.450	0.0161		
			388.980	0.0152		
			422.100	0.0035		
			423.870	0.0122		
			434.850	0.0018		
			450.980	0.0014		
			452.650	0.0050		
			459.120	0.0450		
			467.800	0.0290		
			492.850	0.0067		
			507.300	0.0019		
			509.980	0.0077		
			538.010	0.0065		
			539.900	0.0520		
			551.680	0.0046		
			556.610	0.0470		
			576.770	0.0036		
			578.190	0.0013		
			594.330	0.0037		
			599.610	0.0013		
			604.600	0.0023		
			613.170	0.0081		
			629.500	0.0048		
			644.360	0.0067		
			649.230	0.0024		
			677.850	0.0025		
			729.010	0.0016		
			731.920	0.0073		
			745.190	0.0021		
			755.290	0.0116		
			773.080	0.0220		
			778.010	0.0026		
			791.960	0.0033		
			801.200	0.0014		
			805.360	0.0028		
			807.310	0.0022		
			823.370	0.0021		
			843.010	0.0041		
			854.740	0.0025		
			869.200	0.0029		
			874.610	0.0034		
			894.710	0.0080		
			898.200	0.0018		
			909.450	0.2200		
			914.270	0.0018		
			933.510	0.0014		
			942.800	0.0025		
			943.600	0.0021		
			944.800	0.0013		
			976.600	0.0012		
			979.980	0.0099		
			986.010	0.0037		
			989.500	0.0019		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
141 Xe	54	1.720 s	991.600	0.0021	0.4279	0.3224
			998.700	0.0016		
			1008.400	0.0042		
			1015.230	0.0033		
			1025.310	0.0022		
			1028.130	0.0170		
			1051.880	0.0104		
			1062.480	0.0019		
			1090.600	0.0022		
			1092.800	0.0019		
			1097.190	0.0044		
			1099.700	0.0044		
			1104.900	0.0016		
			1112.300	0.0011		
			1120.980	0.0073		
			1134.560	0.0030		
			1140.410	0.0011		
			1177.680	0.0015		
			1196.700	0.0019		
			1208.100	0.0014		
			1214.540	0.0028		
			1217.480	0.0044		
			1219.500	0.0016		
			1233.000	0.0018		
			1246.170	0.0029		
			1253.130	0.0021		
			1310.700	0.0013		
			1317.800	0.0012		
			1323.940	0.0013		
			1330.000	0.0010		
			1351.720	0.0023		
			1369.200	0.0078		
			1372.100	0.0018		
			1386.930	0.0013		
			1436.250	0.0057		
			1439.500	0.0018		
			1489.130	0.0024		
			1497.900	0.0011		
			1502.370	0.0038		
			1526.600	0.0012		
			1539.600	0.0011		
			1546.900	0.0012		
			1551.000	0.0015		
			1556.960	0.0290		
			1579.400	0.0013		
			1600.900	0.0013		
			1655.400	0.0015		
			1688.120	0.0026		
			1738.800	0.0013		
			1748.900	0.0011		
			1755.580	0.0054		
			1769.990	0.0039		
			1795.200	0.0015		
			1799.790	0.0029		
			1829.500	0.0015		
			1860.540	0.0021		
			1882.000	0.0012		
			1898.500	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	R ² e ² /h/Ci	T Rem/h/Ci
¹⁴¹ La	54	1.720 s	1917.800	0.0017	0.4279	0.3224
			1933.900	0.0018		
			2016.300	0.0020		
			2020.270	0.0020		
			2058.100	0.0013		
			2109.300	0.0012		
			2172.800	0.0012		
			2210.390	0.0017		
			2217.300	0.0018		
			2236.600	0.0012		
			2282.700	0.0016		
			2394.200	0.0023		
			2410.600	0.0013		
			2430.100	0.0012		
			2547.170	0.0039		
			2577.200	0.0011		
			2601.100	0.0015		
			2629.500	0.0010		
			2635.200	0.0011		
			2682.300	0.0011		
			2709.570	0.0012		
			2734.200	0.0014		
			2839.200	0.0011		
¹⁴¹ Cs	55	24.940 s	48.540	0.0990	0.4608	0.3391
			55.000	0.0021		
			501.900	0.0018		
			555.110	0.0470		
			561.570	0.0580		
			569.800	0.0010		
			585.420	0.0036		
			588.650	0.0510		
			591.700	0.0017		
			605.130	0.0124		
			612.860	0.0042		
			638.760	0.0025		
			642.000	0.0012		
			646.180	0.0084		
			647.030	0.0084		
			649.140	0.0050		
			654.230	0.0091		
			660.710	0.0099		
			691.860	0.0370		
			698.170	0.0064		
			709.500	0.0019		
			771.770	0.0033		
			778.470	0.0033		
			806.200	0.0012		
			826.900	0.0016		
			895.100	0.0017		
			902.100	0.0031		
			938.500	0.0026		
			954.300	0.0011		
			972.900	0.0028		
			985.700	0.0019		
			1007.650	0.0055		
			1018.600	0.0021		
			1024.800	0.0021		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	Rem/h/Ci
¹⁴¹ Cs	55	24.940 s	1042.900	0.0011	0.4608	0.3391
			1056.140	0.0054		
			1061.790	0.0130		
			1068.100	0.0058		
			1072.260	0.0049		
			1097.770	0.0041		
			1117.100	0.0019		
			1140.600	0.0136		
			1147.080	0.0380		
			1153.600	0.0117		
			1166.000	0.0037		
			1171.500	0.0108		
			1177.490	0.0132		
			1182.100	0.0042		
			1194.040	0.0540		
			1195.600	0.0022		
			1200.400	0.0021		
			1209.500	0.0016		
			1214.380	0.0088		
			1226.410	0.0081		
			1229.500	0.0035		
			1232.600	0.0030		
			1264.000	0.0024		
			1277.400	0.0016		
			1290.000	0.0011		
			1315.700	0.0019		
			1343.900	0.0011		
			1360.400	0.0036		
			1432.390	0.0058		
			1449.300	0.0051		
			1453.700	0.0014		
			1497.200	0.0029		
			1517.600	0.0041		
			1524.000	0.0014		
			1572.200	0.0031		
			1575.300	0.0013		
			1606.100	0.0015		
			1625.000	0.0023		
			1630.100	0.0030		
			1653.800	0.0013		
			1661.570	0.0058		
			1715.100	0.0057		
			1750.800	0.0022		
			1757.100	0.0023		
			1765.100	0.0015		
			1773.200	0.0023		
			1783.100	0.0016		
			1789.600	0.0047		
			1808.400	0.0019		
			1819.300	0.0054		
			1826.400	0.0024		
			1842.400	0.0012		
			1852.500	0.0017		
			1868.900	0.0013		
			1885.300	0.0017		
			1894.000	0.0050		
			1906.200	0.0036		
			1918.400	0.0037		

Nuclide	Z	Half Life	Energy keV	Yield	R ₁₄₁ ² /h/Ci	R ₁₄₁ ³ /h/Ci
141 Cs	55	24.940 s	1933-500	0.0045	0.4608	0.3391
		1940-700	0.0064			
		1956-400	0.0015			
		1964-400	0.0021			
		1989-500	0.0025			
		1994-400	0.0038			
		1998-300	0.0021			
		2045-800	0.0027			
		2059-600	0.0049			
		2066-500	0.0050			
		2088-600	0.0041			
		2094-400	0.0028			
		2142-900	0.0034			
		2221-700	0.0014			
		2386-500	0.0029			
		2394-500	0.0016			
		2398-900	0.0023			
		2410-900	0.0013			
		2469-400	0.0019			
		2504-700	0.0013			
		2615-300	0.0012			
		2638-400	0.0011			
		2671-300	0.0011			
		2708-900	0.0016			
		2728-600	0.0014			
		2820-500	0.0028			
		2846-600	0.0021			
		2950-000	0.0023			
		2961-300	0.0026			
		2976-500	0.0019			
		3032-500	0.0012			
		3039-300	0.0030			
		3057-700	0.0025			
		3072-200	0.0068			
		3078-400	0.0037			
		3098-900	0.0010			
		3116-100	0.0036			
		3120-400	0.0011			
		3133-700	0.0014			
		3169-800	0.0012			
		3192-100	0.0045			
		3194-900	0.0025			
		3225-500	0.0021			
		3252-800	0.0018			
		3259-900	0.0023			
		3273-800	0.0017			
		3304-500	0.0013			
		3331-500	0.0021			
		3349-200	0.0019			
141 Ba	56	18.270 s	0.0093	0.4400	0.3575	
		112-960	0.0044			
		162-900	0.0044			
		180-700	0.0049			
		190-330	0.4600			
		276-950	0.2330			
		304-180	0.2520			
		343-660	0.1420			
		349-100	0.0029			

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
141 Ba	56	18.270 m	364.700	0.0058	0.4400	0.3575
			381.310	0.0012		
			389.710	0.0132		
			457.590	0.0480		
			462.130	0.0480		
			467.260	0.0550		
			522.100	0.0043		
			524.100	0.0040		
			527.500	0.0038		
			572.000	0.0025		
			599.280	0.0023		
			608.910	0.0024		
			625.210	0.0330		
			635.900	0.0028		
			641.380	0.0036		
			647.890	0.0560		
			660.800	0.0028		
			670.040	0.0018		
			674.200	0.0011		
			675.700	0.0022		
			685.700	0.0013		
			687.800	0.0010		
			698.500	0.0028		
			700.000	0.0021		
			704.500	0.0030		
			739.000	0.0430		
			762.200	0.0014		
			778.200	0.0011		
			826.300	0.0033		
			831.600	0.0152		
			832.600	0.0016		
			867.900	0.0015		
			876.100	0.0340		
			880.600	0.0020		
			908.800	0.0012		
			929.400	0.0069		
			943.200	0.0073		
			981.500	0.0078		
			996.600	0.0012		
			1012.300	0.0010		
			1034.490	0.0029		
			1046.320	0.0034		
			1094.000	0.0022		
			1160.800	0.0024		
			1160.840	0.0092		
			1197.300	0.0460		
			1224.700	0.0041		
			1235.500	0.0014		
			1264.000	0.0082		
			1273.400	0.0052		
			1278.100	0.0066		
			1309.100	0.0023		
			1311.200	0.0060		
			1323.700	0.0094		
			1345.270	0.0022		
			1357.500	0.0016		
			1377.800	0.0070		
			1405.200	0.0027		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
¹⁴¹ Ba	56	18.270 m	1436.700 1458.600 1501.400 1551.000 1568.800 1653.700 1682.300 1712.900 1735.300 1740.800 1795.400 1912.700 1989.600 2026.400 2136.700 2164.700 2469.000	0.0082 0.0068 0.0031 0.0031 0.0025 0.0075 0.0134 0.0017 0.0018 0.0031 0.0051 0.0013 0.0018 0.0038 0.0011 0.0016 0.0018	0.4400	0.3575
¹⁴¹ La	57	3.930 h	1354.520 1693.300	0.0263 0.0012	0.0191	0.0141
¹⁴¹ Ce	58	32.500 d	145.440	0.4840	0.0336	0.0347
¹⁴¹ Nd m	60	1.040 m	756.500	0.9147	0.3924	0.2853
¹⁴¹ Nd	60	2.490 h	145.400 1126.910 1147.300 1292.640 1298.600	0.0024 0.0080 0.0031 0.0046 0.0013	0.0107	0.0079
¹⁴¹ Pm	61	20.900 m	193.670 289.000 622.010 886.220 1023.200 1029.600 1223.260 1345.520 1371.000 1403.140 1564.680 1596.870 1626.700 1880.000 1967.600 2052.900 2073.790 2303.500	0.0161 0.0017 0.0087 0.0241 0.0013 0.0036 0.0460 0.0127 0.0010 0.0074 0.0082 0.0074 0.0027 0.0032 0.0017 0.0012 0.0062 0.0011	0.0900	0.0666
¹⁴¹ Sm	62	10.200 m	324.400 403.900 438.200 728.400 767.500 854.300 888.500 1046.400	0.0250 0.4200 0.3800 0.0130 0.0115 0.0132 0.0064 0.0149	0.4497	0.3482

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
¹⁴¹ Sm	62	10.200 m	1057.100	0.0330	0.4497	0.3482
			1091.900	0.0259		
			1292.600	0.0680		
			1336.500	0.0051		
			1352.700	0.0038		
			1446.600	0.0030		
			1463.900	0.0190		
			1481.000	0.0051		
			1495.700	0.0178		
			1499.100	0.0059		
			1515.300	0.0068		
			1565.900	0.0021		
			1587.900	0.0025		
			1599.900	0.0060		
			1600.700	0.0400		
			1634.100	0.0034		
			1885.000	0.0072		
			1902.400	0.0089		
			1992.300	0.0068		
			2004.800	0.0089		
			2037.800	0.0280		
¹⁴¹ Sm m	62	22.600 m	108.500	0.0020	0.8584	0.6537
			149.100	0.0029		
			196.600	0.7500		
			247.900	0.0078		
			431.800	0.4100		
			538.500	0.0850		
			577.800	0.0090		
			583.400	0.0029		
			607.900	0.0102		
			628.700	0.0270		
			648.700	0.0037		
			676.800	0.0139		
			684.600	0.0800		
			704.200	0.0045		
			725.700	0.0150		
			750.300	0.0160		
			764.300	0.0016		
			768.200	0.0016		
			777.400	0.2060		
			785.900	0.0690		
			805.900	0.0360		
			820.700	0.0016		
			837.100	0.0360		
			875.000	0.0127		
			882.000	0.0016		
			896.500	0.0147		
			911.300	0.0930		
			924.700	0.0230		
			952.100	0.0090		
			955.400	0.0069		
			974.100	0.0020		
			983.300	0.0740		
			995.800	0.0037		
			1009.100	0.0290		
			1029.600	0.0053		
			1108.400	0.0127		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m^2/h/Ci	T Rem/h/Ci
141 Sm m	62	22.600 m	1117.600	0.0330	0.8584	0.6537
			1145.100	0.0880		
			1287.600	0.0029		
			1380.900	0.0020		
			1434.900	0.0037		
			1463.400	0.0180		
			1490.300	0.0940		
			1786.400	0.1110		
			1898.000	0.0038		
			1979.600	0.0040		
			2073.700	0.0140		
141 Eu m	63	3.300 s	96.400	0.0068	0.0138	0.0106
			369.500	0.0029		
			394.000	0.0059		
			395.600	0.0011		
			433.900	0.0042		
			518.800	0.0043		
			804.400	0.0043		
			882.900	0.0053		
			887.300	0.0028		
			1595.300	0.0039		
141 Eu	63	40.000 s	202.300	0.0026	0.1717	0.1349
			213.500	0.0018		
			354.400	0.0022		
			369.500	0.0247		
			382.900	0.0450		
			384.500	0.0850		
			394.000	0.1370		
			395.600	0.0249		
			395.800	0.0025		
			433.900	0.0086		
			593.100	0.0450		
			594.700	0.0063		
			596.300	0.0077		
			597.900	0.0186		
			605.900	0.0144		
			606.000	0.0048		
			687.800	0.0029		
			699.000	0.0029		
			724.200	0.0025		
			764.900	0.0033		
			776.000	0.0041		
			799.600	0.0041		
			817.400	0.0012		
			882.900	0.0111		
			893.600	0.0012		
			935.700	0.0019		
			976.200	0.0026		
			990.000	0.0022		
			996.100	0.0056		
			999.800	0.0038		
			1052.000	0.0030		
			1053.400	0.0014		
			1081.900	0.0029		
			1083.600	0.0012		
			1234.400	0.0027		

Nuclide	Z	Half Life	Energy keV	Yield	Γ $R^2 m^2/h/Ci$	T $Rem/h/Ci$
141 Eu	63	40.000 s	1245.400	0.0044	0.1717	0.1349
			1300.400	0.0030		
			1382.100	0.0033		
			1392.400	0.0021		
			1510.700	0.0053		
			1560.700	0.0014		
			1675.000	0.0023		
			1691.600	0.0021		
			1744.900	0.0041		
			1766.200	0.0062		
			1826.600	0.036		
			1839.000	0.0633		
			2221.600	0.0026		
142 Ba	56	10.600 m	69.400	0.0041	0.5608	0.4249
			76.800	0.0100		
			77.600	0.1112		
			122.890	0.0107		
			154.220	0.0060		
			162.000	0.0012		
			176.820	0.0171		
			216.300	0.0023		
			222.600	0.0031		
			231.520	0.1180		
			242.700	0.0019		
			255.120	0.2060		
			269.330	0.0078		
			283.900	0.0021		
			286.200	0.0107		
			309.020	0.0260		
			334.800	0.0144		
			337.100	0.0029		
			346.700	0.0016		
			363.800	0.0460		
			379.100	0.0054		
			417.800	0.0039		
			425.030	0.0570		
			432.300	0.0113		
			434.400	0.0035		
			448.100	0.0025		
			457.300	0.0045		
			473.400	0.0035		
			488.300	0.0012		
			513.300	0.0027		
			531.900	0.0010		
			537.500	0.0012		
			558.300	0.0035		
			590.700	0.0029		
			599.840	0.0185		
			604.200	0.0037		
			769.400	0.0070		
			786.400	0.0029		
			792.200	0.0025		
			823.400	0.0047		
			840.230	0.0350		
			894.900	0.1270		
			948.750	0.1030		
			1000.860	0.0910		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
142 Ba	56	10.600 m	1032.800	0.0056	0.5608	0.4249
			1078.480	0.1080		
			1093.620	0.0260		
			1122.600	0.0035		
			1126.540	0.0177		
			1148.300	0.0045		
			1202.200	0.0620		
			1204.060	0.1580		
			1283.400	0.0019		
			1379.900	0.0390		
142 La	57	1.542 h	106.100	0.0016	1.2573	0.9250
			174.100	0.0010		
			367.300	0.0010		
			393.700	0.0010		
			420.800	0.0026		
			433.340	0.0042		
			514.700	0.0016		
			532.000	0.0016		
			578.090	0.0136		
			619.500	0.0016		
			641.170	0.5250		
			861.570	0.0200		
			878.200	0.0021		
			894.850	0.0940		
			946.500	0.0010		
			962.200	0.0042		
			991.200	0.0010		
			1006.700	0.0026		
			1011.380	0.0440		
			1039.200	0.0010		
			1043.680	0.0300		
			1061.800	0.0016		
			1070.300	0.0016		
			1074.200	0.0010		
			1088.900	0.0026		
			1112.600	0.0010		
			1116.700	0.0010		
			1130.600	0.0052		
			1144.500	0.0016		
			1160.160	0.0190		
			1174.300	0.0016		
			1190.900	0.0042		
			1231.500	0.0031		
			1233.110	0.0200		
			1242.300	0.0021		
			1264.700	0.0010		
			1270.100	0.0010		
			1288.000	0.0010		
			1323.200	0.0037		
			1332.300	0.0010		
			1354.600	0.0010		
			1362.950	0.0240		
			1373.600	0.0021		
			1389.300	0.0047		
			1395.300	0.0021		
			1402.200	0.0016		
			1445.500	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
¹⁴² La	57	1.542 h	1455.100	0.0010	1.2573	0.9250
			1493.700	0.0016		
			1500.300	0.0010		
			1516.300	0.0047		
			1535.500	0.0026		
			1540.200	0.0052		
			1545.800	0.0330		
			1618.200	0.0031		
			1651.400	0.0021		
			1688.100	0.0026		
			1722.900	0.0170		
			1752.400	0.0010		
			1756.420	0.0330		
			1768.000	0.0021		
			1771.000	0.0021		
			1793.800	0.0010		
			1806.300	0.0016		
			1817.100	0.0010		
			1885.400	0.0058		
			1901.320	0.0870		
			1923.000	0.0026		
			1933.500	0.0016		
			1948.200	0.0052		
			1960.600	0.0016		
			2004.200	0.0105		
			2025.500	0.0136		
			2038.700	0.0110		
			2050.400	0.0052		
			2055.170	0.0290		
			2076.900	0.0073		
			2086.100	0.0042		
			2100.400	0.0105		
			2126.200	0.0037		
			2139.300	0.0058		
			2180.300	0.0058		
			2187.200	0.0580		
			2290.500	0.0037		
			2358.400	0.0084		
			2364.400	0.0047		
			2397.720	0.1640		
			2419.500	0.0021		
			2459.400	0.0042		
			2513.200	0.0016		
			2532.300	0.0010		
			2539.400	0.0079		
			2542.650	0.1120		
			2663.500	0.0079		
			2666.800	0.0190		
			2672.600	0.0021		
			2782.300	0.0031		
			2800.800	0.0063		
			2818.100	0.0084		
			2828.600	0.0026		
			2970.000	0.0079		
			2972.000	0.0330		
			2991.700	0.0010		
			2999.900	0.0052		
			3007.100	0.0021		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
142 La	57	1.542 h	3012.900 3022.300 3034.300 3046.900 3062.400 3075.900 3155.000 3181.000 3236.700 3242.400 3273.200 3314.700 3401.900 3459.300 3612.100 3632.700 3719.100 3850.400	0.0073 0.0010 0.0058 0.0042 0.0016 0.0016 0.0021 0.0031 0.0031 0.0021 0.0016 0.0136 0.0031 0.0037 0.0089 0.0115 0.0031 0.0026	1.2573	0.9250
142 Pr	59	19.130 h	1575.600	0.0370	0.0284	0.0210
142 Pm	61	40.500 s	641.400 1575.800 2384.300	0.0065 0.0330 0.0011	0.0289	0.0213
142 Sm	62	1.208 h	1243.000 1345.000	0.0026 0.0013	0.0026	0.0019
142 Eu	63	2.400 s	68.200 768.000 889.600 1287.400 1405.200 1658.100 1754.100 2055.500	0.0062 0.1120 0.0149 0.0153 0.0080 0.0150 0.0146 0.0055	0.1013	0.0742
142 Eu m	63	1.220 m	200.900 273.800 474.400 540.000 556.600 563.700 580.700 628.700 741.200 768.000 832.600 848.000 886.700 906.400 954.300 982.000 1016.100 1023.300 1151.000 1198.800 1212.000	0.0110 0.0120 0.0075 0.0500 0.8700 0.0830 0.0044 0.0410 0.0170 1.0000 0.0042 0.0040 0.0069 0.0050 0.0058 0.0024 0.1100 0.9200 0.0035 0.0039 0.0047	1.4321	1.0509

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
142 Eu m	63	1.220 m	1341.900	0.0298	1.4321	1.0509
			1426.800	0.0078		
			1652.100	0.0029		
			1700.100	0.0083		
			1724.500	0.0012		
			1728.500	0.0020		
			1838.600	0.0044		
			1889.000	0.0015		
			1937.600	0.0051		
			2258.400	0.0064		
143 Cs	55	1.780 s	117.000	0.0033	0.0555	0.0439
			159.900	0.0012		
			195.000	0.0330		
			228.600	0.0066		
			232.300	0.0250		
			233.800	0.0026		
			237.500	0.0011		
			263.200	0.0100		
			272.800	0.0100		
			299.000	0.0026		
			302.500	0.0013		
			306.400	0.0170		
			388.800	0.0016		
			466.600	0.0130		
			527.400	0.0080		
			534.800	0.0033		
			570.700	0.0036		
			605.200	0.0043		
			612.000	0.0020		
			626.700	0.0080		
			659.900	0.0120		
			661.700	0.0120		
			729.300	0.0033		
			778.200	0.0013		
			792.700	0.0016		
			822.300	0.0013		
			833.700	0.0033		
			837.200	0.0016		
			867.900	0.0019		
			871.600	0.0012		
			1805.000	0.0016		
			1909.000	0.0016		
			1977.500	0.0046		
			2634.600	0.0013		
			2648.300	0.0013		
			2683.500	0.0013		
143 Ba	56	14.500 s	174.900	0.0019	0.1145	0.0874
			176.880	0.0029		
			178.560	0.0090		
			181.690	0.0021		
			208.310	0.0022		
			211.490	0.0650		
			218.750	0.0035		
			254.320	0.0068		
			261.560	0.0040		
			291.220	0.0220		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
143 Ba	56	14.500 s	297.020	0.0024		
			310.770	0.0010		
			367.540	0.0052		
			397.590	0.0038		
			408.300	0.0014		
			424.840	0.0012		
			431.540	0.0078		
			435.870	0.0056		
			466.000	0.0028		
			482.880	0.0023		
			544.410	0.0027		
			577.050	0.0020		
			602.210	0.0015		
			613.680	0.0018		
			619.400	0.0021		
			633.730	0.0033		
			643.150	0.0026		
			667.070	0.0019		
			669.440	0.0018		
			713.500	0.0012		
			718.990	0.0110		
			764.880	0.0038		
			798.780	0.0360		
			853.940	0.0035		
			858.810	0.0028		
			884.100	0.0014		
			895.170	0.0094		
			925.030	0.0110		
			942.130	0.0021		
			980.450	0.0250		
			1010.250	0.0210		
			1037.600	0.0014		
			1116.200	0.0020		
			1196.360	0.0150		
			1367.200	0.0014		
			1407.870	0.0015		
			1443.300	0.0013		
			1649.230	0.0022		
			2016.100	0.0012		
			2055.800	0.0021		
			2296.700	0.0012		
			2347.200	0.0019		
143 La	57	14.230 m	620.600	0.0100	0.0352	0.0259
			621.700	0.0048		
			643.900	0.0070		
			774.900	0.0015		
			798.300	0.0048		
			1053.200	0.0026		
			1076.500	0.0015		
			1122.900	0.0014		
			1146.000	0.0031		
			1148.600	0.0040		
			1164.900	0.0014		
			1556.600	0.0042		
			1707.900	0.0016		
			1938.000	0.0016		
			1961.500	0.0040		

Nuclide	Z	Half Life	Energy keV	Yield	R R*m2/h/Ci	T Rem/h/Ci
143 La	57	14.230 m	1980.400 2004.100 2500.000 2625.000	0.0014 0.0010 0.0029 0.0013	0.0352	0.0259
143 Ce	58	1.375 d	57.365 169.000 216.000 231.560 293.262 338.000 350.590 433.020 439.000 490.360 587.280 664.550 721.960 880.390 1102.980	0.1180 0.0030 0.0021 0.0200 0.4200 0.0029 0.0340 0.0013 0.0012 0.0200 0.0024 0.0520 0.0510 0.0092 0.0037	0.1377	0.1185
143 Pm	61	265.000 d	741.980	0.3850	0.1623	0.1180
143 Sm	62	0.030 s	75.000 180.200 208.900 1574.000 1703.000 1754.000 1829.000	0.2500 0.6100 0.5000 0.6400 0.2000 0.0288 0.1150	0.8957	0.6886
143 Sm m	62	1.100 m	689.000 754.400	0.0020 0.8998	0.3858	0.2805
143 Sm	62	8.830 m	271.800 1056.500 1173.400 1243.100 1403.200 1514.900	0.0028 0.0175 0.0038 0.0020 0.0030 0.0061	0.0207	0.0153
143 Eu	63	2.630 m	107.700 203.100 429.600 607.600 754.000 805.300 999.600 1107.300 1369.100 1429.300 1458.400 1536.800 1566.100 1607.300 1715.200 1804.900 1912.700	0.0210 0.0014 0.0011 0.0026 0.0022 0.0100 0.0055 0.0750 0.0090 0.0035 0.0116 0.0330 0.0060 0.0101 0.0017 0.0166 0.0213	0.1647	0.1217

Nuclide	Z	Half Life	Energy keV	Yield	R ²²⁴ Rm2/h/Ci	T ²²⁴ Rem/h/Ci
143 Eu	63	2.630 m	1962.600 2070.300 2102.500 2228.000 2270.800	0.0023 0.0051 0.0094 0.0040 0.0012	0.1647	0.1217
143 Gd	64	39.000 s	204.770 258.810 463.700 554.100 812.900 1284.200 1464.800	0.1940 0.7480 0.0990 0.0070 0.0540 0.0100 0.0090	0.1938	0.1648
143 Gd m	64	1.867 m	117.570 131.100 180.950 210.900 259.350 271.940 304.200 389.470 428.100 497.300 545.300 588.000 590.800 594.300 625.230 668.100 698.800 776.800 785.560 798.890 824.430 830.100 836.300 845.500 890.520 906.960 913.200 916.530 926.600 984.930 993.100 1008.280 1041.350 1059.300 1087.300 1138.900 1144.200 1158.200 1162.800 1196.900 1213.100 1219.210 1225.800 1231.800	0.0650 0.0037 0.0059 0.0110 0.0060 0.8430 0.0101 0.0350 0.0025 0.0059 0.0059 0.1570 0.0034 0.0058 0.0118 0.0970 0.0038 0.0084 0.0550 0.1070 0.0500 0.0054 0.0056 0.0025 0.0177 0.0210 0.0051 0.0430 0.0055 0.0202 0.0046 0.0135 0.0300 0.0084 0.0080 0.0081 0.0080 0.0056 0.0076 0.0089 0.0056 0.0410 0.0025 0.0067	0.7261	0.5615

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
143 Gd m	64	1.867 m	1276.900 1293.300 1297.600 1329.300 1354.400 1373.600 1386.690 1404.560 1489.800 1503.400 1629.300 1675.900 1702.500 1746.400 1793.210 1807.140 1820.270 1886.000 2338.900	0.0025 0.0084 0.0035 0.0025 0.0051 0.0110 0.0126 0.0290 0.0066 0.0118 0.0194 0.0048 0.0110 0.0076 0.0261 0.0770 0.0300 0.0076 0.0025	0.7261	0.5615
144 Cs	55	1.020 s	199.300	0.4400	0.0458	0.0432
144 Ba	56	11.900 s	103.700 155.900 172.000 291.200	0.2300 0.4100 0.2700 1.0000	0.2276	0.2207
144 La	57	40.700 s	139.500 165.500 226.800 314.300 397.300 431.500 541.100 585.000 705.400 735.300 844.900 951.400 1294.900	0.0690 0.1400 0.0210 0.0240 0.9800 0.0560 0.4100 0.1080 0.0490 0.1180 0.2800 0.0730 0.0870	0.7218	0.5618
144 Ce	58	284.300 d	33.570 40.930 53.410 80.120 86.500 91.000 133.530	0.0025 0.0049 0.0012 0.0164 0.0035 0.0035 0.1080	0.0080	0.0082
144 Pr	59	17.280 m	696.490 1489.150 2185.700	0.0148 0.0030 0.0077	0.0155	0.0114
144 Pm	61	363.000 d	301.700 476.780 582.400 618.010 694.000	0.0018 0.4220 0.0019 0.9910 0.0055	0.8781	0.6484

Muclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
¹⁴⁴ Pm	61	363.000 d	696.490 778.570 814.140	1.0000 0.0152 0.0055	0.8781	0.6583
¹⁴⁵ Ba	56	4.000 s	65.600 91.800 96.900 123.200 161.800 189.200 247.590 254.200 286.000 303.300 325.500 334.400 343.700 352.100 378.800 407.700 417.500 477.500 533.000 544.100 571.400 572.500 598.500 668.200 683.800 701.000 730.600 733.600 843.500 1110.400	0.0589 0.0740 0.1900 0.0114 0.0342 0.0170 0.0057 0.0170 0.0152 0.0342 0.0190 0.0095 0.0114 0.0095 0.0500 0.0076 0.0550 0.0190 0.0247 0.0475 0.0152 0.0190 0.0342 0.0038 0.0133 0.0057 0.0152 0.0057 0.0114 0.0133	0.1485	0.1226
¹⁴⁵ La	57	24.200 s	64.300 70.000 118.200 126.300 164.100 169.800 234.700 238.000 288.500 291.400 312.000 327.400 355.800 360.500 377.000 387.900 403.600 430.200 435.500 447.400 452.000 464.100 484.400	0.0075 0.1067 0.0358 0.0064 0.0268 0.0317 0.0057 0.0100 0.0015 0.0100 0.0015 0.0075 0.0377 0.0094 0.0128 0.0064 0.0094 0.0162 0.0166 0.0317 0.0053 0.0030 0.0072	0.3197	0.2429

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
145 La	57	24.200 s	505.200	0.0170	0.3197	0.2429
			515.400	0.0053		
			591.000	0.0053		
			606.100	0.0094		
			632.900	0.0143		
			644.800	0.0166		
			659.000	0.0038		
			664.000	0.0050		
			668.200	0.0030		
			671.800	0.0180		
			687.900	0.0075		
			730.600	0.0075		
			743.500	0.0143		
			764.100	0.0060		
			774.300	0.0060		
			786.500	0.0170		
			799.500	0.0064		
			840.700	0.0053		
			846.000	0.0023		
			883.000	0.0083		
			889.000	0.0098		
			895.300	0.0050		
			932.000	0.0279		
			959.900	0.0023		
			1021.500	0.0136		
			1030.900	0.0173		
			1036.900	0.0080		
			1050.800	0.0143		
			1222.100	0.0038		
			1238.000	0.0087		
			1596.500	0.0117		
			1819.000	0.0300		
			1922.400	0.0064		
			1946.100	0.0087		
			2087.800	0.0083		
			2155.200	0.0094		
			2204.700	0.0083		
			2289.000	0.0041		
			2295.900	0.0041		
			2306.800	0.0053		
			2351.400	0.0057		
			2359.400	0.0136		
			2377.100	0.0060		
			2475.700	0.0050		
			2479.200	0.0075		
			2526.800	0.0030		
			2542.600	0.0072		
145 Ce	58	2.980 m	62.700	0.1560	0.4273	0.3214
			125.500	0.0060		
			188.400	0.0120		
			207.400	0.0120		
			231.900	0.0240		
			284.000	0.0900		
			346.400	0.0060		
			350.600	0.0420		
			423.500	0.0420		
			435.500	0.0180		

Nuclide	Z	Half Life	Energy keV	Yield	R R*cm ² /h/Ci	T Rem/h/Ci	
145 Ce	58	2.980 m	439.600 491.800 498.200 554.200 655.400 670.400 723.600 758.500 782.400 859.100 911.000 1110.000 1118.500 1147.600 1210.400	0.0660 0.0120 0.0060 0.0060 0.0120 0.0120 0.6000 0.0060 0.0240 0.0180 0.0060 0.0120 0.0060 0.0960 0.0060	0.4273	0.3214	
145 Ce	58	3.000 m	63.000 233.000 285.000 300.000 352.000 423.000 439.800 492.000 725.000 863.000 915.000 1148.000 1215.000	0.1354 0.0200 0.0883 0.0200 0.0560 0.0400 0.0916 0.0327 0.6540 0.0327 0.0458 0.1112 0.0200	0.4670	0.3506	
145 Pr	59	5.980 h	72.300 674.000 748.000 922.000 979.000 1052.000 1152.000	0.0020 0.0043 0.0043 0.0010 0.0019 0.0016 0.0015	0.0069	0.0050	
145 Pm	61	17.712 y	67.200 72.400	0.0065 0.0218	0.0010	0.0010	
145 Sm	62	340.000 d	61.250	0.1280	0.0043	0.0042	
145 Eu	63	5.940 d	110.860 191.350 252.700 257.000 338.000 349.700 365.300 519.400 526.200 542.300 653.640 713.900 753.200 764.800 838.700	0.0153 0.0054 0.0012 0.0012 0.0017 0.0010 0.0017 0.0010 0.0019 0.0409 0.1760 0.0024 0.0032 0.1610 0.0015	0.7125	0.5222	

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T	R*m2/h/Ci	Rem/h/Ci
145 Eu	63	5.940 d	849.100 857.200 864.400 870.460 881.300 893.800 1035.200 1078.600 1240.400 1284.100 1423.300 1532.300 1658.700 1804.400 1857.800 1876.800 1946.900 1963.000 1997.000 2133.500 2155.400 2276.900 2329.300 2346.800 2425.900	0.0018 0.0085 0.0019 0.0010 0.0015 0.6400 0.0026 0.0040 0.0011 0.0060 0.0043 0.0038 0.1540 0.0111 0.0037 0.0118 0.0018 0.0018 0.0660 0.0020 0.0011 0.0011 0.0020 0.0022 0.0013	0.7125	0.5222		
145 Gd m	64	1.417 m	329.500 386.600 721.400	0.0470 0.0430 0.8265	0.3578	0.2634		
145 Gd	64	22.900 m	781.800 808.600 914.600 949.600 953.400 1041.900 1070.200 1072.400 1567.400 1599.100 1719.400 1757.800 1784.100 1807.000 1815.000 1845.300 1880.700 2203.200 2451.700 2494.700 2581.800 2642.300 2662.900 2673.400 2837.400 2907.000 2956.400	0.0291 0.0030 0.0880 0.0020 0.0060 0.0119 0.1040 0.0090 0.0170 0.0090 0.0177 0.0110 0.3370 0.0070 0.0020 0.0090 0.0050 0.3520 0.0020 0.0210 0.0030 0.0130 0.0030 0.0020 0.0010 0.0010	0.8427	0.6228		

Nucleide	Z	Half Life	Energy	Yield	Rate	R [*] m ² /h/Ci	Rem/h/Ci
145 Gd	64	22.900 m	3236.000	0.0010	0.8427	0.6228	
146 Ce	58	14.200 m	52.000	0.0056	0.0951	0.0886	
146 Pr	61	5.534 y	146.100	0.0021	0.4231	0.3187	
146 Eu	63	4.610 d	271.730	0.0096	1.2564	0.9211	
			747.400	0.3590			
			736.200	0.2300			
			633.300	0.0212			
			589.000	0.0059			
			453.760	0.6300			
			410.960	0.0100			
			397.640	0.0098			
			394.000	0.0047			
			622.100	0.0030			
			622.100	0.0030			
			430.460	0.0491			
			410.960	0.0100			
			633.190	0.4400			
			634.120	0.3800			
			664.680	0.0300			
			665.480	0.0700			
			702.310	0.0660			
			703.160	0.0870			
			704.710	0.0280			
			790.700	0.0048			
			850.160	0.0200			
			879.400	0.0044			
			888.780	0.0166			
			900.100	0.0380			
			900.990	0.0960			
			914.170	0.0038			
			962.000	0.0015			
			965.900	0.0041			

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
146 Eu	63	4.610 d	1058.700	0.0680	1.2564	0.9211
			1086.700	0.0030		
			1151.000	0.0222		
			1177.010	0.0211		
			1214.170	0.0022		
			1297.600	0.0575		
			1345.700	0.0013		
			1356.340	0.0037		
			1407.940	0.0259		
			1445.790	0.0037		
			1500.300	0.0012		
			1517.390	0.0033		
			1522.960	0.0128		
			1534.220	0.0627		
			1592.700	0.0053		
			1592.700	0.0032		
			1633.700	0.0043		
			1648.360	0.0081		
			1686.620	0.0052		
			1692.060	0.0041		
			1756.380	0.0089		
			1803.400	0.0016		
			1879.100	0.0018		
			1931.340	0.0128		
			2089.900	0.0199		
			2136.960	0.0017		
			2156.000	0.0055		
			2222.450	0.0014		
			2244.700	0.0019		
			2267.700	0.0051		
			2320.590	0.0011		
			2389.000	0.0025		
			2401.180	0.0028		
			2437.020	0.0103		
			2491.600	0.0026		
			2644.700	0.0015		
146 Gd	64	48.300 d	114.710	0.4440	0.0793	0.0836
			115.520	0.4500		
			154.640	0.4400		
			269.280	0.0010		
146 Tb	65	23.000 s	324.000	0.0070	1.2364	0.9126
			441.000	0.1170		
			655.000	0.0230		
			1078.900	0.4620		
			1417.400	0.1540		
			1579.500	0.8950		
			3139.600	0.1050		
147 Pr	59	13.600 m	49.900	0.0260	0.4504	0.3514
			78.000	0.1020		
			86.600	0.0500		
			100.200	0.0031		
			127.900	0.0880		
			140.620	0.0067		
			186.800	0.0140		
			190.470	0.0115		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
147 Pr	59	13.600 m	214.500	0.0130	0.4504	0.3514
			249.100	0.0151		
			264.600	0.0026		
			314.600	0.2400		
			328.900	0.0530		
			335.700	0.0650		
			388.800	0.0180		
			413.600	0.0101		
			454.650	0.0115		
			466.800	0.0160		
			477.800	0.0550		
			492.800	0.0070		
			499.860	0.0115		
			503.800	0.0070		
			516.750	0.0100		
			554.800	0.0790		
			577.900	0.1630		
			604.400	0.0067		
			609.010	0.0150		
			627.400	0.0031		
			631.400	0.0077		
			641.300	0.1900		
			699.700	0.0024		
			705.900	0.0050		
			719.100	0.0060		
			769.200	0.0043		
			794.000	0.0132		
			881.500	0.0031		
			887.100	0.0055		
			903.900	0.0101		
			934.300	0.0019		
			942.200	0.0101		
			949.400	0.0014		
			996.000	0.0160		
			1083.400	0.0096		
			1096.400	0.0022		
			1100.800	0.0046		
			1112.700	0.0012		
			1136.500	0.0160		
			1182.800	0.0122		
			1214.600	0.0053		
			1230.100	0.0024		
			1261.100	0.0530		
			1263.900	0.0070		
			1300.400	0.0300		
			1310.600	0.0060		
			1324.500	0.0100		
			1359.000	0.0019		
			1391.800	0.0011		
			1398.600	0.0012		
			1416.800	0.0031		
			1465.300	0.0014		
			1518.200	0.0017		
			1543.300	0.0030		
			1546.500	0.0029		
			1593.500	0.0029		
			1606.700	0.0012		
			1623.700	0.0031		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
¹⁴⁷ Pr	59	13.600 m	1673.400 1793.200 1995.200 2315.000 2335.400	0.0026 0.0026 0.0017 0.0014 0.0014	0.4504	0.3514
¹⁴⁷ Nd	60	10.980 d	91.106 120.480 196.640 275.374 319.411 398.155 410.480 439.895 489.240 531.016 594.800 685.900	0.2790 0.0040 0.0020 0.0080 0.0195 0.0087 0.0014 0.0120 0.0015 0.1310 0.0026 0.0081	0.0663	0.0552
¹⁴⁷ Eu	63	24.000 d	76.150 121.250 197.350 472.000 505.200 550.000 601.430 677.600 749.900 798.810 846.000 857.070 879.500 933.110 942.600 955.940 1064.000 1077.160 1119.900 1180.100 1197.100 1255.910 1318.000 1332.100 1349.600 1427.200 1448.700	0.0077 0.2300 0.2600 0.0012 0.0018 0.0017 0.0680 0.1070 0.0024 0.0550 0.0010 0.0310 0.0019 0.0360 0.0021 0.0390 0.0013 0.0640 0.0019 0.0018 0.0026 0.0101 0.0013 0.0034 0.0011 0.0012 0.0025	0.2431	0.1878
¹⁴⁷ Gd	64	1.587 d	111.170 166.340 214.900 216.900 217.200 229.320 240.640 249.150 261.100 291.700 293.200	0.0029 0.0031 0.0025 0.0124 0.0050 0.6100 0.0148 0.0038 0.0190 0.0019 0.0010	0.6931	0.5381

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
147 Gd	64	1.587 d	297.400	0.0034	0.6931	0.5381
			309.960	0.0400		
			318.600	0.0210		
			341.800	0.0017		
			346.300	0.0205		
			370.000	0.1650		
			376.000	0.0018		
			396.000	0.3300		
			431.500	0.0015		
			460.600	0.0013		
			484.900	0.0290		
			511.000	0.0052		
			547.300	0.0029		
			559.070	0.0620		
			560.300	0.0030		
			573.000	0.0015		
			610.430	0.0153		
			619.000	0.0350		
			625.180	0.0450		
			632.350	0.0164		
			693.200	0.0025		
			701.300	0.0035		
			704.500	0.0066		
			714.570	0.0031		
			734.400	0.0016		
			750.800	0.0015		
			755.010	0.0199		
			765.810	0.1090		
			775.900	0.0106		
			776.330	0.0420		
			778.040	0.0480		
			782.600	0.0115		
			788.650	0.0078		
			804.540	0.0024		
			810.270	0.0050		
			820.530	0.0019		
			827.800	0.0050		
			834.700	0.0012		
			861.700	0.0168		
			879.100	0.0022		
			893.500	0.0780		
			896.500	0.0020		
			910.400	0.0054		
			929.010	0.1940		
			954.800	0.0018		
			968.400	0.0011		
			983.400	0.0016		
			988.600	0.0012		
			995.580	0.0057		
			995.580	0.0026		
			1006.400	0.0131		
			1017.900	0.0011		
			1040.400	0.0038		
			1044.200	0.0013		
			1061.200	0.0015		
			1069.350	0.0690		
			1122.900	0.0087		
			1125.500	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	R# m2/h/Ci	T Rem/h/Ci
147 Gd	64	1.587 d	1130.900 1149.100 1160.150 1213.000 1235.700 1325.100 1399.200 1586.880 1676.500 1795.940 1816.500	0.0620 0.0037 0.0064 0.0012 0.0111 0.0083 0.0016 0.0054 0.0025 0.0077 0.0014	0.6931	0.5381
147 Tb m	65	1.830 m	997.600 1397.700 1797.800	0.0090 0.8500 0.1400	0.7223	0.5327
147 Tb	65	1.650 h	119.700 139.800 347.400 407.000 434.800 547.200 554.700 694.400 1152.200	0.0440 0.2000 0.0170 0.0140 0.0070 0.0200 0.0370 0.3100 0.7300	0.6104	0.4530
147 Dy	66	59.000 s	72.000 678.700	0.0550 0.3300	0.1300	0.0955
148 Pr	59	2.300 m	256.400 301.700 450.300 489.100 522.500 615.200 660.600 697.100 782.000 824.100 868.800 882.500 903.200 935.300 945.700 1023.200 1079.800 1106.200 1132.500 1157.200 1170.600 1209.100 1247.700 1247.700 1342.700 1356.900 1380.700 1427.500 1520.500	0.0450 0.9100 0.1600 0.0550 0.0055 0.0150 0.0150 0.1220 0.0230 0.0160 0.0470 0.0055 0.0100 0.0109 0.0150 0.0430 0.0050 0.0110 0.0150 0.0090 0.0073 0.0520 0.0360 0.0140 0.0045 0.0560 0.0240 0.0055 0.0080	0.6183	0.4908

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
148 Pr	59	2.300 m	1532.100	0.0027		
			1556.200	0.0220		
			1580.200	0.0045		
			1727.700	0.0027		
			1772.100	0.0045		
			1908.000	0.0100		
			1931.500	0.0055		
			2079.600	0.0140		
			2130.200	0.0150		
			2143.300	0.0036		
			2223.400	0.0036		
			2629.500	0.0100		
			2735.200	0.0045		
148 Pm	61	5.370 d	550.100	0.2330		
			611.100	0.0112		
			914.900	0.1250		
			1465.100	0.2220		
148 Pm m	61	41.300 d	75.700	0.0100		
			98.500	0.0383		
			189.500	0.0124		
			288.000	0.1240		
			311.700	0.0398		
			414.100	0.1860		
			432.700	0.0566		
			501.100	0.0690		
			550.100	0.9370		
			599.500	0.1240		
			611.100	0.0550		
			629.900	0.8920		
			725.600	0.3280		
			915.300	0.1900		
			1013.700	0.2040		
148 Eu	63	54.500 d	116.100	0.0010		
			182.800	0.0011		
			189.600	0.0010		
			241.500	0.0104		
			243.700	0.0023		
			288.000	0.0022		
			310.000	0.0022		
			311.600	0.0150		
			377.500	0.0030		
			413.900	0.0960		
			413.900	0.0900		
			432.700	0.0280		
			437.000	0.0034		
			446.800	0.0013		
			468.500	0.0049		
			480.900	0.0016		
			495.000	0.0025		
			495.500	0.0024		
			501.300	0.0075		
			505.200	0.0028		
			516.700	0.0040		
			528.500	0.0019		
			550.290	0.9900		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
148 Eu	63	54.500 d	553.200	0.0340	1.1736	0.8731
			553.200	0.1370		
			571.900	0.0910		
			576.800	0.0021		
			590.100	0.0032		
			595.200	0.0020		
			599.500	0.0051		
			602.600	0.0023		
			611.260	0.1930		
			620.000	0.0100		
			629.900	0.7100		
			654.300	0.0200		
			657.000	0.0017		
			667.700	0.0013		
			669.900	0.0034		
			683.200	0.0128		
			714.800	0.0179		
			719.600	0.0011		
			725.700	0.1300		
			756.600	0.0019		
			770.400	0.0038		
			799.200	0.0034		
			870.000	0.0550		
			895.800	0.0055		
			903.900	0.0034		
			906.900	0.0015		
			915.300	0.0240		
			924.900	0.0027		
			930.500	0.0110		
			930.500	0.0130		
			938.200	0.0011		
			949.700	0.0021		
			964.200	0.0020		
			967.300	0.0290		
			980.000	0.0013		
			989.700	0.0039		
			1013.900	0.0050		
			1034.100	0.0790		
			1047.500	0.0020		
			1066.800	0.0029		
			1069.200	0.0022		
			1082.200	0.0017		
			1089.300	0.0020		
			1097.500	0.0010		
			1104.300	0.0045		
			1107.900	0.0010		
			1113.800	0.0013		
			1126.900	0.0010		
			1146.900	0.0190		
			1180.500	0.0030		
			1183.300	0.0170		
			1194.100	0.0013		
			1207.400	0.0059		
			1236.600	0.0039		
			1309.800	0.0046		
			1328.500	0.0122		
			1344.600	0.0178		
			1353.600	0.0047		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
148 Eu	63	54.500 d	1362.600 1409.000 1454.300 1460.500 1503.000 1521.900 1543.100 1560.700 1621.500 1635.300 1650.400 1677.800 2173.200	0.0055 0.0010 0.0025 0.0112 0.0013 0.0011 0.0071 0.0087 0.0460 0.0018 0.0370 0.0042 0.0015	1.1736	0.8731
148 Tb	65	2.200 m	129.500 142.700 394.550 481.650 488.830 631.870 753.000 784.480 808.100 882.410	0.0250 0.0240 0.8600 0.0300 0.0520 0.9500 0.0170 1.0000 0.0290 0.9200	1.4807	1.1039
148 Dy	66	3.100 m	620.240	0.9970	0.3554	0.2614
149 Pr	59	2.300 m	110.000 139.000 165.000 578.000 742.000	0.1670 0.1260 0.1300 0.0530 0.0264	0.0558	0.0493
149 Nd	60	1.730 h	58.883 74.330 74.660 75.740 97.007 114.321 116.930 122.416 126.630 139.210 155.876 177.831 188.640 192.027 198.928 208.148 211.307 213.946 226.846 240.218 245.699 258.064 267.692 270.165 273.250	0.0152 0.0126 0.0100 0.0033 0.0153 0.1880 0.0012 0.0023 0.0012 0.0048 0.0610 0.0016 0.0199 0.0060 0.0146 0.0290 0.2730 0.0041 0.0016 0.0400 0.0104 0.0038 0.0610 0.1070 0.0023	0.1975	0.1705

Nuclide	Z	Half Life	Energy keV	Yield %	T $\mu\text{m}^2/\text{h/Ci}$	R $\text{rem}/\text{h/Ci}$
149 Nd	60	1.730 h	275.445	0.0060	0.1975	0.1705
149 Pm	61	2.212 d	285.900	0.0280	0.0045	0.0042
149 Eu	63	93.100 d	254.500	0.0059	0.0170	0.0152
149 Gd	64	9.400 d	149.600	0.4190	0.2044	0.1743
			1234.120	0.0029		
			1022.780	0.0012		
			979.020	0.0011		
			923.876	0.0012		
			808.834	0.0017		
			696.266	0.0017		
			686.933	0.0010		
			654.831	0.0730		
			635.482	0.0011		
			630.238	0.0022		
			556.430	0.0120		
			540.510	0.3770		
			538.150	0.0011		
			443.550	0.0150		
			423.554	0.0940		
			384.691	0.0034		
			366.637	0.0066		
			360.055	0.0016		
			349.233	0.0148		
			347.833	0.0019		
			326.556	0.0470		
			310.982	0.0052		
			301.133	0.0038		
			294.807	0.0053		
			288.192	0.0068		
			282.455	0.0062		
			276.960	0.0032		
			275.445	0.0060		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
¹⁴⁹ Gd	64	9.400 d	788.600	0.0530	0.2044	0.1743
			975.800	0.0016		
			933.300	0.0045		
			939.100	0.0160		
			947.700	0.0067		
¹⁴⁹ Tb	65	4.150 h	98.430	0.0016	0.5097	0.3925
			164.800	0.2230		
			187.200	0.0360		
			352.300	0.2640		
			388.400	0.1630		
			464.450	0.0510		
			652.000	0.1340		
			674.400	0.0045		
			687.400	0.0032		
			723.500	0.0013		
			740.100	0.0032		
			772.500	0.0129		
			816.800	0.0990		
			835.300	0.0029		
			853.300	0.1300		
			861.700	0.0670		
			955.700	0.0333		
			965.800	0.0038		
			978.400	0.0036		
			996.700	0.0011		
			1002.300	0.0020		
			1033.800	0.0027		
			1040.000	0.0114		
			1054.500	0.0015		
			1118.100	0.0016		
			1132.300	0.0064		
			1136.200	0.0100		
			1144.900	0.0027		
			1167.200	0.0040		
			1175.800	0.0296		
			1191.700	0.0027		
			1204.700	0.0027		
			1260.900	0.0014		
			1302.900	0.0063		
			1341.400	0.0186		
			1379.600	0.0032		
			1403.000	0.0024		
			1449.500	0.0075		
			1483.800	0.0021		
			1491.400	0.0024		
			1513.900	0.0014		
			1540.100	0.0025		
			1545.500	0.0010		
			1559.400	0.0010		
			1585.600	0.0016		
			1640.300	0.0258		
			1679.200	0.0017		
			1798.600	0.0018		
			1806.200	0.0041		
			1827.500	0.0096		
			1874.400	0.0035		
			1909.600	0.0020		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
149 Tb	65	4.150 h	1940.300	0.0055		
			1948.500	0.0055	0.5097	0.3925
			1973.600	0.0011		
			2008.500	0.0063		
			2035.300	0.0013		
			2107.700	0.0014		
			2134.100	0.0022		
			2183.400	0.0056		
			2260.800	0.0012		
			2284.200	0.0042		
			2451.900	0.0021		
			2561.700	0.0023		
			2647.400	0.0015		
			2755.300	0.0013		
			2774.500	0.0012		
			2857.100	0.0012		
			2963.900	0.0071		
			3202.200	0.0018		
			3273.100	0.0013		
150 Pm	61	2.680 h	251.600	0.0018	0.7564	0.5810
			297.900	0.0012		
			305.700	0.0011		
			333.920	0.6900		
			345.930	0.0044		
			406.510	0.0570		
			420.100	0.0011		
			425.330	0.0049		
			439.380	0.0078		
			453.480	0.0014		
			492.560	0.0034		
			565.700	0.0133		
			587.020	0.0136		
			612.250	0.0095		
			620.800	0.0012		
			652.840	0.0034		
			667.300	0.0016		
			712.220	0.0450		
			731.060	0.0028		
			737.500	0.0228		
			761.300	0.0011		
			831.850	0.1210		
			842.550	0.0041		
			859.950	0.0340		
			876.410	0.0740		
			889.200	0.0014		
			904.460	0.0092		
			917.440	0.0048		
			921.610	0.0086		
			1004.440	0.0081		
			1024.130	0.0075		
			1046.120	0.0036		
			1066.000	0.0046		
			1083.330	0.0018		
			1154.640	0.0069		
			1165.770	0.1610		
			1170.900	0.0108		
			1179.600	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	R R*m2/h/Ci	T Rem/h/Ci
150 Pm	61	2.680 h	1193.870	0.0490	0.7564	0.5810
			1213.720	0.0105		
			1223.280	0.0290		
			1324.510	0.1770		
			1379.320	0.0320		
			1436.600	0.0027		
			1452.900	0.0013		
			1519.530	0.0027		
			1629.790	0.0081		
			1647.200	0.0026		
			1713.310	0.0036		
			1726.900	0.0019		
			1736.400	0.0700		
			1766.700	0.0019		
			1926.040	0.0034		
			1963.710	0.0149		
			2033.460	0.0098		
			2216.500	0.0024		
			2478.600	0.0038		
			2529.200	0.0034		
			2550.500	0.0012		
			2893.100	0.0021		
150 Eu m	63	12.620 h	333.900	0.0380	0.0197	0.0164
			406.500	0.0270		
			712.200	0.0013		
			831.800	0.0019		
			921.700	0.0020		
			1165.700	0.0025		
			1223.000	0.0019		
			1963.000	0.0011		
150 Eu	63	34.223 y	251.590	0.0017	0.8126	0.6455
			284.990	0.0016		
			298.050	0.0063		
			333.960	0.9400		
			342.550	0.0017		
			345.950	0.0039		
			372.720	0.0023		
			381.980	0.0011		
			402.140	0.0076		
			404.000	0.0024		
			406.510	0.0014		
			439.390	0.7900		
			448.780	0.0025		
			461.750	0.0081		
			464.350	0.0035		
			464.350	0.0016		
			474.490	0.0014		
			485.920	0.0016		
			505.510	0.0471		
			510.070	0.0012		
			515.780	0.0097		
			520.070	0.0046		
			542.960	0.0013		
			571.250	0.0040		
			584.260	0.5150		
			607.310	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
150 Eu	63	34.223 y	625.550	0.0030	0.8126	0.6455
			667.030	0.0023		
			675.840	0.0050		
			712.190	0.0106		
			721.200	0.0033		
			737.440	0.0940		
			741.450	0.0084		
			748.040	0.0505		
			749.780	0.0066		
			751.050	0.0210		
			756.490	0.0011		
			773.260	0.0059		
			828.540	0.0057		
			830.800	0.0052		
			836.560	0.0030		
			859.850	0.0057		
			869.230	0.0181		
			899.050	0.0092		
			923.240	0.0030		
			1049.020	0.0524		
			1070.980	0.0014		
			1083.310	0.0016		
			1122.830	0.0032		
			1170.560	0.0131		
			1193.810	0.0078		
			1197.080	0.0111		
			1246.940	0.0187		
			1251.220	0.0016		
			1261.950	0.0045		
			1308.640	0.0087		
			1321.880	0.0017		
			1334.030	0.0041		
			1343.740	0.0254		
			1350.260	0.0017		
			1485.450	0.0180		
			1636.490	0.0070		
			1783.150	0.0010		
150 Tb m	65	5.960 m	95.500	0.0050	1.3417	1.0117
			154.100	0.0100		
			162.000	0.0730		
			179.400	0.0140		
			180.900	0.0140		
			275.000	0.0190		
			343.070	0.2500		
			412.400	0.0980		
			415.300	0.0400		
			438.370	0.4200		
			455.700	0.1200		
			496.300	0.2350		
			510.000	0.2600		
			566.520	0.2200		
			638.050	1.0000		
			648.400	0.1800		
			650.400	0.7000		
			789.900	0.0230		
			827.480	0.4100		
150 Tb	65	3.270 h	412.000	0.0094	0.6574	0.4849

Uclide	Z	Half Life	Energy keV	Yield	Γ R*m^2/h/Ci	T Rem/h/Ci
50 Tb	65	3.270 h	437.100	0.0094	0.6574	0.4849
			496.200	0.1510		
			525.200	0.0068		
			557.500	0.0029		
			565.900	0.0115		
			569.200	0.0250		
			574.200	0.0036		
			638.200	0.7200		
			650.400	0.0410		
			701.000	0.0032		
			748.200	0.0060		
			779.300	0.0054		
			792.300	0.0470		
			813.200	0.0072		
			820.900	0.0144		
			880.300	0.0320		
			884.300	0.0022		
			949.900	0.0108		
			954.500	0.0122		
			1045.400	0.0122		
			1075.100	0.0060		
			1175.500	0.0050		
			1275.600	0.0043		
			1291.500	0.0166		
			1316.800	0.0050		
			1349.700	0.0130		
			1387.400	0.0036		
			1414.600	0.0029		
			1430.400	0.0240		
			1444.800	0.0097		
			1453.500	0.0370		
			1518.200	0.0290		
			1525.700	0.0048		
			1541.900	0.0043		
			1592.700	0.0180		
			1726.800	0.0022		
			1771.400	0.0058		
			1787.800	0.0180		
			1900.600	0.0086		
			2037.000	0.0079		
			2092.000	0.0151		
			2179.600	0.0043		
			2206.500	0.0115		
			2318.000	0.0038		
			2364.100	0.0115		
			2395.500	0.0061		
			2409.000	0.0037		
			2425.100	0.0101		
			2844.000	0.0035		
			3035.000	0.0036		
150 Dy	66	7.170 m	396.750	0.6700	0.1523	0.1284
151 Nd	60	12.440 m	31.400	0.0410	0.4686	0.3643
			58.500	0.0050		
			69.200	0.0125		
			85.300	0.0270		
			89.900	0.0180		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
151 Nd	60	12.440 m	103.000	0.0046	0.4686	0.3643
			112.000	0.0046		
			116.700	0.4700		
			138.800	0.0780		
			149.400	0.0032		
			170.000	0.0070		
			171.000	0.0410		
			175.000	0.0760		
			183.100	0.0052		
			197.200	0.0034		
			199.400	0.0035		
			207.700	0.0014		
			239.000	0.0063		
			239.000	0.0037		
			248.800	0.0028		
			255.600	0.1680		
			263.500	0.0080		
			268.500	0.0014		
			275.200	0.0018		
			300.600	0.0200		
			312.400	0.0029		
			320.200	0.0090		
			324.400	0.0058		
			332.800	0.0058		
			332.800	0.0018		
			347.100	0.0043		
			357.000	0.0041		
			363.400	0.0011		
			365.700	0.0020		
			373.700	0.0014		
			402.200	0.0200		
			407.700	0.0046		
			414.500	0.0023		
			423.500	0.0730		
			427.200	0.0055		
			439.300	0.0038		
			446.900	0.0031		
			460.600	0.0110		
			487.400	0.0024		
			491.400	0.0023		
			516.400	0.0014		
			524.200	0.0060		
			531.800	0.0017		
			542.000	0.0058		
			550.000	0.0067		
			562.600	0.0024		
			577.400	0.0044		
			585.500	0.0158		
			589.700	0.0031		
			596.800	0.0080		
			612.400	0.0011		
			618.800	0.0032		
			629.800	0.0017		
			658.500	0.0084		
			670.500	0.0029		
			677.900	0.0260		
			724.100	0.0028		
			736.400	0.0720		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m2/h/Ci	Rem/h/Ci
151 Nd	60	12.440 m	739.400	0.0150	0.4686	0.3643
			755.500	0.0144		
			760.000	0.0017		
			765.100	0.0023		
			768.000	0.0037		
			774.000	0.0034		
			790.400	0.0013		
			797.500	0.0550		
			809.600	0.0024		
			812.800	0.0018		
			820.000	0.0012		
			829.100	0.0026		
			841.100	0.0106		
			852.800	0.0047		
			869.100	0.0026		
			871.800	0.0021		
			876.100	0.0049		
			878.300	0.0014		
			879.700	0.0040		
			881.000	0.0011		
			899.600	0.0014		
			901.600	0.0017		
			904.700	0.0028		
			910.900	0.0021		
			914.100	0.0121		
			925.400	0.0015		
			933.400	0.0011		
			935.400	0.0011		
			943.300	0.0040		
			958.300	0.0057		
			968.000	0.0017		
			995.100	0.0012		
			1003.100	0.0012		
			1016.400	0.0290		
			1032.300	0.0012		
			1035.900	0.0024		
			1041.700	0.0049		
			1048.100	0.0081		
			1066.300	0.0018		
			1070.000	0.0014		
			1072.700	0.0018		
			1080.600	0.0037		
			1107.100	0.0047		
			1122.100	0.0460		
			1126.500	0.0021		
			1133.200	0.0017		
			1145.200	0.0023		
			1156.600	0.0023		
			1169.300	0.0029		
			1173.000	0.0011		
			1180.600	0.1530		
			1188.800	0.0024		
			1200.800	0.0024		
			1232.700	0.0011		
			1270.900	0.0017		
			1286.100	0.0031		
			1293.900	0.0020		
			1297.300	0.0024		

Muclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
151 Nd	60	12.440 m	1314.500	0.0037	0.4686	0.3643
			1316.600	0.0012		
			1328.400	0.0038		
			1333.300	0.0020		
			1341.000	0.0017		
			1359.700	0.0014		
			1362.700	0.0037		
			1379.200	0.0020		
			1383.100	0.0011		
			1460.800	0.0011		
			1475.100	0.0011		
			1485.000	0.0031		
			1549.300	0.0037		
			1577.700	0.0017		
			1597.100	0.0011		
			1617.500	0.0038		
			1636.200	0.0011		
			1716.400	0.0014		
			1775.600	0.0028		
			1892.700	0.0021		
151 Pm	61	1.183 d	62.920	0.0021	0.1592	0.1365
			64.880	0.0190		
			65.830	0.0114		
			69.690	0.0049		
			76.210	0.0021		
			98.040	0.0036		
			100.000	0.0250		
			101.910	0.0129		
			104.820	0.0350		
			139.280	0.0047		
			143.160	0.0021		
			147.510	0.0016		
			156.180	0.0015		
			162.920	0.0084		
			163.560	0.0150		
			167.730	0.0780		
			168.380	0.0083		
			176.500	0.0085		
			177.150	0.0360		
			186.570	0.0017		
			201.950	0.0085		
			204.190	0.0013		
			209.000	0.0164		
			227.150	0.0031		
			232.420	0.0103		
			236.600	0.0016		
			236.700	0.0019		
			237.100	0.0052		
			240.080	0.0360		
			254.220	0.0016		
			258.090	0.0054		
			275.200	0.0660		
			280.080	0.0024		
			290.720	0.0080		
			306.740	0.0024		
			323.920	0.0122		
			325.800	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
151 Pm	61	1.183 d	329.720	0.0023	0.1592	0.1365
			340.080	0.2200		
			344.890	0.0210		
			349.770	0.0013		
			353.320	0.0011		
			379.780	0.0094		
			406.970	0.0019		
			440.820	0.0150		
			445.650	0.0400		
			451.330	0.0028		
			490.210	0.0013		
			516.150	0.0019		
			564.930	0.0035		
			574.970	0.0012		
			636.080	0.0138		
			654.160	0.0024		
			668.700	0.0035		
			669.200	0.0028		
			671.190	0.0087		
			704.090	0.0032		
			709.120	0.0013		
			717.600	0.0400		
			736.010	0.0046		
			752.670	0.0123		
			772.640	0.0083		
			784.950	0.0020		
			807.840	0.0048		
			817.650	0.0017		
			848.630	0.0027		
			948.640	0.0032		
151 Gd	64	120.000 d	153.570	0.0510	0.0138	0.0131
			174.650	0.0240		
			239.000	0.0012		
			243.220	0.0460		
			307.430	0.0084		
			353.510	0.0010		
151 Tb	65	17.600 h	108.260	0.2500	0.4490	0.3608
			149.100	0.0047		
			160.900	0.0042		
			180.410	0.1140		
			192.090	0.0380		
			251.730	0.2600		
			263.600	0.0016		
			287.040	0.2500		
			318.300	0.0023		
			380.400	0.0430		
			385.400	0.0114		
			395.300	0.0960		
			416.400	0.0140		
			426.500	0.0410		
			443.700	0.1040		
			467.400	0.0104		
			479.000	0.1600		
			499.700	0.0039		
			512.000	0.0034		
			536.700	0.0047		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ^{2m2} /h/Ci	Rem/h/Ci
151 Tb	65	17.600 h	587.270	0.1700	0.4490	0.3608
			604.810	0.0320		
			616.600	0.1040		
			656.700	0.0052		
			661.000	0.0049		
			692.260	0.0150		
			703.750	0.0380		
			731.140	0.0910		
			762.800	0.0034		
			805.600	0.0062		
			884.600	0.0014		
			905.710	0.0101		
			913.400	0.0013		
			938.800	0.0013		
			979.600	0.0026		
			983.300	0.0011		
			1009.900	0.0013		
			1025.200	0.0014		
			1050.600	0.0016		
			1061.800	0.0018		
			1110.190	0.0070		
			1157.900	0.0017		
			1171.180	0.0057		
			1182.200	0.0019		
			1191.400	0.0016		
			1195.400	0.0016		
			1222.300	0.0047		
			1280.600	0.0013		
			1312.370	0.0057		
			1348.800	0.0016		
			1352.200	0.0018		
			1384.000	0.0032		
			1448.800	0.0311		
			1483.600	0.0041		
			1495.400	0.0019		
			1599.700	0.0019		
			1670.700	0.0060		
			1815.800	0.0010		
152 Eu m	63	9.320 h	121.777	0.0720	0.1524	0.1132
			344.273	0.0240		
			562.920	0.0023		
			841.630	0.1460		
			961.060	0.0020		
			963.340	0.1200		
			970.380	0.0060		
			1314.670	0.0096		
152 Eu	63	13.339 y	121.782	0.2838	0.5983	0.4556
			244.699	0.0751		
			295.939	0.0043		
			329.433	0.0012		
			344.275	0.2658		
			367.788	0.0086		
			411.115	0.0223		
			416.052	0.0011		
			443.983	0.0032		
			444.000	0.0280		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
152 Eu	63	13.339 y	488.660	0.0041	0.5983	0.4556
			503.387	0.0015		
			564.021	0.0047		
			566.421	0.0013		
			586.294	0.0046		
			656.484	0.0014		
			674.678	0.0019		
			678.523	0.0047		
			688.678	0.0085		
			719.353	0.0027		
			764.905	0.0017		
			778.910	0.1296		
			810.459	0.0032		
			841.586	0.0016		
			867.388	0.0421		
			919.401	0.0044		
			926.324	0.0026		
			964.130	0.0013		
			964.131	0.1449		
			1005.279	0.0065		
			1084.000	0.0024		
			1085.914	0.1016		
			1089.700	0.0166		
			1109.180	0.0018		
			1112.116	0.1356		
			1212.950	0.0140		
			1249.946	0.0018		
			1292.784	0.0010		
			1299.124	0.0163		
			1408.011	0.2085		
			1457.628	0.0049		
			1528.115	0.0026		
153 Pm	61	5.400 m	35.842	0.2500	0.0363	0.0285
			83.339	0.0110		
			90.874	0.0170		
			91.455	0.0900		
			92.000	0.0040		
			119.763	0.0600		
			127.300	0.1400		
			129.360	0.0180		
			147.000	0.0050		
			175.370	0.0200		
			182.900	0.0270		
153 Sm	62	0.011 s	32.900	1.0000	0.1047	0.0469
			46.000	0.5500		
			53.600	0.2250		
			58.000	0.2250		
153 Sm	62	1.946 d	69.672	0.0525	0.0151	0.0165
			75.421	0.0019		
			83.367	0.0021		
			89.484	0.0017		
			97.430	0.0073		
			103.179	0.2830		
153 Gd	64	7.680E-05 s	41.600	0.0839	0.0361	0.0365

Nuclide	Z	Half Life	Energy keV	Yield	Γ $\text{R} \cdot \text{m}^2/\text{h/Ci}$	T Rem/h/Ci
153 Gd	64	7.680E-05 s	51.800	0.0615	0.0361	0.0365
			76.000	0.8170		
			77.800	0.0225		
			93.400	0.0100		
			128.000	0.0060		
153 Gd	64	242.000 d	69.672	0.0242	0.0231	0.0253
			83.367	0.0021		
			97.430	0.2950		
			103.179	0.2110		
153 Tb	65	2.340 d	41.600	0.0368	0.1020	0.0908
			46.500	0.0090		
			51.800	0.0067		
			68.200	0.0040		
			82.800	0.0850		
			87.600	0.0580		
			88.400	0.0200		
			91.500	0.0018		
			102.300	0.0740		
			109.800	0.0700		
			129.200	0.0120		
			139.800	0.0030		
			141.700	0.0120		
			170.600	0.0730		
			174.400	0.0090		
			183.500	0.0082		
			185.900	0.0018		
			193.600	0.0015		
			208.000	0.0064		
			210.000	0.0080		
			212.200	0.3150		
			249.700	0.0250		
			258.800	0.0010		
			262.000	0.0048		
			275.000	0.0024		
			303.400	0.0085		
			315.000	0.0097		
			320.000	0.0024		
			327.000	0.0018		
			354.800	0.0015		
			361.500	0.0012		
			448.200	0.0012		
			455.300	0.0039		
			507.000	0.0048		
			511.000	0.0117		
			548.800	0.0018		
			836.000	0.0088		
			852.500	0.0015		
			904.400	0.0100		
			918.900	0.0015		
			946.000	0.0097		
			992.500	0.0112		
			1102.000	0.0039		
154 Pm	61	1.700 m	81.980	0.1300	0.9356	0.6902
			184.760	0.0480		
			414.800	0.0114		

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
154 Pm	61	1.700 m	664.600	0.0140	0.9356	0.6902
			700.400	0.0048		
			754.300	0.0470		
			839.600	0.1290		
			891.500	0.0690		
			911.100	0.0470		
			921.600	0.0860		
			962.500	0.0370		
			970.000	0.0520		
			1017.600	0.1030		
			1033.000	0.0100		
			1096.200	0.0580		
			1118.900	0.0040		
			1148.100	0.0940		
			1162.700	0.0080		
			1177.800	0.0370		
			1297.600	0.0043		
			1358.600	0.0025		
			1394.000	0.1300		
			1440.300	0.0021		
			1808.800	0.0160		
			1891.000	0.0140		
			1894.500	0.0050		
			1988.000	0.0130		
			2058.900	0.1900		
			2070.200	0.0190		
			2140.900	0.1100		
			2213.600	0.0056		
			2347.700	0.0180		
			2370.100	0.0064		
			2510.600	0.0140		
			2535.900	0.0064		
			2592.000	0.0043		
			2618.800	0.0039		
			2778.900	0.0031		
154 Pm m	61	2.700 m	81.980	0.1900	0.9964	0.7553
			184.760	0.3900		
			231.100	0.1320		
			277.400	0.0098		
			280.200	0.1330		
			358.900	0.0390		
			364.400	0.0150		
			375.200	0.0160		
			438.700	0.0350		
			526.100	0.0130		
			546.700	0.1330		
			635.900	0.0060		
			659.000	0.0070		
			664.600	0.0052		
			693.700	0.0110		
			700.400	0.0017		
			742.800	0.0370		
			745.300	0.0410		
			834.200	0.0460		
			839.600	0.0270		
			911.100	0.0044		
			914.500	0.0200		

Nuclide	Z	Half Life	Energy keV	Yield	R ^a m ² /h/Ci	T Rem/h/Ci
154 Pm m	61	2.700 m	921.600	0.0180	0.9364	0.7553
			930.500	0.0640		
			954.200	0.0180		
			962.500	0.0140		
			1096.200	0.0057		
			1116.400	0.0370		
			1173.700	0.0070		
			1177.800	0.0034		
			1204.700	0.0210		
			1273.700	0.0220		
			1287.500	0.0049		
			1317.900	0.0130		
			1358.600	0.1140		
			1394.000	0.0052		
			1394.000	0.0390		
			1433.600	0.0160		
			1440.300	0.0980		
			1440.300	0.1500		
			1457.700	0.0420		
			1549.400	0.0340		
			1551.300	0.0210		
			1612.400	0.0110		
			1625.600	0.0480		
			1656.100	0.0480		
			1719.900	0.0049		
			1733.900	0.0260		
			1797.600	0.0260		
			1840.900	0.0380		
			2058.900	0.0710		
			2140.900	0.0400		
154 Eu m	63	46.000 m	31.780	0.0570	0.0356	0.0291
			35.800	0.0085		
			35.818	0.1300		
			68.170	0.3700		
			100.880	0.2500		
			136.800	0.0011		
154 Eu	63	8.806 y	123.070	0.4050	0.6568	0.4899
			188.246	0.0023		
			247.939	0.0660		
			401.300	0.0021		
			444.440	0.0050		
			478.260	0.0022		
			557.560	0.0026		
			582.000	0.0084		
			591.810	0.0480		
			625.220	0.0031		
			676.590	0.0014		
			692.410	0.0169		
			715.760	0.0017		
			723.300	0.1970		
			756.870	0.0430		
			815.550	0.0046		
			845.390	0.0055		
			850.640	0.0023		
			873.190	0.1150		
			892.730	0.0046		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
154 Eu	63	8.806 y	904.050 995.320 1004.760 1047.400 1118.500 1128.400 1140.900 1241.600 1246.200 1274.450 1494.400 1593.000 1596.530	0.0082 0.1030 0.1790 0.0014 0.0010 0.0027 0.0022 0.0013 0.0090 0.3550 0.0065 0.0103 0.0183	0.6568	0.4899
154 Tb m2	65	9.000 h	123.040 124.400 232.030 247.910 329.900 337.900 346.740 382.100 415.820 444.500 461.400 484.900 492.200 506.400 512.000 516.000 540.120 545.500 557.560 591.900 598.200 625.200 642.300 649.470 660.300 569.300 576.530 692.370 715.760 722.500 723.600 753.100 756.700 796.400 800.700 815.550 826.400 830.400 345.600 850.600 857.300 873.190 880.600 892.710	0.3600 0.0028 0.0056 0.2700 0.0023 0.0033 0.0190 0.0124 0.0250 0.0127 0.0030 0.0019 0.0016 0.0073 0.0028 0.0730 0.2300 0.0012 0.0038 0.0014 0.0170 0.0028 0.0082 0.1320 0.0014 0.0014 0.0390 0.0400 0.0014 0.0045 0.0028 0.0028 0.0320 0.0039 0.0012 0.0113 0.0016 0.0082 0.0030 0.0019 0.1012 0.1000 0.0038 0.0380	0.7873	0.5935

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
154 Tb m2	65	9.000 h	922.100	0.0047	0.7873	0.5935
			924.470	0.0170		
			928.200	0.0042		
			953.100	0.0068		
			965.100	0.0040		
			981.400	0.0038		
			984.300	0.0054		
			996.330	0.1030		
			1004.720	0.1300		
			1012.900	0.0012		
			1021.000	0.0035		
			1033.300	0.0056		
			1041.900	0.0026		
			1047.000	0.0016		
			1053.900	0.0026		
			1058.100	0.0033		
			1061.200	0.0016		
			1072.000	0.0042		
			1084.300	0.0045		
			1101.900	0.0033		
			1118.100	0.0028		
			1128.700	0.0190		
			1140.700	0.0170		
			1149.100	0.0117		
			1152.100	0.0260		
			1177.700	0.0035		
			1188.600	0.0070		
			1208.100	0.0061		
			1214.100	0.0013		
			1229.200	0.0070		
			1234.000	0.0014		
			1237.500	0.0019		
			1241.300	0.0033		
			1246.200	0.0033		
			1258.100	0.0190		
			1274.420	0.0094		
			1274.700	0.0038		
			1280.400	0.0021		
			1288.400	0.0170		
			1308.900	0.0014		
			1339.800	0.0035		
			1387.600	0.0035		
			1419.400	0.0087		
			1451.000	0.0016		
			1490.600	0.0124		
			1494.200	0.0033		
			1515.900	0.0038		
			1520.500	0.0068		
			1522.800	0.0040		
			1553.000	0.0028		
			1619.200	0.0047		
			1652.000	0.0014		
			1721.000	0.0016		
			1815.200	0.0016		
			1858.800	0.0026		
			1894.700	0.0020		
			1905.700	0.0019		
			1931.000	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
154 Tb m2	65	9.000 h	1934.700	0.0087	0.7873	0.5935
			1964.970	0.0230		
			1997.600	0.0045		
			2025.000	0.0023		
			2054.200	0.0011		
			2084.900	0.0015		
			2106.800	0.0019		
			2142.900	0.0026		
			2153.810	0.0120		
			2182.600	0.0021		
			2212.920	0.0099		
			2245.700	0.0054		
			2283.500	0.0026		
			2295.900	0.0038		
			2324.500	0.0014		
			2358.300	0.0023		
			2372.400	0.0016		
			2389.500	0.0023		
			2411.100	0.0012		
			2496.300	0.0012		
			2559.600	0.0017		
			2575.100	0.0013		
154 Tb	65	21.400 h	123.040	0.2800	1.0837	0.8036
			247.910	0.0180		
			429.600	0.0057		
			444.500	0.0102		
			470.300	0.0043		
			489.000	0.0024		
			511.000	0.0230		
			512.000	0.0012		
			536.500	0.0141		
			557.560	0.0580		
			582.000	0.0027		
			587.800	0.0048		
			602.800	0.0027		
			625.200	0.0017		
			676.530	0.0019		
			692.370	0.0340		
			701.200	0.0052		
			705.100	0.0510		
			715.760	0.0087		
			722.100	0.0820		
			756.700	0.0035		
			789.500	0.0028		
			815.600	0.0093		
			850.600	0.0087		
			864.600	0.0019		
			873.190	0.0560		
			878.300	0.0300		
			945.800	0.0044		
			956.900	0.0024		
			996.330	0.0520		
			1004.720	0.0085		
			1016.000	0.0044		
			1033.300	0.0047		
			1047.000	0.0099		
			1053.900	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
154 Tb	65	21.400 h	1059.000	0.0089		
			1118.100	0.0250		
			1123.200	0.0610		
			1128.700	0.0019		
			1160.100	0.0030		
			1175.000	0.0025		
			1188.500	0.0030		
			1191.200	0.0100		
			1218.600	0.0017		
			1241.300	0.0300		
			1274.420	0.1120		
			1291.300	0.0740		
			1308.900	0.0024		
			1325.100	0.0125		
			1370.200	0.0015		
			1374.200	0.0055		
			1391.200	0.0053		
			1405.000	0.0030		
			1408.500	0.0030		
			1414.600	0.0210		
			1438.500	0.0014		
			1458.400	0.0166		
			1481.200	0.0024		
			1506.400	0.0030		
			1527.200	0.0021		
			1593.700	0.0065		
			1607.000	0.0014		
			1737.600	0.0069		
			1774.900	0.0030		
			1841.000	0.0011		
			1906.100	0.0141		
			1909.100	0.0141		
			1974.000	0.0022		
			1974.600	0.0015		
			1996.600	0.0800		
			2041.900	0.0209		
			2064.110	0.0760		
			2108.000	0.0037		
			2119.680	0.0450		
			2187.190	0.1060		
			2219.500	0.0087		
			2278.500	0.0033		
			2307.490	0.0155		
			2342.500	0.0159		
			2345.300	0.0159		
			2363.300	0.0043		
			2377.000	0.0033		
			2380.100	0.0033		
			2402.500	0.0026		
			2430.500	0.0230		
			2467.000	0.0053		
			2467.850	0.0084		
			2486.240	0.0141		
			2499.800	0.0030		
			2503.400	0.0024		
			2525.100	0.0019		
			2532.300	0.0014		
			2599.600	0.0027		

Nuclide	Z	Half Life	Energy	Yield	R ²²⁶ /h/Ci	R ⁴⁰ /h/Ci	T	T	154 Tb	65	21.400 h	2611.300	0.0011	1.0837	0.8036
									154 Tb m1	65	22.600 h	123.040	0.4700	1.1736	0.9314
												3141.000	0.0011		
												3090.500	0.0011		
												3062.500	0.0017		
												3032.400	0.0015		
												3023.200	0.0084		
												3009.600	0.0037		
												2989.900	0.0050		
												2949.500	0.0050		
												2934.200	0.0022		
												2900.000	0.0100		
												2867.100	0.0031		
												2826.400	0.0062		
												2789.100	0.0074		
												2722.800	0.0013		
												2711.700	0.0012		
												2666.000	0.0044		
												2655.800	0.0026		
												2646.300	0.0041		
												2611.300	0.0011		
												1.0837	0.8036		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
154 Tb m1	65	22.600 h	993.000	0.1750	1.1736	0.9314
			996.330	0.0330		
			1004.720	0.0760		
			1061.200	0.0450		
			1093.600	0.0037		
			1140.700	0.0250		
			1193.400	0.0320		
			1236.000	0.0065		
			1274.700	0.0021		
			1315.100	0.0037		
			1399.500	0.0058		
			1419.850	0.5000		
			1522.800	0.0024		
			1541.200	0.0045		
			1741.600	0.0060		
154 Ho	67	3.200 m	157.800	0.0480	1.5374	1.2360
			289.200	0.0520		
			295.800	0.1600		
			310.300	0.0370		
			334.600	1.2200		
			346.500	0.1500		
			407.000	0.3000		
			412.400	1.0200		
			434.900	0.0300		
			444.200	0.0620		
			471.900	0.0300		
			477.100	0.6800		
			505.100	0.2000		
			511.000	0.9000		
			523.800	0.2000		
			570.700	0.1200		
			725.600	0.1600		
			814.900	0.1600		
			906.000	0.0180		
			1250.500	0.2000		
155 Sm	62	22.100 m	61.550	0.0023	0.0414	0.0442
			78.650	0.0026		
			104.320	0.7500		
			141.411	0.0200		
			245.730	0.0375		
			522.540	0.0015		
155 Eu	63	4.963 y	45.298	0.0128	0.0223	0.0243
			60.010	0.0114		
			86.062	0.0015		
			86.543	0.3090		
			105.308	0.2060		
155 Tb	65	5.320 d	45.298	0.0120	0.0449	0.0449
			57.980	0.0015		
			60.010	0.0074		
			86.543	0.2300		
			105.308	0.1800		
			146.061	0.0010		
			148.650	0.0190		
			150.600	0.0017		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R/m ² /h/Ci	T Rem/h/Ci
155 Tb	65	5.320 d	158.600	0.0027	0.0449	0.0449
			160.500	0.0052		
			161.320	0.0210		
			162.800	0.0018		
			163.300	0.0330		
			175.200	0.0017		
			180.140	0.0650		
			181.630	0.0043		
			182.000	0.0010		
			200.300	0.0015		
			208.000	0.0019		
			220.000	0.0017		
			220.600	0.0031		
			226.800	0.0011		
			239.450	0.0016		
			262.450	0.0430		
			268.700	0.0045		
			281.000	0.0019		
			286.900	0.0019		
			321.800	0.0012		
			340.800	0.0077		
			367.400	0.0095		
			367.700	0.0059		
155 Dy	66	10.000 h	65.470	0.0190	0.2727	0.2173
			90.340	0.0132		
			118.330	0.0010		
			153.400	0.0010		
			155.780	0.0018		
			161.430	0.0121		
			184.530	0.0380		
			205.520	0.0036		
			227.000	0.6700		
			269.400	0.0017		
			271.000	0.0112		
			317.900	0.0018		
			322.600	0.0020		
			326.300	0.0013		
			334.800	0.0011		
			382.700	0.0017		
			403.800	0.0016		
			411.000	0.0014		
			433.000	0.0060		
			484.150	0.0108		
			496.300	0.0017		
			498.600	0.0144		
			508.400	0.0697		
			511.000	0.0287		
			549.600	0.0088		
			570.500	0.0018		
			586.300	0.0018		
			641.000	0.0115		
			653.700	0.0013		
			656.400	0.0018		
			664.200	0.0220		
			678.400	0.0018		
			743.800	0.0038		
			773.600	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	Γ $R \cdot m^2/h/Ci$	T $R m/h/Ci$
155 Dy	66	10.000 h	812.000	0.0034		
			825.700	0.0011	0.2727	0.2173
			835.300	0.0023		
			838.000	0.0016		
			841.450	0.0025		
			891.000	0.0051		
			905.600	0.0230		
			925.430	0.0061		
			940.300	0.0030		
			996.400	0.0034		
			999.800	0.0240		
			1002.800	0.0034		
			1013.200	0.0032		
			1062.300	0.0036		
			1068.300	0.0053		
			1090.000	0.0270		
			1115.400	0.0037		
			1155.600	0.0200		
			1166.400	0.0159		
			1251.200	0.0088		
			1295.000	0.0018		
			1304.200	0.0014		
			1316.500	0.0015		
			1336.800	0.0043		
			1367.800	0.0073		
			1388.800	0.0011		
			1393.900	0.0024		
			1415.000	0.0025		
			1427.200	0.0035		
			1438.000	0.0030		
			1479.300	0.0054		
			1492.600	0.0054		
			1509.200	0.0025		
			1599.600	0.0024		
			1637.800	0.0084		
			1665.000	0.0091		
			1684.900	0.0010		
155 Ho	67	48.000 m	39.400	0.0370	0.1965	0.1552
			47.500	0.0120		
			86.800	0.0060		
			96.900	0.0067		
			103.900	0.0150		
			108.800	0.0032		
			115.500	0.0045		
			124.600	0.0018		
			136.300	0.0370		
			137.600	0.0037		
			146.700	0.0053		
			149.200	0.0011		
			163.000	0.0075		
			185.000	0.0160		
			189.000	0.0019		
			270.400	0.0045		
			200.900	0.0045		
			202.400	0.0082		
			208.500	0.0019		
			212.700	0.0034		

Nuclide	Z	Half Life	Energy keV	Yield	R R*m2/h/Ci	T Rem/h/Ci
155 Ho	67	48.000 m	216.300	0.0022	0.1965	0.1552
			218.800	0.0082		
			219.200	0.0082		
			240.300	0.0750		
			243.700	0.0011		
			247.900	0.0100		
			259.000	0.0012		
			262.300	0.0054		
			272.200	0.0035		
			286.000	0.0034		
			304.400	0.0026		
			309.600	0.0049		
			312.000	0.0022		
			321.300	0.0034		
			325.400	0.0160		
			336.400	0.0029		
			343.800	0.0041		
			344.400	0.0041		
			349.000	0.0041		
			353.300	0.0011		
			369.300	0.0046		
			383.600	0.0075		
			408.500	0.0082		
			416.600	0.0025		
			420.800	0.0041		
			456.000	0.0037		
			476.200	0.0015		
			479.000	0.0025		
			511.000	0.4526		
			523.600	0.0022		
			557.000	0.0016		
			566.200	0.0017		
			569.200	0.0018		
			648.400	0.0010		
			654.000	0.0013		
			699.500	0.0011		
			765.700	0.0014		
			834.700	0.0022		
			892.300	0.0025		
			897.000	0.0044		
			994.000	0.0034		
			1015.300	0.0035		
			1033.400	0.0056		
			1081.400	0.0037		
			1178.300	0.0025		
156 Sm	62	9.400 h	38.100	0.1430	0.0654	0.0600
			65.000	0.0150		
			87.600	0.2400		
			103.000	0.0140		
			165.800	0.1470		
			203.830	0.2300		
			219.000	0.0050		
			246.200	0.0132		
			268.700	0.0250		
			291.000	0.0300		
156 Eu	63	15.190 d	88.964	0.0890	0.6548	0.4825

Nuclide	Z	Half Life	Energy keV	Yield	Γ	$\frac{\Gamma}{R^2 \cdot h/Ci}$	$\frac{\Gamma}{Rem/h/Ci}$
156 Eu	63	15.190 d	199.210	0.0073	0.6548	0.4925	
			434.400	0.0022			
			472.700	0.0014			
			490.340	0.0018			
			599.470	0.0226			
			646.290	0.0700			
			709.860	0.0090			
			723.470	0.0590			
			797.730	0.0011			
			811.770	0.1020			
			820.360	0.0016			
			841.160	0.0022			
			858.360	0.0012			
			865.980	0.0015			
			867.010	0.0138			
			907.000	0.0039			
			944.350	0.0137			
			947.460	0.0031			
			960.500	0.0159			
			961.000	0.0015			
			969.830	0.0038			
			1011.870	0.0033			
			1027.390	0.0012			
			1040.440	0.0052			
			1049.400	0.0031			
			1065.140	0.0510			
			1075.990	0.0037			
			1079.160	0.0480			
			1129.470	0.0014			
			1140.510	0.0029			
			1153.470	0.0700			
			1154.090	0.0520			
			1156.000	0.0014			
			1169.120	0.0022			
			1230.710	0.0880			
			1242.427	0.0660			
			1277.430	0.0315			
			1366.410	0.0172			
			1682.110	0.0030			
			1857.420	0.0025			
			1877.030	0.0169			
			1937.680	0.0210			
			1946.340	0.0019			
			1965.950	0.0410			
			2026.610	0.0347			
			2032.510	0.0013			
			2097.680	0.0420			
			2116.490	0.0012			
			2180.910	0.0239			
			2186.710	0.0390			
			2205.380	0.0098			
			2269.900	0.0110			
156 Tb	65	5.000 h	88.400	0.0113	0.0004	0.0005	
156 Tb	65	1.017 d	49.630	0.4983	0.0184	0.0140	
156 Tb	65	5.340 d	88.970	0.1830	0.9274	0.7048	

Muclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
156 Tb	65	5.340 d	111.930	0.0144	0.9274	0.7048
			115.610	0.0090		
			155.150	0.0150		
			199.190	0.3790		
			201.250	0.0050		
			262.530	0.0540		
			296.500	0.0400		
			356.490	0.1260		
			381.100	0.0054		
			422.420	0.0700		
			534.330	0.6100		
			576.200	0.0200		
			578.910	0.0042		
			614.610	0.0017		
			626.800	0.0029		
			658.120	0.0019		
			686.310	0.0040		
			689.400	0.0016		
			691.800	0.0021		
			697.700	0.0012		
			704.320	0.0014		
			747.850	0.0025		
			780.140	0.0223		
			804.840	0.0023		
			841.100	0.0022		
			855.250	0.0029		
			860.880	0.0013		
			865.820	0.0031		
			925.860	0.0361		
			949.170	0.0139		
			959.760	0.0174		
			987.830	0.0027		
			1037.870	0.0100		
			1040.490	0.0060		
			1065.100	0.1020		
			1067.250	0.0290		
			1129.370	0.0015		
			1154.090	0.1000		
			1158.940	0.0680		
			1174.260	0.0011		
			1187.140	0.0053		
			1222.360	0.2940		
			1230.720	0.0076		
			1242.510	0.0018		
			1266.100	0.0106		
			1334.450	0.0232		
			1421.620	0.1170		
			1646.140	0.0344		
			1815.200	0.0038		
			1845.380	0.0380		
			2014.200	0.0106		
157 Sm	62	1.383 m	121.500	1.0000	0.0551	0.0589
157 Eu	63	15.150 h	52.000	0.1580	0.1631	0.1368
			54.500	0.5100		
			64.000	0.4500		
			68.300	0.0050		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
157 Eu	63	15.150 h	77.000	0.0060	0.1631	0.1368
			132.000	0.0010		
			160.000	0.0010		
			210.000	0.0018		
			275.000	0.0010		
			320.000	0.0300		
			336.000	0.0090		
			361.000	0.0040		
			373.000	0.1060		
			382.000	0.0030		
			401.000	0.0130		
			411.000	0.0100		
			413.000	0.1840		
			423.000	0.0090		
			437.000	0.0030		
			453.000	0.0100		
			463.000	0.0070		
			477.000	0.0200		
			526.000	0.0010		
			571.000	0.0170		
			619.000	0.0440		
			687.000	0.0120		
			701.000	0.0030		
			752.000	0.0040		
			765.000	0.0040		
157 Gd	64	1.000E-06 s	51.800	0.5200	0.2260	0.2121
			54.500	0.6800		
			64.000	0.3020		
			65.200	0.5200		
			77.000	0.3580		
			95.900	0.3690		
			116.000	0.0200		
			131.500	0.0100		
			172.900	0.0820		
			199.000	0.4520		
			245.000	0.5450		
157 Dy	66	8.100 h	60.820	0.0027	0.1778	0.1650
			83.010	0.0053		
			182.200	0.0195		
			265.340	0.0019		
			326.160	0.9520		
157 Ho	67	12.600 m	61.000	0.6340	0.2744	0.2348
			86.500	0.2450		
			98.800	0.0012		
			106.500	0.0083		
			109.800	0.0140		
			121.000	0.0032		
			126.900	0.0068		
			129.900	0.0073		
			131.900	0.0010		
			147.700	0.0323		
			150.000	0.0083		
			153.000	0.0315		
			162.400	0.0216		
			173.300	0.0068		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
157 Ho	67	12.600 m	188.000	0.0430	0.2744	0.2348
			193.400	0.0974		
			196.500	0.0077		
			208.800	0.0132		
			234.600	0.0097		
			253.200	0.0015		
			258.000	0.0120		
			269.400	0.0018		
			272.200	0.0467		
			273.800	0.0027		
			280.000	0.2375		
			297.000	0.0083		
			320.200	0.0220		
			341.000	0.1740		
			359.000	0.0053		
			360.600	0.0054		
			379.200	0.0013		
			388.400	0.0045		
			420.000	0.0029		
			430.400	0.0012		
			463.300	0.0029		
			466.000	0.0018		
			476.600	0.0059		
			508.300	0.0300		
			511.000	0.0950		
			522.800	0.0010		
			540.500	0.0012		
			555.600	0.0282		
			570.200	0.0055		
			527.000	0.0024		
			649.000	0.0032		
			661.900	0.0024		
			685.500	0.0087		
			688.000	0.0035		
			703.000	0.0017		
			708.600	0.0135		
			748.900	0.0018		
			779.000	0.0045		
			791.200	0.0022		
			835.400	0.0100		
			842.400	0.0017		
			870.000	0.0096		
			896.600	0.0414		
			929.000	0.0062		
			1038.700	0.0010		
			1063.400	0.0010		
			1150.000	0.0083		
			1191.900	0.0013		
			1211.000	0.0224		
			1318.000	0.0018		
			1380.000	0.0023		
158 Eu	63	45.900 m	79.500	0.1119	0.5486	0.4028
			182.000	0.0200		
			528.000	0.0129		
			606.400	0.0333		
			698.600	0.0089		
			743.000	0.0300		

Nuclide	Z	Half Life	Energy keV	Yield	R ²²⁶ /h/Ci	R ²³² /h/Ci
158 Eu	63	45.900 m	751.700	0.0024	0.5486	0.4028
			763.900	0.0053		
			769.900	0.0054		
			777.000	0.0066		
			780.000	0.0076		
			816.300	0.0030		
			824.000	0.0100		
			827.900	0.0033		
			852.800	0.0033		
			870.700	0.0020		
			870.700	0.0100		
			897.600	0.1038		
			906.500	0.0154		
			917.300	0.0023		
			922.400	0.0026		
			922.500	0.0136		
			925.600	0.0010		
			940.600	0.0028		
			944.200	0.2520		
			953.000	0.0166		
			962.000	0.0159		
			977.000	0.1368		
			987.000	0.0113		
			998.500	0.0030		
			1004.000	0.0040		
			1005.400	0.0100		
			1034.500	0.0012		
			1061.700	0.0027		
			1107.600	0.0430		
			1116.500	0.0100		
			1138.700	0.0018		
			1141.500	0.0015		
			1180.400	0.0033		
			1184.000	0.0255		
			1186.000	0.0247		
			1187.000	0.0370		
			1233.700	0.0013		
			1259.900	0.0033		
			1263.600	0.0184		
			1265.600	0.0018		
			1292.300	0.0022		
			1301.700	0.0015		
			1312.000	0.0022		
			1323.500	0.0020		
			1348.000	0.0139		
			1372.000	0.0017		
			1702.800	0.0011		
			1714.000	0.0015		
			1738.000	0.0010		
			1850.300	0.0013		
			1884.600	0.0100		
			1944.500	0.0136		
			1964.200	0.0011		
			2023.900	0.0078		
			2246.000	0.0039		
			2367.700	0.0066		
			2447.400	0.0064		
			2451.200	0.0019		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T ²³² Rem/h/Ci
158 Tb	65	150.103 s	79.600	0.1148	0.4153	0.3071
			99.000	0.0465		
			181.900	0.0940		
			218.200	0.0093		
			780.200	0.0949		
			898.000	0.0011		
			398.000	0.0617		
			944.200	0.4360		
			962.200	0.2000		
			977.500	0.0016		
			1107.700	0.0214		
			1187.200	0.0165		
159 Eu	63	18.700 m	67.800	0.6900	0.5050	0.3932
			71.400	0.0386		
			78.600	0.3276		
			80.400	0.0445		
			90.400	0.0222		
			95.700	0.2516		
			102.500	0.0234		
			105.500	0.0257		
			108.800	0.0100		
			121.900	0.0143		
			146.400	0.1172		
			159.800	0.0500		
			176.900	0.0468		
			227.500	0.0585		
			498.200	0.0117		
			521.400	0.0058		
			551.300	0.0140		
			575.500	0.0094		
			588.600	0.0140		
			596.000	0.0117		
			602.200	0.0316		
			613.400	0.0456		
			645.700	0.0129		
			659.500	0.0480		
			664.900	0.1100		
			676.600	0.0679		
			681.900	0.0830		
			693.800	0.0176		
			720.400	0.0058		
			726.500	0.0234		
			733.000	0.0088		
			744.300	0.0328		
			753.900	0.0328		
			763.000	0.0117		
			804.700	0.0924		
			829.700	0.0200		
			871.400	0.0076		
			880.800	0.0117		
			915.700	0.0058		
			936.000	0.0100		
			1015.000	0.0176		
			1038.200	0.0070		
			1043.700	0.0187		
			1060.400	0.0100		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
159 Eu	63	18.700 m	1078.400	0.0094		
			1094.800	0.0433		
			1109.000	0.0090		
			1128.400	0.0187		
			1159.400	0.0022		
			1181.600	0.0041		
			1220.700	0.0070		
			1301.500	0.0117		
			1350.800	0.0043		
			1433.700	0.0088		
			1451.600	0.0070		
			1468.600	0.0100		
			1520.000	0.0234		
159 Gd	64	18.560 h	58.000	0.2625		
			79.500	0.0020		
			226.000	0.0020		
			343.170	0.0022		
			363.560	0.1044		
159 Dy	66	1.150E-04 s	57.000	0.9000		
			63.000	0.0500		
			80.000	0.6100		
			100.000	0.5300		
			113.000	0.2600		
			117.000	0.6800		
			121.000	0.2000		
			137.000	0.0500		
			153.000	0.0200		
			178.000	0.0300		
			180.000	0.1300		
			217.000	0.0600		
159 Dy	66	144.400 d	58.000	0.2600		
159 Ho	67	33.000 m	41.000	0.0052		
			56.700	0.0549		
			72.500	0.0027		
			79.900	0.0120		
			85.700	0.0018		
			99.500	0.0032		
			100.600	0.0415		
			103.000	0.0017		
			121.000	0.3645		
			132.000	0.2430		
			136.400	0.0050		
			152.400	0.0126		
			155.800	0.0233		
			159.400	0.0043		
			173.000	0.0249		
			177.600	0.0669		
			186.300	0.0357		
			217.700	0.0360		
			252.900	0.1500		
			258.900	0.0140		
			265.500	0.0017		
			296.000	0.0090		
			309.600	0.1545		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
159 Ho	67	33.000 m	338.700	0.0063	0.1483	0.1357
			395.400	0.0029		
			620.900	0.0027		
			706.700	0.0099		
			766.300	0.0010		
			807.400	0.0100		
			838.700	0.0315		
			850.700	0.0025		
			881.300	0.0034		
			898.000	0.0032		
			912.700	0.0025		
			1016.300	0.0040		
			1018.900	0.0020		
			1024.300	0.0017		
			1075.700	0.0011		
			1201.900	0.0015		
160 Tb	65	72.300 d	86.788	0.1320	0.6013	0.4536
			197.035	0.0515		
			215.648	0.0395		
			298.575	0.2690		
			309.561	0.0085		
			337.327	0.0032		
			392.500	0.0134		
			682.310	0.0057		
			765.280	0.0200		
			872.030	0.0021		
			879.362	0.2950		
			962.302	0.0980		
			966.155	0.2500		
			1002.880	0.0102		
			1102.600	0.0053		
			1115.120	0.0153		
			1177.938	0.1520		
			1199.890	0.0232		
			1271.861	0.0750		
			1312.140	0.0292		
161 Gd	64	3.700 m	56.200	0.0455	0.2204	0.1989
			77.200	0.0200		
			85.500	0.0019		
			102.200	0.1620		
			105.500	0.0100		
			134.000	0.0019		
			165.400	0.0253		
			181.000	0.0065		
			191.500	0.0065		
			258.500	0.0110		
			271.000	0.0091		
			283.500	0.0680		
			315.000	0.2400		
			338.000	0.0190		
			360.700	0.6500		
			394.400	0.0023		
			424.000	0.0019		
			479.700	0.0300		
			529.000	0.0136		
161 Tb	65	6.910 d	49.000	0.1480	0.0095	0.0084

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	
161 Tb	65	6.910 d	57.200 74.580 88.000	0.0160 0.0980 0.0017		0.0095	0.0084
161 Ho	67	2.500 h	43.840 49.000 59.230 77.420 98.000 103.000 157.300 175.400	0.0100 0.0034 0.0260 0.1900 0.0170 0.0430 0.0050 0.0060		0.0117	0.0123
161 Er	68	7.500E-06 s	59.500 84.500 100.000 106.000 131.000 144.000 147.000 190.600 253.000	0.8500 1.0000 0.2100 0.5000 0.2000 0.0400 0.5100 0.0800 0.0800		0.1683	0.1740
161 Er	68	3.240 h	76.230 87.530 90.000 94.130 99.630 105.400 105.700 107.300 109.900 130.850 148.160 152.700 201.470 209.360 211.150 212.770 236.430 252.680 294.000 303.520 314.770 446.900 507.700 511.000 528.000 545.100 592.600 649.200 726.600 799.400 804.400 808.800 808.800 812.000 826.500	0.0360 0.0200 0.0022 0.0400 0.0170 0.0025 0.0012 0.0017 0.0023 0.0130 0.0044 0.0014 0.0120 0.0100 0.2800 0.0087 0.0055 0.0053 0.0048 0.0039 0.0260 0.0038 0.0023 0.0029 0.0037 0.0026 0.0330 0.0070 0.0074 0.0016 0.0022 0.0018 0.0010 0.0025 0.6150		0.4767	0.3582

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
161 Er	68	3.240 h	839.500	0.0010	0.4767	0.3582
			865.000	0.0120		
			868.700	0.0037		
			868.900	0.0030		
			875.900	0.0027		
			878.900	0.0018		
			895.700	0.0060		
			895.700	0.0013		
			931.700	0.0012		
			931.700	0.0170		
			940.900	0.0015		
			962.400	0.0017		
			970.300	0.0010		
			970.600	0.0012		
			973.000	0.0022		
			980.300	0.0010		
			998.800	0.0010		
			1010.700	0.0010		
			1078.000	0.0010		
			1098.200	0.0023		
			1098.300	0.0026		
			1102.600	0.0022		
			1102.700	0.0017		
			1117.800	0.0020		
			1144.900	0.0052		
			1147.600	0.0013		
			1158.900	0.0052		
			1171.700	0.0044		
			1171.800	0.0038		
			1174.500	0.0055		
			1174.500	0.0062		
			1183.000	0.0032		
			1183.500	0.0033		
			1185.800	0.0032		
			1193.200	0.0013		
			1193.200	0.0040		
			1193.300	0.0060		
			1209.800	0.0038		
			1228.000	0.0012		
			1228.300	0.0012		
			1247.200	0.0025		
			1250.500	0.0036		
			1268.200	0.0010		
			1276.200	0.0014		
			1276.500	0.0010		
			1279.900	0.0053		
			1303.300	0.0032		
			1338.200	0.0022		
			1358.200	0.0060		
			1361.300	0.0010		
			1383.200	0.0013		
			1417.800	0.0059		
			1429.000	0.0032		
			1429.300	0.0032		
			1434.500	0.0019		
			1452.800	0.0010		
			1461.800	0.0013		
			1464.500	0.0023		

Nuclide	Z	Half Life	Energy keV	Yield	R ^{2m2/h/Ci}	T Rem/h/Ci
161 Er	68	3.240 h	1488.500 1492.400 1553.900 1656.800 1740.000	0.0016 0.0013 0.0015 0.0057 0.0040	0.4767	0.3582
161 Tm	69	38.000 m	45.600 59.500 78.300 84.500 94.300 106.000 112.600 122.600 138.700 144.000 146.700 156.500 172.000 172.600 190.600 207.000 218.200 244.500 252.500	0.4680 0.8930 0.0040 0.3870 0.0570 0.0720 0.0700 0.0350 0.0100 0.0320 0.0730 0.0060 0.0750 0.0100 0.0270 0.0790 0.0100 0.0080 0.0160	0.1060	0.0997
162 Gd	64	9.000 m	38.800 402.800 441.600	0.0660 0.4700 0.5400	0.2490	0.2024
162 Tb	65	7.700 m	80.660 185.000 185.289 260.000 622.000 697.400 807.650 882.300 888.170 1067.000 1195.600	0.0710 0.0250 0.1330 0.7900 0.0090 0.0240 0.4500 0.1180 0.3900 0.0063 0.0010	0.6028	0.4621
162 Ho	67	15.000 m	80.660 185.000 392.800 511.000 795.540 980.180 1188.000 1319.600 1372.800	0.0770 0.0070 0.0050 0.0840 0.0030 0.0020 0.0044 0.0370 0.0077	0.0649	0.0497
162 Ho m	67	68.000 m	80.660 185.000 188.716 275.600 278.400 282.864	0.0900 0.2900 0.0023 0.0080 0.0023 0.1150	0.2782	0.2159

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
162 Ho m	67	68.000 m	302.880	0.0038	0.2782	0.2159
			334.000	0.0032		
			424.700	0.0047		
			467.900	0.0024		
			634.200	0.0011		
			795.540	0.0027		
			807.650	0.0012		
			842.500	0.0046		
			882.300	0.0037		
			917.130	0.0059		
			937.000	0.1090		
			944.600	0.0016		
			980.180	0.0026		
			1125.800	0.0119		
			1130.000	0.0038		
			1134.600	0.0013		
			1220.000	0.2300		
162 Tm m	69	24.300 s	66.900	0.0730	0.2049	0.1530
			102.000	0.0260		
			227.520	0.0500		
			337.510	0.0160		
			345.400	0.0066		
			354.600	0.0059		
			453.000	0.0070		
			477.900	0.0070		
			511.000	0.0520		
			583.500	0.0033		
			672.400	0.0090		
			709.990	0.0360		
			713.200	0.0070		
			798.680	0.0560		
			799.000	0.0560		
			811.520	0.0660		
			899.900	0.0680		
			900.700	0.0680		
162 Tm	69	21.700 m	102.000	0.1750	0.6652	0.4943
			227.520	0.0710		
			453.020	0.0037		
			465.110	0.0025		
			499.200	0.0014		
			511.000	0.1502		
			519.670	0.0059		
			570.740	0.0195		
			571.200	0.0019		
			634.500	0.0017		
			672.330	0.0560		
			672.400	0.0184		
			720.100	0.0015		
			764.400	0.0023		
			798.680	0.0840		
			799.000	0.0077		
			821.500	0.0032		
			830.470	0.0020		
			841.430	0.0065		
			899.900	0.0560		
			900.700	0.0650		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R* $\pi^2/h/Ci$	T Rem/h/Ci
162 Tm	69	21.700 m	929.250	0.0018	0.6652	0.4943
			957.400	0.0012		
			966.240	0.0017		
			985.120	0.0115		
			993.640	0.0048		
			1007.600	0.0018		
			1010.560	0.0029		
			1027.080	0.0091		
			1036.600	0.0017		
			1069.010	0.0110		
			1092.500	0.0014		
			1096.020	0.0044		
			1100.000	0.0137		
			1115.960	0.0023		
			1119.600	0.0014		
			1125.500	0.0022		
			1170.820	0.0075		
			1171.000	0.0016		
			1199.800	0.0011		
			1213.300	0.0028		
			1220.630	0.0068		
			1243.000	0.0011		
			1250.010	0.0480		
			1254.720	0.0146		
			1289.400	0.0016		
			1293.420	0.0053		
			1310.800	0.0038		
			1318.420	0.0560		
			1328.140	0.0087		
			1352.200	0.0340		
			1398.200	0.0038		
			1404.230	0.0284		
			1410.890	0.0028		
			1412.240	0.0028		
			1415.900	0.0014		
			1430.450	0.0044		
			1447.700	0.0017		
			1451.300	0.0021		
			1470.800	0.0060		
			1476.000	0.0014		
			1493.500	0.0016		
			1500.000	0.0012		
			1506.400	0.0138		
			1521.320	0.0065		
			1533.300	0.0031		
			1536.100	0.0039		
			1549.200	0.0028		
			1573.000	0.0018		
			1575.800	0.0014		
			1595.800	0.0043		
			1616.300	0.0022		
			1627.600	0.0043		
			1696.000	0.0050		
			1698.100	0.0050		
			1704.400	0.0011		
			1716.000	0.0012		
			1754.680	0.0074		
			1763.400	0.0015		

Nuclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T Rem/h/Ci
162 Tm	69	21.700 m	1792.300	0.0018	0.6652	0.4943
			1829.200	0.0050		
			1838.100	0.0027		
			1846.900	0.0015		
			1862.000	0.0028		
			1864.300	0.0031		
			1872.900	0.0012		
			1874.700	0.0023		
			1914.710	0.0060		
			1924.050	0.0072		
			1931.540	0.0059		
			1959.250	0.0055		
			1961.500	0.0019		
			1969.300	0.0020		
			1974.720	0.0122		
			1983.400	0.0014		
			2012.300	0.0043		
			2015.750	0.0112		
			2036.600	0.0011		
			2049.200	0.0015		
			2062.100	0.0012		
			2083.400	0.0020		
			2089.900	0.0025		
			2097.400	0.0016		
			2103.840	0.0035		
			2130.500	0.0046		
			2140.200	0.0126		
			2158.170	0.0030		
			2192.350	0.0029		
			2216.800	0.0055		
			2231.700	0.0084		
			2257.400	0.0011		
			2260.900	0.0011		
			2319.100	0.0013		
			2335.300	0.0011		
			2358.500	0.0011		
			2376.300	0.0011		
			2389.800	0.0012		
			2395.100	0.0025		
			2449.900	0.0017		
			2465.100	0.0014		
			2480.000	0.0019		
			2502.100	0.0014		
			2505.300	0.0013		
			2516.360	0.0011		
			2543.100	0.0013		
			2603.500	0.0021		
			2698.800	0.0011		
			2712.700	0.0014		
			2813.500	0.0011		
			2949.500	0.0011		
			2960.800	0.0016		
			3077.800	0.0012		
			3165.500	0.0023		
			3181.200	0.0018		
			3191.200	0.0025		
			3286.900	0.0024		
			3292.100	0.0015		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
152 Tm	69	21.700 m	3297.900	0.0065	0.6652	0.4943
			3389.500	0.0032		
			3393.600	0.0011		
			3400.300	0.0024		
			3415.700	0.0026		
			3435.800	0.0011		
			3533.500	0.0011		
			3574.580	0.0042		
			3587.200	0.0015		
162 Yb	70	18.900 m	44.660	0.0610	0.1203	0.1221
			118.770	0.6900		
			163.470	1.0000		
164 Tb	65	3.000 m	37.700	0.0020	1.0896	0.8335
			73.400	0.7840		
			98.127	0.0040		
			123.320	0.0160		
			131.000	0.0060		
			145.880	0.0020		
			148.700	0.0400		
			154.180	0.0010		
			159.450	0.0060		
			168.838	0.3400		
			174.400	0.0030		
			185.860	0.0040		
			196.750	0.0020		
			200.520	0.0040		
			206.780	0.0160		
			211.100	0.0600		
			215.000	0.2070		
			259.000	0.0440		
			277.500	0.0800		
			294.580	0.0680		
			309.120	0.0170		
			344.830	0.0520		
			410.340	0.0590		
			415.000	0.0020		
			425.000	0.0090		
			461.500	0.0050		
			465.000	0.0090		
			484.700	0.0040		
			508.000	0.0130		
			519.650	0.0040		
			523.300	0.0060		
			548.540	0.0800		
			563.800	0.0200		
			567.000	0.0040		
			583.500	0.0060		
			585.900	0.0400		
			607.000	0.0060		
			611.000	0.1900		
			617.820	0.1140		
			626.000	0.0050		
			633.000	0.0040		
			647.300	0.0290		
			654.500	0.0030		
			671.170	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
164 Tb	65	3.000 m	673.670	0.0890	1.0896	0.8335
			688.460	0.2000		
			701.000	0.0040		
			707.700	0.0030		
			724.500	0.0040		
			744.400	0.0030		
			754.770	0.2200		
			761.700	0.1530		
			770.200	0.0050		
			779.000	0.0130		
			782.620	0.0540		
			796.700	0.0060		
			802.000	0.0060		
			807.000	0.0200		
			810.000	0.0100		
			843.000	0.0300		
			845.000	0.0550		
			856.000	0.0040		
			874.700	0.0040		
			903.000	0.0030		
			910.000	0.0030		
			966.000	0.0140		
			969.000	0.0040		
			983.000	0.3080		
			1015.500	0.0070		
			1022.000	0.0040		
			1034.600	0.0050		
			1050.000	0.0020		
			1104.300	0.0100		
			1123.400	0.0140		
			1125.000	0.0040		
			1135.000	0.0030		
			1148.470	0.0170		
			1152.000	0.0090		
			1154.800	0.0100		
			1166.200	0.0190		
			1169.400	0.0120		
			1169.400	0.0100		
			1180.600	0.0080		
			1189.700	0.0030		
			1196.200	0.0030		
			1224.000	0.0020		
			1257.500	0.0020		
			1270.600	0.0060		
			1278.200	0.0220		
			1289.800	0.0160		
			1289.800	0.0400		
			1320.000	0.0100		
			1330.000	0.0050		
			1366.000	0.0190		
			1377.500	0.0490		
			1393.000	0.0040		
			1395.000	0.0030		
			1411.000	0.0020		
			1426.200	0.0050		
			1433.000	0.0040		
			1443.900	0.0800		
			1485.200	0.0030		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T
					Rem2/h/Ci	Rem/h/Ci
164 Tb	65	3.000 m	1652.500	0.0040		
			1656.700	0.0090		
			1878.000	0.0030		
			1889.000	0.0020		
			1916.000	0.0020		
			1926.000	0.0020		
			1932.000	0.0030		
			1951.000	0.0040		
			1963.500	0.0070		
			1990.000	0.0020		
			2070.400	0.0010		
			2084.000	0.0030		
			2100.000	0.0030		
			2121.400	0.0030		
			2132.000	0.0080		
			2174.500	0.0040		
			2500.000	0.0020		
			2504.000	0.0030		
			2511.000	0.0130		
			2759.200	0.0030		
			2763.300	0.0020		
164 Ho	67	29.000 m	73.400	0.0090		
			91.390	0.0200		
164 Tm	69	2.000 m	91.390	0.3500		
			208.000	0.0146		
			315.460	0.0012		
			511.000	0.7936		
			595.140	0.0043		
			769.000	0.0144		
			842.000	0.0040		
			855.000	0.0028		
			860.300	0.0113		
			905.660	0.0034		
			1015.220	0.0016		
			1057.850	0.0046		
			1154.630	0.0168		
			1165.450	0.0075		
			1184.320	0.0017		
			1223.120	0.0064		
			1295.400	0.0098		
			1312.390	0.0044		
			1314.800	0.0032		
			1325.180	0.0077		
			1342.590	0.0014		
			1386.740	0.0065		
			1392.520	0.0013		
			1418.000	0.0016		
			1486.400	0.0042		
			1489.250	0.0040		
			1534.000	0.0015		
			1610.740	0.0112		
			1674.350	0.0100		
			1696.860	0.0028		
			1742.000	0.0022		
			1819.840	0.0040		
			1833.420	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T	T
						Rem/h	Ci
164 Tm	69	2.000 m	1862.520 1935.000 1977.820 2022.520 2081.600 2353.000 2383.630	0.0052 0.0018 0.0010 0.0010 0.0065 0.0013 0.0042	0.3677	0.2824	
164 Tm m	69	5.100 m	80.320 91.390 101.240 139.430 208.000 240.490 315.000 385.490 410.200 511.000 547.000 583.230 624.900 647.000 736.700 743.900 758.800 820.670 855.000 898.000 929.900 960.700 967.400 1049.840 1130.000 1140.000 1231.190 1364.600 1370.750 1498.000	0.0068 0.0480 0.0019 0.0293 0.1670 0.0850 0.1100 0.0032 0.0162 0.0084 0.0510 0.0081 0.0030 0.0020 0.0018 0.0012 0.0049 0.0150 0.0089 0.0487 0.0014 0.0020 0.0012 0.0175 0.0037 0.0019 0.0460 0.0467 0.0107 0.0016	0.2057	0.1625	
165 Dy m	66	1.258 m	108.160 153.800 361.680 515.467	0.0294 0.0027 0.0054 0.0155	0.0073	0.0062	
165 Dy	66	2.334 h	94.700 279.763 361.680 545.834 565.718 633.415 715.328	0.0360 0.0050 0.0084 0.0016 0.0013 0.0057 0.0053	0.0092	0.0077	
165 Tm	69	1.253 d	30.000 35.280 47.160 53.200 54.440 59.160	0.0016 0.0032 0.1760 0.0200 0.1890 0.0087	0.3166	0.2622	

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	Rem/h/Ci
165 Tm	69	1.253 d	60.400	0.0740	0.3166	0.2622
			62.700	0.0200		
			70.650	0.0180		
			77.260	0.0390		
			87.000	0.0027		
			88.200	0.0029		
			113.600	0.0500		
			150.850	0.0048		
			165.600	0.0020		
			195.700	0.0074		
			205.400	0.0056		
			210.000	0.0067		
			218.800	0.0300		
			233.200	0.0014		
			238.400	0.0014		
			242.900	0.4330		
			248.900	0.0140		
			250.000	0.0010		
			264.650	0.0053		
			279.200	0.0058		
			292.300	0.0042		
			292.300	0.0153		
			296.000	0.0620		
			297.360	0.1880		
			307.000	0.0015		
			312.300	0.0088		
			330.700	0.0027		
			346.800	0.0360		
			346.800	0.0059		
			356.500	0.0400		
			365.500	0.0068		
			384.200	0.0019		
			399.200	0.0270		
			400.400	0.0017		
			414.600	0.0014		
			421.000	0.0032		
			430.400	0.0022		
			442.600	0.0088		
			448.300	0.0270		
			456.300	0.0079		
			460.200	0.0400		
			471.800	0.0042		
			477.600	0.0038		
			484.400	0.0022		
			487.300	0.0130		
			513.500	0.0060		
			526.900	0.0093		
			531.000	0.0025		
			536.900	0.0025		
			542.400	0.0180		
			557.300	0.0012		
			558.200	0.0020		
			563.900	0.0250		
			573.200	0.0060		
			577.800	0.0022		
			589.700	0.0230		
			605.600	0.0012		
			608.400	0.0034		

Nucleide	Z	Half Life	Energy keV	Yield T	R ² m ² /h/Ci	Rem/h/Ci
165 Tm	69	1.253 d	611.000	0.0034	623.200	0.0014
			664.700	0.0058	677.600	0.0022
			680.700	0.0013	698.600	0.0095
			791.000	0.0073	806.800	0.0840
			827.400	0.0010	837.500	0.0049
			855.000	0.0013	932.700	0.0010
			1043.000	0.0012	1046.400	0.0010
			1131.000	0.0140	1184.500	0.0260
			1289.000	0.0019	156.500	0.0067
			147.300	0.0001	170.300	0.0040
			170.300	0.0040	185.800	0.0024
			203.300	0.0020	232.500	0.0014
			275.500	0.0011	304.000	0.0060
			320.800	0.0013	361.500	0.0013
			320.800	0.0013	433.000	0.0011
			479.600	0.0018	511.000	0.1911
			511.000	0.1911	636.500	0.0012
			655.800	0.0021	784.300	0.0020
			784.300	0.0020	825.800	0.0013
			830.300	0.0010	878.600	0.0014
			878.600	0.0014	935.000	0.0026
			956.500	0.0063	999.200	0.0040
			1029.900	0.0045	1029.900	0.0045
			1073.300	0.0053	1090.000	0.0037
			1117.200	0.0013	1090.000	0.0259
			1165.200	0.0014	1165.200	0.0014
			1219.500	0.0030	1219.500	0.0016
			1239.200	0.0016	1265.600	0.0011
165 Yb	70	9.900 m	68.900	0.0629	68.900	0.1230 0.0985

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	Rem/h/Ci
165 Yb	70	9.900 m	1296.000 1329.000 1421.000 1451.900 1501.000	0.0018 0.0018 0.0017 0.0012 0.0031		0.1230	0.0985
166 Dy	66	3.400 d	54.239 82.470 371.750 426.000	0.0067 0.1300 0.0046 0.0054		0.0073	0.0074
166 Ho	67	1.117 d	80.574 1379.430 1581.890 1662.440	0.0620 0.0093 0.0018 0.0012		0.0111	0.0090
166 Ho m	67	1200.822 y	80.574 94.650 119.040 121.160 135.240 161.750 184.407 190.711 214.760 215.880 231.280 259.716 280.456 300.744 339.780 365.739 410.941 451.524 464.830 529.810 571.000 594.370 611.520 639.770 644.450 670.510 691.210 711.690 736.670 752.270 778.820 810.310 830.560 875.640 950.940 1120.310 1146.820 1241.440 1282.120 1400.720 1427.050	0.1270 0.0014 0.0018 0.0027 0.0010 0.0011 0.7500 0.0022 0.0056 0.0265 0.0025 0.0112 0.3040 0.0380 0.0017 0.0257 0.1180 0.0312 0.0125 0.1040 0.0590 0.0071 0.0142 0.0016 0.0018 0.0590 0.0156 0.6000 0.0010 0.1340 0.0337 0.6400 0.1080 0.0081 0.0310 0.0024 0.0022 0.0102 0.0024 0.0056 0.0060	0.9666	0.7404	
166 Tm	69	7.700 h	73.500	0.0010		0.9256	0.6882

Nuclide	Z	Half Life	Energy keV	Yield	R#m2/h/Ci	T Rem/h/Ci
166 Tm	69	7.700 h	80.574	0.1147	0.9256	0.6882
			84.150	0.0049		
			96.800	0.0012		
			131.000	0.0120		
			154.450	0.0037		
			170.350	0.0010		
			184.400	0.1600		
			194.800	0.0120		
			215.200	0.0550		
			228.150	0.0030		
			238.500	0.0040		
			280.456	0.0029		
			298.000	0.0040		
			345.700	0.0037		
			389.400	0.0037		
			403.900	0.0088		
			410.900	0.0015		
			429.700	0.0022		
			459.600	0.0290		
			496.700	0.0026		
			511.000	0.0333		
			520.900	0.0024		
			529.813	0.0028		
			543.400	0.0010		
			557.700	0.0025		
			563.200	0.0020		
			594.370	0.0280		
			598.700	0.0160		
			604.300	0.0020		
			654.600	0.0025		
			672.000	0.0700		
			674.600	0.0200		
			691.210	0.0730		
			702.400	0.0100		
			705.300	0.1040		
			712.400	0.0060		
			729.400	0.0060		
			757.700	0.0240		
			778.817	0.2000		
			785.890	0.0960		
			810.300	0.0100		
			875.640	0.0400		
			928.000	0.0060		
			1045.800	0.0030		
			1057.500	0.0070		
			1078.900	0.0060		
			1084.800	0.0040		
			1120.800	0.0020		
			1152.300	0.0120		
			1161.400	0.0034		
			1176.500	0.0850		
			1203.900	0.0090		
			1216.300	0.0063		
			1235.300	0.0150		
			1263.200	0.0100		
			1273.400	0.1460		
			1300.800	0.0120		
			1347.000	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	Γ	T
						Rem/h/Ci	
166 Tm	69	7.700 h	1374.300 1430.900 1505.000 1653.200 1837.400 1868.200 1895.700 2052.900 2080.000	0.0530 0.0070 0.0083 0.0100 0.0054 0.0430 0.0083 0.2020 0.0720		0.9256	0.6882
166 Yb	70	2.363 d	82.290	0.1522		0.0056	0.0061
166 Lu m2	71	1.410 m	102.380 152.490 228.120 285.070 345.000 407.000 412.200 421.260 464.290 470.400 526.010 568.500 570.930 581.000 625.300 643.200 680.900 701.900 705.080 708.820 747.100 811.920 830.060 832.200 866.400 932.350 936.790 984.600 1023.800 1054.700 1060.280 1276.920 1283.450 1349.400 1354.350 1504.900 1582.200 1698.600 1801.300 1974.000	1.1000 0.1300 1.4000 1.0000 0.0400 0.0400 0.1100 0.1900 0.0700 0.0500 0.2700 0.0700 0.2900 0.1100 0.0600 0.3200 0.0600 0.0900 0.4000 0.1300 0.0400 0.8900 0.9300 0.2400 0.1100 0.7300 0.7500 0.2000 0.0600 0.0800 0.0500 0.1100 0.3500 0.0500 0.0900 0.1100 0.0200 0.1200 0.0900 0.0600		3.8862	2.9385
166 Lu m1	71	2.120 m	102.380 228.120 511.000 518.000 1067.320	0.1100 0.0400 0.6960 0.0100 0.0550		1.0277	0.7658

Muclide	Z	Half Life	Energy keV	Yield	R ^{2m2} /h/Ci	T
					Rem/h/Ci	
166 Lu m1	71	2.120 m	1249.400	0.0150	1.0277	0.7658
			1256.640	0.1500		
			1358.790	0.1320		
			1427.180	0.2260		
			1477.500	0.0270		
			1529.730	0.1090		
			1579.400	0.0100		
			1820.400	0.0090		
			1923.000	0.0240		
			1996.250	0.0330		
			2098.600	0.1590		
			2324.500	0.0930		
			2425.900	0.0060		
166 Lu	71	2.650 m	67.570	0.0390	1.1344	0.6965
			74.920	0.0090		
			93.200	0.0020		
			99.530	0.0045		
			102.380	0.2500		
			139.000	0.0041		
			160.000	0.0024		
			166.600	0.0016		
			191.800	0.0049		
			195.540	0.0085		
			208.650	0.0370		
			212.400	0.0114		
			219.400	0.0033		
			228.120	0.7700		
			248.530	0.0480		
			268.160	0.0081		
			272.200	0.0163		
			274.410	0.0990		
			276.280	0.1360		
			288.870	0.0190		
			294.800	0.0039		
			319.370	0.0075		
			330.900	0.0045		
			337.500	0.4070		
			353.960	0.0054		
			360.090	0.0360		
			367.950	0.3120		
			377.400	0.0037		
			382.970	0.0310		
			386.700	0.0028		
			397.020	0.0147		
			430.280	0.0500		
			442.870	0.0053		
			445.800	0.0022		
			453.860	0.0157		
			467.700	0.0037		
			474.740	0.0273		
			487.200	0.0063		
			490.400	0.0044		
			494.200	0.0024		
			511.000	0.4200		
			523.900	0.0050		
			534.200	0.0053		
			537.640	0.0810		

Muclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/l./Ci
166 Lu	71	2.650 m	577.700	0.0400	1.1344	0.8965
			625.300	0.0041		
			629.320	0.0700		
			648.100	0.0041		
			659.930	0.0370		
			705.000	0.0053		
			708.820	0.0114		
			714.390	0.0061		
			735.200	0.0037		
			760.900	0.0024		
			794.410	0.0300		
			812.000	0.0122		
			814.460	0.0670		
			832.200	0.0600		
			837.570	0.0273		
			860.560	0.0330		
			901.500	0.0041		
			936.790	0.0570		
			975.000	0.0033		
			997.380	0.1790		
			1021.200	0.0055		
			1056.400	0.0210		
			1060.280	0.0130		
			1067.340	0.0250		
			1122.380	0.0400		
			1144.400	0.0049		
			1151.100	0.0045		
			1165.200	0.0041		
			1174.800	0.0440		
			1185.200	0.0081		
			1186.900	0.0041		
			1197.200	0.0057		
			1201.500	0.0041		
			1234.200	0.0085		
			1240.050	0.0134		
			1261.700	0.0033		
			1290.710	0.0970		
			1301.900	0.0065		
			1306.000	0.0049		
			1310.800	0.0053		
			1349.400	0.0033		
			1354.350	0.0170		
			1398.000	0.0073		
			1459.630	0.0780		
			1487.300	0.0106		
			1497.330	0.0073		
			1505.100	0.0073		
			1582.200	0.0024		
			16..630	0.0094		
			1640.300	0.0037		
			1645.400	0.0028		
			1685.850	0.0049		
			1720.300	0.0024		
166 Hf	72	6.770 m	78.760	0.4100	0.1167	0.0999
			93.050	0.0330		
			170.000	0.0045		
			244.600	0.0160		

Nuclide	Z	Half Life	Energy keV	Yield	$R^{162}_{\text{Ra}}/\text{h/Ci}$	Γ^{T}	$R^{162}_{\text{Ra}}/\text{h/Ci}$
166 Hf	72	6.770 m	283.920	0.0160	0.1167	0.0999	
			298.770	0.0130			
			306.800	0.0170			
			338.980	0.0120			
			341.820	0.0470			
			355.100	0.0110			
			377.600	0.0400			
			407.910	0.0450			
			430.740	0.0130			
			483.050	0.0410			
			511.000	0.1464			
167 Dy	66	6.200 m	60.440	0.0091			
			72.670	0.0014			
			90.260	0.0043			
			133.190	0.0312			
			150.580	0.0067			
			159.7	0.0048			
			250.6	0.0960			
			259.3	0.2780			
			310.230	0.2500			
			352.200	0.0101			
			569.700	0.4800			
			579.400	0.0023			
			599.200	0.0082			
			662.900	0.0034			
			689.400	0.0024			
			707.100	0.0096			
			738.800	0.0058			
			746.000	0.0041			
			799.000	0.0038			
			830.800	0.0034			
			848.300	0.0048			
			909.100	0.0038			
			920.500	0.0024			
			981.400	0.0024			
			997.500	0.0046			
			1080.300	0.0030			
			1094.600	0.0024			
			1272.900	0.0031			
			1405.600	0.0023			
167 Ho	67	3.100 h	57.100	0.0400			
			73.800	0.0046			
			79.300	0.0220			
			83.500	0.0160			
			131.000	0.0010			
			131.700	0.0010			
			148.300	0.0011			
			207.800	0.0500			
			208.700	0.0017			
			237.900	0.0520			
			254.700	0.0021			
			315.000	0.0074			
			321.300	0.2410			
			332.000	0.0017			
			346.500	0.5730			
			386.200	0.0340			

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
167 Ho	67	3.100 h	398.600 403.000 430.000 460.000 463.000 480.000 668.000 745.000	0.0092 0.0330 0.0013 0.0210 0.0046 0.0015 0.0023 0.0017	0.2002	0.1805
167 Er	68	2.280 s	207.800	0.4170	0.0457	0.0426
167 Tm	69	9.240 d	57.100 207.800 531.500	0.0355 0.4100 0.0160	0.0510	0.0467
167 Yb	70	17.500 m	37.050 62.900 105.190 106.160 113.320 116.570 131.990 143.460 169.040 176.230 177.220 511.000 920.320 1037.070 1234.630	0.0010 0.0490 0.0059 0.2250 0.5500 0.0282 0.0278 0.0210 0.0016 0.2040 0.0270 0.0100 0.0012 0.0061 0.0016	0.0736	0.0746
167 Hf	72	2.050 m	139.900 175.400 315.240 511.000	0.0310 0.0490 0.8120 0.8580	0.4034	0.3346
168 Ho	67	3.000 m	79.800 99.000 99.289 184.281 198.221 422.302 447.461 546.730 557.010 631.670 645.560 720.170 730.580 741.300 748.290 815.900 821.090 829.890 914.860 1173.500 1297.270 1358.990	0.1000 0.0012 0.0029 0.0610 0.0240 0.0022 0.0136 0.0016 0.0066 0.0320 0.0011 0.0076 0.0150 0.3600 0.0013 0.1800 0.3400 0.0020 0.0086 0.0014 0.0034 0.0019	0.4619	0.3398

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem/h/Ci	
168 Ho	67	3.000 m	1371.850	0.0130	0.4619	0.3398
			1603.720	0.0012		
			1651.370	0.0012		
			1768.360	0.0025		
			1835.400	0.0011		
			1848.240	0.0024		
			1850.420	0.0017		
			1930.250	0.0012		
			2345.080	0.0020		
168 Tm	69	93.100 d	79.800	0.1100	0.6043	0.4611
			98.984	0.0062		
			99.289	0.0374		
			184.281	0.1640		
			198.221	0.5000		
			272.870	0.0010		
			348.500	0.0031		
			422.302	0.0027		
			447.461	0.2190		
			546.730	0.0241		
			557.010	0.0019		
			631.670	0.0780		
			645.560	0.0141		
			673.490	0.0013		
			720.170	0.1090		
			730.580	0.0450		
			741.300	0.1130		
			748.290	0.0033		
			815.900	0.4600		
			821.090	0.1110		
			829.890	0.0620		
			914.860	0.0288		
			1277.330	0.0162		
			1461.740	0.0033		
168 Lu	71	5.300 m	111.400	0.1170	0.5558	0.4357
			112.400	0.1190		
			145.000	0.0127		
			156.600	0.1460		
			179.600	0.0840		
			223.600	0.0860		
			228.600	0.2260		
			324.700	0.0740		
			348.300	0.0910		
			374.200	0.0127		
			384.750	0.0336		
			397.200	0.0180		
			401.000	0.0670		
			479.400	0.0240		
			511.000	0.1052		
			539.800	0.1130		
			583.400	0.0700		
			860.000	0.0312		
			1158.500	0.0082		
			1185.000	0.1100		
			1233.500	0.0264		
			1387.500	0.0168		
			1413.500	0.0394		

Muclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T
					Rem ² /h/Ci	Rem/h/Ci
168 Lu	71	5.300 m	1483.600	0.1730		
			1525.000	0.0108	0.5558	0.4357
			1533.300	0.0670		
			1686.000	0.0480		
			1712.000	0.0048		
168 Lu m	71	5.700 m	68.000	0.0016	1.1473	0.8539
			87.730	0.1340		
			99.500	0.0240		
			122.800	0.0043		
			131.000	0.0140		
			148.500	0.0140		
			198.820	0.2800		
			246.500	0.0109		
			298.750	0.0260		
			348.300	0.0140		
			371.800	0.0078		
			379.900	0.0062		
			384.750	0.0062		
			384.800	0.0062		
			467.900	0.0109		
			483.000	0.0031		
			511.000	0.2523		
			606.900	0.0125		
			652.300	0.0062		
			697.500	0.0047		
			717.000	0.0031		
			730.300	0.0187		
			752.500	0.0200		
			780.500	0.0370		
			806.000	0.0094		
			853.500	0.0480		
			884.600	0.1400		
			896.000	0.1560		
			902.300	0.0125		
			965.000	0.0078		
			979.200	0.2000		
			983.800	0.1200		
			987.900	0.0156		
			1012.900	0.0109		
			1015.700	0.0187		
			1032.600	0.1090		
			1071.700	0.0370		
			1083.800	0.0550		
			1089.300	0.0125		
			1136.800	0.1250		
			1164.700	0.0109		
			1193.000	0.0078		
			1219.900	0.1080		
			1233.500	0.0330		
			1256.500	0.0140		
			1264.500	0.0300		
			1289.000	0.0031		
			1303.200	0.0047		
			1311.200	0.0109		
			1337.700	0.0420		
			1360.000	0.0047		
			1363.900	0.0390		

Muclide	Z	Half Life	Energy keV	Yield	R ^{rem} R ^{em2} /h/Ci	R ^{em} Rem/h/Ci
168 Lu m	71	6.700 m	1387.500	0.0094		
			1392.000	0.0094		
			1420.800	0.1050		
			1463.500	0.0250		
			1510.000	0.0187		
			1848.600	0.0047		
			1917.500	0.0109		
			1969.500	0.0047		
			2116.000	0.0125		
			2141.400	0.0280		
			2273.000	0.0078		
			2340.000	0.0109		
169 Yb	70	32.010 d	63.119	0.4160		
			93.613	0.0255		
			109.777	0.1740		
			118.187	0.0191		
			130.520	0.1150		
			177.210	0.2230		
			197.953	0.3590		
			240.400	0.0012		
			261.072	0.0168		
			307.730	0.0990		
169 Lu	71	1.419 d	62.750	0.1230		
			70.850	0.2250		
			75.000	0.0034		
			87.400	0.1790		
			90.750	0.0300		
			92.000	0.0170		
			104.350	0.0200		
			110.900	0.0550		
			133.500	0.0064		
			144.600	0.0130		
			156.900	0.0148		
			161.700	0.0010		
			165.000	0.0184		
			166.500	0.0018		
			191.300	0.2220		
			198.400	0.0090		
			226.200	0.0027		
			244.400	0.0047		
			258.400	0.0044		
			291.300	0.0044		
			369.200	0.0100		
			379.600	0.0240		
			404.200	0.0024		
			456.500	0.0064		
			470.400	0.0050		
			480.000	0.0014		
			482.900	0.0023		
			489.000	0.0018		
			511.000	0.0247		
			545.400	0.0036		
			548.500	0.0036		
			560.500	0.0010		
			563.000	0.0030		
			576.400	0.0094		

Muclide	Z	Half Life	Energy keV	Yield	R Rm2/h/Ci	T Rem/h/Ci
169 Lu	71	1.419 d	590.600	0.0062	0.5978	0.4552
			623.000	0.0027		
			635.300	0.0040		
			636.200	0.0023		
			647.200	0.0033		
			655.400	0.0016		
			670.000	0.0024		
			675.900	0.0010		
			590.700	0.0130		
			707.500	0.0050		
			719.800	0.0035		
			728.500	0.0034		
			760.700	0.0090		
			761.700	0.0100		
			820.900	0.0020		
			879.700	0.0054		
			889.500	0.0480		
			920.000	0.0014		
			960.300	0.2370		
			1060.000	0.0175		
			1064.900	0.0033		
			1068.200	0.0080		
			1073.600	0.0067		
			1076.500	0.0010		
			1109.800	0.0020		
			1162.000	0.0020		
			1170.800	0.0068		
			1176.400	0.0020		
			1184.500	0.0214		
			1198.600	0.0013		
			1205.700	0.0060		
			1211.800	0.0047		
			1219.400	0.0020		
			1240.500	0.0333		
			1258.900	0.0053		
			1256.400	0.0013		
			1271.600	0.0079		
			1276.600	0.0027		
			1290.200	0.0100		
			1311.900	0.0026		
			1317.900	0.0013		
			1350.000	0.0017		
			1372.500	0.0017		
			1375.800	0.0067		
			1378.500	0.0290		
			1391.700	0.0162		
			1410.700	0.0019		
			1424.800	0.0014		
			1450.400	0.0940		
			1462.800	0.0130		
			1497.700	0.0017		
			1502.900	0.0017		
			1517.000	0.0029		
			1524.400	0.0014		
			1529.600	0.0062		
			1590.200	0.0050		
			1618.400	0.0053		
			1675.000	0.0047		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
169 Lu	71	1.419 d	1682.000 1688.700 1688.700 1707.300 1782.000 1973.900 1994.900 2055.800 2139.700 2159.200 2222.500 2236.600	0.0047 0.0038 0.1000 0.0060 0.0092 0.0034 0.0044 0.0074 0.0019 0.0010 0.0014 0.0043	0.5978	0.4552
169 Hf	72	3.250 m	123.600 369.500 492.860 511.000	0.1300 0.1040 0.8960 0.3120	0.3758	0.2934
170 Ho	67	2.800 m	78.700 181.600 280.800 412.900 477.300 672.000 750.300 843.200 853.000 890.000 931.800 941.100 957.000 1024.700 1044.100 1111.600 1138.500 1147.800 1152.900 1225.800 1306.900	0.1200 0.2500 0.0240 0.0260 0.0300 0.0310 0.0620 0.0360 0.0410 0.1900 0.3500 0.1800 0.0370 0.0110 0.0590 0.0190 0.1900 0.0027 0.0190 0.0400 0.0053	0.7152	0.5304
170 Tm	69	4.060E-06 s	68.000 76.000 115.000 144.000	0.1600 0.0300 0.0770 0.6100	0.0522	0.0543
170 Tm	69	128.600 d	84.257	0.0326	0.0012	0.0013
170 Lu	71	2.000 d	84.262 152.600 193.130 241.500 283.050 286.600 323.570 395.950 419.650 455.500 492.580	0.0870 0.0027 0.0207 0.0023 0.0020 0.0045 0.0034 0.0019 0.0050 0.0013 0.0057	0.9487	0.7001

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
170 Lu	71	2.000 d	540.150	0.0021	0.9487	0.7001
			544.240	0.0083		
			572.200	0.0125		
			579.400	0.0045		
			688.000	0.0020		
			707.100	0.0013		
			829.300	0.0049		
			839.300	0.0070		
			855.150	0.0096		
			884.100	0.0034		
			926.400	0.0026		
			935.750	0.0158		
			942.450	0.0021		
			947.800	0.0016		
			954.300	0.0022		
			966.850	0.0014		
			970.200	0.0011		
			980.300	0.0013		
			983.670	0.0031		
			985.100	0.0540		
			987.250	0.0166		
			988.500	0.0013		
			999.000	0.0023		
			999.600	0.0152		
			1002.300	0.0013		
			1003.200	0.0345		
			1028.800	0.0081		
			1050.400	0.0099		
			1054.280	0.0460		
			1055.230	0.0022		
			1057.700	0.0021		
			1061.350	0.0022		
			1061.390	0.0211		
			1092.000	0.0019		
			1101.700	0.0095		
			1113.100	0.0010		
			1119.400	0.0018		
			1133.600	0.0103		
			1137.000	0.0016		
			1138.650	0.0349		
			1141.300	0.0051		
			1144.650	0.0167		
			1145.800	0.0175		
			1181.500	0.0045		
			1206.300	0.0013		
			1217.300	0.0020		
			1218.500	0.0136		
			1222.300	0.0064		
			1225.650	0.0480		
			1230.200	0.0011		
			1235.900	0.0023		
			1257.200	0.0137		
			1263.450	0.0031		
			1268.300	0.0012		
			1280.250	0.0790		
			1294.700	0.0284		
			1306.300	0.0049		
			1307.550	0.0108		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
170 Lu	71	2.000 d	1308.000	0.0012	0.9487	0.7001
			1312.900	0.0031		
			1323.000	0.0017		
			1341.200	0.0316		
			1361.100	0.0011		
			1364.600	0.0448		
			1373.500	0.0017		
			1380.800	0.0012		
			1383.600	0.0019		
			1395.000	0.0040		
			1395.650	0.0220		
			1403.790	0.0020		
			1405.150	0.0253		
			1410.300	0.0013		
			1413.200	0.0022		
			1426.720	0.0045		
			1427.270	0.0033		
			1428.080	0.0338		
			1435.400	0.0025		
			1449.640	0.0013		
			1450.200	0.0157		
			1455.250	0.0114		
			1459.850	0.0105		
			1482.150	0.0060		
			1512.500	0.0248		
			1514.600	0.0055		
			1534.550	0.0091		
			1550.550	0.0045		
			1575.100	0.0050		
			1602.200	0.0010		
			1609.400	0.0022		
			1641.300	0.0031		
			1678.600	0.0022		
			1700.900	0.0013		
			1843.300	0.0012		
			1860.300	0.0054		
			1901.350	0.0059		
			1955.650	0.0134		
			2031.700	0.0036		
			2040.000	0.0254		
			2041.880	0.0590		
			2116.000	0.0016		
			2116.600	0.0049		
			2126.110	0.0500		
			2191.150	0.0159		
			2268.100	0.0019		
			2275.400	0.0087		
			2279.900	0.0019		
			2315.900	0.0021		
			2364.100	0.0145		
			2400.150	0.0041		
			2411.900	0.0080		
			2424.400	0.0012		
			2438.600	0.0010		
			2452.700	0.0013		
			2496.150	0.0074		
			2523.000	0.0013		
			2582.900	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
170 Lu	71	2.000 d	2561.000	0.0022	0.9487	0.7001
			2663.950	0.0122		
			2691.450	0.0222		
			2698.800	0.0059		
			2748.150	0.0207		
			2775.700	0.0011		
			2783.000	0.0100		
			2845.300	0.0167		
			2849.500	0.0021		
			2855.400	0.0032		
			2929.500	0.0058		
			2939.650	0.0150		
			3036.900	0.0021		
170 Hf	72	16.010 h	39.060	0.0070	0.2623	0.2117
			44.520	0.0032		
			47.800	0.0370		
			54.030	0.0139		
			55.190	0.0142		
			62.800	0.0014		
			70.420	0.0028		
			71.480	0.0028		
			71.580	0.0011		
			74.900	0.0022		
			80.130	0.0078		
			98.550	0.0420		
			99.930	0.0250		
			112.800	0.0011		
			113.900	0.0022		
			115.000	0.0025		
			115.950	0.0081		
			116.900	0.0047		
			117.800	0.0056		
			119.150	0.0106		
			120.190	0.1910		
			146.300	0.0145		
			162.600	0.0173		
			164.710	0.3300		
			168.000	0.0050		
			169.000	0.0075		
			185.400	0.0027		
			187.900	0.0011		
			198.500	0.0017		
			208.100	0.0340		
			209.300	0.0064		
			225.500	0.0109		
			242.800	0.0010		
			257.800	0.0011		
			262.000	0.0011		
			269.000	0.0014		
			278.800	0.0011		
			291.400	0.0134		
			304.100	0.0038		
			308.900	0.0260		
			310.500	0.0012		
			315.400	0.0014		
			349.000	0.0137		
			378.000	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
170 Hf	72	16.010 h	425.700	0.0110	0.2623	0.2117
			470.200	0.0067		
			481.300	0.0470		
			501.600	0.0470		
			510.900	0.0021		
			540.700	0.0310		
			572.900	0.1840		
			587.100	0.0033		
			602.200	0.0011		
			608.800	0.0021		
			615.500	0.0047		
			620.700	0.2280		
			669.400	0.0021		
			686.700	0.0033		
			740.800	0.0023		
			746.500	0.0011		
			757.100	0.0051		
			770.200	0.0016		
			801.700	0.0033		
171 Er	68	7.520 h	111.621	0.2100	0.1921	0.1819
			116.656	0.0235		
			124.017	0.0930		
			210.600	0.0066		
			237.140	0.0031		
			277.430	0.0059		
			295.901	0.2950		
			308.291	0.6600		
			371.960	0.0026		
			670.700	0.0026		
			676.100	0.0029		
			784.100	0.0025		
			796.600	0.0065		
			907.700	0.0065		
171 Tm	69	1.921 y	66.718	0.0015	0.0001	0.0001
171 Lu m	71	1.317 m	71.000	0.0020	0.0001	0.0001
171 Lu	71	8.220 d	46.516	0.0320	0.3925	0.3011
			55.679	0.0620		
			66.718	0.3300		
			72.365	0.1900		
			75.872	0.6200		
			85.590	0.0660		
			91.390	0.0230		
			109.270	0.0220		
			163.800	0.0019		
			194.880	0.0021		
			498.700	0.0013		
			517.700	0.0046		
			627.000	0.0089		
			667.290	0.1160		
			689.200	0.0252		
			712.560	0.0123		
			739.670	0.5300		
			767.380	0.0076		
			780.530	0.0470		

Nuclide	Z	Half Life	Energy keV	Yield	Γ $\text{R}^{\text{nat}}/\text{h/Ci}$	T $\text{Rem}/\text{h/Ci}$
171 Lu	71	8.220 d	825.670 839.770 852.830 902.100 948.480 1281.720	0.0018 0.0340 0.0280 0.0018 0.0012 0.0036	0.3925 0.3011	
172 Er	68	2.054 d	38.690 56.620 59.690 62.520 68.000 75.000 127.800 164.000 202.720 344.820 383.500 407.340 446.000 475.450 535.140 610.000	0.0092 0.0880 0.0540 0.0316 0.3700 0.0022 0.0570 0.0080 0.0117 0.0070 0.0271 0.4500 0.0316 0.0111 0.0031 0.4700	0.3135	0.2490
172 Tm	69	2.650 d	78.750 90.600 142.560 181.520 399.740 436.100 490.420 528.260 857.540 912.000 964.120 1039.000 1076.160 1093.580 1119.740 1155.000 1205.620 1288.790 1348.170 1387.150 1398.000 1402.500 1465.900 1470.340 1476.700 1529.730 1584.000 1608.480	0.0660 0.0014 0.0022 0.0278 0.0012 0.0025 0.0042 0.0013 0.0014 0.0143 0.0034 0.0014 0.0080 0.0600 0.0025 0.0016 0.0016 0.0051 0.0018 0.0560 0.0081 0.0018 0.0450 0.0188 0.0031 0.0510 0.0058 0.0420	0.2367	0.1759
172 Yb	70	3.600E-06 s	78.700 90.700 112.700 174.600 181.600	0.1066 0.2500 0.2900 0.6485 0.3634	0.7492	0.5957

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
172 Yb	70	3.600E-06 s	197.600	0.0700	0.7492	0.5957
			203.400	0.3023		
			279.700	0.2289		
			723.000	0.0030		
			813.500	0.0200		
			912.800	0.1300		
			1003.500	0.0300		
			1011.000	0.2300		
			1093.200	0.0500		
			1094.400	0.4900		
			1116.200	0.0300		
			1184.000	0.0030		
172 Lu	71	6.700 d	78.670	0.1060	0.9934	0.7407
			90.570	0.0520		
			112.700	0.0450		
			145.720	0.0016		
			181.470	0.1990		
			196.360	0.0012		
			203.370	0.0604		
			247.120	0.0050		
			264.760	0.0065		
			270.000	0.0220		
			279.700	0.0110		
			319.000	0.0017		
			323.890	0.0157		
			330.440	0.0062		
			358.480	0.0012		
			366.680	0.0032		
			372.500	0.0277		
			377.520	0.0318		
			399.750	0.0054		
			410.300	0.0208		
			423.000	0.0017		
			427.570	0.0015		
			432.530	0.0154		
			437.550	0.0024		
			443.420	0.0016		
			482.130	0.0072		
			486.170	0.0074		
			490.400	0.0200		
			512.780	0.0016		
			524.320	0.0024		
			528.230	0.0401		
			536.260	0.0070		
			540.150	0.0134		
			551.190	0.0043		
			566.280	0.0017		
			576.780	0.0036		
			584.600	0.0037		
			594.560	0.0058		
			607.160	0.0065		
			625.600	0.0029		
			630.820	0.0030		
			644.400	0.0024		
			681.760	0.0076		
			697.260	0.0590		
			709.130	0.0072		

Nuclide	Z	Half Life	Energy	Yield	T ₁	R ² m ² /h/Ci	R ² m/h/Ci
172 Lu	71	6.700 d	723.000	0.0049	1041.000	0.0038	0.7407
172 Hf	72	1.871 y	41.000	0.0034	1609.180	0.0010	0.0162
172 Ta	73	36.800 m	95.260	0.1740	113.900	0.0021	0.7854 0.5986
					237.630	0.0190	
					221.130	0.0119	
					214.000	0.5200	
					113.900	0.0021	
					154.770	0.0011	
					128.000	0.0110	
					125.860	0.1150	
					123.000	0.0336	
					114.000	0.0230	
					81.750	0.0580	
					70.000	0.0108	
					67.450	0.0650	
					44.000	0.0036	
					2095.700	0.0011	
					2082.660	0.0030	
					1994.300	0.0016	
					1914.780	0.0058	
					1812.890	0.0018	
					1724.400	0.0043	
					1670.190	0.0055	
					1666.330	0.0017	
					1622.000	0.0213	
					1609.180	0.0010	
					1602.620	0.0029	
					1584.180	0.0253	
					1579.700	0.0020	
					1542.890	0.0096	
					1529.720	0.0014	
					1489.000	0.0110	
					1470.480	0.0060	
					1466.120	0.0066	
					1402.870	0.0061	
					1397.290	0.0034	
					1387.220	0.0080	
					1322.380	0.0015	
					1289.000	0.0015	
					1184.290	0.0049	
					1166.460	0.0014	
					1116.000	0.0020	
					1113.200	0.0188	
					1093.640	0.6360	
					1080.800	0.0114	
					1041.000	0.0038	
					1022.330	0.0148	
					1019.230	0.0017	
					1002.750	0.0526	
					970.640	0.0010	
					967.500	0.0019	
					929.000	0.0315	
					912.000	0.1470	
					900.690	0.2880	
					816.340	0.0110	
					310.000	0.1600	
					723.000	0.0049	
					6.700 d	0.9934	
						0.7407	

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
172 Ta	73	36.800 m	280.000	0.0016	0.7854	0.5986
			289.290	0.0158		
			318.800	0.0490		
			335.220	0.0068		
			366.140	0.0031		
			379.790	0.0084		
			382.590	0.0042		
			402.000	0.0033		
			406.000	0.0031		
			419.740	0.0016		
			445.000	0.0062		
			458.690	0.0052		
			500.700	0.0073		
			503.000	0.0126		
			511.000	0.5006		
			564.190	0.0059		
			643.260	0.0216		
			653.640	0.0047		
			721.900	0.0052		
			776.000	0.0239		
			820.440	0.0320		
			835.000	0.0047		
			839.000	0.0040		
			843.840	0.0090		
			872.000	0.0140		
			952.250	0.0185		
			980.000	0.0370		
			988.900	0.0023		
			995.520	0.0206		
			1034.390	0.0192		
			1050.000	0.0220		
			1075.300	0.0350		
			1085.580	0.0760		
			1109.300	0.1400		
			1147.170	0.0020		
			1153.850	0.0125		
			1162.470	0.0108		
			1172.770	0.0055		
			1186.540	0.0254		
			1199.800	0.0028		
			1209.860	0.0160		
			1240.490	0.0200		
			1264.160	0.0196		
			1266.000	0.0246		
			1277.620	0.0269		
			1330.400	0.0760		
			1375.220	0.0197		
			1387.000	0.0255		
			1419.770	0.0050		
			1479.570	0.0225		
			1481.630	0.0033		
			1544.600	0.0620		
			1695.580	0.0082		
			2141.200	0.0027		
			2355.000	0.0056		
173 Er	68	1.400 m	94.200	0.0480	0.4351	0.3464
			116.140	0.1900		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
173 Er	68	1.400 m	118.600	0.0250	0.4351	0.3464
			122.400	0.2060		
			192.800	0.4700		
			199.200	0.4800		
			800.800	0.1000		
			895.200	0.5400		
173 Tm	69	8.240 h	62.600	0.0090	0.2188	0.1831
			398.900	0.8770		
			461.400	0.0680		
173 Lu	71	1.371 y	62.150	0.0022	0.0316	0.0295
			78.640	0.0780		
			100.695	0.0312		
			171.350	0.0177		
			179.300	0.0084		
			233.500	0.0035		
			272.010	0.1300		
			285.330	0.0035		
			350.660	0.0019		
			557.300	0.0030		
			635.900	0.0087		
173 Hf	72	24.000 h	123.620	0.8300	0.1771	0.1701
			134.950	0.0460		
			139.570	0.1220		
			161.900	0.0600		
			171.500	0.0012		
			296.900	0.3670		
			306.560	0.0670		
			311.200	0.1120		
			357.000	0.0047		
			511.000	0.0074		
			540.300	0.0037		
			549.900	0.0044		
			718.500	0.0029		
			853.400	0.0032		
			875.000	0.0023		
			879.700	0.0039		
			899.100	0.0099		
			1034.100	0.0042		
			1038.700	0.0032		
			1205.700	0.0030		
173 Ta	73	3.650 h	37.400	0.0124	0.2669	0.2067
			58.000	0.0049		
			69.700	0.0600		
			81.500	0.0147		
			90.100	0.0037		
			90.300	0.0500		
			115.000	0.0038		
			160.400	0.0500		
			172.200	0.1750		
			180.600	0.0220		
			205.400	0.0016		
			246.800	0.0012		
			267.000	0.0033		
			438.300	0.0030		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
173 Ta	73	3.650 h	511.000	0.4482	0.2669	0.2067
			529.800	0.0045		
			549.600	0.0037		
			587.800	0.0020		
			667.700	0.0033		
			685.600	0.0012		
			700.600	0.0120		
			730.600	0.0060		
			739.600	0.0010		
			742.000	0.0010		
			778.200	0.0050		
			799.100	0.0044		
			811.700	0.0040		
			822.800	0.0032		
			846.100	0.0046		
			851.000	0.0012		
			857.600	0.0028		
			864.600	0.0033		
			873.000	0.0070		
			876.600	0.0035		
			888.700	0.0018		
			914.000	0.0028		
			938.700	0.0010		
			942.000	0.0018		
			950.400	0.0024		
			958.600	0.0050		
			995.400	0.0026		
			1006.600	0.0056		
			1030.000	0.0160		
			1045.200	0.0030		
			1085.500	0.0030		
			1127.000	0.0010		
			1178.700	0.0026		
			1208.200	0.0270		
			1253.000	0.0016		
			1343.200	0.0018		
			1368.200	0.0038		
			1380.300	0.0054		
			1393.500	0.0072		
			1405.300	0.0010		
			1413.500	0.0012		
			1425.200	0.0014		
			1432.200	0.0056		
			1492.500	0.0012		
			1574.200	0.0033		
			1585.700	0.0010		
			1597.600	0.0028		
			1613.200	0.0047		
			2001.300	0.0010		
174 Tm	69	5.400 m	76.480	0.1000	0.9807	0.8010
			176.643	1.0700		
			224.235	0.0030		
			273.000	0.9000		
			288.000	0.0140		
			319.500	0.0030		
			363.500	0.0250		
			366.480	0.9600		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ² /h/Ci	Rem/h/Ci
174 Tm	69	5.400 m	443.500 494.000 628.400 860.600 992.000 1241.830 1264.600 1305.470	0.0120 0.1050 0.0200 0.0250 0.8400 0.0140 0.0250 0.0060	0.9807	0.8010
174 Lu m	71	142.000 d	44.730 67.000 111.800 126.200 176.643 273.000 992.000	0.1230 0.0743 0.0040 0.0050 0.0070 0.0070 0.0070	0.0135	0.0107
174 Lu	71	3.312 y	76.480 1241.830	0.0537 0.0600	0.0406	0.0305
174 Ta	73	72.000 m	91.000 206.470 310.840 454.000 511.000 602.900 764.900 809.300 900.400 971.400 1096.500 1136.000 1151.900 1205.900 1227.000 1303.700 1359.000	0.1600 0.6420 0.0140 0.0020 0.4731 0.0044 0.0130 0.0080 0.0059 0.0120 0.0043 0.0070 0.0084 0.0520 0.0240 0.0020 0.0200	0.3139	0.2512
175 Tm	69	15.200 m	104.527 162.500 172.166 295.600 311.270 325.300 363.957 394.000 405.147 423.500 428.626 436.159 477.401 487.840 505.030 514.863 534.723 556.090 577.280 602.770	0.0140 0.0040 0.0024 0.0040 0.0070 0.0028 0.1280 0.0330 0.0026 0.0034 0.0010 0.0230 0.0280 0.0072 0.0040 0.8660 0.0200 0.0027 0.0124 0.0013	0.6415	0.4834

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
175 Tm	69	15.200 m	625.800	0.0031	0.6415	0.4834
			639.274	0.0610		
			657.320	0.0011		
			670.200	0.0018		
			685.000	0.0011		
			767.130	0.0034		
			800.000	0.0020		
			811.390	0.0430		
			858.260	0.0570		
			871.690	0.0054		
			894.680	0.0780		
			941.150	0.1420		
			948.000	0.0037		
			954.100	0.0180		
			982.100	0.0090		
			982.550	0.0990		
			993.000	0.0037		
			1053.400	0.0014		
			1126.500	0.0034		
			1134.200	0.0028		
			1154.500	0.0034		
			1168.000	0.0013		
			1176.300	0.0031		
			1237.000	0.0028		
			1252.600	0.0023		
			1261.900	0.0027		
			1308.900	0.0043		
			1335.800	0.0047		
			1349.600	0.0011		
			1376.900	0.0300		
			1454.400	0.0013		
			1511.000	0.0011		
			1525.100	0.0126		
			1558.800	0.0017		
			1600.000	0.0017		
175 Yb	70	4.190 d	113.803	0.0191	0.0209	0.0184
			137.656	0.0012		
			144.861	0.0033		
			282.517	0.0310		
			396.322	0.0650		
175 Hf	72	70.000 d	89.360	0.0235	0.1803	0.1629
			113.800	0.0031		
			229.600	0.0076		
			318.900	0.0017		
			343.400	0.8686		
			353.600	0.0023		
			432.800	0.0160		
			432.800	0.0170		
175 Ta	73	10.500 h	50.500	0.0037	0.4283	0.3324
			70.500	0.0017		
			77.300	0.0172		
			81.500	0.0570		
			87.500	0.0012		
			90.000	0.0038		
			100.800	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	R ⁿ /h/Ci	T ⁿ Rem/h/Ci
175 Ta	73	10.500 h	104.400	0.0300	0.4263	0.3324
			125.900	0.0250		
			125.900	0.0550		
			126.600	0.0034		
			126.600	0.0027		
			132.000	0.0015		
			140.900	0.0220		
			162.000	0.0080		
			162.500	0.0140		
			162.500	0.0016		
			178.000	0.0027		
			179.100	0.0122		
			185.800	0.0061		
			192.700	0.0035		
			196.400	0.0015		
			207.400	0.1330		
			213.400	0.0010		
			216.400	0.0018		
			230.800	0.0067		
			259.800	0.0049		
			266.900	0.0042		
			266.900	0.1030		
			280.500	0.0065		
			288.900	0.0141		
			294.000	0.0016		
			308.900	0.0016		
			348.500	0.1140		
			361.400	0.0032		
			386.000	0.0061		
			393.200	0.0201		
			436.400	0.0380		
			443.300	0.0015		
			461.900	0.0022		
			475.000	0.0194		
			485.600	0.0013		
			511.000	0.0126		
			525.000	0.0032		
			539.600	0.0091		
			545.200	0.0012		
			561.600	0.0014		
			599.800	0.0022		
			619.400	0.0042		
			701.000	0.0019		
			730.600	0.0049		
			749.500	0.0023		
			789.100	0.0012		
			808.600	0.0061		
			842.700	0.0012		
			849.100	0.0046		
			852.300	0.0011		
			957.700	0.0300		
			866.300	0.0051		
			872.900	0.0030		
			876.400	0.0072		
			893.500	0.0014		
			900.200	0.0065		
			925.200	0.0011		
			947.100	0.0019		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m ² /h/Ci	Rem/h/Ci
175 Ta	73	10.500 h	962.100	0.0137	0.4283	0.3324
			967.000	0.0019		
			990.500	0.0046		
			993.800	0.0022		
			998.300	0.0240		
			1019.500	0.0038		
			1035.400	0.0076		
			1061.900	0.0011		
			1087.700	0.0011		
			1091.300	0.0017		
			1095.700	0.0030		
			1118.400	0.0076		
			1120.300	0.0015		
			1124.500	0.0014		
			1144.100	0.0110		
			1174.000	0.0019		
			1205.800	0.0046		
			1208.500	0.0053		
			1212.100	0.0057		
			1225.600	0.0240		
			1249.000	0.0057		
			1249.800	0.0230		
			1259.200	0.0046		
			1261.100	0.0019		
			1271.100	0.0057		
			1282.800	0.0019		
			1293.300	0.0042		
			1348.900	0.0027		
			1386.000	0.0011		
			1399.200	0.0030		
			1446.600	0.0017		
			1451.600	0.0034		
			1462.000	0.0028		
			1465.600	0.0019		
			1468.300	0.0053		
			1483.000	0.0032		
			1490.100	0.0076		
			1506.100	0.0046		
			1525.900	0.0013		
			1560.300	0.0028		
			1577.000	0.0014		
			1581.200	0.0030		
			1586.000	0.0152		
			1611.300	0.0025		
			1616.000	0.0030		
			1618.200	0.0125		
			1631.400	0.0030		
			1636.000	0.0160		
			1659.200	0.0103		
			1680.200	0.0022		
			1686.400	0.0011		
			1707.700	0.0046		
			1711.800	0.0110		
			1721.800	0.0110		
			1736.700	0.0087		
			1744.800	0.0129		
			1793.100	0.0440		
			1811.800	0.0034		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T
					Rem/h/Ci	
175 Ta	73	10.500 h	1826.100	0.0118	0.4283	0.3324
			1887.900	0.0036		
176 Tm	69	1.900 m	82.200	0.1200	0.9352	0.7186
			95.900	0.0086		
			101.100	0.0092		
			172.800	0.0096		
			189.800	0.4400		
			215.400	0.0040		
			234.300	0.0320		
			238.400	0.0250		
			239.800	0.0790		
			241.900	0.0110		
			255.200	0.0110		
			289.100	0.0140		
			292.900	0.0350		
			299.600	0.0320		
			305.400	0.0020		
			330.400	0.0860		
			343.500	0.0690		
			347.800	0.0090		
			381.800	0.2300		
			392.100	0.0069		
			410.600	0.0460		
			423.400	0.0082		
			440.900	0.0030		
			449.000	0.0069		
			451.500	0.0120		
			457.100	0.0280		
			482.200	0.0220		
			498.300	0.0092		
			520.200	0.0082		
			539.400	0.0069		
			554.600	0.0049		
			571.500	0.0069		
			621.700	0.0340		
			654.800	0.0059		
			712.100	0.0069		
			754.300	0.0059		
			774.800	0.0110		
			809.200	0.0190		
			852.800	0.0102		
			900.400	0.0260		
			921.500	0.0049		
			1006.200	0.0102		
			1011.500	0.0150		
			1023.200	0.0059		
			1050.000	0.0700		
			1069.200	0.3300		
			1088.200	0.0570		
			1111.100	0.0550		
			1163.600	0.0102		
			1178.700	0.0290		
			1254.100	0.0200		
			1260.900	0.0230		
			1273.200	0.0059		
			1282.400	0.0180		
			1349.500	0.0150		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
176 Tm	69	1.900 m	1353.300 1358.300 1493.100 1521.300 1589.200 1612.700 1748.000 1756.100 1845.000 1881.200 1970.800 2070.800 2265.500 2456.000 2614.100 2621.300 2677.700 2682.000 2780.700 2868.100 2871.900 2914.500	0.0069 0.0030 0.0090 0.0102 0.0280 0.0102 0.0069 0.0049 0.0069 0.0049 0.0240 0.0049 0.0049 0.0092 0.0092 0.0290 0.0092 0.0130 0.0059 0.0180 0.0210 0.0430	0.9352	0.7186
176 Yb	70	11.400 s	82.100 96.100 190.100 292.900 389.700	0.1400 0.7300 0.8200 0.9300 0.9100	0.4714	0.4338
176 Lu m	71	3.680 h	88.361	0.0880	0.0034	0.0038
176 Lu	71	3.602E+10 y	88.350 201.820 306.880 401.100	0.1300 0.8400 0.9300 0.0080	0.2559	0.2422
176 Ta	73	8.080 h	88.350 125.400 146.740 156.840 158.190 175.500 190.360 201.840 213.500 216.000 239.620 346.900 380.480 466.160 507.790 512.300 519.700 521.300 521.600 532.540 546.530 560.770	0.1140 0.0021 0.0020 0.0034 0.0022 0.0041 0.0040 0.0550 0.0041 0.0011 0.0052 0.0011 0.0013 0.0107 0.0139 0.0038 0.0031 0.0026 0.0230 0.0023 0.0051 0.0011	0.8935	0.6615

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem2/h/Ci	Rem/h/Ci
176 Ta	73	8.080 h	571.300	0.0025		0.8935	0.6615
			611.160	0.0122			
			616.790	0.0097			
			638.830	0.0019			
			644.860	0.0096			
			685.550	0.0011			
			710.500	0.0520			
			723.100	0.0013			
			740.970	0.0013			
			819.490	0.0025			
			820.000	0.0086			
			880.000	0.0069			
			923.940	0.0070			
			936.420	0.0054			
			957.400	0.0055			
			967.060	0.0013			
			1017.580	0.0011			
			1023.100	0.0260			
			1051.030	0.0010			
			1061.610	0.0052			
			1066.200	0.0062			
			1089.060	0.0019			
			1125.450	0.0014			
			1138.260	0.0066			
			1155.500	0.0062			
			1157.410	0.0330			
			1159.300	0.2400			
			1174.170	0.0020			
			1184.550	0.0010			
			1190.220	0.0440			
			1204.850	0.0032			
			1213.200	0.0014			
			1222.950	0.0190			
			1224.960	0.0550			
			1226.850	0.0035			
			1247.680	0.0044			
			1252.900	0.0300			
			1268.780	0.0128			
			1277.900	0.0015			
			1291.010	0.0128			
			1341.330	0.0320			
			1357.520	0.0190			
			1371.750	0.0015			
			1420.040	0.0044			
			1450.400	0.0035			
			1476.180	0.0046			
			1489.330	0.0070			
			1495.850	0.0018			
			1503.700	0.0010			
			1504.240	0.0073			
			1536.620	0.0037			
			1540.820	0.0034			
			1543.730	0.0024			
			1555.050	0.0390			
			1563.530	0.0019			
			1564.950	0.0040			
			1584.020	0.0510			
			1612.630	0.0017			

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
176 Ta	73	8.080 h	1616.180	0.0124		
			1628.500	0.0013		
			1633.740	0.0280		
			1643.450	0.0230		
			1659.210	0.0010		
			1672.320	0.0114		
			1679.180	0.0116		
			1693.700	0.0050		
			1697.800	0.0031		
			1704.700	0.0135		
			1705.400	0.0016		
			1722.040	0.0320		
			1745.290	0.0011		
			1765.750	0.0046		
			1768.220	0.0018		
			1774.560	0.0150		
			1793.170	0.0019		
			1823.700	0.0430		
			1836.340	0.0021		
			1861.150	0.0025		
			1862.740	0.0380		
			1949.800	0.0012		
			1956.480	0.0083		
			1977.850	0.0084		
			2044.870	0.0130		
			2192.330	0.0022		
			2219.490	0.0028		
			2246.920	0.0013		
			2280.600	0.0017		
			2307.700	0.0019		
			2317.000	0.0024		
			2361.500	0.0020		
			2394.600	0.0012		
			2405.200	0.0047		
			2513.820	0.0064		
			2602.150	0.0034		
			2674.200	0.0018		
			2773.800	0.0011		
			2832.000	0.0420		
			2885.550	0.0010		
			2920.410	0.0210		
176 W	74	2.300 h	50.500	0.0064		
			61.300	0.0670		
			84.000	0.0340		
			94.800	0.0683		
			100.200	0.7300		
176 Pt	78	6.330 s	226.000	0.0048		
177 Yb m	70	6.410 s	104.500	0.7651		
			227.000	0.1230		
177 Yb	70	1.900 h	121.620	0.0340		
			138.606	0.0133		
			147.165	0.0018		
			150.392	0.2000		
			268.801	0.0017		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem2/h/Ci	Rem/h/Ci
177 Yb	70	1.900 h	779.300	0.0012	0.0945	0.0744
			899.200	0.0064		
			941.700	0.0101		
			1028.000	0.0063		
			1080.100	0.0550		
			1109.000	0.0018		
			1119.600	0.0054		
			1149.700	0.0064		
			1230.700	0.0037		
			1241.400	0.0340		
177 Lu	71	6.710 d	71.646	0.0015	0.0160	0.0154
			112.952	0.0640		
			208.359	0.1100		
			249.686	0.0021		
			321.330	0.0022		
177 Lu m	71	160.900 d	55.150	0.0120	0.4993	0.4551
			71.646	0.0088		
			105.360	0.1220		
			112.952	0.2180		
			115.830	0.0061		
			117.010	0.0024		
			121.620	0.0600		
			128.480	0.1550		
			136.730	0.0139		
			145.590	0.0094		
			147.165	0.0370		
			153.250	0.1820		
			159.920	0.0061		
			171.868	0.0500		
			174.370	0.1280		
			177.050	0.0340		
			195.562	0.0090		
			204.060	0.1450		
			208.359	0.6200		
			214.450	0.0670		
			218.097	0.0300		
			228.440	0.3800		
			233.830	0.0570		
			249.686	0.0620		
			268.801	0.0340		
			281.780	0.1420		
			283.420	0.0035		
			291.420	0.0102		
			292.510	0.0082		
			296.450	0.0550		
			299.030	0.0153		
			305.520	0.0173		
			313.690	0.0129		
			319.040	0.1000		
			321.330	0.0107		
			327.660	0.1780		
			341.640	0.0181		
			367.440	0.0300		
			378.510	0.2800		
			385.020	0.0300		
			413.700	0.1700		

Nuclide	Z	Half Life	Energy keV	Yield	R R [*] m ² /h/Ci	T Rem/h/Ci
177 Lu m	71	160.900 d	418.510 426.290 465.960	0.2030 0.0041 0.0240	0.4993	0.4551
177 Hf m2	72	1.080 s	71.646 105.360 112.952 117.010 128.480 136.730 145.590 153.250 174.370 177.050 204.060 208.359 214.450 228.440 233.830 249.686 281.780 283.420 291.420 292.510 296.450 299.030 305.520 313.690 321.330 327.660 341.640 378.510 385.020 418.510 426.290 465.960	0.0102 0.1520 0.2700 0.0021 0.1980 0.0180 0.0131 0.2200 0.1660 0.0460 0.1960 0.8000 0.0840 0.4800 0.0710 0.0810 0.1850 0.0046 0.0140 0.0109 0.0680 0.0230 0.0230 0.0146 0.0240 0.2220 0.0270 0.3600 0.0400 0.2600 0.0059 0.0280	0.5316	0.4869
177 Hf m1	72	51.400 m	120.500 214.000 254.800 277.300 295.000 311.500 326.700 572.400 606.500 638.200	0.0094 0.4000 0.0132 0.7500 0.6800 0.5800 0.6400 0.0700 0.1140 0.1980	0.6306	0.5646
177 Ta	73	2.358 d	112.952 208.359 424.600 745.900 1057.800	0.0720 0.0093 0.0010 0.0020 0.0029	0.0074	0.0069
177 W	74	2.250 h	70.450 73.150 101.750 115.050	0.0630 0.0022 0.0047 0.0850	0.4393	0.3500

Nuclide	Z	Half Life	Energy keV	Yield	R	T
					R*m2/h/Ci	Rem/h/Ci
177 W	74	2.250 h	115.650	0.5000	0.4393	0.3500
			142.600	0.0135		
			149.160	0.0055		
			152.230	0.0019		
			155.950	0.0390		
			159.100	0.0013		
			172.500	0.0013		
			186.200	0.0840		
			186.420	0.0770		
			215.300	0.0013		
			223.230	0.0220		
			224.990	0.0058		
			237.700	0.0018		
			259.250	0.0092		
			271.020	0.0394		
			277.850	0.0035		
			280.800	0.0087		
			304.300	0.0019		
			305.850	0.0056		
			308.250	0.0092		
			311.280	0.0137		
			316.300	0.0010		
			317.750	0.0056		
			367.520	0.0420		
			377.350	0.0460		
			382.300	0.0068		
			388.800	0.0167		
			417.160	0.0610		
			418.350	0.0087		
			424.000	0.0090		
			426.980	0.1310		
			431.450	0.0076		
			436.600	0.0053		
			450.600	0.0129		
			457.200	0.0027		
			467.500	0.0071		
			473.500	0.0129		
			497.700	0.0013		
			502.400	0.0080		
			504.200	0.0013		
			511.000	0.0041		
			528.500	0.0236		
			563.000	0.0014		
			568.100	0.0080		
			577.700	0.0024		
			611.800	0.0590		
			619.400	0.0030		
			642.300	0.0016		
			647.300	0.0254		
			672.150	0.0195		
			678.500	0.0056		
			694.700	0.0021		
			707.000	0.0018		
			711.200	0.0026		
			714.000	0.0018		
			721.600	0.0117		
			755.000	0.0014		
			759.000	0.0056		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
177 W	74	2.250 h	771.500	0.0014		
			785.900	0.0103		
			793.600	0.0058		
			822.000	0.0011		
			827.900	0.0103		
			836.200	0.0101		
			858.400	0.0069		
			877.200	0.0121		
			880.200	0.0121		
			889.500	0.0018		
			903.500	0.0039		
			939.200	0.0076		
			978.800	0.0034		
			990.200	0.0080		
			1000.000	0.0053		
			1004.700	0.0037		
			1014.900	0.0477		
			1036.400	0.1020		
			1045.900	0.0042		
			1052.500	0.0018		
			1055.800	0.0064		
			1066.900	0.0309		
			1082.900	0.0014		
			1090.100	0.0016		
			1103.700	0.0027		
			1115.200	0.0013		
			1140.500	0.0079		
			1166.800	0.0013		
			1170.900	0.0053		
			1182.500	0.0370		
			1220.100	0.0021		
			1245.600	0.0014		
			1253.700	0.0014		
			1259.700	0.0013		
			1276.300	0.0013		
			1296.100	0.0048		
			1301.800	0.0024		
			1326.800	0.0053		
			1357.500	0.0018		
			1406.100	0.0027		
177 Re	75	14.000 m	33.900	0.0040	0.2836	0.2183
			76.100	0.0250		
			79.650	0.0710		
			84.300	0.0630		
			94.900	0.0390		
			101.400	0.0300		
			181.600	0.0190		
			196.850	0.0840		
			209.800	0.0280		
			511.000	0.4446		
			600.200	0.0170		
			708.100	0.0250		
			723.400	0.0210		
			1118.400	0.0130		
			1196.500	0.0130		
			1551.700	0.0060		
			1770.500	0.0220		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
177 Re	75	14.000 m	1861.100 1886.100 1911.200 1944.900 1964.600 1986.100	0.0080 0.0080 0.0130 0.0070 0.0290 0.0100	0.2836	0.2183
178 Yb	70	1.233 h	42.400 348.400 390.800	0.0036 0.0346 0.0540	0.0191	0.0165
178 Lu m	71	22.700 m	88.500 93.200 213.500 325.300 331.500 426.200	0.6300 0.1763 1.0300 0.9700 0.1300 0.9800	0.5910	0.5264
178 Lu	71	28.400 m	93.200 151.300 203.800 213.500 1216.800 1255.000 1269.200 1309.900 1340.800 1403.200 1420.700 1468.300 1496.000 1513.700 1678.800	0.0660 0.0034 0.0019 0.0020 0.0020 0.0015 0.0102 0.0150 0.0460 0.0063 0.0016 0.0011 0.0038 0.0019 0.0035	0.0673	0.0507
178 Hf	72	31.021 y	88.880 93.180 213.440 216.670 237.400 257.620 277.350 296.800 325.560 426.370 454.000 495.000 535.000 574.200	0.6400 0.1710 0.8200 0.6800 0.0980 0.1710 0.0150 0.0960 0.9500 1.0000 0.1800 0.7900 0.1050 0.9700	1.3038	1.0792
178 Ta m	73	9.310 m	93.130 1106.100 1340.840 1350.550 1402.870 1496.000	0.0650 0.0053 0.0102 0.0117 0.0048 0.0027	0.0262	0.0203
178 Ta	73	2.200 h	88.800 93.140	0.6700 0.1742	0.5189	0.4646

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
178 Ta	73	2.200 h	213.700	0.7948		
			325.800	0.8470	0.5189	0.4646
			331.900	0.2357		
			426.800	0.7967		
178 Re	75	13.200 m	105.900	0.2300	0.5680	0.4361
			181.000	0.0062		
			237.300	0.4500		
			351.900	0.0260		
			511.000	0.6468		
			684.000	0.0087		
			740.000	0.0029		
			767.700	0.0048		
			777.900	0.0380		
			882.800	0.0096		
			939.000	0.0890		
			976.600	0.0360		
			1004.400	0.0058		
			1037.500	0.0100		
			1106.500	0.0058		
			1110.800	0.0270		
			1169.500	0.0077		
			1255.300	0.0140		
			1275.600	0.0106		
			1342.500	0.0050		
			1450.000	0.0110		
			1492.300	0.0140		
			1521.400	0.0038		
			1758.200	0.0067		
			2036.500	0.0029		
			2247.800	0.0019		
			2287.000	0.0029		
			2324.600	0.0019		
			2468.000	0.0019		
			2957.600	0.0087		
			3011.800	0.0014		
			3025.000	0.0043		
			3112.300	0.0029		
			3116.300	0.0029		
			3156.800	0.0058		
			3168.600	0.0087		
			3172.200	0.0032		
			3196.000	0.0026		
			3208.500	0.0070		
			3237.600	0.0030		
			3242.900	0.0027		
			3251.500	0.0039		
			3263.600	0.0039		
			3277.400	0.0038		
			3291.600	0.0022		
			3363.600	0.0019		
			3369.500	0.0015		
			3383.300	0.0013		
			3392.900	0.0017		
			3399.400	0.0033		
			3406.000	0.0046		
			3409.000	0.0017		
			3445.200	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
178 Re	75	13.200 m	3528.700	0.0020	0.5680	0.4361
179 Lu	71	4.590 h	122.800 123.400 214.300 215.000 337.700 859.200	0.0046 0.0140 0.1230 0.0050 0.0019 0.0010	0.0164	0.0152
179 Hf m1	72	18.680 s	160.700 214.000	0.0278 0.9524	0.1103	0.1021
179 Hf m2	72	25.100 d	122.700 146.100 169.760 192.600 217.000 236.380 257.320 268.800 315.850 362.490 409.630 453.490	0.2713 0.2718 0.3600 0.3400 0.1260 0.2500 0.0316 0.1100 0.1965 0.3824 0.2130 0.6634	0.5031	0.4410
179 W m	74	6.700 m	120.000 221.500 238.700 281.700	0.0090 0.0863 0.0029 0.0020	0.0114	0.0105
179 W	74	37.500 m	30.700 133.900	0.3600 0.0040	0.0282	0.0058
180 Lu	71	5.700 m	69.000 93.300 135.000 198.300 215.240 235.000 316.600 333.000 408.000 424.400 451.600 891.000 982.600 1066.000 1089.900 1100.900 1106.400 1198.000 1199.600 1230.800 1282.500 1299.200 1316.000 1434.000 1446.000	0.0350 0.7500 0.0410 0.0250 0.2500 0.0123 0.1470 0.0100 0.4900 0.0128 0.0118 0.0069 0.0220 0.0140 0.0113 0.0170 0.2300 0.1490 0.2500 0.0050 0.0050 0.1400 0.0089 0.0200 0.0070	0.8430	0.6549

Nuclide	Z	Half Life	Energy keV	Yield	R ²²⁶ /h/Ci	T _{1/2} Rem/h/Ci
¹⁸⁰ Lu	71	5.700 m	1514.300 1874.500 1888.500	0.0780 0.0069 0.0118	0.8430	0.6549
¹⁸⁰ Hf	72	5.500 h	57.549 93.332 215.250 332.300 443.180 500.714	0.6651 0.1751 0.8200 0.9440 0.8500 0.1280	0.5547	0.4805
¹⁸⁰ Ta	73	8.100 h	93.000 103.000	0.0468 0.0070	0.0022	0.0025
¹⁸⁰ W	74	0.006 s	103.800 233.900 351.000 390.700 450.400	0.2262 0.8428 0.9486 0.9878 0.9732	0.7793	0.6656
¹⁸⁰ Re	75	2.430 m	76.500 103.800 234.800 511.000 669.300 744.900 749.000 824.900 902.400 978.900 1005.800	0.0050 0.2240 0.0051 0.1736 0.0080 0.0070 0.0140 0.1160 0.9800 0.0010 0.0059	0.6223	0.4585
¹⁸⁰ Os	76	22.000 m	511.000	0.0183	0.0054	0.0041
¹⁸¹ Hf	72	42.400 d	133.020 136.250 136.860 345.850 476.000 482.000 615.500	0.4300 0.0610 0.0180 0.1400 0.0043 0.8600 0.0025	0.3001	0.2452
¹⁸¹ Re	75	20.000 h	43.500 65.000 71.700 72.700 93.700 102.700 103.000 109.900 110.300 113.300 144.300 154.400 163.900 164.600 165.800 167.200	0.0052 0.0256 0.0016 0.0017 0.0012 0.0026 0.0026 0.0240 0.0103 0.0050 0.0036 0.0018 0.0012 0.0012 0.0010	0.3815	0.3057

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
181 Re	75	20.000 h	175.200	0.0028	0.3815	0.3057
			177.500	0.0174		
			186.200	0.0015		
			195.000	0.0018		
			197.000	0.0054		
			237.400	0.0010		
			252.200	0.0098		
			262.600	0.0022		
			276.400	0.0064		
			278.000	0.0016		
			296.000	0.0020		
			318.600	0.0110		
			331.900	0.0133		
			353.600	0.0100		
			356.000	0.0170		
			360.700	0.1200		
			365.500	0.5700		
			382.300	0.0027		
			398.000	0.0065		
			409.000	0.0025		
			412.300	0.0100		
			441.800	0.0100		
			441.800	0.0045		
			475.600	0.0100		
			487.000	0.0070		
			489.000	0.0074		
			515.700	0.0016		
			522.000	0.0023		
			524.400	0.0020		
			544.800	0.0030		
			557.800	0.0215		
			570.000	0.0046		
			587.400	0.0070		
			628.800	0.0013		
			632.700	0.0016		
			639.000	0.0645		
			643.900	0.0057		
			651.200	0.0100		
			659.200	0.0023		
			661.800	0.0300		
			668.200	0.0030		
			693.900	0.0025		
			699.900	0.0013		
			738.000	0.0030		
			769.700	0.0015		
			803.600	0.0146		
			805.200	0.0312		
			817.500	0.0013		
			822.700	0.0016		
			835.700	0.0046		
			840.400	0.0028		
			848.500	0.0013		
			854.400	0.0018		
			862.700	0.0018		
			877.200	0.0048		
			879.800	0.0052		
			883.200	0.0026		
			889.500	0.0012		

Nuclide	Z	Half Life	Energy keV	Yield	R^{γ}	R^{γ}	$R^{n2}/h/Ci$	$R^{n2}/h/Ci$
181 Re	75	20.000 h	946.900	0.0100			0.3815	0.3057
			953.600	0.0022				
			965.000	0.0356				
			973.200	0.0020				
			980.700	0.0013				
			989.400	0.0018				
			993.700	0.0090				
			1000.200	0.0030				
			1009.400	0.0245				
			1018.600	0.0013				
			1057.000	0.0030				
			1075.600	0.0100				
			1086.600	0.0056				
			1103.500	0.0070				
			1132.300	0.0022				
			1272.500	0.0010				
			1384.200	0.0023				
			1440.700	0.0200				
			1469.200	0.0082				
			1538.000	0.0020				
181 Os m	76	2.700 d	118.010	0.2500			0.1265	0.1169
			145.020	0.8700				
			511.000	0.1800				
181 Os s	76	1.750 h	75.730	0.0280			0.6117	0.4662
			100.000	0.0033				
			104.500	0.0035				
			118.010	0.1390				
			145.020	0.0150				
			148.400	0.0022				
			167.230	0.0330				
			228.730	0.0170				
			233.630	0.0200				
			238.750	0.4800				
			242.740	0.0650				
			267.650	0.0108				
			310.500	0.0039				
			324.400	0.0030				
			326.400	0.0052				
			334.000	0.0022				
			344.200	0.0039				
			356.700	0.0170				
			434.500	0.0210				
			509.000	0.0022				
			511.000	0.0520				
			567.200	0.0087				
			592.000	0.0080				
			675.400	0.0170				
			728.600	0.0110				
			751.400	0.0434				
			759.500	0.0260				
			786.000	0.0080				
			787.600	0.0560				
			796.900	0.0130				
			827.000	0.2170				
			831.500	0.0820				

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
181 Os	76	1.750 h	835.000	0.0022	0.6117	0.4662
			842.500	0.0089		
			920.300	0.0140		
			931.700	0.0089		
			941.500	0.0110		
			955.000	0.0434		
			955.000	0.0108		
			981.000	0.0090		
			1000.500	0.0056		
			1009.400	0.0090		
			1027.000	0.0033		
			1030.500	0.0180		
			1060.400	0.0610		
			1064.000	0.0030		
			1077.300	0.0040		
			1086.200	0.0140		
			1110.900	0.0230		
			1131.700	0.0078		
			1159.000	0.0056		
			1260.000	0.0028		
			1305.000	0.0200		
			1325.000	0.0043		
			1345.200	0.0120		
			1434.300	0.0056		
			1442.000	0.0070		
			1491.800	0.0110		
			1514.000	0.0017		
			1537.500	0.0028		
			1552.000	0.0015		
			1568.000	0.0110		
			1573.000	0.0120		
			1589.500	0.0072		
			1704.900	0.0150		
			1740.600	0.0135		
			1760.700	0.0095		
			1780.700	0.0043		
			1826.200	0.0017		
			1937.000	0.0022		
			1946.000	0.0065		
			1993.300	0.0020		
			2000.400	0.0020		
			2015.000	0.0020		
			2138.000	0.0082		
			2436.200	0.0011		
182 Hf m	72	61.500 m	50.900	0.1340	0.4978	0.4050
			59.100	0.0460		
			75.800	0.0130		
			97.800	0.0430		
			97.800	0.0920		
			114.300	0.0650		
			132.800	0.0310		
			143.200	0.0450		
			146.800	0.0500		
			171.600	0.0400		
			173.400	0.0290		
			178.700	0.0230		
			185.000	0.0230		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
182 Hf m	72	61.500 m	195.800 220.800 224.400 318.400 339.600 344.100 455.800 506.600 603.200 613.300 627.600 799.700 823.100 942.800 952.900	0.0110 0.0100 0.3800 0.0059 0.0590 0.4600 0.2030 0.2380 0.0550 0.0120 0.0110 0.0990 0.0280 0.2000 0.0026	0.4978	0.4050
182 Hf	72	9.006E+06 y	114.330 156.090 172.540 270.405	0.0260 0.0700 0.0020 0.8000	0.1265	0.1183
182 Ta m	73	15.840 m	146.785 171.586 184.951 318.400 356.470	0.3480 0.4570 0.2290 0.0640 0.0027	0.0975	0.0960
182 Ta	73	115.000 d	31.737 42.714 65.722 67.750 84.681 100.106 113.667 116.415 152.428 156.382 179.390 198.348 222.101 229.316 264.071 927.990 959.740 1001.680 1044.430 1113.380 1121.280 1157.500 1157.500 1189.040 1221.418 1223.200 1230.970 1257.470 1273.750 1289.170 1342.720	0.0063 0.0024 0.0279 0.4120 0.0265 0.1400 0.0192 0.0044 0.0715 0.0272 0.0314 0.0154 0.0754 0.0363 0.0363 0.0062 0.0036 0.0209 0.0024 0.0039 0.3490 0.0035 0.0064 0.1640 0.2730 0.0021 0.1155 0.0151 0.0066 0.0141 0.0026	0.6679	0.5035

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
182 Ta	73	115.000 d	1373.800	0.0023	0.6679	0.5035
182 W	74	1.400E-06 s	100.000	0.2020	1.1566	0.9194
			229.300	0.8340		
			351.000	0.9490		
			464.000	0.9750		
			518.500	0.4940		
			567.600	0.5120		
			1086.100	0.4800		
182 Re m	75	12.700 h	31.700	0.0057	0.5747	0.4305
			42.700	0.0019		
			65.800	0.0020		
			67.850	0.3780		
			84.700	0.0264		
			100.100	0.1430		
			113.700	0.0041		
			116.400	0.0035		
			152.500	0.0670		
			156.400	0.0041		
			179.400	0.0024		
			198.400	0.0018		
			222.000	0.0067		
			229.300	0.0210		
			264.000	0.0026		
			470.260	0.0197		
			511.000	0.0036		
			536.000	0.0021		
			555.000	0.0011		
			598.560	0.0040		
			649.730	0.0035		
			734.530	0.0038		
			787.100	0.0025		
			800.000	0.0015		
			810.240	0.0038		
			836.000	0.0048		
			894.850	0.0210		
			900.800	0.0035		
			928.000	0.0051		
			959.800	0.0038		
			1001.800	0.0022		
			1044.500	0.0018		
			1121.400	0.3180		
			1157.300	0.0070		
			1180.900	0.0022		
			1189.200	0.1510		
			1221.500	0.2500		
			1231.000	0.0130		
			1257.300	0.0140		
			1273.800	0.0054		
			1289.300	0.0121		
			1294.200	0.0017		
			1374.000	0.0019		
			1771.000	0.0029		
			1818.800	0.0011		
			1870.900	0.0029		
			1957.300	0.0046		
			2016.200	0.0078		

Nuclide	Z	Half Life	Energy keV	Yield	R R*m2/h/Ci	T Rem/h/Ci
182 Re m	75	12.700 h	2047.300	0.0012		
			2057.400	0.0083	0.5747	0.4305
			2207.700	0.0010		
182 Re	75	2.667 d	31.740	0.0036		
			39.100	0.0048	0.9323	0.7377
			42.710	0.0018		
			65.720	0.0310		
			67.750	0.2400		
			84.680	0.0310		
			100.120	0.1600		
			107.150	0.0126		
			108.550	0.0074		
			113.700	0.0470		
			116.400	0.0033		
			130.800	0.0770		
			131.320	0.0017		
			133.770	0.0260		
			145.400	0.0074		
			147.620	0.0074		
			148.820	0.0160		
			149.440	0.0083		
			151.130	0.0067		
			152.430	0.0540		
			153.950	0.0034		
			156.380	0.0800		
			169.170	0.1260		
			172.880	0.0370		
			178.440	0.0240		
			179.380	0.0350		
			191.360	0.0830		
			198.360	0.0440		
			203.330	0.0048		
			205.950	0.0053		
			209.420	0.0120		
			214.300	0.0140		
			215.720	0.0067		
			217.520	0.0430		
			221.620	0.0970		
			222.080	0.0780		
			226.170	0.0350		
			229.320	0.2900		
			247.450	0.0550		
			256.430	0.1080		
			264.080	0.0400		
			276.280	0.0970		
			281.420	0.0620		
			286.580	0.0810		
			300.000	0.0220		
			300.480	0.0126		
			313.900	0.0064		
			323.440	0.0200		
			339.070	0.0600		
			342.040	0.0100		
			345.400	0.0034		
			351.070	0.1110		
			357.120	0.0055		
			927.990	0.0037		

Nuclide	Z	Half Life	Energy	Yield	$R_{\mu}/h/Ci$	$R_{\gamma}/h/Ci$
182 Re	75	2.667 d	943.010	0.0023	0.9323	0.7377
182 Os	76	22.000 h	55.560	0.0590	0.2119	0.1722
182 Ir	77	15.000 m	127.300	0.3400	0.6905	0.5406
			142.600	0.0095		
			136.200	0.0047		
			127.600	0.0005		
			727.600	0.0014		
			560.800	0.0013		
			554.700	0.0031		
			509.990	0.5180		
			498.900	0.0034		
			454.590	0.0029		
			379.200	0.0078		
			373.200	0.0036		
			274.340	0.0171		
			263.340	0.0660		
			246.780	0.0059		
			241.370	0.0088		
			235.760	0.0041		
			223.000	0.0010		
			216.920	0.0075		
			190.000	0.0010		
			180.220	0.3500		
			175.030	0.0032		
			172.430	0.0035		
			170.440	0.0021		
			136.900	0.0010		
			130.840	0.0330		
			122.300	0.0041		
			115.940	0.0065		
			110.460	0.0023		
			55.560	0.0590		
			1439.400	0.0014		
			1427.300	0.1020		
			1410.200	0.0030		
			1387.400	0.0024		
			1373.900	0.0031		
			1342.800	0.0290		
			1331.000	0.0038		
			1294.200	0.0170		
			1292.000	0.0024		
			1289.300	0.0079		
			1273.800	0.0092		
			1257.300	0.0108		
			1231.100	0.1600		
			1223.900	0.0020		
			1221.500	0.1800		
			1189.200	0.0940		
			1180.900	0.0059		
			1158.100	0.0092		
			1157.300	0.0041		
			1121.400	0.2300		
			1113.600	0.0490		
			1088.200	0.0021		
			1076.300	0.1100		
			1044.500	0.0030		
			1001.800	0.0260		
			959.800	0.0021		
			943.010	0.0023		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
182 Ir	77	15.000 m	154.700	0.0073	0.6905	0.5406
			166.000	0.0064		
			179.800	0.0120		
			197.200	0.0043		
			228.200	0.0064		
			236.300	0.0900		
			252.000	0.0086		
			264.800	0.0056		
			273.000	0.4300		
			281.500	0.0047		
			289.000	0.0110		
			295.300	0.0110		
			306.800	0.0030		
			335.800	0.0120		
			343.200	0.0034		
			351.600	0.0030		
			393.100	0.0320		
			397.000	0.0100		
			400.000	0.0310		
			405.000	0.0034		
			415.500	0.0056		
			430.000	0.0120		
			432.700	0.0095		
			464.700	0.0026		
			483.700	0.0052		
			492.000	0.0017		
			498.000	0.0047		
			511.000	0.8806		
			545.500	0.0030		
			549.200	0.0034		
			559.000	0.0017		
			581.000	0.0064		
			602.300	0.0043		
			632.000	0.0086		
			638.500	0.0099		
			647.000	0.0077		
			690.200	0.0034		
			747.100	0.0039		
			749.200	0.0043		
			764.300	0.0560		
			779.900	0.0069		
			790.100	0.0310		
			837.800	0.0043		
			890.900	0.0570		
			912.300	0.0870		
			932.500	0.0039		
			938.900	0.0150		
			953.000	0.0060		
			977.100	0.0060		
			999.100	0.0150		
			1032.900	0.0086		
			1063.300	0.0220		
			1111.000	0.0047		
			1118.000	0.0250		
			1121.400	0.0043		
			1130.300	0.0056		
			1158.000	0.0110		
			1160.000	0.0140		

Nuclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T Rem/h/Ci
182 Ir	77	15.000 m	1218.000	0.0140	0.6905	0.5406
			1227.000	0.0056		
			1251.600	0.0190		
			1266.200	0.0150		
			1375.000	0.0100		
			1546.000	0.0120		
			1549.000	0.0060		
			1652.000	0.0250		
183 Hf	72	64.000 m	73.160	0.3800	0.4099	0.3087
			113.720	0.0014		
			143.190	0.0047		
			225.000	0.0015		
			284.100	0.0036		
			295.210	0.0017		
			315.860	0.0122		
			397.860	0.0290		
			459.070	0.2700		
			594.800	0.0021		
			686.500	0.0024		
			691.730	0.0030		
			735.050	0.0088		
			783.730	0.6500		
			806.500	0.0014		
			856.780	0.0011		
			1470.200	0.0270		
183 Ta	73	5.100 d	40.976	0.0045	0.1276	0.1182
			46.484	0.0490		
			52.593	0.0510		
			82.918	0.0041		
			84.711	0.0133		
			99.079	0.0660		
			101.934	0.0032		
			102.481	0.0014		
			107.931	0.1080		
			109.726	0.0059		
			142.280	0.0033		
			144.125	0.0251		
			160.527	0.0291		
			161.342	0.0890		
			162.319	0.0485		
			192.643	0.0035		
			203.284	0.0039		
			205.085	0.0088		
			208.810	0.0061		
			209.864	0.0453		
			244.262	0.0860		
			245.235	0.0037		
			246.061	0.2670		
			291.719	0.0379		
			313.000	0.0363		
			313.280	0.0363		
			353.993	0.1140		
			365.640	0.0049		
			406.610	0.0051		
183 Re	75	0.001 s	114.430	1.0600	1.1578	1.0050

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
183 Re	75	0.001 s	145.410 175.350 194.200 203.760 231.270 256.400 259.800 282.200 304.400 320.900 379.800 435.500 488.200 539.200 586.000	0.8200 0.6700 1.0000 0.5800 0.4600 0.4700 0.0600 0.2200 0.5000 0.1400 0.2100 0.2800 0.4200 0.2700 0.6800	1.1578	1.0050
183 Re	75	70.000 d	46.484 52.593 82.918 84.711 99.079 107.931 109.726 144.125 160.527 161.342 162.319 192.643 205.085 208.810 209.864 244.262 246.061 291.719 313.000 353.993 365.640	0.0810 0.0330 0.0052 0.0090 0.0270 0.0220 0.0250 0.0014 0.0060 0.0036 0.2000 0.0023 0.0011 0.0310 0.0070 0.0050 0.0130 0.0330 0.0050 0.0055 0.0010	0.0397	0.0379
183 Os m	76	9.900 h	67.240 126.200 147.000 163.200 230.000 245.700 251.700 273.300 400.800 484.500 796.000 803.500 840.000 878.400 885.000 954.800 1034.700 1041.000 1102.000 1108.000	0.0122 0.0019 0.0050 0.0012 0.0056 0.0037 0.0037 0.0012 0.0075 0.0156 0.0050 0.0031 0.0050 0.0156 0.0022 0.0106 0.0620 0.0044 0.4900 0.2250	0.4908	0.3600

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
183 Os m	76	9.900 h	1353.600 1904.000	0.0015 0.0017	0.4908	0.3600
183 Os	76	13.000 h	114.430 145.410 151.000 167.900 175.350 197.200 236.300 259.800 338.000 355.500 381.800 404.200 496.100 639.800 736.800 807.800 851.000 1057.900 1090.000 1163.300 1285.200 1412.000 1438.900 1533.000	0.2070 0.0150 0.0031 0.0770 0.0054 0.0012 0.0220 0.0023 0.0015 0.0050 0.7700 0.0015 0.0054 0.0015 0.0031 0.0038 0.0380 0.0046 0.0012 0.0115 0.0018 0.0014 0.0054 0.0023	0.2332	0.1988
184 Hf	72	4.120 h	41.400 43.900 47.900 139.100 181.000 344.900	0.0990 0.0610 0.0120 0.4800 0.1480 0.3800	0.1270	0.1177
184 Ta	73	8.700 h	55.330 63.700 87.460 91.270 111.192 123.960 151.080 161.270 162.000 215.340 216.540 226.740 244.440 252.850 253.000 274.070 294.990 296.460 299.790 315.400 318.040 331.060 339.530	0.0042 0.0177 0.0097 0.0106 0.2430 0.0052 0.0016 0.0330 0.0170 0.1170 0.0177 0.0680 0.0360 0.4400 0.0500 0.0044 0.0050 0.0071 0.0048 0.0030 0.2340 0.0013 0.0019	0.8785	0.6954

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
184 Ta	73	8.700 h	354.000	0.0015	0.8785	0.6954
			359.200	0.0011		
			371.090	0.0027		
			381.600	0.0017		
			384.280	0.1280		
			414.010	0.7390		
			461.060	0.1090		
			516.590	0.0031		
			528.280	0.0102		
			536.710	0.1310		
			576.300	0.0010		
			641.990	0.0144		
			655.300	0.0026		
			769.760	0.0092		
			792.070	0.1490		
			807.680	0.0050		
			857.240	0.0069		
			894.770	0.1090		
			903.290	0.1540		
			920.930	0.3280		
			942.900	0.0010		
			1018.750	0.0038		
			1022.620	0.0064		
			1110.120	0.0229		
			1172.100	0.0025		
			1173.770	0.0490		
			1207.670	0.0030		
			1312.200	0.0010		
			1313.600	0.0034		
			1425.540	0.0017		
184 Re	75	38.000 d	111.207	0.1710	0.4631	0.3405
			252.845	0.0300		
			539.220	0.0033		
			641.915	0.0194		
			769.778	0.0067		
			792.067	0.3750		
			894.760	0.1560		
			903.282	0.3790		
			1022.630	0.0052		
			1275.110	0.0012		
			1386.330	0.0010		
184 Re m	75	165.000 d	55.278	0.0236	0.1824	0.1467
			63.715	0.0038		
			87.452	0.0024		
			91.270	0.0026		
			104.729	0.1330		
			111.207	0.0590		
			124.060	0.0015		
			161.269	0.0664		
			215.326	0.0284		
			216.547	0.0960		
			226.748	0.0151		
			252.845	0.1090		
			318.008	0.0588		
			384.250	0.0320		
			536.674	0.0337		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
184 Re m	75	165.000 d	641.915	0.0035	0.1824	0.1467
			769.778	0.0024		
			792.067	0.0377		
			857.250	0.0017		
			894.760	0.0281		
			903.282	0.0382		
			920.933	0.0830		
			1022.630	0.0018		
			1110.080	0.0060		
			1173.770	0.0124		
184 Ir	77	3.020 h	97.400	0.0022	0.9640	0.7440
			114.670	0.0063		
			119.790	0.3030		
			131.800	0.0018		
			153.570	0.0042		
			158.260	0.0051		
			163.630	0.0019		
			167.810	0.0027		
			174.320	0.0016		
			185.760	0.0094		
			197.460	0.0043		
			203.310	0.0017		
			209.080	0.0045		
			212.020	0.0186		
			219.700	0.0068		
			242.350	0.0014		
			245.150	0.0018		
			263.980	0.6750		
			272.100	0.0012		
			282.380	0.0017		
			308.000	0.0010		
			337.760	0.0040		
			347.320	0.0027		
			348.930	0.0031		
			361.110	0.0022		
			364.720	0.0112		
			368.030	0.0016		
			376.910	0.0019		
			378.650	0.0013		
			381.700	0.0055		
			390.360	0.2570		
			394.880	0.0055		
			400.000	0.0011		
			404.510	0.0038		
			406.600	0.0089		
			410.210	0.0021		
			411.950	0.0079		
			420.530	0.0021		
			427.000	0.0010		
			431.190	0.0032		
			444.900	0.0011		
			449.800	0.0016		
			464.420	0.0032		
			482.600	0.0010		
			483.900	0.0016		
			488.410	0.0045		
			493.110	0.0580		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ² m ² /h/Ci	Rem/h/Ci
184 Ir	77	3.020 h	500.730	0.0093	0.9640	0.7440
			502.950	0.0294		
			511.000	0.2440		
			522.600	0.0012		
			530.240	0.0014		
			539.690	0.0670		
			550.530	0.0072		
			558.000	0.0028		
			559.300	0.0038		
			563.410	0.0038		
			566.200	0.0021		
			567.200	0.0013		
			571.190	0.0037		
			601.160	0.0323		
			606.410	0.0051		
			611.260	0.0078		
			613.820	0.0132		
			626.590	0.0244		
			653.980	0.0074		
			657.880	0.0050		
			667.600	0.0044		
			682.140	0.0063		
			684.300	0.0016		
			691.580	0.0083		
			697.260	0.0167		
			716.300	0.0017		
			726.100	0.0039		
			728.200	0.0019		
			738.100	0.0016		
			767.490	0.0115		
			778.250	0.0107		
			781.800	0.0016		
			786.960	0.0053		
			815.030	0.0073		
			822.970	0.0380		
			826.050	0.0128		
			832.900	0.0026		
			839.100	0.0144		
			841.330	0.0790		
			857.500	0.0047		
			868.700	0.0017		
			887.000	0.0029		
			896.600	0.0017		
			905.100	0.0023		
			942.870	0.0360		
			944.140	0.0271		
			953.450	0.0076		
			961.260	0.1240		
			970.100	0.0029		
			997.100	0.0020		
			1001.500	0.0021		
			1044.550	0.0530		
			1062.200	0.0043		
			1062.200	0.0240		
			1066.210	0.0152		
			1072.600	0.0020		
			1085.800	0.0015		
			1096.100	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	R Rm2/h/Ci	T Rem/h/Ci
184 Ir	77	3.020 h	1103.500	0.0090	0.9640	0.7440
			1105.280	0.0530		
			1116.910	0.0088		
			1133.700	0.0013		
			1138.400	0.0010		
			1142.250	0.0072		
			1154.310	0.0072		
			1160.290	0.0081		
			1197.600	0.0017		
			1205.800	0.0020		
			1217.200	0.0027		
			1225.300	0.0024		
			1229.400	0.0121		
			1236.930	0.0209		
			1247.810	0.0265		
			1276.000	0.0013		
			1281.400	0.0011		
			1291.800	0.0018		
			1301.530	0.0024		
			1311.400	0.0033		
			1314.100	0.0024		
			1323.770	0.0070		
			1325.730	0.0084		
			1334.300	0.0232		
			1361.500	0.0038		
			1378.700	0.0022		
			1380.700	0.0034		
			1396.800	0.0012		
			1412.700	0.0022		
			1424.100	0.0022		
			1436.400	0.0014		
			1452.500	0.0081		
			1457.890	0.0137		
			1469.800	0.0017		
			1493.740	0.0052		
			1504.720	0.0036		
			1514.930	0.0067		
			1544.600	0.0046		
			1550.660	0.0063		
			1570.200	0.0016		
			1578.170	0.0049		
			1607.700	0.0051		
			1625.950	0.0086		
			1635.500	0.0032		
			1672.400	0.0370		
			1697.800	0.0040		
			1746.200	0.0017		
			1818.000	0.0024		
			1849.700	0.0034		
			1895.600	0.0024		
			1899.800	0.0015		
			1914.600	0.0018		
			1940.400	0.0013		
			1945.900	0.0024		
			1962.300	0.0014		
			1992.700	0.0011		
			2005.300	0.0015		
			2014.800	0.0017		

Nucleide	Z	Half Life	Energy	Yield	R ² /h/Ci	Rem/h/Ci
184 Ir	77	3.020 h	2028.500	0.0014	0.9640	0.7440
184 Pt	78	0.001 s	112.000	0.0600	0.9613	0.7779
184 Au	79	53.000 s	112.100	0.0080	1.4960	1.1642
			1235.000	0.1612		
			1065.000	0.0653		
			930.000	0.0600		
			867.000	0.0467		
			839.000	0.0347		
			796.000	0.0588		
			775.000	0.0153		
			676.500	0.0120		
			610.000	0.5158		
			554.000	0.0443		
			486.500	0.0887		
			439.000	0.1934		
			431.000	0.5400		
			424.000	0.0400		
			389.500	0.0564		
			360.800	0.5723		
			286.500	0.0120		
			272.200	0.8060		
			162.400	0.5078		
			118.000	0.0564		
			112.000	0.0600		
			0.001 s	0.9613		
			0.0014	0.9640		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
184 Au	79	53.000 s	524.600	0.0080	1.4960	.1642
			530.500	0.0040		
			586.400	0.0230		
			592.100	0.0650		
			600.300	0.0050		
			609.700	0.0172		
			611.900	0.0135		
			627.500	0.0060		
			631.300	0.0140		
			635.100	0.0090		
			648.700	0.0610		
			652.400	0.0085		
			664.500	0.0390		
			672.900	0.0070		
			681.100	0.0160		
			691.200	0.0110		
			701.000	0.0050		
			753.000	0.0100		
			777.000	0.1320		
			783.600	0.0180		
			798.800	0.0340		
			806.700	0.0050		
			811.200	0.0080		
			822.100	0.0130		
			826.700	0.0160		
			831.200	0.0430		
			844.000	0.1070		
			864.800	0.0250		
			867.800	0.0130		
			871.000	0.0750		
			892.100	0.0060		
			899.000	0.0070		
			918.100	0.0050		
			923.400	0.0190		
			932.300	0.0105		
			939.000	0.0150		
			949.800	0.0060		
			962.500	0.0090		
			981.800	0.0040		
			996.600	0.0065		
			1001.400	0.0190		
			1009.600	0.0510		
			1026.500	0.0260		
			1034.000	0.0070		
			1071.300	0.0470		
			1074.000	0.0120		
			1084.800	0.0100		
			1090.300	0.0370		
			1100.500	0.0115		
			1155.700	0.0095		
			1161.700	0.0080		
			1168.300	0.0120		
			1173.300	0.0070		
			1229.700	0.0080		
			1239.700	0.0105		
			1245.700	0.0460		
			1274.500	0.0050		
			1290.900	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
184 Au	79	53.000 s	1293.200	0.0060	1.4960	1.1642
			1305.000	0.0120		
			1308.700	0.0280		
			1322.900	0.0055		
			1357.000	0.0090		
			1362.900	0.0095		
			1390.500	0.0070		
			1397.600	0.0340		
			1417.000	0.0190		
			1448.900	0.0070		
			1459.400	0.0110		
			1505.200	0.0060		
			1519.500	0.0160		
			1525.600	0.0230		
			1532.300	0.0200		
			1546.000	0.0055		
			1551.300	0.0190		
			1576.300	0.0060		
			1611.000	0.0050		
			1614.500	0.0060		
			1644.400	0.0070		
			1663.600	0.0140		
			1691.400	0.0095		
			1698.500	0.0190		
			1713.800	0.0280		
			1723.400	0.0110		
			1739.400	0.0090		
			1754.700	0.0640		
			1805.300	0.0135		
			1814.200	0.0530		
			1848.900	0.0150		
			1982.500	0.0080		
			1989.400	0.0180		
			2039.500	0.0050		
			2117.800	0.0180		
			2196.300	0.0280		
			2202.200	0.0150		
			2468.200	0.0060		
			2475.200	0.0390		
			2490.900	0.0200		
185 Ta	73	49.000 m	42.290	0.0490	0.0799	0.0713
			65.860	0.0390		
			69.700	0.0200		
			94.590	0.0013		
			107.850	0.0270		
			147.300	0.0113		
			150.300	0.0012		
			164.330	0.0012		
			173.680	0.2210		
			177.590	0.2570		
			187.880	0.0014		
			243.700	0.0370		
			394.800	0.0134		
			541.600	0.0190		
			580.300	0.0098		
			587.600	0.0134		
			636.300	0.0010		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
185 Ta	73	49.000 m	649.800	0.0010	0.0799	0.0713
			869.100	0.0013		
			884.700	0.0015		
			913.000	0.0012		
			964.700	0.0018		
			992.400	0.0046		
			1058.200	0.0054		
185 Os	76	94.000 d	71.370	0.0090	0.3854	0.2828
			125.358	0.0139		
			162.854	0.0157		
			234.158	0.0069		
			592.066	0.0129		
			646.111	0.8110		
			717.424	0.0426		
			874.814	0.0680		
			880.272	0.0543		
185 Ir	77	14.000 h	37.400	0.0337	0.2546	0.1949
			60.000	0.0571		
			90.450	0.0128		
			94.500	0.0040		
			97.400	0.0414		
			100.800	0.0239		
			127.900	0.0067		
			153.600	0.0200		
			160.750	0.0173		
			185.000	0.0085		
			220.400	0.0115		
			222.350	0.0164		
			223.800	0.0208		
			254.400	0.1300		
			314.300	0.0089		
			377.700	0.0020		
			507.000	0.0067		
			511.000	0.0490		
			601.300	0.0014		
			691.900	0.0041		
			1040.700	0.0047		
			1418.000	0.0053		
			1571.600	0.0026		
			1641.800	0.0114		
			1668.300	0.0358		
			1685.000	0.0030		
			1709.600	0.0034		
			1732.200	0.0271		
			1738.400	0.0237		
			1779.800	0.0037		
			1804.900	0.0040		
			1828.800	0.1000		
			1870.000	0.0118		
			1876.600	0.0044		
186 Ta	73	10.500 m	91.000	0.0220	0.8573	0.6774
			92.700	0.0170		
			122.300	0.2300		
			146.000	0.0059		
			183.200	0.0350		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m ² /h/Ci	Rem/h/Ci
186 Ta	73	10.500 m	184.200	0.0060	0.8573	0.6774
			197.900	0.5900		
			214.900	0.5000		
			268.800	0.0090		
			274.200	0.0800		
			277.100	0.0150		
			292.500	0.0410		
			293.700	0.0060		
			307.500	0.1140		
			309.200	0.0270		
			315.600	0.0180		
			327.200	0.0090		
			338.500	0.0060		
			341.000	0.0029		
			383.800	0.0060		
			402.000	0.0090		
			412.000	0.0060		
			417.700	0.1500		
			440.000	0.0094		
			442.000	0.0094		
			448.000	0.0060		
			457.000	0.0250		
			460.000	0.0029		
			465.300	0.0130		
			488.000	0.0060		
			510.600	0.4400		
			541.400	0.0029		
			546.300	0.0059		
			567.200	0.0400		
			583.200	0.0130		
			596.500	0.0029		
			601.000	0.0060		
			610.300	0.0400		
			615.300	0.3300		
			618.100	0.0060		
			635.000	0.0060		
			641.600	0.0041		
			646.600	0.0018		
			649.500	0.0018		
			654.900	0.0180		
			703.000	0.0060		
			709.000	0.0120		
			726.000	0.0120		
			737.500	0.3400		
			739.200	0.1180		
			745.000	0.0029		
			759.400	0.0210		
			799.800	0.0280		
			814.000	0.0029		
			823.000	0.0029		
			830.000	0.0180		
			869.500	0.0029		
			884.100	0.0230		
			893.000	0.0088		
			909.000	0.0059		
			923.000	0.0140		
			947.500	0.0029		
			1046.000	0.0029		

Nuclide	Z	Half Life	Energy keV	Yield	R ² m ² /h/Ci	T Rem/h/Ci
186 Ta	73	10.500 m	1092.500	0.0059	0.8573	0.6774
			1124.500	0.0059		
			1162.000	0.0029		
			1175.000	0.0029		
			1199.500	0.0029		
			1210.000	0.0029		
			1213.000	0.0024		
			1231.000	0.0018		
			1238.000	0.0024		
			1284.003	0.0029		
			1298.000	0.0029		
			1319.000	0.0029		
			1322.000	0.0035		
			1398.000	0.0047		
			1409.000	0.0059		
			1429.000	0.0029		
			1485.000	0.0029		
			1520.000	0.0029		
186 Re	75	3.777 d	122.700	0.0180	0.0065	0.0069
			137.157	0.0860		
186 Re m	75	200136.986 y	40.290	0.0500	0.0088	0.0073
			59.000	0.1778		
			99.330	0.0107		
186 Ir	77	1.750 h	137.100	0.3300	0.4967	0.3771
			296.900	0.1300		
			477.000	0.0100		
			511.000	0.2546		
			569.000	0.0130		
			584.000	0.0066		
			630.300	0.1900		
			636.000	0.0330		
			712.000	0.0400		
			767.300	0.2000		
			774.000	0.1200		
			933.000	0.0130		
			986.000	0.0900		
			1027.000	0.0082		
			1045.000	0.0066		
			1313.000	0.0100		
			1342.000	0.0066		
			1617.000	0.0330		
			1648.000	0.0033		
			1754.000	0.0360		
186 Au	79	10.700 m	191.530	1.0000	0.8309	0.6556
			205.000	0.0330		
			225.100	0.0070		
			231.700	0.0093		
			257.900	0.0140		
			266.500	0.0042		
			279.700	0.0220		
			298.840	0.4100		
			307.900	0.0066		
			326.800	0.0130		
			349.400	0.0210		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
186 Au	79	10.700 m	384.300	0.0300	0.8309	0.6556
			387.000	0.0170		
			415.560	0.1400		
			423.900	0.0100		
			430.300	0.0290		
			440.300	0.0200		
			461.800	0.0016		
			466.300	0.0210		
			501.300	0.0350		
			607.010	0.0900		
			607.200	0.0850		
			609.400	0.0240		
			615.600	0.0050		
			676.500	0.0530		
			704.400	0.0090		
			732.400	0.0180		
			765.400	0.1700		
			791.000	0.0200		
			796.400	0.0050		
			798.700	0.0860		
			799.900	0.0210		
			800.400	0.0210		
			810.700	0.0061		
			873.000	0.0200		
			881.600	0.0340		
			905.100	0.0060		
			907.700	0.0050		
			917.500	0.0070		
			927.300	0.0040		
			956.700	0.0010		
			984.500	0.0210		
			1031.000	0.0220		
			1098.000	0.0068		
			1121.900	0.0070		
			1142.700	0.0067		
			1176.100	0.0100		
			1181.500	0.0100		
			1203.000	0.0140		
			1216.200	0.0600		
			1226.100	0.0160		
			1271.100	0.0080		
			1289.200	0.0330		
			1323.700	0.0080		
			1345.500	0.0080		
			1400.000	0.0055		
			1441.300	0.0076		
			1532.700	0.0160		
			1589.500	0.0070		
			1725.900	0.0200		
			1737.600	0.0300		
			2024.600	0.0320		
			2035.600	0.0460		
187 W	74	23.900 h	72.060	0.1190	0.2608	0.1972
			134.220	0.0940		
			206.280	0.0015		
			246.180	0.0013		
			479.530	0.2340		

Nuclide	Z	Half Life	Energy keV	Yield	R Rm2/h/Ci	T Rem/h/Ci
187 W	74	23.900 h	511.760	0.0069	0.2608	0.1972
			551.550	0.0545		
			589.090	0.0013		
			618.370	0.0670		
			625.520	0.0117		
			685.810	0.2930		
			745.210	0.0032		
			772.880	0.0442		
			864.540	0.0036		
			879.430	0.0015		
188 W	74	69.400 d	63.580	0.0011	0.0010	0.0009
			227.090	0.0022		
			290.669	0.0040		
188 Re m	75	18.600 m	63.600	0.2100	0.0151	0.0158
			92.500	0.0540		
			105.900	0.1140		
			156.000	0.0065		
			169.500	0.0011		
188 Re	75	16.980 h	155.040	0.1490	0.0244	0.0212
			477.960	0.0104		
			633.030	0.0125		
			635.000	0.0015		
			672.510	0.0011		
			829.510	0.0041		
			931.320	0.0056		
188 Ir	77	1.729 d	155.000	0.3300	0.7470	0.5601
			312.020	0.0027		
			322.930	0.0190		
			332.400	0.0013		
			350.000	0.0025		
			385.300	0.0022		
			478.100	0.1560		
			487.600	0.0023		
			594.000	0.0019		
			620.600	0.0097		
			633.110	0.2200		
			635.050	0.0620		
			641.500	0.0053		
			672.300	0.0136		
			757.200	0.0025		
			810.500	0.0022		
			824.800	0.0156		
			829.500	0.0660		
			886.000	0.0044		
			940.000	0.0056		
			987.700	0.0075		
			1018.000	0.0097		
			1096.800	0.0131		
			1142.700	0.0042		
			1150.000	0.0058		
			1175.000	0.0100		
			1210.300	0.0660		
			1296.000	0.0023		
			1303.700	0.0047		

Nuclide	Z	Half Life	Energy keV	Yield	R ₂₃₂ /h/Ci	R ₂₂₆ /h/Ci
188 Ir	77	1.729 d	1323.400	0.0062	0.7470	0.5601
			1329.000	0.0023		
			1332.600	0.0037		
			1436.000	0.0137		
			1453.000	0.0115		
			1457.900	0.0114		
			1462.700	0.0044		
			1466.000	0.0072		
			1559.600	0.0069		
			1575.000	0.0190		
			1620.000	0.0055		
			1653.000	0.0030		
			1688.600	0.0048		
			1705.000	0.0111		
			1717.000	0.0410		
			1802.500	0.0062		
			1812.400	0.0025		
			1931.000	0.0022		
			1945.000	0.0280		
			2012.000	0.0047		
			2050.000	0.0340		
			2059.600	0.0470		
			2097.800	0.0340		
			2098.800	0.0340		
			2194.000	0.0158		
			2214.600	0.1250		
			2222.000	0.0022		
			2349.600	0.0041		
			2462.400	0.0014		
188 Pt	78	10.200 d	41.940	0.0055	0.0706	0.0638
			54.760	0.0080		
			96.680	0.0015		
			98.380	0.0034		
			132.880	0.0023		
			140.310	0.0230		
			187.640	0.1900		
			195.130	0.1800		
			197.780	0.0013		
			280.540	0.0025		
			283.000	0.0013		
			290.600	0.0011		
			381.600	0.0730		
			423.580	0.0440		
			478.300	0.0150		
189 Re	75	1.013 d	36.170	0.0026	0.0322	0.0292
			69.520	0.0185		
			95.230	0.0079		
			147.100	0.0230		
			149.900	0.0096		
			185.850	0.0240		
			188.600	0.0085		
			206.300	0.0016		
			216.700	0.0780		
			219.400	0.0570		
			245.000	0.0400		
			275.800	0.0033		

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	T Rem/h/Ci
189 Re	75	1.013 d	462.600	0.0012	0.0322	0.0292
			496.800	0.0014		
			504.200	0.0023		
			563.700	0.0051		
			599.800	0.0027		
189 Ir	77	13.300 d	36.170	0.0075	0.0147	0.0133
			56.500	0.0017		
			59.100	0.0141		
			69.520	0.0400		
			95.230	0.0043		
			147.100	0.0012		
			185.850	0.0020		
			197.400	0.0030		
			216.700	0.0058		
			219.400	0.0059		
			233.500	0.0033		
			245.000	0.0670		
			275.800	0.0060		
189 Pt	78	10.870 h	82.220	0.0180	0.1196	0.0935
			94.340	0.0400		
			113.820	0.0160		
			130.540	0.0017		
			141.180	0.0260		
			176.530	0.0054		
			181.300	0.0017		
			186.700	0.0140		
			190.830	0.0014		
			203.780	0.0030		
			223.340	0.0090		
			243.500	0.0440		
			258.370	0.0020		
			284.580	0.0012		
			300.510	0.0230		
			317.650	0.0200		
			343.200	0.0012		
			343.800	0.0012		
			351.100	0.0012		
			403.900	0.0090		
			493.300	0.0020		
			511.000	0.0095		
			530.420	0.0015		
			539.850	0.0018		
			544.910	0.0360		
			568.850	0.0430		
			607.600	0.0510		
			623.150	0.0015		
			627.080	0.0140		
			644.300	0.0041		
			698.330	0.0014		
			721.380	0.0570		
			733.730	0.0022		
			735.780	0.0024		
			792.670	0.0090		
			798.200	0.0012		
			828.060	0.0019		
			885.600	0.0011		

Nuclide	Z	Half Life	Energy keV	Yield	$\frac{\Gamma}{R \cdot m^2/h/Ci}$	$\frac{\Gamma}{Rem/h/Ci}$
189 Pt	78	10.870 h	924.750	0.0017	0.1196	0.0935
			1026.730	0.0021		
			1106.300	0.0011		
			1254.030	0.0023		
			1323.660	0.0017		
			1457.850	0.0013		
			1476.910	0.0023		
190 Re	75	3.100 m	186.900	0.4500	0.7055	0.5554
			224.100	0.1880		
			361.400	0.2300		
			371.500	0.2200		
			397.400	0.0960		
			407.300	0.1350		
			407.300	0.0169		
			431.400	0.1600		
			557.700	0.3400		
			569.100	0.2400		
			605.300	0.1500		
			630.600	0.1600		
			828.900	0.2700		
			838.800	0.0530		
190 Ir	77	3.100 h	186.700	0.6650	0.8487	0.6746
			361.200	0.8990		
			502.500	0.9270		
			616.500	0.9350		
190 Ir	77	12.100 d	137.800	0.0240	0.7582	0.5989
			186.650	0.4900		
			196.850	0.0760		
			198.000	0.0163		
			207.800	0.0218		
			207.800	0.0054		
			223.800	0.0340		
			288.200	0.0082		
			294.600	0.0540		
			334.000	0.0110		
			344.000	0.0160		
			361.200	0.1170		
			371.000	0.2070		
			375.200	0.0160		
			380.000	0.0190		
			394.800	0.0080		
			397.300	0.0580		
			407.200	0.0299		
			407.200	0.2310		
			420.700	0.0140		
			432.300	0.0270		
			447.500	0.0240		
			449.500	0.0140		
			478.000	0.0177		
			482.500	0.0106		
			490.800	0.0060		
			502.500	0.0092		
			518.400	0.3100		
			557.800	0.2720		
			569.300	0.2610		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
190 Ir	77	12.100 d	605.300	0.3800	0.7582	0.5989
			630.800	0.0410		
			655.900	0.0100		
			726.400	0.0330		
			768.500	0.0210		
			829.000	0.0440		
			839.200	0.0110		
			1035.700	0.0240		
			1133.600	0.0050		
			1199.900	0.0050		
			1323.900	0.0060		
			1386.500	0.0040		
			1396.500	0.0014		
			1436.700	0.0024		
191 Os	76	15.400 d	129.400	0.2600	0.0155	0.0164
192 Os	76	5.900 s	48.000	0.1200	1.1223	0.9123
			201.300	0.1264		
			205.800	0.8550		
			218.300	0.0038		
			233.900	0.0200		
			247.500	0.0067		
			283.200	0.0827		
			292.400	0.0437		
			302.400	0.7239		
			306.800	0.1083		
			329.300	0.0180		
			374.500	0.2422		
			379.000	0.0200		
			420.400	0.0600		
			452.000	0.0427		
			453.000	0.5767		
			484.500	0.5985		
			489.000	0.1454		
			502.500	0.0114		
			508.300	0.1178		
			555.500	0.0180		
			563.200	0.1178		
			569.200	0.6840		
			580.300	0.0390		
			605.700	0.1100		
			619.500	0.1064		
			624.000	0.0162		
			703.500	0.0038		
192 Ir	77	74.020 d	136.340	0.0018	0.4581	0.3960
			201.306	0.0047		
			205.791	0.0329		
			283.255	0.0026		
			295.951	0.2896		
			308.447	0.2967		
			316.500	0.8284		
			374.476	0.0073		
			415.400	0.0015		
			416.460	0.0066		
			468.060	0.4780		
			484.565	0.0316		

Nuclide	Z	Half Life	Energy keV	Yield	R Rem2/h/Ci	T Rem/h/Ci
192 Ir	77	74.020 d	489.060 588.573 604.398 612.451 884.523	0.0040 0.0452 0.0818 0.0533 0.0030	0.4581	0.3960
192 Ir	77	241.165 y	161.000	0.0013	0.0001	0.0001
193 Os	76	1.250 d	73.012 96.820 106.993 138.892 180.030 181.810 219.130 251.620 280.430 238.790 298.830 321.560 361.810 387.460 420.300 460.490 484.250 557.360 559.260	0.0350 0.0011 0.0069 0.0464 0.0020 0.0021 0.0030 0.0024 0.0135 0.0016 0.0020 0.0139 0.0032 0.0137 0.0018 0.0430 0.0018 0.0142 0.0053	0.0322	0.0284
193 Pt	78	4.330 d	135.500	0.0011	0.0001	0.0001
193 Au m	79	3.900 s	38.200 219.700 258.000	0.0015 0.0280 0.9612	0.1396	0.1243
193 Au	79	17.650 h	37.650 44.330 73.620 99.880 110.280 112.515 114.155 117.990 119.640 155.680 173.520 186.170 187.830 206.850 215.410 215.600 221.400 230.500 232.180 251.400 255.570 259.050 268.220 269.840	0.0050 0.0090 0.0050 0.0100 0.0410 0.0410 0.0100 0.0077 0.0025 0.0048 0.0400 0.1390 0.0120 0.0015 0.0013 0.0013 0.0011 0.0074 0.0074 0.0036 0.0920 0.0028 0.0540 0.0116	0.0701	0.0635

Nuclide	Z	Half Life	Energy keV	Yield	R ²³ m ² /h/Ci	T Rem/h/Ci
193 Au	79	17.650 h	290.330	0.0012	0.0701	0.0635
			303.410	0.0037		
			317.730	0.0032		
			324.890	0.0048		
			377.100	0.0070		
			401.300	0.0016		
			408.400	0.0018		
			424.760	0.0021		
			437.410	0.0068		
			439.040	0.0264		
			476.980	0.0064		
			489.600	0.0032		
			491.280	0.0096		
			520.970	0.0011		
			522.660	0.0010		
193 Hg	80	11.100 h	39.490	0.0800	0.5109	0.3990
			165.500	0.0035		
			218.000	0.0520		
			219.700	0.0270		
			258.000	0.6100		
			290.700	0.0150		
			299.800	0.0040		
			345.400	0.0119		
			382.600	0.0430		
			394.000	0.0308		
			407.700	0.2484		
			462.000	0.0109		
			487.800	0.0034		
			510.300	0.0070		
			511.000	0.0129		
			535.600	0.0201		
			537.600	0.0196		
			573.200	0.1390		
			601.000	0.0211		
			614.400	0.0050		
			626.200	0.0065		
			639.000	0.0062		
			685.000	0.0077		
			700.700	0.0037		
			712.200	0.0052		
			727.200	0.0017		
			731.500	0.0025		
			739.400	0.0042		
			767.000	0.0017		
			816.700	0.0027		
			856.500	0.0020		
			877.700	0.0270		
			913.000	0.0107		
			932.500	0.0670		
			994.800	0.0156		
			1049.200	0.0030		
			1052.300	0.0060		
			1076.200	0.0027		
			1111.000	0.0180		
			1132.900	0.0016		
			1160.000	0.0035		
			1173.000	0.0200		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
193 Hg	80	11.100 h	1232.400 1241.800 1268.500 1276.800 1285.800 1297.000 1315.300 1326.300 1340.200 1352.500 1366.000 1392.000 1407.700 1433.600 1443.000 1462.000 1487.000 1504.800 1518.400 1558.000 1625.300 1640.200 1649.700 1734.500 1748.000 1851.000 1926.000 1964.500	0.0097 0.0240 0.0031 0.0011 0.0062 0.0020 0.0067 0.0211 0.0149 0.0022 0.0142 0.0015 0.0114 0.0055 0.0026 0.0046 0.0150 0.0062 0.0042 0.0013 0.0045 0.0150 0.0124 0.0019 0.0035 0.0015 0.0017 0.0013	0.5109	0.3990
194 Os	76	6.004 y	43.100	0.0230	0.0010	0.0006
194 Ir	77	19.150 h	293.541 300.741 328.448 589.179 621.971 645.146 938.690 1150.750 1183.490 1468.910	0.0250 0.0035 0.1300 0.0014 0.0033 0.0116 0.0059 0.0059 0.0030 0.0019	0.0447	0.0384
194 Ir m	77	171.000 d	111.700 324.000 328.500 338.800 390.800 482.600 562.400 600.500 687.800 1011.800	0.0880 0.0200 0.9300 0.5500 0.3500 0.9700 0.3500 0.6200 0.5900 0.0360	1.2140	0.9667
194 Au	79	1.646 d	164.000 203.010 293.58C 300.770 318.140	0.0013 0.0034 0.1100 0.0091 0.0033	0.5085	0.4021

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
194 Au	79	1.646 d	328.500	0.6300	0.5085	0.4021
			364.870	0.0152		
			449.360	0.0017		
			482.800	0.0117		
			511.000	0.0332		
			528.760	0.0170		
			529.880	0.0063		
			589.240	0.0026		
			593.350	0.0035		
			594.280	0.0013		
			607.540	0.0031		
			621.200	0.0063		
			622.000	0.0176		
			645.180	0.0228		
			668.270	0.0012		
			703.540	0.0044		
			736.230	0.0013		
			810.650	0.0020		
			855.800	0.0011		
			889.970	0.0016		
			925.150	0.0030		
			938.710	0.0118		
			948.290	0.0230		
			1000.190	0.0021		
			1038.560	0.0032		
			1048.580	0.0089		
			1104.060	0.0214		
			1119.700	0.0013		
			1150.780	0.0144		
			1156.610	0.0045		
			1175.340	0.0207		
			1183.520	0.0066		
			1218.760	0.0117		
			1291.700	0.0011		
			1293.700	0.0018		
			1302.290	0.0028		
			1308.550	0.0016		
			1339.600	0.0030		
			1342.150	0.0123		
			1421.650	0.0034		
			1431.600	0.0015		
			1441.870	0.0019		
			1450.060	0.0034		
			1463.450	0.0076		
			1468.890	0.0670		
			1487.000	0.0014		
			1491.970	0.0018		
			1500.500	0.0040		
			1562.800	0.0032		
			1592.400	0.0107		
			1593.500	0.0063		
			1595.800	0.0180		
			1602.010	0.0025		
			1617.730	0.0021		
			1622.230	0.0020		
			1632.860	0.0024		
			1670.660	0.0018		
			1675.700	0.0014		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
194 Au	79	1.646 d	1689.700 1715.230 1735.310 1755.470 1797.310 1803.000 1806.000 1829.410 1835.330 1885.900 1887.000 1911.300 1924.180 1958.740 1969.650 2043.670 2113.930 2215.500 2312.010	0.0018 0.0071 0.0030 0.0040 0.0060 0.0019 0.0018 0.0025 0.0042 0.0183 0.0157 0.0013 0.0208 0.0017 0.0045 0.0380 0.0028 0.0018 0.0017	0.5085	0.4021
194 Tl	81	32.800 m	96.900 98.900 107.200 110.960 208.900 219.000 227.980 233.100 239.000 255.400 284.000 298.100 299.500 319.800 352.200 366.500 380.500 428.200 446.500 451.000 462.500 464.500 511.000 553.200 600.500 636.300 650.300 664.200 735.000 749.000	0.0770 0.0062 0.0077 0.0640 0.0620 0.0100 0.0660 0.0210 0.0090 0.0920 0.0180 0.0210 0.0100 0.0390 0.0170 0.0180 0.0140 0.9600 0.0280 0.0500 0.0460 0.0230 0.3736 0.0460 0.0170 0.9900 0.0690 0.0120 0.2200 0.7700	1.2819	0.9746
195 Ir	77	2.500 h	30.850 98.850 129.700 211.300	0.0130 0.1000 0.0120 0.0240	0.0087	0.0082
195 Ir m	77	3.800 h	30.850 98.850	0.0190 0.1050	0.1981	0.1656

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
195 Ir m	77	3.800 h	119.120	0.0038	0.1981	0.1656
			129.700	0.0170		
			140.500	0.0077		
			150.110	0.0017		
			172.780	0.0500		
			199.580	0.0058		
			201.650	0.0144		
			211.000	0.0026		
			211.300	0.0190		
			216.000	0.0086		
			235.400	0.0026		
			239.000	0.0013		
			239.210	0.0170		
			243.870	0.0077		
			251.610	0.0180		
			255.790	0.0086		
			259.330	0.0077		
			267.100	0.0058		
			287.800	0.0100		
			290.300	0.0190		
			306.000	0.0084		
			306.480	0.0136		
			319.900	0.0960		
			325.180	0.0077		
			350.900	0.0102		
			356.380	0.0180		
			359.310	0.0460		
			364.940	0.0950		
			373.390	0.0110		
			378.240	0.0100		
			383.000	0.0024		
			383.300	0.0024		
			385.200	0.0016		
			387.100	0.0032		
			389.850	0.0058		
			401.300	0.0029		
			409.040	0.0144		
			413.600	0.0026		
			419.690	0.0038		
			422.400	0.0013		
			425.410	0.0067		
			427.800	0.0067		
			432.860	0.0960		
			440.400	0.0021		
			445.550	0.0047		
			455.940	0.0078		
			475.380	0.0015		
			481.170	0.0270		
			495.800	0.0051		
			498.600	0.0012		
			506.160	0.0064		
			534.100	0.0035		
			537.400	0.0015		
			565.480	0.0022		
			575.350	0.0150		
			596.480	0.0021		
			616.500	0.0019		
			684.880	0.0960		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
195 Ir m	77	3.800 h	723.700 750.800 800.900	0.0019 0.0020 0.0106	0.1981	0.1656
195 Pt	78	4.020 d	30.890 98.900 129.790	0.0228 0.1140 0.0283	0.0084	0.0076
195 Au m	79	30.500 s	61.460 200.380 261.750	0.0017 0.0170 0.6800	0.0998	0.0904
195 Au	79	183.000 d	30.876 98.880 129.757	0.0075 0.1090 0.0082	0.0058	0.0058
195 Hg	80	9.900 h	61.460 180.110 207.100 261.750 439.500 585.130 599.660 779.800 821.080 841.270 841.300 930.900 1021.560 1111.040 1172.380	0.0640 0.0195 0.0162 0.0160 0.0013 0.0204 0.0183 0.0700 0.0030 0.0028 0.0037 0.0043 0.0019 0.0148 0.0128	0.0768	0.0578
195 Hg m	80	1.733 d	37.090 200.380 207.100 261.750 279.250 368.550 386.400 387.870 452.040 467.360 525.750 560.270 575.520 680.680 853.050 961.920 1027.450 1241.170	0.0185 0.0085 0.0039 0.3230 0.0015 0.0035 0.0029 0.0231 0.0022 0.0030 0.0053 0.0750 0.0023 0.0023 0.0028 0.0023 0.0012 0.0067	0.0920	0.0767
195 Tl m	81	3.600 s	99.000 383.640	0.0062 0.9100	0.1999	0.1715
195 Tl	81	69.600 m	37.000 131.140 197.100 225.930	0.0270 0.0015 0.0024 0.0128	0.5503	0.4101

Nuclide	Z	Half Life	Energy keV	Yield	R# m ² /h/Ci	T Rem/h/Ci
195 Tl	81	69.600 m	242.150	0.0430	0.5503	0.4101
			247.300	0.0129		
			263.510	0.0088		
			279.190	0.0370		
			295.140	0.0014		
			300.600	0.0240		
			321.300	0.0017		
			326.000	0.0015		
			356.990	0.0046		
			369.260	0.0021		
			373.240	0.0060		
			403.860	0.0012		
			408.800	0.0016		
			456.350	0.0011		
			464.010	0.0011		
			470.800	0.0013		
			471.700	0.0013		
			482.800	0.0035		
			482.800	0.0018		
			485.380	0.0043		
			511.000	0.0590		
			511.000	0.0048		
			511.000	0.0636		
			542.160	0.0105		
			544.000	0.0028		
			547.340	0.0067		
			558.380	0.0260		
			563.520	0.1050		
			582.300	0.0011		
			592.590	0.0120		
			595.200	0.0022		
			600.640	0.0065		
			613.880	0.0071		
			620.960	0.0022		
			642.600	0.0015		
			655.450	0.0046		
			657.110	0.0017		
			704.030	0.0019		
			711.150	0.0080		
			725.270	0.0063		
			727.400	0.0064		
			733.940	0.0064		
			755.770	0.0010		
			761.420	0.0017		
			761.520	0.0041		
			777.680	0.0111		
			805.320	0.0018		
			814.680	0.0189		
			821.300	0.0010		
			849.300	0.0013		
			855.940	0.0030		
			861.130	0.0015		
			884.470	0.1000		
			893.060	0.0089		
			921.590	0.0225		
			927.900	0.0037		
			951.400	0.0018		
			967.460	0.0214		

Nuclide	Z	Half Life	Energy keV	R _{rem} /h/Ci	R _{rem} /h/Ci
195 Ti	81	69.600	0.0013	0.5503	0.4101
		980.230	0.0015	1004.540	1009.990
			0.0033	0.0013	1063.100
			0.0040	1067.160	1092.820
			0.0230	1100.330	1102.900
			0.0020	1121.660	1121.700
			0.0031	1140.470	1140.470
			0.0010	1193.070	1200.000
			0.0014	1210.880	1216.530
			0.0010	1248.000	1263.000
			0.0115	1288.360	1347.780
			0.0117	1363.880	1363.880
			0.0840	1364.000	1383.430
			0.0020	1435.520	1443.500
			0.0062	1447.300	1447.300
			0.0011	1456.600	1456.600
			0.0015	1490.250	1511.620
			0.0047	1531.010	1531.010
			0.0017	1548.000	1548.000
			0.0021	1552.260	1552.260
			0.0013	1588.400	1591.700
			0.0059	1627.000	1660.700
			0.0058	1690.000	1696.600
			0.0016	1688.200	1705.880
			0.0160	1690.000	1714.400
			0.0039	1735.400	1743.080
			0.0011	1756.930	1778.200
			0.0025	1778.200	1794.130
			0.0044	1842.160	1856.400
			0.0010	1912.340	1950.880
			0.0014	1961.600	1977.750
			0.0011	1984.400	2004.400

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
195 Tl	81	69.600 m	2004.400	0.0013	0.5503	0.4101
			2014.750	0.0089		
			2020.800	0.0010		
			2025.800	0.0037		
			2031.800	0.0013		
			2057.400	0.0032		
			2060.400	0.0010		
			2101.400	0.0011		
			2140.970	0.0048		
			2150.100	0.0019		
			2177.900	0.0020		
			2212.800	0.0021		
			2234.210	0.0024		
			2251.900	0.0011		
			2255.600	0.0022		
			2267.850	0.0020		
			2274.800	0.0015		
			2301.200	0.0012		
			2362.900	0.0031		
			2366.000	0.0054		
			2382.900	0.0044		
			2388.000	0.0017		
			2391.800	0.0026		
			2456.400	0.0011		
			2471.130	0.0015		
			2476.120	0.0018		
			2513.280	0.0047		
195 Pb	82	15.800 m	98.970	0.0078	0.8421	0.6625
			305.670	0.0091		
			313.220	0.0700		
			325.850	0.0066		
			383.640	1.0700		
			392.800	0.0070		
			394.210	0.4400		
			419.810	0.0063		
			428.440	0.0450		
			442.740	0.0082		
			511.000	0.1700		
			534.000	0.0053		
			534.110	0.0180		
			539.500	0.0130		
			607.640	0.0830		
			630.580	0.0330		
			672.600	0.0070		
			691.170	0.0290		
			707.670	0.1400		
			717.430	0.0056		
			734.430	0.0160		
			739.470	0.0038		
			742.190	0.0420		
			754.700	0.0084		
			801.260	0.0200		
			815.310	0.0250		
			821.300	0.0060		
			847.100	0.0070		
			848.660	0.0290		
			877.900	0.0090		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
195 Pb	82	15.800 m	878.400 912.740 928.020 937.860 979.070 1000.920 1067.880 1133.730 1242.200 1630.500 1929.800	0.2400 0.0160 0.0390 0.0085 0.0150 0.0140 0.0630 0.0081 0.0033 0.0098 0.0116	0.8421	0.6625
197 Pt m	78	1.573 h	52.950 130.000 279.000 346.500	0.0097 0.0330 0.0327 0.1110	0.0292	0.0269
197 Pt	78	18.300 h	77.350 191.437 268.780	0.1700 0.0350 0.0027	0.0099	0.0102
197 Au	79	7.800 s	77.350 130.420 202.000 279.010 409.100	0.0030 0.0320 0.0120 0.7200 0.0011	0.1151	0.1089
197 Hg m	80	23.800 h	130.420 133.880 164.970 279.010	0.0018 0.3400 0.0032 0.0500	0.0293	0.0300
197 Hg	80	2.671 d	77.352 191.364	0.1800 0.0048	0.0068	0.0074
197 Tl	81	0.540 s	222.450 385.000	0.3040 0.9100	0.2365	0.2045
197 Tl	81	2.840 h	133.990 152.150 155.400 173.800 269.400 277.500 397.700 405.000 425.700 432.900 444.000 451.400 484.000 511.000 545.400 578.000 585.000 639.900 645.800 674.200	0.0190 0.0760 0.0012 0.0030 0.0058 0.0031 0.0012 0.0023 0.1200 0.0210 0.0046 0.0092 0.0022 0.0402 0.0011 0.0330 0.0076 0.0073 0.0012 0.0110	0.1628	0.1254

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	R Rem/h/Ci
197 Tl	81	2.840 h	676.400 701.600 758.600 792.000 857.200 892.400 901.000 982.600 1009.000 1254.700 1284.700 1384.500 1410.500 1429.000 1436.800 1540.900 1693.100 1886.000	0.0065 0.0084 0.0011 0.0120 0.0150 0.0079 0.0020 0.0089 0.0028 0.0059 0.0061 0.0090 0.0330 0.0059 0.0043 0.0016 0.0048 0.0017	0.1628	0.1254
197 Pb	82	42.000 m	84.900 222.400 234.400 239.500 252.900 290.400 307.700 322.600 366.000 385.700 387.700 416.000 558.000 608.500 695.000 722.000 773.000	0.0540 0.2500 0.0029 0.0460 0.1700 0.0100 0.0510 0.0100 0.0620 1.0000 0.3000 0.0210 0.0410 0.0410 0.1300 0.0310 0.1900	0.5540	0.4562
198 Au m	79	2.300 d	97.210 180.310 204.100 214.890 333.820	0.7000 0.5100 0.4200 0.7700 0.1500	0.2377	0.2276
198 Au	79	2.696 d	411.794 675.873 1087.663	0.9550 0.0105 0.0023	0.2311	0.1908
198 Tl m	81	1.870 h	47.740 149.300 194.600 215.600 226.200 227.500 249.800 259.600 260.900 274.000 282.800	0.0024 0.0015 0.0075 0.0120 0.0520 0.0140 0.0031 0.0290 0.0130 0.0150 0.2800	0.6442	0.5015

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m^2/h/Ci	Rem/h/Ci
198 Tl m	81	1.870 h	292.700	0.0021	0.6442	0.5015
			375.900	0.0076		
			390.400	0.0160		
			411.800	0.5600		
			422.200	0.0087		
			423.300	0.0106		
			441.800	0.0220		
			489.600	0.0440		
			511.000	0.0186		
			519.200	0.0350		
			531.600	0.0051		
			541.000	0.0077		
			567.000	0.0021		
			587.200	0.5100		
			606.000	0.0027		
			636.700	0.5600		
			698.000	0.0076		
			744.200	0.0031		
			767.300	0.0110		
			832.900	0.0044		
			898.500	0.0083		
			1050.200	0.0025		
			1281.500	0.0036		
			1392.000	0.0038		
198 Tl	81	5.300 h	234.800	0.0045	0.9616	0.7267
			238.300	0.0025		
			331.600	0.0059		
			370.800	0.0029		
			376.800	0.0020		
			411.800	0.8200		
			437.200	0.0019		
			449.000	0.0012		
			480.800	0.0041		
			497.900	0.0022		
			511.000	0.0105		
			511.000	0.0155		
			513.600	0.0026		
			525.900	0.0033		
			550.200	0.0010		
			564.000	0.0031		
			587.200	0.0020		
			596.800	0.0100		
			636.700	0.1010		
			664.500	0.0013		
			675.800	0.1090		
			704.400	0.0017		
			745.000	0.0013		
			758.000	0.0039		
			759.600	0.0145		
			771.200	0.0015		
			786.300	0.0028		
			789.600	0.0049		
			798.700	0.0107		
			810.400	0.0017		
			853.000	0.0014		
			876.800	0.0027		
			922.700	0.0020		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
198 Tl	81	5.300 h	941.400	0.0062	0.9616	0.7267
			989.700	0.0072		
			1007.600	0.0270		
			1045.000	0.0021		
			1045.500	0.0046		
			1066.300	0.0022		
			1087.600	0.0240		
			1090.300	0.0070		
			1131.700	0.0023		
			1136.800	0.0037		
			1145.000	0.0022		
			1200.600	0.0970		
			1208.700	0.0041		
			1219.200	0.0108		
			1232.600	0.0021		
			1244.000	0.0032		
			1273.100	0.0036		
			1312.200	0.0470		
			1363.900	0.0032		
			1368.200	0.0022		
			1416.800	0.0033		
			1420.600	0.0800		
			1435.400	0.0350		
			1447.000	0.0430		
			1475.000	0.0022		
			1476.500	0.0024		
			1487.500	0.0034		
			1489.600	0.0260		
			1515.000	0.0021		
			1548.400	0.0011		
			1559.000	0.0092		
			1593.600	0.0210		
			1595.600	0.0035		
			1612.500	0.0096		
			1636.800	0.0026		
			1643.500	0.0032		
			1659.100	0.0169		
			1697.300	0.0022		
			1720.800	0.0280		
			1758.600	0.0045		
			1765.800	0.0098		
			1797.400	0.0050		
			1832.600	0.0430		
			1856.000	0.0048		
			1859.000	0.0077		
			1875.300	0.0066		
			1899.300	0.0220		
			1908.500	0.0014		
			1949.100	0.0012		
			2040.200	0.0840		
			2053.700	0.0017		
			2074.300	0.0058		
			2152.600	0.0052		
			2168.700	0.0015		
			2190.500	0.0270		
			2209.200	0.0041		
			2283.000	0.0049		
			2287.500	0.0044		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T ²³² Rem/h/Ci
198 Tl	81	5.300 h	2319.500 2370.900 2413.700 2423.700 2465.400 2486.200 2564.300 2601.400 2612.600 ~782.800 2825.600	0.0015 0.0053 0.0034 0.0022 0.0062 0.0112 0.0012 0.0023 0.0022 0.0044 0.0012	0.9616	0.7267
198 Pb	82	2.400 h	116.900 122.600 138.300 173.400 259.500 266.700 275.400 290.300 365.400 382.000 389.500 396.500 397.700 467.800 575.000 605.900 649.000 743.000 865.300	0.0120 0.0011 0.0015 0.1800 0.0580 0.0086 0.0040 0.3600 0.1900 0.0560 0.0054 0.0022 0.0290 0.0072 0.0310 0.0060 0.0180 0.0150 0.0590	0.2009	0.1741
198 Bi	83	7.700 s	248.500	0.3900	0.0529	0.0472
199 Pt m	78	13.600 s	32.000 391.930	0.0420 0.8500	0.1937	0.1625
199 Pt	78	30.800 m	77.200 185.790 191.690 219.360 225.880 240.010 246.460 317.030 323.600 417.610 425.340 465.760 468.090 474.680 493.750 542.980 714.550 791.740 968.320	0.0150 0.0330 0.0240 0.0039 0.0017 0.0018 0.0220 0.0490 0.0025 0.0039 0.0017 0.0093 0.0099 0.0115 0.0570 0.1480 0.0190 0.0107 0.0110	0.1097	0.0863
199 Au	79	4.400E-04 s	55.150	0.0034	0.2763	0.2129

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	Rem/h/Ci
199 Au	79	4.400E-04 s	493.750	0.9700	0.2763	0.2129
199 Au	79	3.139 d	49.825 158.375 208.201	0.0033 0.3690 0.0840	0.0380	0.0376
199 Hg	80	42.600 m	158.375 374.100	0.5300 0.1390	0.0708	0.0673
199 Tl	81	0.028 s	353.000 367.000 382.400 720.000	0.0390 0.8500 0.7600 0.0190	0.3597	0.3114
199 Tl	81	7.420 h	49.825 158.360 195.300 208.201 247.260 284.090 297.070 333.930 336.500 346.890 403.400 413.850 455.460 492.300 542.210 750.400 817.670 1012.950 1062.800	0.0048 0.0490 0.0026 0.1200 0.0900 0.0220 0.0034 0.0170 0.0014 0.0013 0.0150 0.0020 0.1200 0.0150 0.0026 0.0100 0.0041 0.0170 0.0025	0.0948	0.0791
199 Pb m	82	12.200 m	424.100	0.1750	0.0425	0.0348
199 Pb	82	1.300 h	240.800 267.600 319.200 353.390 361.400 366.900 390.300 400.540 430.900 433.200 476.900 494.890 503.150 510.900 511.000 521.280 574.980 685.200 720.240 724.500 735.400 753.920	0.0023 0.0057 0.0013 0.1390 0.0049 0.6500 0.0025 0.0190 0.0029 0.0025 0.0026 0.0054 0.0016 0.0240 0.0212 0.0061 0.0015 0.0014 0.0950 0.0016 0.0016 0.0230	0.7248	0.5577

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
199 Pb	82	1.500 h	761.980	0.0330	0.7248	0.5577
			777.200	0.0044		
			781.480	0.0270		
			833.830	0.0027		
			838.680	0.0131		
			874.770	0.0240		
			911.800	0.0054		
			937.890	0.0310		
			995.600	0.0017		
			1005.130	0.0200		
			1029.210	0.0240		
			1048.090	0.0043		
			1052.660	0.0041		
			1115.100	0.0093		
			1121.000	0.0220		
			1135.040	0.1150		
			1161.270	0.0126		
			1170.700	0.0045		
			1187.230	0.0068		
			1209.600	0.0038		
			1215.200	0.0015		
			1239.120	0.0310		
			1265.400	0.0026		
			1291.500	0.0045		
			1311.280	0.0057		
			1325.700	0.0027		
			1328.300	0.0027		
			1358.600	0.0051		
			1382.710	0.0420		
			1401.940	0.0148		
			1481.200	0.0020		
			1502.040	0.0310		
			1506.200	0.0031		
			1517.120	0.0068		
			1524.100	0.0024		
			1531.230	0.0075		
			1553.300	0.0012		
			1563.300	0.0011		
			1592.580	0.0039		
			1602.610	0.0060		
			1610.670	0.0084		
			1631.800	0.0013		
			1647.200	0.0016		
			1658.430	0.0820		
			1695.280	0.0049		
			1749.700	0.0340		
			1768.480	0.0033		
			1793.100	0.0033		
			1840.000	0.0012		
			1859.300	0.0019		
			1891.300	0.0059		
			1898.700	0.0012		
			1930.690	0.0016		
			1978.500	0.0011		
			2000.610	0.0027		
			2019.600	0.0014		
			2031.400	0.0034		
			2042.600	0.0019		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
199 Pb	82	1.500 h	2046.300 2062.500 2078.400 2090.200 2206.500 2237.290 2341.600 2361.900 2367.000 2399.200 2433.100	0.0019 0.0015 0.0015 0.0024 0.0012 0.0090 0.0022 0.0013 0.0012 0.0012 0.0022	0.7248	0.5577
199 Po m	84	4.200 m	274.200 499.800 511.000 1002.000	0.0740 0.2500 0.4017 0.6000	0.5294	0.3952
199 Po	84	5.200 m	187.700 229.100 233.500 246.000 260.700 361.600 397.800 474.900 506.800 511.000 998.400 1021.400 1034.400	0.0750 0.0480 0.0550 0.0420 0.0400 0.2200 0.0420 0.0700 0.0370 0.4259 0.1540 0.2420 0.4700	0.7233	0.5472
200 Pt	78	12.500 h	43.670 60.000 76.200 97.520 103.600 135.940 137.680 146.540 150.610 166.000 167.370 189.400 200.000 227.450 243.710 292.660 303.700 313.970 330.280 390.200 468.720	0.0080 0.0230 0.1340 0.0013 0.0103 0.0320 0.0023 0.0049 0.0025 0.0051 0.0038 0.0011 0.0067 0.0206 0.0250 0.0027 0.0016 0.0013 0.0110 0.0030 0.0026	0.0208	0.0201
200 Au	79	48.400 m	367.900 661.370 885.880 1147.170 1202.410	0.1900 0.0039 0.0014 0.0012 0.0018	0.1421	0.1100

Nuclide	Z	Half Life	Energy keV	Yield	R Rm2/h/Ci	T Rem/h/r
200 Au	79	48.400 m	1225.410 1262.890 1273.510 1514.900 1570.330 1593.180 1604.350 1630.930	0.1070 0.0310 0.0017 0.0011 0.0041 0.0011 0.0015 0.0030	0.1421	0.1101
200 Au m	79	18.700 h	60.080 84.300 101.430 105.420 111.120 120.280 133.230 137.300 144.600 146.070 181.180 218.510 255.870 332.800 367.990 497.770 579.290 759.500 904.230	0.0068 0.0014 0.0016 0.0020 0.0180 0.0023 0.0067 0.0027 0.0023 0.0081 0.5500 0.0038 0.7100 0.0280 0.7710 0.7300 0.7200 0.6600 0.0770	1.0933	0.8601
200 Tl	81	0.034 s	213.000 539.000	0.2300 1.0000	0.3368	0.2580
200 Tl	81	1.087 d	116.510 252.010 289.350 309.180 367.942 387.300 476.820 511.000 521.400 579.280 591.650 612.080 628.630 661.350 689.050 701.560 711.750 783.600 787.100 828.320 886.150 898.520 1147.120 1167.100 1180.500 1202.370	0.0011 0.0028 0.0051 0.0026 0.8720 0.0016 0.0032 0.0071 0.0025 0.1380 0.0029 0.0024 0.0100 0.0228 0.0011 0.0129 0.0027 0.0057 0.0103 0.1080 0.0202 0.0062 0.0012 0.0010 0.0011 0.0011	0.6641	0.5141

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R ²³² /h/Ci	Rem/h/Ci
200 Tl	81	1.087 d	1205.700 1225.500 1254.110 1262.970 1273.520 1291.110 1350.350 1362.900 1366.300 1407.640 1477.780 1514.900 1570.600 1604.500 1718.350 1759.150 1906.300	0.2990 0.0336 0.0093 0.0078 0.0331 0.0060 0.0015 0.0340 0.0090 0.0145 0.0015 0.0400 0.0027 0.0117 0.0033 0.0014 0.0011	0.6641	0.5141
200 Pb	82	21.500 h	109.540 142.290 147.620 161.350 235.620 257.170 268.380 289.110 289.940 302.890 315.380 348.230 450.530 457.700 525.540 605.440	0.0048 0.0316 0.3770 0.0030 0.0430 0.0446 0.0396 0.0110 0.0170 0.0017 0.0022 0.0016 0.0333 0.0012 0.0042 0.0056	0.0646	0.0609
200 Bi m	83	31.000 m	245.300 273.000 418.200 462.400 511.000 712.700 1026.800 1739.500	0.0440 0.0443 0.2030 0.3560 0.3800 0.0154 0.8500 0.0368	0.7723	0.5787
200 Bi	83	36.400 m	83.800 98.100 103.250 114.400 201.110 245.150 273.390 294.400 303.410 344.600 348.330 353.600 419.770 462.340	0.0041 0.0030 0.0130 0.0120 0.0090 0.4600 0.0120 0.0090 0.0220 0.0050 0.0250 0.0040 0.9100 0.9800	1.2618	0.9713

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
200 Bi	83	36.400 m	480.300	0.0230	1.2618	0.9713
			494.300	0.0120		
			511.000	0.1040		
			539.200	0.0170		
			545.500	0.0450		
			642.700	0.0080		
			647.800	0.0260		
			781.000	0.0200		
			788.700	0.0100		
			811.000	0.0070		
			836.900	0.0150		
			902.600	0.0100		
			931.600	0.0260		
			935.100	0.0140		
			979.800	0.0070		
			992.900	0.0290		
			1026.490	1.0000		
			1101.400	0.0100		
200 Po	84	1.900E-07 s	484.000	1.0000	1.0130	0.7547
			611.000	1.0000		
			668.000	1.0000		
200 Po	84	11.500 m	53.300	0.0095	0.5294	0.3945
			102.300	0.0017		
			145.400	0.0126		
			147.600	0.0450		
			151.800	0.0024		
			154.400	0.0034		
			205.000	0.0150		
			225.100	0.0092		
			260.300	0.0068		
			272.600	0.0037		
			328.100	0.0262		
			395.400	0.0041		
			421.900	0.0136		
			430.300	0.0480		
			434.400	0.0930		
			488.400	0.0034		
			511.000	0.0918		
			551.500	0.0197		
			575.100	0.0041		
			582.000	0.0054		
			590.200	0.0099		
			599.700	0.0041		
			617.700	0.1970		
			662.600	0.0112		
			671.000	0.3400		
			692.000	0.0065		
			694.800	0.0550		
			720.800	0.0082		
			730.500	0.0105		
			756.000	0.0068		
			777.500	0.0051		
			796.700	0.0790		
			818.800	0.0058		
			850.000	0.0490		
			876.500	0.0180		

Nuclide	Z	Half Life	Energy keV	Yield	R# R/m ² /h/Ci	T Rem/h/Ci
200 Po	84	11.500 m	895.900 914.700 919.000 932.000 945.700 1003.300 1084.600 1106.800 1145.700 1165.200 1173.000 1271.300 1285.800 1387.800 1398.500 1408.600 1438.400 1560.600 1651.700 1750.40C 1802.100	0.0146 0.0116 0.0027 0.0078 0.0109 0.0082 0.0381 0.0065 0.0034 0.0065 0.0109 0.0058 0.0116 0.0102 0.0037 0.0054 0.0037 0.0051 0.0065 0.0078 0.0126	0.5294	0.3945
201 Au	79	26.400 m	30.600 32.190 135.300 167.440 352.300 385.100 438.200 517.000 521.000 526.900 542.600 552.800 613.200 645.000 732.300	0.0012 0.0014 0.0034 0.0101 0.0036 0.0065 0.0032 0.0132 0.0055 0.0071 0.0190 0.0084 0.0122 0.0067 0.0044	0.0292	0.0223
201 Hg	80	9.400E-05 s	218.90C 521.050	0.1950 1.0050	0.3248	0.2501
201 Tl	81	0.002 s	225.000 331.100 588.000	0.0435 0.8700 0.8700	0.4628	0.3732
201 Tl	81	3.046 d	30.600 32.190 135.340 165.880 167.430	0.0022 0.0022 0.0265 0.0016 0.1000	0.0105	0.0102
201 Pb m	82	1.017 m	620.000	0.5430	0.1935	0.1423
201 Pb	82	9.400 h	58.920 129.920 155.310 231.850 241.020	0.0072 0.0011 0.0014 0.0010 0.0017	0.3789	0.3093

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
201 Pb	82	9.400 h	285.040	0.0016	0.3789	0.3093
			331.170	0.7900		
			341.520	0.0010		
			345.040	0.0029		
			361.270	0.0990		
			381.380	0.0023		
			394.930	0.0017		
			406.030	0.0201		
			450.390	0.0010		
			464.950	0.0036		
			510.700	0.0010		
			514.380	0.0017		
			540.960	0.0026		
			546.290	0.0027		
			573.200	0.0011		
			584.550	0.0356		
			597.580	0.0032		
			637.970	0.0043		
			692.370	0.0427		
			708.750	0.0077		
			727.530	0.0014		
			753.350	0.0015		
			767.280	0.0316		
			787.290	0.0059		
			803.660	0.0151		
			826.210	0.0236		
			907.560	0.0570		
			945.960	0.0740		
			946.800	0.0047		
			999.230	0.0064		
			1069.950	0.0114		
			1088.800	0.0086		
			1098.510	0.0183		
			1114.720	0.0017		
			1148.750	0.0076		
			1157.550	0.0013		
			1238.760	0.0118		
			1277.130	0.0163		
			1308.410	0.0055		
			1340.770	0.0043		
			1401.290	0.0013		
			1479.890	0.0016		
201 Bi m	83	60.000 m	511.000	0.3720	0.1570	0.1181
			846.000	0.1000		
201 Bi	83	1.800 h	628.800	0.5000	0.6948	0.5078
			795.900	0.3000		
			901.500	0.2000		
			935.700	0.1900		
			1013.800	0.1350		
			1325.500	0.1600		
201 Po	84	8.900 m	272.700	0.0460	0.4285	0.3227
			412.400	0.2500		
			417.900	0.0660		
			511.000	0.1680		
			967.000	0.5600		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
201 Po	84	15.300 m	205.600	0.0800	0.7273	0.5427
			223.000	0.0550		
			224.900	0.1200		
			239.000	0.0810		
			428.400	0.0890		
			511.000	0.2980		
			537.400	0.0550		
			552.100	0.0630		
			639.100	0.0540		
			848.400	0.1350		
			890.400	0.5400		
			904.700	0.2900		
			1163.800	0.0370		
			1206.100	0.0330		
201 At	85	1.483 m	511.000	0.2494	0.0735	0.0561
202 Au	79	28.000 s	388.100	0.0100	0.0869	0.0658
			439.560	0.1000		
			520.300	0.0110		
			786.300	0.0059		
			908.600	0.0180		
			959.700	0.0014		
			1125.400	0.0250		
			1203.700	0.0210		
			1306.500	0.0230		
202 Tl	81	12.230 d	439.560	0.9140	0.2344	0.1883
			520.130	0.0090		
			959.700	0.0012		
202 Pb	82	3.620 h	124.750	0.0055	1.1115	0.8334
			148.800	0.0022		
			211.920	0.0075		
			240.300	0.0025		
			241.100	0.0084		
			335.550	0.0022		
			389.940	0.0620		
			417.300	0.0040		
			422.120	0.8600		
			459.720	0.0860		
			490.470	0.0910		
			547.400	0.0012		
			601.950	0.0060		
			557.490	0.3240		
			786.990	0.4980		
			954.500	0.0100		
			960.700	0.9200		
202 Bi	83	1.670 h	80.750	0.0075	1.4255	1.0681
			97.580	0.0024		
			125.210	0.0119		
			158.160	0.0035		
			168.110	0.0480		
			195.630	0.0029		
			204.750	0.0027		
			216.000	0.0023		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T
					Rem2/h/Ci	Rem/h/Ci
202 Si	83	1.670 h	222.790	0.0069		
			232.060	0.0034	1.4255	1.0681
			240.180	0.0450		
			248.920	0.0307		
			285.580	0.0022		
			291.930	0.0026		
			320.140	0.0312		
			342.040	0.0043		
			346.470	0.0460		
			348.770	0.0060		
			358.050	0.0030		
			369.270	0.0050		
			386.860	0.0014		
			412.270	0.0029		
			417.250	0.0042		
			422.130	0.8370		
			438.220	0.0155		
			504.230	0.0028		
			511.000	0.0613		
			514.420	0.0162		
			529.610	0.0041		
			532.340	0.0044		
			534.700	0.0017		
			569.270	0.0480		
			578.560	0.0730		
			582.330	0.0096		
			591.500	0.0014		
			599.300	0.0053		
			632.000	0.0018		
			644.440	0.0067		
			657.490	0.6060		
			662.550	0.0131		
			666.600	0.0084		
			671.010	0.0045		
			676.190	0.0190		
			690.330	0.0019		
			702.200	0.0100		
			705.600	0.0022		
			714.630	0.0027		
			717.100	0.0017		
			763.850	0.0055		
			768.570	0.0068		
			783.540	0.0033		
			788.400	0.0074		
			802.250	0.0042		
			825.400	0.0022		
			852.570	0.0228		
			858.420	0.0164		
			871.300	0.0014		
			876.210	0.0106		
			899.000	0.0034		
			904.240	0.0030		
			915.200	0.0015		
			927.280	0.0710		
			942.070	0.0119		
			954.470	0.0780		
			960.670	0.9928		
			983.630	0.0088		

Nuclide	Z	Half Life	Energy keV	Yield	R* rem ² /h/Ci	Rem/h/Ci
202 Bi	83	1.670 h	997.900	0.0030	1.4255	1.0681
			1004.440	0.0085		
			1035.190	0.0050		
			1052.860	0.0031		
			1062.840	0.0014		
			1072.590	0.0083		
			1103.630	0.0038		
			1108.700	0.0019		
			1111.820	0.0024		
			1117.400	0.0017		
			1127.450	0.0032		
			1134.330	0.0021		
			1144.270	0.0050		
			1150.710	0.0040		
			1163.500	0.0018		
			1154.900	0.0016		
			1173.620	0.0015		
			1197.530	0.0020		
			1206.250	0.0058		
			1211.520	0.0022		
			1224.200	0.0156		
			1226.700	0.0045		
			1236.080	0.0059		
			1245.480	0.0279		
			1295.350	0.0020		
			1313.590	0.0018		
			1336.500	0.0025		
			1350.850	0.0040		
			1358.550	0.0040		
			1363.140	0.0020		
			1367.500	0.0050		
			1375.430	0.0016		
			1420.720	0.0060		
			1433.440	0.0029		
			1439.170	0.0016		
			1487.100	0.0022		
			1495.080	0.0016		
			1512.800	0.0025		
			1515.890	0.0072		
			1523.680	0.0027		
			1526.900	0.0017		
			1556.690	0.0190		
			1563.350	0.0018		
			1584.900	0.0069		
			1586.200	0.0069		
			1615.250	0.0016		
			1619.650	0.0023		
			1623.340	0.0018		
			1635.550	0.0017		
			1695.000	0.0014		
			1730.900	0.0030		
			1754.100	0.0018		
			1757.500	0.0037		
			1780.530	0.0068		
			1790.550	0.0026		
			1807.950	0.0040		
			1813.700	0.0015		
			1833.250	0.0028		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T ²³² Rem/h/Ci
202 Bi	83	1.670 h	1848.730 1858.800 1882.220 1956.970 1989.750 1998.360 2059.500 2100.500 2153.210 2277.280 2322.550 2340.500 2559.600 2660.860 2966.900 3210.770 3316.540	0.0020 0.0015 0.0028 0.0036 0.0021 0.0011 0.0036 0.0020 0.0020 0.0016 0.0022 0.0020 0.0011 0.0012 0.0012 0.0012 0.0013	1.4255	1.0681
202 Po	84	44.700 m	41.200 65.200 165.700 213.700 215.900 251.700 316.000 336.700 427.700 458.400 506.300 551.400 597.900 625.100 643.700 688.600 712.000 717.200 785.500 790.500 808.500 828.500 973.800 1168.600 1215.000	0.0300 0.0200 0.0870 0.0340 0.0163 0.0153 0.1430 0.0200 0.0163 0.0350 0.0440 0.0178 0.0260 0.0170 0.0360 0.5100 0.0460 0.0610 0.0200 0.0720 0.0158 0.0190 0.0490 0.0200 0.0170	0.4578	0.3448
202 At	85	3.017 m	441.300 511.000 569.700 675.300	0.4100 0.8976 0.8100 0.8660	0.9692	0.7276
203 Au	79	53.000 s	690.000	0.1000	0.0394	0.0288
203 Hg	80	46.600 d	279.190	0.8150	0.1264	0.1194
203 Pb	82	0.480 s	153.400 173.900 217.400 231.900 238.500	0.0540 0.0130 0.0090 0.0150 0.0490	1.0640	0.8006

Nuclide	Z	Half Life	Energy keV	Yield	R ² /h/Ci	Rem/h/Ci
203 Pb	82	0.480 s	239.600	0.1000	1.0640	0.8006
			258.500	0.8300		
			280.200	0.0400		
			453.800	0.0100		
			634.300	0.2050		
			678.100	0.0370		
			838.600	1.0000		
			851.900	0.0430		
			873.900	0.5100		
			1027.200	0.1470		
203 Pb	82	6.300 s	520.200	0.0640	0.3604	0.2619
			825.200	0.7140		
203 Pb	82	2.169 d	279.189	0.8010	0.1349	0.1259
			401.315	0.0344		
			680.502	0.0070		
203 Bi	83	11.760 h	59.990	0.0033	1.1563	0.8527
			126.460	0.0120		
			136.780	0.0025		
			186.600	0.0311		
			212.520	0.0027		
			252.220	0.0010		
			264.200	0.0520		
			271.120	0.0014		
			299.340	0.0012		
			322.000	0.0015		
			331.290	0.0021		
			337.880	0.0017		
			339.720	0.0016		
			349.130	0.0013		
			375.000	0.0035		
			378.000	0.0029		
			381.670	0.0128		
			392.520	0.0033		
			406.300	0.0037		
			421.800	0.0038		
			432.540	0.0013		
			462.150	0.0017		
			468.760	0.0023		
			483.800	0.0027		
			486.620	0.0012		
			490.240	0.0011		
			498.490	0.0066		
			501.400	0.0019		
			508.200	0.0016		
			511.000	0.0031		
			542.770	0.0023		
			547.000	0.0017		
			558.870	0.0016		
			569.290	0.0122		
			590.850	0.0013		
			595.270	0.0047		
			618.700	0.0036		
			621.000	0.0041		
			624.000	0.0017		
			626.730	0.0035		

Nuclide	Z	Half Life	Energy keV	Yield	R [*] m ² /h/Ci	T Rem/h/Ci
203 Bi	83	11.760 h	633.800	0.0137		
			633.800	0.0133		
			647.000	0.0015		
			658.000	0.0022		
			665.000	0.0011		
			674.780	0.0010		
			697.360	0.0016		
			704.380	0.0014		
			719.000	0.0040		
			722.400	0.0480		
			740.000	0.0038		
			759.000	0.0027		
			768.800	0.0041		
			772.740	0.0021		
			779.900	0.0012		
			816.320	0.0403		
			820.200	0.2960		
			825.200	0.1460		
			847.180	0.0850		
			861.220	0.0013		
			866.470	0.0149		
			869.200	0.0049		
			871.000	0.0023		
			896.800	0.1310		
			904.130	0.0021		
			906.700	0.0025		
			911.700	0.0022		
			924.540	0.0020		
			927.680	0.0020		
			933.390	0.0144		
			936.000	0.0074		
			951.640	0.0023		
			982.320	0.0018		
			985.000	0.0031		
			995.130	0.0015		
			1000.300	0.0098		
			1006.880	0.0011		
			1024.250	0.0012		
			1033.730	0.0880		
			1044.000	0.0024		
			1058.770	0.0010		
			1068.290	0.0060		
			1070.120	0.0070		
			1074.760	0.0029		
			1087.750	0.0039		
			1091.730	0.0017		
			1096.620	0.0012		
			1112.000	0.0072		
			1120.240	0.0072		
			1124.000	0.0030		
			1143.800	0.0010		
			1151.490	0.0014		
			1153.450	0.0020		
			1166.860	0.0016		
			1177.000	0.0011		
			1184.350	0.0049		
			1188.160	0.0013		
			1198.550	0.0202		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R#m ² /h/Ci	Rem/h/Ci
203 Bi	83	11.760 h	1203.000	0.0154	1.1563	0.8527
			1206.170	0.0015		
			1214.260	0.0022		
			1223.700	0.0073		
			1228.360	0.0022		
			1246.000	0.0053		
			1253.830	0.0123		
			1261.860	0.0012		
			1303.290	0.0049		
			1307.540	0.0017		
			1311.000	0.0012		
			1337.260	0.0037		
			1343.350	0.0017		
			1350.330	0.0011		
			1365.500	0.0012		
			1370.000	0.0036		
			1374.180	0.0011		
			1381.270	0.0028		
			1385.600	0.0038		
			1395.550	0.0031		
			1407.880	0.0094		
			1410.000	0.0071		
			1417.000	0.0019		
			1421.000	0.0025		
			1431.000	0.0012		
			1438.000	0.0064		
			1464.750	0.0061		
			1469.200	0.0043		
			1496.150	0.0054		
			1506.700	0.0370		
			1510.430	0.0035		
			1536.500	0.0750		
			1550.620	0.0077		
			1552.550	0.0148		
			1562.500	0.0014		
			1576.000	0.0014		
			1589.340	0.0020		
			1592.660	0.0109		
			1608.380	0.0012		
			1634.000	0.0065		
			1646.760	0.0010		
			1679.600	0.0880		
			1716.330	0.0055		
			1719.600	0.0340		
			1739.000	0.0025		
			1743.500	0.0025		
			1748.480	0.0189		
			1770.720	0.0051		
			1787.600	0.0019		
			1800.000	0.0092		
			1802.300	0.0092		
			1816.350	0.0040		
			1842.000	0.0049		
			1847.300	0.1140		
			1856.490	0.0029		
			1888.000	0.0194		
			1893.000	0.0820		
			1908.170	0.0034		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m^2/h/Ci	T Rem/h/Ci
203 Bi	83	11.760 h	1928.160	0.0112	1.1563	0.8527
			1930.880	0.0016		
			1939.300	0.0013		
			1983.140	0.0088		
			1991.000	0.0012		
			2000.700	0.0083		
			2011.390	0.0176		
			2078.230	0.0047		
			2113.180	0.0012		
			2118.240	0.0017		
			2144.160	0.0023		
			2181.640	0.0014		
			2224.780	0.0017		
			2331.570	0.0033		
			2429.000	0.0026		
203 Po m	84	1.200 m	261.500	0.0053	0.2226	0.1634
			511.000	0.0141		
			577.000	0.0240		
			640.900	0.5100		
			904.900	0.0440		
203 Po	84	36.700 m	140.200	0.0028	0.8368	0.6194
			175.200	0.0300		
			182.300	0.0011		
			189.500	0.0390		
			197.400	0.0056		
			204.700	0.0050		
			214.800	0.1450		
			261.800	0.0120		
			389.900	0.0112		
			419.300	0.0250		
			443.400	0.0028		
			486.100	0.0213		
			511.000	0.1381		
			647.700	0.0207		
			743.000	0.0062		
			799.000	0.0062		
			822.900	0.0241		
			883.500	0.0200		
			893.500	0.1900		
			908.600	0.5600		
			918.100	0.0084		
			955.300	0.0034		
			973.900	0.0050		
			1037.700	0.0028		
			1090.900	0.1960		
			1096.000	0.0078		
			1123.900	0.0162		
			1133.100	0.0056		
			1138.100	0.0017		
			1150.100	0.0022		
			1178.200	0.0034		
			1188.700	0.0022		
			1201.600	0.0022		
			1242.400	0.0470		
			1264.000	0.0095		
			1277.100	0.0062		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R* $\text{m}^2/\text{h/Ci}$	Rem/h/Ci
203 Po	84	36.700 m	1307.200	0.0028	0.8368	0.6194
			1314.500	0.0050		
			1337.900	0.0300		
			1352.900	0.0140		
			1416.700	0.0039		
			1419.500	0.0017		
			1466.000	0.0039		
			1475.700	0.0062		
			1490.300	0.0045		
			1511.400	0.0045		
			1552.200	0.0045		
			1568.500	0.0056		
			1598.500	0.0050		
			1601.700	0.0022		
			1615.300	0.0022		
			1622.200	0.0050		
			1658.100	0.0050		
			1666.300	0.0022		
			1673.000	0.0050		
			1716.200	0.0034		
			1758.300	0.0011		
			1780.700	0.0067		
			1795.900	0.0056		
			1804.900	0.0022		
			1817.500	0.0106		
			1830.100	0.0028		
			1914.200	0.0011		
			1930.800	0.0090		
			1936.200	0.0017		
			1960.400	0.0011		
			1970.700	0.0017		
			1991.000	0.0011		
			2029.500	0.0056		
			2032.500	0.0039		
			2086.800	0.0022		
			2189.400	0.0011		
			2197.700	0.0022		
			2236.900	0.0056		
			2373.700	0.0022		
			2477.700	0.0011		
			2529.500	0.0017		
			2728.800	0.0011		
			2916.400	0.0022		
			2952.200	0.0017		
203 At	85	7.370 m	145.800	0.0970	1.7579	1.3067
			152.100	0.0340		
			154.700	0.0280		
			204.400	0.0340		
			206.600	0.0620		
			245.900	0.3280		
			361.600	0.1590		
			390.300	0.0560		
			416.900	0.0990		
			487.300	0.0410		
			531.900	0.1260		
			608.800	0.1410		
			639.300	0.6700		

Nuclide	Z	Half Life	Energy keV	Yield	R# Rm2/h/Ci	T Rem/h/Ci
203 At	85	7.370 m	641.400 656.200 737.900 845.800 880.400 1002.000 1034.000	0.3700 0.2040 0.2870 0.2070 0.2810 0.5900 0.6900	1.7579	1.3067
205 Hg	80	5.200 m	203.740	0.0220	0.0024	0.0022
205 Pb	82	0.006 s	284.200 310.400 703.400 987.700 1013.800	0.1000 0.0060 0.1500 0.8442 0.0051	0.5355	0.3941
205 Bi	83	15.310 d	90.040 260.500 262.800 282.380 284.150 310.350 349.550 493.650 511.000 511.500 549.840 570.600 573.850 576.300 579.800 526.710 688.500 701.160 703.450 704.860 717.370 720.650 723.570 744.700 757.090 759.100 761.350 780.920 795.670 800.800 806.550 813.750 828.220 860.130 871.950 890.150 994.560 901.900 910.900 950.840 971.560 987.660	0.0011 0.0109 0.0036 0.0043 0.0169 0.0010 0.0056 0.0037 0.0022 0.0086 0.0295 0.0434 0.0062 0.0019 0.0544 0.0058 0.0023 0.0016 0.3110 0.0038 0.0031 0.0014 0.0015 0.0070 0.0012 0.0104 0.0068 0.0057 0.0014 0.0019 0.0016 0.0047 0.0029 0.0043 0.0042 0.0068 0.0062 0.0013 0.0164 0.0039 0.0028 0.1613	0.8184	0.6035

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R _{■■2} /h/Ci	R _{■■} /h/Ci
205 Bi	83	15.310 d	1001.590	0.0026	0.8184	0.6035
			1001.950	0.0027		
			1014.300	0.0091		
			1038.860	0.0011		
			1043.750	0.0751		
			1066.030	0.0011		
			1072.400	0.0030		
			1190.030	0.0226		
			1199.620	0.0019		
			1208.700	0.0051		
			1216.250	0.0010		
			1264.800	0.0012		
			1351.520	0.0106		
			1438.700	0.0012		
			1499.000	0.0017		
			1501.400	0.0023		
			1521.200	0.0020		
			1548.650	0.0028		
			1551.000	0.0097		
			1563.150	0.0017		
			1577.500	0.0017		
			1593.000	0.0012		
			1614.300	0.0228		
			1619.100	0.0037		
			1756.400	0.0022		
			1760.000	0.0012		
			1764.300	0.3250		
			1775.800	0.0399		
			1861.700	0.0617		
			1903.450	0.0247		
205 Po	84	1.800 h	128.900	0.0111	0.7999	0.5874
			150.400	0.0033		
			151.400	0.0133		
			158.400	0.0016		
			212.000	0.0360		
			222.500	0.0018		
			225.400	0.0013		
			248.200	0.0014		
			261.000	0.0400		
			335.000	0.0018		
			358.800	0.0018		
			381.800	0.0015		
			454.100	0.0018		
			473.100	0.0089		
			495.900	0.0015		
			511.000	0.0421		
			599.800	0.0262		
			614.200	0.0159		
			624.800	0.0103		
			679.900	0.0026		
			713.300	0.0059		
			715.200	0.0033		
			783.000	0.0022		
			795.900	0.0078		
			836.800	0.1920		
			849.800	0.2550		
			859.400	0.0019		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
205 Po	84	1.800 h	872.400	0.3700	0.7999	0.5874
			959.900	0.0022		
			1001.200	0.2880		
			1026.800	0.0011		
			1044.000	0.0063		
			1060.500	0.0011		
			1103.200	0.0015		
			1120.600	0.0011		
			1183.500	0.0122		
			1187.200	0.0011		
			1195.000	0.0022		
			1221.200	0.0011		
			1239.100	0.0460		
			1242.300	0.0037		
			1267.300	0.0022		
			1276.600	0.0011		
			1301.900	0.0022		
			1309.700	0.0011		
			1323.500	0.0048		
			1336.400	0.0133		
			1392.700	0.0055		
			1470.900	0.0015		
			1486.500	0.0015		
			1487.100	0.0015		
			1513.700	0.0211		
			1529.600	0.0022		
			1546.100	0.0026		
			1551.800	0.0292		
			1570.800	0.0015		
			1575.200	0.0078		
			1578.400	0.0063		
			1610.900	0.0026		
			1622.800	0.0015		
			1674.100	0.0026		
			1701.200	0.0022		
			1707.100	0.0048		
			1711.800	0.0018		
			1715.700	0.0030		
			1724.100	0.0033		
			1729.200	0.0155		
			1800.200	0.0015		
			1808.100	0.0011		
			1811.300	0.0118		
			1836.800	0.0011		
			1950.000	0.0018		
			1957.500	0.0026		
			2020.300	0.0015		
			2101.100	0.0018		
			2126.200	0.0022		
			2168.900	0.0037		
			2174.700	0.0022		
			2223.800	0.0026		
			2268.200	0.0015		
			2338.300	0.0011		
			2432.400	0.0011		
			2574.200	0.0018		
205 At	85	1.100E-07 s	125.000	0.1920	0.7631	0.6052

Nuclide	Z	Half Life	Energy keV	Yield	R Rem ² /h/Ci	T Rem/h/Ci
205 At	85	1.100E-07 s	191.000	0.1740		
			332.000	0.5800		
			372.000	0.4200		
			469.000	0.3400		
			566.000	0.3500		
			638.000	0.2600		
			663.000	0.6200		
205 At	85	26.200 m	143.100	0.0081	0.3448	0.2564
			154.100	0.0250		
			160.800	0.0128		
			165.700	0.0025		
			178.600	0.0011		
			202.500	0.0033		
			230.100	0.0022		
			275.600	0.0014		
			311.200	0.0350		
			317.700	0.0042		
			318.300	0.0036		
			336.900	0.0020		
			361.100	0.0078		
			364.900	0.0053		
			384.600	0.0084		
			395.600	0.0039		
			448.700	0.0150		
			462.500	0.0050		
			487.800	0.0042		
			506.200	0.0014		
			516.400	0.0075		
			520.500	0.0370		
			529.000	0.0036		
			554.000	0.0045		
			577.100	0.0047		
			583.700	0.0025		
			587.200	0.0036		
			595.500	0.0028		
			617.700	0.0190		
			628.800	0.0470		
			659.400	0.0210		
			669.400	0.0840		
			672.700	0.0310		
			691.300	0.0031		
			719.300	0.2800		
			756.800	0.0045		
			782.900	0.0160		
			788.900	0.0110		
			792.200	0.0053		
			806.600	0.0047		
			872.200	0.0220		
			929.000	0.0033		
			942.100	0.0025		
			975.800	0.0070		
			1026.200	0.0084		
			1031.400	0.0210		
			1082.300	0.0047		
			1091.100	0.0022		
			1170.900	0.0059		
			1245.900	0.0031		

Nuclide	Z	Half Life	Energy keV	Yield	R _{rem2} /h/Ci	T Rem/h/Ci
205 At	85	26.200 m	1252.000	0.0047	0.3448	0.2564
			1307.400	0.0086		
			1325.400	0.0117		
			1398.600	0.0061		
			1413.900	0.0028		
			1442.300	0.0028		
			1475.400	0.0061		
			1479.000	0.0061		
			1761.300	0.0042		
			2031.600	0.0028		
			2050.600	0.0064		
205 Rn	86	2.830 m	264.900	0.6500	0.3051	0.2438
			354.900	0.0240		
			464.500	0.1620		
			620.200	0.1620		
			675.000	0.1300		
			729.600	0.1300		
206 Hg	80	8.150 m	304.800	0.2700	0.0559	0.0510
			344.300	0.0057		
			649.500	0.0230		
206 Bi	83	6.243 d	184.020	0.1580	1.7220	1.2811
			234.260	0.0024		
			262.710	0.0302		
			313.670	0.0036		
			343.510	0.2340		
			386.200	0.0052		
			398.000	0.1074		
			452.840	0.0016		
			497.060	0.1531		
			516.180	0.4070		
			537.450	0.3040		
			576.360	0.0011		
			581.970	0.0049		
			620.480	0.0576		
			632.250	0.0447		
			657.160	0.0191		
			739.240	0.0016		
			754.960	0.0053		
			784.580	0.0054		
			803.100	0.9890		
			841.280	0.0019		
			881.010	0.6620		
			895.120	0.1566		
			1018.630	0.0760		
			1098.260	0.1350		
			1142.370	0.0011		
			1194.690	0.0028		
			1202.580	0.0011		
			1332.330	0.0028		
			1405.010	0.0143		
			1496.180	0.0018		
			1560.300	0.0038		
			1565.340	0.0030		
			1595.270	0.0501		
			1718.700	0.3180		

Muclide	Z	Half Life	Energy keV	Yield	R Rem2/h/Ci	T Rem/h/Ci
206 Bi	83	6.243 d	1844.490 1878.650 1903.560 2599.600	0.0057 0.0201 0.0035 0.0013	1.7220	1.2811
206 Po	84	8.800 d	59.908 117.540 140.490 146.180 170.501 171.340 180.791 281.923 286.410 311.560 322.810 338.440 354.870 369.080 381.220 452.470 457.760 463.380 468.980 511.360 522.470 554.640 579.780 645.580 668.750 677.710 693.810 807.380 818.230 860.930 902.530 980.230 1007.150 1017.930 1032.260 1043.170 1114.490 1190.920 1318.680 1496.900	0.0123 0.0013 0.0014 0.0011 0.0032 0.0010 0.0010 0.0084 0.2400 0.0420 0.0012 0.1920 0.0039 0.0017 0.0018 0.0032 0.0015 0.0179 0.0026 0.2400 0.1570 0.0156 0.0106 0.0035 0.0086 0.0147 0.0020 0.2300 0.0104 0.0350 0.0025 0.0710 0.0310 0.0036 0.3300 0.0029 0.0029 0.0047 0.0065 0.0025	0.6128	0.4687
206 At	85	29.330 m	154.500 197.980 201.840 233.550 256.530 268.340 275.590 278.880 317.300 342.510 373.410 380.810	0.0049 0.0156 0.0540 0.0310 0.0440 0.0127 0.0205 0.0260 0.0049 0.0146 0.0039 0.0078	1.3387	1.0130

Muclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
206 At	85	29.330 m	386.740	0.0260	1.3387	1.0130
			395.540	0.4800		
			399.980	0.0068		
			416.410	0.0127		
			444.730	0.0127		
			477.100	0.8600		
			498.500	0.0059		
			511.000	0.3513		
			527.270	0.0290		
			565.550	0.0320		
			599.330	0.0039		
			614.400	0.0610		
			700.660	0.9755		
			704.670	0.0600		
			709.320	0.0059		
			729.140	0.0020		
			729.270	0.0098		
			733.730	0.1010		
			738.030	0.0117		
			796.600	0.0117		
			802.500	0.0020		
			824.220	0.0127		
			868.270	0.0760		
			911.960	0.0059		
			923.120	0.0560		
			927.090	0.0098		
			939.250	0.0195		
			955.200	0.0146		
			960.920	0.0137		
			976.320	0.0137		
			1008.600	0.0176		
			1013.820	0.0290		
			1048.140	0.0224		
			1059.380	0.0340		
			1071.780	0.0020		
			1087.760	0.0068		
			1094.890	0.0068		
			1124.770	0.0185		
			1196.860	0.0146		
			1257.530	0.0117		
			1290.440	0.0068		
			1292.840	0.0068		
			1294.890	0.0068		
			1349.520	0.0068		
			1446.080	0.0127		
			1492.850	0.0020		
			1637.410	0.0117		
			1736.250	0.0088		
			1745.560	0.0068		
			1855.800	0.0039		
			1899.840	0.0049		
			1909.330	0.0059		
			1928.170	0.0068		
			1938.070	0.0127		
			2075.500	0.0039		
			2116.070	0.0049		
			2218.750	0.0049		
			2271.140	0.0029		

Muclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T ₁	T ₂
					Rem/h/Ci		
206 At	85	29.330 m	2298.750 2318.580 2495.170 2559.070 2566.600	0.0078 0.0049 0.0020 0.0039 0.0020	1.3387	1.0130	
206 At	85	29.400 m	68.000	0.0015	0.0031	0.0001	
206 Rn	86	5.670 m	52.000 97.200 101.200 134.200 186.500 195.500 208.100 213.400 215.400 290.900 302.100 324.500 350.700 371.100 386.600 436.300 444.200 458.500 465.800 482.800 485.600 497.700 527.400 536.600 632.100 643.200 716.900 738.500 757.100 773.100 795.100	0.0460 0.0166 0.0115 0.0160 0.0220 0.0370 0.0840 0.0350 0.0130 0.0240 0.1700 0.3200 0.0410 0.1680 0.2000 0.0180 0.0900 0.0160 0.0118 0.1900 0.1000 0.3300 0.0800 0.0530 0.0480 0.0210 0.0220 0.0500 0.0340 0.1900 0.0320	0.6221	0.5007	
207 Tl	81	4.770 m	897.600	0.0024	0.0012	0.0009	
207 Bi	83	1.820E-04 s	117.900 238.000 262.200 308.600 405.000 426.100 456.100 571.000 669.500 713.500 743.300 931.800 975.600 1240.900	0.0250 0.0250 0.2300 0.0250 0.0420 0.1400 0.4900 0.1600 0.6200 0.3900 0.3700 0.2900 0.0700 0.0900	1.0646	0.7969	
207 Bi	83	38.026 y	569.670	0.9780	0.5092	0.5962	

Nuclide	Z	Half Life	Energy keV	Yield	Γ Rem ² /h/Ci	T Rem/h/Ci
207 Bi	83	38.026 y	897.700 1063.620 1482.200 1770.230	0.0015 0.7490 0.0015 0.0685	0.8092	0.5962
207 Po m	84	2.800 s	268.200 300.700 314.500	0.4400 0.3000 1.0000	0.5740	0.4412
207 Po	84	5.833 h	99.800 158.000 222.100 222.700 224.000 249.600 297.200 307.500 330.100 345.200 369.500 405.700 503.300 511.000 531.700 629.800 669.500 687.600 742.600 770.700 892.300 911.800 947.900 992.300 1020.000 1148.300 1211.300 1360.400 1372.400 1377.000 1586.000 1662.500 1762.700 1846.800 2060.000	0.0013 0.0056 0.0126 0.0027 0.0020 0.0162 0.0101 0.0065 0.0023 0.0200 0.0193 0.1010 0.0018 0.0098 0.0060 0.0148 0.0050 0.0203 0.2920 0.0072 0.0043 0.1800 0.0108 0.6000 0.0018 0.0610 0.0013 0.0063 0.0139 0.0016 0.0011 0.0040 0.0025 0.0034 0.0144	0.6865	0.5062
207 At	85	1.800 h	168.000 191.300 236.500 286.800 292.800 300.700 316.000 324.500 357.300 365.500 392.900 411.200 422.200	0.0110 0.0043 0.0073 0.0023 0.0027 0.0970 0.0013 0.0050 0.0183 0.0020 0.0047 0.0043 0.0137	0.6600	0.4905

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
207 At	85	1.800 h	456.800	0.0130	0.6600	0.4905
			459.700	0.0110		
			467.200	0.0530		
			498.400	0.0027		
			503.300	0.0020		
			519.600	0.0027		
			520.800	0.0057		
			529.900	0.0250		
			583.400	0.0153		
			588.400	0.1470		
			617.200	0.0113		
			626.800	0.0166		
			637.300	0.0173		
			641.100	0.0043		
			648.100	0.0330		
			658.400	0.0500		
			670.600	0.0280		
			675.300	0.0490		
			693.400	0.0160		
			721.200	0.0490		
			755.100	0.0047		
			764.900	0.0033		
			767.900	0.0017		
			789.700	0.0030		
			798.800	0.0020		
			814.500	0.3300		
			852.700	0.0020		
			862.400	0.0043		
			881.000	0.0067		
			907.300	0.0400		
			932.200	0.0023		
			954.800	0.0013		
			960.600	0.0166		
			994.000	0.0166		
			1015.700	0.0023		
			1021.500	0.0063		
			1042.300	0.0017		
			1054.100	0.0080		
			1077.600	0.0137		
			1086.900	0.0027		
			1115.200	0.0330		
			1131.800	0.0030		
			1171.800	0.0083		
			1174.500	0.0033		
			1188.400	0.0123		
			1193.700	0.0033		
			1225.800	0.0107		
			1242.800	0.0063		
			1245.700	0.0043		
			1264.000	0.0037		
			1283.300	0.0083		
			1396.300	0.0103		
			1410.000	0.0087		
			1413.200	0.0073		
			1493.400	0.0013		
			1511.100	0.0040		
			1548.500	0.0080		
			1552.700	0.0033		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
207 At	85	1.800 h	1557.000	0.0023	0.6600	0.4905
			1642.100	0.0093		
			1676.800	0.0200		
			1690.800	0.0023		
			1712.800	0.0103		
			1716.500	0.0080		
			1731.000	0.0280		
			1772.800	0.0050		
			1781.900	0.0043		
			1786.800	0.0070		
			1805.400	0.0063		
			1876.100	0.0023		
			2016.700	0.0050		
			2029.800	0.0020		
			2053.000	0.0017		
			2075.200	0.0047		
			2343.300	0.0070		
			2393.800	0.0013		
			2558.500	0.0027		
			2566.400	0.0027		
			2712.200	0.0093		
207 Rn	86	1.810E-04 s	234.000	0.2100	0.3999	0.2968
			665.100	0.9800		
207 Rn	86	9.300 m	188.000	0.0025	0.5059	0.3936
			233.800	0.0070		
			242.900	0.0015		
			245.700	0.0015		
			295.500	0.0040		
			308.000	0.0017		
			329.450	0.0300		
			337.600	0.0013		
			344.530	0.4500		
			350.100	0.0055		
			367.600	0.0250		
			377.900	0.0070		
			380.300	0.0026		
			402.680	0.1200		
			417.700	0.0045		
			436.300	0.0030		
			443.500	0.0019		
			446.100	0.0050		
			471.400	0.0020		
			475.600	0.0070		
			477.800	0.0035		
			485.000	0.0024		
			486.900	0.0029		
			511.000	0.2464		
			520.200	0.0014		
			524.200	0.0023		
			535.200	0.0035		
			537.600	0.0028		
			547.000	0.0033		
			553.200	0.0120		
			559.200	0.0021		
			561.100	0.0035		
			566.300	0.0029		

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
207 Rn	86	9.300 m	573.400	0.0017	0.5059	0.3936
			580.100	0.0035		
			599.000	0.0024		
			604.000	0.0020		
			610.100	0.0038		
			616.200	0.0022		
			620.700	0.0032		
			628.600	0.0110		
			631.600	0.0290		
			636.000	0.0014		
			638.100	0.0014		
			643.400	0.0120		
			647.200	0.0180		
			655.600	0.0019		
			660.400	0.0090		
			672.000	0.0060		
			674.000	0.0410		
			674.000	0.0800		
			685.800	0.0120		
			687.500	0.0060		
			691.500	0.0012		
			697.500	0.0240		
			700.500	0.0044		
			712.800	0.0060		
			739.800	0.0023		
			747.150	0.1400		
			751.600	0.0045		
			754.200	0.0027		
			768.600	0.0028		
			775.300	0.0200		
			788.100	0.0021		
			792.300	0.0017		
			798.900	0.0022		
			804.300	0.0020		
			806.100	0.0028		
			820.700	0.0023		
			823.300	0.0020		
			847.500	0.0031		
			853.400	0.0230		
			861.400	0.0015		
			865.400	0.0023		
			873.500	0.0024		
			879.900	0.0018		
			884.500	0.0030		
			884.800	0.0017		
			892.700	0.0100		
			908.600	0.0140		
			919.800	0.0029		
			923.200	0.0013		
			939.400	0.0035		
			947.900	0.0030		
			951.800	0.0037		
			973.350	0.0250		
			983.000	0.0024		
			985.800	0.0038		
			990.700	0.0034		
			993.200	0.0050		
			999.200	0.0120		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R#m ² /h/Ci	T Rem/h/Ci
207 Rn	86	9.300 m	1083.000 1121.100 1129.700 1190.400 1224.800 1254.600 1507.500 1522.800 1539.500 2576.600	0.0027 0.0023 0.0020 0.0023 0.0059 0.0034 0.0045 0.0070 0.0060 0.0030	0.5059	0.3936
208 Tl	81	3.070 m	211.500 233.360 252.610 277.350 510.800 583.140 722.040 763.130 860.370 927.600 982.700 1093.100 2614.600	0.0017 0.0031 0.0080 0.0680 0.2160 0.8580 0.0020 0.0164 0.1200 0.0013 0.0020 0.0037 0.9979	1.5249	1.1274
209 Tl	81	2.200 m	117.000 467.000 1566.000	0.8100 0.8100 0.9800	1.0105	0.7711
209 Po	84	102.070 y	260.500 900.000	0.0017 0.0025	0.0015	0.0011
209 At	85	5.410 h	90.800 104.200 113.100 191.000 195.000 233.600 239.100 321.100 388.800 545.000 551.000 552.500 554.600 596.200 630.300 666.100 781.900 790.200 815.600 817.600 854.400 863.900 903.000 985.200 999.600 1043.450	0.0184 0.0240 0.0012 0.0041 0.2260 0.0096 0.1240 0.0063 0.0049 0.9100 0.0491 0.0155 0.0059 0.0066 0.0068 0.0187 0.8350 0.6350 0.0023 0.0016 0.0058 0.0207 0.0365 0.0085 0.0016 0.0011	1.2055	0.8939

Nuclide	Z	Half Life	Energy keV	Yield	R [#] R [#] s ² /h/Ci	T
209 At	85	5.410 h	1074.600	0.0020	1.2055	0.8939
			1096.000	0.0014		
			1103.400	0.0540		
			1141.300	0.0033		
			1147.600	0.0136		
			1148.800	0.0078		
			1170.600	0.0309		
			1175.300	0.0191		
			1183.100	0.0014		
			1192.800	0.0016		
			1213.700	0.0043		
			1217.200	0.0111		
			1262.600	0.0189		
			1289.700	0.0027		
			1333.400	0.0014		
			1356.900	0.0016		
			1446.100	0.0054		
			1456.600	0.0012		
			1490.800	0.0027		
			1533.100	0.0017		
			1537.700	0.0049		
			1575.500	0.0086		
			1581.600	0.0179		
			1622.400	0.0017		
			1687.300	0.0037		
			1767.000	0.0051		
			1786.500	0.0012		
209 Rn	86	28.500 m	182.040	0.0025	0.5196	0.3995
			188.400	0.0012		
			275.900	0.0036		
			279.200	0.0112		
			286.570	0.0031		
			296.600	0.0033		
			302.850	0.0057		
			337.450	0.1470		
			357.380	0.0033		
			380.680	0.0057		
			386.430	0.0209		
			408.320	0.5100		
			461.410	0.0146		
			511.000	0.0794		
			526.800	0.0021		
			577.100	0.0099		
			599.400	0.0059		
			605.400	0.0017		
			672.820	0.0332		
			684.900	0.0118		
			689.260	0.0980		
			695.900	0.0024		
			705.500	0.0027		
			722.500	0.0042		
			730.900	0.0026		
			745.780	0.2310		
			761.590	0.0057		
			794.720	0.0341		
			855.760	0.0490		
			868.430	0.0034		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
209 Rn	86	28.500 m	872.400	0.0070	0.5196	0.3995
			985.900	0.0055		
			1021.500	0.0019		
			1027.550	0.0019		
			1037.930	0.0422		
			1054.530	0.0166		
			1059.450	0.0057		
			1065.550	0.0172		
			1082.000	0.0011		
			1085.000	0.0015		
			1097.550	0.0024		
			1110.200	0.0013		
			1129.000	0.0017		
			1135.200	0.0021		
			1158.800	0.0085		
			1186.660	0.0042		
			1207.300	0.0025		
			1298.200	0.0022		
			1338.000	0.0016		
			1341.400	0.0050		
			1394.420	0.0099		
			1471.800	0.0015		
			1543.050	0.0082		
			1592.100	0.0019		
			1669.500	0.0012		
			1708.950	0.0068		
			1722.500	0.0014		
			1746.100	0.0015		
			1771.200	0.0019		
			1796.500	0.0017		
			1925.700	0.0027		
			1954.300	0.0013		
			2114.050	0.0033		
			2150.000	0.0015		
			2195.500	0.0011		
			2281.700	0.0011		
			2346.000	0.0012		
			2463.700	0.0010		
			2475.500	0.0010		
			2555.700	0.0012		
			2642.900	0.0032		
			2942.000	0.0013		
			3136.000	0.0013		
210 Pb	82	22.315 y	46.503	0.0405	0.0016	0.0011
210 Bi	83	3.002E+06 y	265.700	0.5100	0.1372	0.1252
			304.800	0.2750		
			329.100	0.0060		
			344.000	0.0070		
			369.600	0.0070		
			535.000	0.0025		
			649.800	0.0286		
211 Pb	82	36.100 m	404.840	0.0383	0.0363	0.0281
			426.990	0.0172		
			704.500	0.0048		
			766.340	0.0071		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
211 Pb	82	36.100 m	831.830 1109.500	0.0381 0.0015	0.0368	0.0281
211 Bi	83	2.140 m	351.000	0.1276	0.0255	0.0228
211 Po	84	0.516 s	569.650 897.800	0.0053 0.0052	0.0043	0.0032
211 Po m	84	25.200 s	569.700 897.700	0.0120 0.0100	0.0089	0.0066
211 At	85	7.214 h	687.000	0.0025	0.0010	0.0007
211 Rn	86	14.600 h	68.500 168.700 191.800 250.200 262.100 350.500 370.500 416.400 442.200 592.300 674.100 678.400 684.700 853.400 866.000 934.700 946.700 947.400 992.500 1012.500 1126.700 1181.300 1318.300 1362.900 1538.800 1805.000 1992.700	0.0044 0.0680 0.0092 0.0610 0.0023 0.0040 0.0138 0.0354 0.2340 0.0027 0.4600 0.2940 0.0060 0.0470 0.0800 0.0372 0.0510 0.1650 0.0138 0.0022 0.2250 0.0147 0.0013 0.3310 0.0480 0.0012 0.0051	0.9995	0.7402
211 Fr	87	3.100 m	221.000 281.000 440.000 540.000 763.000 918.000 983.000	0.0270 0.1020 0.0600 0.3000 0.0150 0.1650 0.0600	0.2503	0.1897
212 Pb	82	10.640 h	115.175 238.626 300.090	0.0060 0.4460 0.0341	0.0637	0.0576
212 Bi	83	60.550 m	39.857 288.080 327.960 452.830 727.170	0.0109 0.0034 0.0014 0.0035 0.1180	0.0991	0.0725

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	Γ	T
						Rem/h/Ci	
212 Bi	83	60.550 m	785.420 893.390 952.100 1078.620 1512.750 1620.560 1679.800 1806.000	0.0199 0.0066 0.0031 0.0097 0.0057 0.0275 0.0013 0.0021		0.0991	0.0725
213 Bi	83	45.630 m	324.000	0.0016		0.0003	0.0003
213 Bi	83	45.650 m	292.300 439.700 806.600 1101.000	0.0049 0.2730 0.0035 0.0039		0.0737	0.0591
214 Pb	82	26.800 m	53.226 241.910 258.790 274.530 295.170 351.900 462.100 480.420 487.080 533.690 580.150 785.910 839.025	0.0110 0.0746 0.0055 0.0032 0.1920 0.3710 0.0017 0.0034 0.0044 0.0019 0.0036 0.0109 0.0059		0.1294	0.1158
214 Bi	83	19.900 m	273.700 387.000 389.100 405.740 426.500 454.770 469.690 474.380 609.318 665.453 703.110 719.860 752.840 768.361 786.100 806.174 821.180 904.250 934.052 964.080 1051.960 1069.960 1120.276 1133.660 1155.190 1207.680 1238.110 1280.960	0.0018 0.0036 0.0041 0.0017 0.0011 0.0032 0.0013 0.0012 0.4610 0.0156 0.0047 0.0040 0.0013 0.0488 0.0031 0.0123 0.0015 0.0011 0.0316 0.0038 0.0032 0.0029 0.1500 0.0025 0.0169 0.0046 0.0592 0.0147		0.7460	0.5497

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
214 Bi	83	19.900 m	1303.760 1377.650 1385.310 1401.500 1407.980 1509.190 1538.500 1543.320 1583.220 1594.730 1599.310 1661.280 1683.990 1729.600 1764.510 1838.360 1847.440 1873.160 1896.300 2118.540 2204.120 2293.360 2447.710	0.0012 0.0402 0.0078 0.0139 0.0248 0.0219 0.0041 0.0035 0.0072 0.0026 0.0033 0.0115 0.0024 0.0305 0.1590 0.0038 0.0212 0.0023 0.0018 0.0121 0.0499 0.0032 0.0155	0.7460	0.5497
218 At	85	2.000 s	53.000	0.0661	0.0023	0.0019
218 Rn	86	0.035 s	609.310	0.0012	0.0004	0.0003
219 Rn	86	3.960 s	130.670 271.230 401.780	0.0013 0.0990 0.0660	0.0301	0.0267
220 Fr	87	27.400 s	45.000 61.000 106.000 124.500 132.500 154.000 161.500	0.0234 0.0043 0.0169 0.0017 0.0019 0.0100 0.0152	0.0041	0.0038
220 Ra	88	0.023 s	465.000	0.0100	0.0027	0.0021
221 Fr	87	4.800 m	99.500 217.600 409.500	0.0014 0.1250 0.0012	0.0148	0.0136
222 Ra	88	38.000 s	324.220	0.0277	0.0051	0.0047
223 Fr	87	21.800 m	49.880 50.200 79.770 100.300 134.500 173.450 184.700 205.000 234.900 289.500	0.0074 0.3400 0.0920 0.0100 0.0054 0.0014 0.0031 0.0095 0.0340 0.0027	0.0261	0.0225

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m ² /h/Ci	T Rem/h/Ci
223 Fr	87	21.800 m	319.260 369.400 775.300	0.0057 0.0011 0.0042	0.0261	0.0225
223 Ra	88	11.434 d	122.310 144.200 154.190 158.620 179.670 269.410 288.170 323.890 328.500 338.320 342.900 371.840 444.940	0.0119 0.0326 0.0559 0.0069 0.0015 0.1360 0.0015 0.0390 0.0020 0.0278 0.0020 0.0049 0.0127	0.0458	0.0427
223 Ac	89	2.200 m	73.000 84.000 93.000 99.000 192.000 216.000 477.000	0.0020 0.0017 0.0017 0.0020 0.0025 0.0015 0.0014	0.0011	0.0010
224 Ra	88	3.660 d	241.000	0.0390	0.0051	0.0046
224 Ac	89	2.900 h	83.500 84.400 133.000 141.000 144.500 157.000 217.000 261.500	0.0017 0.0100 0.1970 0.0032 0.0015 0.0053 0.4415 0.0018	0.0646	0.0612
224 Th	90	1.040 s	177.000 235.000 297.000 410.000	0.0900 0.0040 0.0030 0.0080	0.0109	0.0104
225 Ra	88	14.800 d	40.000	0.2900	0.0138	0.0070
225 Ac	89	10.000 d	62.850 73.700 82.900 87.300 94.600 99.400 99.700 108.200 111.400 138.200 144.700 149.900 153.700 157.200	0.0042 0.0048 0.0015 0.0031 0.0013 0.0060 0.0350 0.0025 0.0032 0.0020 0.0013 0.0073 0.0017 0.0035	0.0054	0.0055

Nuclide	Z	Half Life	Energy keV	Yield	R R*m2/h/Ci	T Rem/h/Ci
225 Ac	89	10.000 d	187.700	0.0055	0.0054	0.0055
			195.500	0.0015		
			216.200	0.0034		
			224.500	0.0010		
			253.600	0.0013		
			453.000	0.0011		
226-Ra+da.		1601.096 y	186.000	0.0330	0.8782	0.6683
			241.910	0.0746		
			253.790	0.0055		
			273.700	0.0018		
			274.530	0.0032		
			295.170	0.1920		
			351.900	0.3710		
			387.000	0.0036		
			389.100	0.0041		
			405.740	0.0017		
			426.500	0.0011		
			454.770	0.0032		
			462.100	0.0017		
			469.690	0.0013		
			474.380	0.0012		
			480.420	0.0034		
			487.080	0.0044		
			533.690	0.0019		
			580.150	0.0036		
			609.318	0.4610		
			665.453	0.0156		
			703.110	0.0047		
			719.860	0.0040		
			752.840	0.0013		
			768.100	0.0488		
			785.910	0.0109		
			786.100	0.0031		
			806.174	0.0123		
			821.180	0.0015		
			839.025	0.0059		
			904.250	0.0011		
			934.052	0.0316		
			964.080	0.0038		
			1051.960	0.0032		
			1069.960	0.0029		
			1120.276	0.1500		
			1133.660	0.0026		
			1155.190	0.0169		
			1207.680	0.0046		
			1238.110	0.0592		
			1280.960	0.0147		
			1303.760	0.0012		
			1377.650	0.0402		
			1385.310	0.0078		
			1401.500	0.0139		
			1407.980	0.0248		
			1509.190	0.0219		
			1538.500	0.0041		
			1543.320	0.0035		
			1583.220	0.0072		
			1594.730	0.0026		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² /h/Ci	T Rem/h/Ci
226-Ra+da.		1601.095 y	1599.310 1661.280 1663.990 1729.600 1764.510 1838.360 1847.440 1873.160 1896.300 2118.540 2201.120 2293.360 2447.710	0.0033 0.0115 0.0024 0.0305 0.1590 0.0038 0.0212 0.0023 0.0018 0.0121 0.0499 0.0033 0.0155	0.8782	0.6685
226 Ra	88	1601.096 y	185.990	0.0328	0.0031	0.0030
226 Ac	89	1.208 d	67.600 72.230 158.050 185.600 230.000 253.500	0.0011 0.0056 0.1730 0.0470 0.2700 0.0560	0.0593	0.0552
226 Th	90	30.900 m	111.120 131.020 190.300 206.230 242.120	0.0329 0.0028 0.0011 0.0019 0.0087	0.0033	0.0033
227 Ra	88	42.200 m	46.370 209.600 218.190 219.900 228.000 232.200 243.100 255.800 258.400 273.160 277.390 283.670 300.080 302.670 327.200 330.070 341.100 354.590 379.330 407.970 435.380 468.500 471.300 486.980 490.900 501.400 516.200 535.600 543.100	0.0019 0.0010 0.0020 0.0020 0.0042 0.0030 0.0054 0.0020 0.0200 0.0096 0.0290 0.0340 0.0500 0.0480 0.0030 0.0300 0.0022 0.0075 0.0047 0.0240 0.0025 0.0027 0.0027 0.0250 0.0015 0.0100 0.0150 0.0066 0.0027	0.0772	0.0663

Fuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
227 Ra	88	42.200 m	611.400 639.400 652.200 671.200 760.300 789.800 836.400 863.500	0.0130 0.0024 0.0024 0.0016 0.0013 0.0016 0.0010 0.0016	0.0772	0.0663
227 Th	90	18.713 d	43.800 49.880 50.200 62.500 79.770 94.000 113.200 113.200 117.200 141.300 204.300 205.000 206.100 210.650 234.900 236.000 250.200 250.400 252.550 254.700 256.250 262.800 273.000 281.400 286.150 296.600 299.900 300.300 304.440 312.660 314.860 329.820 334.400 342.460 350.500	0.0023 0.0020 0.0850 0.0024 0.0210 0.0140 0.0056 0.0015 0.0017 0.0013 0.0023 0.0015 0.0023 0.0023 0.0113 0.0045 0.1120 0.0037 0.0013 0.0011 0.0080 0.0680 0.0010 0.0049 0.0016 0.0160 0.0043 0.0200 0.0020 0.0105 0.0048 0.0046 0.0280 0.0100 0.0035 0.0011	0.0531	0.0483
227 Pa	91	38.300 m	65.000 67.000 110.000	0.0527 0.0100 0.0170	0.0029	0.0030
228 Ac	89	6.130 h	57.760 99.450 129.100 145.900 154.200 184.600 191.500 199.500 204.100	0.0052 0.0140 0.0290 0.0022 0.0100 0.0010 0.0012 0.0035 0.0017	0.4953	0.3724

Nuclide	Z	Half Life	Energy	Yield	R ₂₂₈ /Ci R ₂₂₆ /Ci
228 Ac	89	6.130 h	209.170	0.0460	0.4953 0.3724
			270.300	0.0385	
			279.000	0.0023	
			321.700	0.0025	
			326.000	0.0340	
			332.400	0.0047	
			338.400	0.1200	
			345.900	0.0042	
			409.400	0.0220	
			440.300	0.0014	
			463.000	0.0460	
			478.200	0.0024	
			503.700	0.0021	
			509.600	0.0049	
			523.000	0.0012	
			546.300	0.0022	
			562.300	0.0099	
			570.700	0.0019	
			572.100	0.0015	
			583.200	0.0015	
			651.400	0.0010	
			674.600	0.0010	
			701.500	0.0020	
			707.300	0.0016	
			727.000	0.0080	
			755.200	0.0110	
			772.100	0.0160	
			782.000	0.0055	
			794.800	0.0480	
			830.400	0.0062	
			835.600	0.0180	
			840.200	0.0099	
			904.200	0.0087	
			911.070	0.2900	
			944.100	0.0011	
			948.000	0.0012	
			958.500	0.0032	
			964.600	0.0550	
			968.900	0.1700	
			988.100	0.0019	
			1033.100	0.0023	
			1065.100	0.0015	
			1095.700	0.0013	
			1110.600	0.0035	
			1153.600	0.0016	
			1247.100	0.0057	
			1287.500	0.0012	
			1459.200	0.0104	
			1495.800	0.0105	
			1501.500	0.0058	
			1556.900	0.0020	
			1580.200	0.0071	
			1587.900	0.0054	
			1624.700	0.0032	
			1630.400	0.0190	
			1638.000	0.0370	
			1666.400	0.0021	
			1685.900	0.0010	

Nuclide	Z	Half Life	Energy keV	Yield	T	R ²²⁸ /h/Ci	Rem/h/Ci
228 Pa	91	22.000 h	57.700	0.0052	0.5459	0.4125	
228 Th	90	1.914 y	84.400	0.0120	0.0008	0.0009	
228 Ac	89	6.130 h	1887.400	0.0011	0.4953	0.3724	
					-	-	

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
228 Pa	91	22.000 h	667.900	0.0039	0.5459	0.4125
			677.000	0.0058		
			707.100	0.0030		
			718.100	0.0024		
			726.200	0.0048		
			745.000	0.0012		
			750.500	0.0021		
			755.180	0.0126		
			772.170	0.0119		
			776.500	0.0042		
			782.000	0.0060		
			790.800	0.0027		
			794.700	0.0200		
			796.000	0.0012		
			818.000	0.0060		
			823.500	0.0024		
			830.500	0.0195		
			835.500	0.0272		
			840.000	0.0102		
			870.100	0.0106		
			884.200	0.0034		
			888.600	0.0078		
			894.300	0.0260		
			904.500	0.0288		
			911.230	0.1600		
			921.700	0.0060		
			923.800	0.0036		
			940.000	0.0060		
			945.600	0.0180		
			957.800	0.0060		
			964.600	0.1010		
			969.110	0.1320		
			975.000	0.0156		
			987.800	0.0024		
			1018.600	0.0021		
			1033.200	0.0048		
			1039.900	0.0017		
			1054.400	0.0014		
			1070.200	0.0011		
			1110.400	0.0043		
			1246.400	0.0090		
			1288.000	0.0012		
			1298.000	0.0011		
			1431.700	0.0014		
			1453.800	0.0012		
			1459.300	0.0072		
			1495.900	0.0017		
			1528.800	0.0017		
			1557.200	0.0028		
			1572.900	0.0017		
			1580.000	0.0038		
			1588.000	0.0243		
			1618.700	0.0014		
			1621.200	0.0026		
			1630.300	0.0010		
			1666.300	0.0019		
			1685.800	0.0014		
			1705.700	0.0022		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
228 Pa	91	22.000 h	1738.400 1757.800 1835.100 1842.200 1880.000 1887.000	0.0064 0.0054 0.0064 0.0016 0.0014 0.0156	0.5459	0.4125
228 U	92	9.100 m	152.000 187.000 246.000	0.0019 0.0028 0.0038	0.0009	0.0009
229 Th	90	7345.027 y	31.300 42.760 56.600 68.180 68.900 75.200 86.300 86.440 107.170 124.500 124.700 131.970 137.030 142.950 148.300 154.400 156.480 172.900 179.800 184.000 193.630 210.970 218.100	0.0400 0.0016 0.0033 0.0010 0.0011 0.0052 0.0038 0.0300 0.0084 0.0122 0.0061 0.0033 0.0163 0.0043 0.0139 0.0066 0.0112 0.0022 0.0050 0.0023 0.0459 0.0326 0.0014	0.0193	0.0168
229 Pa	91	1.400 d	30.000 40.000 64.700 67.700 75.100 111.600 115.500 120.800 135.200 140.600 179.900	0.0025 0.0025 0.0023 0.0025 0.0025 0.0015 0.0023 0.0025 0.0010 0.0025 0.0010	0.0012	0.0010
230 Th	90	77052.740 y	67.730	0.0038	0.0001	0.0001
230 Pa	91	17.400 d	53.200 120.900 314.800 316.800 380.150 397.800 399.950 440.800 443.750	0.0023 0.0034 0.0011 0.0016 0.0029 0.0182 0.0061 0.0011 0.0530	0.3209	0.2374

Nuclide	Z	Half Life	Energy keV	Yield	R R ² /h/Ci	T Rem/h/Ci
230 Pa	91	17.400 d	454.950 463.600 508.000 508.200 518.500 556.000 571.100 581.800 619.690 728.230 781.350 898.650 918.500 951.950 953.000 956.300 959.300 1009.600 1026.050 1074.680	0.0610 0.0080 0.0021 0.0350 0.0192 0.0019 0.0105 0.0013 0.0016 0.0184 0.0144 0.0570 0.0800 0.2830 0.0016 0.0150 0.0048 0.0105 0.0142 0.0073	0.3209	0.2374
230 U	92	20.800 d	72.200 154.230 230.370	0.0060 0.0013 0.0012	0.0005	0.0005
231 Th	90	1.063 d	58.570 72.780 81.240 82.110 84.210 89.950 99.280 102.270 163.120	0.0048 0.0025 0.0089 0.0040 0.0650 0.0094 0.0012 0.0041 0.0016	0.0039	0.0042
231 Pa	91	32782.438 y	38.200 46.370 255.800 260.220 283.670 300.080 302.670 330.000 340.810 357.160	0.0015 0.0021 0.0010 0.0017 0.0160 0.0230 0.0230 0.0130 0.0016 0.0017	0.0139	0.0130
231 U	92	4.200 d	58.540 84.180 220.000 236.000	0.0044 0.0700 0.0080 0.0020	0.0040	0.0041
231 Np	93	48.800 m	263.800 348.400 370.900 376.300 416.300 420.700 436.900	0.0284 0.0363 0.0980 0.0064 0.0028 0.0105 0.0028	0.0589	0.0487

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
231 Np	93	48.800 m	481.600 484.700 715.500 737.800 786.600 837.300 851.600 1108.100	0.0061 0.0160 0.0024 0.0123 0.0019 0.0040 0.0070 0.0054	0.0589	0.0487
232 Th	90	1.406E+10 y	59.000	0.0015	0.0001	0.0000
232 Pa	91	1.310 d	47.650 80.270 105.470 108.960 139.600 150.100 183.900 387.900 421.900 453.600 472.400 515.600 563.200 581.500 710.100 754.700 819.200 864.000 867.000 894.300 969.300 1003.300 1125.000	0.0021 0.0015 0.0165 0.0280 0.0058 0.1080 0.0130 0.0700 0.0252 0.0862 0.0416 0.0552 0.0368 0.0600 0.0022 0.0051 0.0745 0.0194 0.0581 0.1980 0.4160 0.0016 0.0021	0.5121	0.3819
232 U	92	72.049 y	57.700	0.0020	0.0001	0.0001
232 Np	93	14.700 m	47.650 108.960 143.400 165.000 223.600 282.000 327.300 377.000 710.700 755.000 814.800 819.500 864.300 867.200 895.100 924.400 941.600 970.900 1016.800 1037.400 1085.400	0.0016 0.0153 0.0042 0.0031 0.0220 0.1980 0.5200 0.0125 0.0057 0.0420 0.0410 0.3300 0.2030 0.2400 0.0083 0.0094 0.0160 0.0031 0.0057 0.0330 0.0099	0.6077	0.4692

Nuclide	Z	Half Life	Energy keV	Yield	R R ^{em} ² /h/Ci	T Rem/h/Ci
232 Np	93	14.700 m	1126.000 1133.100 1146.300 1193.900 1936.000	0.0146 0.0088 0.0036 0.0036 0.0042	0.6077	0.4692
233 Th	90	22.300 m	86.500 88.000 94.680 162.500 162.500 169.100 170.700 190.540 194.900 359.900 441.000 447.700 459.200 490.800 499.000 595.200 669.800 764.400 890.100	0.0270 0.0030 0.0080 0.0017 0.0015 0.0034 0.0013 0.0013 0.0016 0.0012 0.0023 0.0015 0.0140 0.0017 0.0020 0.0016 0.0068 0.0012 0.0014	0.0128	0.0105
233 Pa	91	27.000 d	75.280 86.590 103.860 271.480 300.120 311.980 340.500 375.450 398.620 415.760	0.0117 0.0176 0.0069 0.0028 0.0620 0.3600 0.0420 0.0058 0.0119 0.0151	0.0911	0.0851
233 Np	93	36.200 m	234.300 280.500 299.100 312.100 506.500 546.900	0.0015 0.0013 0.0050 0.0070 0.0015 0.0028	0.0038	0.0033
233 Pu	94	20.900 m	150.400 180.800 191.000 207.400 221.700 235.400 247.400 457.400 473.200 478.300 500.300 504.000 512.400 524.400	0.1520 0.1200 0.1300 0.2380 0.1180 0.9988 0.0720 0.1020 0.0720 0.1380 0.3900 0.2070 0.1300 0.1300	1.8456	1.4081

Nuclide	Z	Half Life	Energy keV	Yield	Γ R \cdot m ² /h/Ci	T Rem/h/Ci
233 Pu	94	20.900 m	534.800	0.9000	1.8456	1.4081
			558.800	0.2690		
			583.300	0.0860		
			688.100	0.3300		
			726.200	0.0900		
			830.900	0.1110		
			978.100	0.1340		
			991.700	0.2300		
			1000.500	0.1800		
			1004.000	0.3100		
			1012.300	0.2800		
			1028.400	0.0660		
			1035.400	0.0570		
234 Th	90	24.100 d	63.290	0.0380	0.0036	0.0038
			92.380	0.0272		
			92.800	0.0269		
			112.810	0.0024		
234 Pa m	91	1.170 m	43.500	0.0065	0.0044	0.0032
			766.600	0.0021		
			1001.030	0.0059		
234 Pa	91	6.700 h	43.400	0.0030	1.0182	0.7614
			63.000	0.0320		
			69.900	0.0023		
			79.690	0.0027		
			99.700	0.0480		
			103.410	0.0012		
			125.400	0.0100		
			131.200	0.2000		
			134.370	0.0021		
			137.700	0.0015		
			140.300	0.0090		
			144.000	0.0035		
			150.200	0.0020		
			152.700	0.0670		
			159.100	0.0070		
			170.700	0.0050		
			174.600	0.0020		
			186.000	0.0200		
			193.600	0.0060		
			199.700	0.0300		
			200.600	0.0110		
			203.000	0.0120		
			219.800	0.0020		
			226.400	0.0590		
			227.200	0.0550		
			245.200	0.0090		
			248.900	0.0280		
			267.100	0.0017		
			272.000	0.0030		
			272.100	0.0100		
			286.100	0.0014		
			289.600	0.0011		
			293.700	0.0390		
			309.600	0.0010		
			312.500	0.0030		

Nuclide	Z	Half Life	Energy keV	Yield	R R ² m ² /h/Ci	T Rem/h/Ci
234 Pa	91	6.700 h	316.300	0.0012		
			320.700	0.0012		
			328.000	0.0030		
			330.600	0.0060		
			351.900	0.0060		
			369.800	0.0290		
			372.400	0.0130		
			409.800	0.0040		
			416.300	0.0010		
			426.800	0.0060		
			446.500	0.0012		
			458.800	0.0150		
			461.800	0.0016		
			467.500	0.0040		
			472.100	0.0024		
			473.500	0.0018		
			478.700	0.0030		
			480.400	0.0040		
			482.500	0.0030		
			498.900	0.0010		
			506.800	0.0160		
			513.700	0.0130		
			520.200	0.0060		
			521.000	0.0090		
			528.000	0.0060		
			533.200	0.0020		
			537.100	0.0016		
			557.000	0.0026		
			565.900	0.0140		
			568.700	0.0300		
			569.500	0.1100		
			574.000	0.0200		
			585.800	0.0015		
			596.600	0.0050		
			602.800	0.0090		
			611.500	0.0080		
			616.200	0.0020		
			623.600	0.0080		
			627.500	0.0080		
			630.600	0.0040		
			634.500	0.0030		
			639.700	0.0020		
			643.200	0.0020		
			646.000	0.0030		
			653.700	0.0090		
			655.000	0.0060		
			658.000	0.0090		
			660.600	0.0030		
			664.800	0.0130		
			666.700	0.0160		
			669.900	0.0140		
			683.300	0.0024		
			687.000	0.0028		
			692.700	0.0150		
			699.000	0.0460		
			706.100	0.0310		
			711.200	0.0020		
			713.800	0.0016		

Nuclide	Z	Half Life	Energy keV	Yield	Γ	T
					R*m2/h/Ci	Rem/h/Ci
234 Pa	91	6.700 h	733.000	0.0900	1.0182	0.7614
			738.000	0.0100		
			742.810	0.0240		
			746.500	0.0013		
			755.600	0.0140		
			760.000	0.0016		
			766.360	0.0030		
			768.700	0.0056		
			777.900	0.0020		
			780.700	0.0110		
			783.100	0.0050		
			786.270	0.0140		
			793.600	0.0150		
			796.300	0.0380		
			804.300	0.0040		
			805.800	0.0330		
			812.500	0.0050		
			819.600	0.0260		
			826.300	0.0400		
			831.600	0.0550		
			841.900	0.0014		
			844.400	0.0050		
			851.700	0.0012		
			872.900	0.0012		
			876.400	0.0400		
			880.500	0.0400		
			880.510	0.0900		
			883.240	0.1200		
			899.000	0.0410		
			904.800	0.0050		
			920.000	0.0040		
			925.000	0.0290		
			926.000	0.1100		
			927.100	0.0900		
			946.000	0.1200		
			949.000	0.0800		
			960.000	0.0010		
			966.000	0.0060		
			978.800	0.0140		
			980.500	0.0200		
			980.500	0.0300		
			984.000	0.0190		
			1022.600	0.0060		
			1028.300	0.0080		
			1044.900	0.0050		
			1074.600	0.0025		
			1083.200	0.0075		
			1108.500	0.0030		
			1122.300	0.0050		
			1126.000	0.0080		
			1153.100	0.0030		
			1171.300	0.0024		
			1208.000	0.0030		
			1217.500	0.0037		
			1229.000	0.0030		
			1240.500	0.0050		
			1251.000	0.0030		
			1277.400	0.0020		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R ² m ² /h/Ci	T Rem/h/Ci
234 Pa	91	6.700 h	1292.700	0.0060	1.0182	0.7614
			1353.300	0.0170		
			1358.500	0.0012		
			1394.100	0.0300		
			1399.700	0.0023		
			1427.500	0.0020		
			1446.000	0.0040		
			1452.700	0.0100		
			1460.000	0.0030		
			1493.700	0.0020		
			1516.000	0.0040		
			1549.400	0.0010		
			1579.700	0.0017		
			1585.400	0.0025		
			1593.800	0.0060		
			1627.900	0.0015		
			1638.000	0.0040		
			1656.000	0.0015		
			1668.500	0.0120		
			1686.200	0.0050		
			1694.600	0.0120		
			1699.800	0.0015		
			1737.600	0.0010		
			1741.700	0.0010		
			1756.000	0.0025		
			1772.300	0.0010		
			1797.300	0.0030		
			1890.100	0.0019		
			1897.100	0.0015		
			1905.000	0.0028		
			1926.000	0.0050		
234 U	92	244667.466 y	53.200	0.0012	0.0000	0.0000
234 Np	93	4.400 d	247.500	0.0011	0.5187	0.3826
			258.300	0.0011		
			388.300	0.0019		
			451.000	0.0132		
			517.200	0.0038		
			556.000	0.0047		
			706.500	0.0018		
			720.500	0.0017		
			743.100	0.0510		
			750.700	0.0047		
			766.600	0.0056		
			786.400	0.0290		
			793.500	0.0019		
			807.000	0.0024		
			807.000	0.0013		
			851.600	0.0023		
			945.700	0.0056		
			1001.600	0.0150		
			1194.100	0.0550		
			1237.300	0.0230		
			1392.200	0.0210		
			1435.700	0.0620		
			1527.500	0.1170		
			1558.700	0.1880		

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
234 Np	93	4.400 d	1570.700 1602.200	0.0550 0.0960	0.5187	0.3826
235 Pa	91	24.100 m	54.000 64.350 72.700 109.140 120.000 140.770 143.760 163.350 182.700 185.715 194.940 202.120 205.311 221.380	0.0260 0.0065 0.0011 0.0150 0.0090 0.0022 0.1050 0.0470 0.0040 0.5400 0.0059 0.0100 0.0470 0.0010	0.0721	0.0700
235 Pu	94	25.300 m	34.200 49.100 756.400 910.100 940.700 944.700	0.0023 0.0240 0.0048 0.0016 0.0011 0.0011	0.0051	0.0037
236 Pa	91	9.100 m	243.300 279.200 366.500 422.900 537.800 594.000 642.000 687.200 874.000 921.200 942.600 966.600 1064.900 1559.800 1617.000 1662.300 1762.600 1808.000 2041.200 2086.600	0.0015 0.0042 0.0045 0.0051 0.0030 0.0015 0.3000 0.0800 0.0030 0.0025 0.0060 0.0063 0.0024 0.0190 0.0090 0.0051 0.0540 0.0200 0.0160 0.0080	0.2667	0.1965
236 U	92	1.250E-07 s	196.000 204.000 243.000 279.000 300.000 308.000 642.000 687.000 903.000 920.000 942.000 966.000	0.0580 0.1030 0.0810 0.0630 0.0580 0.1710 0.4500 0.1030 0.0810 0.0270 0.1620 0.0720	0.4595	0.3515

Nuclide	Z	Half Life	Energy keV	Yield	R#m ² /h/Ci	T Rem/h/Ci
236 Np m	93	22.500 h	642.400 687.700	0.0099 0.0026	0.0047	0.0034
236 Np	93	115078.767 y	45.000 100.000 104.000 160.200	0.0026 0.0052 0.0746 0.2760	0.0255	0.0259
237 Pa	91	8.700 m	179.100 310.100 498.700 529.400 540.700 543.600 554.900 701.000 722.600 734.000 847.100 853.700 865.000 1333.200 1344.800 1395.900 1407.500	0.0017 0.0173 0.0240 0.1480 0.0930 0.0024 0.0153 0.0014 0.0082 0.0065 0.0051 0.3400 0.1550 0.0017 0.0010 0.0017 0.0010	0.3399	0.2502
237 U	92	6.750 d	33.195 38.540 51.010 59.543 64.830 164.610 208.005 267.540 332.360 370.940	0.0011 0.0037 0.0020 0.3300 0.0116 0.0183 0.2170 0.0071 0.0120 0.0011	0.0406	0.0380
237 Np	93	2.141E+06 y	46.530 57.150 86.503 88.040 94.660 117.680 143.208 151.370 195.096 212.415	0.0014 0.0042 0.1260 0.0016 0.0083 0.0017 0.0042 0.0025 0.0021 0.0016	0.0064	0.0069
237 Pu	94	45.300 d	59.500	0.0325	0.0011	0.0010
237 Am	95	1.217 h	79.050 124.720 127.500 145.552 179.940 183.700 203.030	0.0020 0.0028 0.0011 0.0048 0.0024 0.0019 0.0042	0.1483	0.1286

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
237 Am	95	1.217 h	206.700	0.0033	0.1483	0.1286
			214.900	0.0024		
			224.860	0.0024		
			229.100	0.0015		
			248.700	0.0059		
			252.200	0.0027		
			252.200	0.0015		
			273.300	0.0076		
			280.230	0.4700		
			321.000	0.0140		
			390.700	0.0055		
			407.800	0.0063		
			425.800	0.0194		
			435.200	0.0025		
			438.400	0.0830		
			473.500	0.0430		
			501.200	0.0028		
			504.800	0.0019		
			548.500	0.0026		
			655.300	0.0130		
			696.200	0.0020		
			720.400	0.0024		
			743.500	0.0027		
			792.000	0.0016		
			861.200	0.0037		
			908.800	0.0260		
			1000.600	0.0019		
238 U	92	4.471E+09 y	49.550	0.2300	0.0085	0.0065
238 Np	93	2.117 d	44.080	0.0010	0.2970	0.2166
			101.880	0.0021		
			561.150	0.0010		
			882.630	0.0076		
			918.690	0.0051		
			923.980	0.0248		
			936.610	0.0033		
			941.380	0.0045		
			962.770	0.0061		
			984.450	0.2380		
			1025.870	0.0820		
			1028.540	0.1730		
238 Am	95	1.633 h	301.500	0.0050	0.4293	0.3152
			357.700	0.0210		
			515.400	0.0039		
			561.000	0.1090		
			565.800	0.0015		
			574.000	0.0011		
			597.000	0.0015		
			605.100	0.0760		
			617.400	0.0073		
			658.400	0.0018		
			679.500	0.0025		
			821.500	0.0031		
			884.300	0.0013		
			908.800	0.0022		
			918.700	0.2300		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³⁸ rem ² /h/Ci	T rem/h/Ci
238 Am	95	1.633 h	941.400 962.800 984.000 1016.200 1028.500 1097.300 1118.200 1184.500 1220.000 1237.000 1266.200 1293.200 1403.200 1447.300 1458.500 1515.900 1577.300 1592.500 1636.600 1682.200 1726.400	0.0220 0.2800 0.0012 0.0025 0.0012 0.0031 0.0018 0.0053 0.0014 0.0025 0.0168 0.0031 0.0067 0.0042 0.0012 0.0012 0.0290 0.0048 0.0126 0.0048 0.0028	0.4293	0.3152
239 U	92	23.540 m	31.000 43.000 43.534 74.670 117.660 662.240 748.080 819.220 844.100	0.1600 0.0200 0.0446 0.5000 0.0015 0.0018 0.0011 0.0015 0.0017	0.0349	0.0249
239 Np	93	2.355 d	49.410 57.260 61.480 106.130 181.710 209.750 226.420 228.190 254.410 277.600 285.410 315.880 334.300	0.0010 0.0015 0.0096 0.2270 0.0011 0.0324 0.0034 0.1070 0.0010 0.1410 0.0078 0.0159 0.0203	0.0580	0.0557
239 Am	95	11.900 h	49.412 57.273 67.841 181.715 209.800 226.383 228.184 277.604 285.500	0.0011 0.0015 0.0013 0.0108 0.0350 0.0330 0.1130 0.1500 0.0080	0.0473	0.0439
240 U	92	14.100 h	44.100	0.0169	0.0007	0.0004
240 Np m	93	7.400 m	66.500	0.0027	0.1772	0.1323

Nucleide	Z	Half Life	Energy	Yield	$R^2 m^2/h/Ci$	Rem/h/Ci
240 Np m	93	7.400 ms	98.860	0.0017	0.1772	0.1323
240 Np np	93	65.000 ms	134.600	0.0040	0.6605	0.4968
			1633.260	0.0014		
			1539.640	0.0079		
			1496.900	0.0131		
			1488.200	0.0021		
			1445.300	0.0036		
			961.640	0.0014		
			942.370	0.0011		
			938.040	0.0129		
			928.590	0.0017		
			915.980	0.0104		
			910.090	0.0017		
			900.460	0.0013		
			857.460	0.0047		
			841.110	0.0017		
			817.880	0.0124		
			813.430	0.0021		
			789.590	0.0021		
			758.620	0.0119		
			606.100	0.0074		
			597.400	0.1250		
			554.600	0.2240		
			507.200	0.0079		
			307.980	0.0112		
			263.350	0.0117		
			251.460	0.0096		
			189.500	0.0025		
			98.860	0.0017		
			1179.000	0.0070		
			1167.600	0.0500		
			1163.000	0.0070		
			1131.800	0.0070		
			1074.400	0.0100		
			988.000	0.0500		
			973.900	0.2300		
			958.700	0.0250		
			915.200	0.0150		
			896.500	0.1400		
			890.600	0.0120		
			884.900	0.0400		
			867.400	0.0900		
			847.000	0.0500		
			606.100	0.0170		
			601.000	0.2200		
			566.400	0.2900		
			507.200	0.0200		
			467.400	0.0220		
			462.200	0.0150		
			448.200	0.1800		
			307.000	0.0150		
			295.000	0.0070		
			270.800	0.0900		
			192.700	0.0730		
			182.600	0.0100		
			175.000	0.0650		
			152.200	0.0900		
			147.200	0.0150		
			134.600	0.0040		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
240 Am	95	2.117 d	98.900 888.800 987.760	0.0150 0.2510 0.7300	0.5187	0.3782
241 Am	95	432.496 y	33.195 59.537	0.0012 0.3590	0.0121	0.0115
241 Cm	96	32.800 d	32.639 132.413 164.800 165.049 180.277 205.879 265.922 417.240 430.634 447.350 463.273 471.805 504.450 636.880 653.200 670.200	0.0021 0.0390 0.0044 0.0297 0.0048 0.0267 0.0040 0.0065 0.0410 0.0012 0.0123 0.7100 0.0059 0.0153 0.0015 0.0057	0.2276	0.1797
242 Am	95	152.104 y	49.300	0.0020	0.0001	0.0001
243 Pu	94	4.956 h	34.000 41.800 67.000 84.000 109.300 356.400 381.700	0.0300 0.0076 0.0023 0.2300 0.0016 0.0013 0.0055	0.0124	0.0117
243 Am	95	7385.055 y	43.530 74.670 86.790 117.600 142.180	0.0550 0.6600 0.0034 0.0055 0.0013	0.0257	0.0266
243 Cm	96	28.520 y	44.663 57.273 67.800 106.130 209.760 228.190 254.410 277.630 285.420	0.0012 0.0014 0.0014 0.0026 0.0329 0.1060 0.0011 0.1400 0.0073	0.0398	0.0370
243 Bk	97	4.500 h	755.000 840.000 946.000	0.1000 0.0300 0.0800	0.0986	0.0717
244 Am m	95	26.000 m	42.900	0.2000	0.0086	0.0051
244 Am	95	10.100 h	99.400	0.0483	0.4362	0.3220

Nuclide	Z	Half Life	Energy keV	Yield	Γ R*m2/h/Ci	T Rem/h/Ci
244 Am	95	10.100 h	154.000	0.1800	0.4362	0.3220
			206.000	0.0026		
			540.000	0.0040		
			746.000	0.6650		
			900.000	0.2750		
245 Pu	94	10.500 h	280.290	0.0132	0.2015	0.1611
			308.110	0.0500		
			327.310	0.2600		
			341.000	0.0010		
			348.730	0.0099		
			376.580	0.0330		
			387.880	0.0030		
			395.870	0.0010		
			411.740	0.0050		
			428.510	0.0054		
			445.340	0.0031		
			491.500	0.0280		
			514.600	0.0017		
			525.080	0.0028		
			560.030	0.0560		
			591.600	0.0017		
			598.800	0.0012		
			624.400	0.0023		
			630.040	0.0280		
			657.200	0.0014		
			660.200	0.0087		
			669.280	0.0035		
			707.980	0.0028		
			730.400	0.0019		
			737.960	0.0023		
			740.200	0.0014		
			743.700	0.0016		
			762.730	0.0073		
			766.590	0.0037		
			776.660	0.0021		
			786.540	0.0038		
			796.370	0.0026		
			799.870	0.0162		
			817.040	0.0087		
			833.140	0.0054		
			840.560	0.0132		
			859.530	0.0052		
			868.800	0.0012		
			874.160	0.0014		
			887.140	0.0073		
			910.460	0.0143		
			938.400	0.0104		
			941.000	0.0026		
			957.590	0.0101		
			975.000	0.0026		
			977.200	0.0040		
			987.600	0.0136		
			996.000	0.0021		
			1005.100	0.0028		
			1007.310	0.0042		
			1013.200	0.0010		
			1018.330	0.0106		

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
245 Pu	94	10.500 h	1023.320	0.0056	0.2015	0.1611
245 Am	95	2.050 h	240.800	0.0034	0.0092	0.0082
			252.700	0.0610		
			295.600	0.0022		
245 Cm	96	8505.822 y	133.000	0.0490	0.0074	0.0075
			174.000	0.0500		
245 Bk	97	4.940 d	42.800	0.0028	0.0484	0.0428
			54.800	0.0037		
			103.100	0.0042		
			198.000	0.0016		
			252.850	0.2900		
			365.800	0.0036		
			380.800	0.0240		
			385.000	0.0057		
			408.700	0.0019		
246 Pu	94	10.850 d	43.810	0.3000	0.0578	0.0497
			66.600	0.0031		
			75.640	0.0022		
			179.940	0.1200		
			216.550	0.0013		
			223.750	0.2800		
			255.540	0.0028		
246 Am m	95	25.000 m	99.200	0.0015	0.5344	0.3910
			170.960	0.0012		
			237.190	0.0013		
			238.610	0.0014		
			244.020	0.0063		
			246.090	0.0090		
			261.670	0.0014		
			270.050	0.0094		
			287.760	0.0012		
			401.700	0.0024		
			493.500	0.0011		
			602.700	0.0015		
			649.550	0.0034		
			684.340	0.0055		
			698.260	0.0011		
			717.220	0.0024		
			724.830	0.0022		
			734.460	0.0120		
			745.170	0.0023		
			752.050	0.0082		
			759.600	0.0062		
			781.240	0.0017		
			798.830	0.2560		
			833.620	0.0187		
			986.060	0.0099		
			1036.030	0.1330		
			1062.070	0.1770		
			1078.900	0.2890		
			1081.550	0.0028		
			1085.130	0.0159		
			1122.860	0.0612		

Nuclide	Z	Half Life	Energy keV	Yield	R ²³² /h/Ci	T Rem/h/Ci
246 Am m	95	25.000 m	1124.420 1206.960 1249.770 1274.720 1348.890 1479.600 1528.600 1529.700 1551.090 1561.440 1590.890 1604.310 1618.990 1638.130 1661.830 1738.190	0.0024 0.0017 0.0016 0.0029 0.0016 0.0026 0.0010 0.0017 0.0041 0.0013 0.0058 0.0012 0.0015 0.0018 0.0026 0.0013	0.5344	0.3910
246 Am	95	39.000 m	99.200 127.400 153.500 205.000 629.000 679.000 686.000 756.000 781.000 839.000	0.0480 0.0320 0.2500 0.3600 0.0260 0.5300 0.0212 0.1320 0.0400 0.0212	0.3691	0.2840
246 Bk	97	1.830 d	734.500 800.000 834.500 986.000 1037.000 1063.000 1079.000 1082.000 1085.000 1124.000	0.0320 0.7000 0.0560 0.0035 0.0200 0.0360 0.0350 0.0630 0.0056 0.0520	0.4803	0.3495
247 Am	95	22.000 m	226.000 285.000	0.0570 0.2300	0.0434	0.0409
247 Cm	96	1.561E+07 y	278.000 287.500 346.000 402.400	0.0340 0.0200 0.0130 0.7200	0.1771	0.1493
247 Bk	97	1380.945 y	84.000 265.000	0.4000 0.3000	0.0588	0.0566
249 Cm	96	64.150 m	368.760 560.390 621.870 634.310 652.800	0.0035 0.0084 0.0018 0.0150 0.0014	0.0101	0.0075
249 Cf	98	350.840 y	54.730 92.300	0.0022 0.0030	0.1819	0.1573

Nuclide	Z	Half Life	Energy keV	Yield	R ^a R ^b s ² /n/Ci	T ^a Rem/h/Ci
249 Cf	98	350.840 y	241.200 252.830 266.730 295.840 333.440 387.950 720.000	0.0022 0.0273 0.0075 0.0014 0.1550 0.6600 0.0014	0.1819	0.1573
249 Es	99	1.700 h	62.470 144.990 191.600 234.600 255.000 298.000 370.100 375.100 379.500 437.600 565.000 625.300 628.500 668.300 789.700 813.200 852.200 945.400 1007.900 1218.500	0.0013 0.0018 0.0040 0.0026 0.0011 0.0056 0.0014 0.0330 0.4040 0.0075 0.0021 0.0013 0.0021 0.0024 0.0114 0.0910 0.0087 0.0024 0.0073 0.0150	0.1673	0.1352
250 Bk	97	3.222 h	98.200 889.980 929.280 988.960 1028.580 1031.760	0.0012 0.0164 0.0137 0.4510 0.0439 0.3510	0.4796	0.3499
250 Es	99	2.100 h	989.000 1032.000	0.1630 0.1360	0.1641	0.1197
251 Cf	98	898.615 y	61.500 68.000 73.000 83.000 135.000 144.000 154.000 176.600 214.000 227.000 255.000 262.000 266.000 270.000 285.000 291.000	0.0056 0.0020 0.0030 0.0010 0.0010 0.0020 0.1770 0.0020 0.0630 0.0020 0.0020 0.0050 0.0020 0.0140 0.0040	0.0289	0.0275
251 Es	99	1.375 d	152.700 177.600	0.0091 0.0239	0.0028	0.0028

Nuclide	Z	Half Life	Energy keV	Yield	R*m2/h/Ci	T Rem/h/Ci
252 Cf	98	2.640 y	52.320 54.820 70.650 377.400 399.700 418.500	0.0056 0.0023 0.0013 0.0013 0.0013 0.0023	0.0014	0.0013
252 Es	99	350.000 d	102.330 106.020 139.030 165.000 694.000 715.800 759.100 765.300 785.100 800.000 304.800 818.100 321.800 924.100	0.0170 0.0013 0.1270 0.0013 0.0042 0.0079 0.0047 0.0017 0.1680 0.0036 0.0068 0.0032 0.0220	0.1151	0.0366
254 Cf	98	60.500 d	34.400 42.600 63.000 69.700 70.400 80.800 85.100 316.000	0.3000 1.0000 0.0200 0.0100 0.0300 0.0100 0.0100 0.0015	0.0652	0.0345
254 Es	99	1.638 d	104.360 544.460 584.320 648.800 688.680 693.780	0.0018 0.0028 0.0280 0.2800 0.1200 0.2400	0.2588	0.1892
255 Es	99	39.800 d	57.902 58.477 60.004 80.920 81.477	0.0011 0.0057 0.0012 0.0027 0.0081	0.0007	0.0007
255 No	102	3.100 m	187.200	0.0550	0.0053	0.0051
256 Lr	103	31.000 s	103.700 179.700 241.400	0.0075 0.0640 0.0750	0.0160	0.0149

Risø - M -

Title and author(s)		Date December 1982
Table of Exposure Rate Constants and Dose Equivalent Rate Constants		Department or group Health Physics Dept.
Bente Lauridsen		Group's own registration number(s)
pages + tables + illustrations		
Abstract The exposure rate constant r is calculated and tabulated for 1084 nuclides. The exposure rate constant is defined as the ratio of the product of the exposure rate and the square of the distance from a radioactive point source to the source strength Q . The dose equivalent rate constant τ is here defined as the ratio of the mean dose equivalent rate to a water cylinder fo 30 cm diameter and 100 cm height placed 100 cm from a radioactive source to the source strength Q . The source is placed at the midplane of the cylinder. The dimensions of the cylinder were chosen to approximate a human phantom of 70 kg mass. The dose equivalent rate constant is calculated and tabulated for 1084 nuclides. For both quantities, r and τ , the contributions from photon energies below 30 keV and X-rays are omitted. The data are based on the Evaluated Nuclear Structure Data File, which is compiled by The Nuclear Group at Oak Ridge National Laboratory. Available on request from Risø Library, Risø National Laboratory (Risø Bibliotek), Forsøgsanlæg Risø, DK-4000 Roskilde, Denmark Telephone: (02) 37 12 12, ext. 2262. Telex: 43116		Copies to