Technical University of Denmark



## Lipid oxidation in omega-3 emulsions prepared with milk proteins

Horn, Anna Frisenfeldt; Nielsen, Nina Skall; Andersen, Ulf; Jensen, Louise Helene Søgaard; Horsewell, Andy; Jacobsen, Charlotte

Publication date: 2011

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Horn, A. F., Nielsen, N. S., Andersen, U., Jensen, L. H. S., Horsewell, A., & Jacobsen, C. (2011). Lipid oxidation in omega-3 emulsions prepared with milk proteins. Abstract from 26th Nordic LipidFORUM Symposium, Ålesund, Norway, .

## DTU Library Technical Information Center of Denmark

## **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

## Lipid oxidation in omega-3 emulsions prepared with milk proteins

Anna Frisenfeldt Horn<sup>1</sup>, Nina Skall Nielsen<sup>1</sup>, Ulf Andersen<sup>2</sup>, Louise Helene Søgaard<sup>3,4</sup>, Andy Horsewell<sup>3,4</sup> & Charlotte Jacobsen<sup>1</sup>

<sup>1</sup>National Food Institute, Technical University of Denmark, Denmark
<sup>2</sup>ARLA Foods amba, Innovation Centre Brabrand, Denmark
<sup>3</sup>Center for Electron Nanoscopy, Technical University of Denmark, Denmark
<sup>4</sup>Department of Mechanical Engineering, Technical University of Denmark, Denmark

An increasing body of evidence supports the health beneficial effects of omega-3 polyunsaturated fatty acids. Therefore, incorporation of marine oils into foods has also gained an increasing interest. However, the highly unsaturated lipids present in marine oils are prone to lipid oxidation, and their addition to foods is therefore limited by the development of unpleasant off-flavors. Hence, efficient strategies are necessary to protect the lipids and thereby make fish oil-enriched food products successful in the marketplace.

In an attempt to increase the oxidative stability of fish oil-enriched food products several studies have been carried out where fish oil has been introduced to different foods through delivery emulsions instead of as neat oil. However, contradicting results have been obtained between individual foods on whether the neat oil or the delivery emulsion gave the most oxidatively stable product. Thus, a better understanding of factors influencing lipid oxidation in delivery emulsions themselves is therefore needed to understand the differences observed between food systems.

In oil-in-water emulsions, lipid oxidation is expected to be initiated at the oil-water interface. The properties of the emulsifier used and the structure at the interface are therefore expected to be of great importance for oxidation in emulsions.

This presentation will include results from mainly three different studies of lipid oxidation in omega-3 emulsions prepared with milk proteins and protein components. In these three studies different parameters that are expected to change the properties and structure of the proteins at the interface were investigated. The first study compares 70% emulsions with either sodium caseinate or whey protein isolate at two pH values with and without iron addition. The second study evaluates the effect of two different high pressure homogenizers on oxidation in 10% emulsions with the same emulsifiers as in the first study. Finally, the third study considers the effect of changing pH on oxidation in emulsions prepared with different whey protein components. Results on lipid oxidation as affected by the different parameters will be discussed and related to the differences between the proteins and their structure at the interfacial layer. Results will be complimented by micrographs of the emulsions.