

Technical University of Denmark



Laser ablation of the lysozyme protein: a model system for soft materials

Schou, Jørgen; Matei, Andreea; Constantinescu, Catalin; Canulescu, Stela; Dinescu, Maria; Tabetah, Marshall; Zhigilei, Leonid; Amoruso, Salvatore; Wang, Xuan

Publication date:
2011

Document Version
Early version, also known as pre-print

[Link back to DTU Orbit](#)

Citation (APA):
Schou, J., Matei, A., Constantinescu, C., Canulescu, S., Dinescu, M., Tabetah, M., ... Wang, X. (2011). Laser ablation of the lysozyme protein: a model system for soft materials. Abstract from 11th International Conference on Laser Ablation, Playa del Carmen, Mexico.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Laser ablation of the lysozyme protein: a model system for soft materials.

Jørgen Schou, Andreea Matei, Catalin Constantinescu, Stela Canulescu
DTU Fotonik, Risø Campus, DK- 4000 Roskilde, Denmark

Maria Dinescu
NILPRP, RO-077125 Magurele-Bucharest, Romania

Marshall Tabetah, Leonid Zhigilei
Department of Materials Science and Engineering
University of Virginia, Charlottesville, VA 22904-4745, USA

Salvatore Amoruso and Xuan Wang
Dipartimento di Scienze Fisiche & CNR-SPIN
Università degli Studi di Napoli Federico II, I-80126 Napoli, Italy

Lysozyme is a well-known protein which is used in food processing and is also an important constituent of human secretions such as sweat and saliva. It has a well-defined mass (14307 u) and can easily be detected by mass spectrometric methods such as MALDI (Matrix-assisted laser desorption ionization) in contrast to many other organic materials. Also the thermal properties, including the heat-induced decomposition behavior are comparatively well-known. For laser-irradiation at wavelengths above 310 nm, no photochemical processes occur initially, but the material is ejected via photothermal processes.

The ablation of lysozyme from a dry pressed target in vacuum was measured by weight loss for nanosecond and femtosecond laser pulses at 355 or around 532 nm with a fluence of 1 J/cm². A typical ablation yield for a 10-mJ pulse is about 150 micrograms/pulse, corresponding to the removal of $\sim 6.3 \times 10^{15}$ molecules per pulse. This is perhaps one of the highest ablation yields ever measured. Films with a significant number of intact lysozyme molecules have been produced by PLD (pulsed laser deposition) and MAPLE (Matrix-assisted pulsed laser evaporation). The deposition of intact molecules is expected in MAPLE, but is surprising in PLD, where a high degree of thermal fragmentation is typically required for generation of a sufficient amount of volatile decomposition products that drive the transfer of molecules to the film substrate. The experimental results will be discussed based on the results of molecular-level modeling. In particular, the effect of the possible presence of trapped water pockets in the lysozyme targets is investigated in the simulations and the minimum amount of water required for the lift off of the intact molecules is established.