

Technical University of Denmark



The creation of two-dimensional electron gases in SrTiO₃-based complex oxide heterostructures by interface redox reactions

Chen, Yunzhong; Trier, Felix; Christensen, Dennis Valbjørn; Pryds, Nini

Published in:

Abstract book - Workshop on Oxide Electronics XIX

Publication date:

2012

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Chen, Y., Trier, F., Christensen, D., & Pryds, N. (2012). The creation of two-dimensional electron gases in SrTiO₃-based complex oxide heterostructures by interface redox reactions. In Abstract book - Workshop on Oxide Electronics XIX (Chapter P.36, pp. 66-66)

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

the extra control offered by the use of superlattices allows for careful tuning of the functional properties.

References

- [1] R. J. Zeches et al., *Science*. **326**, 977-980 (2009).
 [2] D. Kan et al., *Advanced Functional Materials*. **20**, 1108-1115 (2010)
 [3] I. Troyanchuk et al., *Physical Review B*. **83**, 1-7 (2011)

P.36	<p>The creation of two-dimensional electron gases in SrTiO₃-based complex oxide heterostructures by interface redox reactions</p> <p><u>Yunzhong Chen</u>, Felix Trier, Dennis Christensen, and Nini Pryds <i>Department of Energy Conversion and Storage, Technical University of Denmark, Risø Campus, 4000 Roskilde, Denmark</i></p>
------	--

The conductance of strongly correlated transition metal 3d electrons confined at the interface of complex oxide heterostructures provides new opportunities to explore nanoelectronic devices. In particular, high-mobility two-dimensional electron gases (2DEGs) can be obtained at the interface between two oxide insulators, such as the intensively explored LaAlO₃/SrTiO₃ (LAO/STO) heterointerface. The mechanism for such high interface conductivity has been explained by polar discontinuity. Alternatively, when building heterostructures on STO, the basis material for oxide electronics, the conductance may originate from redox reactions at the interface, where free carriers are created when STO is reduced by the formation of oxygen vacancies.

In this presentation, we will revisit various metallic and insulating STO-based oxide heterostructures reported so far. The mechanism of the interface conductance in these STO-based oxide heterostructures will be discussed. Moreover, our current exploration of new 2DEGs in STO-based oxide heterostructures, relying on interface redox reactions, will be also present.

P.37	<p>Domain engineering in strained BiFeO₃ thin films grown on highly miscut LaAlO₃ substrates</p> <p><u>C. Beekman</u>¹, W. Siemons¹, T.Z. Ward¹, A.Y. Borisevich¹, J.D. Budai¹, and H.M. Christen¹, J.Z. Tischler²</p> <p>¹Materials Science & Technology Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831, ²Advanced Photon Source, Argonne National Laboratory, Argonne, IL 60439, USA</p>
------	---

Much like epitaxial strain, substrate miscut is a tool for domain engineering in multiferroic thin films, and is shown here to have a profound effect on highly-strained epitaxial films of BiFeO₃ (BFO) on LaAlO₃ (LAO) (i.e. "T-like" BFO [1,2]). In fact, the response of T-like BFO to such a substrate miscut is strikingly different from that of other similar perovskite systems. For PbTiO₃ (PTO), for example, where strain relaxation results in mixed c- and a-domain films, SrTiO₃ (STO) substrate miscut results in modification of a-domains alignment [3]. Similarly, a reduced number of domain variants is observed in the case of BFO films on miscut STO substrates [4]. Here we present a comparative study of T-like BFO films grown on [001]-oriented LAO substrates with a miscut from 0° ("exact") to 4°, and grown by pulsed laser deposition. Atomic force microscopy (AFM) and RSM data for BFO on exact LAO show the typical mixed phase morphology with a striped phase embedded within the monoclinic multidomain T-like phase [5]. Confirming previous reports [6], we find that the striped-phase becomes more abundant as the film thickness is increased. However, a striking observation is that for films grown on the highly miscut substrates the striped-