Technical University of Denmark



The Ahar-Varzaghan (Iran) double earthquakes (Mw 6.5 and 6.2) of August 11th, 2012: A seismotectonic interpretation from regional moment tensors and kinematic parameters

Donner, Stefanie; Krüger, Frank; Ghods, Abdolreza; Rössler, Dirk

Published in: Geophysical Research Abstracts

Publication date: 2013

Document Version
Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Donner, S., Krüger, F., Ghods, A., & Rössler, D. (2013). The Ahar-Varzaghan (Iran) double earthquakes (Mw 6.5 and 6.2) of August 11th, 2012: A seismotectonic interpretation from regional moment tensors and kinematic parameters. Geophysical Research Abstracts, 15, EGU2013-6928.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Geophysical Research Abstracts Vol. 15, EGU2013-6928, 2013 EGU General Assembly 2013 © Author(s) 2013. CC Attribution 3.0 License.



The Ahar-Varzaghan (Iran) double earthquakes (Mw 6.5 and 6.2) of August 11th, 2012: A seismotectonic interpretation from regional moment tensors and kinematic parameters

Stefanie Donner (1), Frank Krüger (1), Abdolreza Ghods (2), and Dirk Rößler (3)

(1) Universität Potsdam, Institut für Erd- und Umweltwissenschaften, Germany (stefanie.donner@uni-potsdam.de), (2) Institute for Advanced Studies in Basic Sciences, Iran (aghods@iasbs.ac.ir), (3) Technical University of Denmark, National Space Institute (dros@space.dtu.dk)

The region of northwestern Iran is exceptional within the Arabian-Eurasian continental collision zone. Tectonics is dominated by the NW-SE striking right-lateral North Tabriz Fault (NTF) where regional seismicity (historical and modern one) concentrates. North of the NTF seismicity is rare and almost nothing is known about active structures so far. Here, GPS velocity records are directed to North-East, while the direction changes to direct North south of the NTF.

On 11th of August 2012 the region was surprisingly struck by a shallow Mw 6.5 earthquake with pure right-lateral strike-slip character only about 50 km north of the NTF. An east-west striking surface rupture of about 18 km length was observed in the field. Only 11 minutes later and about 6 km further NW a second shallow event with Mw 6.2 occurred. It showed an NE-SW oriented oblique thrust mechanism. Until the end of August, 409 earthquakes with $ML \geq 2.0$ were observed. In the eastern part of the earthquake sequence, along 3/4 of the rupture length, the aftershocks concentrated in a depth of about 14 km. In the western part they became shallower with about 7 km depth. On 7th of November a strong aftershock (Mw 5.4) occurred at the western edge of the sequence. Here, we present point source moment tensor solutions obtained from inversion of regional waveform data for the two mainshocks and larger aftershocks, including the one from 7th of November. We use 3-component broadband data of the Iranian National Seismic Network (INSN) operated by the International Institute of Earthquake Engineering and Seismology (IIEES) in Tehran. For half of the studied aftershocks we obtain pure E-W / N-S oriented strike-slip mechanisms. The other half shows oblique thrust mechanisms with an orientation of NE-SW. The analysed aftershocks are located in depths between 5 and 18 km. In addition, we show the kinematic parameters of the rupture plane for the two mainshocks and the aftershock of 7th of November.

We propose that more than one fault must have been activated during the sequence assembling a complex structure of strike-slip and thrust faults. This sequence was a surprise in an area, where recent seismicity on active faults has not been observed so far. Due to the lack of knowledge about such structures in the region, seismic hazard analyses must underestimate the risk. This earthquake sequence provides an opportunity to better understand the processes of active deformation and their causes in NE Iran.