brought to you by 🄀 CORE





Limitations and possibilities of animal models for human allergenic risk evaluation

Madsen, Charlotte Bernhard; Kroghsbo, Stine; Bøgh, Katrine Lindholm

Published in:

The 7th meeting of the Immunotoxicology and Chemical Allergy Speciality Section ITCASS

Publication date: 2012

Document Version
Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Madsen, C. B., Kroghsbo, S., & Bøgh, K. L. (2012). Limitations and possibilities of animal models for human allergenic risk evaluation. In The 7th meeting of the Immunotoxicology and Chemical Allergy Speciality Section ITCASS (pp. 11-11). Kgs. Lyngby: Technical University of Denmark (DTU).

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Limitations and possibilities of animal models for human allergenic risk evaluation

Charlotte B Madsen, Stine Kroghsbo, Katrine L. Bøgh (Technical University of Denmark, Denmark)

There are many unanswered questions relating to food allergy sensitization in humans. We don't know under what circumstances sensitization takes place i.e. route (oral, dermal, respiratory), age, dose, frequency of exposure, infection or by-stander effect of other allergens. In addition we don't know under what circumstances oral tolerance develops.

With all these unanswered questions, it is a big challenge to design an animal model that, with relatively few animals, is able to predict if a food allergen is not only a potential allergen but also predict its potency, a prerequisite for risk evaluation.

One of the pitfalls may be the premise that an animal model needs to mimic the disease. Chemical contact sensitizers may be predicted in an animal test, the Local Lymph Node Assay (LLNA). This assay is based on detailed mechanistic knowledge of contact sensitization including knowledge on dose-response relationship. The outcome of the test is sensitization measured as cell proliferation in the regional lymph node.

Animal models in food allergy can be used to increase our understanding of food allergens and food allergy sensitization e.g. the influence of digestion or processing or to compare closely related allergens. Examples of this will be given.