

Technical University of Denmark



The influence of boron addition on structural, magnetic and thermoelectric properties of Ni₂Mn_{1.52}Sb_{0.48}B_x

Van Nong, Ngo; Le, Thanh Hung; Tuan Tai, Luu

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Van Nong, N., Le, T. H., & Tuan Tai, L. (2012). The influence of boron addition on structural, magnetic and thermoelectric properties of Ni₂Mn_{1.52}Sb_{0.48}B_x. Abstract from 6th International Workshop on Advanced Materials Science and Nanotechnology, Ha Long City, Viet Nam.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

(CODE: MEP9-O12)

THE INFLUENCE OF BORON ADDITION ON STRUCTURAL, MAGNETIC AND THERMOELECTRIC PROPERTIES OF $\text{Ni}_2\text{Mn}_{1.52}\text{Sb}_{0.48}\text{B}_x$

Ngo Van Nong¹, Le Thanh Hung¹, Luu Tuan Tai²

¹ Department of Energy Conversion and Storage, Technical University of Denmark, Risø Campus, Frederiksborgvej 399, 4000 Roskilde, Denmark

² Cryogenic Laboratory, Faculty of Physics, Hanoi University of Science, 334, Nguyen Trai Road, Thanh Xuan, Hanoi, Vietnam

Email: ngno@dtu.dk

ABSTRACT

Heusler alloys known as X_2YZ (full-Heusler) and XYZ (half-Heusler), where X and Y denote the transition metals and Z is *s-p* such as Al, Ga, Sb, Sn, In, ect., have been extensively studied since they possess many important properties [1-3] like shape memory effect, magnetocaloric effect (MCE), magnetoresistance and thermoelectric effect. In this work, structure, magnetic and thermoelectric properties of the full-Heusler $\text{Ni}_2\text{Mn}_{1.52}\text{Sb}_{0.48}$ alloy were investigated in terms of Boron (B) addition. We have found that the structural transition temperature i.e. the ferromagnetic-to-antiferromagnetic martensitic transition (T_M) decreases, while the paramagnetic-ferromagnetic austenitic transition (T_C) tends to increase with increasing B concentration. Temperature dependent X-ray diffraction patterns from 200 - 500 K clearly shows an evolution of the structural transformation from orthorhombic to cubic structure. It was interestingly found in the high-temperature (300 - 1000 K) thermoelectric properties, that the sample with $x = 1$ switches from *n*-type conducting behavior at temperatures below 570 K to *p*-type conducting one in higher temperature region. However, with higher B concentration e.g. $x = 2$, the sample shows *n*-type conducting behavior over the whole measured temperature range, again confirming the effect of boron addition.

References:

1. Lluís Mañosa et al., Nature Materials **9**, 478 (2010).
2. L. Chen et al., Appl. Phys. Lett. **101**, 012401 (2012)
3. X. Yan et al., Nano Letters, **11**, 556 (2011).