

Technical University of Denmark



## Dislocation content and alignment of boundaries in a fcc crystal deformed in plane strain

Winther, Grethe

*Publication date:*  
2013

[Link back to DTU Orbit](#)

*Citation (APA):*

Winther, G. (2013). Dislocation content and alignment of boundaries in a fcc crystal deformed in plane strain. Abstract from International Symposium on Plasticity 2013 and Its Current Applications , Nassau, Bahamas.

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# **Dislocation content and alignment of boundaries in a fcc crystal deformed in plane strain**

Grethe Winther

*Department of Mechanical Engineering, Technical University of Denmark,  
DK-2800 Kgs. Lyngby, Denmark*

The deformation-induced extended planar dislocation boundaries in fcc crystals deformed to medium strains ( $\epsilon < 1$ ) align with preferred crystallographic planes, which depend on the grain orientation [1]. Based on extensive studies of tensile deformed and rolled samples this grain orientation dependence has been traced to a dependence on the active slip systems [2], further implying that the dislocations in the boundaries glide on these systems.

The boundary dislocations have recently been characterised by transmission electron microscopy for a single selected boundary in rolled copper [3] and a number of similarly aligned boundaries in rolled aluminium [4]. The results confirm that the boundary dislocations come from the active slip systems and show that they are organised in a network fulfilling the Frank equation [5], for a boundary free of long-range stresses.

Recent investigations [6] of a nickel single crystal strained in the (110) plane by wedge indentation giving rise to activation of 6  $\{111\}\langle 110 \rangle$  slip systems, organised in 3 effective pairs lying the (110) plane, has inspired the present theoretical survey of the possible dislocation configurations and crystallographic planes of boundaries fulfilling the Frank equation coming from these slip systems. The results are presented and discussed. Finally, the predictions are compared to theoretical and experimental results for an aluminium crystal of a similar orientation deformed by rolling.

[1] X. Huang and G. Winther, *Phil. Mag.* (2007) 83, 5189.

[2] G. Winther and X. Huang, *Phil. Mag.* (2007) 83, 5215.

[3] R. J. McCabe, A. Misra, T. E. Mitchell, *Acta Mater.* (2004) 52, 705.

[4] Y.L. Wei, A. Godfrey, W. Liu, Q. Liu, X. Huang, N. Hansen, G. Winther, *Scripta Mater.* (2011) 65, 355.

[5] F. Frank, *Phil. Mag.* (1951) 42, 809.

[6] J. W. Kysar, Y. Saito, M.S. Oztog, D. Lee, W.T. Huh, *Int. J. Plast.* (2010) 26, 1097-1123.