



Emerald

Journal of  
Financial Management of  
Property and Construction

## A Real Option Approach for the Valuation of Switching Output Flexibility in Residential Property Investment

Journal:	<i>Journal of Financial Management of Property and Construction</i>
Manuscript ID	JFMPC-05-2017-0017.R4
Manuscript Type:	Research Paper
Keywords:	real options, DCF, Valuation, residential property investment, Flexibility(Switching output), uncertainties and risks

SCHOLARONE™  
Manuscripts

Tables in manuscript

Table 1 Switching output table for residential part of the mixed use building

Residential Apartment			Student Studio Accommodation (SSA)		
Current Units	Current size	No of units	SSA sizes	Switch	Total SSAs
1 bedroom	25sq.m	82units	25sq.m	2SSAs	164SSAs
2 bedrooms	65sq.m	80units	65sq.m	3SSAs	240SSAs
3 bedrooms	90sq.m	2units	90sq.m	5SSAs	10SSAs

Source: Authors, 2017

Table 2 Switching output table for commercial part of the mixed use building

Commercial Part (Coworking spaces/consultancy/ and car parking)				
Space type	Quantity/size	Switch output	Quantity	Size
Retail	880sqm	Offices (combined)	1	880sqm
Car park	115 spaces	Offices (combined)	1	880sqm

Source: Authors, 2017

Table 3 Data on the original project design for DCF modelling

<i>Units</i>	<i>Quantity</i>	<i>Net Rent/week(\$AUD)</i>	<i>Total rent/year(\$AUD)</i>
<b>1 bedroom</b>	82	\$360	\$1,236,560
<b>2 bedrooms</b>	80	\$480	\$1,614,080
<b>3 bedrooms</b>	2	\$670	\$56,264
<b>retail</b>	4	\$410/sq.m./p.a	\$360,800

Adapted: Urban Melbourne (2015), UniLodge (2017) and Savills (2016)

Table 4 Switching output table and projected rents for different spaces

Student Studio Accommodation (Rooms)						
Units	Total	Switch output	After switch	Total after switch	Gross rent p/w (\$AUD)	Total/gross p.a (\$AUD)
1 bedroom	82	Studios (2 rooms)	2	164	\$310	\$2,643,680
2 bedrooms	80	Studios (3 rooms)	3	240	\$310	\$3,868,800
3 bedrooms	2	Studios (5 rooms)	5	10	\$310	\$161,200
Total	164			414	\$930	\$6,673,680
Commercial Part (Coworking spaces/consultancy/ and car parking)						
Space type	Quantity/size	Switch output	Quantity	Size/quantity	Rent (\$AUD)	Total gross rent (\$AUD)
Retail	880sqm	Offices (combined)	1	880sq.m	\$236/sq.m/p.a	\$207,680
Car park	115 spaces	Offices (combined)	1	880sq.m	\$236/sq.m/p.a	\$207,680
Total p.a						\$415,360
<b>Total for whole building</b>						<b>\$7,089,040</b>

Source: Authors, 2017

Table 5 DCF profitability information

Profitability measure	Value
Net Present Value	\$AUD1,189,441
Internal Rate of Return	11.5%
Initial Yield	6.9%

Source: Authors, 2017

Financial Management of Property and Construction

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

## A Real Option Approach for the Valuation of Switching Output Flexibility in Residential Property Investment

### 1.0 Introduction

In the 21<sup>st</sup> century, flexibility has become an important consideration across all economic sectors due to the pace at which changes occur and the direct impact on businesses. In the property and construction sector, these changes can have serious financial consequences due to long investment horizons, and the difficulty and costly nature of retrofitting and adapting existing buildings to suit the changing needs of occupiers. As a result, flexibility in buildings has become an important issue in property developments and investments. This is heightened for major investor-developers (ID's) (for example property fund managers, pension funds, real estate investment trusts etc.) who instigate developments with the aim of holding as part of an existing portfolio so as to increase possible returns and provide access to quality property assets or offer a development revenue stream to compliment the property portfolio.

Residential properties have become an important asset in the portfolio of long term investments and numerous studies have argued that, housing is an effective investment vehicle. This is primarily due to the diversification benefits derived from residential property investments in a mixed asset portfolio, resulting from its low correlation with other major asset classes as supported by academic studies, see Cocco (2004); Goetzmann (1993); Goodman (2003); Lin Lee (2008). In Australia, some developers including ISPT and Oliver Hume have set up real estate investment funds for the purposes of residential property developments. Even though investments in residential properties offer diversification benefits in a mixed asset portfolio, the risks inherent in property development/investment cannot be overlooked. Risks including those that emanate from planning, through to construction and operational risks during the leasing phase after completion.

Due to complexity and the long term nature of property investments IDs face considerable uncertainty in their investment activities. Loizou and French (2012) indicate that uncertainties and risks in property development include land cost, cost of financing, construction, timing of development, income revenue and other socioeconomic factors. It can be argued that uncertainty associated with the revenue generated through either sales, leasing and capital growth is the most critical as it has direct impact on the profitability of investments, especially for IDs who have a long term investment horizon. In view of uncertainties in property investments, increasing occupancy rates for profit maximisation requires a long term strategy in the form of design flexibility; where buildings are capable of adapting to suit changing needs of occupiers in changing market conditions. Building flexibility can be achieved through the introduction of mobile walls, flexible floor plates, new technologies, better planning methods and open building design (Vimpari *et al.*, 2014) during the early design stages of investment by IDs.

Flexibility in buildings that serves as strategic rights for risk mitigation and for capitalising on emerging investment opportunities can be termed as real options. Paxson (2005) suggests that options are numerous and naturally embedded in projects. Trigeorgis (1996) then identified several flexible strategies and categorised them into defer, expand, switch output or input, stage, temporary shutdown and abandonment which were later adapted in the real estate sector by Lucius (2001). These options have become key strategies in the property and construction sector as a way of mitigating risks and opening up future opportunities resulting from uncertainties. The switching output option embedded in property developments can be used as a strategy to hedge against downside risks and open up future opportunities for long term IDs. Decisions of such nature are

1  
2  
3 generally based on changes in economic conditions in the property market. Thus, when economic  
4 conditions change unfavourably for one asset, a switch of the building to a different use that has  
5 high demand can result in better upside gains for IDs if the building is flexible for retrofitting and  
6 adaptation. As an example, an originally planned hotel could be switched to units or apartment in  
7 future if design flexibility is conceived and embedded in the investment from inception as a way of  
8 mitigating risks of high vacancy.  
9

10 The switching output option requires upfront initial investment in design flexibility in order to have  
11 the opportunity to capitalise on the embedded option in the future when required. Whereas it is  
12 fairly direct to estimate the cost associated with building flexibility through the use of industry  
13 recognised software, appraising the economic value linked to these investments is not; due to  
14 uncertainties associated with future changes in occupiers needs, occupancy rates and potential  
15 future cash flows during the rental and operational phase of an investment. The focus of this  
16 research paper is to assess the economic value of embedding the flexibility to switch a mixed use  
17 (residential and retail) apartment building into a converted student accommodation (CSA) and co-  
18 working space using a case study in order to justify investment in design features that allow for  
19 flexibility. This has the potential to mitigate future risks for the ID involved in this investment project  
20 and drive investments in flexibility in practice. The findings of this paper will deliver evidence needed  
21 to support the practical application of real option models in property and construction industry. As  
22 real options models have lacked practical adoption due to the limited evidence of its usability in  
23 practice as posited by (Lander and Pinches, 1998; Oppenheimer, 2002) and the need for more case  
24 studies (Geltner and de Neufville, 2012).  
25  
26  
27

28 Subsequent to the introduction, section two provides a literature review covering prior research in  
29 the area of building flexibility definition, valuation, application of real option valuation to building  
30 flexibility and a distinction between residential dwellings and purpose built student accommodation  
31 in the property and construction sector. Section three is dedicated to the description of the selected  
32 case study in an empirical setting, issues with the project that can potentially affect the financial  
33 viability, a switching proposal and a justification for the switching proposal. Section four details the  
34 data on the mixed use used for modelling the financial viability of the project; both DCF and real  
35 options valuation. The associated methodology was also explained in this section. Section five  
36 provides the empirical findings, discusses the findings within the context of the case study and  
37 implications for property investors/developers. The last section provides the concluding comments  
38 on the application of the real option valuation to a case study and how it improves decision making  
39 in property investments.  
40  
41  
42

## 43 **2.0 Literature Review**

44 Economically, it is inefficient to design and invest in building flexibility without having a long term  
45 strategic direction for an investment. The reason relates to buildings that do not last for their  
46 planned economic and functional life span results in loss of revenue to affect projected return on  
47 investment (Slaughter, 2001). As a result, it is important for IDs to have a long term view of property  
48 investments and how the functional and economic life span of properties can be extended to  
49 maximise profitability. As initial extra investment is non-recoverable in building flexibility, it is  
50 important for analysts considering flexibility to evaluate and determine flexibility requirements as it  
51 will be financially imprudent to embed flexibility if not needed (Gibson, 2001). Regarding flexibility in  
52 buildings, this paper focuses on change in use with respect to how columns, floor layout, and walls,  
53 etc. are capable of adapting to new configuration for other uses. Determining the value of such  
54  
55  
56  
57  
58  
59  
60

1  
2  
3 initial extra investments that are tied to future uncertainties is not as straightforward using existing  
4 traditional valuation techniques.

5  
6 The traditional valuation methods include market comparison approach, residual valuation, direct  
7 capitalisation, profits approach and cost approach. Specifically for investment valuation, the  
8 prominent approaches used in decision making are relative valuations (market comparison),  
9 discounted cash flow (DCF) and option pricing techniques (Damodaran, 2012). Relative valuation is  
10 unsuitable for appraising economic value of flexibility due to the lack of comparable evidence. DCF  
11 applies present value analysis to compute the current worth of possible future cash flows for the  
12 value of an asset. Currently, DCF is the most widely accepted technique for investment valuation in  
13 practice (Shapiro *et al.*, 2013). However, several criticisms have been levelled against the DCF. For  
14 example, DCF does not account for managerial flexibility that can improve the upside potential  
15 associated with uncertainties while simultaneously limiting potential downside losses (French and  
16 Gabrielli, 2005; Trigeorgis and Mason, 1987). Likewise Sirmans (1997) argued that, DCF is insufficient  
17 to evaluate real estate projects. Moreover, DCF assumes investment decisions are now or never  
18 irrespective of future uncertainties attached to projected cash flows at the initial stage of an  
19 investment (Dixit and Pindyck, 1994; Dixit and Pindyck, 1995). It is this assumption of DCF that  
20 renders it weak in the face of uncertainties because it assumes a static position for investment  
21 analysis without regard to potential variations in future value resulting from managerial flexibility.  
22 Real option valuation which is based on the option pricing technique offers a plausible way of  
23 determining the value of flexibility because it considers uncertainty from a wide range of figures and  
24 combines with qualitative information to evaluate flexibility.  
25  
26  
27

28  
29 The real option analysis (ROA) and real option valuation (ROV) techniques combine qualitative and  
30 quantitative information in the form of future options and evaluate them as possibilities to capture  
31 uncertainties, rather than adjusting discount rates to reflect uncertainties and risks in investments.  
32 As argued by Kogut and Kulatilaka (2001), firms can proactively exploit risk rather than just  
33 absorbing it. ROA emphasises on strategic investments today, whose value may be derived in future,  
34 and combines it with the financial theory of options to determine the potential value of such  
35 investments. The value of these strategic flexible investments (switch output) are tied to  
36 uncertainties in market prices/values of the specific real estate asset as supported by de Neufville  
37 (2003) who argues that, ROA is “a blend of technical and market considerations”.

38  
39  
40 In the property and construction sector, particularly land development, leading authors including  
41 Titman (1985), Quigg (1993) and Williams (1991) have all contributed to the ROA literature. In  
42 building flexibility, de Neufville *et al.* (2006) evaluated the option to expand a structure using a  
43 parking garage case study. The value of the flexible right embedded in building a foundation stronger  
44 than required to support the construction of a garage with the aim of expanding the garage later  
45 (based on demand) was justified through the use of ROV. The additional cost of building the  
46 foundation to support the future expansion was 5% of initial estimate, however, the value of the  
47 flexibility added to the project was in excess of \$US2.5million. Greden and Glicksman (2005)  
48 developed a model for justifying expenses in flexible design of a building, which could be renovated  
49 into an office block at a specified cost in the future. An application of the model to a case study  
50 indicated it is worth investing US\$40/sq.ft in initial investment expenses to acquire the right to  
51 renovate into an office space for US\$25/sq.ft in a period of eight years. Similarly, Greden *et al.*  
52 (2005) studied the conversion of a naturally ventilated building into a mechanically ventilated  
53 building and justified the viability of extra investments into flexibility resulting from expected rise in  
54 future value of the building. Using a healthcare real estate project, Dortland *et al.* (2012) studied  
55 different kinds of flexibility and used qualitative analysis to argue that options and scenario analysis  
56  
57  
58  
59  
60



1  
2  
3 can aid in the management of uncertainties. Cardin *et al.* (2013) followed with design catalogues as a  
4 way of reducing uncertainty to fewer scenarios for effective analysis of the value of flexible  
5 investments. It was argued that focusing on fewer uncertainties using scenario analysis simplified  
6 uncertainty assessments and the determination of real option values for decision making. However,  
7 Vimpari *et al.* (2014) departed from probabilistic analysis as adopted in most previous studies and  
8 used the fuzzy pay off method (FPOM) which is based on scenario analysis to evaluate the value of  
9 flexibility in a retrofit investment of a corporate office. They examined the value of flexibility accrued  
10 to both a corporation and its corporate real estate unit. It was argued that investment in flexibility  
11 from the corporation's perspective was viable, due to the high expected payoff. On the switching  
12 option, an application to a construction project has been evaluated by Trigeorgis (1993b) and  
13 concluded that the value of the flexibility to switch was almost 7% of the project's gross value.  
14 Furthermore, Patel and Paxson (1998) evaluated switching real options for a leisure development in  
15 a restricted sequential time context and found positive results. Leung and Hui (2002) evaluated  
16 several option types including the value of embedding the option to switch a hotel part of Hong  
17 Kong Disney land project. The authors found that the value of the switching option was  
18 HK\$107.4million representing 7.7 percent saving of the loss value and 0.56 percent of the gross  
19 development value of the project. Even though the evaluation suggested that there was the  
20 possibility of losses, the switching option mitigated the total losses. Paxson (2005) also found similar  
21 results in an application of the switching option in property investments. Cheah and Liu (2005)  
22 evaluated several options including switching of fuel in a large infrastructural power project and  
23 concluded that the switching option of fuel between gas and naphtha overtime have great influence  
24 on the cash flow of the project and amounted to about 4.2% of the base NPV calculated for the  
25 project.  
26  
27  
28  
29

30 It has been argued that research into the capability of real option techniques and its application in  
31 practice is still at early stages (Geltner and de Neufville, 2012; Lucius, 2001) and as result, there is a  
32 general consensus among prior researchers that more practical case studies are needed (Vimpari,  
33 2014) to demonstrate the value of ROA/ROV in the real estate and construction sector. More  
34 importantly, research on the switching output option which deals with such flexibility as an ROA  
35 strategy has been limited. Since the switching output when embedded is permanent, and can be  
36 exercised at any time during the investment horizon, it is likened to a perpetual American call option  
37 and evaluated as such in this paper. The flexibility proposed in this paper is a switching from a mixed  
38 use of residential and retail to CSA and co-working offices.  
39  
40

41 Even though Australian apartment buildings and CSAs come under a broad classification of  
42 residential dwellings, the two asset classes are different. Firstly, CSAs require that all residents must  
43 be students of tertiary institutions which is not a requirement for an apartment building, as a result,  
44 the two asset classes have different target markets. In terms of bedroom sizes, the dimensions  
45 required for a bedroom in an apartment building is about 10sqm excluding living areas (Department  
46 of Environment, 2016) but, a bedroom and living room for a single student accommodation must  
47 have a minimum dimension of 10.8sqm (Department of Environment, 2011). Similarly, communal  
48 area sizes for residential apartment are set at 2.5sqm per dwelling as opposed to 15sqm for 12  
49 students (1.25sqm per student) in CSA. Whereas the design of apartment buildings requires car  
50 parks, a CSA is designed to encourage the use of bicycles and scooters, consequently, CSAs have  
51 limited or no car parking space in some cases. Other amenities provided for residential apartment  
52 dwellings include a secured storage and private open space. CSAs on the contrary are fitted with  
53 amenities such as TV set, desk, book shelf, microwave etc. In view of these, the two asset classes are  
54 not the same.  
55

### 56 3.0 Case Study in Empirical Settings

57  
58  
59  
60

### 3.1 Case Study

A mixed use (residential and retail) development project is currently under construction in Melbourne. The development is located in North Melbourne on a land size of 1,045m<sup>2</sup>. It is about 1.2km from the Melbourne central business district (CBD) and noted as one of Melbourne's most walkable neighbourhoods as almost all amenities are within easy walking distance.

**Figure 1 Example of a Melbourne mixed use tower (not actual building due to confidentiality)**



**Source: Urban Melbourne (2015) (Not actual building due to confidentiality)**


Figure 1 shows a similar type of mixed use development that is being constructed by the investor. In the selected development, the total number of apartments is 164 and 4 retail spaces. It has a total floor space area of approximately 10,500sq.m with an average size for 1, 2 and 3 bedroom apartments being 52sq.m, 65sq.m and 95sq.m respectively. The 4 retail spaces have 220sq.m each, making a total of 880sq.m. There are 2 penthouses for high end luxurious living with excellent views of the city. The development is approximately 50 metres high, 15 levels including the basement and lower ground floors with 100 and 115 bike and car parking spaces respectively.

### 3.2 Issues with the Project

There is a high level of competition in the location of the development due to similar projects; either under construction or already completed which can affect demand. For example, there is an estimated 700 units of apartments under construction in the area which are scheduled for completion around the same time as the subject investment in 2018 (Urban Melbourne, 2015). This is likely to compress demand, occupancy rates and rents which can negatively affect the profitability of the investment as projected. Statistics from JLL (2016) indicate that, vacancy rate in the inner Melbourne area within 4km radius including North Melbourne has increased to 4.3% for units in apartment buildings and it is the highest vacancy across the eastern seaboard in Australia (JLL, 2016). The statistics further suggest a decline of 8.2% year on year sales volumes across inner Melbourne and coupled with an estimated supply of about 21,170 units by 2021, there is a greater possibility of an oversupply of apartments in the future. Moreover, there is uncertainty and

sentiments in the property market regarding supply and demand and has led to a significant decline in sales activity of development sites within the inner Melbourne area (JLL, 2016).

**Figure 2 Location of competing properties in the locality and other amenities**



**Source: Investor, 2016**

In Figure 2, the triangular area in the centre is the location for a major Melbourne health care facility with other ancillary services making it an attractive area for a household location. The rectangular land area above the triangular area in Figure 2 is the location for a major university and other services which are an important driver for city living such as cafes, supermarkets, etc. The rectangular area below the triangular area has several buildings similar to the proposed development (mixed use residential and ground floor retail with car park). This poses very stiff competition for the development with possible lower profitability. The bold arrow in Figure 2 shows the site for the project at the time the site was ready for construction to commence.

### **3.3 Switching Proposal (a hedge against future uncertainties and risks)**

In view of the issues raised about the investment, it is important for the investor with a long term investment horizon to develop a flexible strategy to prepare for future market uncertainties. Flexibility in the building design can enhance the building adaptability to different uses when demand for residential and retail use decreases in favour of CSAs and co-working spaces. For example, in this project, it is proposed that the development incorporates a flexible strategy to convert the apartment section into CSA. Similarly, the retail space and car park can be converted into co-working space for use by different firms because the co-working concept has been embraced by industry.

#### **Table 1 here**

The details of the switching proposal to CSA and coworking space are displayed in Table 1. In Table 1, it is proposed that all 1 bedroom units of size 50sqm in the apartment building should be embedded with the flexibility to redesign and reconfigure into a 2 bedroom shared student accommodation (SSA) with each SSA having a size of 25sq.m (bedroom-9sq.m, bathroom-5.5sq.m, living area and



kitchenette-10sqm). Similarly, the 2 bedroom units in the apartment building can have the flexibility to be converted into 3 bedrooms SSA with 2 bathrooms, an open plan living area, and a kitchen with a total floor plate of 65sq.m. The 3 bedroom units in the apartment building on the top 2 floors can also have the flexibility to be converted into 5 SSAs with similar dimensions as in mentioned earlier in the case of the 2 bedroom conversions. These dimensions are based on average size of SSAs in Melbourne as required by the market. Some CSAs with similar dimensions of SSAs have been developed by the University of Melbourne and other private firms including UniLodge and demand has exceeded supply.

#### **Table 2 here**

In Table 2, it is proposed that both the retail and car park areas should be converted into coworking spaces which has gained popularity within the office market in Melbourne. It can be seen that the four retail spaces of size 220sq.m each has been combined into a single space of 880sq.m. Furthermore, it is proposed the car park space be combined into a total space of 880sq.m for the coworking space. The bike space area was considered appropriate for the CSA and as a result, the switching did not affect that space.

### **3.4 Justification for the Proposal**

The popularity of Australia as a destination for international students in higher education institutions has resulted in an increasing number of new international students leading to demand for student accommodation. For example, there was 9.7% growth in population of international students in higher education during the 2015/2016 academic year, and the State of Victoria had the highest proportion of international students coming into Australia during the year 2016 (JLL, 2016). Melbourne has also been adjudged as the most liveable city in the world for six consecutive times including 2016 (ABC, 2016) making it an attractive destination for international students. According to JLL, the student accommodation market has transitioned from a high level of strata title ownership into a full institutional asset class as part of portfolio of some institutional investors, and allocation to CSA may increase in portfolios (JLL, 2015). Moreover, in Melbourne, JLL estimates that total full time student population is 234,844 but, the number of student beds available is about 19,188 (JLL, 2016) indicating a significant shortfall. Discussion with industry players indicate that students have resorted to renting out rooms in shared houses, hostels and sharing rooms due to the shortage of accommodation.

The manner in which corporate offices are used is changing due to technological advancement, structural changes in population and the economy. For example, traditional offices such as the cellular and hive office models are being replaced by more agile, flexible workspaces that are interactive, technology enabled and encourage collaboration among the space users (Knight Frank, 2016). It is estimated that there are about 100 operators of coworking spaces as at Q2 of 2016 in Melbourne alone since the first flexible coworking space was opened in 2007, and the sector has recorded a 43% growth between 2013-2015 (Knight Frank, 2016). There is positive outlook for coworking spaces because a key finding from a survey conducted by Knight Frank suggests that 61% of the operators plan to expand their operations in 2016. This is in anticipation of future growth of the sector and therefore, embedding a switching output strategy in the investment has the potential to benefit the investors and serve as a hedge against risk of potential disruptions in the property market.

## **4.0 Methodology**

1  
2  
3 Firstly, the DCF model is used to determine the viability of the current proposed investment. DCF  
4 technique has two measures of profitability; net present value (NPV) and internal rate of return  
5 (IRR). The NPV is given by  
6

$$NPV = -I + \sum_{n=1}^{10} \frac{NOI_1}{(1+r)^1} + \frac{NOI_2}{(1+r)^2} \dots + \frac{NOI_t}{(1+r)^n} \quad \text{Equation 1}$$

7  
8  
9 Where:

10  $I$  = Initial investment of the development of the mixed use (purchase price)

11  $n$  = the investment horizon is 10 years based on standard practice and the real estate fund's life

12  $t$  = time a specific net operating income from rents is projected to be received by the investor

13  $r$  = the required discount rate expected by the investor

14  $NOI$  = the net operating income expected from the development at a specific time

15  
16  
17  
18  
19  
20 Afterwards, the switching proposal is evaluated using both the DCF and ROA framework to  
21 determine the potential expected value of the investments and to justify spending the initial extra  
22 investment in flexibility or not. As the value of the switching option is tied to future uncertainties, it  
23 is evaluated using the real options framework. Specifically, the McDonald and Siegel (1986) model,  
24 which is based on similar assumptions as the Black and Scholes (1973).

25  
26  
27 However, the former model considered dividend payouts which represent the rental return in real  
28 estate applications. Because the switching output option is an infinite option exercisable at any time  
29 during the life of the option, the continuous time option pricing formula developed by Samuelson-  
30 McKean and subsequently adapted by McDonald and Siegel (1986) is the most appropriate and  
31 given by;  
32

$$C = (V^* - I) \left( \frac{V}{V^*} \right)^\beta \quad \text{Equation 2}$$

33  
34  
35  
36  
37 Where:

38  $C$  = The value of the switching output call option

39  $V$  = the current value of the investment determined using direct capitalisation

40  $I$  = the initial cost required for the investment in addition to the cost of switching from its current use  
41 to the proposed use

42  $\beta$  = the option elasticity

43  $V^*$  = the hurdle value of  $V$  and it is the optimal timing for the immediate exercise of the option to  
44 invest at that time and is given by

$$V^* = I * \frac{\beta}{\beta - 1} \quad \text{Equation 3}$$

45  
46  
47  
48  
49  
50  
51  
52  
53  
54 and the option elasticity  $\beta$ , is given by  
55  
56  
57  
58  
59  
60

$$\beta = \frac{1}{2} - \frac{r - y}{\sigma^2} + \sqrt{\left(\frac{r - y}{\sigma^2} - \frac{1}{2}\right)^2 + \frac{2r}{\sigma^2}} \quad \text{Equation 4}$$

Where:

$r$  = the risk free interest rate

$y$  = annual net rental income cash yield for the switched mixed use building

$\sigma^2$  = expected annual volatility of underlying mixed-use property

The volatility of a specific use (space type) is given by

$$\sigma_1 = \sqrt{\frac{1}{N} \sum_{i=1}^N (x_i - \mu)^2} \quad \text{Equation 5}$$

Where:

$\sigma_1$  = the standard deviation of the specific use or space

$N$  = the number of observations in the data

$x_i$  = an observation in the data sample

$\mu$  = the mean for the sample data

#### 4.1 Data for DCF modelling (Original plan)

The data for the project was provided by the investor including projected rents, occupancy levels, and potential costs of developing the project and operating it. According to Savills (2016) data from Core Logic RP Data, the median gross rents in North Melbourne for 1, 2, and 3 bedrooms were determined to be \$AUD360 per week (p/w), \$AUD480p/w and \$AUD670p/w respectively as shown in Table 1. Retail leases, which are normally on a net operating cost basis was determined to be \$AUD410/sq.m as shown in Table 1 (Savills, 2016).

#### Table 3 here

A CPI of 2.5% was adopted as the rental growth rate due to the long term target of inflation between 2%-3% (RBA, 2016). A weighted discount rate of 10.5% was derived from an average of 10-year data on total return for property investments (units and retail) in the North Melbourne area where the property is located. The net operating income for year 1 for the financial feasibility analysis was determined at \$AUD3,078,723. The total initial investment required for the mixed use project was \$AUD46,047,500 as computed using the Rider Levett Bucknall (RLB) construction guide which is an accepted tool for determining construction costs in industry. A weighted average capitalisation rate of 5% was used to capitalise the net operating income (NOI) in year 11 to derive the resale value.

#### 4.3 Data for real option modelling

On the real options modelling, weighted annual net rental yield ( $y$ ) for the switching option (CSA and coworking) was determined to be 7.3% based on data sourced from both Property Council of Australia (2016) and JLL (2016). Data for the commercial part (coworking) was from Property Council of Australia (2016), which included a 22-year average rental return for investments in offices. On the

contrary, data for the CSA was from JLL (2016) and was a 4-year average rental return for investments in CSA in Australia. Even though the data is not a long time series, it is accepted as a limitation but serves as a starting point for modelling CSAs in practice because it is at the nascent stages of being considered an investment vehicle for large scale property investors in Australia. The extra amount (cost) needed to be embedded in the switching output flexibility in the investment was calculated to be \$AUD7.6million (based on data from the investor) resulting in a total cost of \$AUD53,654,547. The current value of the mixed use development without flexibility (the switching output proposal) is estimated to be \$AUD58,918,322 using a direct capitalisation approach based on the market asset disclaimer (MAD) assumption. The weighted volatility of the proposed switching was calculated to be 6.6% and the risk free rate adopted was the average rate for a 10-year Australian government bond, which was computed to be 2.45% (RBA, 2016). The total gross rent was indexed to CPI of 2.5% over the investment horizon which is an industry accepted practice. Vacancy rate for CSA and coworking of 15% and 10.4% respectively, maintenance and outgoings at a rate of \$AUD3,500 per student bed, sinking fund for capital expenditure of 4%, and agent's fees of 4% were deducted from the gross rents to determine a NOI of \$AUD3,990,564 based on information received from JLL. A capitalization rate and selling costs of 5.6% and 5% respectively were used to arrive at the value of the inflexible switching output option.

#### Table 4 here

Other information used in modelling the switching output is displayed in Table 4, especially the output of the conversion of the building and resultant rental level for the investment. In Table 4, the switching output and the details of the resulting number of spaces after the switching and the rents are displayed. It can be seen that the number of SSA has increased from 164 to 414 due to the conversion and reduction in the per square metre foot print per SSA, hence increasing the number of SSAs. The retail space was converted into a coworking space that can be separately leased to tenants/occupiers. The potential gross rent from the SSAs and coworking is estimated to be \$AUD6,673,680 and \$AUD415,360 respectively. Therefore, the total potential gross rent estimated is \$AUD7,089,040 which is the sum of the potential gross rents from both studios and the commercial part of the apartment building. In Table 4, the rent levels achievable for the student shared accommodation is the same because they are all shared accommodation. This differs from the single student studios that requires a single person to occupy, as opposed to the SSAs which are shared by two or students, which have their separate rooms but shares facilities such as kitchen and living room. In essence, the single students studios have a greater degree of privacy as compared to the SSAs, hence, has a higher rent.

## 5.0 Results and Discussion


Results from the initial DCF analysis of the original inflexible design of the mixed use project indicated that the original plan was financially viable. The information on the profitability of the investment is shown in Table 5. NPV of the investment was estimated to be \$AUD1,189,411, an initial yield of 6.9% and an internal rate of return (IRR) of 11.5%. Based on the results as shown in Table 5 and the DCF rules of decision making which stipulates that projects with NPV>0 should be accepted, the developer would have accepted and executed the project because of the potential profitability.

#### Table 5 here

Thus, all the measures of profitability suggested an immediate development of the project in its originally proposed design. The suggestion to proceed immediately with the project is in spite of the

numerous uncertainties that have the potential to render the project financially unviable midway through the development or during the investment horizon. As a result, even though the financial viability was positive, the investor did not consider the impact of future changes in the market (either upside or downside) in the financial viability analysis, which can have serious financial implications on the viability of the investment during the investment life time. Due to uncertainties surrounding inputs into the DCF modelling, it is important to examine the impact of changes in these inputs on the financial success of the mixed-use development project and to demonstrate the potential risks associated with the project warranting the embedding of flexibility to switch. Through sensitivity analysis of the uncertain inputs using @Risk software, it was determined that the occupancy rates had the greatest impact, followed by rents, initial investment, discount rate and capitalisation rate respectively. In the sensitivity analysis output diagram in Figure 3, a 10% downward change in occupancy rate from 94.7% to 85.2% has the potential impact of resulting in a negative NPV of \$-4,651,302 rendering the investment financially unviable. This is similar to all the other variables because a 10% downward change in rent, initial investment, discount rate and capitalisation rate has a potential impact of resulting in negative NPVs of \$-3,534,253, \$-3,415,309, \$-2,157,401 and \$-107,425 respectively. Therefore, the investors should be cautious in their extreme optimism regarding the potential profitability of the investment. This also demonstrates the risks bedevilling the intended project and the need for the switching output option as a hedge against potential downturn in the market.

**Figure 3 Sensitivity analysis**



Source: Author, 2017

The proposed switching output was also evaluated using the DCF technique without accounting for flexibility. The NPV for the inflexible switching output is \$AUD2,468,479, which is about a double of the NPV for the original plan. This result was achieved, despite the higher discount rate used for the evaluation of the switching output proposal as compared to the original inflexible proposal. Secondly, the IRR for the inflexible switching proposal is higher (12.95%) than the original inflexible design (11.5%). Therefore, the investors may decide to choose the inflexible switching proposal instead of the original inflexible idea subject to planning permission. Similarly, the initial yield that is



1  
2  
3 used by investors and practitioners to determine initial profit levels was higher in the case of the  
4 inflexible switching proposal at 7.4% as compared to the original inflexible design of 6.9%. Using the  
5 DCF analogy and decision making rules in both cases, the inflexible original and switching proposals  
6 are both financially viable albeit the inflexible switching proposal produces higher returns for the  
7 investor. If the main objective of the investor is for profit maximization, the obvious choice is the  
8 strategy that delivers the best returns and in this case it is the inflexible switching proposal that must  
9 be executed. However, it is also possible that the investor may be developing to diversify the  
10 portfolio and may have other reasons of instigating the development. In such a case, the investor  
11 may choose to develop the inflexible original design of an apartment with retail but still keep the  
12 inflexible switching output option as a strategy to be pursued in future as a buffer against possible  
13 downturn in demand for residential apartments. Obviously this is a decision to be made by the  
14 investor depending on the risk-return profile and strategic objectives.  
15  
16

17  
18 Since the flexible switching proposal was a hedge against uncertainties and risks, it is important to  
19 examine it in the context of immediate exercise of the flexible switching output option and future  
20 potential to act as a buffer against potential losses. The hurdle rate/value ( $V^*$ ) which triggers  
21 immediate exercise of the decision to switch the output was determined to be \$AUD84,479,938.  
22 This implies that, until the total value of the proposed switching output is equal to this amount, the  
23 conversion should not be executed by the investor. Thus, during the holding period of the  
24 investment, should the hurdle value/rate of the switching proposal be achieved, there is an  
25 immediate trigger to exercise the option of converting the units into CSA and coworking space.  
26 However, due to the fact that the total value of the switching proposal at present is lower than the  
27 hurdle value, the switching proposal becomes an embedded flexible strategy of waiting to invest  
28 when the timing is right.  
29  
30

31 The real option value associated with the flexible switching output option was determined to be  
32 \$AUD11,481,445 which is the payoff from investing in the flexible switching output option and  
33 exercising it at the right time in future. This value is compared to the extra cost of embedding the  
34 flexibility to determine the payoff associated with the extra investment. A positive payoff is an  
35 indication of future profitability and a negative payoff is an indication of losses. Since the extra  
36 investment was \$AUD7,600,000, the payoff is \$AUD3,881,445 representing the potential profit from  
37 the flexible investment. Thus, an upfront investment to retain the flexibility to switch output to the  
38 newly proposed design in future is acceptable and justifiable through the ROA framework because  
39 the payoff from the investment is positive and higher than the extra initial investment.  
40  
41

42 It is plausible to argue that if students are "forced" to live in apartments due to shortage of student  
43 accommodation, weekly rent levels for apartments will increase leading to the development of more  
44 apartment buildings by developers to capitalise on the profits thereof. Besides, student  
45 accommodation is less expensive. However, the switching option is beneficial because it increases  
46 the rent per square metre of space for the student accommodation and hence, the total profitability.  
47 For example, in the case study under consideration a 1 bedroom apartment of 25sqm has a net  
48 rent/sqm of \$AUD14.4 whereas the same size of space when switched can have 2SSA's with a  
49 combined net rent/sqm of \$AUD17.4. This is similar for all the other rental spaces (2 and 3  
50 bedrooms units when switched into 3 SSA's and 5 SSA's respectively). As a result, the switching is  
51 likely to deliver better profitability/return than the apartment. Moreover, the switching can also  
52 serve as a way to diversify the portfolio of the investors as they have a long term horizon for this  
53 investment. Thus, a downturn in the apartment market would be offset by switching to student  
54 accommodation in future with ease due to the embedded option, thereby mitigating the overall risk  
55 associated with the investment.  
56  
57  
58  
59  
60

1  
2  
3 The switching option has the potential to offer affordability which is an important consideration in  
4 student rentals. In student accommodations, the rent paid includes other bills such as electricity,  
5 water and gas, whereas these bills are paid by occupiers in apartment buildings. As a result, students  
6 find it cheaper as compared to renting from the private market. Living in students apartments offer  
7 the necessary privacy as adults which is lost when students share accommodation in an apartment  
8 building. This feature of student accommodations make it a sought after option by students. The  
9 switching option therefore is mutually beneficial to both the developers and students, hence the  
10 developer embedding it in the design phase of the investment and capitalising on it in future as a  
11 risk mitigation strategy is reasonable.  
12

13  
14 The application of the switching output option to a real life case study suggests that investors and  
15 other practitioners can adopt the strategy and use it in their investment analysis when facing  
16 uncertainty regarding future demand, vacancy, rents and property values in decision making. The  
17 nature of property investments particularly the difficulty of prognosis and illiquidity of the market  
18 requires the use of strategic initiatives to deal with unforeseen impacts of uncertainties arising from  
19 imperfect information about property investments. Due to the durability of property as an asset  
20 class with long term horizon, it is important that strategies such as switching output are embedded  
21 in the investment analysis from the inception. This ensures that investors are able to capitalise on  
22 the upside opportunities in the market while at the same time limiting downside losses. The  
23 switching output strategy proposed and evaluated can serve as a hedge against potential loss should  
24 demand for units in apartment buildings and retail decrease as a result of changes in the economic  
25 environment necessitated by exogenous factors beyond the control of the investor.  
26  
27

28  
29 The switching option serves as a potential upside opportunity for the ID involved in this project to  
30 the extent that a downturn in the apartment market triggers an immediate switch to safeguard  
31 against high vacancy. Besides there is an increased net rent/square metre when the switching option  
32 is exercised. As the market for student apartments is in its early stages of development, the switch  
33 may also serve as an entry strategy for the ID in case it becomes necessary to venture into the  
34 development of students apartments in future. The students on the other hand will benefit from  
35 having privacy and decreased rents as compared to renting apartments and living with strangers in  
36 some cases.  
37

38  
39 In the development of student housing, universities are mostly involved either as owners (manages  
40 the property in their student housing system) or advertises these student apartments on behalf of  
41 developers. This is a means of attracting local and international students who may be required to  
42 travel to a different city to study. For example, RMIT University advertises/promotes private student  
43 apartments such as Urbanest, UniLodge and Student Housing Australia on their website. Since the  
44 development is closer to University of Melbourne (5 minutes by walk) and RMIT University students  
45 village (3 minutes by walk), the ID can seek the future involvement of these two universities in terms  
46 of disposing of the building to the university at the end of the investment horizon. This is plausible  
47 due to the continuous expansion and attraction of international students to Australia every year. By  
48 doing so, the developer basically creates an option to sell (to a capable potential client-the  
49 university) when the need arises. Thus, an exit strategy is created by the ID awaiting the right time to  
50 exercise the option. However, if in the future universities involved are unwilling to acquire the  
51 development due to downsizing or dwindling student numbers, the ID has the opportunity to sell the  
52 units individually to private property investors or to a strategic investor. This is prevalent in the  
53 student housing market in Australia because currently, most of the units in student apartments are  
54 owned by individual investors on strata title.  
55  
56  
57  
58  
59  
60

1  
2  
3 The use of volatility as measure of risk and uncertainty associated with the investment offers a direct  
4 approach to dealing with risks rather than the use of discount rates to indirectly represent risks as  
5 pertains in the DCF framework. Besides, the use of discount rates as a measure of risk does not  
6 capture the magnitude of all risks that investors have to grapple with in property investments. In  
7 view of this, the real options framework that directly treats the uncertain variables and develops a  
8 strategy to deal with uncertainty is plausible. This improves the financial evaluation decision making  
9 of investors and other stakeholders in the property industry.  
10

11  
12 Option pricing techniques have been used in real estate and construction sector to evaluate case  
13 studies from different real estate markets under different contexts. Obviously, what works in one  
14 geographical market may not work in another geographical market. In view of this, the case study  
15 under consideration has delivered initial results of the switching output application from the  
16 Australian real estate market and demonstrated the applicability of options valuation techniques to  
17 a real case study. Especially, the conversion of the residential units in the apartment building to CSA  
18 and retail to a coworking space is new in the literature and will add to the existing body of  
19 knowledge on switching output application. Findings from a single switching output application  
20 found in the literature was also positive albeit timing was not optimal for the exercise of the option  
21 (Throupe *et al.*, 2012). The current study differs from this earlier study in terms of the proposed  
22 switching application and the geographical context of the case study.  
23  
24

25  
26 In practice, it is possible that developers, valuers, investors and other property stakeholders may be  
27 implementing or have implemented this in the past. For example discussions with practitioners  
28 revealed that some conversions of hotels to apartments have taken place in Australia in the past.  
29 Some practitioners may be contemplating on implementing some of these strategies in their  
30 investments in one way or another. It is possible practitioners may be doing so without using the  
31 right technique, considering that DCF is the most widely used technique and real options valuation  
32 techniques is relatively new and yet to be accepted as a decision making tool. This application  
33 therefore comes as an important demonstration of the use of options pricing techniques in the real  
34 estate and construction sector in the Australian property market and delivers further evidence  
35 needed to support the adoption of the option pricing techniques in practice.  
36  
37

## 38 **6.0 Conclusion**

39  
40 The study used an option pricing technique to evaluate and justify investments in flexibility of  
41 embedding an output switching option in an actual investment project, which can serve as a hedge  
42 against potential future risks of vacancy and decreased demand for a mixed use project. The  
43 originally proposed investment was a residential apartment building with ground floor retail and a  
44 car park. It was argued that the proliferation of similar developments has the potential impact of  
45 negatively affecting demand, hence the investors needed to have a flexible strategy to deal with  
46 future uncertainties that could render the project financially unviable at some point in time in  
47 future.  
48

49  
50 The switching output option was proposed as a possible flexible strategy to embed in the investment  
51 from the inception of the project to serve as a risk management tool during the life of the  
52 investment. In view of this, the investors had to spend an extra amount to embed the flexibility of  
53 being able to convert the units and retail into CSA and co-working space in the future. As such  
54 decisions can only be justified contingent upon a specific situation occurring during the investment  
55 period, the DCF framework could not be used to evaluate contingent decisions. As a result, the real  
56 options valuation technique developed by (McDonald and Siegel, 1986) was used to evaluate the  
57 switching output option.  
58  
59  
60

Results and findings indicated that the switching output option is capable of serving as a risk management strategy which can aid an investor to alter course mid-way through an investment horizon when market dynamics impact negatively on a specific investment asset class. The comparative analysis between results from DCF and option pricing techniques resulted in objective analysis of the financial feasibility evaluation of the present case study and enhanced the profitability and risk analysis of the investment project. In this case study, results show that the flexible switching output option is capable of doubling the profitability of the investment at the optimal timing of exercising the option to execute the switch. Moreover, extra expense in executing the switching output was deemed necessary because the expected value exceeded the cost of exercising the option at the optimal time. However, because the timing is not right, the investor has to wait until the value of the proposed switching far exceeds the cost to justify exercising the option.

The switching option serves as a potential upside opportunity for the ID involved in this project to the extent that a downturn in the apartment market triggers an immediate switch to safeguard against high vacancy. Besides there is an increased net rent/square metre when the switching option is exercised. As the market for student apartments is in its early stages of development, the switching option may also serve as an entry strategy for the ID in case it becomes necessary to venture into the development of student apartments in future. The students on the other hand will benefit from having privacy and decreased rents as compared to renting apartments and living with strangers in some cases.

The reality is that most practitioners do not recognise the value of these embedded options in real estate investment and development projects, primarily due to the conservative nature of property practitioners and the relative paucity of evidence to support the adoption of the ROA method in practice. The ability of practitioners to identify and evaluate all possible real options in a development or an investment project is important and can enhance investment decision making of practitioners. This is especially true, during the designing phase of a project, investors can embed such flexibility with the intention to capitalise on emerging opportunities in the economic environment to maximise profits due to changes in the future while at the same time limiting downside losses.

## REFERENCES

- ABC. (2016), *Melbourne ranked world's most liveable city for sixth consecutive year by eiu* [Datafile]. Available: <http://www.abc.net.au/news/2016-08-18/melbourne-ranked-worlds-most-liveable-city-for-sixth-year/7761642> [Accessed 28/11/ 2016].
- Black, F. and Scholes, M. (1973), 'The pricing of options and corporate liabilities', *The Journal of Political Economy*, Vol. 81, No. 3, pp. 637-654.
- Cardin, M.-A., de Neufville, R., Geltner, D. and Deng, Y. (2013), 'Design catalogs: A practical real options valuation tool for real estate design and development planning', paper presented to IRES2013-007, Institute of Real Estate Studies, National University of Singapore, Singapore, February 2013.
- Cheah, C.Y. and Liu, J. (2005), 'Real option evaluation of complex infrastructure projects: The case of dabhol power', *Journal of Financial Management of Property and Construction*, Vol. 10, No. 1, pp. 55-68.
- Cocco, J.F. (2004), 'Portfolio choice in the presence of housing', *The Review of Financial Studies*, Vol. 18, No. 2, pp. 535-565.

- 1  
2  
3 Damodaran, A. (2012), *Investment valuation tools and techniques for determining the value of any*  
4 *asset*, John Wiley & Sons Inc, Hoboken, New Jersey.
- 5 de Neufville, R. (2003), 'Real options: Dealing with uncertainty in systems planning and design',  
6 *Integrated Assessment* Vol. 4 No. 1, pp. 26–34
- 7 de Neufville, R., Scholtes, S. and Wang, T. (2006), 'Real options by spreadsheet: Parking garage case  
8 example', *Journal of Infrastructural System*, Vol. 12, No. 2, pp. 107-111.
- 9 DELWP (2011), *Melburne planning scheme: Amendment c163 student housing policy*, Department of  
10 Environment, L., Water and Planning, City of Melbourne.
- 11 DELWP (2016), *Better apartment design standards: New apartment design standards for victoria*,  
12 Department of Environment, L., Water and Planning, City of Melbourne.
- 13 Dixit, A.K. and Pindyck, R.S. (1994), *Investment under uncertainty*, Princeton University Press,  
14 Princeton, New Jersey.
- 15 Dixit, A.K. and Pindyck, R.S. (1995), 'The options approach to capital investment', *Harvard Business*  
16 *Review*, Vol. 73, No. 3, pp. 105-115.
- 17  
18 Dortland, M.V., Voordijk, H. and Dewulf, G. (2012), 'Towards a decision support tool for real estate  
19 management in the health sector using real options and scenario planning', *Journal of*  
20 *Corporate Real Estate*, Vol. 14, No. 3, pp. 140-156.
- 21 French, N. and Gabrielli, L. (2005), 'Discounted cash flow: Accounting for uncertainty', *Journal of*  
22 *Property Investment & Finance*, Vol. 23, No. 1, pp. 75-89.
- 23 Geltner, D. and de Neufville, R. (2012), 'Uncertainty, flexibility, valuation and design: How 21st  
24 century information and knowledge can improve 21st century urban development–part ii of  
25 ii', *Pacific Rim Property Research Journal*, Vol. 18, No. 3, pp. 251-276.
- 26 Gibson, V. (2001), 'In search of flexibility in corporate real estate portfolios', *Journal of Corporate*  
27 *Real Estate*, Vol. 3, No. 1, pp. 38-45.
- 28 Goetzmann, W.N. (1993), 'The single family home in the investment portfolio', *Journal of Real Estate*  
29 *Finance and Economics*, Vol. 6, No. 3, pp. 201-222.
- 30 Goodman, J. (2003), 'Homeownership and investment in real estate stocks', *Journal of Real Estate*  
31 *Portfolio Management*, Vol. 9, No. 2, pp. 93-105.
- 32 Greden, L., de Neufville, R. and Glicksman, L. (2005), 'Management of technology investment risk  
33 with real options-based design: A case study of an innovative building technology', paper  
34 presented to 9th Annual Real Options Conference, Paris, France, February 21,.
- 35 Greden, L. and Glicksman, L. (2005), 'A real options model for valuing flexible space', *Journal of*  
36 *Corporate Real Estate*, Vol. 7, No. 1, pp. 34 - 48.
- 37 JLL (2015), *Australian student accommodation market update 2015*, JLL, Sydney.
- 38 JLL (2016), *Australian student accommodation market review*, JLL, Sydney.
- 39 JLL (2016), *Residential commentary – melbourne apartment market*, JLL, Sydney.
- 40 Knight Frank (2016), *Melbourne's coworking culture: Reserach insight*, Knight Frank, Melbourne.
- 41 Kogut, B. and Kulatilaka, N. (2001), 'Capabilities as real options', *Organization Science*, Vol. 12, No. 6,  
42 pp. 744-758.
- 43 Lander, D.M. and Pinches, G.E. (1998), 'Challenges to the practical implementation of modeling and  
44 valuing real options', *The Quarterly Review of Economics and Finance*, Vol. 38, No. 3, pp.  
45 537-567.
- 46 Leung, B.Y. and Hui, E.C. (2002), 'Option pricing for real estate development: Hong kong disneyland',  
47 *Journal of Property Investment & Finance*, Vol. 20, No. 6, pp. 473-495.
- 48 Lin Lee, C. (2008), 'Housing in australia as a portfolio investment', *International Journal of Housing*  
49 *Markets and Analysis*, Vol. 1, No. 4, pp. 352-361.
- 50 Loizou, P. and French, N. (2012), 'Risk and uncertainty in development', *Journal of Property*  
51 *Investment & Finance*, Vol. 30 No. 2, pp. 198 - 210.
- 52 Lucius, D.I. (2001), 'Real options in real estate development', *Journal of Property Investment &*  
53 *Finance*, Vol. 19, No. 1, pp. 73-78.
- 54  
55  
56  
57  
58  
59  
60



- 1  
2  
3 McDonald, R.L. and Siegel, D. (1986), 'The value of waiting to invest', *Quarterly Journal of Economics*  
4 Vol. 101, No. 4, pp. 707-727.
- 5 Oppenheimer, P.H. (2002), 'A critique of using real options pricing models in valuing real estate  
6 projects and contracts', *Real Estate Finance*, Vol. 2, No. 3, pp. 221-233.
- 7 Patel, K. and Paxson, D. (1998), 'Real options based approach to valuation of property development  
8 and investment', *Property Research Digest*, pp. 1-11.
- 9 Paxson, D. (2005), 'Multiple state property options. ', *The Journal of Real Estate Finance and*  
10 *Economics*, , Vol. 30, No. 4, pp. 341-368.
- 11 Paxson, D.A. (2005), 'Multiple state property options', *The Journal of Real Estate Finance and*  
12 *Economics*, Vol. 30, No. 4, pp. 341-368.
- 13 Property Council of Australia (2016), *The property council/ipd australia all property iindex*, Property  
14 Council of Australia/IPD, Sydney.
- 15 Quigg, L. (1993), 'Empirical testing of real option-pricing models', *The Journal of Finance*, Vol. 48, No.  
16 2, pp. 621-640.
- 17 Investigator. (2016), *Cash rate: Monetary policy changes, july, 2016 (data file)* [Online]. Sydney.  
18 Available: <http://www.rba.gov.au/statistics/cash-rate/>.
- 19 RBA. (2016), *Inflation target* [Datafile]. Sydney: Reserve Bank of Australia. Available:  
20 <http://www.rba.gov.au/monetary-policy/inflation-target.html> [Accessed 25/10/ 2016].
- 21 Savills (2016), *Quarter times: Melbourne retail q2/2016*, Savills, Melbourne.
- 22 Shapiro, E., Mackmin, D. and Sams, G. (2013), *Modern methods of valuation*, Taylor & Francis, New  
23 York, NY.
- 24 Sirmans, C.F. (1997), 'Research on discounted cash flow models', *Real Estate Finance*, Vol. 13, No. 4,  
25 pp. 93-95.
- 26 Slaughter, E.S. (2001), 'Design strategies to increase building flexibility', *Building Research &*  
27 *Information*, Vol. 29, No. 3, pp. 208-217.
- 28 Throupe, R., Stephen, S., Zhong, J. and Chen, H. (2012), 'Real option analysis: A switching application  
29 for mixed-use real estate development', *Pacific Rim Property Research Journal*, Vol. 18, No.  
30 3, pp. 277-291.
- 31 Titman, S. (1985), 'Urban land prices under uncertainty', *The American Economic Review*, Vol. 75, No.  
32 3, pp. 505-514.
- 33 Trigeorgis, L. (1993b), 'Real options and interactions with financial flexibility', *Financial Management*,  
34 Vol. 22, No. 3, pp. 202-224.
- 35 Trigeorgis, L. (1996), *Real options: Managerial flexibility and strategy in resource allocation*, MIT  
36 press, Cambridge, MA.
- 37 Trigeorgis, L. and Mason, S.P. (1987), 'Valuing managerial flexibility', *Midland Corporate Finance*  
38 *Journal*, Vol. 5, No. 1, pp. 14-21.
- 39 Urban Melbourne. (2015), *The principal: Flemington road's latest addition* [Datafile]. Urban  
40 Melbourne. Available: [https://urban.melbourne/development/2015/09/30/principal-](https://urban.melbourne/development/2015/09/30/principal-flemington-roads-latest-addition)  
41 [flemington-roads-latest-addition](https://urban.melbourne/development/2015/09/30/principal-flemington-roads-latest-addition) [Accessed 4/11/ 2016].
- 42 Vimpari, J. (2014). *Is there hidden value in real estate investments?-real options analysis provides*  
43 *rationale to contingent investment decisions*. PhD, Aalto University.
- 44 Vimpari, J., Kajander, J.-K. and Junnila, S. (2014), 'Valuing flexibility in a retrofit investment', *Journal*  
45 *of Corporate Real Estate*, Vol. 16, No. 1, pp. 3-21.
- 46 Williams, J.T. (1991), 'Real estate development as an option', *Journal of Real Estate Finance and*  
47 *Economics*, , Vol. 4, No. 2, pp. 191-208
- 48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60