The views of children and young people on the use of silk garments for the treatment of eczema: a nested qualitative study within the CLOTHES randomised controlled trial.

#### Summary

### Background

Many children suffer with skin diseases, but to date, most dermatological research has been done 'on' rather than 'with' children; in this study we actively sought the views of children and young people. Atopic eczema (AE) is a chronic, itchy, inflammatory skin condition that affects around 20% of children and can impact on health and wellbeing for children and their families. The role of specialist clothing in the management of AE is poorly understood.

### Objectives

The aim of this study, which was nested in a randomised controlled trial was to qualitatively examine child participants' perceptions and experiences of using silk garments for the treatment of AE.

### Methods

Eighteen children aged 5-15, who took part in the CLOTHES trial, participated in age-appropriate individual interviews or focus groups.

### Results

Thematic analysis generated 4 themes directly related to the garments: i) expectations of the garments; ii) wearing the silk garments; iii) did they help? and iv) thoughts about the garments. The conclusions from this nested qualitative study are that: there was some limited improvement in eczema for some children but that the hoped for 'miracle cure' did not transpire. A mixed picture of knowledge, beliefs and experiences of using the silk garments emerged.

### Conclusion

Engaging children in the evaluation of the garments provided first hand nuanced insights that enhanced understanding of the CLOTHES study as a whole. This nested study demonstrates that children can and indeed want to be engaged in dermatological research in meaningful ways that add to our understanding of treatment options.

# Key words

Eczema, atopic dermatitis, silk garments, children, qualitative

### **Background**

There is growing interest in qualitative research in dermatology<sup>1</sup> and the active engagement of children in dermatology consultations<sup>2</sup>, however these ideals are not always realised. Globally there are around 1.8 billion people aged 0-14 years<sup>3</sup>. Historically children have been viewed as dependent and vulnerable objects of study, with primary informants typically being parents or clinicians<sup>4</sup>. There are increasing calls for children to be actively involved in research studies, but evidence suggests that they are frequently not engaged in meaningful ways<sup>5</sup>. Health research is often undertaken *on* rather than *with* children, or their experiences are extrapolated or subsumed within adults' views. Children are rarely heard in dermatology research with the exception of the use of some quantitative measures such as the Children's Dermatology Life Quality Index (CDLQI)<sup>6</sup>.

Atopic eczema (AE) is a common inflammatory skin condition affecting around 20% of children<sup>7</sup>. Treatment typically includes emollients and topical corticosteroids or calcineurin inhibitors, and systemic treatments in more severe cases. Topical treatments can be time-consuming and unpleasant to use and treatment failure is often attributed to non-adherence<sup>8</sup>. Poor control leads to worsening AE which affects physical and emotional wellbeing<sup>9</sup>. Many parents and children are keen to explore non-pharmacological interventions for the management of AE, and silk garments have been suggested as one such approach. These garments are available for private purchase or, in some countries on prescription, but the evidence-base for their use is limited. The CLOTHES trial comprises an RCT and nested qualitative studies involving children, parents, clinicians, and commissioners of silk clothing. A summary of the elements of the study are provided in Box 1 and reported in detail elsewhere<sup>10, 11</sup>. In this nested study we explored child perspectives on the use of silk garments as they were the users of these products in the CLOTHES trial<sup>12</sup>.

### Box 1 here

#### Methods

An exploratory qualitative research method<sup>13</sup> was used to explore child and young people participants' views about the silk garments. In this paper, for ease of reading we use the term children to include all participants.

### **Ethical considerations**

Ethical approval was gained from Health Research Authority East Midlands – Nottingham 1 Research Ethics Committee (reference number 13/EM/0255) and the local research and development department for each participating centre Parents and children were informed about the qualitative study by their research nurse towards the end of their participation in the RCT. Children were given an age appropriate Participant Information Sheet and invited to sign an assent form<sup>14</sup>. They were told clearly that they did not have to take part and could stop at any time.

### **Participants**

Once children had completed the RCT we recruited a convenience sample<sup>15</sup> of eighteen children aged 5-15 years from both intervention and usual care groups across the five study recruiting sites. Demographic details are provided in Table 1.

Table 1 here

#### **Data collection**

Ten face-to-face or telephone interviews with children aged 9 years and over (10-40 minutes in duration) and three focus group discussions, two with 7 to 8 year olds, and one with 5 to 6 year olds (90-120 minutes), were conducted. All interviews were audio-recorded and transcribed in full. Children in the focus groups were enabled to use developmentally appropriate play activities to maximize opportunity to share their views. Key questions are available as supplementary material (supplementary material 1). Data were collected between February and May 2015.

Prior to data collection, conversations with parents and older children ensured the research team's understanding of the child's developmental stage and current interests and this information was used to plan data collection activity. Venues for data collection were as child-friendly as possible. At the beginning of each episode of data collection EW spent time with the children getting to know them, making introductions and checking that they were willing to take part. Focus groups were facilitated by EW and an observer was present to take notes and ensure the wellbeing of participants. Children were not pressurised to join in any activities and we were careful not to interpret a child 'just watching from

the side' as non-participating. Subtle communication was valued as much as the more obvious. Breaks were taken during data collection guided by cues from the children.

A mosaic approach<sup>16</sup> involving multiple participatory and adaptable, creative and fun<sup>17</sup>methods of data collection were used<sup>18</sup>. Elements of the 'least adult' role were adopted to support active child participation and children were enabled to 'take charge' and direct the research agenda<sup>19</sup>. Children chose what to do and how to share their feelings and experiences. For example we created a story together with younger children based on a day in the life of Billy the puppet (Image 1), and they used drawings, stickers and 2D foam people to share their views. Towards the end of each data collection session EW checked her understanding with the children. They photographed any artefacts as they were keen to take them home. As each photograph was taken the creator explained its significance to EW to ensure authenticity in data analysis and reporting. Each interaction ended with EW briefly recapping what had been said, explaining to the children what would happen to their data and presentation of a certificate acknowledging their contribution.

Image 1 here

### **Data analysis**

To ensure faithful representation of child data we used three methods of holistic, selective and detailed analysis<sup>20</sup>, which involved viewing the data (interview transcripts, artefacts with child explanations and observer notes) as a whole, identifying phrases or ideas that represented the experience under study, and finally studying the data line-by-line in order to identify themes. Throughout analysis we were mindful of the age and developmental stage of participants which affected the verbal and non-verbal language they used. The analysis process was not linear but moved back and forth between wholes and parts. FC & EW reviewed the data alone and then together to ensure authenticity in portraying children's views. As data analysis progressed emerging themes were discussed with the qualitative study team until shared understanding was achieved. At this stage the qualitative researchers were independent from the wider study team and findings were not shared until all elements of data analysis was completed.

# Reflexivity

Prior to the study the team considered their own beliefs and concluded that they were aware of the detrimental impact that eczema could have on children's lives, but did not have any strong opinions on

silk garments as a treatment option. Nevertheless we maintained a level of reflexivity throughout the research process<sup>21</sup>.

### **Findings**

The data analysis process generated 4 themes directly related to the garments: i) expectations of the garments; ii) wearing silk garments, iii) did they help? and iv) thoughts about the garments. A description and analysis of each theme is provided below followed by a tabulation of each theme with exemplar data extracts and photographic examples.

### Theme 1: Expectations of the garments

This theme comprised three sub-themes: use of other treatments, garments, and hopes. Many children expected the garments to feel 'silky' and hoped that using the garments would reduce the need to use creams. Realising that this was not the case was a source of disappointment. Children were disappointed with the 'rough' texture of the garments and some reported needing to use creams more frequently when wearing the garments. A number of children had expected the silks to be cooling, but for many the effect was the opposite, with the garments making them hotter. Many of the children were excited to try the garments, and spoke of their hopes, or doubts, for the effect on their eczema.

Use of other treatments	Garments	Hopes
Still have to use cream.	[silks] made me feel hotter, I thought it would make me cooler	I was a bit dubious because nothing's ever really worked that well for me.
during the day we use		
the silk suits, put the cream on underneath	I had a lovely silk long-sleeved top and it was really comfy to wear, forgot you had it on, and I think that was what I thought	I had all these expectations built upI was really hopeful as well. I was really willing to wear them to start with, and then I got them
I have to put cream on every day.	it would be.If it had been pure silk and not with all of these holesthat would have worked for me but it was a bit like a washing machine bag	for the start and everything just turned negative for me.

### Theme 2: Wearing the garments

This theme addresses the times at which children chose to wear the garments. There are two subthemes: day vs night, and school vs home. Few children of any age wore the silks during the day: a majority preferred to wear them at night only. There were many issues with being able to wear them for school, ranging from fit, uniform-requirements, changing for physical education lessons, and the

reactions of other children. Peer groups and friendships were very important for children of all ages; only those with very secure friendships felt confident enough to tell their peers openly about their eczema and the garments.

Day vs Night	School vs home
I prefer to wear them during the day rather than the night because the silk is really	I wore them to school but not PE Dayspeople would laugh
comforting on my skin	Poor fit trousers so not worn to school/don't fit under tights
Wearing them at night	
because some people ask like	Yes I wore them to school but it was a
what's that and it's a bit	bit weird when like everyone was like
annoying	'What is that?'

# Theme 3: Did they help?

This theme has three sub-themes: getting better, getting worse and 'liked anyway'. There was a real mixture of success of the garments, ranging from perceived complete cessation of eczema, to no effect at all, to worsening of symptoms. Some reported that the silks had improved their sleep, whilst others felt it had made them more comfortable but not improved their eczema per se. A few stated that the clothing improved their emotional well-being, whilst others were disappointed in the effect of the garments. Some children reported liking wearing the garments for comfort, even if they had no perceptible effect on their eczema.

Getting worse	'Liked anyway'
I stopped wearing them	It was comfy. Top and
I realised they were makina [my] eczema	bottoms were smooth
worse. It did make it all inflamed and more	Feels nice on my skin
itchy	
[At] night, it wakes you up because it is	
scraping at my skinit	
catches and it rips it	
	I stopped wearing them I realised they were making [my] eczema worse. It did make it all inflamed and more itchy  [At] night, it wakes you up because it is scraping at my skinit

Thoughts about the garments comprised three sub-themes: quality and cost; appearance and, and fit and fabric. Many participants thought the garments were poor quality in fit, appearance, design or the fabric itself. Several children reported that the garments did not wash well, turning baggy and grey and affecting fit over time (see photo, below). Older children reported using the garments as advised, allowing creams soak into the skin before putting them on however they found that garments tended to become sticky and oily, and in some cases smelly. Some thought the texture was rough and actually irritated their skin more and some stated that the silks made them hotter. The fact that the silks were see-through was an issue, particularly for older children, making their use limited to the home. At night, the garments tended to be worn under pyjamas or onesies. The cost, which some children had either looked up or discussed with their parents, was an issue for further purchase for a few, with a couple of participants suggesting that they were too expensive to buy and should be available on prescription from a general practitioner.

*Image 2 here* 

Quality and cost	Appearance and design	Fit and fabric
I've got massive holes gaping wide	It's notthat private to be wearing something basically see-	It was almost like chainmail. They were too rigid
Get hot and they tear	throughlike wearing cling film	The texture, I put
If it had been pure silk		them on and I take
and not with all of	They are not very	them off about an
these holes, if it was	pretty	hour later and I
really thin silk that		know that I'll be
would have worked for	Went grey after	scratching so long
me	washing, stained and	that it becomes an
	grubby and difficult to	infection
I think the best thing	wash	6 1 1
about them is that they	No seed for a comment	Gap between
are 100% silk and they	No good for summer –	trouser and top
don't have anyelastic	long sleeves	untreated and elastic waistband
We didn't think they	Would like polo neck	itchy
were going to be as	option. Short sleeved	
expensive	option. Shorts.	'Random sizing' poor fit

#### Discussion

Main findings

Generally children reported some limited improvement in their eczema, but the hoped for 'miracle cure' did not transpire. Several children entered the trial believing that using the garments would lead to a reduction or ceasing of the need to use topical treatments; the requirement to continue use, as set out in the patient instructions, was a source of discontent. Children reported a significant sense of disappointment in relation to effectiveness, and the quality, fit and durability of garments. Including children in the study illuminated deeper understanding particularly about patterns of adherence and reasons for non-adherence.

The child data reported here has uncovered understandings, which help to inform interpretation of the results of the study as a whole. The CLOTHES trial comprised: the RCT, an economic evaluation and qualitative studies with children, parents, clinicians and commissioners. In line with current recommendations, the CLOTHES study was developed as a coherent whole from the design phase<sup>22</sup> with each element contributing to a rounded picture of the impact of silk garments. The decision to analyse data sets separately and then triangulate ensured no contamination whilst maximizing the value of each part<sup>23</sup>. The RCT and economic evaluation found no significant gain in the use of silk garments in treating childhood eczema<sup>11</sup>; parental data revealed a preference for non-pharmacological treatments but a sense of disappointment with the garments, and clinicians and commissioners reported a lack of knowledge and evidence base for the garments particularly given the cost<sup>10</sup>. The child data has provided a deeper, richer and more detailed understanding of the 'what', 'why' and 'how come' underpinning participant's beliefs, behaviours and patterns of adherence.

Parents and children generally had high expectations when entering the trial and this may have led to a degree of detection bias when completing the secondary patient-reported outcome measures (PROMs) with their parents. Inclusion of the quantitative study gave confidence that the selected objective outcomes measure used for the primary outcome in the trial did not miss issues that were important to patients.

The focus groups and interviews at the end of the RCT allowed children to reflect on whether there had been improvement in their condition when their initial high hopes had abated. The children provided

detailed and nuanced explanations about why they did and did not wear the garments, which went beyond the views provided by their parents. Some issues were practical in nature, such as the perceived poor fit, rough feeling of the fabric and being hot and uncomfortable. Others were more personal and sensitive and it is these thoughts that were uniquely reported by the children. Several commented about embarrassment of wearing garments and jibes from their peers. Children were also most vocal about ways in which the garments could be improved to increase likelihood of concordance.

### Relevance to other studies

A recent review of 506 peer reviewed studies conducted between 2009-2012 involving children from 0-8 years analysed child positioning, researcher perspective and level of respectful culture in each study concluding that only 3.4 per cent positioned children in inclusive, participatory roles<sup>5</sup>. This study demonstrates that children *can* be included in research even from a relatively young age. Children *wanted* to talk with the researcher and were very able to express their views with clarity given age appropriate means of communication.

# Strengths and limitations

Documentation of the decision trail<sup>24</sup> and reporting in line with Standards for Reporting Qualitative Research guidance<sup>25</sup> ensures the trustworthiness of this study. Self-selection of participants is a limitation as they may not be representative of the trial cohort. Recruitment of children from study centres in prescribed age-bands was difficult and we would have preferred to recruit more children. We considered recruiting to wider age-bands for the focus groups but made the decision not to do this as it would have compromised the value of using developmental and age-appropriate activities to enable children to convey their thoughts and feelings. Combining qualitative and quantitative approaches from the design stage is a strength but our decision to undertake separate analysis of each dataset could be challenged with some arguing for a more formal approach to data triangulation at analysis stage<sup>22, 26</sup>.

There is increasing recognition of the value of including nested qualitative studies within RCTs<sup>27</sup>; however, the rigour and integrative processes in this approach is often lacking<sup>28</sup>. Few nested studies including child participants have been reported. Examples include assessment of a home based exercise programme for children with cystic fibrosis<sup>29</sup> and a home physiotherapy regimen for youngsters with joint hypermobility<sup>30</sup>. Both report valuable child data but this is not explicitly linked with associated RCT

data. This is an original study in dermatology to qualitatively seek the views of children as part of a larger trial and demonstrates the possibilities for future studies.

### Conclusion

This nested study demonstrates that with sufficient planning children can effectively and meaningfully be involved in dermatology research. Given the number of children with skin conditions and the impact this has on their quality of life it is important that we listen to their views. Many children were eager to try the garment but were less enthusiastic once they had seen and felt them. The majority of children expressed disappointment about the garments and the impact they had on their eczema. Equally some children expressed a great reluctance to wear the garments and given how much they cost this is an important message for prescribers and commissioners. When combined with other data, the results provide a more robust evidence-base about the value of silk garments in the treatment of childhood eczema.

Effective management of eczema relies on adherenece with prescribed treatment regimens. There is therefore a need to include children in the evaluation of proposed products from the design phase of trials and thought should be given to how best to triangulate data. Broadly the child and parent data concurs with agreement that the garments were not of optimum design or quality and that expectations of improvement in condition were not met. Views on comfort were individual with reports of both heating and cooling effects which were not always seasonally influenced. Children's explanations of non-adherence were often different or more subtle from those offered by parents and often included more sensitive subjects such as embarrassment and peer pressure. Inclusion of this qualitative component with children provided additional detail on possible reasons for non-adherence in wearing the garments which would not have been revealed from other data.

#### References

- 1. Nelson PA. Getting under the skin: qualitative methods in dermatology research. *Br J Dermatol* 2015; **172**: 841-843.
- 2. Naidoo RJ and Williams HC. Therapeutic use of stories for children with atopic eczema and other chronic skin conditions. *Pediatr Dermatol*. 2013;**30**: 765-767.
- 3. US Census Bureau *International Database World Population by Age and Sex*. Available at: <a href="http://www.census.gov/cgi-bin/broker">http://www.census.gov/cgi-bin/broker</a> (last accessed 24 November 2016)
- 4. Mandleco B. Research with children as participants: Photo elicitation. *J Spec Pediatr Nurs* 2013; **18:** 78–82
- 5. Mayne F, Hewitt C. How far have we come in respecting young children in our research? A metaanalysis of reported early childhood research practice from 2009 to 2012. *Australas J Early Childhood.* 2015; **40**:30-38
- 6. Lewis-Jones MS, Finlay AY. The Children's Dermatology Life Quality Index (CDLQI): Initial validation and practical use. *Brit J Dermatol* 1995; **132**: 942-949.
- 7. Odhiambo JA, Williams HC, Clayton TO, et al. Global variations in prevalence of eczema in children from ISAAC Phase Three. *J Allergy Clin Immunol* 2009; **24**: 1251-8.
- 8. Mitchell A and Fraser J. Management of atopic dermatitis in children: evaluation pf parents' self-efficacy, outcome expectations, and self-reported task performance using the Child Eczema Management questionnaire. *Neonat Paediat Child Health Nurs* 2014; **17**: 16-22.
- 9. Beattie PE and Lewis-Jones MS. Parental knowledge of topical therapies in the treatment of childhood atopic dermatitis. *Clin Exp Dermatol* 2003; **28**: 549-553
- 10. Thomas KS, Bradshaw LE, Sach TH, et al. Randomised controlled trial of silk therapeutic garments for the management of atopic eczema in children: the CLOTHES trial. Health Technol Assess. 2017; 21. In press.
- 11. Thomas KS, Bradshaw LE, Sach TH, Batchelor JM, Lawton S, Harrison EF, et al. Silk garments plus standard care for treating eczema in children: a randomised controlled observer-blind pragmatic trial (CLOTHES TRIAL). PLOS Med 2017 <a href="https://doi.org/10.1371/journal.pmed.1002280">https://doi.org/10.1371/journal.pmed.1002280</a>
- 12. Hussain, S. (2011) Toes that look like toes: Cambodian children's perspectives on prosthetic legs. Qual Health Res. 2011; **21:** 1427-1440.
- 13. Stebbins RA 2001 Exploratory Research in the Social Sciences. Thousand Oaks. Sage.
- 14. Blades R, Renton Z, La Valle I, et al. *Children and Young People's participation in strategic health decision making*. London. Office of the Children's Commissioner. Available at <a href="https://www.ncb.org.uk/sites/default/files/field/attachment/final report we would like to make a change participation in health decisions march 2013.pdf">https://www.ncb.org.uk/sites/default/files/field/attachment/final report we would like to make a change participation in health decisions march 2013.pdf</a>. (last accessed 24 November 2016)
- 15. Emerson RW. Convenience Sampling, Random Sampling, and Snowball Sampling: How Does Sampling Affect the Validity of Research? *J Vis Impair Blind* 2015;**109**:164.
- 16. Clark A, Moss P. Listening to young children: the mosaic approach. London. NCB. 2<sup>nd</sup> edition, 2011.
- 17. Kellett M. Empowering children and young people as researchers: overcoming barriers and building capacity. *Child Indic Res* 2011; **4**: 205-219
- 18. Clark A. Ways of seeing: using the Mosaic approach to listen to young children's perspectives. Available at <a href="http://learningaway.org.uk/wp-content/uploads/RL56-Extract-the-Mosaic-Approach-EARLY-YEARS.pdf">http://learningaway.org.uk/wp-content/uploads/RL56-Extract-the-Mosaic-Approach-EARLY-YEARS.pdf</a> (last accessed 4.4.17)
- 19. Mandell N. The Least-Adult Role in Studying Children. J Contemp Ethnogr 1988; 16: 433-467,
- 20. van Manen, M. Researching lived experience: Human science for an action sensitive pedagogy. London: Althouse Press, 1997.

- 21. Finlay L, Gough B. 2003 Reflexivity a Practical Guide for Researchers in Health and Social Sciences. Oxford: Blackwell Publishing, 2003
- 22. Russell, J, Berney L, Stansfeld S. et al The role of qualitative research in adding value to a randomised controlled trial: Lessons from a pilot study of a guided e-learning intervention for managers to improve employee wellbeing and reduce sickness absence. *Trials* 2016; 17: 1-11.
- 23. Tonkin-Crine S, Anthierens S, Hood K. et al. Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: Achieving clarity through mixed methods triangulation. *Implement Sci* 2016; **11**: 1-8.
- 24. Koch T. Establishing rigour in qualitative research: the decision trail. J Adv Nurs 2006; 53:91-100.
- 25. O'Brien BC, Harris IB, Beckman TJ. et al. (2014) Standards for Reporting Qualitative Research: A Synthesis of Recommendations. *Acad Med* 2014; **89**: 1245-1251.
- 26. Nelson G, Macnaughton E, Goering P. (2015). What qualitative research can contribute to a randomized controlled trial of a complex community intervention. *Contemp Clin Trials* 2015; **45**: 377-384.
- 27. O'Cathain A, Goode J, Drabble SJ. et al. Getting added value from using qualitative research with randomized controlled trials: a qualitative interview study. *Trials*. 2014. DOI:10.1186/1745-6215-15-215
- 28. O'Cathain A, Thomas KJ, Drabble SJ. et al. What can qualitative research do for randomised controlled trials? A systematic mapping review. *BMJ Open*. 2013 doi:10.1136/bmjopen-2013-002889
- 29. Happ M B, Hoffman LA, Higgins LW. et al. Parent and child perceptions of a self-regulated, home-based exercise program for children with cystic fibrosis. *Nurs Res* 2013; **62**: 305-314.
- 30. Birt L, Pfeil M, MacGregor A. et al. Adherence to home physiotherapy treatment in children and young people with joint hypermobility: A qualitative report of family perspectives on acceptability and efficacy. *Musculoskel Care* 2014; **12:** 56-61.

### **Acknowledgements**

We would like to thank the participants of the study who generously shared their time and experiences. We would also like to thank the research nurses who helped with recruitment and the full study team.

# Members of the CLOTHES Trial Team (contributors)

Staff at recruiting centres: Hywel Williams, Principal Investigator; Sandra Lawton, Nurse Consultant; Jo Llewellyn, Research Nurse; Taraneh Dean, Principal Investigator; Jane Grundy, Research Nurse; Ian Pollock, Principal Investigator; Juliet Guinness, Research Nurse; Nigel Burrows, Principal Investigator; Clare Crang, Research Nurse; Andrew Gribbin, Research Nurse. Nottingham Clinical Trials Unit: Lelia Duley, Director of Nottingham Clinical Trials Unit and advisor on trial design; Lucy Bradshaw, Medical Statistician; Rachel Haines, Trial Manager; Eleanor Mitchell, Senior Trial Manager; Alan Montgomery, Professor of Statistics and Clinical Trials; Andrew Jadowski, Trial Administrator; Jennifer White, Trial Coordinator; Sarah Walker, Data Coordinator; Tessa Clarke, Senior Trial Manager; Trish Hepburn, Senior Medical Statistician; Justin Fenty, Senior Statistician; Lucinda Murphy, Data Manager; Daniel Simpkins, IT and Data Manager; Chris Rumsey, IT Programmer. Other support staff at recruiting centres: Hannah Buckley, Principal Investigator; Sharon McCready, Research Nurse Lead; Rachel Watson, Clinical Trials Assistant; Gill Glasbey, Research Study Coordinator. Contributors to the qualitative study: Rachel Harding, Paediatric Nurse; Jo Aspland, Research Associate. Health Economics lead: Tracey Sach. PPI representative: Amina Ahmed.

The trial was sponsored by the University of Nottingham, was coordinated from the Nottingham Clinical Trials Unit, and was supported by the National Institute for Health Research Clinical Research Network. The trial was developed with support from the UK Dermatology Clinical Trials Network.