

Figure 1.




Table 1.

<b>Organisms</b>	3-day group		7-day group	
	Number of strains	%	Number of strains	%
<i>Escherichia coli</i>	43	84.3	42	79.2
<i>Staphylococcus saprophyticus</i>	1	2.0	2	3.8
<i>Klebsiella pneumoniae</i>	0	0	2	3.8
<i>Enterococcus faecalis</i>	2	3.9	0	0
<i>Citrobacter koseri</i>	0	0	1	1.9
Others	0	0	1	1.9
Negative	5	9.8	5	9.4
Total	51	100	53	100

Table 2.

	3-day group	7-day group	Total
Clinical efficacy	n = 51	n = 53	n = 104
Cure	40	41	81
Failure	4	3	7
Missing	7	9	16
			<i>P</i> = 1.000
Microbiological efficacy			
Cure	33	37	70
Failure	7	4	11
Missing	11	12	23
			<i>P</i> = 0.349
Evaluation of recurrence			
Non-recurrence	44	43	87
Recurrence	5	6	11
Missing	2	4	6
			<i>P</i> = 1.000

Table 3.

	MIC <sub>50</sub> (mg/L)	MIC <sub>90</sub> (mg/L)
CVA/AMPC	4	16
CDTR	0.25	8
FRPM	0.5	1
LVX	0.12	8
MIN	1	2
FOF	1	4

Table 4.

Drug-susceptibility	Microbiological efficacy				Evaluation of recurrence			
	Evaluation	3-day	7-day	Fisher	Recurrence	3-day	7-day	Fisher
Fluoroquinolone- insusceptible strains (LVX MIC ≥ 4 mg/L) n = 10 (11.8 %)	Cure	3	6	—	No	2	5	—
	Failure	1 <sup>b</sup>	0		Yes	0	0	
	N/D <sup>a</sup>	0	0		N/D <sup>a</sup>	1	1	
ESBL-producing strains n = 7 (8.2 %)	Cure	4	2	<i>P</i> = 1.000	No	3	2	<i>P</i> = 1.000
	Failure	0	1		Yes	1	0	

<sup>a</sup> N/D: No data

<sup>b</sup> Ceased administration due to allergic reaction