

Wirtschaftswissenschaftliche Fakultät der Eberhard-Karls-Universität Tübingen

Pricing American Options with Mellin Transforms

Robert Frontczak
Rainer Schöbel

Tübinger Diskussionsbeitrag Nr. 319
Dezember 2008

Wirtschaftswissenschaftliches Seminar
Mohlstraße 36, D-72074 Tübingen

Pricing American Options with Mellin Transforms

Robert Frontczak Rainer Schöbel[†]

First Version: October, 2007.

This Version: December, 2008.

Abstract

Mellin transforms in option pricing theory were introduced by Panini and Srivastav (2004). In this contribution, we generalize their results to European power options. We derive Black-Scholes-Merton-like valuation formulas for European power put options using Mellin transforms. Thereafter, we restrict our attention to plain vanilla options on dividend-paying stocks and derive the integral equations to determine the free boundary and the price of American put options using Mellin transforms. We recover a result found by Kim (1990) regarding the optimal exercise price of American put options at expiry and prove the equivalence of integral representations herein, the representation derived by Kim (1990), Jacka (1991), and by Carr et al. (1992). Finally, we extend the results obtained in Panini and Srivastav (2005) and show how the Mellin transform approach can be used to derive the valuation formula for perpetual American put options on dividend-paying stocks.

Keywords: Mellin transform, Power option, American put option, Free boundary, Integral representation.

JEL Classification: G13

Mathematics Subject Classification (2000): 44A15, 60H30

[†]The authors are grateful to Thomas Breuer for several constructive comments on the paper. We also acknowledge suggestions from participants at presentations given at the 11th Symposium on Finance, Banking, and Insurance in Karlsruhe (2008) and the International Conference on Price, Liquidity, and Credit Risks in Konstanz (2008). Corresponding author: Rainer Schöbel, Eberhard Karls University Tuebingen, Faculty of Economics and Business Administration, Mohlstrasse 36, 72074 Tuebingen, Germany. E-mail: {rainer.schoebel;robert.frontczak}@uni-tuebingen.de.

1 Introduction

Robert Hjalmar Mellin (1854-1933) gave his name to the Mellin transform that associates to a locally Lebesgue integrable function $f(x)$ defined over positive real numbers the complex function $M(f(x), \omega)$ defined by

$$M(f(x), \omega) := \tilde{f}(\omega) = \int_0^\infty f(x) x^{\omega-1} dx.$$

The Mellin transform is defined on a vertical strip in the ω -plane, whose boundaries are determined by the asymptotic behavior of $f(x)$ as $x \rightarrow 0^+$ and $x \rightarrow \infty$. The largest strip (a, b) in which the integral converges is called the fundamental strip. The conditions

$$f(x) = O(x^u) \quad \text{for } x \rightarrow 0^+$$

and

$$f(x) = O(x^v) \quad \text{for } x \rightarrow \infty$$

when $u > v$, guarantee the existence of $M(f(x), \omega)$ in the strip $(-u, -v)$. Thus, the existence is granted for locally integrable functions, whose exponent in the order at 0 is strictly larger than the exponent of the order at infinity.

Conversely, if $f(x)$ is an integrable function with fundamental strip (a, b) , then if c is such that $a < c < b$ and $f(c + it)$ is integrable, the equality

$$\frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{f}(\omega) x^{-\omega} d\omega = f(x)$$

holds almost everywhere. Moreover, if $f(x)$ is continuous, then the equality holds everywhere on $(0, \infty)$.

For a proof see for example Titchmarsh (1986) or Sneddon (1972). See also Flajolet et al. (1995) for a reference.

Simple changes of variables in the definition of the Mellin transforms yield to a whole set of transformation rules and facilitate the computations. In particular, if $f(x)$ admits the Mellin transform on the strip (a, b) and α, β are positive reals, then the following relations hold:

$$M(f(\alpha x), \omega) = \alpha^{-\omega} \tilde{f}(\omega) \quad \text{on } (a, b).$$

$$M(x^\alpha f(x), \omega) = \tilde{f}(\omega + \alpha) \quad \text{on } (a, b).$$

$$\begin{aligned}
M(f(x^\alpha), \omega) &= \frac{1}{\alpha} \tilde{f}\left(\frac{\omega}{\alpha}\right) \quad , \alpha > 0, \quad \text{on} \quad (a\alpha, b\alpha). \\
M(f\left(\frac{1}{x}\right), \omega) &= -\tilde{f}(-\omega) \quad \text{on} \quad (-b, -a). \\
M(x^\beta f(x^\alpha), \omega) &= \frac{1}{\alpha} \tilde{f}\left(\frac{\omega + \beta}{\alpha}\right) \quad , \alpha > 0, \quad \text{on} \quad (a\alpha, b\alpha). \\
M(x \frac{d}{dx} f(x), \omega) &= -\omega \tilde{f}(\omega) \quad \text{on} \quad (a^*, b^*). \\
M\left(\frac{d}{dx} f(x), \omega\right) &= -(\omega - 1) \tilde{f}(\omega - 1) \quad \text{on} \quad (a^* - 1, b^* - 1). \\
M\left(\frac{d^n}{dx^n} f(x), \omega\right) &= (-1)^n \frac{\Gamma(\omega)}{\Gamma(\omega - n)} \tilde{f}(\omega - n) \quad \text{on} \quad (a^* - n, b^* - n).
\end{aligned}$$

For a proof of some of these relations we refer to Titchmarsh (1986) or Sneddon (1972). The change of variables $x = e^s$ shows that the Mellin transform is closely related to the Laplace transform and the Fourier transform. In particular, if $F(f(x), \omega)$ and $L(f(x), \omega)$ denote the two-sided Fourier and Laplace transform, respectively, then we have

$$M(f(x), \omega) = L(f(e^{-x}), \omega) = F(f(e^{-x}), -i\omega).$$

However, there are numerous applications where it proves to be more convenient to operate directly with the Mellin transform rather than the Laplace-Fourier version. This is often the case in complex function theory (asymptotics of Gamma-related functions like the Riemann zeta function), in analytic number theory (Perron's formula for the coefficients of Dirichlet series), in the analysis of algorithms (harmonic sums), and as Panini (2004) and Panini and Srivastav (2004) showed in finance. However, the applicability to problems in modern finance theory has not been studied extensively yet. Since the Mellin transform has many interesting properties, it may turn out to be very useful for specific problems.

2 The European Power Put Option

We consider a market where the risk neutral asset price $S_t, t \in [0, T]$, is governed by the stochastic differential equation (SDE):

$$dS_t = (r - q) S_t dt + \sigma S_t dW_t, \tag{1}$$

with initial value $S_0 \in (0, \infty)$, and where r is the riskless interest rate, q is the dividend yield, $\sigma > 0$ is the volatility, and W_t is a one-dimensional Brownian motion.

A European power put option is an option with a non-linear payoff given by the difference between the strike price and the underlying asset price at maturity raised to a strictly positive power

$$P_n^E(S, T) = \max(X - S_T^n, 0) \quad \text{for } n > 0, \quad (2)$$

where X is the strike price of the option. For $n = 1$ we have the plain vanilla put as a special case. Power options offer flexibility to investors and are of practical interest since many OTC-traded options exhibit such a payoff structure. For references to power options see for example Esser (2003) and Macovski and Quittard-Pinon (2006). Our goal is to derive a valuation formula for European power put options using Mellin transform techniques. Applying Ito's Lemma to $\mathcal{S}_t = S_t^n$ gives

$$d\mathcal{S}_t = \left(n(r - q) + \frac{1}{2}n(n-1)\sigma^2 \right) \mathcal{S}_t dt + n\sigma \mathcal{S}_t dW_t, \quad (3)$$

and we observe that the new process is again a Geometric Brownian motion. Now it is straightforward to derive the partial differential equation (PDE) for any derivative V written on \mathcal{S} :

$$\frac{\partial V}{\partial t} + n\left(\frac{1}{2}\sigma^2(n-1) + (r-q)\right)\mathcal{S} \frac{\partial V}{\partial \mathcal{S}} + \frac{1}{2}\sigma^2 n^2 \mathcal{S}^2 \frac{\partial^2 V}{\partial \mathcal{S}^2} - rV = 0 \quad (4)$$

where we have abbreviated the notation slightly. Especially, for European power put options P_n^E we have

$$\frac{\partial P_n^E}{\partial t} + n\left(\frac{1}{2}\sigma^2(n-1) + (r-q)\right)\mathcal{S} \frac{\partial P_n^E}{\partial \mathcal{S}} + \frac{1}{2}\sigma^2 n^2 \mathcal{S}^2 \frac{\partial^2 P_n^E}{\partial \mathcal{S}^2} - rP_n^E = 0 \quad (5)$$

with boundary conditions

$$\lim_{\mathcal{S} \rightarrow \infty} P_n^E(\mathcal{S}, t) = 0 \quad \text{on } [0, T], \quad (6)$$

$$P_n^E(\mathcal{S}, T) = \theta(\mathcal{S}) = (X - \mathcal{S})^+ \quad \text{on } [0, \infty), \quad (7)$$

and

$$P_n^E(0, t) = Xe^{-r(T-t)} \quad \text{on } [0, T]. \quad (8)$$

Once again, for $n = 1$ PDE (5) is well known as the fundamental valuation equation or the general Black-Scholes-Merton PDE with the celebrated solution:

$$P_1^E(S, t) = X e^{-r(T-t)} N(-d_2(S, X, T)) - S e^{-q(T-t)} N(-d_1(S, X, T)) \quad (9)$$

where

$$d_1(S, X, T) = \frac{\ln \frac{S}{X} + (r - q + \frac{1}{2}\sigma^2)(T - t)}{\sigma\sqrt{T - t}}, \quad (10)$$

$$d_2(S, X, T) = d_1(S, X, T) - \sigma\sqrt{T - t}, \quad (11)$$

and $N(x)$ denotes the cumulative standard normal distribution function at the point x .

Let $\tilde{P}_n^E(\omega, t)$ denote the Mellin transform of $P_n^E(\mathcal{S}, t)$ which is defined by the relation

$$\tilde{P}_n^E(\omega, t) = \int_0^\infty P_n^E(\mathcal{S}, t) \mathcal{S}^{\omega-1} d\mathcal{S}, \quad (12)$$

where ω is a complex variable with $0 < \text{Re}(\omega) < \infty$. Conversely, the inverse Mellin transform is defined by

$$P_n^E(\mathcal{S}, t) = \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{P}_n^E(\omega, t) \mathcal{S}^{-\omega} d\omega. \quad (13)$$

The Mellin transform of PDE (5) yields

$$\frac{\partial \tilde{P}_n^E(\omega, t)}{\partial t} + \frac{1}{2} n^2 \sigma^2 [\omega^2 + \omega(1 - \kappa_2) - \kappa_1] \tilde{P}_n^E(\omega, t) = 0 \quad (14)$$

where

$$\kappa_2 = \frac{n-1}{n} + \frac{2(r-q)}{n\sigma^2}$$

and

$$\kappa_1 = \frac{2r}{n^2\sigma^2}.$$

The general solution of this ODE is given by

$$\tilde{P}_n^E(\omega, t) = c(\omega) \cdot e^{-\frac{1}{2}n^2\sigma^2 \cdot Q(\omega) \cdot t} \quad (15)$$

where

$$Q(\omega) = \omega^2 + \omega(1 - \kappa_2) - \kappa_1 \quad (16)$$

and $c(\omega)$ a constant depending on the boundary conditions. Now, the terminal condition (7) gives

$$c(\omega) = \tilde{\theta}(\omega, t) \cdot e^{\frac{1}{2}n^2\sigma^2 \cdot Q(\omega) \cdot T} \quad (17)$$

where

$$\tilde{\theta}(\omega, t) = \tilde{\theta}(\omega) = X^{\omega+1} \left(\frac{1}{\omega} - \frac{1}{\omega+1} \right) \quad (18)$$

is the Mellin transform of the terminal condition (7) and is independent of n . Using the inverse Mellin transform we see that the price of a European power put option is given by

$$\begin{aligned} P_n^E(\mathcal{S}, t) &= \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{P}_n^E(\omega, t) \mathcal{S}^{-\omega} d\omega \\ &= \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{\theta}(\omega, t) \cdot e^{\frac{1}{2}n^2\sigma^2 \cdot Q(\omega) \cdot (T-t)} \mathcal{S}^{-\omega} d\omega \end{aligned} \quad (19)$$

with $(\mathcal{S}, t) \in (0, \infty) \times [0, T]$, $c \in (0, \infty)$ a constant, $\{\omega \in \mathbb{C} \mid 0 < \operatorname{Re}(\omega) < \infty\}$, and $\tilde{\theta}(\omega, t)$ and $Q(\omega)$ as defined in equations (18) and (16), respectively.

To derive a "BSM-like" formula, we follow Panini and Srivastav (2004) and use the convolution property of Mellin transforms (see Sneddon (1972), p. 276)

$$P_n^E(\mathcal{S}, t) = \int_0^\infty \theta(u) \cdot \phi\left(\frac{\mathcal{S}}{u}\right) \cdot \frac{1}{u} du \quad (20)$$

where $\phi(u)$ is to be determined. First, observe that for $\beta_1 = \frac{1}{2}n^2\sigma^2(T-t)$ we have

$$\begin{aligned} \frac{1}{2}n^2\sigma^2(T-t)Q(\omega) &= \beta_1 \left[\left(\omega + \frac{1-\kappa_2}{2} \right)^2 - \left(\frac{1-\kappa_2}{2} \right)^2 - \kappa_1 \right] \\ &= \beta_1 [(\omega + \beta_2)^2 - \beta_2^2 - \kappa_1] \end{aligned} \quad (21)$$

where we have set

$$\beta_2 = \frac{1-\kappa_2}{2}.$$

Thus, we can write for the put price

$$P_n^E(\mathcal{S}, t) = e^{-\beta_1(\beta_2^2 + \kappa_1)} \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{\theta}(\omega, t) \cdot e^{\beta_1(\omega + \beta_2)^2} \mathcal{S}^{-\omega} d\omega. \quad (22)$$

Now, $\tilde{\phi}(\omega)$ is the Mellin transform of

$$e^{\beta_1(\omega+\beta_2)^2} = \int_0^\infty \phi(\mathcal{S}) \mathcal{S}^{\omega-1} d\mathcal{S}. \quad (23)$$

Using the transformation (see Erdelyi et al. (1954))

$$e^{\theta\omega^2} = \int_0^\infty \frac{1}{2\sqrt{\pi\theta}} e^{-\frac{(\ln \mathcal{S})^2}{4\theta}} \mathcal{S}^{\omega-1} d\mathcal{S}, \quad Re(\theta) \geq 0$$

we get

$$\phi(\mathcal{S}) = \phi(\mathcal{S}, t) = \frac{\mathcal{S}^{\beta_2}}{n\sigma\sqrt{2\pi(T-t)}} e^{-\frac{1}{2}\left(\frac{\ln \mathcal{S}}{n\sigma\sqrt{T-t}}\right)^2}. \quad (24)$$

The European power put price can therefore be expressed as

$$\begin{aligned} P_n^E(\mathcal{S}, t) &= \frac{e^{-\beta_1(\beta_2^2 + \kappa_1)}}{n\sigma\sqrt{2\pi(T-t)}} \int_0^X (X-u) \left(\frac{\mathcal{S}}{u}\right)^{\beta_2} e^{-\frac{1}{2}\left(\frac{\ln \frac{\mathcal{S}}{u}}{n\sigma\sqrt{T-t}}\right)^2} \cdot \frac{1}{u} du \\ &= \frac{e^{-\beta_1(\beta_2^2 + \kappa_1)}}{n\sigma\sqrt{2\pi(T-t)}} \cdot X \cdot \mathcal{S}^{\beta_2} \int_0^X \frac{1}{u^{\beta_2+1}} e^{-\frac{1}{2}\left(\frac{\ln \frac{\mathcal{S}}{u}}{n\sigma\sqrt{T-t}}\right)^2} du \\ &\quad - \frac{e^{-\beta_1(\beta_2^2 + \kappa_1)}}{n\sigma\sqrt{2\pi(T-t)}} \cdot \mathcal{S}^{\beta_2} \int_0^X \frac{1}{u^{\beta_2}} e^{-\frac{1}{2}\left(\frac{\ln \frac{\mathcal{S}}{u}}{n\sigma\sqrt{T-t}}\right)^2} du \end{aligned} \quad (25)$$

with

$$\beta_1 = \frac{1}{2} n^2 \sigma^2 (T-t),$$

$$\beta_2 = \frac{1 - \kappa_2}{2},$$

and

$$\kappa_2 = \frac{n-1}{n} + \frac{2(r-q)}{n\sigma^2}.$$

To evaluate the first integral use the new variable

$$\gamma = \frac{1}{n\sigma\sqrt{T-t}} \left(\ln \left(\frac{\mathcal{S}}{u} \right) - \beta_2 n^2 \sigma^2 (T-t) \right).$$

For the second integral use the slightly different transformation

$$\gamma = \frac{1}{n\sigma\sqrt{T-t}} \left(\ln \left(\frac{\mathcal{S}}{u} \right) - (\beta_2 - 1)n^2\sigma^2(T-t) \right).$$

Finally, the first part of (25) is determined as

$$X e^{-r(T-t)} N(-d_{2,n}(\mathcal{S}, X, T))$$

where

$$d_{2,n}(\mathcal{S}, X, T) = \frac{\ln \frac{\mathcal{S}}{X} + n(r - q - \frac{1}{2}\sigma^2)(T-t)}{n\sigma(T-t)}. \quad (26)$$

The second integral is evaluated using the transformation suggested above and the result is

$$-e^{((n-1)r-nq+\frac{1}{2}n(n-1)\sigma^2)(T-t)} \mathcal{S} N(-d_{1,n}(\mathcal{S}, X, T))$$

where

$$d_{1,n}(\mathcal{S}, X, T) = \frac{\ln \frac{\mathcal{S}}{X} + n(r - q + (n - \frac{1}{2})\sigma^2)(T-t)}{n\sigma(T-t)}. \quad (27)$$

The price of a power put option is therefore given by

$$P_n^E(\mathcal{S}, t) = X e^{-r(T-t)} N(-d_{2,n}) - e^{((n-1)r-nq+\frac{1}{2}n(n-1)\sigma^2)(T-t)} \mathcal{S} N(-d_{1,n}) \quad (28)$$

with $\mathcal{S} = S^n$, and $d_{1,n}$ and $d_{2,n}$ given by equations (27) and (26), respectively.

3 The American Put Option

Henceforth, we fix $n = 1$ and focus our considerations on plain vanilla options on dividend paying stocks, where we assume the dividend yield to be paid continuously at the rate q .

The main difference between European and American options is that an American option can be exercised by its holder at any time before and including expiry. This early exercise feature makes the pricing (and hedging) of American-styled derivatives mathematically challenging, and created a great field of research throughout the last three decades. While considerable progress has been made, no completely satisfying analytic solution has been

found, except in very few cases.¹

The pricing of American options can be seen under several mathematical aspects, leading to different but equivalent mathematical formulations of the problem. The most prominent are

- Free boundary formulation
- Early exercise premium formulation
- Integral equation formulation
- Optimal stopping formulation
- Linear complementarity formulation
- Primal-dual formulation
- Viscosity solution formulation.

For a detailed survey of the different formulations the reader is referred to Firth (2005). As indicated above, the early exercise feature creates a free boundary problem. The free boundary is given by the critical stock price $S_t^* = S^*(t)$ which subdivides the domain $(0, \infty) \times [0, T]$ into a continuation region and an exercise region. At any time $t \in [0, T]$ it is optimal to exercise the option prematurely and receive the payoff $X - S(t)$ if $0 < S(t) \leq S^*(t)$. On the other hand, it is optimal to hold the option if $S^*(t) < S(t) < \infty$. Then the option price is the solution to the Black-Scholes-Merton PDE. Following Kwok (1998) we extend the domain of the Black-Scholes-Merton PDE by setting $P^A(S, t) = X - S(t)$ for $S(t) < S^*(t)$. Then $P^A = P^A(S, t)$ satisfies the non-homogeneous PDE:

$$\frac{\partial P^A}{\partial t} + (r - q) S \frac{\partial P^A}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 P^A}{\partial S^2} - r P^A = f \quad (29)$$

¹For example, the perpetual American put option problem was separately solved by McKean (1965) and Merton (1973). Samuelson (1965) derived a closed form expression for the perpetual American warrant. McKean (1965) presented a first solution to the free boundary problem inherent in American option pricing. His form is a valid mathematical representation, however, it allows no economic interpretation for the early exercise premium. Merton (1973) showed that the American call option price on a non-dividend-paying stock equals its European counterpart, since the early exercise premium is worthless.

with

$$f = f(S, t) = \begin{cases} -rX + qS, & \text{if } 0 < S \leq S^*(t) \\ 0, & \text{if } S > S^*(t) \end{cases} \quad (30)$$

on $(0, \infty) \times [0, T]$. Furthermore, we have the boundary conditions

$$\lim_{S \rightarrow \infty} P^A(S, t) = 0 \quad \text{on } [0, T], \quad (31)$$

$$P^A(S, T) = \theta(S) = (X - S_T)^+ \quad \text{on } [0, \infty) \quad (32)$$

and

$$P^A(0, t) = X \quad \text{on } [0, T]. \quad (33)$$

Arbitrage arguments show that the option's price must also satisfy the "smooth pasting conditions" at $S^*(t)$ (see Wilmott et al. (1993)):

$$P^A(S^*, t) = X - S^* \quad \text{and} \quad \frac{\partial P^A}{\partial S} \Big|_{S=S^*} = -1. \quad (34)$$

The Mellin transform of (29) is given by

$$\frac{\partial \tilde{P}^A(\omega, t)}{\partial t} + \frac{1}{2}\sigma^2[\omega^2 + \omega(1 - \kappa_2) - \kappa_1] \tilde{P}^A(\omega, t) = \tilde{f}(\omega, t) \quad (35)$$

where

$$\kappa_2 = \frac{2(r - q)}{\sigma^2}, \quad \kappa_1 = \frac{2r}{\sigma^2},$$

and

$$\begin{aligned} \tilde{f}(\omega, t) &= \int_0^\infty f(S, t) S^{\omega-1} dS \\ &= -\frac{rX}{\omega} (S^*(t))^\omega + \frac{q}{\omega+1} (S^*(t))^{\omega+1}. \end{aligned} \quad (36)$$

The general solution to this non-homogeneous ODE is given by

$$\begin{aligned}
\tilde{P}^A(\omega, t) &= c(\omega) e^{-\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot t} \\
&\quad + \int_t^T \frac{rX}{\omega} (S^*(x))^\omega e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx \\
&\quad - \int_t^T \frac{q}{\omega+1} (S^*(x))^{\omega+1} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx \\
&= \tilde{\theta}(\omega) e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (T-t)} \\
&\quad + \int_t^T \frac{rX}{\omega} (S^*(x))^\omega e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx \\
&\quad - \int_t^T \frac{q}{\omega+1} (S^*(x))^{\omega+1} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx
\end{aligned} \tag{37}$$

where $Q(\omega)$ is defined in equation (16) and $\tilde{\theta}(\omega)$ is the terminal condition given in equation (18). Once again, the Mellin inversion of (37) yields

$$\begin{aligned}
P^A(S, t) &= \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{\theta}(\omega) \cdot e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (T-t)} S^{-\omega} d\omega \\
&\quad + \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{rX}{\omega} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega \\
&\quad - \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{qS^*(x)}{\omega+1} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega.
\end{aligned} \tag{38}$$

Now, observe that the first term in equation (38) is the European put price from (19) and the last two terms capture the early exercise premium. Therefore, we finally arrive at

$$\begin{aligned}
P^A(S, t) &= P^E(S, t) \\
&\quad + \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{rX}{\omega} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega \\
&\quad - \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{qS^*(x)}{\omega+1} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega
\end{aligned} \tag{39}$$

where $(S, t) \in (0, \infty) \times [0, T]$, $c \in (0, \infty)$, $\{\omega \in \mathbb{C} \mid 0 < \text{Re}(\omega) < \infty\}$, and

$$Q(\omega) = \omega^2 + \omega(1 - \kappa_2) - \kappa_1$$

with

$$\kappa_2 = \frac{2(r-q)}{\sigma^2}, \quad \kappa_1 = \frac{2r}{\sigma^2}.$$

The free boundary is given by

$$\begin{aligned} X - S^*(t) &= P^E(S^*(t), t) \\ &+ \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T rX \frac{1}{\omega} \left(\frac{S^*(t)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega \\ &- \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{qS^*(x)}{\omega + 1} \left(\frac{S^*(t)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega. \end{aligned} \quad (40)$$

We point out that equation (40) can be used to recover an additional result derived by Kim (1990) regarding the optimal exercise price of American put options at expiry:

$$\lim_{t \rightarrow T} S^*(t) = \min \left(X, \frac{r}{q} X \right). \quad (41)$$

Proof: If we change the time variable in equation (40), $t \mapsto \tau = T - t$, we obtain

$$\begin{aligned} X - S^*(\tau) &= P^E(S^*(\tau), \tau) \\ &+ \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} rX \frac{1}{\omega} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx \\ &- \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} \frac{qS^*(x)}{\omega + 1} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx. \end{aligned} \quad (42)$$

A simple factorization and rearrangement produces the following implicit equation for $S^*(\tau)$:

$$\frac{S^*(\tau)}{X} = \frac{1 - e^{-r\tau} + e^{-r\tau} N(d_2(S^*(\tau), X, \tau)) - r \cdot I_1(\tau)}{1 - e^{-q\tau} + e^{-q\tau} N(d_1(S^*(\tau), X, \tau)) - q \cdot I_2(\tau)} \quad (43)$$

where

$$I_1(\tau) = \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} \frac{1}{\omega} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx \quad (44)$$

and

$$I_2(\tau) = \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} \frac{1}{\omega + 1} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-(\omega+1)} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx. \quad (45)$$

Notice first that the critical stock price is bounded from above, i.e. $S^*(\tau) \leq X, \forall \tau > 0$ (see for example Jacka (1991), Prop. 2.2.2). To find the value $S^*(0^+) = \lim_{\tau \rightarrow 0^+} S^*(\tau)$, in a first step we evaluate the limits involving d_1 and d_2 . We have

$$\lim_{\tau \rightarrow 0^+} d_1(S^*(\tau), X, \tau) = \begin{cases} 0, & \text{for } S^*(0^+) = X \\ -\infty, & \text{for } S^*(0^+) < X. \end{cases}$$

Similarly,

$$\lim_{\tau \rightarrow 0^+} d_2(S^*(\tau), X, \tau) = \begin{cases} 0, & \text{for } S^*(0^+) = X \\ -\infty, & \text{for } S^*(0^+) < X. \end{cases}$$

If

$$\lim_{\tau \rightarrow 0^+} S^*(\tau) = X$$

we have

$$\lim_{\tau \rightarrow 0^+} N(d_1(S^*(\tau), X, \tau)) = \lim_{\tau \rightarrow 0^+} N(d_2(S^*(\tau), X, \tau)) = \frac{1}{2}$$

and

$$\lim_{\tau \rightarrow 0^+} \frac{S^*(\tau)}{X} = \frac{\frac{1}{2} - \lim_{\tau \rightarrow 0^+} r \cdot I_1(\tau)}{\frac{1}{2} - \lim_{\tau \rightarrow 0^+} q \cdot I_2(\tau)}. \quad (46)$$

It is easily verified that both expressions $I_1(\tau)$ and $I_2(\tau)$ tend to zero as $\tau \rightarrow 0^+$. As a result we have

$$\lim_{\tau \rightarrow 0^+} S^*(\tau) = X \quad (47)$$

being a possible solution. In the second case where

$$\lim_{\tau \rightarrow 0^+} S^*(\tau) < X,$$

the implicit equation for $S^*(\tau)$ reads

$$\lim_{\tau \rightarrow 0^+} \frac{S^*(\tau)}{X} = \frac{r}{q} \cdot \lim_{\tau \rightarrow 0^+} \frac{I_1(\tau)}{I_2(\tau)}. \quad (48)$$

But

$$I_1(\tau) = \int_0^\tau \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{1}{\omega} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx$$

and a simple application of the residue theorem (see for example Freitag and Busam (2000)) shows that the inner integral equals

$$\frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{1}{\omega} \left(\frac{S^*(\tau)}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega = e^{-r(\tau-x)} \quad (49)$$

and thus

$$I_1(\tau) = \frac{1}{r} \left(1 - e^{-r\tau} \right). \quad (50)$$

In the same manner we apply the residue theorem to the second integral to get

$$I_2(\tau) = \frac{1}{q} \left(1 - e^{-q\tau} \right). \quad (51)$$

Obviously, the above calculations can be used to prove the limits in the first case, i.e. for $\lim_{\tau \rightarrow 0^+} S^*(\tau) = X$, as well.

Putting the results together we arrive at

$$\lim_{\tau \rightarrow 0^+} \frac{S^*(\tau)}{X} = \frac{r}{q} \cdot \lim_{\tau \rightarrow 0^+} \frac{\frac{1}{r} \left(1 - e^{-r\tau} \right)}{\frac{1}{q} \left(1 - e^{-q\tau} \right)} = \lim_{\tau \rightarrow 0^+} \frac{1 - e^{-r\tau}}{1 - e^{-q\tau}}. \quad (52)$$

Now, use the rule of d'Hospital to establish the second assertion. Recalling that the result holds only when $S^*(0^+) < X$, it follows that $r < q$. Combining both results confirms Kim's formula. \square

4 The Equivalence of Integral Representations

In this section we prove explicitly the equivalence of three types of integral representations for American put options². We show the equivalence of the integral representation derived herein, the representation obtained by Kim (1990), Jacka (1991), and Carr et al. (1992).

In particular, we prove that the following three representations for American put options are equivalent:

²Chiarella et al. (2004) use the incomplete Fourier transform to survey the integral representations of American call options.

- Representation using Mellin transforms (equation (39))

$$\begin{aligned}
P^A(S, t) &= P^E(S, t) \\
&+ \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{rX}{\omega} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega \\
&- \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \int_t^T \frac{qS^*(x)}{\omega + 1} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx d\omega
\end{aligned} \quad (53)$$

with $Q(\omega)$ defined in equation (16).

- Representation obtained by Kim (1990) and Jacka (1991)

$$\begin{aligned}
P^A(S, \tau) &= P^E(S, \tau) \\
&+ \int_0^\tau rX e^{-r(\tau-\xi)} \cdot N(-d_2(S, S^*(\xi), \tau - \xi)) d\xi \\
&- \int_0^\tau qS e^{-q(\tau-\xi)} \cdot N(-d_1(S, S^*(\xi), \tau - \xi)) d\xi
\end{aligned} \quad (54)$$

where $\tau = T - t$, $S = S(\tau)$, $S \geq S^*(\tau)$, and

$$d_1(x, y, t) = \frac{\ln \frac{x}{y} + (r - q - \frac{1}{2}\sigma^2)t}{\sigma\sqrt{t}},$$

$$d_2(x, y, t) = d_1(x, y, t) - \sigma\sqrt{t}.$$

- Decomposition derived by Carr et al. (1992))

$$\begin{aligned}
P^A(S, \tau) &= \max(X - S, 0) + \frac{1}{2}\sigma^2 S \int_0^\tau \frac{1}{\sigma\sqrt{\tau - \xi}} e^{-q(\tau-\xi)} \cdot N'(-d_1(S, X, \tau - \xi)) d\xi \\
&+ \int_0^\tau rX e^{-r(\tau-\xi)} \left[N(-d_2(S, S^*(\xi), \tau - \xi)) - N(-d_2(S, X, \tau - \xi)) \right] d\xi \\
&- \int_0^\tau qS e^{-q(\tau-\xi)} \left[N(-d_1(S, S^*(\xi), \tau - \xi)) - N(-d_1(S, X, \tau - \xi)) \right] d\xi
\end{aligned} \quad (55)$$

where $\tau = T - t$, $S = S(\tau)$, $S \geq S^*(\tau)$, and d_1 and d_2 as above.

Proof: A change of the time variable in the "Mellin representation" $t \mapsto \tau = T - t$ leads to

$$\begin{aligned} P^A(S, \tau) &= P^E(S, \tau) \\ &+ \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} rX \frac{1}{\omega} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx \\ &- \frac{1}{2\pi i} \int_0^\tau \int_{c-i\infty}^{c+i\infty} \frac{qS^*(x)}{\omega + 1} \left(\frac{S}{S^*(x)} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)} d\omega dx \end{aligned}$$

or using a more compact form

$$P^A(S, \tau) = P^E(S, \tau) - \int_0^\tau \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \tilde{f}(\omega, x) \cdot \tilde{\phi}(\omega, x) \cdot S^{-\omega} d\omega dx$$

with

$$\tilde{f}(\omega, x) = -\frac{rX}{\omega} (S^*(x))^\omega + \frac{q}{\omega + 1} (S^*(x))^{\omega+1}$$

and

$$\tilde{\phi}(\omega, x) = e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (\tau-x)}$$

the Mellin transforms of $f(S, x)$ and $\phi(S, x)$, respectively. Using the convolution theorem (see Sneddon (1972), p. 276) we can write

$$P^A(S, \tau) = P^E(S, \tau) - \int_0^\tau \int_0^\infty f(u, x) \cdot \phi\left(\frac{S}{u}, x\right) \cdot \frac{1}{u} du dx.$$

Now, from (25) we have

$$P^A(S, \tau) = P^E(S, \tau) - \int_0^\tau h(S, x) dx \quad (56)$$

where

$$\begin{aligned} h(S, x) &= -rX e^{-\beta_1(\beta_2^2 + \kappa_1)} \frac{S^{\beta_2}}{\sigma \sqrt{2\pi(\tau-x)}} \int_0^{S^*(x)} \frac{1}{u^{\beta_2+1}} e^{-\frac{1}{2} \left(\frac{\ln \frac{S}{u}}{\sigma \sqrt{\tau-x}} \right)^2} du \\ &+ q e^{-\beta_1(\beta_2^2 + \kappa_1)} \frac{S^{\beta_2}}{\sigma \sqrt{2\pi(\tau-x)}} \int_0^{S^*(x)} \frac{1}{u^{\beta_2}} e^{-\frac{1}{2} \left(\frac{\ln \frac{S}{u}}{\sigma \sqrt{\tau-x}} \right)^2} du, \quad (57) \end{aligned}$$

and

$$\beta_1 = \frac{1}{2} \sigma^2 (\tau - x),$$

$$\begin{aligned}\beta_2 &= \frac{1 - \kappa_2}{2} \\ \kappa_1 &= \frac{2r}{\sigma^2} \\ \kappa_2 &= \frac{2(r - q)}{\sigma^2}.\end{aligned}$$

Transforming variables

$$\gamma = \frac{1}{\sigma\sqrt{\tau-x}} \left(\ln \left(\frac{S}{u} \right) - \beta\sigma^2(\tau-x) \right) \quad (58)$$

for the first integral in (57), and

$$\gamma = \frac{1}{\sigma\sqrt{\tau-x}} \left(\ln \left(\frac{S}{u} \right) - (\beta-1)\sigma^2(\tau-x) \right) \quad (59)$$

for the second yields to

$$\begin{aligned}h(S, x) &= -rX e^{-r(\tau-x)} \cdot N(-d_2(S, S^*(x), \tau-x)) \\ &\quad + qS e^{-q(\tau-x)} \cdot N(-d_1(S, S^*(x), \tau-x)).\end{aligned} \quad (60)$$

Finally, change the variables from x to ξ and the equivalence of (53) and (54) follows.

For the second equivalence, observe that we can write the European put as

$$\begin{aligned}P^E(S, \tau) &= X \cdot H(X - S) - X \cdot H(X - S) \\ &\quad + X e^{-r\tau} N(-d_2(S, X, \tau)) - S e^{-q\tau} N(-d_1(S, X, \tau))\end{aligned} \quad (61)$$

where $H(x)$ is the Heaviside step function given by

$$H(x) = \begin{cases} 1, & \text{for } x > 0 \\ \frac{1}{2}, & \text{for } x = 0 \\ 0, & \text{for } x < 0. \end{cases} \quad (62)$$

The reason for the appearance of the factor $1/2$ at the point of discontinuity will become obvious below. Given the limit result that

$$\lim_{\tau \rightarrow 0} d_1(S, X, \tau) = \lim_{\tau \rightarrow 0} d_2(S, X, \tau) = \begin{cases} \infty & \text{for } S > X \\ 0 & \text{for } S = X \\ -\infty & \text{for } S < X \end{cases} \quad (63)$$

we can express $P^E(S, \tau)$ as

$$\begin{aligned}
P^E(S, \tau) &= X \cdot H(X - S) - S e^{-q\tau} N(-d_1(S, X, \tau)) + [X e^{-r\xi} N(-d_2(S, X, \xi))] \Big|_0^\tau \\
&= X \cdot H(X - S) - S e^{-q\tau} N(-d_1(S, X, \tau)) \\
&\quad + X \int_0^\tau \left[e^{-r\xi} N'(-d_2(S, X, \xi)) \cdot \frac{\partial}{\partial \xi} (-d_2(S, X, \xi)) \right. \\
&\quad \left. - r e^{-r\xi} N(-d_2(S, X, \xi)) \right] d\xi \\
&= X \cdot H(X - S) - S e^{-q\tau} N(-d_1(S, X, \tau)) \\
&\quad - r X \int_0^\tau e^{-r\xi} N(-d_2(S, X, \xi)) d\xi \\
&\quad + X \int_0^\tau e^{-r\xi} N'(-d_2(S, X, \xi)) \frac{\partial}{\partial \xi} [- (d_1(S, X, \xi) - \sigma \sqrt{\xi})] d\xi \\
&= X \cdot H(X - S) - S e^{-q\tau} N(-d_1(S, X, \tau)) \\
&\quad - r X \int_0^\tau e^{-r\xi} N(-d_2(S, X, \xi)) d\xi \\
&\quad + X \int_0^\tau e^{-r\xi} N'(-d_2(S, X, \xi)) \frac{\partial}{\partial \xi} (-d_1(S, X, \xi)) d\xi \\
&\quad + X \int_0^\tau e^{-r\xi} N'(-d_2(S, X, \xi)) \frac{\sigma}{2\sqrt{\xi}} d\xi, \tag{64}
\end{aligned}$$

where $N'(x) = n(x)$ is the density function of a standard normal distributed random variable x . Now, we have

$$N'(-d_2(S, X, \xi)) = N'(d_2(S, X, \xi)) \tag{65}$$

$$N'(-d_1(S, X, \xi)) = N'(d_1(S, X, \xi)) \tag{66}$$

and

$$S e^{-q\xi} N'(d_1(S, X, \xi)) = X e^{-r\xi} N'(d_2(S, X, \xi)). \tag{67}$$

Thus,

$$\begin{aligned}
P^E(S, \tau) &= (X - S) \cdot H(X - S) + S \cdot H(X - S) - S e^{-q\tau} N(-d_1(S, X, \tau)) \\
&\quad - r X \int_0^\tau e^{-r\xi} N(-d_2(S, X, \xi)) d\xi \\
&\quad + S \int_0^\tau e^{-q\xi} N'(-d_1(S, X, \xi)) \frac{\partial}{\partial \xi} (-d_1(S, X, \xi)) d\xi \\
&\quad + S \int_0^\tau e^{-q\xi} N'(-d_1(S, X, \xi)) \frac{\sigma}{2\sqrt{\xi}} d\xi \\
&= \max(X - S, 0) \\
&\quad + \frac{1}{2} \sigma^2 S \int_0^\tau e^{-q\xi} N'(-d_1(S, X, \xi)) \frac{1}{\sigma\sqrt{\xi}} d\xi \\
&\quad - r X \int_0^\tau e^{-r\xi} N(-d_2(S, X, \xi)) d\xi \\
&\quad - S \left[e^{-q\tau} N(-d_1(S, X, \tau)) - H(X - S) \right. \\
&\quad \left. - \int_0^\tau e^{-q\xi} N'(-d_1(S, X, \xi)) \frac{\partial}{\partial \xi} (-d_1(S, X, \xi)) \right] d\xi. \tag{68}
\end{aligned}$$

Finally,

$$\begin{aligned}
P^E(S, \tau) &= \max(X - S, 0) + \frac{1}{2} \sigma^2 S \int_0^\tau e^{-q\xi} \cdot N'(-d_1(S, X, \xi)) \frac{1}{\sigma\sqrt{\xi}} d\xi \\
&\quad - r X \int_0^\tau e^{-r\xi} N(-d_2(S, X, \xi)) d\xi \\
&\quad - S \left[\left[e^{-q\xi} N(-d_1(S, X, \xi)) \right] \Big|_0^\tau \right. \\
&\quad \left. - \int_0^\tau e^{-q\xi} N'(-d_1(S, X, \xi)) \frac{\partial}{\partial \xi} (-d_1(S, X, \xi)) d\xi \right]. \tag{69}
\end{aligned}$$

Changing the integration variable from ξ to $\tau - \xi$ gives

$$\begin{aligned}
P^E(S, \tau) &= \max(X - S, 0) + \frac{1}{2} \sigma^2 S \int_0^\tau \frac{1}{\sigma\sqrt{\tau - \xi}} e^{-q(\tau - \xi)} \cdot N'(-d_1(S, X, \tau - \xi)) d\xi \\
&\quad - r X \int_0^\tau e^{-r(\tau - \xi)} N(-d_2(S, X, \tau - \xi)) d\xi \\
&\quad + q S \int_0^\tau e^{-q(\tau - \xi)} N(-d_1(S, X, \tau - \xi)) d\xi. \tag{70}
\end{aligned}$$

Now, substitute this expression into Kim's representation and rearrange terms. \square

Remark: We found a second proof for the first equivalence that makes no explicit use of the convolution theorem. Our starting point is equation (5.1.16) in Panini and Srivastav (2004). Including dividends it is straightforward to extend the result and show that equation (53) is equivalent to

$$P^A(S, \tau) = P^E(S, \tau) + \int_0^\tau I_1(\xi) d\xi - \int_0^\tau I_2(\xi) d\xi, \quad (71)$$

where

$$I_1(\xi) = \frac{rX}{2\sqrt{\pi\bar{\zeta}}} e^{-r\xi} e^{-\bar{\zeta}c^2+\beta c} \int_0^\infty e^{-cx} e^{-\frac{(\beta-x)^2}{4\zeta}} dx \quad (72)$$

and

$$I_2(\xi) = \frac{qS^*(\tau - \xi)}{2\sqrt{\pi\bar{\zeta}}} e^{-r\xi} e^{-\bar{\zeta}c^2+\beta c} \int_0^\infty e^{-(c+1)x} e^{-\frac{(\beta-x)^2}{4\zeta}} dx \quad (73)$$

with $\xi = \tau - x$, $\bar{\zeta} = \frac{1}{2}\sigma^2\xi$ and

$$\beta = \bar{\zeta}(2c + 1 - \kappa_2) - \ln \left(\frac{S(\tau)}{S^*(\tau - \xi)} \right). \quad (74)$$

Now, the integrals can be expressed as

$$I_1(\xi) = \frac{rX}{2\sqrt{\pi\bar{\zeta}}} e^{-r\xi} e^{-\bar{\zeta}c^2+\beta c} e^{-\frac{b}{4\zeta}} \int_0^\infty e^{-\frac{x^2}{4\zeta}} e^{-\frac{a_1x}{4\zeta}} dx \quad (75)$$

and

$$I_2(\xi) = \frac{qS^*(\tau - \xi)}{2\sqrt{\pi\bar{\zeta}}} e^{-r\xi} e^{-\bar{\zeta}c^2+\beta c} e^{-\frac{b}{4\zeta}} \int_0^\infty e^{-\frac{x^2}{4\zeta}} e^{-\frac{a_2x}{4\zeta}} dx \quad (76)$$

with

$$a_1 = 2\bar{\zeta}(\kappa_2 - 1) + 2 \ln \left(\frac{S(\tau)}{S^*(\tau - \xi)} \right),$$

$$a_2 = 2\bar{\zeta}(\kappa_2 + 1) + 2 \ln \left(\frac{S(\tau)}{S^*(\tau - \xi)} \right),$$

and $b = \beta^2$. From Gradshteyn and Ryzhik (2007), p.336, we have

$$\int_0^\infty \exp\left(-\frac{x^2}{4\beta} - \gamma x\right) dx = \sqrt{\pi\beta} \exp(\beta\gamma^2) \left[1 - \Phi(\gamma\sqrt{\beta})\right] \quad (77)$$

for $\operatorname{Re}(\beta) > 0$ and where $\Phi(x)$ denotes the error function at x . After simplifying the expressions for $I_1(\xi)$ and $I_2(\xi)$ become, respectively:

$$\begin{aligned} I_1(\xi) &= \frac{rX}{2} \left(\frac{S^*(\tau - \xi)}{S(\tau)} \right)^c e^{-r\xi} e^{\bar{\zeta}c(c+1-\kappa_2)} e^{\frac{1}{4\bar{\zeta}}\left(\frac{a_1^2}{4}-b\right)} \left[1 - \Phi\left(\frac{a_1}{4\bar{\zeta}}\right)\right] \\ &= \frac{rX}{2} \left(\frac{S^*(\tau - \xi)}{S(\tau)} \right)^c \left(\frac{S^*(\tau - \xi)}{S(\tau)} \right)^{-c} e^{-r\xi} \left[1 - \Phi\left(\frac{a_1}{4\bar{\zeta}}\right)\right] \\ &= \frac{rX}{2} e^{-r\xi} \left[1 - \Phi\left(\frac{a_1}{4\bar{\zeta}}\right)\right] \end{aligned} \quad (78)$$

and

$$\begin{aligned} I_2(\xi) &= \frac{qS^*(\tau - \xi)}{2} \left(\frac{S^*(\tau - \xi)}{S(\tau)} \right)^c e^{-r\xi} e^{\bar{\zeta}c(c+1-\kappa_2)} e^{\frac{1}{4\bar{\zeta}}\left(\frac{a_2^2}{4}-b\right)} \left[1 - \Phi\left(\frac{a_2}{4\bar{\zeta}}\right)\right] \\ &= \frac{qS^*(\tau - \xi)}{2} \left(\frac{S^*(\tau - \xi)}{S(\tau)} \right)^c \left(\frac{S(\tau)}{S^*(\tau - \xi)} \right)^{c+1} e^{-r\xi} e^{\frac{1}{4}\bar{\zeta}[(\kappa_2+1)^2 - (\kappa_2-1)^2]} \left[1 - \Phi\left(\frac{a_2}{4\bar{\zeta}}\right)\right] \\ &= \frac{qS(\tau)}{2} e^{-q\xi} \left[1 - \Phi\left(\frac{a_2}{4\bar{\zeta}}\right)\right]. \end{aligned} \quad (79)$$

Using the connection between the error function and the cumulative standard normal distribution function

$$\Phi(x) = 2N(\sqrt{2}x) - 1 \quad (80)$$

we have, respectively:

$$I_1(\xi) = rX e^{-r\xi} N\left(-\frac{a_1}{2} \frac{1}{\sqrt{2\bar{\zeta}}}\right) \quad (81)$$

and

$$I_2(\xi) = qS(\tau) e^{-q\xi} N\left(-\frac{a_2}{2} \frac{1}{\sqrt{2\bar{\zeta}}}\right). \quad (82)$$

Finally, observe that

$$-\frac{a_1}{2} \frac{1}{\sqrt{2\bar{\zeta}}} = \frac{1}{2} \sigma (1 - \kappa_2) \sqrt{\bar{\zeta}} - \frac{1}{\sigma \sqrt{\bar{\zeta}}} \ln\left(\frac{S(\tau)}{S^*(\tau - \xi)}\right) \quad (83)$$

and

$$-\frac{a_2}{2} \frac{1}{\sqrt{2\zeta}} = -\frac{1}{2} \sigma (1 + \kappa_2) \sqrt{\xi} - \frac{1}{\sigma \sqrt{\xi}} \ln \left(\frac{S(\tau)}{S^*(\tau - \xi)} \right) \quad (84)$$

and Kim's integral representation follows immediately by inserting the corresponding expressions into equations (81), (82) and thereafter (71). This completes the second proof. \square

5 Perpetual American Puts and Mellin Transforms

In this section, we show how to use the Mellin transform approach to derive closed-form solutions for perpetual American put options. We extend the results obtained by Panini and Srivastav (2005) to dividend-paying stocks. First, observe that the roots of $Q(\omega)$ defined in (16) are given by

$$\omega_1 = \frac{\kappa_2 - 1}{2} - \frac{\sqrt{(\kappa_2 - 1)^2 + 4\kappa_1}}{2}$$

and

$$\omega_2 = \frac{\kappa_2 - 1}{2} + \frac{\sqrt{(\kappa_2 - 1)^2 + 4\kappa_1}}{2}.$$

Thus, we have

$$Q(\omega) = (\omega - \omega_1)(\omega - \omega_2)$$

with $\omega_1 \leq -1 < 0 < \omega_2 \leq \kappa_1$. The limiting cases $\omega_1 = -1$ and $\omega_2 = \kappa_1$ are special roots for $q = 0$. We will determine the unknown critical stock price $S^*(t)$ using the second smooth pasting condition from equation (34).

Notice, that for the valuation formula (39) to hold as $T \rightarrow \infty$, it is necessary that $\text{Re}(Q(\omega)) < 0$, i.e. $0 < \text{Re}(\omega) < \omega_2$.

Using the second smooth pasting condition in (34) we obtain as $T \rightarrow \infty$

$$-1 = \frac{\partial P^A}{\partial S} \Big|_{S=S^*} = \frac{\partial P^E}{\partial S} \Big|_{S=S^*} + \frac{\partial P_1}{\partial S} \Big|_{S=S^*} + \frac{\partial P_2}{\partial S} \Big|_{S=S^*} \quad (85)$$

where the free boundary $S^* = S_\infty^*$ is now independent of time, and P_1 and P_2 denote the second and third term in the valuation formula (39), respectively. Now, the delta of a European put option on a dividend-paying stock is determined as

$$\frac{\partial P^E}{\partial S} = -e^{-q(T-t)} \cdot N(-d_1(S, X, T)) \quad (86)$$

with

$$d_1(S, X, T) = \frac{\ln \frac{S}{X} + (r - q + \frac{1}{2}\sigma^2)(T - t)}{\sigma\sqrt{T - t}}.$$

It follows that as $T \rightarrow \infty$

$$\left. \frac{\partial P^E}{\partial S} \right|_{S=S_\infty^*} \rightarrow 0. \quad (87)$$

Now consider the P_1 term. The limit $T \rightarrow \infty$ gives

$$\begin{aligned} \frac{\partial P_1}{\partial S} &= -\frac{rX}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{1}{S} \left(\int_t^\infty \left(\frac{S}{S_\infty^*} \right)^{-\omega} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx \right) d\omega \\ &= -\frac{rX}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{1}{S} \left(\frac{S}{S_\infty^*} \right)^{-\omega} \left[\frac{1}{\frac{1}{2}\sigma^2 \cdot Q(\omega)} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} \Big|_t^\infty \right] d\omega \end{aligned} \quad (88)$$

Therefore,

$$\left. \frac{\partial P_1}{\partial S} \right|_{S=S_\infty^*} = \frac{\kappa_1 X}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{1}{S_\infty^*} \cdot \frac{1}{(\omega - \omega_1)(\omega - \omega_2)} d\omega. \quad (89)$$

Similarly, the P_2 term is determined as

$$\begin{aligned} \frac{\partial P_2}{\partial S} &= \frac{q}{2\pi i} \int_{c-i\infty}^{c+i\infty} \left(\int_t^\infty \frac{\omega}{\omega+1} \left(\frac{S}{S_\infty^*} \right)^{-(\omega+1)} e^{\frac{1}{2}\sigma^2 \cdot Q(\omega) \cdot (x-t)} dx \right) d\omega \\ &= -\frac{2q}{\sigma^2} \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{\omega}{\omega+1} \left(\frac{S}{S_\infty^*} \right)^{-(\omega+1)} \cdot \frac{1}{Q(\omega)} d\omega. \end{aligned} \quad (90)$$

Therefore,

$$\left. \frac{\partial P_2}{\partial S} \right|_{S=S_\infty^*} = (\kappa_2 - \kappa_1) \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} \frac{\omega}{(\omega+1)(\omega-\omega_1)(\omega-\omega_2)} d\omega. \quad (91)$$

To evaluate both integrals we consider the following integration path (or contour path) in the complex plane:




Figure 1: Integration path for the critical stock price.

An application of the residue theorem (see Freitag and Busam (2000)) gives

$$\frac{\partial P_1}{\partial S} \Big|_{S=S_\infty^*} = \kappa_1 X \frac{1}{S_\infty^*(\omega_1 - \omega_2)} \quad (92)$$

and

$$\frac{\partial P_2}{\partial S} \Big|_{S=S_\infty^*} = (\kappa_2 - \kappa_1) \left[\frac{\omega_1}{(\omega_1 + 1)(\omega_1 - \omega_2)} - \frac{1}{(\omega_1 + 1)(\omega_2 + 1)} \right]. \quad (93)$$

Finally, we get for the critical stock price³

$$\begin{aligned} S_\infty^* &= \frac{\kappa_1(\omega_1 + 1)}{\omega_1(\kappa_1 - \kappa_2)} X \\ &= \frac{\omega_2}{\omega_2 + 1} X. \end{aligned} \quad (94)$$

³Merton's result (1973)

$$S_\infty^* = \frac{\kappa_1}{\kappa_1 + 1} X$$

is obtained as a special case for $q = 0$.

Observe that since $S^*(t)$ is non-decreasing in t (see Kim (1990), p. 560, Jacka (1991), Proposition 2.2.2 for a reference) we have the lower and upper bounds for $S^*(t)$ given by

$$S_\infty^* \leq S^*(t) \leq S^*(T) = \min \left(X, \frac{r}{q} X \right) \quad \forall t \in [0, T]. \quad (95)$$

The price for the perpetual American put is given by

$$\begin{aligned} P_\infty^A(S, t) &= -\frac{\kappa_1 X}{2\pi i} \int_{c-i\infty}^{c+i\infty} \left(\frac{S}{S_\infty^*} \right)^{-\omega} \frac{1}{\omega(\omega - \omega_1)(\omega - \omega_2)} d\omega \\ &\quad + \frac{2q}{\sigma^2} \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} S_\infty^* \left(\frac{S}{S_\infty^*} \right)^{-\omega} \frac{1}{(\omega + 1)(\omega - \omega_1)(\omega - \omega_2)} d\omega. \end{aligned} \quad (96)$$

Once again, we apply the residue theorem to determine the first integral as

$$\left(\frac{S}{S_\infty^*} \right)^{-\omega_2} \frac{\kappa_1 X}{\omega_2(\omega_2 - \omega_1)}. \quad (97)$$

The second integral is evaluated as

$$-\frac{2q}{\sigma^2} \left(\frac{S}{S_\infty^*} \right)^{-\omega_2} \frac{S_\infty^*}{(\omega_2 + 1)(\omega_2 - \omega_1)}. \quad (98)$$

Thus, we finally get for the perpetual American put price

$$\begin{aligned} P_\infty^A(S, t) &= \left(\frac{S}{S_\infty^*} \right)^{-\omega_2} \frac{\kappa_1 X}{\omega_2(\omega_2 - \omega_1)} - \frac{2q}{\sigma^2} \left(\frac{S}{S_\infty^*} \right)^{-\omega_2} \frac{S_\infty^*}{(\omega_2 + 1)(\omega_2 - \omega_1)} \\ &= \left(\frac{S}{S_\infty^*} \right)^{-\omega_2} \frac{X}{\omega_2 + 1} \\ &= \left(\frac{S}{S_\infty^*} \right)^{-\omega_2} (X - S_\infty^*), \quad \text{for } S > S_\infty^*. \end{aligned} \quad (99)$$

6 Conclusion

We have extended a technique proposed by Panini (2004) and Panini and Srivastav (2004) and derived a Black-Scholes-Merton-like valuation formula for European power put options on dividend-paying stocks. Focusing on American plain vanilla put options, we used the Mellin transform approach

to derive the valuation formulas for the option's price and its free boundary. To place emphasis on the generality of our results, we have proved the equivalence of the valuation formula derived herein to the meanwhile classical results presented by Kim (1990), Jacka (1991), and Carr et al. (1992). Additionally, we have recovered interesting properties of American options using the new method.

The analysis presented in this contribution is based on the Black-Scholes-Merton framework. The valuation formulas for the American put option and its free boundary may be used to derive new approximations for the American put option. Also, the method can be extended to pricing more complex European- and American-styled derivatives, like European and American basket options (see Panini and Srivastav (2004)) or path-dependent options. Extensions are also possible to other stochastic price processes, stochastic volatility models, and jump diffusions.

References

- Carr, P., Jarrow, R. and Myneni, R.: 1992, Alternative characterizations of American put options, *Mathematical Finance* **2**, 87–105.
- Chiarella, C., Ziogas, A. and Kucera, A.: 2004, A Survey of the Integral Representation of American Option Prices, *working paper*, pp. 1–54.
- Erdelyi, A., Magnus, W., Oberhettinger, F. and Tricomi, F.: 1954, *Tables of Integral Transforms, Vol. 1-2*, 1st edn, McGraw-Hill, New York.
- Esser, A.: 2003, General Valuation Principles for Arbitrary Payoffs and Applications to Power Options Under Stochastic Volatility, *Financial Markets and Portfolio Management* **17**, 351–372.
- Firth, N.: 2005, *High dimensional American options*, PhD thesis, University of Oxford.
- Flajolet, P., Gourdon, X. and Dumas, P.: 1995, Mellin transforms and asymptotics: Harmonic sums, *Theoretical computer science* **144**, 3–58.
- Freitag, E. and Busam, R.: 2000, *Funktionentheorie 1*, 3rd edn, Springer Verlag.
- Gradshteyn, I. and Ryzhik, I.: 2007, *Table of Integrals, Series, and Products*, 7th edn, Academic Press.
- Jacka, S.: 1991, Optimal Stopping and the American Put, *Journal of Mathematical Finance* **1,2**, 1–14.
- Kim, I.: 1990, The Analytic Evaluation of American Options, *Review of Financial Studies* **3**, 547–572.
- Kwok, Y.: 1998, *Mathematical Models of Financial Derivatives*, 1st edn, Springer-Verlag, Singapore.
- Macovski, S. and Quittard-Pinon, F.: 2006, On the Pricing of Power and Other Polynomial Options, *The Journal of Derivatives* **3**, 61–71.
- McKean, H.: 1965, Appendix: A free boundary problem for the heat equation arising from a problem in mathematical economics, *Industrial Management Review* **6**, 32–39.

- Merton, R.: 1973, Theory of Rational Option Pricing, *Bell Journal of Econom. Management Science* **4**, 141–183.
- Panini, R.: 2004, *Option Pricing with Mellin Transforms*, PhD thesis, Stone Brook University.
- Panini, R. and Srivastav, R.: 2004, Option Pricing with Mellin Transforms, *Mathematical and Computer Modelling* **40**, 43–56.
- Panini, R. and Srivastav, R.: 2005, Pricing perpetual options using Mellin transforms, *Applied Mathematics Letters* **18**, 471–474.
- Samuelson, P.: 1965, Rational theory of warrant pricing, *Industrial Management Review* **6**, 13–31.
- Sneddon, I.: 1972, *The Use of Integral Transforms*, 1st edn, McGraw-Hill, New York.
- Titchmarsh, E.: 1986, *Introduction to the Theory of Fourier Integrals*, 2nd edn, Chelsea Publishing Company.
- Wilmott, P., Dewynne, J. and Howison, S.: 1993, *Option Pricing, Mathematical Models and Computation*, Oxford Financial Press.

Die Liste der hier aufgeführten Diskussionsbeiträge beginnt mit der Nummer 252 im Jahr 2003. Die Texte können direkt aus dem Internet bezogen werden. Sollte ein Interesse an früher erschienenen Diskussionsbeiträgen bestehen, kann die vollständige Liste im Internet eingesehen werden. Die Volltexte der dort bis Nummer 144 aufgeführten Diskussionsbeiträge können nur direkt über die Autoren angefordert werden.

- 252. **McKinnon, Ronald und Gunther Schnabl:** The East Asian Dollar Standard, Fear of Floating, and Original Sin, Januar 2003.
- 253. **Schulze, Niels und Dirk Baur:** Coexceedances in Financial Markets – A Quantile Regression Analysis of Contagion, Februar 2003.
- 254. **Bayer, Stefan:** Possibilities and Limitations of Economically Valuating Ecological Damages, Februar 2003.
- 255. **Stadler, Manfred:** Innovation and Growth: The Role of Labor-Force Qualification, März 2003.
- 256. **Licht, Georg und Manfred Stadler:** Auswirkungen öffentlicher Forschungsförderung auf die private F&E-Tätigkeit: Eine mikroökonomische Evaluation, März 2003.
- 257. **Neubecker, Leslie und Manfred Stadler:** Endogenous Merger Formation in Asymmetric Markets: A Reformulation, März 2003.
- 258. **Neubecker, Leslie und Manfred Stadler:** In Hunt for Size: Merger Formation in the Oil Industry, März 2003.
- 259. **Niemann, Rainer:** Wie schädlich ist die Mindestbesteuerung? Steuerparadoxa in der Verlustverrechnung, April 2003.
- 260. nicht erschienen
- 261. **Neubecker, Leslie:** Does Cooperation in Manufacturing Foster Tacit Collusion?, Juni 2003.
- 262. **Buchmüller, Patrik und Christian Macht:** Wahlrechte von Banken und Aufsicht bei der Umsetzung von Basel II, Juni 2003.
- 263. **McKinnon, Ronald und Gunther Schnabl:** China: A Stabilizing or Deflationary Influence in East Asia? The Problem of Conflicted Virtue, Juni 2003.
- 264. **Thaut, Michael:** Die individuelle Vorteilhaftigkeit der privaten Rentenversicherung – Steuervorteile, Lebenserwartung und Stornorisiken, Juli 2003.
- 265. **Köpke, Nikola und Jörg Baten:** The Biological Standard of Living in Europe During the Last Two Millennia, September 2003.
- 266. **Baur, Dirk, Saisana, Michaela und Niels Schulze:** Modelling the Effects of Meteorological Variables on Ozone Concentration – A Quantile Regression Approach, September 2003.
- 267. **Buchmüller, Patrik und Andreas Marte:** Paradigmenwechsel der EU-Finanzpolitik? Der Stabilitätspakt auf dem Prüfstand, September 2003.
- 268. **Baten, Jörg und Jacek Wallusch:** Market Integration and Disintegration of Poland and Germany in the 18th Century, September 2003.
- 269. **Schnabl, Gunther:** De jure versus de facto Exchange Rate Stabilization in Central and Eastern Europe, Oktober 2003.
- 270. **Bayer, Stefan:** Ökosteuern: Versöhnung von Ökonomie und Ökologie?, Oktober 2003.
- 271. **Köhler, Horst:** Orientierungen für eine bessere Globalisierung, November 2003.
- 272. **Lengsfeld, Stephan und Ulf Schiller:** Transfer Pricing Based on Actual versus Standard Costs, November 2003.
- 273. **Lengsfeld, Stephan und Thomas Vogt:** Anreizwirkungen kostenbasierter Verrechnungspreise bei externen Effekten –Istkosten– versus standardkostenbasierte Verrechnungspreise bei Kreuzinvestitionen -, November 2003.

274. **Eisele, Florian und Andreas Walter:** Kurswertreaktionen auf die Ankündigung von Going Private-Transaktionen am deutschen Kapitalmarkt, Dezember 2003.
275. **Rall, Wilhelm:** Unternehmensstrategie für den globalen Wettbewerb, Februar 2004.
276. **Niemann, Rainer:** Entscheidungswirkungen von Verlustverrechnungsbeschränkungen bei der Steuerplanung grenzüberschreitender Investitionen, Februar 2004.
277. **Kirchner, Armin:** Verringerung von Arbeitslosigkeit durch Lockerung des Kündigungs- schutzes – Die entscheidende Einflussgröße, März 2004.
278. **Kiesewetter, Dirk und Andreas Lachmund:** Wirkungen einer Abgeltungssteuer auf Inves- titionsentscheidungen und Kapitalstruktur von Unternehmen, April 2004
279. **Schanz, Sebastian:** Die Auswirkungen alternativer Gewinnverwendung von Kapitalgesell- schaften im Rahmen des Halbeinkünfteverfahrens auf die Vermögenspositionen Residualan- spruchsberichtigter, Mai 2004.
280. **Stadler, Manfred:** Bildung, Innovationsdynamik und Produktivitätswachstum, Mai 2004.
281. **Grupp, Hariolf und Manfred Stadler:** Technological Progress and Market Growth. An Empirical Assessment Based on the Quality Ladder Approach, Mai 2004.
282. **Güth, Werner und Manfred Stadler:** Path Dependence without Denying Deliberation. An Exercise Model Connecting Rationality and Evolution, Mai 2004.
283. **Duijm, Bernhard:** Offener Regionalismus als pareto-verbessernde Integrationsform, Juni 2004.
284. **Pitterle, Ingo und Dirk Steffen:** Welfare Effects of Fiscal Policy under Alternative Ex- change Rate Regimes: The Role of the Scale Variable of Money Demand, Juni 2004.
285. **Molzahn, Alexander:** Optimale Fiskalpolitik und endogenes Wachstum, Juli 2004.
286. **Jung, Robert, Kukuk, Martin und Roman Liesenfeld:** Time Series of Count Data: Mod- elling and Estimation, August 2004.
287. **De Grauwe, Paul und Gunther Schnabl:** Nominal versus Real Convergence with Respect to EMU Accession. EMU Entry Scenarios for the New Member States, August 2004.
288. **Kleinert, Jörn und Farid Toubal:** A Structural Model of Exports versus Production Abroad, Dezember 2004.
289. **Godart, Olivier und Farid Toubal:** Cross the Border and Close the Gap? How do Migrants Enhance Trade, Januar 2005.
290. **Schnabl, Gunther und Christian Danne:** The Changing Role of the Yen/Dollar Exchange Rate for Japanese Monetary Policy, Februar 2005.
291. **Schnabl, Gunther:** Der Festkurs als merkantilistische Handelspolitik – Chinas Währungs- und Geldpolitik im Umfeld globaler Ungleichgewichte, Februar 2005.
292. **Starbatty, Joachim:** Anmerkungen zum Woher und Wohin der Europäischen Union, Feb- ruar 2005.
293. **Wagner, Franz W.:** Steuervereinfachung und Entscheidungsneutralität - konkurrierende oder komplementäre Leitbilder für Steuerreformen?, April 2005.
294. **Yu, Peiyi und Werner Neus:** Market Structure, Scale Efficiency, and Risk as Determinants of German Banking Profitability, Juni 2005.
295. **Schüle, Tobias und Manfred Stadler:** Signalling Effects of a Large Player in a Global Game of Creditor Coordination, Juni 2005.
296. **Zaby, Alexandra:** Losing the Lead: Patents and the Disclosure Requirement, August 2005.
297. **Hager, Svenja und Rainer Schöbel:** A Note on the Correlation Smile, Dezember 2005.
298. **Starbatty, Joachim:** Zum Zusammenhang von Politik, Ethik und Ökonomik bei Aristoteles, Dezember 2005.
299. **Rostek, Stefan und Rainer Schöbel:** Risk Preference Based Option Pricing in a Fractional Brownian Market, Januar 2006.
300. **Hager, Svenja und Rainer Schöbel:** Deriving the Dependence Structure of Portfolio Credit Derivatives Using Evolutionary Algorithms, Februar 2006.

301. **Töpfer, Klaus:** Offene Fragen und wissenschaftliche Herausforderungen der Entwicklungs- und Umweltpolitik, Februar 2006.
302. **Stadler, Manfred:** Education and Innovation as Twin-Engines of Growth, März 2006.
303. **Schüle, Tobias:** Forbearance Lending and Soft Budget Constraints in a Model of Multiple Heterogeneous Bank Financing, März 2006.
304. **Buch, Claudia und Jörn Kleinert:** Exchange Rates and FDI: Goods versus Capital Market Frictions, February 2006.
305. **Felbermayr, Gabriel und Toubal Farid:** Cultural Proximity and Trade, März 2006.
306. **Schöbel, Rainer und Jochen Veith:** An Overreaction Implementation of the Coherent Market Hypothesis and Option Pricing, April 2006.
307. **Schüle, Tobias:** Creditor Coordination with Social Learning and Endogenous Timing of Credit Decisions, November 2006.
308. **Starbatty, Joachim:** Sieben Jahre Währungsunion: Erwartungen und Realität, November 2006.
309. **Dymke, Björn M. und Andreas Walter:** Insider Trading in Germany – Do Corporate Insiders Exploit Inside Information?, Dezember 2006.
310. **Brandes, Julia und Tobias Schüle:** IMF's Assistance: Devil's Kiss or Guardian Angel?, Februar 2007.
311. **Goerke, Laszlo und Markus Pannenberg:** Trade Union Membership and Works Councils in West Germany, März 2007.
312. **Yalcin, Erdal:** The Proximity-Concentration Trade-Off in a Dynamic Framework, August 2007.
313. **Kleinert, Jörn und Farid Toubal:** Gravity for FDI, Oktober 2007.
314. **Kleinert, Jörn und Farid Toubal:** The Impact of Locating Production Abroad on Activities at Home: Evidence from German Firm-Level Data, November 2007.
315. **Felbermayr, Gabriel J. und Benjamin Jung:** Sorting it Out: Technical Barriers to Trade and Industry Productivity, Februar 2008.
316. **Fischer, Michaela:** Können Studiengebühren eine Signalling- und Screeningfunktion ausüben?, März 2008
317. **Felbermayr, Gabriel J. und Benjamin Jung:** Trade Intermediaries, Incomplete Contracts, and the Choice of Export Modes, Mai 2008
318. **Maier, Ramona und Michael Merz:** Credibility Theory and Filter Theory in Discrete and Continuous Time, Oktober 2008
319. **Frontczak, Robert und Rainer Schöbel:** Pricing American Options with Mellin Transforms, Dezember 2008