## The role of affect and cognitive schemata in the assessment of psychopathy

by

### Fiona Wilks-Riley

A thesis submitted in partial fulfilment for the requirements of the degree of Doctor of Philosophy at the University of Central Lancashire

**July 2011** 

#### **ACKNOWLEDGMENT**

This thesis is dedicated to the memory of my father, for all his love, support and goodness. It is also dedicated to my mother for all her encouragement over the last few years and practical support. Eternal thanks to Chris for his long-suffering and endless cups of tea, I could not have done it without you! Grateful thanks to Robert and Benjamin, thank you for being patient whilst mummy did her work. Heartfelt thanks to Jane for her advice, encouragement, inspiration, faith in me, and for making it possible. Also thanks to John Archer for his advice on the drafts. Thanks also to Ute and Christina for all your support.

#### **ABSTRACT**

\_\_\_\_\_

This thesis examined psychopathy, cognitive schemata and affect in forensic and community populations. This was to identify whether cognitive schemata and affect would assist in the assessment of psychopathy. Study one was conducted on 38 male high secure hospital patients and 38 male prisoners. It focused on the assessment of psychopathy and cognitive schemata. It was predicted that psychopathy would be positively related to negative schemata and early maladaptive schemata and negatively related to positive schemata. This prediction was supported with the exception of Early Maladaptive Schemata. Study two was conducted on 38 male high secure hospital patients and 38 male prisoners and also examined psychopathy and affect. It further explored positive schemata that was significant in study one. It was predicted that psychopathy would be positively related to errors on affective word sentence completion with slower response times. These predictions were not supported. The third study included 101 male prisoners and 108 male university students. An assessment of cognitive schema and affect was also developed. A further core prediction was that psychopathy would have a positive relationship with detached affect and results supported this. Contrary to prediction, it was found that psychopathy was higher in the student group compared to the prisoner group. Study four further explored the core predictions and included an examination of psychopathy, cognitive schema, affect and the 'Big Five' in 174 prisoners and 200 male students. The predictions were supported that psychopathy would be negatively related to positive cognitive schemata and positively related to negative cognitive schemata, in both groups. The predictions that detached affect would be significant to psychopathy was again supported. Contrary to prediction psychopathy was found to be higher in the student group. The current research indicates that cognitive schemata and affect are related to psychopathy. It also shows that similar cognitive profiles of psychopathy are demonstrated in prison and student groups that relate to affect. Further, it highlights the neglected role of positive schemata in psychopathy. Future research could consider the role of positive schemata and refine the cognitive profile in psychopathy, it could also examine the newly proposed cognitive behavioural model of psychopathy.

#### **Student Declaration**

# Concurrent registration for two or more academic awards I declare that while registered for the research degree, I was not enrolled for any other awards. Material submitted for another award I declare that no material contained in the thesis has been used in any other submission for an academic award and is solely my own work. **Signature of Candidate** Type of award Doctor of Philosophy\_\_\_\_\_

Psychology\_\_\_\_

School

#### **CONTENTS**

5.2

5.3

5.4

5.5

5.6

СНАР	ΓER 1: Setting the Scene	1
CHAP	ΓER 2: Psychopathy History and Concept	4
2.1	Structure of the chapter	
2.2	Definition and controversies	4
2.3	History of psychopathy	6
2.4	Psychopathy and morality	7
2.5	Sociopathy	10
2.6	Psychopathy in different populations	11
2.7	Concluding comments	13
CHAP	ΓER 3: Affect and Psychopathy	16
3.1	Structure of the chapter	
3.2	Why affect is important in psychopathy	16
3.3	The Low Fear Hypothesis	
3.4	Language-based research into affective processing and psychopathy	
3.5	Criticism of the Low Fear Hypothesis	21
3.6	Dual Process Model	
3.7	Dual Process Model: Factor 1 incorporating personality and affect	27
3.8	Dual Process Model: the development of Factor 2 (lifestyle/antisocial)	
	psychopathy	
3.9	Criticism of the dual process model	30
3.10	Concluding comments	32
СНАР	TER 4: Psychopathy, Personality Disorder and Cognitive Schemata	35
4.1	Structure of the chapter	
4.2	Theory of criminality and psychopathy	
4.3	The five factor model and five factor theory of personality	37
4.4	Five factor model and psychopathy	
4.5	Cognitive behavioural theory of personality disorder	41
4.6	Cognitive analytic theory of personality disorder (Young, 1990)	44
4.7	Concluding comments	46
СНАР	TER 5: Assessment of Psychopathy	49
5.1	Structure of the chapter	49

CHAPTER 6: Addressing the Research Problem: The Assessment of Cognitive	
Schemata	58

6.1	Structure of the chapter	58
6.2	The assessment of psychopathy	
6.3	Psychopathy and affect	
6.4	Psychopathy, personality and cognition	59
6.5	Aims	
6.6	How the thesis will address these aims	65
СНАР	TER 7: An Investigation of Psychopathy and Cognitive Schemata: An	
	Exploration in Two Forensic Populations	66
7.1	Structure of the chapter	66
7.2	Introduction	67
7.3	Participants	67
7.4	Ethical considerations	68
7.5	Measures	68
7.6	Procedure	72
7.7	Results	
7.8	Data screening	
7.9	Thematic analysis of semi structured interview	
7.10	Relationships between Early Maladaptive, positive and negative schemata	
7.11	Identifying predictors of psychopathy from the semi-structured interview	
7.12	Identifying predictors of psychopathy from Early Maladaptive Schemata	
7.13	Semi-structured interview predictor of psychopathy groups	
7.14	Early Maladaptive Schema predictors of psychopathy groups	
7.15	Differences between hospital and prison groups	
7.16	Summary of results	
7.17	Discussion	85
СНАР	TER 8: Study Two: An Investigation of Psychopathy, Affect and Positive	
CHAI	Schemata: An Exploration in Two Forensic Populations	<b>Q1</b>
8.1	Structure of the chapter	
8.2	Introduction	
8.3	Participants	
8.4	Ethical considerations	
8.5	Measures	
8.6	Procedure	
8.7	Results	
8.8	Data screening	
8.9	Identifying predictors of psychopathy from Early Maladaptive Schemata,	> 0
0.5	positive schema and affect	98
8.10	Identifying predictors of psychopathy groups from affect, positive and Early	> 0
0.10	Maladaptive Schemata	101
8.11	Analyses of relationships between affect, positive schemata and Early	201
	Maladaptive Schemata	103
8.12	Analysis of differences between hospital and prison groups	
8.13	Summary of results	
8.14	Discussion	
0.14	D 10 4 4 5 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	200

CHAPTER 9: Study Three: An Investigation of Psychopathy, Affect Positive			
	And Negative Schemata: An Exploration in a Forensic and Community		
	Population		
9.1	Structure of the chapter		
9.2	Introduction		
9.3	Participants		
9.4	Ethical considerations		
9.5	Measures		
9.6	Procedure		
9.7	Results	117	
9.8	Data screening	117	
9.9	Comparisons between prison and student groups	119	
9.10	Factor analysis of the positive schemata, negative schemata and detached affect scales – total sample.	120	
9.11	Standard multiple regression analyses to identify predictors of psychopathy	101	
0.10	the student and prison groups		
9.12	Predictors of psychopathy from the SPANA-1 factors		
9.13	Summary of results		
9.14	Discussion	132	
10.1	Schemata: Further Exploration in a Forensic and Community Population Structure of the chapter	138	
10.2	Introduction.		
10.3	Participants	139	
10.3	Ethical considerations		
10.4	Measures		
10.5	Procedure		
10.6	Results		
10.7	Data screening		
10.8	Differences between groups: prison and student		
10.9	Analysis of predictors of psychopathy from the Big Five, positive and		
	negative cognitive schemata and affect		
10.10	Factor analysis of the SPANA-2 and its subscales.		
	Identifying predictors of psychopathy from the SPANA-2		
10.12	Summary of results	157	
10.13	Discussion	159	
СП А РЛ	TER 11: Discussion		
		125	
11.1	Structure of the chapter	103	

Appendix A: Materials for Study 1	REFE	RENCES	184
Appendix B: Materials for Study 2			
Appendix C: Materials for study 3	Appen	dix A: Materials for Study 1	198
LIST OF TABLES  2.1 Items from the Psychopathy Checklist (2003)	Append	dix B: Materials for Study 2	214
LIST OF TABLES  2.1 Items from the Psychopathy Checklist (2003)	Append	dix C: Materials for study 3	231
1.1 Items from the Psychopathy Checklist (2003)	Append	dix D: Materials for Study 4	244
5.1 Four facet model (Hare, 2003)		LIST OF TABLES	
5.1 Four facet model (Hare, 2003)	2.1	Items from the Psychopathy Checklist (2003)	5
7.2 Early Maladaptive Schema	5.1		
7.2 Early Maladaptive Schema	7.1	Items from the Psychopathy Checklist Screening Version	68
Maladaptive Schemata 7.4 Schemata from the semi structured interview 7.5 Correlations amongst variables from the semi-structured interview 7.6 Correlations amongst Early Maladaptive Schemata 7.7 Classification of low, medium and high PCL-SV categories 8.2 Scale Means and Standard Deviations by Location 9.8 Scale Means and Standard Deviations by Location 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 9.1 Reliabilities of the SPANA-1 scales 9.2 Reliabilities of the SPANA-1 scales 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 9.4 Means for the four factors, total sample 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 9.2 Reliabilities of the Levenson self report measure of psychopathy scales 9.4 Reliabilities of the Levenson self report measure of psychopathy scales 9.5 Factor analysis of SPANA-2 scales 9.6 Reliabilities of the Levenson self report measure of psychopathy scales 9.7 Reliabilities of the Levenson self report measure of psychopathy scales 9.8 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 9.1 As 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 9.6 Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution 9.7 Factor analysis of SPANA-2 for the prison group. Illustration of five factor solution 9.8 Factor analysis of SPANA-2 for the prison and student groups 9.8 Table for the SPANA-2 factors for the prison and student groups 9.9 Table for the SPANA-2 factors for the prison and student groups	7.2		
7.4 Schemata from the semi structured interview	7.3		
7.5 Correlations amongst variables from the semi-structured interview 78 7.6 Correlations amongst Early Maladaptive Schemata 80 7.7 Classification of low, medium and high PCL-SV categories 82 8.1 Scale Means and Standard Deviations by Location 98 8.2 Correlations amongst variables 100 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 115 9.2 Reliabilities of the SPANA-1 scales 116 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 119 9.4 Means for the four factors, total sample 120 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 121 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 125 10.1 Reliabilities of the Levenson self report measure of psychopathy scales 140 10.2 Reliability of the SPANA-2 scales 141 10.3 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 143 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 146 10.5 Factor analysis of SPANA-2 for the prison group. Illustration of five factor solution 150 10.6 Factor analysis of SPANA-2 for the student group. Illustration of five factor solution 152 10.7 Means Table for the SPANA-2 factors for the prison and student groups 156		±	
7.6 Correlations amongst Early Maladaptive Schemata 80 7.7 Classification of low, medium and high PCL-SV categories 82 8.1 Scale Means and Standard Deviations by Location 98 8.2 Correlations amongst variables 100 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 115 9.2 Reliabilities of the SPANA-1 scales 116 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 119 9.4 Means for the four factors, total sample 120 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 121 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 125 10.1 Reliabilities of the Levenson self report measure of psychopathy scales 140 10.2 Reliability of the SPANA-2 scales 141 10.3 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 143 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 146 10.5 Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution 150 10.6 Factor analysis of SPANA-2 for the student group. Illustration of five factor solution 152 10.7 Means Table for the SPANA-2 factors for the prison and student groups 156  List of figures			
7.7 Classification of low, medium and high PCL-SV categories 82 8.1 Scale Means and Standard Deviations by Location 98 8.2 Correlations amongst variables 100 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 115 9.2 Reliabilities of the SPANA-1 scales 116 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 119 9.4 Means for the four factors, total sample 120 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 121 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 125 10.1 Reliabilities of the Levenson self report measure of psychopathy scales 140 10.2 Reliability of the SPANA-2 scales 141 10.3 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 143 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 146 10.5 Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution 150 10.6 Factor analysis of SPANA-2 for the student group. Illustration of five factor solution 152 10.7 Means Table for the SPANA-2 factors for the prison and student groups 156		E Company of the Comp	
8.1 Scale Means and Standard Deviations by Location 98 8.2 Correlations amongst variables 100 9.1 Reliabilities of the Levenson self report measure of psychopathy scales 115 9.2 Reliabilities of the SPANA-1 scales 116 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 119 9.4 Means for the four factors, total sample 120 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 121 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 125 10.1 Reliabilities of the Levenson self report measure of psychopathy scales 140 10.2 Reliability of the SPANA-2 scales 141 10.3 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 143 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 146 10.5 Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution 150 10.6 Factor analysis of SPANA-2 for the student group. Illustration of five factor solution 152 10.7 Means Table for the SPANA-2 factors for the prison and student groups 156			
8.2 Correlations amongst variables			
9.1 Reliabilities of the Levenson self report measure of psychopathy scales 115 9.2 Reliabilities of the SPANA-1 scales 116 9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales 119 9.4 Means for the four factors, total sample 120 9.5 Factor analysis of SPANA part A. Illustration of four factor solution 121 9.6 Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores 125 10.1 Reliabilities of the Levenson self report measure of psychopathy scales. 140 10.2 Reliability of the SPANA-2 scales 141 10.3 Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores 143 10.4 Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales 146 10.5 Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution 150 10.6 Factor analysis of SPANA-2 for the student group. Illustration of five factor solution 152 10.7 Means Table for the SPANA-2 factors for the prison and student groups 156			
9.2 Reliabilities of the SPANA-1 scales		<del>-</del>	
9.3 Means table for psychopathy, positive and negative schemata, detached affect and affect sentence completion scales			
affect and affect sentence completion scales			110
9.4 Means for the four factors, total sample	9.3		110
9.5 Factor analysis of SPANA part A. Illustration of four factor solution	0.4		
Correlations amongst psychopathy, positive schemata, negative schemata, detached affected total schemata and affect sentence completion scores			
detached affected total schemata and affect sentence completion scores		· · · · · · · · · · · · · · · · · · ·	121
10.1 Reliabilities of the Levenson self report measure of psychopathy scales	7.0		125
10.2 Reliability of the SPANA-2 scales	10.1		
Psychopathy (LSRP, primary and secondary), positive, negative, affect and Big Five' scale means after modification for extreme scores			
Big Five' scale means after modification for extreme scores		Psychopathy (LSRP, primary and secondary), positive, negative, affect and	
Correlations amongst psychopathy (LSRP, primary and Secondary) SPANA-2 scales (positive, negative and affect) and IPIP scales		Big Five' scale means after modification for extreme scores	143
Factor analysis of SPANA-2 for the prison group. Illustration of seven factor solution	10.4	S .	
factor solution			146
factor solution	10.5		150
10.7 Means Table for the SPANA-2 factors for the prison and student groups	10.6	•	152
	10.7		
11.1 Development of psychopathy in a prison population 176		List of figures	
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	11 1	Development of psychonathy in a prison population	176

11.2	Development of psychopathy in a community population	179	9
------	--	-----	---