PERIODICUM BIOLOGORUM VOL. 111, No 4, 523–529, 2009

UDC 57:61 CODEN PDBIAD ISSN 0031-5362



Original scientific paper

# Development of bird ringing in Croatia and neighbouring countries in the period 1910–1992: new perspectives

#### JASMINA MUŽINIĆ<sup>1</sup> JENŐ J. PURGER<sup>2</sup>

<sup>1</sup> Institute of Ornithology Croatian Academy of Sciences and Arts Gundulićeva 24 HR-10000 Zagreb, Croatia

<sup>2</sup> Department of Animal Ecology Institute of Biology Faculty of Sciences University of Pécs Ifjúság útja 6 H-7624 Pécs, Hungary

#### Correspondence: Jasmina Mužinić

Institute for Ornithology CASA Gundulićeva 24 10000 Zagreb, Croatia E-mail: jasmina@hazu.hr

Key words: bird ringing, ornithology, Croatia, former Yugoslavia

Received July 26, 2007.

## Abstract

**Background and Purpose:** Based on preserved original bird ringers' reports and published annual reports on bird ringing, the development of the ringing of birds in Croatia from 1910 to 1992 is discussed in this paper. After the breakdown of the Austro-Hungarian Empire (1918), Serbia, Croatia and Slovenia made up the common country of Yugoslavia until 1992. Bird ringing is today organized independently in each of the newly founded states so new reports should not be cummulatively added to the older collective ones. The aim of this article is to emphasize the need of organizing the data collected between 1910–1992 separately for each country. This should provide a more realistic insight into earlier bird ringing reports. The article also studies the contribution of bird ringing as a method to the disciplinary development of ornithology in Croatia.

Material and Methods: Separation of data on bird ringing for the territory of Croatia from the cumulative data collected between 1910 and 1992 was conducted on the sample of 25 species. The sources used were the original annual reports written by bird ringers and kept in the Bird ringing archive in the Institute of Ornithology, Croatian Academy of Sciences and Arts (CASA). They contain information on bird species, location and date of ringing. To assess the contribution of bird ringing as a method to the disciplinary development of ornithology in Croatia, we studied the data distribution and the Croatian share in the total bird ringing on the territory of ex-Yugoslavia, as well as the use of the bird ringing data and the reports on ringed birds in conference presentations and research articles published by 1992.

**Results and Conclusions:** The separation of bird ringing data for 25 species (62,094 individual birds) shows that in former Yugoslavia the majority of bird ringing took place outside Croatia. Of the total of 47 reports on bird ringing and on recoveries on ringed birds published by 1992, 34 were used for writing 22 research articles and 16 conference presentations or abstracts. Throughout the history of bird ringing, the Institute of Ornithology, CASA, has remained the organizer of the activity and the custodian of the Bird ringing archive. The institute should now draw up an inventory of all data collected up to present time. Furthermore, the data should be digitalized and, as a Digital bird ringing database, made accessible to a wider ornithological audience. The year 2010 as the 100<sup>th</sup> anniversary of bird ringing offers an opportunity to highlight the role of Croatia in the development and organization of this activity, and to modernize data processing.

## INTRODUCTION

In the Austro-Hungarian Monarchy (1867–1918), bird ringing first began in Hungary in 1908 (1), in Croatia in 1910 (2), and in Austria in 1913 (3). Rings with Hungarian marks, used mostly in the region of Vojvodina (Obedska bara, Zemun, Pančevo, Novi Sad and several towns in Srijem) and eastern Croatia (Kopački rit, Belje), remained in use until 1939, well after the dissolution of the Austro-Hungarian Monarchy. From the very beginning, bird ringing has been continuously conducted in the whole territory and organized by the Croatian Ornithological Centre (1910-1939). Nevertheless, Slovenia established an independent bird ringing organization in 1926 (4). In the Socialist Federal Republic of Yugoslavia (1945-1991), bird ringing extended to the territories of five republics (Croatia, Bosnia and Herzegovina, Serbia, Macedonia, and Montenegro) and two autonomous provinces (Voivodina and Kosovo). Croatia, that is the Institute of Ornithology of the Yugoslav Academy of Sciences and Arts - today Department of Ornithology of the Croatian Academy of Sciences and Arts - had continued to organize bird-ringing for the remaining republics until Croatia proclaimed independence in 1992.

After 1992, Croatia continued to organize bird ringing exclusively on its own state territory. Bird ringing, data collecting and data processing in the rest of Yugoslavia was officially abolished. The last report on bird ringing for the territory of Yugoslavia stated that, between 1910 and 1992, 284 species with 547,442 individual birds (5) were ringed, and 5,528 recoveries of ringed birds were recorded (6). The cummulative reports published by 1992 no longer satisfy the needs of new independent countries, so new solutions for their future use must be developed.

Although modern methods of bird marking to study different aspects of the bird's life, especially migration, have been created, bird ringing, first implemented in Europe in the early twentieth century, vitally contributed to the disciplinary development of ornithology (7). Besides Slovenia, Croatia was the only former Yugoslav republic that invested organizational, knowledge and financial\* resources into bird ringing. This study investigates the contribution of bird ringing to the disciplinary development of ornithology in Croatia between 1910 and 1992. It also tries to encourage seeking of solutions for access and use of data on bird ringing.

## **MATERIAL AND METHODS**

A study of the contribution of bird ringing to the disciplinary development of ornithology is based on separating the data on bird ringing collected in the territory of Croatia between 1910 and 1992 from the cumulative data, and on an analysis of the uses of published reports for research studies up to 1992. Using original bird ringers' reports from the *Bird ring-ing archive*, we separated the data for 25 species ringed at locations in former Yugoslavia. The relation between the number of bird species and individual ringed birds with-in and outside Croatia has been taken as the indicator of bird ringing intensity distribution in former Yugoslavia.

We selected data on bird ringing of 12 species from the Ardeidae family, five from Sternidae, four from Lanidae, two from Turdidae (Muscicapidae), and one each from Cinclidae and Passeridae. These species were chosen as representatives of key biotopes and eco-systems: water, forrest and agricultural areas. The ringing of young birds still in the nest helps find out the location and area of the nesting of a species. These data may thus be used as a valuable source for faunistic research. The use of bird ringing data and of reports on ringed bird recoveries is expressed as the number of published ornithological studies, conference presentations and abstracts. We examined five ornithological journals: Aquila, Larus, Troglodytes, Acrocephalus and Ciconia; four Croatian natural history journals: Glasnik naravoslovnoga družtva, Periodicum biologorum, Priroda and Šumarski list and three Serbian journals: Ekologija, Arhiv bioloških nauka and Jelen. We furthermore took into account articles published in the journals outside the study area, such as The Ring, as well as conference presentations and abstracts.

The study did not take into account the few data on bird ringing and recoveries used for articles in compilations on the biology of European birds such as *Handbook* of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic (8, 9).

## **RESULTS AND DISCUSSION**

The Bird ringing archive at the Institute of Ornithology, CASA, hold original annual bird ringers' reports (Figure 1). Bird ringers filled a predesigned form; they recorded the species name, age and sex of the bird, as well as the location and date of ringing. Reports for the period 1910–1929 are not in the Archive; instead, they were analyzed and published in the form of reports covering two periods: from 1910 to 1918. (2,10-17) and from 1919 to 1930. (18). Bird ringing failed to take place in 1923 and 1924 (18) so reports for these two years do not exist. The report for 1932 as well as for the period between 1935 and 1938 are also missing, although bird ringing did take place in these years, as confirmed by a published report for the period 1931–1938 (19). Stromar (20) reports that between 1940 and 1945 around 22,000 birds were ringed, but that the original bird ringers reports were destroyed in World War Two. Yet, research into the Archive reveals that these reports have survived, but probably not entirely. Unfortunately, reports for 1974 accidentally got charred and thus are almost completely illegible. In conclusion, the Archive holds annual reports of 62 years for the period 1930–1992.

<sup>\*</sup> This refers to the costs of the production and transport of rings, as well as their distribution to bird ringers. Bird ringing itself was carried out by ringers in the field.

#### ORNITOLOŠKI ODJEL INSTITUTA ZA BIOLOGIJU SVEUČILIŠTA

ZAGREB, ILIRSKI TRG 9/II TELEFON

Red. proj	Ime prstenovane ptice	Mjesto prstenovanja	Datum prstenovanja	Broj komada prstenov. ptica	Brojevi prstena	Starost i spol prstenovane ptice	Primjedbe
57	NYCTICORAX	DRENOV BOK KEAPZE DOL	2.3. VI. 70	100	C234501-234600	PULL.	
8	EGRETTA GARZETTA	-11-	23.VI.	38	C234601-234638	PULL.	
59	PLATALEA LEUCORODIA	-11-	23. VI.	61	0112440-112500	PULL.	
50	ARDER PURPUREA	-11-	23. VI.	25	0112501-112525	PULL.	
1	HIRUNDO RUSTICA	- //-	23.11.	15	E47867-47881,	SVE PULL. OSIN 81AD. 8	STATE U SELU
52	ARDEA PURPUREA	-11-	24. 11.	64	0112526-112588	PULL.	
53	CINCLUS	PLITVICE	30. 11.	1	- A382150	700.	SELO BIJELARIJE
4	MOTACILLA ALBA	-11-	2.11	1	E 47882,	708.	PLITVICE
55	CINCLUSCINCLUS	-11-	2. 111.	3	A382151, A 382152, A382153,	700.	-11-
6	CINCLUS CINCLUS	-11-	3. 11.	i		701.	-//~
2	HIRUNDO RUSTICA	-11-	3. 11.	3	E47883 E47884, E47881,	20V. 8 A.D.	-11-
8	MOTACILLA ALBA	-11-	3. 11.	4		7. 8AD. 944.	-11-

Popis prstenovanih ptica u 1990 god. Prstenovanje je provodio VLADIMIR PFEIFER

Figure 1. Original ringers report from Bird ringing archive at the Institute for Ornithology CASA for 1970.

Data from original bird ringers' reports are separately processed for each year and then published as Bird ringing results for the use of ornithological audience. As a rule, they contain information on the number of ringed birds but not about the location where the ringing took place. These reports have been traditionally published in the journal Larus. Before the foundation of Larus, bird ringing results had been published as annual reports on the activities of the Croatian Ornithological Centre, were self-published by E. Rössler (2, 10-17), in Lovačko-ribarski vjesnik (18) and by the Ornithological Section of the Institute of applied zoology of the Banovina of Croatia (19, 20). These early reports lack serial numbers so Maštrović (21) numbered his report as the third in the series, because he thought that the first was the one by Plančić from 1932, and the second Maštrović's report from 1939. Between 1910 and 1992, 47 reports, including 9 by Rössler, were published. The 24 reports titled Bird ringing results combine two sections on 1) bird ringing results 2) recoveries on domestic and foreign ringed birds (18-32, 34-41). For the period 1976–1992, six separate reports on bird ringing results (5, 42–46) and six reports on the findings of ringed birds (6, 47-51) were published. Another two unnumbered reports analyse older bird ringers' reports: a report by Kroneisl-Rucner (52) focused on birds found in Croatia but ringed elsewhere (1940–1952), while the other report collected and examined data on birds ringed with

ries that today belong to Croatia and Serbia (53). This report was prepared using the data that until then had been published in an incomplete form in the journal Aquila (1, 54-67) and that, until the publication in the journal Larus, had been unknown to Croatian ornithologists. These data complete the information on the early era of bird ringing in these territories. The report is especially valuable to Croatia because most of the data were gathered in the area of Kopački rit, today a nature park and a special zoological reserve, as well as one of four areas listed by the Ramsar convention and a candidate for the status of national park. The procedure and basic features of bird ringing were previously described in detail (68), and so were the method, organization and results of bird ringing between 1910 and 1987 (69).

Hungarian rings between 1908 and 1939 on the territo-

u ZAGREBU

### Bird ringing intensity distribution on the territory of former Yugoslavia

The majority of bird ringing activities in former Yugoslavia took place outside Croatia, as shown by the sample of 25 bird species, or 8.8% of all ringed species during the study period (Table 1). Of these 25, 18 species, or 72%, had more individual birds ringed in the territory of other republics than in Croatia. Furthermore, 81% of the total number of ringed birds (62,094) was ringed outside Croatia. The most active area was Vojvodina. Four species

#### TABLE 1

The number and percentage (%) of individual ringed birds in the sample of 25 species in Croatia and other Yugoslav republics between 1910 and 1992.

SPECIES	No (%) ringed birds in Croatia	No (%) ringed birds in former Yugoslavia except Croatia
1. Botaurus stellaris	0 (0.0)	8 (100.0)
2. Plegadis falcinellus	0 (0.0)	13 (100.0)
3. Egretta alba	0 (0.0)	51 (100.0)
4. Platalea leucorodia	0 (0.0)	720 (100.0)
5. Sterna albifrons	1 (11.0)	8 (89.0)
6. Ciconia nigra	3 (4.5)	63 (95.5)
7. Lanius excubitor	9 (75.0)	3 (25.0)
8. Chlidonias leucopterus	16 (73.0)	6 (27.0)
9. Ixobrychus minutus	24 (3.9)	595 (96.1)
10. Luscinia luscinia	27 (24.1)	85 (75.9)
11. Cinclus cinclus	34 (57.63)	25 (42.37)
12. Lanius senator	126 (76.80)	38 (23.20)
13. Ardea cinerea	175 (19.58)	719 (80.42)
14. Chlidonias niger	257 (58.0)	189 (42.0)
15. Motacilla cinerea	262 (36.0)	466 (64.0)
16. Egretta garzetta	279 (6.1)	4 276 (93.9)
17. Lanius minor	294 (20.60)	1 133 (79.40)
18. Ardea purpurea	406 (11.7)	3 060 (88.3)
19. Luscinia megarhynchos	893 (493)	919 (50.7)
20. Chlidonias hybridus	906 (74.0)	318 (26)
21. Ardeola ralloides	1 058 (25.7)	3 059 (74.3)
22. Sterna hirundo	1 438 (73.0)	545 (27.0)
23. Nycticorax nycticorax	1 468 (11.1)	11 852 (88.9)
24. Lanius collurio	1 605 (46.20)	1 868 (53.80)
25. Ciconia ciconia	2 466 (10.8)	20 328 (89.2)
Total:	11 747 (18.9)	50 347 (81.1)

(16%) out of the examined 25 were ringed exclusively outside Croatia: Botaurus stellaris, Egretta alba, Plegadis falcinellus and Platalea leucorodia (Table 1). These are rare and endangered species with their nesting areas being sporadic and limited to specific regions, though they do nest in Croatia too. During the examined period B. stellaris nested on at least five locations: the valley of Neretva (Dubravica) (70), Crna Mlaka, National Park Krka, Kopački rit and fish ponds Končanica (71). Moreover, 5-10 pairs of E. alba nested in Kopački rit, an unknown number of pairs of *P. falcinellus* on Vransko lake near Biograd (71) and 3 to 32 pairs P. leucorodia in Krapje Đol (72). To conclude, these birds were not ringed in Croatia, but they had suitable nesting habitats. The higher intensity of bird ringing in other parts of former Yugoslavia may be explained by more bird ringers and, ultimately, stronger tradition. Most bird ringers in Voivodina were of Hungarian ethnic origin, and were traditionally more interested in bird migrations. They then communicated the importance of bird ringing to amateurs and ornithologists.

Because a total of 284 species were ringed by 1992, we need to separate the data for another 259 species. Further data separation should be conducted in the Institute of Ornithology, CASA, which, as a former organizer of bird ringing in former Yugoslavia, holds the original *Bird ringing archive*. That would allow each country successor of Yugoslavia an insight into bird ringing activities on its state territory prior to independence.

## Uses of data on bird ringing and recoveries of ringed birds

Out of the total of 47 reports on bird-ringing and recoveries of ringed birds published by 1992, 32 were used for 22 ornithological research articles (73–94). Another 10 articles list collectively in their bibliographies reports on bird ringing or recoveries on ringed bird (such as: *Reports on bird ringing of Institute for Ornithology* or *Reports on bird ringing 1910–1966*) (95–104). One author (86) used both ways in a single article, but we counted it only once, in the group of articles with accurately referenced reports.

The majority of articles were published in the journal *Larus* (15), while one article was published in each of the following journals: *Jelen* (96), *Priroda* (104), *Arhiv bioloških nauka* (103), *Šumarski list* (102), *Ekologija* (78) and *Acrocephalus* (91). Five papers were published in the journal *Ciconia* (85, 88–90, 93) and four in *The Ring* (97, 99–101).

Reports on ringing/recoveries were also used for writing 16 conference and symposium papers and abstracts (68, 69, 105–118).

The published articles study 13 bird species and one subspecies, of which 7 belong to the ornithofauna of Croatia (*R. riparia, S. vulgaris, C. frugilegus, Ph. carbo carbo, S. albifrons, L. argentatus/L.c.michahellis*, and *O. oriolus*). The species *Ph. carbo, H. albicilla, L. ridibundus, E. schoeniclus, S. vulgaris, B. garrulus* and *R. riparia* have been researched for the entire territory on former Yugoslavia.

The first article to use bird ringing reports was published as late as 1967 (96). This may be explained by the fact that more than half a century (1910–1967) was needed to collect sufficient amount of data that would allow drawing compelling conclusions and publishing research studies. Most articles were published in the 1980s. Although new methods to observe and study bird migration and biology have been developed, bird ringing is still in use worldwide. The statement that bird ringing is the largest and the longest-lasting zoological project in Croatia (119) will become false if the data collected by bird ringing are no longer utilised in ornithological research (120). The interpretation of bird ringing data thus contributes to bird protection. The exceptionally important role of bird ringing in the popularization of ornithology should not be neglected. Although bird ringing data from former Yugoslavia first became accessible to the European ornithological audience in 1975 via EURING (European Union for Bird Ringing, http://www.euring.org/), an organization that collects data from bird ringing centres across Europe, according to our knowledge no author from outside former Yugoslavia has used these data and published an article.

## **CONCLUDING REMARKS**

Bird ringing data represent valuable sources that do not age and may always be used for research in the fields of ornithology and conservation biology. The Institute of Ornithology, CASA, as the organizer of bird ringing and custodian of the Bird ringing archives should carry out an assessment of all data collected up to present time and produce a digital *Bird ringing database*, to obtain assess to original data to a wider audience, under the condition of correct citation. The 100<sup>th</sup> anniversary of bird ringing in Croatia will take place in 2010. It presents a unique opportunity to highlight the role of Croatia in the organization of bird ringing and in the establishment of the disciplinary foundation of ornithology. It also offers a stimulus for the modernization of data processing, starting with the separation of data on bird ringing.

Acknowledgements: The research presented in this paper is part of the project Birds and human well-being: Ornithological models of protection, funded by the Croatian Ministry of Science, Education and Sports. We are grateful to dr. sc. Janez Gregori for reading early drafts. We thank referees prof. Josip Balabanić and dr. sc. Attila Bankovics for valuable comments that improved the manuscript.

#### REFERENCES

- SCHENK J 1908 Bericht über die Vogelmarkierungen im Jahre 1908. Aquila 15: 294–301
- RÖSSLER E 1911 Izvješće o radu »Hrvatske ornitološke centrale« godine 1910. X Godišnji izvještaj. *Hrvatska ornitološka centrala 1–6*. Vlastito izdanje autora
- CURRY-LINDHAL K 1982 Das Grosse Buch vom Vogelzug. Verlag Paul Parey /Berlin und Hamburg.
- ŠERE D 1998 Some interesting foreign recoveries of birds ringed in Slovenia. Acrocephalus 19 (86): 3–7
- RADOVIĆ D, KRALJ J, TUTIŠ V, SUŠIĆ G, PONGRAC Z 1993 Rezultati prstenovanja ptica u 1991. i 1992. godini. Larus 44/45: 1–12
- RADOVIĆ D, KRALJ J, TUTIŠ V, SUŠIĆ G, PONGRAC Z 1993 Nalazi prstenovanih ptica u 1991. i 1992 godini. Larus 44/45: 13–32
- BUB H 1991 Bird Trapping and Bird Banding: A Handbook for trapping methods all over the world. Cornell University Press, Ithaca, New York.
- CRAMP S, SIMMONS K E L 1977–1983 Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic, Vol. I–III.
- CRAMP S 1985–1992 Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic, Vol. IV–VI.
- RÖSSLER E 1912 Prstenovanje godine 1911. XI godišnji izvještaj. Hrvatska ornitološka centrala, 81–83. Vlastito izdanje autora.
- RÖSSLER E 1913 Izvještaj o prstenovanju ptica god. 1912. XII godišnji izvještaj. Hrvatska ornitološka centrala, 73–76. Vlastito izdanje autora.

- RÖSSLER E 1915 Izvještaj o prstenovanju ptica god. 1914. XIV godišnji izvještaj. Hrvatska ornitološka centrala, 88–91. Vlastito izdanje autora.
- RÖSSLER E 1916 Izvještaj o prstenovanju ptica god. 1915. XV godišnji izvještaj. Hrvatska ornitološka centrala, 76–81. Vlastito izdanje autora.
- RÖSSLER E 1918 Izvještaj o prstenovanju ptica god. 1916. XVI godišnji izvještaj. Hrvatska ornitološka centrala, 72–74.
- RÖSSLER E 1918 Rad Hrvatske ornitološke centrale u god. 1917. Hrvatska ornitološka centrala, 1–5
- RÖSSLER E 1918 Rad Hrvatske ornitološke centrale u god 1918. Hrvatska ornitološka centrala, 1–5
- PLANČIĆ J 1932 Markiranje ptica. Lovačko-ribarski vjesnik 3 (41): 91–111
- MAŠTROVIĆ A 1939 Markiranje ptica. Izvještaj o markiranju ptica selica prstenovima Zavoda za primjenjenu zoologiju Savske Banovine u Zagrebu za vrijeme od 1931 do 1938 godine. Zavod za primjenjenu zoologiju Savske Banovine u Zagrebu – ornitološki dio, 3–63
- ŠTROMAR Lj 1967 Prstenovanje ptica u godini 1963. i 1964. Larus 19: 5–43
- MAŠTROVIĆ A 1940 Prstenovanje ptica. III Izvještaj. Zavod za primjenjenu zoologiju Banovine Hrvatske u Zagrebu – ornitološki dio.
- MAŠTROVIĆ A 1947 Rezultati prstenovanja ptica Ornitološkog zavoda u Zagrebu u razdoblju 1940. do 1946. Larus 1: 7–26
- KRONEISL R 1948 Rezultati prstenovanja ptica Ornitološkog zavoda u Zagrebu u 1947. godini. *Larus* 2: 9–21
- KRONEISL R 1952 Rezultati prstenovanja ptica Ornitološkog zavoda u Zagrebu u godinama 1949–1950. Larus 4–5: 5–31
- IGALFFY K 1950 Rezultati prstenovanja ptica Ornitološkog zavoda u Zagrebu u 1948. godini. Larus 3:5–15
- KRONEISL-RUCNER R 1954 Rezultati prstenovanja ptica Ornitološkog zavoda u Zagrebu u godinama 1951–1952. Larus 6–7: 5–30
- KRONEISL-RUCNER R 1956 Prstenovanje ptica u 1953. godini. Larus 8: 5–26
- KRONEISL-RUCNER R 1957 Prstenovanje ptica u 1954. i 1955. godini. *Larus 9–10*: 7–33
- 29. KRONEISL-RUCNER R 1959 Prstenovanje ptica u 1956. godini. Larus 11: 5–22
- KRONEISL-RUCNER R 1960 Prstenovanje ptica u 1957. i 1958. godini. Larus 12–13: 7–35
- RUCNER-KRONEISL R 1962 Prstenovanje ptica u 1959. godini. Larus 14: 7–24
- 32. ŠTROMAR Lj 1963 Prstenovanje ptica u 1960. godini. Larus 15: 7–25
- 33. ŠTROMAR Lj 1965 Prstenovanje ptica god. 1961. i 1962. Larus 16–18: 5–37
- 34. ŠTROMAR Lj 1968 Prstenovanje ptica u godini 1965. Larus 20: 5–28
- 35. ŠTROMAR Lj 1970 Prstenovanje ptica u godini 1966. Larus 21–22: 5–30
- 36. ŠTROMAR Lj 1971 Prstenovanje ptica u godinama 1967. i 1968. Larus 23: 5–37
- ŠTROMAR Lj 1972 Prstenovanje ptica u godini 1969. Larus 24: 5–30
- 38. ŠTROMAR Lj 1973 Prstenovanje ptica u godini 1970. Larus 25: 5–26
- 39. ŠTROMAR Lj 1975 Prstenovanje ptica u godinama 1971. i 1972. Larus 26–28: 5–43
- **40.** ŠTROMAR Lj 1977 Prstenovanje ptica u godini 1973. *Larus 29–30*: 295–321
- 41. ŠTROMAR Lj 1980 Prstenovanje ptica u godinama 1974. i 1975. Larus 31–32: 9–53
- **42.** SUŠIĆ G 1986 Rezultati prstenovanja ptica u godinama 1976–1982. *Larus 36–37*: 9–21
- KLETEČKI E 1988 Rezultati prstenovanja ptica u godinama 1983– 1985. Larus 38–39: 7–24
- RADOVIĆ D, SUŠIĆ G 1989 Rezultati prstenovanja ptica u godinama 1986. i 1987. Larus 40: 35–52

- 45. RADOVIĆ D 1990 Rezultati prstenovanja ptica u godinama 1988. i 1989. Larus 41–42: 1–19
- 46. RADOVIĆ D 1991 Rezultati prstenovanja ptica u 1990. godini. Larus 43-44: 1-18
- MUŽINIĆ J 1986 Nalazi prstenovanih ptica u godinama 1976, 1977 i 1978. Larus 36–37: 23–48
- 48. SIROTIĆ G 1988 Nalazi prstenovanih ptica u godinama 1979– 1985. Larus 38–39: 25–94
- 49. RADOVIĆ D, SUŠIĆ G 1989 Nalazi prstenovanih ptica u godinama 1986. i 1987. Larus 40: 53–75
- RADOVIĆ D 1990 Nalazi prstenovanih ptica u godinama 1988. i 1989. Larus 41–42: 21–67
- RADOVIĆ D 1991 Nalazi prstenovanih ptica u 1990. godini. Larus 43–44: 19–36
- KRONEISL-RUCNER R 1954 Nalazi ptica prstenovanih po stranim zavodima za razdoblje 1940–1952. *Larus* 6–7:31–52
- MIKUSKA J, MUŽINIĆ J 1989 Dopuna nalaza ptica prstenovanih u razdoblju 1908–1939. *Larus 40*: 81–95
- KEVE A 1954 A Magyar Mádartani Intézet 1933–1950. évi madárjelölései. Aquila 55–58: 89–107
- SCHENK J 1909 Jelentés az 1909. évi madárjelölésekrol. Aquila 16: 245–276
- SCHENK J 1910 Jelentés az 1910. évi madárjelölésekről. Aquila 17: 219–257
- SCHENK J 1911 Jelentés az 1911. évi madárjelölésekről. Aquila 18: 326–366
- SCHENK J 1912 Jelentés a Magyar Kir. Ornith Központ 1912. évi madárjelölésekről. Aquila 19: 321–368
- SCHENK J 1913 Jelentés a Magyar Kiralyi Ornithologiai Központ 1913. évi madárjelölésekről. Aquila 20: 434–469
- SCHENK J 1916 A Magyar Kiralyi Ornithologiai Központ 1914. es 1915. évi madárjelölésekről. Aquila 22: 219–270
- SCHENK J 1919 Jelentés az 1916–1919. évi madárjelölésekről. Aquila 26: 26–41
- SCHENK J 1922 Az 1920–22. évi magyar madárjelölésekről. Aquila 29: 51–65
- 63. SCHENK J 1924 Az 1923. évi magyar madárjelölésekről. Aquila 30–31: 145–167
- 64. SCHENK J 1926 Az 1924–25. évi magyar madárjelölésekről. Aquila 32–33: 24–50
- 65. SCHENK J 1929 Az 1926–27. évi magyar madárjelölésekről. Aquila 34–35: 16–53
- 66. SCHENK J 1930 A Magyar Királyi Madártani Intézet 1928–30. Aquila 36–37: 170–200
- SCHENK J 1934 A Magyar Királyi Madártani Intézet 1928–30. Aquila 38–41: 32–90
- MUŽINIĆ J 1988 Istraživanja migracije ptica u Hrvatskoj i njihova zaštita. In: Meštrov & Sušić (eds.) Ornitologija u Hrvatskoj. JAZU: 95–110
- 69. KLETEČKI E 1988 Prstenovanje u našoj zemlji od 1910. do danas metodologija i rezultati. In: Meštrov & Sušić (eds.) Ornitologija u Hrvatskoj. JAZU: 89–94
- 70. RUCNER D 1954 Ptice doline Neretve. Larus 6-7: 53-123
- GRIMMETT R F, JONES T A 1989 Important Bird Area in Europe. ICBP Technical Publication 9: 859–880
- RUCNER D 1970 Prilog poznavanju ptičjeg svijeta Lonjskog polja. Larus 21–22: 31–64
- ŠTROMAR Lj 1967 Četiri godine prstenovanja galeba klaukavca (*Larus argentaus* Pontpp.) na otočićima Mrkanu i Bobari. *Larus 19*: 133–144
- 74. ŠTROMAR Lj 1968 Pojava kugara svilorepih, Bombycilla garrulus, zimi 1965/66. u Jugoslaviji. Larus 20: 45–59
- 75. ŠTROMAR LJ 1977 Ekološka analiza migracije bregunice čađavice, *Riparia riparia*, (L.) u nekim krajevima Jugoslavije. *Larus 29–30*: 253–293
- 76. ŠTROMAR LJ 1983 Prilog poznavanju migracije preko Izraela. Larus 33–35: 7–23
- VASIĆ V F 1980 The list of birds of Skadar lake (Montenegro, Jugoslavia). Larus 31–32: 185–208
- MUŽINIĆ J 1982 O pojavljivanju čvorka šarenog, *Sturnus vulgaris* L., u Hrvatskom zagorju. *Ekologija 17 (2)*: 123–131
- MUŽINIĆ J 1986 Migracije zavičajnih i stranih populacija šarenog čvorka, Sturnus vulgaris L. Larus 36–37: 111–124

- MUŽINIĆ J 1986 Ptice močvarice umjetnih jezera u Bedekovčini (Hrvatsko zagorje). *Larus 36–37*: 101–109
- PIVAR G 1965 Biološko ekonomski značaj vrane gačca (Corvus frugilegus frugilegus L.) za ratarske kulture na području istočne Slavonije. Larus 16–18: 159–280
- MIKUSKA J, LAKATOŠ J 1977 Podaci o rasprostranjenju i ekologiji vranca velikog, *Phalacrocorax carbo* (L., 1758), u Jugoslaviji. *Larus 29–30*: 141–151
- LUKAČ G 1986 Mala čigra Sterna albifrons Pallas 1764 (Laridae, Aves) gnjezdarica sjeverozapadne Hrvatske. Larus 36–37: 143–154
- 84. CVITANIĆ A 1980 Doprinos poznavanju Fringillidae u Dalmaciji. Larus 31–32: 385–414
- GERGELJ J, ŠOTI J 1990 Ornitofauna ribnjaka »Kapetanski rit«. Ciconia 2: 22–49
- 86. PELLE I 1972 Beleške o rodi beloj, Ciconia ciconia, u Vojvodini. Larus 24: 135–139
- RAŠAJSKI J 1989 Brojnost gnezdećih parova belih roda (*Ciconia* ciconia) sa pratećim pojavama gnežđenja u južnom Banatu za period 1976–1985. *Larus 40*: 111–123
- GERGELJ J 1989 Kolonije običnog galeba, Larus ridibundus na severu Bačke i Banata. Ciconia 1: 58–59.
- GERGELJ J 1991 Rezultati prstenovanja običnih galebova, Larus ridibundus, na Palićkom jezeru. Ciconia 3: 11–13
- GERGELJ J, HULO I, JENEI E 1989 Rezultati prstenovanja ptica na Ludaškom jezeru 1985. godine. *Ciconia* 1: 4–6.
- **91.** GEISTER I 1991 Pogovor z dr. Sergejem Matvejevom. *Acrocephalus* 47: 1–13.
- MIKUSKA J, MUŽINIĆ J 1989 Nalaz tipičnog velikog vranca, Phalacrocorax carbo carbo (Linnaeus, 1758) u Jugoslaviji. Larus 40: 77–80
- LAKATOŠ J 1992 Ornitofauna ribnjaka u Svilojevu. Ciconia 4: 28–42
- 94. HAM I, MIKUSKA J, SCHNEIDER M, GEC D 1990 Nalazi i promatranja prstenovanih i krilnim markicama obeleženih orlova štekavaca, *Haliaeetus albicilla*, u Jugoslaviji u godinama 1985–1988. I Izvještaj. *Larus 41–42*: 69–86
- 95. SZLIVKA 1983 Prilog poznavanju biologije čvorka šarenog, *Sturnus vulgaris* L., na području Bačke Topole i njene okolice. *Larus 33–35*: 43–45
- 96. ŠTROMAR LJ 1967 Rezultati prstenovanja ptica na području Kopačevskog rita u razdoblju od 1953–1965. god. Jelen 6: 97–105
- STROMAR LJ 1967 Bird ringing on the island od Lokrum. The Ring 52–53: 55–57
- ŠTROMAR Lj 1967 Prvi nalaz vuge zlatne, Oriolus oriolus, prstenovane našim prstenom, načene u srednjoj Europi. Larus 19: 237–238
- 99. STROMAR LJ 1969 Ringing of Sand Martins in Yugoslavia. The Ring 58:193–194
- 100. ŠTROMAR LJ 1971 The ecological aspects and consequences of banding the Black-headed Gull in Yugoslavia. *The Ring* 86–87: 19–22
- 101. ŠTROMAR LJ 1971 Ringing of Reed Buntings in Yugoslavia. The Ring 68–69:167–169
- 102. ŠTROMAR LJ 1977 Ekološka vrijednost naše zemlje u odnosu na kretanje evropskih ptica. Šumarski list 1–2: 48–54
- 103. ŠTROMAR LJ 1977 Ornitofauna Srbije zastupljena u nalazim prstenovanih ptica. Arhiv bioloških nauka 29 (1–2): 59–68
- 104. LUKAČ G 1986 O prstenovanju bregunica čađavica i pčelarica na rijeci Dravi kod Osijeka. Priroda 74 (6): 169–170
- 105. ŠTROMAR LJ 1976 Ornitofauna zastupana u nalazima prstenovanih ptica na području Srbije. I Simpozijum o fauni SR Srbije. Srpsko biološko društvo, 115–120
- 106. ŠTROMAR Lj 1984 Malteški otoci u fenomenu kretanja zavičajnih vrsta ptica. Bilten 3, serija b. Radovi i rezimea. Knjiga 2. Savez društava ekologa Jugoslavije, 46–50
- 107. SUŠIĆ G 1983 Migracijska i disperziona kretanja populacije gaka kvakavca, Nycticorax nycticorax, (Linnaeus, 1758, Ardeidae) koja gnijezdi na području SR Srbije. II Simpozij o fauni SR Srbije, Zbornik plenarnih referata i naučnih saopštenja, Srpsko biološko društvo, 155–158. Beograd
- 108. SUŠIĆ G 1988 The founding and activities of the croatian ornithological center and its work up until the second world war. In: Meštrov & Sušić (eds.) Ornitologija u Hrvatskoj, JAZU, 1–12
- 109. SUŠIĆ G 1988 Scientific and expert activities of the institute of ornithology of the Yugoslav Academy of Sciences and Arts. In: Meštrov & Sušić (eds.): Ornitologija u Hrvatsko, JAZU, 13–35

- 110. MIKUSKA T, MIKUSKA J 1984 Rezultati istraživanja migracija patkarica (Anseriformes) u Jugoslaviji. U: Gomerčić i Huber (ur.) Zbornik sažetaka priopćenja II kongresa biologa Hrvatske. Hrvatsko biološko društvo, 109–110
- 111. ŠTROMAR LJ, OBRATIL S 1984 Fenomen kretanja ptica u odnosu na reljef Bosne i Hercegovine. Bilten 3, serija b. Radovi i rezimei. Knjiga 2. Savez društava ekologa Jugoslavije, 41–45
- 112. MUŽINIĆ J, MIKUSKA J, KONFORTA G 1985 Rezultati prstenovanja velikog vranca, *Phalacrocorax carbo* L., u Jugoslaviji. Plenarni referati i rezimea na drugite referati I kongresa biosistematičara Jugoslavije, 115–116, Popova Šapka
- 113. MUŽINIĆ J, MIKUSKA J 1985 Distribution, Status and Movements of Cormorant *Phalacrocorax carbo*, in Yugoslavia, Cormorants in Northern Europe, Proceedings from the Meeting at Falsterbo, Sweden, National Swedish Environmental Protection Board, Report 3211, 87–90
- 114. MIKUSKA J 1986 Istraživanja dužine života ptica na temelju rezultata prstenovanja. VII Kongres biologa Jugoslavije – plenarni referati i izvodi saopštenja. Unija bioloških naučnih društava Jugoslavije i Društvo biologa SR Crne Gore, 190

- 115. MIKUSKA J, MUŽINIĆ J 1986 Neobjavljeni nalazi prstenovanih ptica. VII Kongres biologa Jugoslavije – plenarni referati i izvodi saopštenja. Unija bioloških naučnih društava Jugoslavije i Društvo biologa SR Crne Gore, 190
- 116. GJETVAJ B 1986 Postoji li razlika u disperziji galeba klaukavca, Larus cachinnans michahellis (J.F. Naumann 1840) sa obale Jadrana? VII kongres biologa Jugoslavije, 192
- 117. KLETEČKI E 1987 Akcija praćenja jesenje migracije ptica »Kopački rit 1985. i 1986. godine«. U: Gomerčić (ur.) Zbornik sažetaka priopćenja III kongresa biologa Hrvatske, 171
- 118. DOLENEC Z 1988 Long-term ornithological research into one bird species: the example of the starling (*Sturnus vulgaris* L.). In: Meštrov & Sušić (eds): Ornitologija u Hrvatskoj, 289–301
- 119. SUŠIĆ G 1992 Devedeset godina znanstvene djelatnosti Zavoda za ornitologiju. Priroda 82 (3–4–5): 46–50
- 120. PERDECK A C 1985 To ring or not to Ring?: The future of ringing centres: Bureau or Clubs? *The Ring 124–125*: 49–51