



Taxonomic Paper

Seven new species of *Spathidexia* Townsend (Diptera: Tachinidae) reared from caterpillars in Area de Conservación Guanacaste, Costa Rica

AJ Fleming[‡], D. Monty Wood[‡], Daniel Janzen[§], Winnie Hallwachs[§], M. Alex Smith^{||}[‡] Agriculture Agri-Food Canada, Ottawa, Canada[§] University of Pennsylvania, Philadelphia, United States of America^{||} Department of Integrative Biology, Guelph, CanadaCorresponding author: AJ Fleming (ajfleming604@gmail.com)

Academic editor: Pierfilippo Cerretti

Received: 26 Jan 2015 | Accepted: 20 Mar 2015 | Published: 25 Mar 2015

Citation: Fleming A, Wood D, Janzen D, Hallwachs W, Smith MA (2015) Seven new species of *Spathidexia* Townsend (Diptera: Tachinidae) reared from caterpillars in Area de Conservación Guanacaste, Costa Rica. Biodiversity Data Journal 3: e4597. doi: [10.3897/BDJ.3.e4597](https://doi.org/10.3897/BDJ.3.e4597)ZooBank: urn:lsid:zoobank.org:pub:755F43C1-077B-4597-B1FF-75B75990BAEA

Abstract

We describe seven new species of *Spathidexia* (Diptera: Tachinidae) reared from Area de Conservación Guanacaste (ACG), northwestern Costa Rica. All were reared from various species of ACG caterpillars during an ongoing inventory of caterpillars, their food plants and their parasitoids. By coupling morphology, photographic documentation, life history and molecular data, we provide a clear and concise description of each species. All are known to be previously undescribed as a result of a comprehensive study of the genus by DMW. *Spathidexia atripalpus* sp. n., *Spathidexia juanvialesi* sp. n., *Spathidexia marioburgosi* sp. n., *Spathidexia luisrobertogallegosi* sp. n., *Spathidexia luteola* sp. n., *Spathidexia hernanrodriguezi* sp. n. and *Spathidexia aurantiaca* sp. n. are all authored and described by Fleming and Wood. *Minthodexiopsis* Townsend is proposed by Wood as a new synonym of *Spathidexia*. A new combination proposed by Wood as a result of the new synonymy is *S. flavicornis* (Brauer & Bergenstamm) **comb. n.**

Keywords

Spathidexia, Diptera, Tachinidae, tropical rain forest, tropical dry forest, parasitoid fly, host-specificity, caterpillars.

Introduction

The tachinid genus *Spathidexia* Townsend 1912 is a small New World genus in the tribe Thelairini of the Dexiinae (Diptera, Tachinidae) (O'Hara and Wood 2004). Thelairini is classified as a small cosmopolitan tribe characterized by: an abdominal mid-dorsal depression that does not reach the hind margin of Tergite1+2, bare eyes, plumose antennae, and bearing 3 pairs of marginal scutellars of which the apicals are often crossed (Crosskey 1984, Mesnil 1939). The tribe Thelairini is known to occur from Hesperidae, and Arctiidae (Arnaud 1978). The name *Spathidexia* is derived from the Latin term "spatha", in reference to the females' blade-like ovipositor. Males and females within this genus are sometimes strongly dimorphic with only the females possessing proclinate orbital bristles, or distinctive abdominal coloration and pattern. A complete description of the generic characters was given by Arnaud (1960) (we provide a diagnosis and description of the genus based on this work). The genus *Spathidexia* was erected for a female specimen caught at Melrose Highlands, Mass., in 1908, collected by Mr. D.H. Clemons. The type species *Spathidexia clemonsi* Townsend was named after the original collector of the specimen. The genus remained monotypic until Reinhard 1934 added *Spathidexia cerussata* Reinhard and *Spathidexia rasilis* Reinhard. Arnaud (1960) built on this and raised the number of species to nine, in addition to providing a hint on its biology and extended the generic distribution well into the Neotropics. Today we know that *Spathidexia* contains 17 nominal species, ranging throughout much of the New World, although specimens are still somewhat rare in collections. Wood and Zumbado (2010) attributed seven species to *Spathidexia* living north of Mexico and 12 represented in the Neotropics, with only minimal known overlap between their distributions.

This work aims to build on the existing knowledge and describes seven new species of *Spathidexia*, all reared from caterpillars collected in ACG. In fact, all species of *Spathidexia* reared in ACG have been found to be undescribed species. These species are recognized based on differences in external morphology, and COI (cox1 or cytochrome oxidase I) gene sequences (a.k.a. "DNA barcodes"). By coupling COI data with morphological descriptions we are able to show that abdominal markings are not only different between males and females but are also consistent within a species. As such, they are ideal tools for visual species differentiation.

The treatments reported here is focused on placing names on the species reared from ACG, thereby preparing them for later detailed ecological and behavioral accounts and studies that will normally extend across ACG ecological groups, whole ecosystems, and taxonomic assemblages much larger than a genus. However, all ACG *Spathidexia* reared

to date in ACG are parasitoids of monocot-eating caterpillars in the Nymphalidae (Satyrinae) or Hesperidae (Hesperinae).

Materials and methods

Acronyms for depositories

BMNH The Natural History Museum, London, United Kingdom

CNC Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada

USNM National Museum of Natural History, Washington, D.C., USA

INBio Instituto Nacional de Biodiversidad, Santo Domingo de Heredia, Costa Rica

NHMW Naturhistorisches Museum, Wien, Austria

MZUT Musei di Zoologia, Università di Torino, Torino, Italia

CAS California Academy of Sciences, San Francisco, CA, USA

Geographic area of the study and rearing intensity

All flies and rearing information described here were found by the 35+ year-old ongoing inventory of the caterpillars, their food plants and their parasitoids of the dry forest, rain forest, cloud forest, and intergrades, in the 125,000+ ha terrestrial portion of Area de Conservación Guanacaste (ACG) in northwestern Costa Rica (Fleming et al. 2014a, Fleming et al. 2014b, Fernandez-Triana et al. 2014, Janzen and Hallwachs 2011, Janzen et al. 2009, Janzen et al. 2011, Rodriguez et al. 2012, Smith et al. 2012, Smith et al. 2006, Smith et al. 2007, Smith et al. 2008). The tachinid rearing methods are described at http://janzen.bio.upenn.edu/caterpillars/methodology/how/parasitoid_husbandry.htm. The data collected through this initiative contains copious information on parasitoid biology and associated hosts. Among the fly parasitoids encountered, the most species-rich, represented by hundreds of species is the family Tachinidae.

In brief, caterpillars at all instars (and sometimes pupae) are found in the wild by a wide variety of search methods, and reared in captivity on the food plant species on which they were found, until they produce an adult, a parasitoid, or die of other causes. Each caterpillar is documented as an individual, as are the adult parasitic flies.

This inventory has reared about 600,000 wild-caught caterpillars since 1978. All frequencies of parasitism reported here need to be considered against this background inventory. Equally, it is patently obvious that the inventory searches some kinds of vegetation and height off the ground much more thoroughly than others, and it also searches throughout the year. Comparison of reared species of parasitoids with those collected by net or Malaise traps demonstrates that, to date, the caterpillar inventory has encountered well less than half the species of caterpillar parasitoids present in ACG. The

largest unsampled void is the upper foliage of the canopy above about 3–4 m above the ground.

Imaging and dissections

Our descriptions of new species are deliberately brief and only include some differentiating descriptions of body parts and colors that are commonly used in tachinid identification. These brief descriptions are complemented with an extensive series of color photos of every species to illustrate the readily-observed differences among these species.

Habitus photographs were taken using a Canon T3i digital SLR, using a 65mm Macro Photo Lens 1:2.8 (MP–E 65mm), mounted on a microscope track stand (AmScope, Model: TS200) modified to accept a Manfrotto QR 200PL–14 quick release plate. Images were shot in aperture priority, allowing the camera to control shutter speed at $f/4.5$. Stacks of 40 images were taken at equal distance increments. Illumination was provided with a homemade reflective dome (instruction for dome creation can be found at: <http://www.cdfa.ca.gov/plant/ppd/entomology/Dome/kd-200.html>) placed over a 144 LED ringlight (AmScope, Model: LED–144–YK).

The photographic series were processed using Photoshop CS6, and digitally stacked with Zerene Stacker Software v1.04. This produced a final composite image maximizing image quality and depth of field.

The terminology used for components of the terminalia (which refers here only to the sclerotized parts of the genitalia, and not to the soft internal structures) and other body parts, follows Cumming and Wood (2009).

All specimens listed as examined are considered paratypes, except for the holotype which is noted separately.

Wherever a specimen label has been cited, the information is presented using the following symbols: /, indicates the end of a line; //, indicates the end of a label. Labels are presented from top (closest to the specimen) to bottom, with any comments about the label being given in square brackets.

Voucher specimen management

All caterpillars reared from the ACG efforts receive a unique voucher code in the format of yy–SRNP–xxxxx. Any parasitoid emerging from this caterpillar receives the same voucher code, and then if/when later the parasitoid is dealt with individually, it receives a second voucher code unique to it, in the format of DHJPARxxxxxxx. The voucher codes and collateral data assigned to both host and emergent parasitoids are available at <http://janzen.bio.upenn.edu/caterpillars/database.lasso>. To date, all DHJPARxxxxxxx coded tachinids have had one leg removed for attempted DNA barcoding at the Biodiversity Institute of Ontario (BIO) at the University of Guelph, with all collateral data and all successful barcodes permanently and publically deposited in the Barcode of Life Data

System (BOLD, www.boldsystems.org) (Ratnasingham and Hebert 2007), and later migrated to GenBank as well. A neighbor-joining (NJ) tree (Saitou and Nei 1987) for all *Spathidexia* reared and DNA barcoded by this inventory through 2013 is included as Supplemental Appendix 1. The inventory grows continually and new specimens can be found by searching the genus *Spathidexia* in BOLD. Each barcoded specimen also has an accession code, all information for the sequences associated with each individual specimen (including GenBank and BOLD accession) can be retrieved from the Barcode of Life Data System (BOLD) (Ratnasingham and Hebert 2007) via the publicly available dataset: dx.doi.org/10.5883/DS-ASSPATHI.

Inventoried Tachinidae were collected under Costa Rican government research permits issued to DHJ since 1978, and likewise exported under permit by DHJ from Costa Rica to Philadelphia, and then to the final depository in the Canadian National Insect collection in Ottawa, Canada. Tachinid identifications for the inventory were done by DHJ in coordination with a) visual inspection by AJF and DMW, b) DNA barcoding by BIO, MAS, and BOLD, and c) correlation with host caterpillar identifications by DHJ and WH through the inventory itself. Dates of capture of each reared fly in the inventory are the dates of eclosion of the fly, and not the date of capture of the caterpillar. This is because the fly eclosion date is much more representative of the time when that fly species is on the wing than is the time of capture of the caterpillar or (rarely) finding a parasitized pupa. However, the collector listed is the parataxonomist who found the caterpillar, rather than the person who retrieved the newly eclosed fly from its rearing bag or bottle, and processed it by freezing, pinning, labeling and oven-drying. Fly biology and degrees of parasitization by these flies will be the detailed subject of later papers.

DNA barcoding

DNA barcodes (standardised 5' region of the mitochondrial cytochrome c oxidase I (COI) gene) for all ACG inventory specimens were obtained using DNA extracts prepared from single legs using a glass fibre protocol (Ivanova et al. 2006). Total genomic DNA was re-suspended in 30 µl of dH₂O, and a 658-bp region near the 5' terminus of the COI gene was amplified using standard primers (LepF1–LepR1 (Hebert et al. 2004)) following established protocols (Smith et al. 2006, Smith et al. 2007, Smith et al. 2008).

Generic synonyms of *Spathidexia*

Spathidexia Townsend 1912: 110. Type species: *Spathidexia clemonsi* Townsend 1912, by original designation.

Gymnopalpus Townsend 1919b: 172. Type species: *Gymnopalpus setipennis* Townsend 1919b, by original designation. Synonymy by Wood 1987: 1265 & O'Hara and Wood 1998: 755.

Minthodexiopsis Townsend 1927: 221. Type species: *Minthodexia flavicornis* Brauer and Bergenstamm 1891, by original designation. **Syn. nov.**

Minthohoughia Townsend 1919a: 581. Type species: *Minthohoughia cylindrica* Townsend 1919a, by original designation. Synonymy by Guimarães 1971: 95.

Stenaulacodoria Townsend 1928: 161. Type species: *Stenaulacodoria spatulata* Townsend 1928, by original designation. Synonymy by Thompson 1963: 494.

Previously described species included in *Spathidexia*

antillensis Arnaud 1960: 6 (*Spathidexia*). Holotype male (USNM) [examined by DMW]. Type locality: Puerto Rico, Mayaguez.

brasiliensis Arnaud 1960: 10 (*Spathidexia*). Holotype male (CAS) [examined by DMW]. Type locality: Brazil, Santa Catarina, Nova Teutonia.

cerussata Reinhard 1934: 152 (*Spathidexia*). Holotype male (CNC) [examined by DMW]. Type locality: USA, Ohio, Amherst.

cinereicollis van der Wulp 1891: 255 (*Thelairodes*). Syntypes, 1 headless male, and 1 female (BMNH) [examined by DMW]. Type localities: Female: Mexico, Guerrero, Amula 6000 feet; Male: Sierra de las Aguas Escondidas 9500 feet. Combination established by Townsend 1915: 366, also mentioned as new combination in Guimarães 1971: 95.

clemonsi Townsend 1912: 110 (*Spathidexia*). Holotype female (USNM) [examined by DMW]. Type locality: USA, Massachusetts, Melrose Highlands.

creolensis Reinhard 1955: 131 (*Spathidexia*). Holotype female (USNM) [examined by DMW]. Type locality: USA, Florida, Miami.

cylindrica Townsend 1919a: 581 (*Minthohoughia*). Holotype female (USNM) [examined by DMW]. Type locality: Peru, Lima. Combination established by Guimarães 1971: 95.

dicta Giglio-Tos 1893: 5 (*Plagia*). Holotype male, published as female (MZUT) [examined by DMW]. Type locality: Mexico.

dunningii Coquillett 1895: 54 (*Thryptocera*). Lectotype female by fixation of Coquillett 1897: 60 (statement "From the type specimen" is regarded as a lectotype fixation); also by designation of Arnaud 1960: 22. (USNM) [examined by DMW]. Type locality: USA, Illinois, Algonquin. Combination established by Townsend 1915: 366.

rasilis Reinhard 1934: 153 (*Spathidexia*). Holotype female (CNC) [examined by DMW]. Type locality: USA, Wisconsin, Madison. Synonymy with *dunningii* established by Arnaud 1960: 5, 18.

elegans Reinhard 1964: 37 (*Minthodexiopsis*). Holotype male (CNC) [examined by DMW]. Type locality: USA, Texas, Cameron Co.

flavicornis Brauer and Bergenstamm 1891: 376 (*Minthodexia*). Holotype female (NHMW) [not examined]. Type locality: Venezuela. **N. comb.** *

nexa Reinhard 1953: 94 (*Spathidexia*). Holotype female (CNC) [examined by DMW]. Type locality: Mexico, Distrito Federal, Ciudad de Mexico.

niveomarginata van der Wulp 1890: 200 (*Anisia*). Holotype female (BMNH) [examined by DMW]. Type locality: Mexico, Guerrero, Amula, 6000ft. Combination established by Guimarães 1971: 95.

pallida van der Wulp 1891: 255 (*Thelairodes*). Holotype female (BMNH) [examined by DMW]. Type locality: Mexico, Guerrero, Venta de Zopilote, 2800ft.

reinhardi Arnaud 1960: 26 (*Spathidexia*). Holotype male (USNM) [examined by DMW]. Type locality: USA, Texas, College Station.

setipennis Townsend 1919b: 172 (*Gymnopalpus*). Holotype female (USNM) [examined by DMW]. Type locality: Guatemala, Los Amates. Combination established by Wood 1987: 1265 & O'Hara and Wood 1998: 755.

spatulata Townsend 1928: 162 (*Stenaulacodoria*). Holotype female (USNM) [examined by DMW]. Type locality: Peru, Cañete. Combination by Thompson 1963: 494.

*The new combination is proposed by DMW and result from new generic synonymy and the examination of the type material of other nominal species. Type label information is included for those species.

Diagnosis of the genus *Spathidexia*

Arnaud 1960 provided a detailed description of the genus *Spathidexia*. The genus is characterized as follows: small to medium sized, with narrow parafacial, and bare to sparsely haired eyes, lower margin almost at level of vibrissa. Frons moderately wide in both sexes, with a pair of proclinate orbital bristles in both sexes in many species, some males with reclinate orbital bristles in line with frontal bristles. Frontal bristles reaching to middle of second antennal segment. The antennae descend to near the lower facial margin, with the third segment three times longer than the pedicel. First flagellomere in both sexes parallel sided. Parafacial bare or lightly haired along upper portion. Facial ridge strongly divergent, often possessing supravibrissal bristles along facial ridge. Usually with apical and subapical scutellars crossed at their tips, if subapicals not crossed then these are at least strongly convergent. Abdomen lacking discal bristles; female with flattened retractile ovipositor which is either long and sharply pointed or short and blunt ended. Wing short and broad without unusual modification in tachinid venation. Vein R_1 may be bare or haired with vein R_{4+5} haired up to at least crossvein r-m. It is different from its sister taxon *Thelairodes* by the presence of 3–4 meral bristles, with *Thelairodes* possessing 5 or more.

Taxon treatments

Spathidexia atripalpus Fleming & Wood 2015, sp. n.

- ZooBank [urn:lsid:zoobank.org:act:0D7D1AFF-015A-48E5-809E-EEA094A3319F](https://zoobank.org/act:0D7D1AFF-015A-48E5-809E-EEA094A3319F)

Materials

Holotype:

- a. scientificName: *Spathidexia atripalpus*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *atripalpus*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Ingas; verbatimElevation: 580; verbatimLatitude: 11.00311; verbatimLongitude: -85.288; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.00311; decimalLongitude: -85.288; samplingProtocol: reared from caterpillar of *Magneuptychia libye* (Nymphalidae); verbatimEventDate: 19/Mar/12; individualID: DHJPAR0048611; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048611; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30227; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- a. scientificName: *Spathidexia atripalpus*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *atripalpus*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector El Hacha; verbatimLocality: Estacion Los Almendros; verbatimElevation: 290; verbatimLatitude: 11.03226; verbatimLongitude: -85.52776; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.03226; decimalLongitude: -85.52776; samplingProtocol: reared from caterpillar of *Pierella pallida* (Nymphalidae); verbatimEventDate: 24/Jul/99; individualID: DHJPAR0018619; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018619; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 99-SRNP-2997; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- b. scientificName: *Spathidexia atripalpus*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *atripalpus*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Ingas; verbatimElevation: 580; verbatimLatitude: 11.00311; verbatimLongitude: -85.42041; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.00311; decimalLongitude: -85.42041; samplingProtocol: reared from caterpillar of *Pareuptychia ocirrhoe* (Nymphalidae); verbatimEventDate: 26/Jan/12; individualID: DHJPAR0048578; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048578; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-33263; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 1a, b, c), **head**: Eye bare; frontal vitta dark black, narrowed apically to equal width of the ocellar triangle, face 3 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; small black hairs lining the margin of the frontal vitta; antenna black; arista black and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles absent; parafrontal entirely silver; parafacial silver; palpi black grey; short row of black supravibrissal hairs along facial margin. **Thorax**: greyish-gold when viewed dorsally with four longitudinal black vittae, these becoming fused post-suturally, appearing as two indistinct blotches covering more than 2/3rds of thorax; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its entirety (occupying 1/2 or more of total area) darkened along its anterior edge; legs black with silvery sheen on anterior tibia. **Wings**: pale smoky greyish in color, vein R_{4+5} setose from node up to r-m, R_1 bare. **Abdomen**: abdominal tergites dark shiny black, with bright gold bands covering 1/3rd or more of the anterior margins of abdominal tergites T3 and T4, these bands wrapping around to the underside of the abdomen. When viewed laterally bright yellow blotches appear along tergites T1+2, T3 and the anterior margin of T4; T3, T4 and T5 possessing medial marginal bristles. Lateral marginal bristles on T1+2. Small black hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 1d, e, f), **head**: Frontal vitta dark black, parallel sided apically equal to twice the width of the ocellar triangle, face 3 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; black hairs lining the margin of the frontal vitta; proclinate orbital bristles present; antenna black; arista black and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; parafrontal entirely silver; parafacial silvery; palpi black, slightly haired along lower surface; short row of black supravibrissal hairs along facial margin. **Thorax**: greyish when viewed dorsally with four longitudinal black vittae, these becoming fused post-suturally, appearing as two indistinct blotches covering just more than 2/3 thorax postsuturally; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its 1/2 of its entirety; legs black with silvery sheen on anterior femur. **Wings**: pale smoky greyish in color, vein R_{4+5} setose from node up to r-m, R_1 bare. **Abdomen**: abdominal tergites dark velvety black, bright grayish bands covering at up to 1/2 of tergal surface along anterior margin of T3 and T4; yellow abdominal band wrapping around the abdomen on the posterior margin of T1+2 visible only when viewed laterally; T3, T4 and T5 possessing medial marginal bristles. Lateral marginal bristles on T1+2. Small black hairs visible over entire body, not as hirsute as males but still present, in particular visible extending from anepimeron, and from underside of T1+2.




Figure 1.

Spathidexia atripalpus sp. n.; male DHJPAR0048611, female DHJPAR0048578

a: male, dorsal.

b: male, head.

c: male, lateral.

d: female, dorsal.

e: female, head.

f: female, lateral.

Diagnosis

The presence of black palpi is its strongest diagnostic character, differentiating it from almost all other species. This species differs from *S. atypica*, which also has black(ish) palpi, in having 3 postsutural dorsocentral bristles, bare eyes, and the presence of small black hairs covering entire body especially prominent extending from anepimeron and underside of T_{1+2} . Differs from *S. antillensis*, which also bears two bold thoracic vittae but does not bear black palpi.

Etymology

From the Latin “*ater*”, color black, and the noun “*palpus*”, literally the palm of the hand, in reference to the black palpi present in both sexes of this species.

Distribution

Costa Rica, ACG, Prov. Guanacaste, rain forest and rain forest/dry forest ecotone, 290-580m elevation.

Ecology

Reared from four species of grass-eating rain forest satyrine Nymphalidae (4 records). One larva per host.

Spathidexia marioburgosi Fleming & Wood 2015, sp. n.

- ZooBank urn:lsid:zoobank.org:act:387FAB10-FC62-4C30-824F-D9C872A9EB6A

Materials

Holotype:

- a. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 14-Sep-2008; individualID: DHJPAR0029985; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029985; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-22719; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- a. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;

- scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Areno; verbatimElevation: 460; verbatimLatitude: 10.914; verbatimLongitude: -85.382; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.914; decimalLongitude: -85.382; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 07-Nov-2005; individualID: DHJPAR0005445; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005445; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-6295; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- b. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 01-Dec-2005; individualID: DHJPAR0005453; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005453; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-6890; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- c. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 01-Dec-2005; individualID: DHJPAR0005454; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005454; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-6517; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- d. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 13-Dec-2005; individualID: DHJPAR0005458; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005458;

- occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-7188; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- e. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Vado Rio Cucaracho; verbatimElevation: 640; verbatimLatitude: 10.87; verbatimLongitude: -85.392; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.87; decimalLongitude: -85.392; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 09-Dec-2005; individualID: DHJPAR0005459; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005459; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-7049; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- f. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Montania Figueres; verbatimElevation: 460; verbatimLatitude: 10.884; verbatimLongitude: -85.291; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.884; decimalLongitude: -85.291; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 09-Nov-2005; individualID: DHJPAR0005463; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005463; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-42898; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- g. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Estacion Caribe; verbatimElevation: 415; verbatimLatitude: 10.902; verbatimLongitude: -85.275; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.902; decimalLongitude: -85.275; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 03-Dec-2005; individualID: DHJPAR0005467; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005467; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-43349; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- h. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion

- Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Sendero Juntas; verbatimElevation: 400; verbatimLatitude: 10.907; verbatimLongitude: -85.288; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.907; decimalLongitude: -85.288; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 20-Nov-2005; individualID: DHJPAR0005470; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005470; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-43130; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- i. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Sendero Guaca; verbatimElevation: 400; verbatimLatitude: 10.906; verbatimLongitude: -85.283; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.906; decimalLongitude: -85.283; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 25-Dec-2005; individualID: DHJPAR0005471; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005471; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-43431; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- j. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Sendero Puertas; verbatimElevation: 400; verbatimLatitude: 11.011; verbatimLongitude: -85.488; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.011; decimalLongitude: -85.488; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 08-Dec-2005; individualID: DHJPAR0005473; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0005473; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-25074; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- k. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 06-Feb-2006; individualID: DHJPAR0011559; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0011559; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-8130; identifiedBy: AJ Fleming;

- dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- l. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Estacion Caribe; verbatimElevation: 415; verbatimLatitude: 10.902; verbatimLongitude: -85.275; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.902; decimalLongitude: -85.275; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 03-Dec-2005; individualID: DHJPAR0011572; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0011572; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-43349; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- m. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Uncaria; verbatimElevation: 370; verbatimLatitude: 11.018; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 06-Oct-2003; individualID: DHJPAR0015271; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0015271; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-28308; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- n. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 16-Jul-2006; individualID: DHJPAR0016073; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016073; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-4769; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- o. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla; verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43;

- samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 21-Sep-2006; individualID: DHJPAR0016107; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016107;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 06-SRNP-58077; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- p. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion
 Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel;
 verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude:
 -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 12-Oct-2006; individualID: DHJPAR0016178; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016178;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 06-SRNP-7631; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- q. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Huacas;
 verbatimElevation: 490; verbatimLatitude: 10.755; verbatimLongitude: -85.391;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.755; decimalLongitude:
 -85.391; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 11-Oct-2006; individualID: DHJPAR0016180; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016180;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 06-SRNP-58374; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- r. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Huacas;
 verbatimElevation: 490; verbatimLatitude: 10.755; verbatimLongitude: -85.391;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.755; decimalLongitude:
 -85.391; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 11-Oct-2006; individualID: DHJPAR0016236; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016236;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 06-SRNP-58370; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen

- s. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 01-Sep-2006; individualID: DHJPAR0016242; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016242; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-6683; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- t. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Puente Palma; verbatimElevation: 460; verbatimLatitude: 10.916; verbatimLongitude: -85.379; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.916; decimalLongitude: -85.379; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 08-Sep-2006; individualID: DHJPAR0016313; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016313; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-6796; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- u. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 05-Sep-2006; individualID: DHJPAR0016330; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016330; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-46866; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- v. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);

- verbatimEventDate: 24-Sep-2006; individualID: DHJPAR0016488; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016488; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-47185; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- w. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Sendero Llano; verbatimElevation: 400; verbatimLatitude: 10.903; verbatimLongitude: -85.29; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.903; decimalLongitude: -85.29; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 06-Jan-2007; individualID: DHJPAR0016537; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016537; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-44678; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- x. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Dec-2006; individualID: DHJPAR0016600; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016600; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-48089; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- y. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Puente Palma; verbatimElevation: 460; verbatimLatitude: 10.916; verbatimLongitude: -85.379; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.916; decimalLongitude: -85.379; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 31-Oct-2006; individualID: DHJPAR0019550; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019550; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-8343; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- z. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;

- scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: El Ensayo; verbatimLocality: Metereologico; verbatimElevation: 330; verbatimLatitude: 10.76261; verbatimLongitude: -85.42979; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.76261; decimalLongitude: -85.42979; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 18-May-2007; individualID: DHJPAR0019612; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019612; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-65140; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aa. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla; verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 10-Jun-2007; individualID: DHJPAR0019613; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019613; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-56562; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ab. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla; verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 10-Jun-2007; individualID: DHJPAR0019709; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019709; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-56533; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ac. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 17-May-2007; individualID: DHJPAR0019710; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019710; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.

- Hallwachs; otherCatalogNumbers: 07-SRNP-1851; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ad. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 18-May-2007; individualID: DHJPAR0019711; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019711; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-1852; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ae. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 18-May-2007; individualID: DHJPAR0019801; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019801; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-1852; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- af. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla; verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 05-Jun-2007; individualID: DHJPAR0019954; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019954; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-56555; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ag. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Miramonte;

verbatimElevation: 305; verbatimLatitude: 10.772; verbatimLongitude: -85.434;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.772; decimalLongitude:
 -85.434; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 17-Aug-2007; individualID: DHJPAR0020920; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0020920;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 07-SRNP-58809; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen

- ah. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla;
 verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43;
 samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 31-Aug-2007; individualID: DHJPAR0020936; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0020936;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 07-SRNP-58951; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- ai. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Quebrada Tibio Perla;
 verbatimElevation: 330; verbatimLatitude: 10.763; verbatimLongitude: -85.43;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.763; decimalLongitude: -85.43;
 samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 25-Jul-2007; individualID: DHJPAR0020937; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0020937;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 07-SRNP-58016; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- aj. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Miramonte;
 verbatimElevation: 305; verbatimLatitude: 10.772; verbatimLongitude: -85.434;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.772; decimalLongitude:
 -85.434; samplingProtocol: reared from caterpillar of *Talides Burns02* (Hesperiidae);
 verbatimEventDate: 09-Aug-2007; individualID: DHJPAR0020938; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0020938;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 07-SRNP-58356; identifiedBy: AJ Fleming;

- datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- ak. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Miramonte; verbatimElevation: 305; verbatimLatitude: 10.772; verbatimLongitude: -85.434; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.772; decimalLongitude: -85.434; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 07-Aug-2007; individualID: DHJPAR0021856; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0021856; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-58377; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- al. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Sendero Aguacate; verbatimElevation: 335; verbatimLatitude: 10.769; verbatimLongitude: -85.435; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.769; decimalLongitude: -85.435; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 03-Sep-2007; individualID: DHJPAR0022284; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022284; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-59237; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- am. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Miramonte; verbatimElevation: 305; verbatimLatitude: 10.772; verbatimLongitude: -85.434; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.772; decimalLongitude: -85.434; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 17-Aug-2007; individualID: DHJPAR0022859; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022859; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-58809; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- an. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Quebrada Cementerio; verbatimElevation: 700; verbatimLatitude: 10.871; verbatimLongitude: -85.387;

verbatimCoordinateSystem: Decimal; decimalLatitude: 10.871; decimalLongitude: -85.387; samplingProtocol: reared from caterpillar of *Talides* Burns04 (Hesperiidae); verbatimEventDate: 19-Sep-2000; individualID: DHJPAR0022860; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022860; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-12307; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ao. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Quebrada Cementerio; verbatimElevation: 700; verbatimLatitude: 10.871; verbatimLongitude: -85.387; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.871; decimalLongitude: -85.387; samplingProtocol: reared from caterpillar of *Talides* Burns04 (Hesperiidae); verbatimEventDate: 15-Sep-2000; individualID: DHJPAR0022861; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022861; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-12306; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ap. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Quebrada Cementerio; verbatimElevation: 700; verbatimLatitude: 10.871; verbatimLongitude: -85.387; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.871; decimalLongitude: -85.387; samplingProtocol: reared from caterpillar of *Talides* sinois (Hesperiidae); verbatimEventDate: 14-Sep-2000; individualID: DHJPAR0022862; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022862; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-12303; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aq. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Rio Francia; verbatimElevation: 410; verbatimLatitude: 10.904; verbatimLongitude: -85.287; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.287; samplingProtocol: reared from caterpillar of *Talides* sinois (Hesperiidae); verbatimEventDate: 06-Dec-2000; individualID: DHJPAR0022863; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022863; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-20936; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ar. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Rio Francia; verbatimElevation: 410; verbatimLatitude: 10.904; verbatimLongitude: -85.287; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.287; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Dec-2000; individualID: DHJPAR0022864; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022864; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-20919; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- as. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Toma Agua; verbatimElevation: 1140; verbatimLatitude: 10.928; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 23-Nov-2000; individualID: DHJPAR0022865; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022865; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-10863; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- at. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Quebrada Cementerio; verbatimElevation: 700; verbatimLatitude: 10.871; verbatimLongitude: -85.387; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.871; decimalLongitude: -85.387; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 30-Nov-2000; individualID: DHJPAR0022866; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022866; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-21776; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- au. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 09-Sep-2000;

- individualID: DHJPAR0022867; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022867; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-10300; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- av. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Serrano; verbatimElevation: 585; verbatimLatitude: 11; verbatimLongitude: -85.456; verbatimCoordinateSystem: Decimal; decimalLatitude: 11; decimalLongitude: -85.456; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 05-Nov-1999; individualID: DHJPAR0022868; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022868; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 99-SRNP-15104; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aw. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 22-Sep-2004; individualID: DHJPAR0022869; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022869; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48259; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ax. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Heliconia; verbatimElevation: 390; verbatimLatitude: 10.886; verbatimLongitude: -85.492; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.886; decimalLongitude: -85.492; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 30-Sep-2004; individualID: DHJPAR0022870; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022870; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48421; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ay. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:

- Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 23-Sep-2004; individualID: DHJPAR0022871; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022871; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48245; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- az. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 04-Aug-2000; individualID: DHJPAR0022872; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022872; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 00-SRNP-11612; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ba. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 10-Aug-2004; individualID: DHJPAR0022873; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022873; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47061; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bb. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 09-Aug-2004; individualID: DHJPAR0022874; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022874; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47065;

- identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bc. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Camino Mangos; verbatimElevation: 480; verbatimLatitude: 11.008; verbatimLongitude: -85.479; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.008; decimalLongitude: -85.479; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 05-Sep-2003; individualID: DHJPAR0022875; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022875; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-18879; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bd. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Uncaria; verbatimElevation: 370; verbatimLatitude: 11.018; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 06-Oct-2003; individualID: DHJPAR0022876; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022876; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-28308; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- be. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Porvenir; verbatimElevation: 383; verbatimLatitude: 10.904; verbatimLongitude: -85.26; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.26; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 08-Oct-2003; individualID: DHJPAR0022877; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022877; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-12458.1; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bf. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude:

- 85.495; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 15-Sep-2003; individualID: DHJPAR0022878; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022878; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-19475; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bg. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude: -85.495; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Sep-2003; individualID: DHJPAR0022879; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022879; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-19466; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bh. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 22-Sep-2003; individualID: DHJPAR0022880; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022880; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-7910; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bi. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude: -85.495; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 05-Sep-2003; individualID: DHJPAR0022881; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022881; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-19471; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- bj. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 09-Aug-2004; individualID: DHJPAR0022882; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022882; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47065; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bk. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Cementerio Viejo; verbatimElevation: 570; verbatimLatitude: 10.881; verbatimLongitude: -85.389; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.881; decimalLongitude: -85.389; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 11-May-2004; individualID: DHJPAR0022883; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022883; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-1867; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bl. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Suamposa; verbatimElevation: 290; verbatimLatitude: 11.024; verbatimLongitude: -85.491; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.024; decimalLongitude: -85.491; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 04-Jul-2004; individualID: DHJPAR0022884; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022884; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-22687; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bm. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 04-Nov-2003; individualID: DHJPAR0022885; individualCount: 1;

- lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022885; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-8968; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bn. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 15-Feb-2003; individualID: DHJPAR0022886; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022886; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-95; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bo. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude: -85.495; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 30-Oct-2003; individualID: DHJPAR0022887; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022887; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-29175; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bp. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Margarita; verbatimElevation: 380; verbatimLatitude: 11.032; verbatimLongitude: -85.44; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.032; decimalLongitude: -85.44; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 07-Nov-2003; individualID: DHJPAR0022888; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022888; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-29689; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bq. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion

- Guanacaste; locality: Sector Del Oro; verbatimLocality: Sendero Puertas; verbatimElevation: 400; verbatimLatitude: 11.011; verbatimLongitude: -85.488; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.011; decimalLongitude: -85.488; samplingProtocol: reared from caterpillar of *Talides Burns02* (Hesperiidae); verbatimEventDate: 06-Nov-2003; individualID: DHJPAR0022889; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022889; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-29255; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- br. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Pasmompa; verbatimElevation: 440; verbatimLatitude: 11.019; verbatimLongitude: -85.41; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.019; decimalLongitude: -85.41; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 05-Feb-2004; individualID: DHJPAR0022890; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022890; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-30107; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bs. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Lajosa; verbatimElevation: 400; verbatimLatitude: 11.033; verbatimLongitude: -85.429; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.033; decimalLongitude: -85.429; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 31-Jan-2004; individualID: DHJPAR0022891; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022891; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-20014; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bt. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Puente Palma; verbatimElevation: 460; verbatimLatitude: 10.916; verbatimLongitude: -85.379; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.916; decimalLongitude: -85.379; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 31-Mar-2004; individualID: DHJPAR0022892; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022892; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-1130; identifiedBy: AJ Fleming;

- dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bu. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Dec-2003; individualID: DHJPAR0022893; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022893; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-34139; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bv. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Cementerio Viejo; verbatimElevation: 570; verbatimLatitude: 10.881; verbatimLongitude: -85.389; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.881; decimalLongitude: -85.389; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 25-Jun-2004; individualID: DHJPAR0022894; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022894; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-2436; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bw. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Suamposa; verbatimElevation: 290; verbatimLatitude: 11.024; verbatimLongitude: -85.491; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.024; decimalLongitude: -85.491; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 04-Jul-2004; individualID: DHJPAR0022895; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022895; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-22687; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bx. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Carmona; verbatimElevation: 670; verbatimLatitude: 10.876; verbatimLongitude: -85.386;

verbatimCoordinateSystem: Decimal; decimalLatitude: 10.876; decimalLongitude: -85.386; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 02-Aug-2004; individualID: DHJPAR0022896; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022896; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-3396; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- by. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 30-Jul-2004; individualID: DHJPAR0022897; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022897; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47058; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- bz. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Rio Francia; verbatimElevation: 410; verbatimLatitude: 10.904; verbatimLongitude: -85.287; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.287; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 25-Jan-2003; individualID: DHJPAR0022898; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022898; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-21538; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ca. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 12-Jan-2003; individualID: DHJPAR0022899; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022899; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-20361; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- cb. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Toma Agua; verbatimElevation: 1140; verbatimLatitude: 10.928; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 19-Aug-2002; individualID: DHJPAR0022900; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022900; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-9934; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cc. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Guacimos; verbatimElevation: 380; verbatimLatitude: 11.015; verbatimLongitude: -85.475; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.015; decimalLongitude: -85.475; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 16-Sep-2002; individualID: DHJPAR0022901; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022901; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-28992; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cd. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector El Hacha; verbatimLocality: Finca Araya; verbatimElevation: 295; verbatimLatitude: 11.015; verbatimLongitude: -85.511; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.015; decimalLongitude: -85.511; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 09-Dec-2002; individualID: DHJPAR0022902; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022902; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-33351; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ce. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Camino Mangos; verbatimElevation: 480; verbatimLatitude: 11.008; verbatimLongitude: -85.479; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.008; decimalLongitude: -85.479; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 08-Sep-2002; individualID: DHJPAR0022903; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022903;

- occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-28345; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cf. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 13-Sep-2004; individualID: DHJPAR0022904; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022904; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47949; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cg. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Camino Mangos; verbatimElevation: 480; verbatimLatitude: 11.008; verbatimLongitude: -85.479; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.008; decimalLongitude: -85.479; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 05-Sep-2002; individualID: DHJPAR0022905; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022905; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-27830; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ch. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Camino Mangos; verbatimElevation: 480; verbatimLatitude: 11.008; verbatimLongitude: -85.479; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.008; decimalLongitude: -85.479; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 02-Sep-2002; individualID: DHJPAR0022906; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022906; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-27838; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ci. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Corredor;

- verbatimElevation: 620; verbatimLatitude: 10.879; verbatimLongitude: -85.39;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.879; decimalLongitude: -85.39;
 samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 21-Jan-2004; individualID: DHJPAR0022907; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022907;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 03-SRNP-34815; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- cj. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Del Oro; verbatimLocality: Sendero Puertas;
 verbatimElevation: 400; verbatimLatitude: 11.011; verbatimLongitude: -85.488;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 11.011; decimalLongitude:
 -85.488; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 06-Nov-2003; individualID: DHJPAR0022908; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022908;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 03-SRNP-29255; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- ck. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora;
 verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude:
 -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 11-Sep-2005; individualID: DHJPAR0022909; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022909;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 05-SRNP-47225; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- cl. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora;
 verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude:
 -85.472; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 18-Sep-2005; individualID: DHJPAR0022910; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022910;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 05-SRNP-47226; identifiedBy: AJ Fleming;

- datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cm. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Sep-2005; individualID: DHJPAR0022911; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022911; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-47373; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cn. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Quebrada Cementerio; verbatimElevation: 700; verbatimLatitude: 10.871; verbatimLongitude: -85.387; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.871; decimalLongitude: -85.387; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 01-Sep-2005; individualID: DHJPAR0022912; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022912; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-4221; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- co. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Palmas; verbatimElevation: 675; verbatimLatitude: 10.896; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.896; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 29-Aug-2005; individualID: DHJPAR0022913; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022913; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-47041; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cp. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472;

- verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 21-Sep-2005; individualID: DHJPAR0022914; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022914; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-47477; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cq. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 21-Sep-2005; individualID: DHJPAR0022915; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022915; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-47479; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cr. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Sendero Platanal; verbatimElevation: 335; verbatimLatitude: 10.849; verbatimLongitude: -85.253; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.849; decimalLongitude: -85.253; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 16-Jul-2003; individualID: DHJPAR0022916; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022916; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-11367; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cs. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Corredor; verbatimElevation: 620; verbatimLatitude: 10.879; verbatimLongitude: -85.39; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.879; decimalLongitude: -85.39; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 30-Oct-2002; individualID: DHJPAR0022917; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022917; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-19519; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ct. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Camino Mangos; verbatimElevation: 480; verbatimLatitude: 11.008; verbatimLongitude: -85.479; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.008; decimalLongitude: -85.479; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 16-Sep-2002; individualID: DHJPAR0022918; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022918; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-29143; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cu. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Guacimos; verbatimElevation: 380; verbatimLatitude: 11.015; verbatimLongitude: -85.475; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.015; decimalLongitude: -85.475; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 16-Sep-2002; individualID: DHJPAR0022919; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022919; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-28992; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cv. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Toma Agua; verbatimElevation: 1140; verbatimLatitude: 10.928; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 24-Aug-2002; individualID: DHJPAR0022920; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022920; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-9935; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cw. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Toma Agua; verbatimElevation: 1140; verbatimLatitude: 10.928; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 17-Aug-2002; individualID: DHJPAR0022921; individualCount: 1;

- lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022921; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-9933; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cx. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 04-Nov-2003; individualID: DHJPAR0022922; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022922; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-8968; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cy. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 30-Nov-2003; individualID: DHJPAR0022923; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022923; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-23786; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- cz. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio; verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 06-Sep-2004; individualID: DHJPAR0022924; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022924; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48016; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- da. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:

Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Corredor; verbatimElevation: 620; verbatimLatitude: 10.879; verbatimLongitude: -85.39; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.879; decimalLongitude: -85.39; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 31-Dec-2001; individualID: DHJPAR0022925; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022925; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 01-SRNP-22877; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- db. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Guacimos; verbatimElevation: 380; verbatimLatitude: 11.015; verbatimLongitude: -85.475; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.015; decimalLongitude: -85.475; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 04-Sep-2002; individualID: DHJPAR0022926; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022926; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-27700; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dc. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 24-Apr-2002; individualID: DHJPAR0022927; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022927; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-2319; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dd. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 20-Mar-2003; individualID: DHJPAR0022928; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022928; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 03-SRNP-5624; identifiedBy: AJ Fleming;

- datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- de. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Rio Francia; verbatimElevation: 410; verbatimLatitude: 10.904; verbatimLongitude: -85.287; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.287; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 23-Dec-2004; individualID: DHJPAR0022929; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022929; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-42789; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- df. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Lajosa; verbatimElevation: 400; verbatimLatitude: 11.033; verbatimLongitude: -85.429; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.033; decimalLongitude: -85.429; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 22-Feb-2005; individualID: DHJPAR0022930; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022930; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-20280; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dg. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 20-Aug-2005; individualID: DHJPAR0022931; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022931; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-46753; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dh. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Estacion Gongora; verbatimElevation: 570; verbatimLatitude: 10.887; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.887; decimalLongitude:

- 85.474; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 01-Aug-2005; individualID: DHJPAR0022932; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022932; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-46479; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- di. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 28-Aug-2005; individualID: DHJPAR0022933; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022933; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-4521; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dj. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 27-Sep-2004; individualID: DHJPAR0022934; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022934; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48258; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dk. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio; verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 31-Aug-2004; individualID: DHJPAR0022935; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022935; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47696; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- dl. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Puente Palma; verbatimElevation: 460; verbatimLatitude: 10.916; verbatimLongitude: -85.379; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.916; decimalLongitude: -85.379; samplingProtocol: reared from caterpillar of *Talides Burns02* (Hesperiidae); verbatimEventDate: 16-Dec-2004; individualID: DHJPAR0022936; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022936; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-60869; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dm. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Casa Roberto; verbatimElevation: 520; verbatimLatitude: 11.011; verbatimLongitude: -85.421; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.011; decimalLongitude: -85.421; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 06-Feb-2005; individualID: DHJPAR0022937; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022937; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-56649; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dn. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Pinyal; verbatimElevation: 630; verbatimLatitude: 10.872; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.872; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 05-May-2005; individualID: DHJPAR0022938; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022938; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-2168; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- do. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Tangelo; verbatimElevation: 410; verbatimLatitude: 11.018; verbatimLongitude: -85.45; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.45; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 30-Mar-2005; individualID: DHJPAR0022939; individualCount: 1; lifeStage: adult; preparations: pinned;

- catalogNumber: DHJPAR0022939; occurrenceDetails: <http://janzen.sas.upenn.edu>;
 recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-21176;
 identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC;
 collectionCode: Insects; basisOfRecord: Pinned Specimen
- dp. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio;
 verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48;
 samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 14-Sep-2004; individualID: DHJPAR0022940; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022940;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48022; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- dq. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Heliconia;
 verbatimElevation: 390; verbatimLatitude: 10.886; verbatimLongitude: -85.492;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.886; decimalLongitude: -85.492; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 05-Oct-2004; individualID: DHJPAR0022941; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022941;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48423; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- dr. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio;
 verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48;
 samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae);
 verbatimEventDate: 07-Sep-2004; individualID: DHJPAR0022942; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022942;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48023; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- ds. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion

- Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio; verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 06-Sep-2004; individualID: DHJPAR0022943; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022943; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48015; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dt. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 26-Sep-2004; individualID: DHJPAR0022944; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022944; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48263; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- du. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cuesta Caimito; verbatimElevation: 640; verbatimLatitude: 10.891; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.891; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides Burns02* (Hesperiidae); verbatimEventDate: 01-Sep-2004; individualID: DHJPAR0022945; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022945; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47944; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dv. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Estacion Pitilla; verbatimElevation: 675; verbatimLatitude: 10.989; verbatimLongitude: -85.426; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.989; decimalLongitude: -85.426; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 22-Sep-2004; individualID: DHJPAR0022946; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022946; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-34306; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- dw. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 17-Aug-2004; individualID: DHJPAR0022947; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022947; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47476; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dx. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio; verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 10-Sep-2004; individualID: DHJPAR0022948; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022948; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48018; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dy. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 15-Sep-2005; individualID: DHJPAR0022949; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0022949; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-47227; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- dz. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Vado Rio Cucaracho; verbatimElevation: 640; verbatimLatitude: 10.87; verbatimLongitude: -85.392; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.87; decimalLongitude: -85.392; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae);

- verbatimEventDate: 27-Sep-2004; individualID: DHJP0022950; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJP0022950; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-4450; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ea. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Quebrada Otilio; verbatimElevation: 550; verbatimLatitude: 10.89; verbatimLongitude: -85.48; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.89; decimalLongitude: -85.48; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 13-Sep-2004; individualID: DHJP0022951; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJP0022951; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48014; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- eb. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 10-Oct-2004; individualID: DHJP0022952; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJP0022952; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-48856; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ec. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.889; verbatimLongitude: -85.476; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.889; decimalLongitude: -85.476; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 16-Aug-2004; individualID: DHJP0023084; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJP0023084; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-47275; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ed. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;

- scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides Burns04* (Hesperiidae); verbatimEventDate: 04-Dec-2007; individualID: DHJPAR0023086; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0023086; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-24167; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ee. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Brasilia; verbatimLocality: Piedrona; verbatimElevation: 340; verbatimLatitude: 11.016; verbatimLongitude: -85.359; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.016; decimalLongitude: -85.359; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 11-Dec-2007; individualID: DHJPAR0023665; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0023665; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-65945; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ef. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Sendero Juntas; verbatimElevation: 400; verbatimLatitude: 10.907; verbatimLongitude: -85.288; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.907; decimalLongitude: -85.288; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 03-Mar-2008; individualID: DHJPAR0027837; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0027837; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-40369; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- eg. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Huacas; verbatimElevation: 490; verbatimLatitude: 10.755; verbatimLongitude: -85.391; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.755; decimalLongitude: -85.391; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 26-Aug-2008; individualID: DHJPAR0027838; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0027838; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.

- Hallwachs; otherCatalogNumbers: 08-SRNP-57067; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- eh. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Mundo Nuevo; verbatimLocality: Vado Huacas; verbatimElevation: 490; verbatimLatitude: 10.755; verbatimLongitude: -85.391; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.755; decimalLongitude: -85.391; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 27-Aug-2008; individualID: DHJPAR0029642; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029642; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-57068; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ei. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 21-Oct-2008; individualID: DHJPAR0029715; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029715; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5240; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ej. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Uncaria; verbatimElevation: 370; verbatimLatitude: 11.018; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 09-Sep-2008; individualID: DHJPAR0029717; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029717; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-22738; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ek. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438;

- verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 11-Sep-2008; individualID: DHJPAR0029719; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029719; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-22720; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- el. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 12-Sep-2008; individualID: DHJPAR0029720; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029720; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-22723; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- em. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 11-Sep-2008; individualID: DHJPAR0029721; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029721; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-22720; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- en. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 28-Oct-2008; individualID: DHJPAR0029985; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029985; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5243; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- eo. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 29-Oct-2008; individualID: DHJPAR0029988; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029988; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5242; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ep. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 08-Nov-2008; individualID: DHJPAR0029994; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0029994; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5522; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- eq. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 07-Jan-2009; individualID: DHJPAR0030016; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030016; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-6840; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- er. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Rio Francia Arriba; verbatimElevation: 400; verbatimLatitude: 10.897; verbatimLongitude: -85.29; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.897; decimalLongitude: -85.29; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);

- verbatimEventDate: 16-Feb-2009; individualID: DHJPAR0030034; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030034; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-40082; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- es. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Brasilia; verbatimLocality: Gallinazo; verbatimElevation: 360; verbatimLatitude: 11.018; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 15-Dec-2008; individualID: DHJPAR0030044; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030044; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-66133; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- et. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Manguera; verbatimElevation: 470; verbatimLatitude: 10.996; verbatimLongitude: -85.398; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.996; decimalLongitude: -85.398; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 12-Nov-2008; individualID: DHJPAR0030172; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030172; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-72761; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- eu. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre; verbatimElevation: 620; verbatimLatitude: 11.001; verbatimLongitude: -85.438; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.001; decimalLongitude: -85.438; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 16-Feb-2009; individualID: DHJPAR0030192; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030192; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-20174; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ev. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion

- Guanacaste; locality: Sector Del Oro; verbatimLocality: Puente Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude: -85.495; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 30-Nov-2008; individualID: DHJPAR0030207; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030207; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-24204; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ew. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 21-Oct-2008; individualID: DHJPAR0030233; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030233; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5240; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ex. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Puente Palma; verbatimElevation: 460; verbatimLatitude: 10.916; verbatimLongitude: -85.379; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.916; decimalLongitude: -85.379; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 10-Mar-2009; individualID: DHJPAR0030427; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0030427; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-593; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ey. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 29-Oct-2008; individualID: DHJPAR0034326; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034326; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5242; identifiedBy: AJ Fleming;

- datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ez. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.931; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.931; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 08-Nov-2008; individualID: DHJPAR0034332; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034332; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5522; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fa. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Finca San Gabriel; verbatimElevation: 645; verbatimLatitude: 10.878; verbatimLongitude: -85.393; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.878; decimalLongitude: -85.393; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 28-Oct-2008; individualID: DHJPAR0034342; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034342; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-5243; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fb. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Brasilia; verbatimLocality: Gallinazo; verbatimElevation: 360; verbatimLatitude: 11.018; verbatimLongitude: -85.372; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.018; decimalLongitude: -85.372; samplingProtocol: reared from caterpillar of *Talides Burns* (Hesperiidae); verbatimEventDate: 18-Mar-2009; individualID: DHJPAR0034497; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034497; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-65324; identifiedBy: AJ Fleming; datelIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fc. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Rio Blanco Abajo; verbatimElevation: 500; verbatimLatitude: 10.9; verbatimLongitude: -85.373; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.373;

- samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 16-Jul-2006; individualID: DHJPAR0036458; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0036458;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 06-SRNP-4769; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- fd. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion
 Guanacaste; locality: Sector San Cristobal; verbatimLocality: Corrales Viejos;
 verbatimElevation: 495; verbatimLatitude: 10.9; verbatimLongitude: -85.381;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.381;
 samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae);
 verbatimEventDate: 08-Dec-2005; individualID: DHJPAR0038602; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0038602;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 05-SRNP-7124; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- fe. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion
 Guanacaste; locality: Sector Del Oro; verbatimLocality: Bosque Aguirre;
 verbatimElevation: 620; verbatimLatitude: 11.0006; verbatimLongitude: -85.438;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 11.0006; decimalLongitude:
 -85.438; samplingProtocol: reared from caterpillar of *Thracides phidon* (Hesperiidae);
 verbatimEventDate: 23-Dec-2010; individualID: DHJPAR0042322; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0042322;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 10-SRNP-22751; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen
- ff. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order:
 Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*;
 scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country:
 Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion
 Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Jacobo;
 verbatimElevation: 461; verbatimLatitude: 10.941; verbatimLongitude: -85.318;
 verbatimCoordinateSystem: Decimal; decimalLatitude: 10.941; decimalLongitude:
 -85.318; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae);
 verbatimEventDate: 14-Apr-2011; individualID: DHJPAR0042704; individualCount: 1;
 lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0042704;
 occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.
 Hallwachs; otherCatalogNumbers: 11-SRNP-69824; identifiedBy: AJ Fleming;
 dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects;
 basisOfRecord: Pinned Specimen

- fg. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Perdido; verbatimElevation: 620; verbatimLatitude: 10.8794; verbatimLongitude: -85.38607; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.8794; decimalLongitude: -85.38607; samplingProtocol: reared from caterpillar of *Talides sinois* (Hesperiidae); verbatimEventDate: 22-Jul-2012; individualID: DHJPAR0049601; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0049601; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-2735; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fh. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector San Cristobal; verbatimLocality: Sendero Huerta; verbatimElevation: 527; verbatimLatitude: 10.9305; verbatimLongitude: -85.37223; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9305; decimalLongitude: -85.37223; samplingProtocol: reared from caterpillar of *Talides Burns* (Hesperiidae); verbatimEventDate: 31-Oct-2011; individualID: DHJPAR0046411; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0046411; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-4237; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fi. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Camino Albergue Oscar; verbatimElevation: 560; verbatimLatitude: 10.87741; verbatimLongitude: -85.32363; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.87741; decimalLongitude: -85.32363; samplingProtocol: reared from caterpillar of *Talides Burns* (Hesperiidae); verbatimEventDate: 17-Dec-2011; individualID: DHJPAR0046465; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0046465; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-5052; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fj. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Medrano; verbatimElevation: 380; verbatimLatitude: 11.01602; verbatimLongitude: -85.38053; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01602; decimalLongitude: -85.38053; samplingProtocol: reared from caterpillar of *Talides Burns*02 (Hesperiidae); verbatimEventDate: 07-

- Dec-2011; individualID: DHJPAR0046584; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0046584; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-72686; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fk. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Palomo; verbatimElevation: 96; verbatimLatitude: 10.96187; verbatimLongitude: -85.28045; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.96187; decimalLongitude: -85.28045; samplingProtocol: reared from caterpillar of *Talides Burns03* (Hesperiidae); verbatimEventDate: 22-Nov-2011; individualID: DHJPAR0046683; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0046683; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-67847; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fl. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Medrano; verbatimElevation: 380; verbatimLatitude: 11.01602; verbatimLongitude: -85.38053; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01602; decimalLongitude: -85.38053; samplingProtocol: reared from caterpillar of *Talides sergestus* (Hesperiidae); verbatimEventDate: 12-Feb-2012; individualID: DHJPAR0048579; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048579; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-70340; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- fm. scientificName: *Spathidexia marioburgosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *marioburgosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Medrano; verbatimElevation: 380; verbatimLatitude: 11.01602; verbatimLongitude: -85.38053; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01602; decimalLongitude: -85.38053; samplingProtocol: reared from caterpillar of *Talides Burns03* (Hesperiidae); verbatimEventDate: 20-Dec-2012; individualID: DHJPAR0050510; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0050510; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-72629; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 2a, b, c), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 6 times as wide as frontal vitta; frontal bristles arise no

lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange; arista orange and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles absent; parafacial entirely silver with minute white hairs over its entire surface; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax:** greyish-gold when viewed dorsally with four longitudinal grey vittae, these only slightly visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its entirety; legs anterior femur bearing silvery pruinosity, tibiae yellow and hirsute with black tarsi. **Wings:** pale smoky yellowish in color, vein R_{4+5} setose from node up to r-m; R_1 setose along its entire length. **Abdomen:** abdominal tergites dark shiny black medially, with bright grey band covering $1/3^{\text{rd}}$ or more of tergal surface arising at the margins of abdominal T4 and T5, these bands wrapping around to the underside of the abdomen. Bright yellow blotches appear along tergites T1+2, T3 and the anterior margin of T4, continuing ventrally to the tip of the abdomen; tergites T3, T4 and T5 possessing medial marginal bristles. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 2d, e, f), **head:** Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 10 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange; arista orange and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafacial entirely silver with minute white hairs over its entire surface; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax:** greyish-gold when viewed dorsally with four longitudinal grey vittae, these only slightly visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its entirety; legs anterior femur bearing silvery pruinosity, tibiae yellow and hirsute with black tarsi. **Wings:** pale smoky greyish in color, vein R_{4+5} setose from node up to r-m; R_1 setose along its entire length. **Abdomen:** abdominal tergites T_{1+2} , and T_3 dark shiny black medially, with bright grey band covering $1/3^{\text{rd}}$ or more of tergal surface arising at the anterior margins of abdominal tergites T4 and T5, these bands wrapping around to the underside. Bright yellow blotches appear along T_{1+2}, T_3 ending at the margin of T4, resuming along ventral surface of T5; T3, T4 and T5 possessing medial marginal bristles. Lateral marginal bristles on T_{1+2} . Medium length yellow hairs visible over entire body, not as hirsute as males, in particular visible extending from underside of T_{1+2} .

Diagnosis

Differs from *S. cerussata*, who also possesses fine white hairs on parafacialia, due to its broadly yellow side coloration, and yellow orange antenna.




Figure 2.

Spathidexia marioburgosi sp. n.; male DHJPAR0029985, female DHJPAR0022862

a: male dorsal.

b: male head.

c: male lateral.

d: female dorsal.

e: female head.

f: female lateral.

Etymology

This species is named in honor of Sr. Mario Burgos Cespedes (RIP), whose large land holdings in Sector Pococol became major parts of the newly forming Area de Conservacion Guanacaste in the late 1980's.

Distribution

Costa Rica, ACG, Prov. Alajuela and Guanacaste, rain forest and dry forest, 96–1140 m elevation.

Ecology

Reared 221 times from 5 species of *Talides* (Hesperiidae; Hesperinae), all feeding on broad-leaved rain forest monocots (*Heliconia* spp., Heliconiaceae and *Musa* spp., introduced Musaceae). Usually 5–12 larvae per caterpillar. This frequently-reared species of *Spathidexia* displays a very shallow DNA barcode split into two groups (see Supplemental Appendix 1) that are identical in morphology, microgeographic location in ACG, and host records. We judge these specimens to be one species of *Spathidexia* but they may merit a subsequent deeper genetic probe.

Spathidexia luisrobertogallegosi Fleming & Wood 2015, sp. n.

- ZooBank urn:lsid:zoobank.org:act:2AC4E30F-69DD-4405-8FDA-218CBC86996D

Materials

Holotype:

- scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 15-Apr-2009; individualID: DHJPAR0034394; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034394; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35179; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente

- Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Vehilius illudens* (Hesperiidae); verbatimEventDate: 22-Nov-2006; individualID: DHJPAR0016675; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0016675; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-47851; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- b. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 19-Feb-2007; individualID: DHJPAR0017097; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0017097; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-45135; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- c. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Trigal; verbatimElevation: 290; verbatimLatitude: 11.027; verbatimLongitude: -85.495; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.027; decimalLongitude: -85.495; samplingProtocol: reared from caterpillar of *Nyctelius nyctelius* (Hesperiidae); verbatimEventDate: 07-Feb-2005; individualID: DHJPAR0018737; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018737; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 05-SRNP-20039; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- d. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Quebrada Raiz; verbatimElevation: 280; verbatimLatitude: 11.029; verbatimLongitude: -85.487; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.029; decimalLongitude: -85.487; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 07-Jun-2004; individualID: DHJPAR0018738; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018738; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-22017; identifiedBy: AJ Fleming;

- dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- e. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Del Oro; verbatimLocality: Canyon Rio Mena; verbatimElevation: 560; verbatimLatitude: 10.996; verbatimLongitude: -85.456; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.996; decimalLongitude: -85.456; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 08-Mar-2002; individualID: DHJPAR0018740; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018740; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 02-SRNP-5601; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- f. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 20-Apr-2007; individualID: DHJPAR0019615; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019615; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35371; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- g. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Arenales; verbatimElevation: 1080; verbatimLatitude: 10.925; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.925; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 12-Apr-2007; individualID: DHJPAR0019623; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019623; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35277; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- h. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47;

- verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 12-Apr-2007; individualID: DHJPAR0019633; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019633; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35362; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- i. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Estacion Cacao; verbatimElevation: 1150; verbatimLatitude: 10.927; verbatimLongitude: -85.468; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.927; decimalLongitude: -85.468; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 14-May-2007; individualID: DHJPAR0019648; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019648; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35646; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- j. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 05-May-2007; individualID: DHJPAR0019649; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019649; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35454; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- k. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 01-May-2007; individualID: DHJPAR0019650; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019650; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35357; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- l. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 03-Apr-2007; individualID: DHJPAR0019651; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019651; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35243; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- m. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cerro Pedregal; verbatimElevation: 1080; verbatimLatitude: 10.928; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 14-Apr-2007; individualID: DHJPAR0019652; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019652; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35297; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- n. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Apr-2007; individualID: DHJPAR0019653; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019653; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35367; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- o. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Cima; verbatimElevation: 1460; verbatimLatitude: 10.933; verbatimLongitude: -85.457; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.933; decimalLongitude: -85.457; samplingProtocol: reared from caterpillar of hespJanzen01 Janzen38

- (Hesperiidae); verbatimEventDate: 30-May-2007; individualID: DHJPAR0019654; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019654; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35729; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- p. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 09-Apr-2007; individualID: DHJPAR0019655; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019655; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35375; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- q. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Arenales; verbatimElevation: 1080; verbatimLatitude: 10.925; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.925; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 14-Apr-2007; individualID: DHJPAR0019656; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019656; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35335; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- r. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 20-Apr-2007; individualID: DHJPAR0019657; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019657; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35369; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- s. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet:

- luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Cerro Pedregal; verbatimElevation: 1080; verbatimLatitude: 10.928; verbatimLongitude: -85.474; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.928; decimalLongitude: -85.474; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Apr-2007; individualID: DHJPAR0019659; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019659; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35298; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- t. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 23-Apr-2007; individualID: DHJPAR0019660; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0019660; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 07-SRNP-35372; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- u. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 05-May-2009; individualID: DHJPAR0034378; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034378; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35196; identifiedBy: AJ Fleming; datedIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- v. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Apr-2009; individualID: DHJPAR0034380; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034380;

- occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35197; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- w. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 20-Apr-2009; individualID: DHJPAR0034381; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034381; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35184; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- x. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Arenales; verbatimElevation: 1080; verbatimLatitude: 10.925; verbatimLongitude: -85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.925; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Sep-2009; individualID: DHJPAR0034382; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034382; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35251; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- y. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 15-Apr-2009; individualID: DHJPAR0034383; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034383; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35178; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- z. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county:

- Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 24-Apr-2009; individualID: DHJPAR0034384; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034384; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35182; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aa. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 20-Apr-2009; individualID: DHJPAR0034385; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034385; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35190; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ab. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Sep-2009; individualID: DHJPAR0034386; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034386; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35183; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ac. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Sep-2009; individualID: DHJPAR0034388; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034388; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35198; identifiedBy: AJ Fleming;

- dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ad. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Apr-2009; individualID: DHJPAR0034389; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034389; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35187; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ae. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 23-Apr-2009; individualID: DHJPAR0034390; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034390; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35194; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- af. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Sep-2009; individualID: DHJPAR0034391; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034391; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35189; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ag. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Arenales; verbatimElevation: 1080; verbatimLatitude: 10.925; verbatimLongitude:

-85.467; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.925; decimalLongitude: -85.467; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Sep-2009; individualID: DHJPAR0034392; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034392; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35202; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ah. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.924; verbatimLongitude: -85.47; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.924; decimalLongitude: -85.47; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 12-Apr-2009; individualID: DHJPAR0034393; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034393; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35192; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ai. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Sendero Nacho; verbatimElevation: 710; verbatimLatitude: 10.984; verbatimLongitude: -85.425; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.984; decimalLongitude: -85.425; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 13-Apr-2011; individualID: DHJPAR0042574; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0042574; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-30498; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aj. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Sendero Laguna; verbatimElevation: 680; verbatimLatitude: 10.989; verbatimLongitude: -85.423; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.989; decimalLongitude: -85.423; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Apr-2011; individualID: DHJPAR0042576; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0042576; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-30640; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ak. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Sendero Laguna; verbatimElevation: 680; verbatimLatitude: 10.989; verbatimLongitude: -85.423; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.989; decimalLongitude: -85.423; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 07-Dec-2011; individualID: DHJPAR0048559; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048559; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-33677; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- al. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Loaiciga; verbatimElevation: 445; verbatimLatitude: 11.01983; verbatimLongitude: -85.41342; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01983; decimalLongitude: -85.41342; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 04-Jan-2012; individualID: DHJPAR0048614; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048614; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30000; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- am. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Ingas; verbatimElevation: 580; verbatimLatitude: 11.00311; verbatimLongitude: -85.42041; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.00311; decimalLongitude: -85.42041; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 07-Jan-2012; individualID: DHJPAR0048564; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048564; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30066; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- an. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Pasmompa; verbatimElevation: 440; verbatimLatitude: 11.01926; verbatimLongitude: -85.40997; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01926; decimalLongitude: -85.40997; samplingProtocol: reared from caterpillar of *Justinia norda* (Hesperiidae);

verbatimEventDate: 04-Jan-2012; individualID: DHJPAR0048608; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048608; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30209; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- ao. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Sendero Rotulo; verbatimElevation: 510; verbatimLatitude: 11.01355; verbatimLongitude: -85.42406; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01355; decimalLongitude: -85.42406; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 31-Jan-2012; individualID: DHJPAR0048609; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048609; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30302; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ap. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Pasmompa; verbatimElevation: 440; verbatimLatitude: 11.01926; verbatimLongitude: -85.40997; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.01926; decimalLongitude: -85.40997; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 26-Feb-2012; individualID: DHJPAR0048629; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048629; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30522; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- aq. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Ingas; verbatimElevation: 580; verbatimLatitude: 11.00311; verbatimLongitude: -85.42041; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.00311; decimalLongitude: -85.42041; samplingProtocol: reared from caterpillar of *Anthoptus epictetus* (Hesperiidae); verbatimEventDate: 15-Feb-2012; individualID: DHJPAR0048603; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048603; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30526; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- ar. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet:

- luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Estacion Pitilla; verbatimElevation: 675; verbatimLatitude: 10.98931; verbatimLongitude: -85.42581; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.98931; decimalLongitude: -85.42581; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 27-Mar-2012; individualID: DHJPAR0048636; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0048636; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 12-SRNP-30636; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- as. scientificName: *Spathidexia luisrobertogallegosi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luisrobertogallegosi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Sendero Nayo; verbatimElevation: 1090; verbatimLatitude: 10.92446; verbatimLongitude: -85.46953; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.92446; decimalLongitude: -85.46953; samplingProtocol: reared from caterpillar of *Conga chydea* (Hesperiidae); verbatimEventDate: 18-Feb-2009; individualID: DHJPAR0034394; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0034394; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 09-SRNP-35179; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 3a, b, c), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 4 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange with dark blotches on the apical outer surface; arista brown and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafacial gold to just below lower proclinate orbital bristles, then transitioning to silver with minute hairs over its entire surface; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax**: greyish-gold when viewed dorsally with four faintly visible longitudinal grey vittae, these becoming slightly more visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum concolorous with thorax over its entirety, thorax silver grey when viewed laterally; anterior femur bearing silvery pruinosity, anterior tibiae slightly yellow and hirsute with black tarsi, 2nd and 3rd pair of legs entirely black. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose along its entirety; vein R₁ bare. **Abdomen**: abdominal tergites dark black medially, with bright grey band covering 1/3rd or more of tergal surface arising at the anterior margins of abdominal tergites T3, T4 and T5, these bands wrapping around to the underside. Bright yellow blotches appear along tergites T1+2, T3 and the up to half of T4, these blotches do not continue ventrally to the tip of the abdomen; tergites T3, T4 and T5

possessing medial marginal bristles. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 3d, e, f), **Head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 6 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange with dark blotches on the apical outer surface; arista brown and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal entirely gold at apex up to insertion of upper proclinate orbital bristle with minute hairs over upper half of its surface; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax**: greyish-gold when viewed dorsally with four faintly visible longitudinal grey vittae, these becoming slightly more visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum concolorous with thorax over its entirety, thorax silver grey when viewed laterally; anterior femur bearing silvery pruinosity; legs anterior femur bearing silvery pruinosity, anterior tibiae slightly yellow and hirsute with black tarsi, 2nd and 3rd pair of legs entirely black. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose along its entirety; vein R₁ bare. **Abdomen**: abdominal tergites dark shiny black medially, with a mid-dorsally broke bright grey band covering 1/3rd or more of tergal surface arising at the anterior margins of abdominal tergites T3, T4 and T5, these bands wrapping around to the underside; tergites T3, T4 and T5 possessing medial marginal bristles, sharp ovipositor extending out 2 times the length of T5. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, not as hirsute as males, in particular visible extending from underside of T1+2.

Diagnosis

Differs from *S. cerussata*, who also possesses fine white hairs on parafacialia, due to its gold thorax, broadly yellow lateral coloration, and yellow orange antenna with darkened apices.

Etymology

This species is named in honor of Sr. Luis Roberto Gallegos (RIP), whose large land holdings in Sector El Hacha, Sector Orosi and Sector Pocosol became major parts of the newly forming Area de Conservacion Guanacaste in the late 1980's.

Distribution

Costa Rica, ACG, Prov. Guanacaste, rain forest, cloud forest (marginally) and dry forest-rain forest interface (primarily), 280–1460 m elevation.




Figure 3.

Spathidexia luisrobertogallegosi sp. n.; male DHJPAR0034394, female DHJPAR0018736

- a: male dorsal.
- b: male head.
- c: male lateral.
- d: female dorsal.
- e: female head.
- f: female lateral.

Ecology

Reared 50 times from *Conga chydea* (Hesperiidae, Hesperinae) only, always feeding on grasses on forest edges in rain forest and the interface between rain forest and dry forest.

Spathidexia luteola Fleming & Wood 2015, sp. n.

- ZooBank urn:lsid:zoobank.org:act:46DF154E-AFF3-43B8-A06A-11B253F90E49

Materials

Holotype:

- scientificName: *Spathidexia luteola*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luteola*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.88919; verbatimLongitude: -85.47609; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.88919; decimalLongitude: -85.47609; samplingProtocol: reared from caterpillar of *Vacerra aeas* (Hesperiidae); verbatimEventDate: 03-Apr-2004; individualID: 04-SRNP-45008; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: 04-SRNP-45008; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- scientificName: *Spathidexia luteola*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luteola*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Santa Rosa; verbatimLocality: Bosque San Emilio; verbatimElevation: 300; verbatimLatitude: 10.84389; verbatimLongitude: -85.61384; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.84389; decimalLongitude: -85.61384; samplingProtocol: reared from caterpillar of *Moeris stroma* (Hesperiidae); verbatimEventDate: 22-Oct-2004; individualID: DHJPAR0011066; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0011066; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-14634; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- scientificName: *Spathidexia luteola*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luteola*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.88919; verbatimLongitude: -85.47609; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.88919; decimalLongitude: -85.47609; samplingProtocol: reared from caterpillar of *Vacerra aeas* (Hesperiidae); verbatimEventDate: 03-Apr-2004; individualID: DHJPAR0018741; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018741; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-45008; identifiedBy: AJ

- Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- c. scientificName: *Spathidexia luteola*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luteola*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.88919; verbatimLongitude: -85.47609; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.88919; decimalLongitude: -85.47609; samplingProtocol: reared from caterpillar of *Vacerra aeas* (Hesperiidae); verbatimEventDate: 03-Apr-2004; individualID: DHJPAR0018742; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018742; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-45008; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- d. scientificName: *Spathidexia luteola*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *luteola*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Gongora Bananal; verbatimElevation: 600; verbatimLatitude: 10.88919; verbatimLongitude: -85.47609; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.88919; decimalLongitude: -85.47609; samplingProtocol: reared from caterpillar of *Vacerra aeas* (Hesperiidae); verbatimEventDate: 03-Apr-2004; individualID: 04-SRNP-45008; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: 04-SRNP-45008; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 4a, b, c), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 6 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange along upper half, first flagellomere darkening apically; arista black and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles absent; parafrenal almost entirely silver, gold along apex following margin of frontal vitta, with minute hairs over its entire surface; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax**: dull greyish-gold when viewed dorsally with two smoky longitudinal grey bands; three post sutural dorsocentral bristles; scutellum concolorous with thorax over its entirety, thorax silver grey when viewed laterally; anterior femur bearing silvery pruinosity; anterior pair of legs with femur bearing silvery pruinosity slightly yellow 1/6 of its length past knee, tibiae yellow and hirsute with black tarsi, 2nd and 3rd pair of legs black entirely. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose up to crossvein r-m; vein R₁ bare. **Abdomen**: abdominal tergites dark shiny black medially, with bright grey band covering 1/10th of anterior margin of T3, and up to 1/5th or more of T4 and T5, these bands wrapping around to the underside. Bright yellow blotches appear along tergites T1+2, T3 and the anterior half of T4; T3, T4 and T5 possessing medial

marginal bristles. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 4d, e, f), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 8 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange along upper half, first flagellomere darkening apically; arista black and plumose, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafacial almost entirely silver, gold along apex surrounding ocellar triangle and following margin of frontal vitta, sparse minute hairs over upper half of fronto-orbital plate; parafacial silver; palpi orange; short row of yellow supravibrissal hairs along facial margin. **Thorax**: greyish-gold when viewed dorsally with four longitudinal grey vittae, these only slightly visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its entirety; legs anterior femur bearing silvery pruinosity, anterior pair of legs with tibiae yellow and hirsute with black tarsi, 2nd and 3rd pair of legs black entirely. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose up to crossvein c-m; vein R₁ bare. **Abdomen**: abdominal tergites dark shiny black medially, with bright grey band covering 1/3rd or more of tergal surface arising at the margins of abdominal tergites T3, T4 and T5, these bands wrapping around to the underside. Bright yellow blotches appear along tergites T1+2, T3 and the anterior margin of T4; T3, T4 and T5 possessing medial marginal bristles, ovipositor concealed within segment 5. Lateral marginal bristles on T1+2. Small yellow hairs visible over entire body, not as hirsute as males but still present, in particular visible extending from anepimeron, and from underside of T1+2.

Diagnosis

Species closely resembling *S. clemonsi*, differs from the former due to the presence of yellow tibiae on the front pair of legs, yellow/pale hairs covering the entire body, and costal spine is reduced in *S. luteola*, not absent as in *S. clemonsi*. This species is quite similar to *Spathidexia brasiliensis*, from which it can be differentiated by the former having an orange pedicel and narrow ocellar triangle.

Etymology

From the Latin adjective, “*luteus*”, yellow, in reference to the pale yellow hairs covering the body of this species, particularly prominent on the underside of the abdomen.

Distribution

Costa Rica, ACG, Prov. Guanacaste, dry forest and dry forest-rain forest interface, 300–600 m elevation.




Figure 4.

Spathidexia luteola sp. n.; male 04-SRNP-45008, female DHJPAR0018741

- a: male dorsal.
- b: male head.
- c: male lateral
- d: female dorsal
- e: female head
- f: female lateral

Ecology

Reared from 2 species of Hesperidae, Hesperinae, eating *Lasiacis* (Poaceae) (2 records), bearing 1–5 larvae per caterpillar.

Spathidexia hernanrodriguezii Fleming & Wood 2015, sp. n.

- ZooBank urn:lsid:zoobank.org:act:068E420E-0AB0-40CF-8B60-686603F44031

Materials

Holotype:

- a. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pocosol; verbatimLocality: Quebrada Aserradero; verbatimElevation: 160; verbatimLatitude: 10.899; verbatimLongitude: -85.564; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.899; decimalLongitude: -85.564; samplingProtocol: reared from caterpillar of *Corticea corticea* (Hesperidae); verbatimEventDate: 24-Apr-2006; individualID: DHJPAR0018743; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018743; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-10616; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- a. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Quasimellana antipazina* (Hesperidae); verbatimEventDate: 02-May-2004; individualID: DHJPAR0010022; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0010022; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-45170; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- b. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pocosol; verbatimLocality: Quebrada Aserradero; verbatimElevation: 160; verbatimLatitude: 10.899; verbatimLongitude: -85.564; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.899; decimalLongitude: -85.564; samplingProtocol: reared from caterpillar of *Corticea corticea* (Hesperidae); verbatimEventDate: 02-May-2004; individualID: DHJPAR0018744; individualCount: 1;

- lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018744; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 04-SRNP-10616; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- c. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Cacao; verbatimLocality: Puente Gongora; verbatimElevation: 540; verbatimLatitude: 10.885; verbatimLongitude: -85.472; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.885; decimalLongitude: -85.472; samplingProtocol: reared from caterpillar of *Quasimellana antipazina* (Hesperiidae); verbatimEventDate: 24-Apr-2006; individualID: DHJPAR0018745; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018745; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-45170; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- d. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pocosol; verbatimLocality: Pozo Centeno; verbatimElevation: 155; verbatimLatitude: 10.9; verbatimLongitude: -85.566; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.566; samplingProtocol: reared from caterpillar of *Cymaenes odilia trebius* (Hesperiidae); verbatimEventDate: 22-Apr-2008; individualID: DHJPAR0024529; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0024529; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-12254; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- e. scientificName: *Spathidexia hernanrodriguezii*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *hernanrodriguezii*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pocosol; verbatimLocality: Pozo Centeno; verbatimElevation: 155; verbatimLatitude: 10.9; verbatimLongitude: -85.566; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9; decimalLongitude: -85.566; samplingProtocol: reared from caterpillar of *Vacerra aeas*; verbatimEventDate: 29-Apr-2008; individualID: DHJPAR0024530; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0024530; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 08-SRNP-12251; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 5a, b, c), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 8 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange along upper quarter of first flagellomere and pedicel, darkening apically; arista black and plumose, trichia at least 2 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal almost entirely silver, gold only along apex surrounding ocellar triangle, with minute hairs over its entire surface; parafacial silver; palpi orange; lacking short row of yellow supravibrissal hairs along facial margin. **Thorax**: dull greyish-gold when viewed dorsally with two faint smoky longitudinal grey bands; three post sutural dorsocentral bristles; scutellum concolorous with thorax over its entirety, thorax silver grey when viewed laterally; anterior femur bearing silvery pruinosity; anterior pair of legs with femur bearing silvery pruinosity, tibiae dark brownish yellow and hirsute with black tarsi, 2nd and 3rd pair of legs black entirely; claws of male shorter than apical tarsal segment. **Wings**: pale smoky greyish in color, Vein R₄₊₅ setose to just past crossvein r-m; vein R₁ haired along its entirety. **Abdomen**: abdominal tergites dark shiny black medially, with bright grey band covering 1/5th or more of tergal surface arising along the anterior margins of abdominal tergites T3, T4 and T5, these bands wrapping around to the underside. Bright yellow blotches appear along tergites T1+2, T3 and the anterior half of T4; median marginal bristles on T3, T4 and T5. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 5d, e, f), **head**: Frontal vitta dark black, narrowed apically to less than the width of the ocellar triangle, face 6 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange along upper quarter of first flagellomere and pedicel, darkening apically; arista black and plumose, trichia at least 2 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal almost entirely silver, gold only along apex surrounding ocellar triangle, up to insertion of upper proclinate orbital, and following margin of frontal vitta, sparse minute hairs over upper half of fronto-orbital plate; parafacial silver; palpi orange; lacking short row of yellow supravibrissal hairs along facial margin. **Thorax**: greyish-gold when viewed dorsally with four faint longitudinal grey vittae, these only slightly visible post-suturally, appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum bearing white or yellowish pruinosity over its entirety; legs anterior femur bearing silvery pruinosity, anterior pair of legs with tibiae yellowish tinge and hirsute with black tarsi, 2nd and 3rd pair of legs black entirely. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose to just past crossvein r-m; R₁ haired along its entirety. **Abdomen**: abdominal tergites entirely dark shiny black, with bright grey band covering 1/3rd or more of tergal surface arising at the margins of abdominal tergites T3, T4 and T5, these bands wrapping around to the underside. Silver pruinose patch appearing along underside of




Figure 5.

Spathidexia hermanrodriguezi sp. n.; male DHJAPR0018743, female DHJPAR0024529

- a: male dorsal.
- b: male head.
- c: male lateral.
- d: female dorsal.
- e: female head.
- f: female lateral.

tergites T1+2; tergites T3, T4 and T5 possessing medial marginal bristles, sharp ovipositor extending out approximately the same length as T5. Lateral marginal bristles on T1+2. Small yellow hairs visible over entire body, not as hirsute as males but still present, in particular visible extending from anepimeron, and from underside of T1+2.

Diagnosis

Resembles *S. cerussata*, differs from the former in the presence of apically enlarged palpus, thorax with almost indistinguishable vittae, a haired wing vein R₁, and orange pedicel. Females in *S. cerussata* are similarly colored to males a characteristic not shared by *S. hernanrodriguezii*.

Etymology

This species is named in honor of Sr. Hernan Rodriguez Arce (RIP), whose Finca San Gerardo became a large part of Sector San Cristobal of the newly forming Area de Conservación Guanacaste in the early 1990's.

Distribution

Costa Rica, ACG, Guanacaste, dry forest, 155–540 m elevation.

Ecology

Reared from 3 species of Hesperidae, Hesperinae (4 records), feeding on grasses. 5–12 larvae per caterpillar.

Spathidexia aurantiaca Fleming & Wood 2015, sp. n.

- ZooBank urn:lsid:zoobank.org:act:3D3061BA-CA4C-443D-9B1D-92AED17B758D

Materials

Holotype:

- a. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Caverna; verbatimElevation: 420; verbatimLatitude: 10.927; verbatimLongitude: -85.288; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.927; decimalLongitude: -85.288; samplingProtocol: reared from caterpillars of *Justinia Burns01* (Hesperidae); verbatimEventDate: 01-Aug-2006; individualID: DHJPAR0010326; individualCount: 1; sex: M; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0010326; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-42439; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- a. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Puente Rio Negro; verbatimElevation: 340; verbatimLatitude: 10.904; verbatimLongitude: -85.303; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.303; samplingProtocol: reared from caterpillars of *Justinia Burns01* (Hesperiidae); verbatimEventDate: 12-Mar-2006; individualID: DHJPAR0006934; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0006934; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-40499; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- b. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Puente Rio Negro; verbatimElevation: 340; verbatimLatitude: 10.904; verbatimLongitude: -85.303; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.904; decimalLongitude: -85.303; samplingProtocol: reared from caterpillars of *Justinia Burns01* (Hesperiidae); verbatimEventDate: 12-Mar-2006; individualID: DHJPAR0018746; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0018746; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 06-SRNP-40499; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- c. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Selva; verbatimElevation: 410; verbatimLatitude: 10.923; verbatimLongitude: -85.319; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.923; decimalLongitude: -85.319; samplingProtocol: reared from caterpillars of *Euphyes Janzen01* (Hesperiidae); verbatimEventDate: 05-Dec-2010; individualID: DHJPAR0040837; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0040837; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 10-SRNP-81062; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen
- d. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Selva; verbatimElevation: 410; verbatimLatitude: 10.923; verbatimLongitude: -85.319; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.923; decimalLongitude: -85.319; samplingProtocol: reared from caterpillars of *Euphyes Janzen01* (Hesperiidae); verbatimEventDate: 04-Dec-2010; individualID: DHJPAR0040838; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0040838; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W.

Hallwachs; otherCatalogNumbers: 10-SRNP-81061; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

- e. scientificName: *Spathidexia aurantiaca*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *aurantiaca*; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Alajuela; county: Area de Conservacion Guanacaste; locality: Sector Rincon Rain Forest; verbatimLocality: Selva; verbatimElevation: 410; verbatimLatitude: 10.923; verbatimLongitude: -85.319; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.923; decimalLongitude: -85.319; samplingProtocol: reared from caterpillars of *Euphyes* Janzen01 (Hesperiidae); verbatimEventDate: 06-May-2011; individualID: DHJPAR0042708; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0042708; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-80003; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Male (Fig. 6a, b, c), **head**: Frontal vitta dark black, and narrow slightly less than the width of the ocellar triangle, face 4 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; lacking yellow hairs lining the margin of the frontal vitta; antenna orange along upper quarter of first flagellomere and pedicel, darkening apically; arista black and plumose, enlarged basally up to 1/5 total length, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal entirely silver grey, lacking minute hairs over its entire surface; parafacial silver; palpi orange; short row of black supravibrissal hairs along facial margin. **Thorax**: silver-grey when viewed dorsally, thoracic vittae not visible; three post sutural dorsocentral bristles; scutellum concolorous with thorax over its entirety, thorax dull grey when viewed laterally; anterior femur bearing silvery pruinosity; legs entirely black. **Wings**: pale smoky greyish in color, vein R_{4+5} setose to just past crossvein r-m; vein R_1 bare. **Abdomen**: abdominal tergites entirely bright orange, with slight grey pruinosity covering less than 1/3rd of tergal surface arising at the margins of abdominal tergites T3, T4 and T5, these bands not wrapping around to the underside, darkening on posterior 1/3rd of T5. Tergites T3, T4 and T5 possessing medial marginal bristles. Lateral marginal bristles on T1+2. Medium length yellow hairs visible over entire body, in particular visible extending from underside of T1+2.

Female (Fig. 6d, e, f), **head**: Frontal vitta dark black, and narrow to slightly less than the width of the ocellar triangle, face 4 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; yellow hairs lining the margin of the frontal vitta; antenna orange only along upper 1/4 of first flagellomere, and pedicel then darkening apically; arista black and plumose, enlarged basally up to 1/5 total length, trichia at least 4 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal almost entirely silver, with only slight gold margin surrounding ocellar triangle, sparse minute hairs over upper half of fronto-orbital plate lacking; parafacial silver; palpi orange; short row of black supravibrissal hairs along




Figure 6.

Spathidexia aurantiaca sp. n.; male DHJPAR0010326, female DHJPAR0042708

a: male dorsal.

b: male head.

c: male lateral.

d: female dorsal.

e: female head.

f: female lateral.

facial margin. **Thorax:** silver-grey when viewed dorsally with two longitudinal stripes visible only slightly darker than surrounding thorax, only slightly visible post-suturally,

appearing broken at thoracic suture; three post sutural dorsocentral bristles; scutellum concolorous with thorax; legs anterior femur bearing silvery pruinosity, anterior pair of legs with tibiae yellowish and hirsute with black tarsi, 2nd and 3rd pair of legs black entirely. **Wings:** pale smoky greyish in color, vein R₄₊₅ setose to just past crossvein r-m; vein R₁ bare. **Abdomen:** abdominal tergites entirely bright orange only darkening on posterior 1/3rd of T5, slight grey pruinosity covering less than 1/3rd of tergal surface arising at the margins of abdominal tergites T3, T4 and T5, traces of which is apparent along the ventral margins of T3 and T4. Tergites T3, T4 and T5 possessing medial marginal bristles, ovipositor concealed within segment 5. Lateral marginal bristles on T1+2. Small yellow hairs visible over entire body, not as hirsute as males but still present, in particular visible extending from anepimeron, and from underside of T1+2.

Diagnosis

This species differs from the only other reddish-orange species in *Spathidexia*, *S. creolensis* from the southern US in that *Spathidexia aurantiaca* has more pronounced pruinosity along abdominal margins, black ground color on T5 in both sexes, and gold along the fronto-orbital plate.

Etymology

From Latin, "*aurantiaco*" referring to the orange ground color of the abdomen.

Distribution

Costa Rica, ACG, Prov. Alajuela, rain forest, 340–420 m elevation.

Ecology

Reared from Hesperidae, specifically two species of sedge (Cyperaceae)-eating Hesperinae (4 records). 1–5 larvae per caterpillar.

Spathidexia juanvialesi Fleming & Wood 2015, sp. n.

- ZooBank [urn:lsid:zoobank.org:act:2C61259B-77E7-41F6-86BF-0A6292CB8181](https://zoobank.org/act:2C61259B-77E7-41F6-86BF-0A6292CB8181)

Materials

Holotype:

- scientificName: *Spathidexia juanvialesi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *juanvialesi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Bullas; verbatimElevation: 440; verbatimLatitude: 10.9867; verbatimLongitude: -85.38503; verbatimCoordinateSystem: Decimal; decimalLatitude: 10.9867; decimalLongitude: -85.38503; samplingProtocol: reared from caterpillar of *Cissia* 95-SRNP-7306 (Nymphalidae); verbatimEventDate: 6/Jan/12; individualID: DHJPAR0046610; individualCount: 1; sex: F; lifeStage: adult;

preparations: pinned; catalogNumber: DHJPAR0046610; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-72577; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Paratype:

- a. scientificName: *Spathidexia juanvialesi*; phylum: Arthropoda; class: Insecta; order: Diptera; family: Tachinidae; genus: *Spathidexia*; specificEpithet: *juanvialesi*; scientificNameAuthorship: Fleming & Wood, 2015; continent: Central America; country: Costa Rica; countryCode: CR; stateProvince: Guanacaste; county: Area de Conservacion Guanacaste; locality: Sector Pitilla; verbatimLocality: Ingas; verbatimElevation: 580; verbatimLatitude: 11.00311; verbatimLongitude: -85.42041; verbatimCoordinateSystem: Decimal; decimalLatitude: 11.00311; decimalLongitude: -85.42041; samplingProtocol: reared from caterpillar of *Hermeuptychia hermes*DHJ04 (Nymphalidae); verbatimEventDate: 2/Dec/11; individualID: DHJPAR0046623; individualCount: 1; lifeStage: adult; preparations: pinned; catalogNumber: DHJPAR0046623; occurrenceDetails: <http://janzen.sas.upenn.edu>; recordedBy: D.H. Janzen & W. Hallwachs; otherCatalogNumbers: 11-SRNP-33171; identifiedBy: AJ Fleming; dateIdentified: 2014; language: en; institutionCode: CNC; collectionCode: Insects; basisOfRecord: Pinned Specimen

Description

Female(Fig. 7a, b, c), (to date only females have been reared from the inventory efforts) **head**: Frontal vitta light to dark brown, apically twice as wide as ocellar triangle, face 3 times as wide as frontal vitta; frontal bristles arise no lower than level of pedicel; lacking yellow hairs lining the margin of the frontal vitta; antenna bearing a black first flagellomere on an orange pedicel; arista black and plumose, sparsely haired with widely interspersed trichia at least 2 times as long as width of base of arista, tapering at apex of arista; proclinate orbital bristles present; parafrontal entirely silver, sparse minute hairs over upper half of fronto-orbital plate; parafacial silver; palpi orange with black bulbous tips; lacking any supravibrissal hairs. **Thorax**: dull grey when viewed dorsally, longitudinal vittae smudging together presuturally appearing as two black smudges separated by grey, then into a large precircular dark smudge post suturally. Vittae are not readily discernible as bands; scutellum dark over more than 2/3 of its surface becoming grey apically concolorous with rest of thorax; anterior pair of legs yellow from coxae to tibiae, anterior femur bearing silvery pruinosity on yellow ground color, 2nd and 3rd pair of legs yellow from coxae to 1/2 of femur, with black from tibiae to tarsi. **Wings**: pale smoky greyish in color, vein R₄₊₅ setose beyond crossvein r-m, but ending approximately 1/3 of vein length away from wing margin; R₁ haired along its entirety. **Abdomen**: abdominal tergites dark shiny black medially, with bright grey band covering 1/3rd or more of tergal surface arising at the anterior margins of abdominal tergites T4 and T5, these bands wrapping around to the underside. T3 does not bear these grey bands of pruinosity but there is a conspicuous lack of pruinosity and bristles along the anterior margin of T3. Bright yellow blotches appear along tergites T1+2, T3 and the anterior margin of T4; T3, T4 and T5 possessing medial marginal bristles, ovipositor concealed within segment 5. Lateral marginal bristles on T1+2. Lacking any

discernible small yellow hairs over entire body, not as hirsute as other species, in particular lacking along anepimeron, and from underside of T1+2.




Figure 7.

Spathidexia juanvialesi sp. n.; female DHJPAR0046610

a: female dorsal.

b: female head.

c: female lateral.

Diagnosis

Similar to *S. setipennis* in the thoracic markings, however *S. juanvialesi* is strongly different in the coloration of the antenna, and the extent of the yellow on the legs.

Etymology

This species is named in honor of Sr. Juan Viales (RIP), whose Finca San Cristobal became a large part of Sector San Cristobal of the newly forming Area de Conservación Guanacaste in the early 1990's.

Distribution

Costa Rica, ACG, Prov. Guanacaste, rain forest, 440–580 m elevation.

Ecology

Reared twice from grass-eating rain forest Hesperinae (Hesperiidae).

Identification keys

Key to the species of *Spathidexia* reared from Area de Conservación Guanacaste, Northwestern Costa Rica

This key was prepared based on the specimens collected as a result of the 40+ year rearing effort conducted in ACG. Our key is intended to speak to the fauna present within the confines of the ACG and is not meant to be an exhaustive key to the species within the confines of Costa Rica.

1	Proclinate orbital bristles absent	2
–	Proclinate orbital bristles present	4
2	Fronto-orbital plate entirely silver (no trace of gold)(Figs 1b, 2b)	3
–	Fronto-orbital plate bearing at least traces of gold at least at apex, and surrounding ocellar triangle (Figs 3b, 4b)	<i>Spathidexia luteola</i> sp. n. (♂)
3	Thoracic vittae black, prominent; vein R ₁ bare (Fig. 1a); antenna black; palpus black (Fig. 1b); and legs entirely black	<i>Spathidexia atripalpus</i> sp. n. (♂)
–	Grey thorax with greyish indistinct vittae (only slightly visible, Fig. 2a); vein R ₁ setose along its entirety; antenna orange; palpus orange (Fig. 2b); tibiae yellow	<i>Spathidexia marioburgosi</i> sp. n. (♂)
4	Ground color of abdomen dark, but bearing lateral orange/yellow blotches; or mostly orange (Figs 3a, c, 5a, c)	5
–	Abdominal tergites black, with grayish tomentose bands covering up to basal 1/3 of tergal surface, and with no traces of orange/yellow blotching on abdomen (Figs 3d, f, 5d, f)	9
5	Ground color of abdomen dark, but bearing lateral orange/yellow blotches (Figs 1f, 2f, 4f, 7c)	6
–	Ground color of abdomen orange along its entirety; or with darkened T5 in the case of females (Fig. 6)	<i>Spathidexia aurantiaca</i> sp. n. (♂ & ♀)
6	Abdomen bearing orange/yellow blotches along sides of abdominal tergites, (T1+2, T3, T4, and sometimes T5) (Figs 2f, 4f, 7c)	7

–	Abdomen with yellow blotches only on T1+2 (Fig. 1f), and usually confined to the underside of the abdominal tergite; antenna black; palpi black (Fig. 1e); and legs black	<i>Spathidexia atripalpus</i> sp. n. (♀)
7	Fronto-orbital plate entirely silver with no trace of gold, or if gold present, then only in trace amount alongside ocellar triangle (Figs 2e, 7b); vein R ₁ setose along its entirety; vein R ₄₊₅ setose along its entirety	8
–	Fronto-orbital plate bearing traces of gold at least at apex, and surrounding ocellar triangle up to insertion of first proclinate orbital bristle (Fig. 4e); antenna orange but darkened apically; orange/yellow blotches present along sides of T1+2, T3, and spilling into T4, but only marginally (Fig. 4d, f); legs black with yellowish tibiae; vein R ₁ bare; vein R ₄₊₅ setose up to crossvein r-m; grey bands present along margins of T3, T4, and T5	<i>Spathidexia luteola</i> sp. n. (♀)
8	Fronto-orbital plate entirely silver with no trace of gold; wide light brown frontal vitta; antenna black only orange on pedicel (Fig. 7b); thoracic vittae joined pre-suturally appearing as two black blotches, and postsuturally as one large black smudge (Fig. 7a); legs bright yellow from coxae to tibiae; grey abdominal banding only along margin of T4 and T5, and no trace of grey band on T3 (Fig. 7c).	<i>Spathidexia juanvialesi</i> sp. n. (♀)
–	Fronto-orbital plate entirely silver with slight trace of gold alongside ocellar triangle; narrow black frontal vitta; antenna bright orange (Fig. 2e); thorax greyish with light grey thoracic vittae only slightly visible when viewed dorsally (Fig. 2d); anterior legs with yellow tibia, while the mid and posterior legs are entirely black; grey abdominal banding along margin of T3, T4 and T5; yellow abdominal blotches present on T1+2, T3, and slightly on underside of T5 (Fig. 2f).	<i>Spathidexia marioburgosi</i> sp. n. (♀)
9	Fronto-orbital plate with gold color only at apex surrounding ocellar triangle, descending to insertion of upper proclinate orbital in the case of females; antenna dark, only pedicel appears orange (Fig. 5b); thorax grey when viewed dorsally with only slight golden tinge (Fig. 5a, d); legs entirely black (Fig. 5c, f); vein R ₁ bare; vein R ₄₊₅ setose beyond cross vein r-m, but only up to half its total length in males and up to crossvein r-m in females.	<i>Spathidexia hernanrodriguezii</i> sp. n. (♂ & ♀)
–	Fronto-orbital plate with gold color extending up to second proclinate orbital bristle; antenna orange (Fig. 3b, e); thorax greyish gold when viewed dorsally (Fig. 3a, d); anterior pair of legs entirely with distinctive yellow ground color on tibiae (Fig. 3c, f); vein R ₁ bare; vein R ₄₊₅ setose along its entirety, or up to 2/3 total length in females	<i>Spathidexia luisgallezosi</i> sp. n. (♂ & ♀)

Acknowledgements

We gratefully acknowledge the unflagging support of the team of ACG parataxonomists (Janzen et al. 2009, Janzen & Hallwachs 2011) who found and reared the specimens used in this study, and the team of biodiversity managers who protect and manage the ACG forests that host these tachinids and their caterpillar hosts. The study has been supported by U.S. National Science Foundation grants BSR 9024770 and DEB 9306296, 9400829, 9705072, 0072730, 0515699, and grants from the Wege Foundation, International Conservation Fund of Canada, Jessie B. Cox Charitable Trust, Blue Moon Fund, Guanacaste Dry Forest Conservation Fund, Area de Conservación Guanacaste, Permian Global, and University of Pennsylvania (DHJ & WH). This study has been supported by the Government of Canada through its ongoing support of the Canadian National Collection, Genome Canada, the Biodiversity Institute of Ontario, and the Ontario Genomics Institute (2008-0GI-ICI-03) (MAS), and by a Discovery Grant from Natural Sciences and Engineering Research Council of Canada (MAS). The authors also wish to acknowledge the efforts and time of the editor and reviewers, who provided insights and suggestions allowing us to make our work better.

References

- Arnaud PH (1960) A review of the genus *Spathidexia* Townsend (Diptera: Tachinidae). The Wasmann Journal of Biology 18: 1-36.
- Arnaud PH (1978) A Host-Parasite Catalog of North American Tachinidae (Diptera). United States Department of Agriculture, Washington, D.C., 860 pp.
- Brauer F, Bergenstamm JE (1891) Die Zweiflügler des Kaiserlichen Museums zu Wien. V. Vorarbeiten zu einer Monographie der Muscaria Schizometopa (exclusive Anthomyidae). Pars II. Denkschriften der Kaiserlichen Akademie der Wissenschaften Wien. Mathematisch-Naturwissenschaftliche Classe 58: 305-446.
- Coquillett DW (1895) Notes and descriptions of Tachinidae. Journal of the New York Entomological Society 3: 49-58.
- Coquillett DW (1897) Revision of the Tachinidae of America north of Mexico. A family of parasitic two-winged insects. Government Printing Office, 156 pp. URL: <http://dx.doi.org/10.5962/bhl.title.9264> DOI: [10.5962/bhl.title.9264](https://doi.org/10.5962/bhl.title.9264)
- Crosskey R (1984) Annotated keys to the genera of Tachinidae (Diptera) found in tropical and southern Africa. Annals of the Natal Museum 26: 189-337.
- Cumming JM, Wood DM (2009) Adult morphology and terminology. Pp. 9–50. In: Brown BV, Borkent A, Cumming JM, Wood DM, Woodley NE, Zumbado MA (Eds) Manual of Central American Diptera. 1. NRC Research Press, Ottawa, Canada, xi + 714 pp. pp.
- Fernandez-Triana J, Whitfield J, Rodriguez J, Smith A, Janzen D, Hallwachs W, Hajibabaei M, Burns J, Solis A, Brown J, Cardinal S, Goulet H, Hebert P (2014) Review of *Apanteles sensu stricto* (Hymenoptera, Braconidae, Microgastrinae) from Area de Conservación Guanacaste, northwestern Costa Rica, with keys to all described species from Mesoamerica. Zookeys 383: 1-565. DOI: [10.3897/zookeys.383.6418](https://doi.org/10.3897/zookeys.383.6418)

- Fleming A, Wood DM, Smith MA, Hallwachs W, Janzen D (2014a) Revision of the New World species of *Houghia* Coquillett (Diptera, Tachinidae) reared from caterpillars in Area de Conservación Guanacaste, Costa Rica. *Zootaxa* 3858 (1): 1-90. DOI: [10.11646/zootaxa.3858.1.1](https://doi.org/10.11646/zootaxa.3858.1.1)
- Fleming A, Wood DM, Smith MA, Janzen D, Hallwachs W (2014b) A new species of *Cordyligaster* Macquart, reared from caterpillars in Area de Conservación Guanacaste, northwestern Costa Rica. *Biodiversity Data Journal* 2: 1-33. URL: <http://zoobank.org/A5160572-0FC6-42F1-9240-A2F4960A1E76>
- Giglio-Tos E (1893) Diagnosi di nuovi generi e di nuove specie di Ditteri. *Bolletino dei Musei di Zoologia ed Anatomia comparata della R. Università di Torino* 8: 1-11.
- Guimarães JH (1971) 104. Family Tachinidae. In: Papavero N (Ed.) *A catalog of the Diptera of the Americas South of the United States*. Museu de Zoologia, Universidade de São Paulo, São Paulo, 333 p. pp.
- Hebert PDN, Penton EH, Burns JM, Janzen DH, Hallwachs W (2004) Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceedings of the National Academy of Sciences* 101 (41): 14812-14817. DOI: [10.1073/pnas.0406166101](https://doi.org/10.1073/pnas.0406166101)
- Ivanova N, Dewaard J, Hebert PN (2006) An inexpensive, automation-friendly protocol for recovering high-quality DNA. *Molecular Ecology Notes* 6 (4): 998-1002. DOI: [10.1111/j.1471-8286.2006.01428.x](https://doi.org/10.1111/j.1471-8286.2006.01428.x)
- Janzen DH, Hallwachs W (2011) Joining inventory by parataxonomists with DNA barcoding of a large complex tropical conserved wildland in northwestern Costa Rica. *PLoS ONE* 6 (8): 1-13. DOI: [10.1371/journal.pone.0018123](https://doi.org/10.1371/journal.pone.0018123)
- Janzen DH, Hallwachs W, Burns J, Hajibabaei M, Bertrand C, Hebert PN (2011) Reading the complex Skipper butterfly fauna of one tropical place. *PLoS ONE* 6 (8): e19874. DOI: [10.1371/journal.pone.0019874](https://doi.org/10.1371/journal.pone.0019874)
- Janzen DH, Hallwachs W, Blandin P, Burns JM, Cadiou J, Chacon I, Dapkey T, Deans AR, Epstein ME, Espinoza B, Franclemont JG, Haber WA, Hajibabaei M, Hall JPW, Hebert PDN, Gauld ID, Harvey DJ, Hausmann A, Kitching IJ, Lafontaine D, Landry J, Lemaire C, Miller JY, Miller JS, Miller L, Miller SE, Montero J, Munroe E, Green SR, Ratnasingham S, Rawlins JE, Robbins RK, Rodriguez JJ, Rougerie R, Sharkey MJ, Smith MA, Solis MA, Sullivan JB, Thiaucourt P, Wahl DB, Weller SJ, Whitfield JB, Willmott KR, Wood DM, Woodley NE, Wilson JJ (2009) Integration of DNA barcoding into an ongoing inventory of complex tropical biodiversity. *Molecular Ecology Resources* 9 Suppl s1: 1-26. DOI: [10.1111/j.1755-0998.2009.02628.x](https://doi.org/10.1111/j.1755-0998.2009.02628.x)
- Mesnil LP (1939) Essais sur les Tachinaires (Larvaevoridae). In: *Monographies publiées par les stations et laboratoires de recherches agronomiques*. Ministeres de L'Agriculture, Imprimerie Nationale, Paris, 1-67 pp. [In French].
- O'Hara JE, Wood DM (1998) Tachinidae (Diptera): Nomenclatural review and changes, primarily for America north of Mexico. *The Canadian Entomologist* 130 (6): 751-774. DOI: [10.4039/ent130751-6](https://doi.org/10.4039/ent130751-6)
- O'Hara JE, Wood DM (2004) Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International* 18: iv-410.
- Ratnasingham S, Hebert PD (2007) BOLD: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular Ecology Notes* 7: 355-364. DOI: [10.1111/j.1471-8286.2007.01678.x](https://doi.org/10.1111/j.1471-8286.2007.01678.x)

- Reinhard HJ (1934) North American parasitic flies of the genus *Spathidexia* with descriptions of two new species. *Bulletin of the Brooklyn Entomological Society* 29: 150-154.
- Reinhard HJ (1953) New species of Tachinidae from Mexico (Diptera). *Bulletin of the Brooklyn Entomological Society* 48: 89-96.
- Reinhard HJ (1955) New Nearctic Sarcophagidae and Tachinidae (Diptera). *Bulletin of the Brooklyn Entomological Society* 50: 122-133.
- Reinhard HJ (1964) North American Tachinidae (Diptera). *Journal of the Kansas Entomological Society* 37: 35-51.
- Rodriguez J, Fernández-Triana J, Smith MA, Janzen D, Hallwachs W, Erwin T, Whitfield J (2012) Extrapolations from field studies and known faunas converge on dramatically increased estimates of global microgastrine parasitoid wasp species richness (Hymenoptera: Braconidae). *Insect Conservation and Diversity* 6 (4): 530-536. DOI: [10.1111/icad.12003](https://doi.org/10.1111/icad.12003)
- Saitou N, Nei M (1987) The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4: 406-425.
- Smith D, Janzen D, Hallwachs W, Smith A (2012) Hyperparasitoid wasps (Hymenoptera, Trigonaliidae) reared from dry forest and rain forest caterpillars of Area de Conservación Guanacaste, Costa Rica. 29: 119-144. DOI: [10.3897/jhr.29.3233](https://doi.org/10.3897/jhr.29.3233)
- Smith MA, Wood DM, Janzen DH, Hallwachs W, Hebert PD (2007) DNA barcodes affirm that 16 species of apparently generalist tropical parasitoid flies (Diptera: Tachinidae) are not all generalists. *Proceedings of the National Academy of Sciences* 104: 4967-4972. DOI: [10.1073/pnas.0700050104](https://doi.org/10.1073/pnas.0700050104)
- Smith MA, Woodley NE, Janzen DH, Hallwachs W, Hebert PD (2006) DNA barcodes reveal cryptic host-specificity within the presumed polyphagous members of a genus of parasitoid flies (Diptera: Tachinidae). *Proceedings of the National Academy of Sciences* 103: 3657-3662. DOI: [10.1073/pnas.0511318103](https://doi.org/10.1073/pnas.0511318103)
- Smith MA, Rodriguez JJ, Whitfield JB, Deans AR, Janzen DH, Hallwachs W, Hebert PD (2008) Extreme diversity of tropical parasitoid wasps exposed by iterative integration of natural history, DNA barcoding, morphology, and collections. *Proceedings of the National Academy of Sciences* 105: 12359-12364. DOI: [10.1073/pnas.0805319105](https://doi.org/10.1073/pnas.0805319105)
- Thompson W (1963) The tachinids of Trinidad. II. Echinomyiines, Dexiines and allies (Dipt. Tachinidae). *Canadian Journal of Zoology* 41: 335. DOI: [10.1139/z63-029](https://doi.org/10.1139/z63-029)
- Townsend CH (1912) Foundation of some new genera and species of Muscoid flies mainly on reproductive and early-stage characters. *Journal New York Entomological Society* 20: 107-119.
- Townsend CH (1915) Some muscoid synonyms. *Entomological News* 26: 366.
- Townsend CH (1919a) New genera and species of muscoid flies. *Proceedings of The United States National Museum* 56: 541-592. DOI: [10.5479/si.00963801.2301.541](https://doi.org/10.5479/si.00963801.2301.541)
- Townsend CH (1919b) New muscoid genera, species and synonymy. *Insector Inscitiae Menestruus* 6: 157-182.
- Townsend CH (1927) Synopse dos generos muscoideos da região humida tropical da America, com generos e espécies novos. *Revista do Museo Paulista* 15: 203-385.
- Townsend CH (1928) New muscoid genera and species of the coasts of Perú and Chile. *Revista Chilena de Historia Natural* 31: 158-164.
- van der Wulp FM (1890) Fam. Muscidae. Pp. 201–208. [Cont.]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana, or, contributions to the knowledge of the fauna*

- and flora of Mexico and Central America. Zoologia. Class Insecta. Order Diptera. Vol. 2. [1888–1903.]. Taylor & Francis, London, 489 pp. + 13 pls. pp.
- van der Wulp FM (1891) Fam. Muscidae. [Cont.]Pp. 209–224, 225–248, 249–264 + pls. 5-6 [cont.]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana*, or, contributions to the knowledge of the fauna and flora of Mexico and Central America. Zoologia. Class Insecta. Order Diptera. Vol. 2. [1888–1903.]. Taylor & Francis, London, 489 pp. + 13 pls. pp.
 - Wood DM (1987) Tachinidae In: *Manual of Nearctic Diptera*, vol. 2. Agriculture Canada Research Branch, Ottawa, 77 pp.
 - Wood DM, Zumbado MA (2010) Tachinidae (tachinid flies, parasitic flies). Pp. 1343–1417. In: Brown BV, Borkent A, Cumming JM, Wood DM, Woodley NE, Zumbado MA (Eds) *Manual of Central American Diptera*. Vol 2. NRC Research Press, Ottawa, Canada, xvi + 715–1442 pp. pp.

Supplementary material

Suppl. material 1: Supplemental Appendix 1

Authors: DHJ, WH

Data type: Neighbor-joining tree

Filename: *Spathidexia* NJ Jan2015.pdf - [Download file](#) (8.26 kb)