



Data Paper

The Avian Collection of the Zoological Museum of the University of Athens (ZMUA)

Gabriella Papastefanou[‡], Anastasios Legakis[§], Igor Shogolev[§][‡] Hellenic Centre for Marine Research, Heraklion, Crete, Greece[§] Zoological Museum of the University of Athens, Athens, GreeceCorresponding author: Anastasios Legakis (alegakis@biol.uoa.gr)

Academic editor: Vasilis Gerovasileiou

Received: 21 Sep 2016 | Accepted: 28 Oct 2016 | Published: 01 Nov 2016

Citation: Papastefanou G, Legakis A, Shogolev I (2016) The Avian Collection of the Zoological Museum of the University of Athens (ZMUA). Biodiversity Data Journal 4: e10598. <https://doi.org/10.3897/BDJ.4.e10598>

Abstract

Background

The Zoological Museum of the University of Athens (ZMUA) was established in 1858. It is the oldest natural history museum of Greece. The museum began its operation with the acquisition of a core collection and has been expanding ever since. One of the most substantial parts of the museum's collection consists of the avian exhibits, originating from around the world.

New information

Today, the avian collection consists of 2,948 specimens, preserved mostly through taxidermy, along with a significant number of eggs. The birds have been collected from around the world. A substantial part of the collection consists of individuals originating from Greece, Brazil, Canada and Australia. Having this valuable source of biogeographic information and a potential reserve of historical genetic diversity, ZMUA presents here the contents of the avian collection.

Keywords

Aves, zoological collection, occurrence data, LifeWatchGreece

Introduction

The Zoological Museum of the University of Athens (ZMUA) was established in 1858 and is the oldest museum of its kind in Greece. Starting from a core collection donated to the museum by the Physiographic Society that already existed since 1836 (Legakis 1983), it has been continuously expanding its collections ever since. Today, the Museum is administered by the Department of Biology of the University of Athens.

One of the most substantial parts of the museum's collection consists of the avian exhibits, originating from around the world. The oldest specimen dates back to 1806 while new inputs are purchased or donated up until today. The collection is mainly constituted by specimens collected primarily by the staff of the museum, donations or by fortuitous findings. The complete number of the birds in the collection today reaches 2,948 specimens preserved mainly through taxidermy or freezing. Avian skeletons are not included in this list.

The vast majority of the avian specimens in the ZMUA collection belong to Passeriformes (48%) followed by Charadriiformes (8.9%), Anseriformes (4.5%), Accipitriformes (4.4%) and Galliformes (4.1%) (Fig. 1). Passeriformes are represented by 83 families, with Emberizidae and Thraupidae counting most representatives. There are no type specimens or extinct species in the avian depository of the museum. Thirty four (34) of the species available in the collection are marked as Vulnerable by IUCN Red List of Threatened Species, 3 of them as Endangered and 5 species as Critically Endangered. The list of these species is presented in Table 1. This valuable source of preserved phenotypes, potential genetic diversity and biogeographic data can be of great contribution where conservation practices are concerned. Therefore, ZMUA publishes the metadata and data of the contents of the avian collection, in the context of the [LifewatchGreece](#) Research Infrastructure. A complete species list is provided in the supplementary material (Suppl. material 1).

Table 1.

List of Vulnerable, Endangered and Critically Endangered species ([IUCN Red List of Threatened Species](#)) available in the avian collection of ZMUA

Vulnerable	Endangered	Critically Endangered
<i>Acrocephalus paludicola</i>	<i>Emberiza aureola</i>	<i>Alcedo euryzona</i>
<i>Anser erythropus</i>	<i>Neophron percnopterus</i>	<i>Didunculus strigirostris</i>
<i>Aquila heliaca</i>	<i>Phalacrocorax capensis</i>	<i>Gyps rueppelli</i>
<i>Aythya ferina</i>		<i>Strigops habroptila</i>

<i>Balearica pavonina</i>		<i>Trigonoceps occipitalis</i>
<i>Cacatua moluccensis</i>		
<i>Catreus wallichii</i>		
<i>Clangula hyemalis</i>		
<i>Coeligena prunellei</i>		
<i>Columba eversmanni</i>		
<i>Dendroica cerulea</i>		
<i>Euphagus carolinus</i>		
<i>Fratercula arctica</i>		
<i>Goura cristata</i>		
<i>Heliodoxa gularis</i>		
<i>Lophura erythrophthalma</i>		
<i>Melanitta fusca</i>		
<i>Neomoropus geoffroyi</i>		
<i>Otis tarda</i>		
<i>Platyrinchus leucoryphus</i>		
<i>Podiceps auritus</i>		
<i>Procnias nudicollis</i>		
<i>Psittacus erithacus</i>		
<i>Puffinus yelkouan</i>		
<i>Pycnonotus zeylanicus</i>		
<i>Pyrrhura cruentata</i>		
<i>Ramphastos vitellinus</i>		
<i>Streptopelia turtur</i>		
<i>Syrmaticus reevesii</i>		
<i>Thripophaga macroura</i>		
<i>Touit surdus</i>		
<i>Tragopan melanocephalus</i>		
<i>Turdus feae</i>		
<i>Tympanuchus cupido</i>		

ZMUA also possess a significant number of avian eggs that have not been studied yet. This collection contains eggs from a wide taxonomic range and different localities in Greece and abroad, as well as a small number of bird nests.




Figure 1.

Distribution of the avian specimens represented in the ZMUA collection to taxonomic orders.

Sampling methods

Study extent: ZMUA is a museum hosting specimens from around the world. Particularly, the avian collection contains 2,948 exhibits from 214 different localities.

Sampling description: Specimens deposited in the ZMUA collection are the result of collections made by the staff of the museum, donations and fortuitous findings. Therefore, no specific sampling protocol has been followed. If in a certain sampling expedition a protocol was followed then this information is not available. Specimens are basically preserved through taxidermy. Newer deposits are stored in frozen condition.

Quality control: Before deposition to the museum collection, associated information of the specimens has been sought. However, owing to frequent relocations of the Zoological Museum of the University of Athens and several unfortunate events, some of the exhibits and the relevant meta-data have been lost. Digitization, quality control checks and data analysis were made possible in the context of LifeWatchGreece project. All preserved information has been curated according to Chapman (2005). Scientific names have been updated following the Integrated Taxonomic Information System (ITIS) taxonomy. None of the data connected to the specimens contained coordinates. Therefore, all locations were manually georeferenced, based on the locality names, description and dates, following georeferencing guidelines by Chapman and Wiczorek (2006).

Geographic coverage

Description: The avian specimens deposited in the ZMUA collection have worldwide origin. Particularly, the exhibits' origin is from 214 different localities that belong to 52 countries in all continents. Most of them were collected from Greece (34%), while the second largest collection comes from Brazil (23%). Furthermore, a substantial part of the collection comes from Canada (9%) and Australia (7%) (Fig. 2). Specimens originating from Greece were collected from 53 different localities. Most of the birds come from Attica (79%) where the Museum is situated, followed by Mount Taygetos in Peloponnese (5%) and Mount Olympus in Macedonia (3%).




Figure 2.

Distribution of the geographic origin percentage of avian specimens deposited in ZMUA collection. Parts without labels on the chart represents percentages below 5%. Countries pooled in the "other" category refer to localities with representatives' percentage below 1%.

Taxonomic coverage

Taxa included:

Rank	Scientific Name	Common Name
class	Aves	Birds
order	Accipitriformes	
order	Apodiformes	
order	Anseriformes	
order	Bucerotiformes	
order	Charadriiformes	

order	Ciconiiformes	
order	Columbiformes	
order	Coraciiformes	
order	Craciformes	
order	Cuculiformes	
order	Coliiformes	
order	Falconiformes	
order	Galbuliformes	
order	Galliformes	
order	Gaviiformes	
order	Gruiformes	
order	Musophagiformes	
order	Passeriformes	
order	Pelecaniformes	
order	Phoenicopteriformes	
order	Piciformes	
order	Podicipediformes	
order	Procellariiformes	
order	Psittaciformes	
order	Pteroclidiformes	
order	Sphenisciformes	
order	Strigiformes	
order	Struthioniformes	
order	Suliformes	
order	Tinamiformes	
order	Trogoniformes	
order	Upupiformes	

Temporal coverage

Data range: 1806 1 01 - 2010 1 26.

Notes: The oldest specimen was collected in 1806, while the collection is still being enriched. Most of the exhibits for which the information is available, were collected during the 19th century (Fig. 3). 40% of these date back to the 1860s (Krüper 1862).




Figure 3.

Temporal distribution of the specimen records in the ZMUA collection.

Collection data

Collection name: Avian collection of the Zoological Museum of the University of Athens (ZMUA)

Collection identifier: Zoological Museum of the University of Athens (ZMUA)

Specimen preservation method: Mounting, Freezing

Usage rights

Use license: Open Data Commons Attribution License

Data resources

Data package title: Zoological Museum of the University of Athens

Resource link: http://lifewww-00.her.hcmr.gr:8080/gbifgreece/resource.do?r=list_of_aves_of_the_zoological_museum_of_the_university_of_athens

Alternative identifiers: http://lifewww-00.her.hcmr.gr:8080/gbifgreece/resource.do?r=list_of_aves_of_the_zoological_museum_of_the_university_of_athens

Number of data sets: 1**Data set name:** Avian Collection – Zoological Museum of the University of Athens**Character set:** UTF-8**Data format:** Darwin Core Archive

Column label	Column description
identifiedBy	A list (concatenated and separated) of names of people, groups, or organizations who assigned the Taxon to the subject.
sex	The sex of the biological individual(s) represented in the Occurrence. This information is not always available. Specimens may not appear sexual dimorphism or sexual characteristics are indistinct.
decimalLatitude	The geographic latitude (in decimal degrees, using the spatial reference system given in geodeticDatum) of the geographic center of a Location. All locations were manually georeferenced based on the information provided in the locality label. Country borders and locality names at the time of the occurrence were taken into account during the georeferencing.
decimalLongitude	The geographic longitude (in decimal degrees, using the spatial reference system given in geodeticDatum) of the geographic center of a Location. All locations were manually georeferenced based on the information provided in the locality label. Country borders and locality names at the time of the occurrence were taken into account during the georeferencing.
coordinateUncertaintyInMeters	The horizontal distance (in meters) from the given decimalLatitude and decimalLongitude describing the smallest circle containing the whole of the Location.
locality	The specific description of the place. This information is not available for all specimens.
country	The name of the country in which the Location occurs. This information is not available for all specimens. In some cases the locality information is much broader than a country (e.g. Asia). Also, country borders and locality names during the date of the occurrence may differ from the current state.
locationRemarks	Comments or notes about the Location. Elaboration of the information were taken into account during the georeferencing.
recordedBy	A list of names of people, groups, or organizations responsible for recording the original Occurrence.
EventDate	The date-time or interval during which an Event occurred.
TaxonRemarks	The taxon or name first given to the specimen.
scientificNameID	An identifier for the nomenclatural details of a scientific name.

ScientificName	The full scientific name. This information is not always available. Bad condition of the specimens may inhibit identification.
Genus	The full scientific name of the genus in which the taxon is classified.
SpecificEpithet	The name of the first or species epithet of the scientificName. This information is not available for all individuals. Bad condition of the specimens may hinder identification.
scientificNameAuthorship	The authorship information for the scientificName formatted according to the conventions of the applicable nomenclaturalCode.
Order	The full scientific name of the order in which the taxon is classified.
Family	The full scientific name of the family in which the taxon is classified.
Kingdom	The full scientific name of the kingdom in which the taxon is classified.
Phylum	The full scientific name of the phylum or division in which the taxon is classified.
Class	The full scientific name of the class in which the taxon is classified.
nomenclaturalCode	The nomenclatural code (or codes in the case of an ambiregnal name) under which the scientificName is constructed.
countryCode	The standard code for the country in which the Location occurs.
DatasetName	The name identifying the data set from which the record was derived.
fieldNumber	An identifier given to the event in the field.
occurrenceID	An identifier for the Occurrence (as opposed to a particular digital record of the occurrence).
catalogNumber	An identifier for the record within the data set or collection.
institutionCode	The acronym in use by the institution having custody of the object or information referred to in the record.
ownerInstitutionCode	The acronym in use by the institution having ownership of the object or information referred to in the record.
preparations	The preservation method for a specimen.
basisOfRecord	The specific nature of the data record.
individualcount	The number of individuals represented present at the time of the Occurrence.
collectioncode	The current state of a specimen with respect to the collection identified in collectionCode or collectionID.
lifeStage	The life stage of the individual at the time the Occurrence was recorded. This information is not always available. Bad condition of the specimens may hinder lifestage determination.

Acknowledgements

This work was supported by the [LifeWatchGreece](#) infrastructure (MIS 384676), funded by the Greek Government under the General Secretariat of Research and Technology (GSRT), ESFRI Projects, National Strategic Reference Framework (NSRF).

References

- Chapman A (2005) Principles and Methods of Data Cleaning - Primary Species and Species-Occurrence Data, version 1.0. GBIF, 1-75 pp.
- Chapman A, Wieczorek J (2006) Guide to Best Practices for Georeferencing. GBIF, 1-90 pp.
- Krüper T (1862) Das naturhistorische Museum der Otto's-Universität zu Athen. Journal für Ornithologie 10 (4): 311-320. <https://doi.org/10.1007/bf02021632>
- Legakis A (1983) The Zoological Museum of the University of Athens 1. Historical notes. Biol. gallo-hellen. 11 (1): 79-83.

Supplementary material

Suppl. material 1: ZMUA_Aves

Authors: Gabriella Papastefanou, Igor Shogolev

Data type: Occurrence

Brief description: The dataset provides the list of avian specimens in the collection of the Zoological Museum of the University of Athens (ZMUA) along with all the relevant information available.

Filename: ZMUA_AVES.xlsx - [Download file](#) (594.13 kb)