

Correctness of Copy in Calculi with Letrec, Case, Constructors and Por

Manfred Schmidt-Schauß

FB Informatik und Mathematik, Institut für Informatik, J.W.Goethe-Universität,
Robert-Mayer-Str 11-15, Postfach 11 19 32,
D-60054 Frankfurt, Germany,
schauss@ki.informatik.uni-frankfurt.de

Technical Report Frank-29

14. February 2007

Abstract. This paper extends the internal frank report 28 as follows: It is shown that for a call-by-need lambda calculus LRCCP λ extending the calculus LRCC λ by `por`, i.e in a lambda-calculus with `letrec`, `case`, `constructors`, `seq` and `por`, copying can be done without restrictions, and also that call-by-need and call-by-name strategies are equivalent w.r.t. contextual equivalence.

1 Introduction

This paper has to be read together with the internal report 28 [10]. We repeat all the definitions, lemmas and theorems, and indicate the differences by hints and explanations. The main motivation for adding a `por` to the calculus LRCC λ was its potential for application in hardware descriptions, in particular an extension of Lava [3,4,13] to also correctly deal with constructive cycles in sequential circuits.

1.1 Structure and Result of this Paper

This paper extends the result in [9], where a tiny `letrec`-calculus LR λ is treated, and also the extended lambda-calculus in [10], to the calculus LRCCP λ that also permits `por`, i.e. a lambda-calculus with `letrec`, `seq`, `case`, `constructors`, and `por`, which is equipped with a normal order reduction and a contextual semantics as definition of equality of expressions. First it defines the infinite trees corresponding to the unrolling of expressions as in the 111-calculus of [5] also adding `constructors`, `case`, `seq` and `por`. Then reduction on the infinite trees is defined, where the basic rules are the corresponding rules for `(beta)`, `seq`, `case` and `por`, and the rule $\overset{\infty}{\rightarrow}$ is a generalization of the (parallel) 1-reduction (see [2]); it can also be seen as an infinite development (see also [5]), however, the

tree structure is a bit more general for LRCCP λ . It is shown that convergence of expressions in the call-by-need lambda-calculus, as well as for the call-by-name calculus is equivalent to convergence of a normal-order-variant of (Tr)-reduction, i.e. (betaTr), (seqTr), (caseTr) and (porTr) on the corresponding infinite trees. An essential step is the standardization lemma for $\xrightarrow{\infty,*}$ -reductions, shown in the appendix Finally, as a corollary we obtain the correctness of a general copy-rule in LRCCP λ (see Theorem 4.10).

It is also shown as a spin-off that (cp) and (lll)-rules of the calculus are correct (see Theorems 4.10, 4.11); the proof of correctness of the other normal-order rules (in any context) is omitted, but can be done in an analogous way as in [11]. The correctness of the (por)-rules is proved in the internal report [12]. Our results imply that our calculus LRCCP λ together with its contextual equivalence is equivalent to the theory of the extended lambda-calculi with case and constructors **seq** and **por**, but without **letrec**, where also call-by-name may be used.

As a summary, we have demonstrated that going via a calculus on infinite trees is a successful and extendible method to resolve questions concerning correctness of copy-related transformations in call-by-need letrec-calculi. We are confident that our purely operational method can be adapted to extensions of the calculi by non-deterministic operators like choice and amb to prove correctness of copy-related transformations, i.e. copy of deterministic subterms for which currently there is no other proof method.

2 Syntax and Reductions of the Functional Core Language LRCCP λ

2.1 The Language and the Reduction Rules

We define the calculus LRCCP λ consisting of a language $\mathcal{L}(\text{LRCCP}\lambda)$ and its reduction rules, presented in this section, the normal order reduction strategy and contextual equivalence. There is a set K of constructors that have a built-in arity. We assume that **True**, **False** $\in K$ are 0-ary constructors. The syntax for expressions E is as follows:

$$E ::= V \mid (E_1 E_2) \mid (\lambda V.E) \mid (\mathbf{letrec} V_1 = E_1, \dots, V_n = E_n \mathbf{in} E) \\ (c E_1 \dots E_{\text{ar}(c)}) \mid (\mathbf{case} E \mathbf{of} (c V_1 \dots V_{\text{ar}(c)} \rightarrow E) \dots) \\ (\mathbf{seq} E E) \mid (\mathbf{por} E E)$$

where E, E_i are expressions and V, V_i are variables, and c means a constructor. The expressions $(E_1 E_2)$, $(\lambda V.E)$, $(\mathbf{letrec} V_1 = E_1, \dots, V_n = E_n \mathbf{in} E)$, $(c s_1 \dots, s_{\text{ar}(c)})$, $(\mathbf{case} \dots)$, $(\mathbf{seq} s t)$, and $(\mathbf{por} E E)$ are called *application*, *abstraction*, *letrec-expression*, constructor application, case-expression, seq-expression, and por-expression, respectively.

All **letrec**-expressions obey the following conditions: The variables V_i in the bindings are all distinct. We also assume that the bindings in **letrec** are commutative, i.e. **letrec**s with bindings interchanged are considered to be syntactically

equivalent. The bindings by a **letrec** may be recursive: I.e., the scope of x_j in $(\mathbf{letrec} \ x_1 = E_1, \dots, x_j = E_j, \dots, x_n = t_n \ \mathbf{in} \ E)$ is E and all expressions E_i for $i = 1, \dots, n$. We also assume that the variables in a case-pattern are disjoint and that their scope is within the continuation expression. This fixes the notions of closed, open expressions and α -renamings. Free and bound variables in expressions are defined using the usual conventions. Variable binding primitives are λ and **letrec**. The set of free variables in an expression t is denoted as $FV(t)$. For simplicity we use the distinct variable convention: I.e., all bound variables in expressions are assumed to be distinct, and free variables are distinct from bound variables. The reduction rules are assumed to implicitly rename bound variables in the result by α -renaming if necessary to obey this convention. Note that this is only necessary for the copy and the case-rules (cp) and (case) (see below). We omit parentheses in nested applications: $(s_1 \dots s_n)$ denotes $(\dots (s_1 \ s_2) \dots s_n)$. The set of closed LRCCP λ -expressions is denoted as $\text{LRCCP}\lambda^0$.

Sometimes we abbreviate the notation of **letrec**-expression $(\mathbf{letrec} \ x_1 = E_1, \dots, x_n = E_n \ \mathbf{in} \ E)$, as $(\mathbf{letrec} \ Env \ \mathbf{in} \ E)$, where $Env \equiv \{x_1 = E_1, \dots, x_n = E_n\}$. This will also be used freely for parts of the bindings. The set of variables bound in an environment Env is denoted as $LV(Env)$.

In the following we define different context classes and contexts. To visually distinguish context classes from individual contexts, we use different text styles. The class \mathcal{C} of all *contexts* is the set of all expressions C from $\text{LRCCP}\lambda$, where the symbol $[\cdot]$, the *hole*, is a predefined context that is syntactically treated as an atomic expression, such that $[\cdot]$ occurs exactly once in C . Given a term t and a context C , we will write $C[t]$ for the expression constructed from C by plugging t into the hole, i.e. by replacing $[\cdot]$ in C by t , where this replacement is meant syntactically, i.e., a variable capture is permitted.

Definition 2.1. *A value is an abstraction or a constructor-application. We denote values by the letters v, w . A weak head normal form (WHNF) is either a value, or an expression $(\mathbf{letrec} \ Env \ \mathbf{in} \ v)$, where v is a value.*

The reduction rules in figure 1 are defined more liberally than necessary for the normal order reduction, in order to permit an easy use as transformations.

Definition 2.2 (Reduction Rules of the Calculus LRCCP λ). *The (base) reduction rules for the calculus and language LRCCP λ are defined in figure 1. The union of (llet-in) and (llet-e) is called (llet), the union of (cp-in) and (cp-e) is called (cp), the union of (porlT), (porrT), (porlF), (porrF) is called (por), and the union of (llet), (lapp), (lseq), (lcase), (lporl) and (lporr) is called (lll). Reductions (and transformations) are denoted using an arrow with super and/or subscripts: e.g. $\xrightarrow{\text{llet}}$. To explicitly state the context in which a particular reduction is executed we annotate the reduction arrow with the context in which the reduction takes place. If no confusion arises, we omit the context at the arrow. The redex of a reduction is the term as given on the left side of a reduction rule. Transitive closure of reductions is denoted by a $+$, reflexive transitive closure by a $*$. E.g. $\xrightarrow{*}$ is the reflexive, transitive closure of \rightarrow .*

(lbeta)	$((\lambda x.s) r) \rightarrow (\text{letrec } x = r \text{ in } s)$
(cp-in)	$(\text{letrec } x = s, Env \text{ in } C[x]) \rightarrow (\text{letrec } x = s, Env \text{ in } C[s])$ where s is an abstraction or a variable or a cv-expression
(cp-e)	$(\text{letrec } x = s, Env, y = C[x] \text{ in } r) \rightarrow (\text{letrec } x = s, Env, y = C[s] \text{ in } r)$ where s is an abstraction or a variable
(case)	$(\text{case } (c s_1 \dots s_n) \text{ of } \dots (c x_1 \dots x_n) \rightarrow t \dots)$ $\rightarrow (\text{letrec } x_1 = s_1, \dots, x_n = s_n \text{ in } t)$
(abs)	$(\text{letrec } x = (c s_1 \dots s_n), Env \text{ in } t) \rightarrow$ $(\text{letrec } x = (c x_1 \dots x_n), x_1 = s_1, \dots, x_n = s_n, Env \text{ in } t)$ if $(c s_1 \dots s_n)$ is not a cv-expression
(seq)	$(\text{seq } s t) \rightarrow t$ if s is a value
(porlT)	$(\text{por True } t) \rightarrow \text{True}$
(porrT)	$(\text{por } t \text{ True}) \rightarrow \text{True}$
(porlF)	$(\text{por False } t) \rightarrow t$
(porrF)	$(\text{por } t \text{ False}) \rightarrow t$
(llet-in)	$(\text{letrec } Env_1 \text{ in } (\text{letrec } Env_2 \text{ in } r))$ $\rightarrow (\text{letrec } Env_1, Env_2 \text{ in } r)$
(llet-e)	$(\text{letrec } Env_1, x = (\text{letrec } Env_2 \text{ in } s_x) \text{ in } r)$ $\rightarrow (\text{letrec } Env_1, Env_2, x = s_x \text{ in } r)$
(lapp)	$((\text{letrec } Env \text{ in } t) s) \rightarrow (\text{letrec } Env \text{ in } (t s))$
(lseq)	$(\text{seq } (\text{letrec } Env \text{ in } s) t) \rightarrow (\text{letrec } Env \text{ in } (\text{seq } s t))$
(lporl)	$(\text{por } (\text{letrec } Env \text{ in } s) t) \rightarrow (\text{letrec } Env \text{ in } (\text{por } s t))$
(lporr)	$(\text{por } s (\text{letrec } Env \text{ in } t)) \rightarrow (\text{letrec } Env \text{ in } (\text{por } s t))$
(lcase)	$(\text{case } (\text{letrec } Env \text{ in } s) \text{ of } \text{alts}) \rightarrow (\text{letrec } Env \text{ in } (\text{case } s \text{ of } \text{alts}))$

Fig. 1. Reduction Rules for Call-By-Need

A cv-expression is a constructor-application of the form $(c x_1 \dots x_n)$, where all x_i are variables.

2.2 The Unwind Algorithm

The following labeling algorithm (UNWIND) will detect the position to which a reduction rule will be applied according to normal order. It uses three labels: S, T, V , where T means reduction of the top term, S means reduction of a subterm, and V labels already visited subexpressions, and $S \vee T$ matches T as well as S . The algorithm does not look into S -labeled letrec-expressions. We also denote the fresh V only in the result of the UNWIND-steps, and do not indicate the already existing V -labels. For a term s the labeling algorithm starts with s^T , where no subexpression in s is labeled. The rules of the labeling algorithm

are:

$$\begin{array}{ll}
 (\text{letrec } Env \text{ in } t)^T & \rightarrow (\text{letrec } Env \text{ in } t^S)^V \\
 (s \ t)^{S \vee T} & \rightarrow (s^S \ t)^V \\
 (\text{seq } s \ t)^{S \vee T} & \rightarrow (\text{seq } s^S \ t)^V \\
 (\text{por } s \ t)^{S \vee T} & \rightarrow (\text{por } s^S \ t)^V \quad (\text{non-deterministically}) \\
 (\text{por } s \ t)^{S \vee T} & \rightarrow (\text{por } s \ t^S)^V \quad (\text{non-deterministically}) \\
 (\text{case } s \text{ of alts})^{S \vee T} & \rightarrow (\text{case } s^S \text{ of alts})^V \\
 (\text{letrec } x = s, Env \text{ in } C[x^S]) & \rightarrow (\text{letrec } x = s^S, Env \text{ in } C[x^V]) \\
 & \quad \text{if } s \text{ was not labeled} \\
 (\text{letrec } x = s, y = C[x^S], Env \text{ in } t) & \rightarrow (\text{letrec } x = s^S, y = C[x^V], Env \text{ in } t) \\
 & \quad \text{if } s \text{ was not labeled and if } C[x] \neq x
 \end{array}$$

If UNWIND tries to label an already labelled subterm, then it fails. Otherwise, and if no more rule is applicable, it succeeds. In any case, UNWIND terminates. For example for $(\text{letrec } x = x \text{ in } x)^T$ it will stop with $(\text{letrec } x = x^S \text{ in } x^V)^V$. Note that the final labelling in case of success is not unique due to the por-rules.

Definition 2.3 (Normal Order Reduction). *A normal order reduction is defined as the reduction at the position of the final label S , or one position higher up, or copying the term from the final position to the position before, as indicated in figure 2. A normal-order reduction step is denoted as \xrightarrow{n} . Note that normal order reduction is not unique.*

Definition 2.4. *A normal order reduction sequence is called an (normal-order) evaluation if the last term is a WHNF. Otherwise, i.e. if the normal order reduction sequence is non-terminating, or if the last term is not a WHNF, but has no further normal order reduction, then we say that it is a failing normal order reduction sequence.*

For a term t , we write $t \Downarrow$ iff there is an evaluation starting from t . We call this the evaluation of t . If $t \Downarrow$, we also say that t is terminating. Otherwise, if there is no evaluation of t , we write $t \Uparrow$.

Definition 2.5 (contextual preorder and equivalence). *Let s, t be terms. Then:*

$$\begin{array}{l}
 s \leq_c t \text{ iff } \forall C[\cdot] : C[s] \Downarrow \Rightarrow C[t] \Downarrow \\
 s \sim_c t \text{ iff } s \leq_c t \wedge t \leq_c s
 \end{array}$$

A complete treatment of the calculus with por is future work. In the report [12], there is a proof of correctness of the por-rules: If $s \xrightarrow{(por)} t$, then $s \sim_c t$. In report [12] there is also a sketch and an argument that all reductions rules used in any context, are correct.

Our contextual equivalence is w.r.t. may-convergence, which is no restriction, since we will argue below that must-convergence is identical to may-convergence: A term t must-converges: $t \Downarrow_{must}$, iff $\forall t' : t \xrightarrow{*} t' \implies t' \Downarrow$. It is an easy consequence of the correctness of all the rules (see above), that may- and must-convergence are equivalent in our calculus, and hence that contextual equivalence based on a conjunction of may- and must-convergence, is the same as our contextual equivalence.

(lbeta)	$C[(\lambda x.s)^S r] \rightarrow C[(\mathbf{letrec} \ x = r \ \mathbf{in} \ s)]$
(cp-in)	$(\mathbf{letrec} \ x = s^S, \mathit{Env} \ \mathbf{in} \ C[x^V]) \rightarrow (\mathbf{letrec} \ x = s, \mathit{Env} \ \mathbf{in} \ C[s])$ where s is an abstraction or a variable or a cv-expression
(cp-e)	$(\mathbf{letrec} \ x = s^S, \mathit{Env}, y = C[x^V] \ \mathbf{in} \ r) \rightarrow (\mathbf{letrec} \ x = s, \mathit{Env}, y = C[s] \ \mathbf{in} \ r)$ where s is an abstraction or a variable or a cv-expression
(case)	$C[(\mathbf{case} \ (c \ s_1 \dots s_n)^S \ \mathbf{of} \ \dots (c \ x_1 \dots x_n) \rightarrow t) \dots]$ $\rightarrow C[(\mathbf{letrec} \ x_1 = s_1, \dots, x_n = s_n \ \mathbf{in} \ t)]$
(abs)	$(\mathbf{letrec} \ x = (c \ s_1 \dots s_n)^S, \mathit{Env} \ \mathbf{in} \ t) \rightarrow$ $(\mathbf{letrec} \ x = (c \ x_1 \dots x_n), x_1 = s_1, \dots, x_n = s_n, \mathit{Env} \ \mathbf{in} \ t)$
(seq)	$C[(\mathbf{seq} \ s^S \ t)] \rightarrow C[t]$ if s is a value
(porIT)	$(\mathbf{por} \ \mathbf{True}^S \ t) \rightarrow \mathbf{True}$
(porrI)	$(\mathbf{por} \ t \ \mathbf{True}^S) \rightarrow \mathbf{True}$
(porIF)	$(\mathbf{por} \ \mathbf{False}^S \ t) \rightarrow t$
(porrF)	$(\mathbf{por} \ t \ \mathbf{False}^S) \rightarrow t$
(llet-in)	$(\mathbf{letrec} \ \mathit{Env}_1 \ \mathbf{in} \ (\mathbf{letrec} \ \mathit{Env}_2 \ \mathbf{in} \ r)^S)$ $\rightarrow (\mathbf{letrec} \ \mathit{Env}_1, \mathit{Env}_2 \ \mathbf{in} \ r)$
(llet-e)	$(\mathbf{letrec} \ \mathit{Env}_1, x = (\mathbf{letrec} \ \mathit{Env}_2 \ \mathbf{in} \ s_x)^S \ \mathbf{in} \ r)$ $\rightarrow (\mathbf{letrec} \ \mathit{Env}_1, \mathit{Env}_2, x = s_x \ \mathbf{in} \ r)$
(lapp)	$C[(\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ t)^S \ s] \rightarrow C[(\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ (t \ s))]$
(lseq)	$C[(\mathbf{seq} \ (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ s)^S \ t)] \rightarrow C[(\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ (\mathbf{seq} \ s \ t))]$
(lporl)	$(\mathbf{por} \ (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ s)^S \ t) \rightarrow (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ (\mathbf{por} \ s \ t))$
(lporr)	$(\mathbf{por} \ s \ (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ t)^S) \rightarrow (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ (\mathbf{por} \ s \ t))$
(lcase)	$C[(\mathbf{case} \ (\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ s)^S \ \mathbf{of} \ \mathbf{alts})] \rightarrow C[(\mathbf{letrec} \ \mathit{Env} \ \mathbf{in} \ (\mathbf{case} \ s \ \mathbf{of} \ \mathbf{alts}))]$

Fig. 2. Normal-Order Reduction Rules

3 Reductions on Trees

In the following we use “expression” for finite expressions including `letrec`, and “tree” for the finite or infinite trees, which can co-inductively be defined like LR λ -expressions, but do not contain `letrec`-expressions.

The infinite tree corresponding to an expression is intended to be the `letrec`-unfolding of the expression with the extra condition that cyclic variable chains lead to local nontermination, represented by the symbol \perp . This corresponds to the infinite trees in the 111-variant of the calculus in [5]. A rigorous definition is as follows, where we use the explicit binary application operator `@`, since it is easier to explain, but stick to the common notation in examples.

Definition 3.1. *Given an expression t , the infinite tree $IT(t)$ of t is defined by giving an algorithm to compute for every position p the label of the infinite tree at position p . The computed label for the position ε is defined in figure 3.*

In all cases not mentioned in figure 3, the result is undefined (and also not necessary). The equivalence of trees is syntactic, where α -equal trees are assumed to be equivalent. A tree of the form $\lambda x.s$ or $(c \ s_1 \dots s_n)$ is called a value.

$$\begin{array}{ll}
 C[(\@ s t)|_\varepsilon] & \mapsto \@ \\
 C[(\text{case } \dots)|_\varepsilon] & \mapsto \text{case} \\
 C[(\text{seq } s t)|_\varepsilon] & \mapsto \text{seq} \\
 C[(\text{por } s t)|_\varepsilon] & \mapsto \text{por} \\
 C[(c s_1 \dots s_n)|_\varepsilon] & \mapsto c \\
 C[(\lambda x.s)|_\varepsilon] & \mapsto \lambda x \\
 C[x|_\varepsilon] & \mapsto x \quad \text{if } x \text{ is a free or a lambda-bound variable}
 \end{array}$$

If the position ε hits the same (let-bound) variable twice, using the rules below, then the result is \perp . The general case:

$$\begin{array}{ll}
 C[(\lambda x.s)|_{1.p}] & \rightarrow C[\lambda x.(s|_p)] \\
 C[(\@ s t)|_{1.p}] & \rightarrow C[(\@ s|_p t)] \\
 C[(\@ s t)|_{2.p}] & \rightarrow C[(\@ s t|_p)] \\
 C[(\text{seq } s t)|_{1.p}] & \rightarrow C[(\text{seq } s|_p t)] \\
 C[(\text{seq } s t)|_{2.p}] & \rightarrow C[(\text{seq } s t|_p)] \\
 C[(\text{por } s t)|_{1.p}] & \rightarrow C[(\text{por } s|_p t)] \\
 C[(\text{por } s t)|_{2.p}] & \rightarrow C[(\text{por } s t|_p)] \\
 C[(\text{case } s \text{ of } alt_1 \dots alt_n)|_{1.p}] & \rightarrow C[(\text{case } s|_p \text{ of } alt_1 \dots alt_n)] \\
 C[(\text{case } s \text{ of } alt_1 \dots alt_n)|_{i.p}] & \rightarrow C[(\text{case } s \text{ of } alt_i|_p \dots alt_n)] \\
 C[\dots (c \dots) \rightarrow s]_{1.p \dots}] & \rightarrow C[\dots (c \dots) \rightarrow s|_{1.p} \dots] \\
 C[(c s_1 \dots s_n)|_{i.p}] & \rightarrow C[(c s_1 \dots s_i|_p \dots s_n)] \\
 C[(\text{letrec } Env \text{ in } r)|_p] & \rightarrow C[(\text{letrec } Env \text{ in } r|_p)] \\
 C_1[(\text{letrec } x = s, Env \text{ in } C_2[x|_p])] & \rightarrow C_1[(\text{letrec } x = s|_p, Env \text{ in } C_2[x])] \\
 C_1[(\text{letrec } x = s, y = C_2[x|_p], Env \text{ in } r)] & \rightarrow C_1[(\text{letrec } x = s|_p, y = C_2[x], Env \text{ in } r)]
 \end{array}$$

Fig. 3. Infinite tree construction from positions

Example 3.2. The expression $\text{letrec } x = x, y = (\lambda z.z) x y \text{ in } y$ has the corresponding tree $((\lambda z.z) \perp ((\lambda z.z) \perp ((\lambda z.z) \perp \dots)))$.

Definition 3.3. Reduction contexts \mathcal{R} for (infinite) trees are defined by $\mathcal{R} ::= [\cdot] \mid (\@ \mathcal{R} E) \mid (\text{case } \mathcal{R} \text{ alts}) \mid (\text{seq } \mathcal{R} E) \mid (\text{por } \mathcal{R} E) \mid (\text{por } E \mathcal{R})$, where E means a tree.

Lemma 3.4. Let s, t be expressions and C be a context. Then $IT(s) = IT(t) \Rightarrow IT(C[s]) = IT(C[t])$.

Lemma 3.5. Let s, t be expressions and $s \rightarrow t$ by a rule (cp) or (ll). Then $IT(s) = IT(t)$.

Definition 3.6. *The reduction rules on trees are allowed in any tree context and are as follows:*

$$\begin{aligned}
(\text{betaTr}) \quad & ((\lambda x.s) r) \rightarrow s[r/x] \\
(\text{seqTr}) \quad & (\text{seq } s t) \rightarrow t \quad \text{if } s \text{ is a value} \\
(\text{caseTr}) \quad & (\text{case } (c s_1 \dots s_n) \text{ of } \dots (c x_1 \dots x_n) \rightarrow s \dots) \rightarrow s[s_1/x_1, \dots, s_n/x_n] \\
(\text{porlTr}) \quad & (\text{por True } t) \rightarrow \text{True} \\
(\text{porrTr}) \quad & (\text{por } t \text{ True}) \rightarrow \text{True} \\
(\text{porlFTr}) \quad & (\text{por False } t) \rightarrow t \\
(\text{porrFTr}) \quad & (\text{por } t \text{ False}) \rightarrow t
\end{aligned}$$

Let (porTr) be the union of the rules (porlTr) , (porrTr) , (porlFTr) , (porrFTr) . If a tree-reduction rule is applied within an \mathcal{R} -context, we call it an \mathcal{R} -reduction on trees. The redex is the corresponding expression that is reduced in one of the rules above. A sequence of \mathcal{R} -reductions of T that terminates with a value tree is called evaluation. If T has an evaluation, then we also say T converges and denote this as $T \Downarrow$. Note that the \mathcal{R} -reduction is not unique.

The (betaTr) as a reduction may modify infinitely many positions, since there may be infinitely many positions of the variable x . E.g. a top-level (betaTr) of $IT((\lambda x.(\text{letrec } z = (z x) \text{ in } z)) r) = (\lambda x.((\dots (\dots x) x) x)) r$ modifies the infinite number of occurrences of x . Further note that (betaTr) does not overlap with itself, where we ignore overlaps within the meta-variables s, r .

Lemma 3.7. *Let $C[(\text{por } s t)]$ be a tree. If different rules can be applied to the por-expression, then the result is identical. This means that (porTr) is deterministic as a reduction rule.*

Proof. The different possibilities are the Boolean combinations of the arguments: (por True True) results in **True**; (por False False) , (por True False) and (por False True) result in **False**.

The non-determinism inherent in the \mathcal{R} -reduction is only due to reduction at independent positions within different arguments of a por-expression.

Lemma 3.8. *Let s be an expression and let $IT(s)$ be a value tree. Then $s \Downarrow$.*

We will use a variant of infinite outside-in developments [2,5] as a reduction on trees that may reduce infinitely many redexes in one step. For a more detailed definition, in particular concerning the labeling, see [9].

Definition 3.9. *For trees S, T , we define the reduction $S \xrightarrow{\infty, a} T$ as follows. We mark a possibly infinite subset of all a -redexes in S for one reduction type $a \in \{(\text{betaTr}), (\text{caseTr}), (\text{seqTr}), (\text{porTr})\}$, say with a \dagger . The reduction constructs a new infinite tree top-down by iteratedly using labelled reduction, where the label of the redex is removed before the reduction. If the reduction does not terminate for a subtree at the top level of the subtree, then this subtree is the constant \perp in the result. This recursively defines the result tree top-down.*

Sometimes we omit the reduction rule type a , if it is not important, and write only $\xrightarrow{\infty}$. We write $T \Downarrow(\infty)$ if $T \xrightarrow{\infty, *} T'$, where T' is a value tree.


The reduction $S \xrightarrow{\forall, \infty, a} T$ is defined as the specific $S \xrightarrow{\infty} T$ -reduction, if all a -redexes in S are labeled.

Note that even for a tree with only two marked redexes, it is possible that after the first reduction, infinitely many redexes are labeled.

Example 3.10. We give two examples for a $\xrightarrow{\infty}$ -reduction:

- $t = (\lambda z. \mathbf{letrec} \ y = \lambda u. u, x = (z \ (y \ y) \ x) \ \mathbf{in} \ x)$. The infinite tree $IT(t)$ is like an infinite list, descending to the right, with elements $((\lambda u. u) \ \lambda u. u)$. The ∞ -reduction may label any subset of these redexes, even infinitely many, and then reduce them by (betaTr).
- $t = (\mathbf{letrec} \ x = \lambda y. x \ (\lambda u. u) \ \mathbf{in} \ x)$ has the infinite tree $(\lambda y. (\lambda y. (\lambda y. \dots)) \ (\lambda u. u) \ (\lambda u. u) \ (\lambda u. u))$ which, depending on the labeling, may reduce to itself, or, if all redexes are labeled, it will reduce to \perp , i.e., $t \xrightarrow{\forall, \infty} \perp$.

Lemma 3.11. *For all trees S, R, T and reduction types a : if $S \xrightarrow{\infty, a} R$ where the set of a -redex positions is M_R , and $S \xrightarrow{\infty, a} T$, where the the set of a -redex positions is M_S , and $M_S \subseteq M_R$, then also $T \xrightarrow{\infty, a} R$. A special case is that $S \xrightarrow{\forall, \infty, a} R$, and $S \xrightarrow{\infty, a} T$ imply that $T \xrightarrow{\infty, a} R$.*



Proof. The argument is that we can mark the a -redexes in S that are not reduced in $S \xrightarrow{M_{S, \infty, a}} T$. Reduce all M_R -labeled redexes in the reduction $T \xrightarrow{\infty, a} R$.

In the appendix it is shown:

Theorem 3.12 (Standardization for tree-reduction). *Let S be a tree. Then $S \Downarrow(\infty)$ implies $S \Downarrow$.*

4 Properties of Call-by-Need Convergence

4.1 Call-by-Need Convergence Implies Infinite Tree Convergence

Lemma 4.1. *If $s \xrightarrow{a} t$ for two expressions s, t and $a \in \{(\mathit{lbeta}), (\mathit{seq}), (\mathit{case}), (\mathit{por})\}$ then $IT(s) \xrightarrow{\infty, a'} IT(t)$ for the tree reduction type a' corresponding to a .*

Proof. We label every redex of $IT(t)$ that is derived from the redex of $s \xrightarrow{a} t$. This is obvious for a por -redex.

Proposition 4.2. *Let t be an expression. Then $t \Downarrow \Rightarrow IT(t) \Downarrow$.*

4.2 Infinite Tree Convergence Implies Call-by-Need Convergence

Now we show the harder part of the desired equivalence in a series of lemmas.

Lemma 4.3. *For every reduction possibility $S_1 \xleftarrow{\mathcal{R}} T \xrightarrow{\infty} S_2$, either $S_1 \xrightarrow{\infty} S_2$ or there is some T' with $S_1 \xrightarrow{\infty} T' \xleftarrow{\mathcal{R}} S_2$. I.e. we have the following forking diagrams for trees between an \mathcal{R} -reduction and an $\xrightarrow{\infty}$ -reduction:*

$$\begin{array}{ccc} T & \xrightarrow{\infty} & S_2 \\ \mathcal{R} \downarrow & & \downarrow \mathcal{R} \\ S_1 & \xrightarrow{\infty} & T' \end{array} \qquad \begin{array}{ccc} T & \xrightarrow{\infty} & S_2 \\ \mathcal{R} \downarrow & \nearrow \infty & \\ S_1 & & \end{array}$$

Proof. This follows by checking the overlaps of $\xrightarrow{\infty}$ with \mathcal{R} -reductions. Note that if the type of the $\xrightarrow{\infty}$ and $\xrightarrow{\mathcal{R}}$ reductions are different, then the first diagram applies.

Lemma 4.4. *Let T be a tree such that there is an \mathcal{R} -evaluation of length n , and let S be a tree with $T \xrightarrow{\infty} S$. Then S has an \mathcal{R} -evaluation of length $\leq n$.*

Proof. Follows from Lemma 4.3 by induction.

Lemma 4.5. *Let t be a term and let $T := IT(t) \xrightarrow{a'} T'$ be an \mathcal{R} -reduction with $a' \in \{\text{betaTr}, \text{seqTr}, \text{caseTr}, \text{porTr}\}$. Then there is an expression t' , a reduction $t \xrightarrow{n,*} t'$ using (lll), (cp) and (abs)-reductions, an expression t'' with $t' \xrightarrow{n,a} t''$, where a is the expression reduction corresponding to a' , such that there is a reduction $T' \xrightarrow{\infty,a'} IT(t'')$.*

$$\begin{array}{ccc} t & \xrightarrow{IT(\cdot)} & T \\ \downarrow n,(cp) \vee (lll) \vee (abs),* & \searrow IT(\cdot) & \downarrow \mathcal{R},a' \\ t' & & T' \\ \downarrow n,a & & \downarrow \infty,a' \\ t'' & \xrightarrow{IT(\cdot)} & IT(t'') \end{array}$$

Proof. The expressions t', t'' are constructed as follows: t' is the resulting term from a maximal normal-order reduction of t consisting only of (cp), (lll) and (abs)-reductions. It is clear that such a sequence of $\xrightarrow{(cp) \vee (lll) \vee (abs), n}$ -reductions is terminating. Then $IT(t) = IT(t')$ by Lemma 3.5. The unique normal-order (a) -redex in t' must correspond to $T \xrightarrow{\mathcal{R},a'} T'$ and is used for the reduction $t' \xrightarrow{n,a} t''$. Note that the (a) -redex in t' may correspond to infinitely many redexes in T . Lemma 4.1 shows that there is a reduction $T \xrightarrow{\infty,a'} IT(t'')$, and Lemma 3.11 shows that also $T' \xrightarrow{\infty,a'} IT(t'')$.

Proposition 4.6. *Let t be an expression such that $IT(t)\Downarrow$. Then $t\Downarrow$.*

Proof. The precondition $IT(t)\Downarrow$ and the Standardization Theorem 3.12 imply that there is an \mathcal{R} -evaluation of T to a value tree. The base case, where no \mathcal{R} -reductions are necessary is treated in Lemma 3.8. In the general case, let $T \xrightarrow{a'} T'$ be the unique first \mathcal{R} -reduction of a single redex. Lemma 4.5 shows that there are expressions t', t'' with $t \xrightarrow{n,(cp)\vee(ll)\vee(abs),*} t' \xrightarrow{n,lbeta} t''$, and $T' \xrightarrow{\infty} IT(t'')$. Lemma 4.4 shows that the number of \mathcal{R} -reductions of $IT(t'')$ to a value tree is strictly smaller than the number of \mathcal{R} -reductions of T to a value. Hence we can use induction on this length and obtain a normal-order reduction of t to a WHNF.

Convergence is equivalent for a term and its corresponding infinite tree:

Theorem 4.7. *Let t be an expression. Then $t\Downarrow$ iff $IT(t)\Downarrow$.*

Proof. This follows from Propositions 4.2 and 4.6.

Definition 4.8. *Let the generalized copy rule be:*

$$(gcp) \quad C_1[\mathbf{letrec} \ x = r \dots C_2[x] \dots] \rightarrow C_1[\mathbf{letrec} \ x = r \dots C_2[r] \dots]$$

This is just like the rule (cp), but all kinds of terms r can be copied, not only abstractions. Obviously the following holds:

Lemma 4.9. *If $s \xrightarrow{gcp} t$, then $IT(s) = IT(t)$*

Theorem 4.10. *Let s, t be expressions with $s \xrightarrow{gcp} t$. Then $s \sim_c t$.*

Proof. Lemma 3.4 shows that it is sufficient to show equivalence of termination of s, t . Lemma 4.9 implies $IT(s) = IT(t)$. Hence equivalence of termination follows from Theorem 4.7.

Theorem 4.11. *Let s, t be expressions with $s \xrightarrow{ll} t$ or $s \xrightarrow{abs} t$. Then $s \sim_c t$.*

Proof. Follows in the same way as in the proof of Theorem 4.10 using Lemma 3.5.

5 Relation Between Call-By-Name and Call-By-Need

For the same language we now treat a call-by-name variant of the reduction strategy using beta-reduction instead of the rule (lbeta) that respects sharing, and also a substituting case as well as a different (cp) and omitting the (abs)-rule.

Definition 5.1. *The call-by-name normal-order reduction is defined by using the (lll)-rules and the (seq)-rule and the following modified rules in the call-by-need normal-order reduction as follows:*

$$\begin{aligned}
(\text{beta}) \quad & ((\lambda x.s)^S r) \rightarrow s[r/x] \\
(\text{cpn-in}) \quad & (\mathbf{letrec} \ x = s^S, Env \ \mathbf{in} \ C[x^V]) \rightarrow (\mathbf{letrec} \ x = s, Env \ \mathbf{in} \ C[s]) \\
& \text{where } s \text{ is an abstraction or a variable} \\
& \text{or a constructor-application} \\
(\text{cpn-e}) \quad & (\mathbf{letrec} \ x = s^S, Env, y = C[x^V] \ \mathbf{in} \ r) \\
& \rightarrow (\mathbf{letrec} \ x = s, Env, y = C[s] \ \mathbf{in} \ r) \\
& \text{where } s \text{ is an abstraction or a variable} \\
& \text{or a constructor-application} \\
(\text{casen}) \quad & (\mathbf{case} \ (c \ s_1 \dots s_n)^S \ \mathbf{of} \ \dots (c \ x_1 \dots x_n) \rightarrow t) \dots \\
& \rightarrow s[s_1/x_1, \dots, s_n/x_n]
\end{aligned}$$

where the same labelling and redex is used. Let (cpn) be the union of (cpn-e) and (cpn-in). We denote the reduction as $\xrightarrow{\text{name}}$, the corresponding call-by-name convergence of a term t as $t \Downarrow(\text{name})$, and the corresponding contextual preorder and equivalence as $\leq_{c,\text{name}}$ and $\sim_{c,\text{name}}$, respectively.

5.1 Call-by-Name Convergence Implies Infinite Tree Convergence

Lemma 5.2. *Let $a \in \{(\text{beta}), (\text{casen})\}$, and $a' \in \{(\text{betaTr}), (\text{caseTr})\}$ be the corresponding tree-reduction. If $s \xrightarrow{a} t$ for two expressions s, t , then $IT(s) \xrightarrow{\infty, a'} IT(t)$.*

Proposition 5.3. *Let t be an expression. Then $t \Downarrow(\text{name}) \Rightarrow IT(t) \Downarrow$.*


Proof. This follows from Lemma 5.2 by induction on the length of the call-by-name evaluation of t , from Lemma 3.5 using the standardization theorem 3.12 and from the fact that a WHNF has a value tree as corresponding infinite tree.

5.2 Infinite Tree Convergence Implies Call-by-Name Convergence

Now we show the desired implication also for call-by-name.

Lemma 5.4. *Let t be a term, $a \in \{(\text{beta}), (\text{casen}), (\text{seq}), (\text{por})\}$, and let $a' \in \{(\text{betaTr}), (\text{caseTr}), (\text{seqTr}), (\text{porTr})\}$ be the corresponding tree reduction. Let $T := IT(t) \xrightarrow{(a')} T'$ be an \mathcal{R} -reduction. Then there is an expression t' , a reduction $t \xrightarrow{n, *}_{\text{name}} t'$ using (lll) and (cpn)-reductions, an expression t'' with $t' \xrightarrow{\text{name}, a} t''$,*

such that there is a reduction $T' \xrightarrow{\infty, a'} IT(t'')$.



Proof. The expressions t', t'' are constructed as follows: t' is the resulting term from a maximal normal-order reduction consisting only of (cpn) and (ll)-reductions. It is clear that such a sequence of $\frac{(cpn) \vee (ll), n}{\rightarrow}$ -reductions is terminating. Then $IT(t) = IT(t')$ by Lemma 3.5. The unique normal-order (a)-redex in t' corresponding to $T \xrightarrow{a'} T'$ is used for the reduction $t' \xrightarrow{name, a} t''$. Note that the normal-order a -redex in t' may correspond to infinitely many a' -redexes in T . Lemma 5.2 shows that there is a reduction $T \xrightarrow{\infty, a'} IT(t'')$, and Lemma 3.11 shows that also $T' \xrightarrow{\infty, a'} IT(t'')$.

Proposition 5.5. *Let t be an expression such that $IT(t) \Downarrow$. Then $t \Downarrow (name)$.*

Proof. The precondition $IT(t) \Downarrow$ means that there is an \mathcal{R} -evaluation of $T := IT(t)$ to a value tree. The base case, where no \mathcal{R} -reductions are necessary is treated in Lemma 3.8. In the general case, let $T \xrightarrow{a'} T'$ with $a' \in \{(\text{betaTr}), (\text{caseTr}), (\text{seqTr}), (\text{porTr})\}$ be the unique first \mathcal{R} -reduction of a single redex. Lemma 5.4 shows that there are expressions t', t'' with $t \xrightarrow{n, (cpn) \vee (ll), *} t' \xrightarrow{name, a} t''$, and $T' \xrightarrow{\infty, a'} IT(t'')$. Lemma 4.4 shows that the number of \mathcal{R} -reductions of $IT(t'')$ to a value tree is strictly smaller than the number of \mathcal{R} -reductions of T to a value. Hence we can use induction on this length and obtain a call-by-name normal-order reduction of t to a WHNF.

Now we can show that call-by-name convergence for a term is equivalent to convergence of its corresponding infinite tree.

Theorem 5.6. *Let t be an expression. Then $t \Downarrow (name)$ iff $IT(t) \Downarrow$.*

Proof. Follows from Propositions 5.3 and 5.5.

The strategies call-by-need and call-by-name are equivalent:

Theorem 5.7. *The contextual preorders for call-by-need and call-by-name are equivalent.*

Proof. This follows from Theorems 4.7 and 5.6.

6 Conclusion

We demonstrated the proof method via infinite trees by showing correctness of unrestricted copy-reductions and the equivalence of call-by-name and call-by-need for a deterministic letrec-calculus LRCCP λ with case, constructors, seq and parallel or.

For non-deterministic calculi like [6,7,8] we plan to extend the method to show correctness of the copy-reduction for deterministic subexpressions, which appears to be a hard obstacle for other methods.

Acknowledgements

I thank David Sabel for reading and correcting drafts of this paper.

References

1. F. Baader and T. Nipkow. *Term Rewriting and All That*. Cambridge University Press, 1998.
2. H.P. Barendregt. *The Lambda Calculus. Its Syntax and Semantics*. North-Holland, Amsterdam, New York, 1984.
3. P. Bjesse, K. Claessen, M. Sheeran, and S. Singh. Lava: Hardware Design in Haskell. In *International Conference on Functional Programming, ICFP*, pages 174–184. ACM, 1998.
4. Koen Claessen, Mary Sheeran, and Satnam Singh. *Functional hardware description in Lava*, volume Fun of Programming of *Cornerstones of Computing*, chapter 8. Palgrave, March 2003.
5. R. Kennaway, J. W. Klop, M. R. Sleep, and F.-J. de Vries. Infinitary lambda calculus. *Theor. Comput. Sci.*, 175(1):93–125, 1997.
6. A. K.D. Moran, D. Sands, and M. Carlsson. Erratic fudgets: A semantic theory for an embedded coordination language. In *Coordination '99*, volume 1594 of *LNCS*, pages 85–102. Springer-Verlag, 1999.
7. A.K.D. Moran. *Call-by-name, call-by-need, and McCarthys Amb*. PhD thesis, Dept. of Comp. Science, Chalmers University, Sweden, 1998.
8. D. Sabel and M. Schmidt-Schauß. A call-by-need lambda-calculus with locally bottom-avoiding choice: Context lemma and correctness of transformations. Frank report 24, Inst. Informatik. J.W.G.-university Frankfurt, 2006.
9. M. Schmidt-Schauß. Equivalence of call-by-name and call-by-need for lambda-calculi with letrec. Frank report 25, Inst. Informatik. J.W.G.-university Frankfurt, 2006.
10. M. Schmidt-Schauß. Correctness of copy in calculi with letrec, case and constructors. Frank report 28, Inst. Informatik. J.W.G.-University Frankfurt, 2007.
11. M. Schmidt-Schauß, M. Schütz, and D. Sabel. A complete proof of the safety of Nöcker’s strictness analysis. Frank report 20, Inst. Informatik. J.W.G.-University Frankfurt, 2005.
12. Manfred Schmidt-Schauß and David Sabel. Program transformation for functional circuit descriptions. Frank report 30, Institut für Informatik. Fachbereich Informatik und Mathematik. J. W. Goethe-Universität Frankfurt am Main, 2007.
13. M. Sheeran. Hardware design and functional programming: a perfect match. *J.UCS*, 11(7):1135–1158, 2005.

A Labeled Reduction

We define two variants of the notion of *labeled reduction* for trees. Labelled reduction is used to identify correspondences of positions during a reduction step. It will be used in two variants, the joining variant for the inheritance of positions during reductions and the consuming one for a reduction that is similar to a development: Some redexes are marked at the start of the reduction process, and all the labeled redexes have to be reduced.

Definition A.1 (labeled reduction of trees). *First we define joining labeled reduction for sets of labels.*

Let S be a tree and assume there are sets of labels at certain (subexpression-) positions of S . We can assume that every position is labeled, perhaps with an empty set. Let T be a tree with $S \xrightarrow{(\text{betaTr})} T$, and assume that the reduction is $S = C[(\lambda x.r) s] \rightarrow C[r[s/x]]$. Then the labels in the result are as follows:

- label sets within C are unchanged.
- label sets properly within s are copied to all occurrences of s in the result.
- If $r = x$, then $((\lambda x.x^A)^B s^C)^D \rightarrow r[s/x]^{A \cup B \cup C \cup D}$.
- If $r \neq x$, label sets of positions properly within r and not at x remain unchanged.
- If $r \neq x$, the label sets of the new occurrences of s^B in $C[r[s/x]]$ are as follows: For every occurrence of x^A in r the new label set of the new occurrence of s is $A \cup B$.
- If $r \neq x$, the new label set of $r[s/x]$ is computed as follows: $((\lambda x.r^A)^B s)^C \rightarrow r[s/x]^{A \cup B \cup C}$.

In an analogous way the inheritance for the case and seq-rule are defined; we make only the redex-case explicit:

*(case $(c s_1 \dots s_n)^A$ of $\dots ((c x_1 \dots x_n) \rightarrow t^B) \dots$)^C
 $\rightarrow t[s_1/x_1, \dots, s_n/x_n]^{A \cup B \cup C}$, where in the case that t is a variable x_i , the label of respective s_i is also joined.
 (seq $s^A t^B$)^C $\rightarrow t^{B \cup C}$ if s is a value. Here the label of s is not inherited, since s is discarded after evaluation.*

The consuming labeled reduction is like the joining variant, and can be derived by removing the label of the redex before the reduction and then using the joining variant.

We will use the consuming labeled reduction below for one label \dagger in the developments. In the case of only one label-value it is usually assumed that empty sets mean no label, and a non-empty set, which must be a singleton in this case, means that the position is labeled.

The labelled reduction in the **True**-case of por-reductions must be specified, since these are the only rules, where on the right hand side a symbol is used where the

predecessor is ambiguous: We assume that the following labelling inheritance is used:

$$\begin{array}{ll}
(\text{por True}^A \text{ True}^B)^C & \rightarrow \text{True}^{A \cup B \cup C} \\
(\text{por True}^A t)^C & \rightarrow \text{True}^{A \cup C} \quad \text{if } t \neq \text{True} \\
(\text{por } t \text{ True}^B)^C & \rightarrow \text{True}^{B \cup C} \quad \text{if } t \neq \text{True} \\
(\text{por False}^A \text{ False}^B)^C & \rightarrow \text{False}^C \\
(\text{por False}^A t^B)^C & \rightarrow t^{B \cup C} \\
(\text{por } t^A \text{ False}^B)^C & \rightarrow t^{A \cup C}
\end{array}$$

B Standardization of Tree Reduction

Definition B.1. We call a set M of positions prefix-closed, iff for every $p \in M$, and prefix q of p , also $q \in M$. If M is a finite prefix-closed set of positions of the tree T , and for every $p \in M$, we have $T|_p \neq \perp$, then we say M is admissible, and call this set an FAPC-set (finite admissible prefixed-closed) of positions of T .

In the following we use sets of positions in terms.

Lemma B.2. Let S, T be trees with $S \xrightarrow{\infty} T$, and let M_T be an FAPC-set of positions of T . Then the set of positions M_S which are mapped by joining labeled reduction to positions in M_T is also an FAPC-set of positions of S .

Proof. First we analyze the transport of positions by the reduction $S \xrightarrow{\infty} T$ using joining labeled reduction. For the reduction $S \xrightarrow{\infty} T$, there are some \dagger -labeled positions in S , which are exactly the redexes that are to be reduced. We determine the new position(s) in T of every position from S . This has to be done by looking at the construction of the results of the reduction as explained in Definition 3.9. We will use joining labeled reduction to trace the positions. At the start of the construction, we assume that all S -positions are labeled with a singleton set, containing their position. The definition implies that after a single (betaTr), (seqTr), (caseTr) or (porTr)-reduction, the set of labels at every position remains a finite set. If for a subtree A the top-reduction sequence does not terminate, then this subtree will be \perp in the resulting tree, hence only finitely many reductions for A have to be considered. The construction will then proceed with the direct subtrees of A , which guarantees that every position in T either has finitely many ancestors in S , or is \perp . It is obvious that there are no positions in M_S pointing to \perp .

Now we can simply reverse the mapping. For the set M_T , we define the set M_S as the set of all positions of S that are in the label set of any position in M_T . This set is finite, since there are no positions of \perp in M_T , there is also no position of \perp in M_S . The set M_S is prefix-closed, since the mapping behaves monotone, i.e. if p is a position in S , q is a prefix of p , then for every position p' in T that is derived from p , there is a position q' in T derived from q such that q' is a prefix of p' .

Lemma B.3. *Let S be a tree, and let RED be the reduction sequence $S = S_0 \xrightarrow{\infty} S_1 \xrightarrow{\infty} S_2 \xrightarrow{\infty} \dots \xrightarrow{\infty} S_n = S'$, where S' is a value. Then the set M_0 of all positions of S that are mapped by RED to the top position of S' is an FAPC-set of S .*

Proof. We perform induction on the number of $\xrightarrow{\infty}$ -reductions in the sequence $S = S_0 \xrightarrow{\infty} S_1 \xrightarrow{\infty} S_2 \xrightarrow{\infty} \dots \xrightarrow{\infty} S_n = S'$. If the sequence has no reductions, then the lemma holds, since $M = \{\varepsilon\}$ consists only of the top position of S' . In the induction step, we can assume that the lemma holds already for the reduction sequence $S_1 \xrightarrow{\infty} S_2 \xrightarrow{\infty} \dots \xrightarrow{\infty} S_n = S'$, and then we can apply Lemma B.2 to the reduction step $S_0 \xrightarrow{\infty} S_1$, which shows the Lemma.

Corollary B.4. *Let S be a tree, and let RED be the reduction sequence $S = S_0 \xrightarrow{\infty} S_1 \xrightarrow{\infty} S_2 \xrightarrow{\infty} \dots \xrightarrow{\infty} S_n = S'$, where S' is a value. If a position p from S is not mapped by RED to the top position of S' , then all positions q of S such that p is a prefix of q , are also not mapped to the top position of S' .*

We distinguish relevant and irrelevant positions for a reduction sequence to a value:

Definition B.5. *Let $\text{RED} \equiv S \xrightarrow{\infty,*} S'$ be a reduction sequence, where S' is a value. Let M_0 be the set of positions of S that are mapped using joining labeled reduction to the top position of S' . Then the positions $p \in M_0$ in S are called relevant for RED, and the positions of S that are not in M_0 are called irrelevant for RED. We omit RED in the notation if it is clear from the context,*

Note that the set of relevant positions for some reduction sequence $\text{RED} \equiv S \xrightarrow{\infty,*} S'$ is always an FAPC-set in S .

Let $\xrightarrow{(Tr),*}$ be the reduction $\xrightarrow{(\text{betaTr}),*} \cup \xrightarrow{(\text{seqTr}),*} \cup \xrightarrow{(\text{caseTr}),*} \cup \xrightarrow{(\text{porTr}),*}$.

Lemma B.6. *Let $\text{RED} \equiv S_1 \xrightarrow{\infty} S_2 \xrightarrow{\infty,*} S'$ be a reduction sequence to the value S' . Let M_1 be the set of all relevant positions in S_1 . Then the reduction $S_1 \xrightarrow{\infty} S_2$ can be splitted into $S_1 \xrightarrow{(Tr),*} S'_1 \xrightarrow{\infty,M'} S_2$, where M' is a set of irrelevant positions. Moreover, if the first reduction is $S_1 \xrightarrow{a,\infty} S_2$, then we can split as follows: $S_1 \xrightarrow{a,*} S'_1 \xrightarrow{a,\infty,M'} S_2$.*

Proof. We split the reduction $S_1 \xrightarrow{\infty} S_2$ into $S_1 \xrightarrow{(Tr),*} S_{0,1} \xrightarrow{\infty} S_2$, such that $S_1 \xrightarrow{(Tr),*} S_{0,1}$ is the maximal prefix of the (Tr)-reduction sequence, which defines the ∞ -reduction, consisting only of top level reductions, and the first reduction in the definition of $S_{0,1} \xrightarrow{\infty} S_2$ is not at top level.

$$\begin{array}{ccc}
 S_1 \xrightarrow{\infty} S_2 & & S_1 \xrightarrow{(Tr),*} S_{0,1} \xrightarrow{(Tr),*} S_{1,1} \xrightarrow{\infty} S_2 \\
 \downarrow (Tr),* & & \downarrow (Tr),* \\
 S' & & S'
 \end{array}$$

Let $M_{0,1}$ be the FAPC-set of all positions in $S_{0,1}$ that are mapped by $S_{0,1} \xrightarrow{\infty} S_2$ to M_2 , the set of relevant positions in S_2 . By induction on the depth of positions in $M_{0,1}$, and since we can split into reduction sequences at independent positions, it is easy to see that there is a reduction sequence $S_{0,1} \xrightarrow{(Tr),*} S_{1,1} \xrightarrow{\infty} S_1$, such that the reduction $S_{1,1} \xrightarrow{\infty} S_2$ is w.r.t. a set $M_{1,1}$ of irrelevant positions.

Lemma B.7. *Let $\text{RED} = S_0 \xrightarrow{M_0, \infty} S_1$ be a reduction of trees to a value S_1 , such that M_0 is the set of irrelevant positions in S_0 . Then S_0 is a value*

Proof. This is obvious.

Lemma B.8. *Let $\text{RED} = S_0 \xrightarrow{M_0, \infty} S_1 \xrightarrow{a} S_2 \cdot \text{RED}'$ for $a \in \{(\text{betaTr}), (\text{seqTr}), (\text{caseTr}), (\text{porTr})\}$ be a reduction sequence of trees to a value, such that M_0 is the set of irrelevant positions in S_0 and let $S_1 \xrightarrow{a} S_2$ be a reduction at the relevant position p_1 .*

Then there is some S'_0 , a set M'_0 of positions of S'_0 with $S_0 \xrightarrow{a} S'_0 \xrightarrow{M'_0, \infty} S_2$, such w.r.t the reduction sequence $\text{RED}'' \equiv S'_0 \xrightarrow{M'_0, \infty} S_2 \cdot \text{RED}'$, the set of positions M'_0 is irrelevant. Moreover, the reduction $S_0 \xrightarrow{a} S'_0$ is also at the relevant position p_1 , and the constructed reduction sequence has the same length and reduces at the same positions.

$$\begin{array}{ccc}
 S_0 & \xrightarrow{M_0, \infty} & S_1 \\
 \downarrow a & & \downarrow a \\
 S'_0 & \xrightarrow{M'_0, \infty} & S_2 \\
 & & \downarrow \text{RED}' \\
 & & \cdot
 \end{array}$$

Proof. Let C be a multicontext that has holes at p_1 , the position of the redex of the $S_1 \xrightarrow{a} S_2$ -reduction, and additionally finitely many holes, such that all positions of M_0 are below a hole of C . Then the following diagrams shows the given and the derived reductions for every type of reduction:

$$\begin{array}{ccc}
 C[s_1, \dots, s_n, ((\lambda x.s) r)] & \xrightarrow{M_0, \infty} & C[s'_1, \dots, s'_n, ((\lambda x.s') r')] \\
 \downarrow (\text{betaTr}) & & \downarrow (\text{betaTr}) \\
 C[s_1, \dots, s_n, s[r/x]] & \xrightarrow{M'_0, \infty} & C[s'_1, \dots, s'_n, s'[r'/x]]
 \end{array}$$

For case `a` a similar diagram can be drawn. For `seq` the diagram is as follows:

$$\begin{array}{ccc}
 C[s_1, \dots, s_n, (\text{seq } v \ t)] & \xrightarrow{M_0, \infty} & C[s'_1, \dots, s'_n, (\text{seq } v' \ t')] \\
 \downarrow (\text{seqTr}) & & \downarrow (\text{seqTr}) \\
 C[s_1, \dots, s_n, t] & \xrightarrow{M'_0, \infty} & C[s'_1, \dots, s'_n, t']
 \end{array}$$

The diagram shows how to construct the required reduction.

Lemma B.9. *Let S be a tree with $S \Downarrow(\infty)$. Then there is a finite (perhaps non- \mathcal{R} -) reduction sequence $S \xrightarrow{(Tr),*} T$, such that T is a value tree.*

Proof. Let RED be the ∞ -reduction sequence from S to a value tree S' . Lemma B.3 shows that the set of all positions in S that are mapped by RED to the top position of S' is an FAPC-set. Using Lemma B.6, the reduction sequence can be splitted into $S \xrightarrow{(Tr),*} S_{0,1} \xrightarrow{(Tr),*} S_{1,1} \xrightarrow{\infty} S_1$, such that the reduction $S_{1,1} \xrightarrow{\infty} S_1$ is w.r.t. a set $M_{1,1}$ of irrelevant positions.

Now induction on the length of the reduction sequence $S_1 \xrightarrow{(Tr),*} S'$ and using Lemma B.8 shows that the reduction $S_{1,1} \xrightarrow{\infty} S_1$ can be shifted to the end of the reduction sequence until we obtain a reduction sequence $S \xrightarrow{(betaTr),*} S''$, where S'' is a value. \square

The remaining step for the standardization theorem is to remove the non- \mathcal{R} -reduction either by shifting them to the right in the reduction sequence until they are no longer necessary, or until they are also \mathcal{R} -reductions. This shifting may increase the number of single reductions. Note, that the diagram for the overlapping case of two (betaTr)-reductions

$$\begin{array}{ccc}
 C[(\lambda x.r)s] & \xrightarrow{(betaTr)} & C[(\lambda x.r)s'] \\
 \downarrow \mathcal{R} & & \downarrow \mathcal{R} \\
 C[r[s/x]] & \xrightarrow{(betaTr),*} & C[r[s'/x]]
 \end{array}$$

is only valid, if the number of occurrences of the variable x in r is finite. Hence a further analysis is required, which is possible due to the distinction between relevant and irrelevant positions.

Now we show that a reduction sequence of a tree to a value can be done by reducing finitely many redexes in reduction position, i.e. by an \mathcal{R} -reduction.

Lemma B.10. *Let $S_1 \xrightarrow{a} S_2 \xrightarrow{\mathcal{R},(Tr),*} S'$ for $a \in \{(betaTr), (seqTr), (caseTr), (porTr)\}$, where S' is a value. Then $S_1 \Downarrow$, i.e. there is also an evaluation $S_0 \xrightarrow{\mathcal{R},(Tr),*} S''$, where S'' is a value.*

Proof. The proof is by analyzing the traces of the relevant positions using joining labeled reduction. Let RED $\equiv S_1 \xrightarrow{a} S_2 \xrightarrow{(Tr),\mathcal{R}} S_3 \xrightarrow{(Tr),*} S'$ be a reduction sequence from S_1 to the value S' . Let the FAPC-set M be the set of relevant positions in S_1 . We analyze the possibilities to commute a non- \mathcal{R} -reduction with

the following \mathcal{R} -reduction: There are two possibilities:

$$\begin{array}{ccc} S_1 & \xrightarrow{\neg\mathcal{R},a} & S_2 \\ | & & | \\ \mathcal{R} \downarrow & & \mathcal{R} \downarrow \\ S'_1 & \xrightarrow{a} & S_3 \end{array} \qquad \begin{array}{ccc} S_1 & \xrightarrow{\neg\mathcal{R},a} & S_2 \\ | & & | \\ \mathcal{R} \downarrow & & \mathcal{R} \downarrow \\ S'_1 & \xrightarrow{a,\infty} & S_3 \end{array}$$

where the first diagram covers the case of independent positions of the reductions, the case where the \mathcal{R} -reduction is a **seq**-reduction or a **por**-reduction, and the cases that the a -reduction is within $(\lambda x.r)$ for a (betaTr)- \mathcal{R} -reduction with redex $((\lambda x.r) s)$, or within the alternatives for a (caseTr)- \mathcal{R} -reduction with redex $(\text{case } (c s_1 \dots s_n) \text{ of } \dots (c x_1 \dots x_n) \rightarrow r; \dots)$; and the second diagram covers the overlapping cases, where the a -redex may be copied several times by the \mathcal{R} -reduction. Lemma B.6 shows that the second diagram can be further detailed as

$$\begin{array}{ccc} S_1 & \xrightarrow{\neg\mathcal{R},a} & S_2 \\ | & & | \\ \mathcal{R} \downarrow & & \mathcal{R} \downarrow \\ S'_1 & \xrightarrow{a,*} S_4 & \xrightarrow{a,\infty,M'} S_3 \end{array}$$

where M' is a set of irrelevant positions. Lemma B.8 and Lemma B.7 show that in the case of the second diagram, the reduction w.r.t. the irrelevant set of positions can be shifted to the right end of the reduction sequence RED.

We consider reduction sequences that are mixtures of $\xrightarrow{\neg\mathcal{R}}$ and $\xrightarrow{\mathcal{R}}$ -reductions, where the goal is to construct a $\xrightarrow{\mathcal{R},(Tr),*}$ -reduction sequence to a value. The start is the reduction sequence $\text{RED} \equiv S_0 \xrightarrow{\mathcal{R},a} S_1 \xrightarrow{\mathcal{R},(Tr),*} S'$ where S' is a value. The operation on the reduction sequences is to focus the rightmost subsequence $T_1 \xrightarrow{\neg\mathcal{R},a} T_2 \xrightarrow{\mathcal{R},(Tr)} T_3$ for $a \in \{(\text{betaTr}), (\text{seqTr}), (\text{caseTr}), (\text{porTr})\}$, and to apply one of the following:

1. If $T_1 \xrightarrow{\mathcal{R},a} T_2$ is at an irrelevant position, then shift $\xrightarrow{\mathcal{R},a}$ to the end of the reduction sequence. This is considered as one step of the operation.
2. If $T_1 \xrightarrow{\mathcal{R},a} T_2$ is at a relevant position, but the two redexes are at independent positions, then apply the first diagram, if the mentioned conditions are satisfied.
3. If $T_1 \xrightarrow{\mathcal{R},a} T_2$ is at a relevant position, and the redexes overlap, then apply the second diagram; in this case a shifting-away of the irrelevant reduction immediately follows. The whole action is counted as one step.

We have to show that finitely many such operations of modifying the reduction sequence are sufficient to reach the desired \mathcal{R} -reduction sequence.

Now we construct a measure for mixed reduction sequences. Let $\text{RED} \equiv S_0 \rightarrow S_1 \rightarrow \dots \rightarrow S_n$, let RED' be the reduction sequence to a value after the modification, and let $\text{Trace}(\text{RED})$ be defined as follows: It contains all sequences

p_0, p_1, \dots, p_n , called *traces*, where p_0 is a RED-relevant position of S_0 , and for all i : p_i is a relevant position in S_i , and p_{i+1} is a successor of p_i . The trace stops either at the last term, or at p_i , if p_i is the position of the \mathcal{R} -redex that is reduced in this step, or the position of the term $(c\ s_1 \dots s_n)$ in the \mathcal{R} -(caseTr)-redex ($\text{case } (c\ s_1 \dots s_n) \dots$). An *annotated trace* is a trace, where the form of inheritance is also annotated: $p \xrightarrow{a_1} p_1 \xrightarrow{a_2} \dots \xrightarrow{a_n} p_n$, where $a_i \in \{\text{inst}, \text{red}, \text{trans}\}$, where $a_i = \text{red}$ means that p_{i-1} is exactly the redex-position of a non- \mathcal{R} -reduction, and *inst* means that P_{i-1} is in the argument of the redex of the \mathcal{R} or non- \mathcal{R} -(betaTr)-reduction, or within a term s_i in a (caseTr)-redex, \mathcal{R} or non- \mathcal{R} , of the form ($\text{case } (c\ s_1 \dots s_n) \text{alts}$). The \mathcal{R} -redex does not occur, and the other possibilities are annotated with $a_i = \text{trans}$.

We only use the *fingerprint* of traces, which is the sequence of *inst* and *red* occurring in a trace. Two fingerprints are compared first by length, and then lexicographically as strings, where *inst* < *red*. The whole reduction sequence is measured by a triple $\mu = (\mu_1, \mu_2, \mu_3)$, where μ_1 is the multiset of all fingerprints of (relevant) traces, where we use the multiset-ordering for comparing multisets, μ_2 is the number of non- \mathcal{R} -reductions of the reduction sequence to a value, μ_3 is the number of \mathcal{R} -reductions after the rightmost non- \mathcal{R} -reduction in the reduction sequence, and we use the lexicographic ordering on μ .

This is a well-founded measure, see e.g. [1] for the multiset-part. We have to show that every diagram application strictly reduces this measure. The trivial commuting diagram leaves the fingerprints as they are, since the positions of reductions are independent, and the *trans*-reductions are ignored in the fingerprints of traces, and strictly decreases μ_2 , or leaves μ_2 invariant and strictly decreases μ_3 . The hard part is to treat the application of the overlapping diagram.

For the following case distinction we treat the two possibilities that the \mathcal{R} -redex is a (betaTr)-redex of the form $((\lambda x.r)\ s)$, or a (caseTr)-redex of the form $(\text{case } (c\ s_1 \dots s_n) \dots); \dots; (c\ x_1 \dots x_n) \rightarrow t_c; \dots$. The por-redexes will be treated later. For a redex $((\lambda x.r)\ s)$, the picture in figure 4 illustrates the possibilities: for a case-redex this is similar. There are several cases for a relevant position p :

1. p is independent of the position of the \mathcal{R} -redex, or a proper prefix of the position of the \mathcal{R} -redex. Then the trace remains unchanged by the diagram application.
2. p is the position of the \mathcal{R} -redex, or p is the position of the $(c\ s_1 \dots s_n)$ in the \mathcal{R} -redex for a (caseTr)-reduction. Then the fingerprint of the trace stops for both reduction sequences.
3. p is within $\lambda x.r$ if the \mathcal{R} -redex is a (betaTr), or within t in the \mathcal{R} -redex if it is a (caseTr). Then the fingerprint of the trace is unchanged.
4. p is within s , but not within the redex in s for a (betaTr)- \mathcal{R} -reduction, or p is within some s_i , but not within the redex in s_i for a (caseTr)- \mathcal{R} -reduction. Then the fingerprint part is *inst* for all traces and unchanged. Also the number of traces remains the same.




Fig. 4. Cases for the position p in traces for a (betaTr)- \mathcal{R} -redex

5. p is the redex position within s for (betaTr) or within s_i for a (caseTr). Then the fingerprints before are $\langle \dots red, inst \dots \rangle$. They are changed into $\langle \dots inst, red \dots \rangle$, if the corresponding reduction in the bottom arrow of the second diagram is not turned into an \mathcal{R} -reduction. Otherwise the trace is stopped before the red . At least one fingerprint of some trace will be replaced by a strictly smaller one.
6. p is properly within the redex in s for a (betaTr)-reduction or in s_i for a (caseTr)-reduction. Then the fingerprints $\langle inst, inst \rangle$ remains the same, though the middle position is modified. The number of traces is the same.

We also have to treat the case of a (por)-reduction as \mathcal{R} -reduction. In the **False**-case

$$\begin{array}{ccc}
 C[(por \text{ False } t)] & \longrightarrow & C[(por \text{ False } t')] \\
 \downarrow \mathcal{R} & & \downarrow \mathcal{R} \\
 C[t] & \dashrightarrow & C[t']
 \end{array}$$

the fingerprints of traces are unchanged. In the **True**-case,

$$\begin{array}{ccc}
 C[(por \text{ True } t)] & \longrightarrow & C[(por \text{ True } t')] \\
 \dashrightarrow \mathcal{R} & & \downarrow \mathcal{R} \\
 & & C[\text{True}]
 \end{array}$$

if there are relevant positions in t , then all these traces are eliminated after the modification of the reduction. The overlapping cases

$$\begin{array}{ccc}
 C[(\text{por True } t)] \longrightarrow C[(\text{por True False})] & C[(\text{por } t \text{ False})] \longrightarrow C[(\text{por True False})] \\
 \searrow \mathcal{R} & \downarrow \mathcal{R} & \downarrow \mathcal{R} \\
 & C[\text{True}] & C[t] \text{ --- } \gg C[\text{True}]
 \end{array}$$

are consistent with the two other cases due to the definition of labelled reduction in section A.

Now we have to argue that the measure is indeed strictly reduced. There are several cases:

1. If the first diagram is applied, then μ_2 is strictly reduced, or μ_2 is the same, and μ_3 is strictly reduced.
2. If the second diagram is applied, and the position of the redex in t is relevant, then μ_1 remains the same, and either μ_2 or μ_3 is strictly reduced, depending on whether the non- \mathcal{R} -reduction is turned into an \mathcal{R} -reduction or not.
3. If the second diagram is applied, and the position of the redex in s is irrelevant, then the lower part of the second diagram consists of an irrelevant reduction, that can be moved to the end of the reduction sequence without changing the traces, and a non- \mathcal{R} -reduction is removed, hence μ_3 is strictly decreased.

Since the measure is well-founded and strictly decreased in every step, the diagram-application is able to shift the non- \mathcal{R} -reductions to the right, until an evaluation is reached.

Remark B.11. For other kinds of orderings on traces, the case $((\lambda x.x) s) \rightarrow s$ may be exceptional. The problem is solved in our treatment by stopping the traces after an \mathcal{R} -reduction.

Lemma B.12. *Let S be a tree, such that $S \xrightarrow{(Tr),*} S'$, where S' is a value tree. Then there is also an \mathcal{R} -(Tr)-reduction sequence to a value tree, i.e., $S \Downarrow$.*

Proof. This follows by induction on the length of the reduction sequence using Lemma B.10.

The lemmas in this appendix imply now Theorem 3.12.