



Khan, H., Kunutsor, S., Rauramaa, R., Merchant, F., & Laukkanen, J. A. (2018). Long-Term Change in Cardiorespiratory Fitness in Relation to Atrial Fibrillation and Heart Failure (from the Kuopio Ischemic Heart Disease Risk Factor Study). *American Journal of Cardiology*, 121(8), 956-960. <https://doi.org/10.1016/j.amjcard.2018.01.003>

Peer reviewed version

License (if available):
CC BY-NC-ND

Link to published version (if available):
[10.1016/j.amjcard.2018.01.003](https://doi.org/10.1016/j.amjcard.2018.01.003)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the accepted author manuscript (AAM). The final published version (version of record) is available online via Elsevier at <https://doi.org/10.1016/j.amjcard.2018.01.003> . Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/pure/about/ebr-terms>

Supplement Table 1: Baseline characteristics of participant included and excluded in the analysis

Category	Participants not included	Participants included	P value
	Mean (SD) or percent	Mean (SD) or percent	
Age (years)	53.7(4.5)	50.1(6.5)	<0.01
Systolic blood pressure (mmHg)	134.9(17.6)	131.3(14.4)	<0.01
LDL-cholesterol (mmol/L)	4.09(1.03)	3.80(0.91)	<0.01
HDL-cholesterol (mmol/L)	1.29(0.31)	1.30(0.29)	0.5
Cr (mg/dl)*	1(0.9,1.1)	1(0.9,1.1)	0.94
Body mass index (kg/m ²) [§]	26.9(3.6)	26.7(3.3)	0.25
Resting Heart Rate (beats/min)	62.7(11.0)	62.1(10.5)	0.33
Smoking (yes)	34.3	23.1	<0.01
History of cardiovascular disease (yes)	40.2	27	<0.01
History of type 2 diabetes mellitus (yes)	6	3.1	0.01
Left ventricular hypertrophy (yes)	1.8	0.4	0.03
VO _{2max} baseline (ml/min*kg)	29.5(7.8)	33.1(8.0)	<0.01

*Data are reported as median [IQR]