

## Objective sleep and personality : commentary on Johann et al. Perfectionism and Polysomnography-Determined Markers of Poor Sleep

AKRAM, Umair

Available from Sheffield Hallam University Research Archive (SHURA) at:

<http://shura.shu.ac.uk/18484/>

---

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

### Published version

AKRAM, Umair (2018). Objective sleep and personality : commentary on Johann et al. Perfectionism and Polysomnography-Determined Markers of Poor Sleep. *Journal of Clinical Sleep Medicine*, 14 (3), 485-486.

---

### Copyright and re-use policy

See <http://shura.shu.ac.uk/information.html>

**Title: Objective Sleep and Personality: Commentary on Johann et al. Perfectionism and Polysomnography-Determined Markers of Poor Sleep**

Author: Umair Akram PhD<sup>a\*</sup>

<sup>a</sup>Department of Psychology, Sociology and Politics, Sheffield Hallam University, Uk.

Subtitle: Objective sleep and personality

For submission to: Journal of Clinical Sleep Medicine as a Letter to the Editor

*Institution work performed: Sheffield Hallam University, Uk.*

*Number of tables: 0*

*Number of Figures: 0*

*Abstract word count: n/a*

*Brief summary word count: n/a*

*Manuscript word: 432*

*References: 10*

COI: No conflicts of interest declared in relation to this letter.

Financial support declaration: This letter was not supported by funding.

**\*Corresponding Author:** [u.akram@shu.ac.uk](mailto:u.akram@shu.ac.uk) Department of Psychology, Sociology and Politics, Sheffield Hallam University, Collegiate Crescent, Sheffield, South Yorkshire, S10 2BP, UK.

**Abbreviations**

CBT: Cognitive Behavioural Therapy

It is well accepted that disturbed sleep is influenced by a number of predisposing, precipitating and perpetuating factors, and these may be behavioural, biological, environmental, or psychological in nature.<sup>1</sup> Personality may act as a predisposing, and potentially perpetuating, factor, and literature concurs that disturbed sleep is related to increased neuroticism, internalization, anxious concerns, and perfectionism<sup>2-7</sup>. That said, it would be fair to argue that perfectionism is the most prominent personality characteristic associated with sleep. I believe it is to that end, the recent and novel study by Johann and colleagues<sup>8</sup> sought to move research in this area forward. Specifically, by expanding on the common practise of combining personality measures with self-report items of sleep to determine the extent to which personality is related to disturbed sleep. Rather, the important work conducted by Johann and colleagues<sup>8</sup> used polysomnography to determine the extent to which perfectionism was related to specific parameters of sleep continuity across two nights in a laboratory setting. Here, they determined that increased overall perfectionism was related to an increased number of awakenings on the first night. More specifically, concern over mistakes and personal standards were both related to a reduced total sleep time and greater number of awakenings. Whereas, parental criticism and expectations were solely related to greater number of awakenings. Whilst this is not the first study (but undoubtedly one of the few) to examine the relationship between personality and objective markers of sleep<sup>9</sup>, these outcomes for the first time provide objective support for previous work which has demonstrated negative aspects of perfectionism to be related to disturbed sleep. Considering the importance of personality, and indeed negative aspects of perfectionism, in relation to sleep, the results of this study are likely to have an important impact in this field of work. It is my hope that this study now stimulates further, more objective work in a relatively understudied area. Indeed, as highlighted by the authors<sup>8</sup> and previous work<sup>6</sup>, from a treatment perspective cognitive behavioural therapy (CBT) for perfectionism may potentially have a therapeutic effect for sleep. Certainly, I don't doubt that CBT tailored for sleep (e.g. CBTi) should be the first line approach. However, with those who may be treatment resistant whilst indicating perfectionistic tendencies, the former approach may be worthwhile. Further, I would like to note that as symptoms of anxiety appear to mediate the relationship between disturbed sleep (particularly insomnia) and perfectionism, future work may also wish to take this into consideration.<sup>6-7, 10</sup> To summarise, I would like to thank Johann and colleagues<sup>8</sup> for their important contribution to the relatively overlooked study of perfectionism and sleep disturbance.

## References

1. Spielman AJ, Caruso L, Glovinsky PB. A behavioural perspective on insomnia treatment. *Psy-chiatr. Clin. North. Am.* 1987;10:541–43.
2. Van de Laar M, Verbeek I, Pevernagie D, Aldenkamp A, Overeem S. The role of personality traits in insomnia. *Sleep. Med. Rev.* 2010;14:61–68.
3. Vincent NK, Walker JR. Perfectionism and chronic insomnia. *J. Psychosom. Res.* 2000;49:349–54.
4. Azevedo MH, Bos SC, Soares MJ, Marques M, Pereira AT, Maia B, et al. Longitudinal study on perfectionism and sleep disturbance. *World. J. Biol Psychiatry.* 2010;11:476–85.
5. Lundh L, Broman J, Hetta F, Saboonchi F. Perfectionism and insomnia. *Scand J Behav Ther.* 1994;23(1):3–18.
6. Akram U, Ellis JG, Barclay NL. Anxiety mediates the relationship between perfectionism and insomnia symptoms: A longitudinal study. *PLoS One.* 2015;10:e0138865.
7. Akram U, Ellis JG, Myachykov A, Chapman AJ, Barclay NL. Anxiety mediates the relationship between multidimensional perfectionism and insomnia disorder. *Pers Individ Dif.* 2017;104:82–86.
8. Johann AF, Hertenstein E, Kyle SD, Baglioni C, Feige B, Nissen C, Riemann D, Spiegelhalder K. Perfectionism and polysomnography-determined markers of poor sleep. *J Clin Sleep Med.* 2017;13(11):1319–1326.
9. Fernandez-Mendoza, J., Calhoun, S. L., Bixler, E. O., Karataraki, M., Liao, D., Vela-Bueno, A., Ramos-Platon, M. J., Sauder, K. A., Basta, M., & Vgontzas, A. N. Sleep misperception and chronic insomnia in the general population: the role of objective sleep duration and psychological profiles. *Psychosomatic Medicine.* 2011;73:88-97.
10. Jansson-Fröjmark M, Linton SJ. Is perfectionism related to pre-existing and future insomnia? A prospective study. *Br. J. Clin. Psychol.* 2007;46:119–24.