



“I kind of find that out by accident”: Probation staff experiences of pharmacological treatment for sexual preoccupation and hypersexuality

Journal:	<i>Journal of Forensic Practice</i>
Manuscript ID	JFP-09-2017-0036.R2
Manuscript Type:	Research Paper
Keywords:	Pharmacological treatment, Sexual offending, Staff perspectives, Medication to Manage Sexual Arousal, Probation staff, Qualitative research

SCHOLARONE™
Manuscripts

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

“I kind of find that out by accident”: Probation staff experiences of pharmacological treatment for sexual preoccupation and hypersexuality

Short title: Probation staff experiences of pharmacological treatment for hypersexuality

Journal of Forensic Practice

Abstract

Purpose – This paper aimed to explore the views and experiences of probation staff working with individuals convicted of a sexual offence who have been prescribed medication to manage sexual arousal (MMSA).

Design/methodology - Semi-structured interviews were utilised with a sample of probation staff (Offender Supervisors and Managers, n=12), who supervise individuals convicted of a sexual offence, either in prison, or post-release in the community. Data were analysed using thematic analysis.

Findings - Two main themes emerged: (1) Barriers for probation staff and (2) Suspicious but hopeful. Theme one encapsulates factors that prevent probation staff from engaging with MMSA; theme two highlighted the samples' uncertainty and mistrust of the use of medication as a potential tool for risk management and scepticism about individuals' motivations, particularly in the community.

Research limitations – The main limitation of this study was the differing levels of knowledge the sample had about MMSA and their subsequent ability to discuss MMSA other than in a theoretical sense.

Practical implications - Practical implications include the need for further training for probation staff, improved collaboration between departments and ongoing support for staff to support the success of the MMSA intervention.

Originality/value – This study offers a novel perspective on MMSA - that of the probation staff supervising prisoners taking MMSA. This has not been explored before, and the findings and associated implications are of importance for the treatment and care of those convicted of sexual offences.

Introduction

Research has demonstrated that poor preparation for release from prison predicts higher rates of sexual recidivism (Dickson and Polaschek, 2015), even whilst controlling for static and dynamic predictive risk factors (Scoones *et al.*, 2012). A crucial role in supporting the effective discharge of prisoners rests with probation officers, who are pivotal to the supervision/management of prisoners on release and in the community. In the UK, these are Offender Supervisors (OSs) and Offender Managers (OMs). OSs are based in custody, and support prisoners through the prison system, managing sentence planning and parole reviews. Conversely, OMs are based in the community, working with individuals to monitor risk and behaviour and ensure compliance with probation orders and licence conditions. They provide support with employment, accommodation and access to services once in the community, important factors which when not addressed, are associated with increased risk of recidivism (Hanson and Morton-Bourgon, 2005; Lussier and Gress, 2014; Willis and Grace, 2008; 2009). This is a challenging task for most ex-prisoners, but is exacerbated for those convicted of sexual offences, due to society's hostile response to these individuals (Cook and Hogue, 2013). This makes probation staffs' role pivotal in enforcing the standards of Her Majesty's Prison and Probation Service (HMPPS), and in fact, policy makers have re-instated the relationship between practitioner and service user as fundamental to changing the behaviour and social circumstances associated with recidivism (Burnett and McNeill, 2005; Craig, 2005).

A recent addition to the support available for individuals convicted of a sexual offence inside prison is pharmacological medication. This treatment, referred to as Medication to Manage Sexual Arousal (MMSA; a term adopted by the National Health Service and HMPPS in the UK), aims to reduce sexual desire, arousal and thinking for those with high levels of sexual preoccupation and/or hypersexuality. This is particularly important,

1
2
3 given the strong association between sexual preoccupation and increased risk of recidivism
4
5 (Beech *et al.*, 2005; Hocken, 2014). The body of evidence for the use of MMSA has been
6
7 methodologically limited, making conclusions restricted (see Cochrane review conducted in
8
9 2015; Khan *et al.*, 2015; Adi *et al.*, 2002; Baratta *et al.*, 2012). Despite this, MMSA has been
10
11 introduced into the UK prison system, and preliminary evaluations indicate its effectiveness
12
13 in reducing hypersexual disorder (see Winder *et al.*, 2014; Winder *et al.*, 2017).
14
15

16
17 MMSA research to date has focused on the experiences and outcomes of individuals
18
19 taking medication. However, having an understanding of the service from the staff working
20
21 with these individuals is pivotal. Referrals, access to medication and general advice about
22
23 MMSA are the responsibility of all staff, including probation staff. Whilst preliminary
24
25 evidence has demonstrated MMSA's effectiveness, perhaps the real test will be in the
26
27 community, where probation staffs' role is crucial. In addition, as healthcare records are
28
29 generally speaking confidential, and therefore inaccessible to those outside this department
30
31 (although for MMSA this is not the case as consent is gained to share information with
32
33 relevant professionals), it is important to explore the impact this perception has on staff
34
35 supporting and signposting to the intervention. This study aims to gain an in-depth
36
37 understanding of probation staffs' perspectives of MMSA for individuals convicted of a
38
39 sexual offence through qualitative methods.
40
41
42
43
44
45

46 **Method**

47 ***Participants***

48
49 Twelve probation staff (six OSs and six OMs) participated in this research. All had extensive
50
51 experience working in HMPPS and were selected through purposive sampling based on their
52
53 willingness to discuss their experiences (or lack of) of MMSA.
54
55
56
57
58
59
60

Data Collection

HMPPS and a UK University granted ethical approval for this study and permission was obtained from the establishments. The research was advertised via email to potential participants and those interested were presented with further information at a face-to-face meeting where consent was sought.

Data were collected through semi-structured interviews. The interview schedule was developed following consultation with MMSA staff and shadowing of probation staff to better understand their daily tasks with (ex)prisoners. The interview schedule explored the following areas: (i) views, knowledge and experiences of MMSA; (ii) impact on risk; (iii) compliance and; (iv) post-release considerations. Interviews were recorded on a password protected dictaphone and conducted in a private room within the prison/probation establishment. Participants were informed of rights to withdraw and that their identity would be protected by replacing real names with pseudonyms.

Analysis

The data were analysed using thematic analysis, based on guidance from Braun and Clarke (2006). This approach was adopted for its ability to work with larger qualitative samples in a flexible way in order to identify patterns across data and organise and interpret these into themes (Braun and Clarke, 2006). This method of analysis involved the authors transcribing, reading and rereading transcripts to increase familiarity. Initial impressions of the data were then noted and codes were used to group notes into preliminary themes. These themes were reviewed and modified and co-authors 'audited' the analysis by cross-checking against original transcripts to assess the validity and reliability of the interpretations and final thematic structure (Lincoln and Guba, 1985).

Findings

The interviews offered a rich set of data of staff experiences, with the main discussions comprising the barriers staff experienced in relation to MMSA, as well as their contrasting suspicions but hope for the medication's effectiveness. These and the associated sub-themes are discussed below, with a summary of themes in table 1.

[INSERT TABLE 1]

Superordinate theme 1: Barriers for Probation Staff

Participants discussed barriers that hindered their engagement with MMSA, including feeling excluded from the treatment process, having limited knowledge of the medication and a perceived lack of support when trying to seek information.

Sub-theme 1:1 Knowing who is taking MMSA – 'I kind of find that out by accident'

Participants proclaimed they were left out of the MMSA process; they were not informed when referrals take place for (ex)prisoners in their care, or about progress on medication:

the problem is unless the prisoners discloses to us that they are taking it we wouldn't know that they are taking it so (Smith; OS)

I think there's quite a few people who have sex offenders on their caseload who are on it but you wouldn't necessarily know (Derek; OM)

I'm not told that they've been referred, I kind of find that out by accident and, erm, and when they've been on it a while I don't get any feedback unless I'm proactive and go and ask for it...and that's frustrating because you can't be proactive if you don't know they're on it (Florence; OS)

1
2
3 These extracts reflect a consistent theme of a lack of knowledge about who is taking MMSA.
4
5 Participants described often finding out 'by accident', usually from the service user
6
7 themselves. Florence explains how this inhibits them from being proactive in their role of
8
9 supporting (ex)prisoners.
10

11
12 the whole purpose of anti-libidinal¹ medication is about risk, it's demonstrating that
13
14 they're doing something that's hopefully gonna assist in managing their risk so I don't
15
16 think there should be any confidentiality surrounding anti-libidinal medication (Jack;
17
18 OS)
19

20
21 but when it comes to risk I do, I think we should be told because if it is a risk reducing
22
23 medication, or if we can be involved in reporting how effective it is, we can work
24
25 with them in supervision (Smith; OS)
26
27

28
29 If someone's been prescribed anti-libidinals in the first place that means in all
30
31 likelihood they are totally sexually preoccupied or had offence related fantasies that
32
33 have interfered with their normal functioning so therefore I think I'd need to know as
34
35 that's offence related (Karen; OM)
36
37

38
39 These extracts highlight one of the key discussion points of participants: the implication
40
41 taking MMSA has on an individual's perceived risk. Karen demonstrates her belief that those
42
43 on medication are likely to be consumed by their sexual fantasies and at an increased risk of
44
45 offending – key information for probation staff managing offence related risk. Alternatively,
46
47 Smith and Jack viewed the medication in a more positive light, as having the potential to
48
49 reduce risk. However, all participants agreed that probation staff should be informed of
50
51 anything that may affect (ex)prisoners' risk.
52
53
54
55
56

57
58 ¹ Anti-libidinals is a term frequently used by participants to refer to MMSA. It was previously used to
59 describe the medication before the term MMSA was adopted nationally.
60

1
2
3 Participants described the impact of not being informed; Derek (OM) stated that 'It
4 would be no good doing fantasy work with someone on medication when that's its target',
5 highlighting that the 'not knowing' could affect his competency in working towards and
6 developing an appropriate risk management plan:
7
8
9

10
11 We need to know that information because we are asked that information at parole
12 hearing invariably (Winnie; OS)
13
14

15
16 It's quite embarrassing at times because maybe I don't know, maybe the Offender
17 Managers got hold of it, or maybe psychology know about it for some reason and they
18 do their SPRE² and they'll write all about that and I've already done my SPRL³ and
19
20
21
22

23 I'm thinking 'what do you mean anti-libidinals, when did this happen?' (Florence; OS)
24
25

26 These extracts represent a majority voice for participants, that not being informed who is
27 taking medication impacts their ability to supervise effectively: 'if we're not informed about
28 all that, then perhaps we're not doing them a good service' (Winnie; OS).
29
30
31
32

33 Participants frequently discussed the feeling of being 'left out of the loop' (Winnie;
34 OS) and Smith commented that 'it's very silent working', portraying an isolated experience
35 of MMSA. These extracts demonstrate the detrimental practical implications of not being
36 informed when individuals are taking MMSA and how this affects participants' perceived
37 competency in their role. Winnie (OS) comments that she 'would like to see us far more
38 involved' in the process, a sentiment that is echoed throughout the interview transcripts.
39
40
41
42
43
44
45
46

47 *Sub-theme 1:2 – 'Us and them'*

48
49

50 Closely related to the findings already discussed, this sub-theme highlights the disparity felt
51 between departments, and how this exacerbates the barriers already mentioned. Participants
52 felt there were distinct separations between themselves and psychology/psychiatry:
53
54
55

56
57 ² Sentence Planning Report

58 ³ Offender Supervisor Report
59
60

1
2
3 'Psychology can be a bit shady with us' (Jones; OS); 'I feel that you've got psychology and
4
5 psychiatry and we're almost an add on' (Winnie; OS). These comments portrays a sense of
6
7 hostility between the Offender Management Unit and psychology/psychiatry and the use of
8
9 the word 'shady' implies a feeling of distrust and suspicion. Participants explained how the
10
11 disparity between departments extends to the MMSA process:
12

13
14 it's been quite 'us and them', it's like we've got some information which we do have
15
16 to share like the SARN reports and like that but regards to that [MMSA] it doesn't
17
18 seem to be a main aspect of a prisoners life, because it's only voluntary it's not
19
20 something that's generally discussed (Jones; OS)
21
22

23
24 I think it's very rare that an offender supervisor would make that referral, and I think
25
26 part of that is, is the feeling of being left out of those discussions really, not being part
27
28 of it and almost perhaps a feeling of well that's not our domain is it, when clearly it
29
30 should be and it can be, erm, but, I- I can't speak for everybody, but certainly I feel
31
32 quite excluded from that process (Winnie; OS)
33
34

35
36 Staff talked about feeling excluded from the MMSA process, and it not being their 'domain'.
37
38 Instead they viewed psychology/psychiatry as the departments in charge of the medication.
39
40 Even those who were less clear on the MMSA process held this view: 'its all medical in
41
42 confidence, I think, is it via the healthcare, is it via programmes, I don't know' (Ross; OS).
43
44 This demonstrates an assumption by probation staff that MMSA is not their responsibility. In
45
46 the extract above, Jones makes an interesting point that, given MMSA are not mandatory,
47
48 they are not discussed or included in reports in the same way that mandatory parts of a
49
50 prisoner's sentence plan are. Karen (OM) shared her feelings that there is a 'preciousness in
51
52 regards to the medication', which she does not understand when their role as probation staff
53
54 is to manage, make assessments and liaise with agencies in order to manage risk, as
55
56 highlighted in Winnie's dialogue:
57
58
59
60

1
2
3 it's (anti-libidinals) kind of kept in the realms of psychiatry and psychology, perhaps
4
5 they think that if we get hold of it we'll suddenly be referring everybody, saying give
6
7 him these drugs (Winnie; OS)

8
9
10 Similar to Karen's feelings, Winnie makes a cynical comment that perhaps probation staff are
11
12 not trusted by psychiatry or psychology to make appropriate referrals, and that psychology
13
14 view MMSA as something specialist to their area, making them hesitant to share it with other
15
16 departments. This appears to lead to feelings of exclusion, causing a removal of responsibility
17
18 in relation to referrals, perceived as 'not our domain'.
19

20
21
22 *Sub-theme 1:3 – MMSA knowledge - 'I'm very naive about it'*

23
24 Similarly, a prevailing concept was participants' lack of awareness about MMSA: 'I don't
25
26 really know much about it' (Smith; OS); 'I'm very naive about the two [types of
27
28 medications]' (Winnie; OS); 'I'm very limited to what I know about it' (Ross; OS). These
29
30 comments are representative of the sample:
31

32
33
34 I think it's the lack of information about the medication and erm, just feeling
35
36 completely out of the loop in terms of it (Sarah; OM)

37
38
39 I feel a bit out the loop about how the medication feeds into our line of work and what
40
41 it actually does, I don't feel as though I know anything much about it at all. (Steve;
42
43 OM)

44
45
46 They don't tell us, nobody tells us, I- I don't even know who to contact (Florence;
47
48 OS).

49
50 These statements and in particular Florence's statement that 'nobody' tells them, strongly
51
52 emphasise this feeling of being left out. This led to feelings of uncertainty surrounding where
53
54 to seek guidance – a ubiquitous sentiment in this sample. Winnie (OS) asserted she felt 'quite
55
56
57
58
59
60

1
2
3 ignorant' about MMSA. Similarly, Jones felt a lack of confidence to talk about MMSA in a
4
5 professional capacity:
6

7
8 I'm not comfortable within that area, it's not my speciality to feel like I could say that
9
10 with a parole board, so I'd rather not mention it...it just seems like one big flaw... we
11
12 can't ask about the unknown...I know so little on it that I couldn't really ask him
13
14 much about it (Jones; OS)
15
16

17 Jones admits to an active avoidance to talk about MMSA, due to a lack of confidence. The
18
19 impact here is that staff's lack of knowledge may affect prisoners' experience in prison, and
20
21 could lead to avoidance of an important aspect of an individual's rehabilitation journey. Jones
22
23 went on to say that if more was known about MMSA within the department, they could be
24
25 more proactive in promoting it. This was supported by Florence (OS), who stated 'I think
26
27 they'd fit in very well if I knew about them'.
28
29
30

31 This suggests practical training is required to inform staff of their role regarding
32
33 MMSA. If the delivery of training for MMSA is successful, probation staff should be aware
34
35 of its purpose, how to manage it and 'get advice on what people might be experiencing when
36
37 they are using it' (Derek; OM), leaving them in an better position when it comes to
38
39 supporting and managing individuals on MMSA.
40
41

42 These three sub-themes highlight a perception from participants that they are not
43
44 included in the MMSA process. They feel excluded by psychology and psychiatry, and this
45
46 appeared to decrease moral, and cause further distance between departments and the MMSA
47
48 intervention. Despite this, participants continually talked of the importance of being involved
49
50 in the MMSA process, and of being informed when a (ex)prisoner is taking medication, as
51
52 the potential implications on risk and an individual's overall journey through the criminal
53
54
55
56
57
58
59
60

1
2
3 justice system are critically important to them. Participants gave examples of how this
4
5 knowledge would improve their abilities in their role of risk management.
6
7

8 ***Theme 2: Suspicious but hopeful***

9
10 Throughout the course of interviews, participants oscillated between concerns they had about
11
12 MMSA, which prevented them from fully subscribing to the treatment, and their belief that
13
14 the medication has the potential to be an important piece of the puzzle in terms of risk
15
16 management. These conflicting feelings are the basis for the following sub-themes.
17
18

19 *Sub-theme 2:1 – MMSA as a ‘manipulation tool’*

20
21 Several of the participants appeared suspicious of (ex)prisoners’ reasons for consenting to
22
23 take MMSA:
24
25

26
27 If they can use it as a manipulation tool to get a positive recommendation, but then
28
29 not take medication or withdraw from it as soon as they’ve got what they wanted,
30
31 there’s always a danger, or they could be making a decision based on getting released
32
33 but they’re not really that committed (Smith; OS)
34
35

36
37 They might just be doing it for ‘brownie points’ to prove to outside probation,
38
39 whatever, that you know ‘I’m capable of doing this and I want to do this’ and
40
41 truthfully it’s not, it’s because they want to reduce their time in custody (Jones; OS)
42
43

44
45 Someone could come in and be manipulative and say they are taking it when they are
46
47 not (Derek; OM)
48

49 These extracts indicate the concerns and distrust some staff held about individuals convicted
50
51 of a sexual offence - in particular a suspicion towards their motivations to comply. The
52
53 primary concern appears to be that individuals can use MMSA as a ‘manipulation tool’ to
54
55 persuade staff they have reduced their risk when this may not be the case. These opinions
56
57 suggest that parole boards and probation staff would look favourably on MMSA, and be more
58
59
60

1
2
3 likely to recommend release for an individual taking MMSA. This was in direct contrast to
4
5 how some participants felt about those taking MMSA, where they felt suspicious of the
6
7 credibility of (ex)prisoners' self-reports:
8

9
10 so the ones who are telling me yeah, yeah its working great I'm able to now
11
12 concentrate, and that - you know I do want to believe them, I do, but in the back of
13
14 my mind I've got, unfortunately I've got that doubt, from perhaps learnt behaviour on
15
16 my part from people who've let us down (Jack; OS)

17
18
19 Sex offenders can be very skilled at presenting themselves in a certain way (April;
20
21 OM)
22

23
24 Jack describes his difficulty trusting the self-reports of those taking medication. He
25
26 recognises that his 'doubt' is influenced by previous experiences of being let down.
27
28 Similarly, Karen (OM) states that there is an 'element of mistrust, in a sense that from the
29
30 start, I'm not going to believe anything you [offenders] tell me'. This was a common issue for
31
32 participants who did not feel comfortable relying on self-reports. However, Winnie (OS)
33
34 stated that in closed conditions, like prison, the majority of work completed with prisoners is
35
36 measured by self-report and thus does not 'see that as any more of a problem than any other
37
38 kind of strategy'.
39
40
41

42
43 Although there was a general scepticism among all participants, OMs were
44
45 particularly sceptical about the effectiveness of MMSA in terms of reducing risk:
46

47
48 I would obviously put it in a risk management plan that he's on anti-libidinal
49
50 medication but I don't feel confident that it will actually stop them. It's a bit like what
51
52 they say about eunuchs, they still try to have sexual behaviour even though they were
53
54 incapable of it (Sarah; OM)
55
56
57
58
59
60

1
2
3 Sarah held a sceptical view about MMSA, explaining that even if the medication makes
4 sexual activity impossible, individuals will still try to engage in it. Similarly, April (OM)
5 stated: 'Our view was that it doesn't stop the way you think but then maybe probation
6 officers are biased'.
7
8
9

10
11
12 In contrast, for some OS probation staff, taking the medication was perceived as a
13 genuine attempt to reduce and manage risk:
14
15

16
17 When the prisoner says they wanna take it then I suppose it makes it, a, a more valid
18 decision, so they're not trying to manipulate or look good (Smith; OS)
19
20

21
22 I think if somebody is self-aware enough to be saying to staff 'I'm having intrusive
23 thoughts, I'm becoming sexually preoccupied' I think yes, we have to be satisfied
24 with their self-report (Florence; OS)
25
26
27

28
29 Mr X, who's been sexual preoccupied all his adult, all his life actually and who is
30 very genuine in wanting to manage his risk and not come back here, for me it's, it's
31 kind of another piece to that jigsaw, it's an added thing to say to a parole panel, look
32 he, he's very genuine in his, his desire to not reoffending (Winnie; OS)
33
34
35
36
37

38 These extracts indicate that the voluntary nature of MMSA helps staff, and particularly Oss,
39 to view motivation as more 'valid' and trustworthy, an opinion echoed in Florence's quote.
40
41 Winnie's extract portrays a sense that some individuals appear more sincere and transparent
42 in their motivations than others, leading her to feel more open to recommending the
43 individual for release at a parole board. This indicates the subjective nature of the work and
44 the difficult balance when relying on self-report. Winnie's extract highlights how MMSA is
45 viewed as a part of a puzzle, a view echoed by other participants:
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 Think back to the argument that it's only part of their tool box then you would hope
4
5 their attitudinal changes and their cognitive changes were such that would help them
6
7 manage their risk anyway (Karen; OM)
8
9

10 This more positive outlook seemed to feed into a general feeling of hope that MMSA can be
11
12 a successful tool in reducing risk: 'I think if they could structure it more, then it could be
13
14 quite a strong key' (Smith OS); 'I think it could be part and parcel of a risk management
15
16 plan' (Winnie; OS).
17
18

19 This sub-theme demonstrates that for some probation staff, there is considerable
20
21 suspicion around the motives for taking MMSA; opinions regarding the sincerity of
22
23 motivation are largely subjective. The discomfort of relying on self-report was a common
24
25 issue, despite the fact that the majority of work undertaken to reduce risk is evaluated through
26
27 self-report. This heightened sense of cautiousness is construed based on their previous
28
29 experiences of the interpersonal characteristics of individuals convicted of a sexual offence.
30
31 However, the voluntary nature of the medication, as well as individuals' openness regarding
32
33 their need for MMSA seem to alleviate some of these concerns and enable some more
34
35 positive opinions - that MMSA has value as an adjunct to other treatment.
36
37
38

39
40 *Sub-theme 2:2 – Worries for the future*
41

42 This final sub-theme portrays participants' concerns about the viability of MMSA in the
43
44 community. In particular, concerns were expressed about how such a treatment could be
45
46 managed and prescribed in the community, and the issue of compliance:
47
48

49 if he chooses not to continue it in the community, it's not really reducing his risk in
50
51 anyway, and it's not really something that can be measured by an Offender Manager
52
53 in the community to me because it's relying on them telling you the truth (Jones; OS)
54
55
56
57
58
59
60

1
2
3 This extract summarises the views of most participants - that once in the community, such a
4 treatment cannot be managed as effectively. It reiterates the issues presented in the previous
5 sub-theme, regarding reliance on self-report. Participants recognised that whilst in custody,
6 compliance with medication, although not without its difficulties, is something that can be
7 implemented much more easily. However once in the community, there was a consensus that
8 individuals would be less compliant:
9

10
11
12
13
14
15
16
17 whilst they're in here they have to, show that they're willing and they're wanting to
18 change...but when they get back into the stimulus of society, and they're getting
19 comfortable again, they stop practicing those skills...because perhaps they don't feel
20 they need to anymore and they lapse (Jack; OS)
21

22
23
24
25
26 I wouldn't be at all surprised if I was a community based probation officer if
27 somebody was reporting those things to me, saying I don't want to be on these
28 [MMSA] anymore. I think we're in quite a sterile environment here and they - they
29 see the advantage to them of taking this medication at this particular stage (Winnie;
30 OS)
31
32
33
34
35
36

37
38 Jack expressed his view that without the demands of the prison environment, the motivation
39 for continuing treatment is lost. This sentiment was echoed by Jones (OS): that the
40 individuals will be 'counting down the days till they're off it [their licence]', so they can stop
41 the medication. Similarly, Winnie's extract suggests that the motives for taking MMSA in
42 prison will be gone once in the community. This was a prevalent theme for all participants,
43 portraying their suspicions about the true reasons for taking MMSA.
44
45
46
47
48
49
50

51
52 Participants were concerned about the logistics of being prescribed MMSA in the
53 community:
54
55
56
57
58
59
60

1
2
3 When he was released he couldn't get prescribed it...so he went on to...be recalled
4
5 linked to increased sexual thoughts so coming off it seems to be the danger (Smith;
6
7 OS)
8

9
10 The concern was initially when he was released, because he'd only be released with a
11
12 week's worth of medication, would the GP prescribe it... we said 'just tell 'em it's an
13
14 anti-depressant' - just tell 'em 'it's an anti-depressant' until you get to see a reviewing
15
16 psychiatrist, because I think if the pathways for being released into the community
17
18 and continuing with the medication were stronger then, it's not gonna stop somebody
19
20 from reoffending but I do think it's a major crutch (Florence; OS)
21
22

23
24 These extracts convey concerns about the structures in place to support ex-prisoners in
25
26 accessing MMSA in the community. Both participants spoke of problems associated with
27
28 access to MMSA, raising concerns about GPs' awareness of MMSA (or perhaps attitudes
29
30 towards this type of medication), particularly for SSRIs which are licenced to treat
31
32 depression, not sexual preoccupation.
33

34
35 This was a sentiment shared among participants: 'I would send them to the GP but I
36
37 wouldn't really know if that's something they can prescribe' (Derek; OM). Participants
38
39 lacked insight into the process and how medication can be obtained in the community, and
40
41 this seemed to be exacerbated by lack of communication: 'GPs don't routinely give us any
42
43 information and they're very difficult to get hold of' (April; OM); 'We don't have any
44
45 communication with the prescribers... It would be interesting to have that communication for
46
47 risk management purposes' (Sarah; OM).
48
49

50
51 These issues reflect a general concern that pathways are not in place to support
52
53 prisoners on release. It would seem that some participants believe it could be professionals
54
55 that fail the (ex)prisoners and create obstacles to engagement. Perhaps GPs lack the
56
57
58
59
60

1
2
3 knowledge to confidently prescribe MMSA, creating barriers for individuals trying to engage
4
5 in this treatment. Given that SSRIs are not currently licenced for the treatment of
6
7 hypersexuality within the UK NICE guidelines, guidance for GPs is limited. Moreover, the
8
9 uncertainty surrounding access to MMSA in the community among the probation staff of this
10
11 study highlights the need for more support in order to promote the throughcare of medication.
12
13

14 15 16 17 **Discussion**

18
19
20 This explorative study demonstrates the barriers that are faced by staff engaging with a new
21
22 treatment initiative like MMSA. A key difficulty highlighted was a lack of awareness and
23
24 knowledge of the medication among participants. This caused apprehension and a lack of
25
26 confidence when dealing with individuals taking MMSA, with some participants admitting to
27
28 overlooking the medication altogether within their role. This is a key finding, considering the
29
30 pivotal role probation play in (ex)prisoners' rehabilitation journeys (Burnett and McNeill,
31
32 2005), and highlights a gap in staff awareness, which not only causes apprehension, but
33
34 increases the likelihood that those taking MMSA are receiving a disservice. This is consistent
35
36 with the findings of Lievesley, *et al.* (2014), who interviewed service users taking MMSA
37
38 and treatment staff and revealed a need for further education of psychology staff and
39
40 concerns about a lack of knowledge within other departments.
41
42
43
44

45
46 When MMSA was introduced into the prison establishment within this study, training
47
48 was offered to OSs. However, few from this sample participated, and as far as the authors are
49
50 aware, training has not been offered to any Offender Managers in the community. This
51
52 suggests that staff would benefit from MMSA training becoming a mandatory part of staff
53
54 development in prison and the community, particularly as both this research and findings
55
56 from Lievesley *et al.* (2014) demonstrate staff are not always aware that making referrals for
57
58
59
60

1
2
3 MMSA is a requirement of all staff. If adequate training is implemented, this could inform
4
5 good practice and provide further opportunities, not just for (ex)prisoners taking MMSA, but
6
7 for those who are contemplating the treatment and need advice and support from their
8
9 assigned probation officer. It may also increase participants' belief in the efficacy of
10
11 treatment (Hogue, 1995), something which was lacking for the majority of within this study.
12
13

14
15 Participants held a sceptical view of MMSA, largely based on their apprehensions
16
17 regarding its effectiveness, and concerns about individuals using MMSA as a manipulation
18
19 tool to appear less risky. This seemed to link with participants' scepticism about self-reports,
20
21 a recognised concept amongst personnel working with individuals convicted of a sexual
22
23 offence (Weekes *et al.*, 1995), which can hamper professional practice (Lea *et al.*, 1999).
24
25 However, the self-report nature of measuring success is true of any current offender
26
27 intervention. As well as concerns that (ex)prisoners may take MMSA to appear less risky,
28
29 there were concerns about what taking MMSA may actually reveal about an individual's risk
30
31 – perhaps making them appear uncontrollably risky. A similar concern was found among
32
33 prisoners taking (or referred for) medication in the interviews conducted by Lievesley *et al.*
34
35 (2014). Prisoners reported concerns that the parole board would view them as more risky if
36
37 they took MMSA, and one participant reported that a prisoner had been told by probation that
38
39 taking medication 'would go against him at a parole board meeting' (p. 18). This confirms
40
41 that prisoner concerns about appearing more risky are not unjustified, and may impact upon
42
43 referrals, as many prisoners may refuse medication for this reason. It is therefore important to
44
45 establish the actual views and decisions of parole boards in relation to MMSA. Despite
46
47 controversial concern that individuals may take MMSA to try and appear less risky, and
48
49 whilst some parole boards do view MMSA as a positive risk management tool, others
50
51 view taking medication as a sign that an individual is at such increased risk that they need
52
53 external controls such as medication to help them cope, and may be less willing to
54
55
56
57
58
59
60

1
2
3 recommend progression as result (K, Hocken, personal communication, 24 August
4
5 2015). Further research is recommended, to explore the impact MMSA has in parole boards
6
7 and the attitudes and experiences of those appearing on parole boards with an individual
8
9 taking MMSA.
10

11
12 The issues surrounding MMSA are not limited to decisions about release, but extend
13
14 to the transition from prison to community, where access to medication is reported here as
15
16 limited. This supports the findings of Lievesley *et al.* (2014), with participants expressing not
17
18 just concern, but real life examples of individuals who have been unable to access MMSA in
19
20 the community. In this study, OMs in the community were generally aware that referrals for
21
22 MMSA occur in custody, but like OSs, they had limited insight into the support structures
23
24 that are available to ensure continuity of care. Participants felt that the lack of communication
25
26 between agencies accentuated their uncertainties, causing challenges for their role in the
27
28 management and supervision of (ex-)prisoners. This is not surprising, as there is currently no
29
30 clear protocol for the throughcare of MMSA from prison to the community, and there is no
31
32 research on the efficacy and viability of MMSA in the community, a recommendation for
33
34 future research. Very few OMs in this study noted individuals on their caseload taking
35
36 MMSA, yet as treatment awareness increases, it is likely more people will be taking the
37
38 medication upon release. As such, for those progressing into the community, a precise and
39
40 effective support structure is incredibly important to ensure they receive continuity of care.
41
42 Particularly because factors associated with elevated risk are intensified when in the
43
44 community (Lussier *et al.*, 2011), and there is a clear association between poor release
45
46 planning and increased risk of sexual recidivism (Dickson and Polaschek, 2015; Scoones *et*
47
48 *al.*, 2012). Clear guidelines on where to seek advice and support for staff will enable a
49
50 smoother and more risk adverse transition from prison to the community. This is particularly
51
52 important considering the national precedence for MMSA recently set by NOMS, meaning
53
54
55
56
57
58
59
60

1
2
3 that MMSA is now offered across a number of UK prisons. Training is therefore vital to
4
5 ensure those who are in need and who have a desire to take MMSA are offered this service,
6
7 and receive the necessary throughcare when released into the community.
8
9

10 Related to the above, and likely a precipitating factor to the poor throughcare, was the
11
12 apparent lack of unity between departments discussed in this study. This was mostly an issue
13
14 expressed by OSs, who appeared to attribute responsibility and knowledge of MMSA to the
15
16 psychology department. Participants expressed exasperation about not being notified by an
17
18 official source when someone starts taking MMSA, and seemed to attribute this responsibility
19
20 to psychology/psychiatry. Within this, there was concern about medical confidentiality and
21
22 whether they could have access to such information - another issue for staff training, as
23
24 probation staff seem unaware that consent is gained from anyone taking MMSA for their
25
26 records to be shared with relevant professionals. This issue of a lack of communication
27
28 between probation staff and psychology/healthcare results in a key staff group not being
29
30 involved in a significant part of a (ex)prisoner's treatment journey. For the participants of this
31
32 study, this led to a sense of feeling left out, less important and less capable, ultimately leading
33
34 to a removed responsibility from the process. This is significant, considering the pivotal role
35
36 that these staff play in individuals' journeys through the criminal justice system. The matter
37
38 seems to tap into an unspoken hierarchical issue between departments, an issue which is
39
40 likely causing de-motivation and removal of responsibility, preventing probation staff from
41
42 making referrals for those who would benefit. Research demonstrates that communication of
43
44 feedback and providing clear information on job instructions, rules and policies by those
45
46 superior, predicts job satisfaction (Frone and Major, 1998; Miles *et al.*, 1996), and is another
47
48 recommendation of this study, as this in turn is likely to improve job performance. Moreover,
49
50 training with a mixture of staff in different roles is recommended, with the aim of
51
52 overcoming the apparent barriers caused by disparity between departments. This will create
53
54
55
56
57
58
59
60

1
2
3 clearer communication pathways between departments, increasing unity and bridging the
4
5 perceived gap between who is responsible for MMSA.
6
7

8 ***Limitations***

9
10 A limitation of this research is that participants were interviewed in their place of work, and
11
12 although interviews were conducted in a private room, they may have been subject to social
13
14 desirability bias (Grimm, 2010). However, upon reviewing the interviews and the nature of
15
16 participants' discussions, the authors feel that participants were willing to be open, for
17
18 example discussing unreservedly their lack of knowledge in certain areas. This however leads
19
20 to another limitation, as the sample had varying levels of knowledge about MMSA, with
21
22 some not able to answer all interview questions. Despite this, rich data was collected, and
23
24 inability to answer certain questions simply served to support the gaps in knowledge that was
25
26 a consistent theme throughout the data. Finally, qualitative research has limitations in terms
27
28 of generalisability, due to small sample sizes, and as this research only sampled from one
29
30 prison and probation establishment within the East Midlands, elements of the findings may
31
32 only be representative of this geographical location. Nevertheless, the UK's first trial of
33
34 MMSA inside a prison was piloted in this area, and thus the experiences and perspectives of
35
36 these staff were deemed relevant and important.
37
38
39
40
41

42 ***Conclusions***

43
44 This qualitative study adds to the limited literature exploring the effectiveness of MMSA
45
46 with sexually preoccupied individuals by exploring both OS and OMs' personal experiences.
47
48 The research has highlighted several issues which may prevent staff from fully engaging and
49
50 incorporating MMSA into their job roles. Despite this, there was a sense of hope among
51
52 participants regarding the utility of MMSA, as well as a desire to be more involved and feel a
53
54 part of the process. Moreover, from the findings, it is possible to see how this can be
55
56
57
58
59
60

1
2
3 improved upon, demonstrating the value of this research. The research highlighted concerns
4
5 about the implementation of MMSA, disparate communication between departments and a
6
7 mistrust of the self-reported effects of the medication. A key finding was the concern about
8
9 accessing MMSA in the community. This is not a straightforward process and little is known
10
11 among the sample about how individuals can access the medication post-release. Given that
12
13 the percentage of individuals convicted of a sexual offence released on licence is increasing
14
15 (Home Office, 2013), efforts to maximise the effectiveness of professional input should be a
16
17 high priority. Greater training for both samples and other independent bodies may help bridge
18
19 the gap between prison and community and encourage all agencies to support an individual's
20
21 reintegration into society. Ultimately, adopting a multidisciplinary approach to MMSA will
22
23 help facilitate its utility and contribute to its successful delivery.
24
25
26
27
28
29
30

31 **Implications for practice**

- 32
- 33 • Research is required to identify how MMSA is viewed in the community by
- 34 professionals involved in ex-prisoners' community care (including GPs).
- 35
- 36
- 37 • Further research into the views of those involved in parole boards is suggested.
- 38
- 39
- 40 • Research to explore efficacy and viability of MMSA in the community is needed,
- 41 with no research currently available. This may confirm/deny some of the current
- 42 concerns about individuals continuing medication on release.
- 43
- 44
- 45 • Similar research should be conducted in other establishments to determine if the
- 46 views expressed here are coherent with other samples.
- 47
- 48
- 49 • Staff training on MMSA (including information on staff responsibilities, making
- 50 referrals, the effects [and side-effects] of MMSA, and access to treatment
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60

1
2
3 information/progress) appears necessary for the successful implementation of MMSA
4
5 across prisons and in the community.
6

- 7 • Staff training should encourage liaison between departments, not just through training
8 materials, but by adopting an inclusive approach, inviting members of staff from
9 different departments to attend together (particularly healthcare, psychology and
10 probation).
11
- 12 • As well as training, staff may need additional guidance when reporting on MMSA in
13 parole boards. This could take the form of an allocated MMSA mentor for example.
14
- 15 • A precise and effective support structure for the release of individuals taking MMSA
16 is required to ensure continuity of care.
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

References

- Adi, Y., Ashcroft, D., Browne, K., Beech, A., Fry-Smith, A. and Hyde, C. (2002), "Clinical effectiveness and cost-consequences of selective serotonin reuptake inhibitors in the treatment of sex offenders", *Health Technology Assessment*, Vol. 6 No. 28, pp. 1-66.
- Baratta, A., Javelot, H., Morali, A., Halleguen, O. and Weiner, L. (2012), "The role of antidepressants in treating sex offenders", *Sexologies*, Vol. 21, pp. 106-108.
- Beech, A., Fisher, D. and Ward, T. (2005), "Sexual murderers' implicit theories", *Journal of Interpersonal Violence*, Vol. 20, pp. 1366-1389.
- Braun, V. and Clarke, V. (2006), "Using thematic analysis in psychology", *Qualitative research in psychology*, Vol. 3 No. 2, pp. 77-101.
- Burnett, R. and McNeill, F. (2005), "The place of the officer-offender relationship in assisting offenders to desist from crime", *Probation Journal*, Vol. 52 No. 3, pp. 221-242.
- Cook, L. and Hogue, T. (2013), "Not-In-My-Backyard! A comparison of NIMBY responses to wind turbines and sex offender rehabilitation facilities", in *British Psychological Society's Division of Forensic Psychology Annual Conference in Belfast, 2013*, pp. 26-8.
- Craig, L. A. (2005), "The impact of training on attitudes towards sex offenders", *Journal of Sexual Aggression*, Vol. 11 No. 2, pp. 197-207.
- Dickson, S. R. and Polaschek, D. L. L. (2015), "The role of release planning in the reintegration experiences of high-risk offenders", *The New Zealand Corrections Journal*, Vol. 3 No. 1, pp. 18-23.
- Frone, M. R. and Major, B. (1988), "Communication quality and job satisfaction among managerial nurses: The moderating influence of job involvement", *Group & Organization Studies*, Vol. 13 No. 3, pp. 332-347.

- 1
2
3 Grimm, P. (2010), "Social desirability bias" in *Wiley International Encyclopedia of*
4
5 *Marketing*, Kent, USA.
6
7
8 Hanson, R. K. and Morton-Bourgon, K. E. (2005), "The characteristics of persistent sexual
9
10 offenders: A meta-analysis of recidivism studies", *Journal of Consulting and Clinical*
11
12 *Psychology*, Vol. 73 No. 6, pp. 1154-1163.
13
14
15 Hocken, K. (2014), "How effectively does the Structured Assessment for Risk and Need
16
17 (SARN) assess risk in men with Intellectual Disability who have committed a sexual
18
19 offence?", Unpublished PhD thesis, Nottingham Trent University, Nottingham.
20
21
22 Hogue, T. E. (1995), "Training multi-disciplinary teams to work with sex offenders: Effects
23
24 of staff attitudes", *Psychology, Crime & Law*, Vol. 1, pp. 227-235.
25
26
27 Home office. (2013), *An Overview of Sexual Offending in England and Wales*. Retrieved
28
29 from:
30
31 https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/214970/s
32
33 [exual-offending-overview-jan-2013.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/214970/s) [accessed June 2015]
34
35
36 Khan. O., Ferriter, M., Huband, N., Powney, M.J., Dennis, J.A. and Duggan, C. (2015),
37
38 "Pharmacological interventions for those who have sexually offended or are at risk of
39
40 offending", *Cochrane Database of Systematic Reviews*, No. 2. Art. No.: CD007989.
41
42 DOI: 10.1002/14651858.CD007989.pub2
43
44
45
46 Lea, S., Auburn, T. and Kibblewhite, K. (1999), "Working with sex offenders: The
47
48 perceptions and experiences of professionals and paraprofessionals" *International*
49
50 *Journal of Offender Therapy and Comparative Criminology*, Vol. 43 No. 1, pp. 103-
51
52 119.
53
54
55 Lievesley, R., Elliott, H., Winder, B., Norman, C. and Kaul, A. (2014), "Understanding
56
57 service user and therapists' experiences of incarcerated sex offenders receiving
58
59
60

- 1
2
3 pharmacological treatment for sexual preoccupation and/or hypersexuality”, *Journal of*
4
5 *Forensic Psychiatry and Psychology*, Vol. 25 No. 3, pp. 262-287.
6
7
8 Lincoln, Y. S. and Guba, E. (1985), *Naturalistic Enquiry*, Sage: Beverly Hills, CA.
9
10 Lussier, P. and Gress, C. L. C. (2014), “Community re-entry and the path toward desistance:
11
12 A quasi-experimental longitudinal study of dynamic factors and community risk
13
14 management of adult sex offenders”, *Journal of Criminal Justice*, Vol. 42, pp. 111–
15
16 122.
17
18
19 Lussier, P., Dahabieh, M., Deslauriers-Varin, N. and Thomson, C. (2011), “Community
20
21 reintegration of violent and sexual offenders: Issues and challenges for community risk
22
23 management”, in Gideon, L. and Sung, H (Ed.), *Rethinking Corrections:*
24
25 *Rehabilitation, Reentry, and Reintegration*, Sage: Thousand Oaks, CA, pp. 219–253.
26
27
28
29 Miles, E.W., Patrick, S.L. and King, W.C, Jr. (1996), “Job level as a systemic variable in
30
31 predicting the relationship between supervisory communication and job
32
33 satisfaction” *Journal of Occupational and Organizational Psychology*, Vol. 69, pp.
34
35 277-292.
36
37
38
39 Scoones, C. D., Willis, G. M. and Grace, R. C. (2012), “Beyond static and dynamic risk
40
41 factors: The incremental validity of release planning for predicting sex offender
42
43 recidivism”, *Journal of interpersonal violence*, Vol. 27 No. 2, pp. 222-238.
44
45
46 Weekes, J. R., Pelletier, G. and Beaudette, D. (1995), “Correctional officers: How do they
47
48 perceive sex offenders?” *International Journal of Offender Therapy and Comparative*
49
50 *Criminology*, Vol. 39 No. 1, pp. 55-61.
51
52
53 Willis, G. M. and Grace, R. C. (2008), “The quality of community reintegration planning for
54
55 child molesters: Effects on sexual recidivism”, *Sexual Abuse: A Journal of Research*
56
57 *and Treatment*, Vol. 20 No. 2, pp. 218-240.
58
59
60

1
2
3 Willis, G. M. and Grace, R. C. (2009), "Assessment of community reintegration planning for
4
5 sex offenders: Poor planning predicts recidivism", *Criminal Justice and Behaviour*,
6
7 Vol. 36 No. 5, pp. 494-512.
8

9
10 Winder, B., Lievesley, R., Elliott, H., Hocken, K., Faulkner, J., Norman, C. and Kaul, A.
11
12 (2017), "Evaluation of the use of pharmacological treatment with prisoners
13
14 experiencing high levels of hypersexual disorder", *The Journal of Forensic Psychiatry*
15
16 & *Psychology*, pp. 1-19.
17

18
19 Winder, B., Lievesley, R., Kaul, A., Elliott, H. J., Thorne, K. and Hocken, K. (2014),
20
21 "Preliminary evaluation of the use of pharmacological treatment with convicted sexual
22
23 offenders experiencing high levels of sexual preoccupation, hypersexuality and/or
24
25 sexual compulsivity", *The Journal of Forensic Psychiatry & Psychology*, Vol. 25 No.
26
27 2, pp. 176-194.
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1. Superordinate themes and sub-themes

Superordinate themes	Sub-themes
1 Barriers for probation staff	1.1 Knowing who is taking MMSA – ‘I kind of find that out by accident’ 1.2 ‘Us and them’ 1.3 MMSA knowledge – ‘I’m very naive about it’
2 Suspicious but hopeful	2.1 MMSA as a ‘manipulation tool’ 2.2 Worries for the future

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60