BACKGROUND INFO	NAL FUNCTIONS STUDY - DATA COLLECTION TOOL	
Variable name	Question	Response options
today	Date of survey	[Today's date]
district	District	1 - Serenje 2 - Mkushi 3 - Kapiri Mposhi 4 - Kabwe 5 - Chibombo 6 - Itezhi-tezhi
facility_type	Facility type	7 - Mumbwa 1 - Tertiary hospital (Level 3) 2 - Provincial hospital (Level 2) 3 - District hospital (Level 1) 4 - Health centre 5 - Health post 6 - Other
facility_other	Specify other facility type	[Text]
facility_owner	Facility operating agency	1 - Government 2 - NGO 3 - Religious body 4 - Private-for-profit 5 - Industrial (e.g. mine hospitals) 6 - Other
owner_other	Specify other type of facility owner	[Text]
Section I: Staffing	For LEVEL 3 HOSPITALS: Complete this section for the gynaecologic/obstetric emergency ward ONLY; FOR ALL OTHER FACILITIES: Complete this section for the entire facility.	
Variable name	Question	Response options
q101	q101: How many obstetricians are registered to work at this facility?	[Numeric]
q102	q102: How many obstetricians are present at this facility right now?	[Numeric]
q103	q103: How many obstetricians are on call overnight everyday? "On call" means that the worker can be contacted but is not physically present in the facility.	[Numeric]
q104	q104: Is there an obstetrician present for 24 hours everyday?	1 - yes 2 - no
q105	q105: How many other doctors (MBBS) are registered to work at this facility?	[Numeric]
q106	q106: How many other doctors (MBBS) are present at this facility right now?	[Numeric]
q107	q107: How many other doctors (MBBS) are on call overnight everyday? "On call" means that the worker can be contacted but is not physically present in the facility.	[Numeric]
q108	q108: Is there another type of doctor (MBBS) present for 24 hours everyday?	1 - yes 2 - no
	q109: How many clinical officers are registered to work at this	[Numeric]
q109	facility?	[[Tumerio]

	q111: How many clinical officers are on call overnight everyday?	
q111	"On call" means that the worker can be contacted but is not physically present in the facility.	[Numeric]
q112	q112: Is there a clinical officer present for 24 hours everyday?	1 - yes 2 - no
q113	q113: How many midwives/nurses are registered to work at this facility?	[Numeric]
q114	q114: How many midwives/nurses are present at this facility right now?	[Numeric]
	q115: How many midwives/nurses are on call overnight everyday?	
q115	"On call" means that the worker can be contacted but is not physically present in the facility.	[Numeric]
q116	q116: Is there a midwife/nurse present for 24 hours everyday?	1 - yes 2 - no
q117	q117: How many anesthetists are registered to work at this facility?	[Numeric]
q118	q118: How many anesthetists are present at this facility right now?	[Numeric]
	q119: How many anesthetists are on call overnight everyday?	
q119	"On call" means that the worker can be contacted but is not physically present in the facility.	[Numeric]
q120	q120: Is there an anesthetist present for 24 hours everyday?	1 - yes 2 - no
q121	q121: Is there any other cadre of health professional with comprehensive abortion care training registered to work at this facility normally?	1 - yes 2 - no
q121_other	q121_other: Please list the other types of health professionals with comprehensive abortion care training	[Text]
q122	q122: How many other cadre of health professional with comprehensive abortion care training are registered to work at this facility normally?	[Numeric]
q123	q123: How many other cadre of health professional with comprehensive abortion care training are present at this facility right now?	[Numeric]
q124	q124: How many other cadre of health professional with comprehensive abortion care training are on call overnight everyday?	[Numeric]
	"On call" means that the worker can be contacted but is not physically present in the facility.	
q125	q125: Is there any other cadre of health professional with comprehensive abortion care training present for 24 hours everyday?	1 - yes 2 - no
q126	q126: How many health providers that are registered to work at this facility have received training in post-rape care (also known as the medical management of sexual violence)?	[Numeric]
q127	q127: How many health providers that have received training in post-rape care are present at this facility right now?	[Numeric]

		T.
	q128: How many health providers that have received training in	
	post-rape care are on call overnight everyday?	
q128		[Numeric]
	"On call" means that the worker can be contacted but is not	
	physically present in the facility.	
q129	q129: Is there a health provider that has received training in post-	1 - yes
4129	rape care present for 24 hours everyday?	2 - no
q130	q130: Which cadre of staff provides MEDICAL ABORTION for women at this facility?	1 - Obstetrician/gynecologist 2 - Other type of medical doctor (MBBS) 3 - Clinical Officer or Medical Licenciate 4 - Midwife 5 - Nurse 6 - Nurse Assistant 7 - Laboratory Technologist or Technician 8 - Environmental Health Technician (EHT) 9 - Pharmacist, Pharmacy Technologist, or Pharmacy Technician 10 - Procedure is not performed at this facility 98 - Other type of provider
q130_other	q130_other: Specify other type of provider	[Text]
4200_0	quas_canceropeany cancer type or provide.	[· exc]
q131	q131: Which cadre of staff provides VACUUM ASPIRATION (e.g. MVA) for women at this facility?	 Obstetrician/gynecologist Other type of medical doctor (MBBS) Clinical Officer or Medical Licenciate Midwife Nurse Nurse Assistant Laboratory Technologist or Technician Environmental Health Technician (EHT) Pharmacist, Pharmacy Technologist, or Pharmacy Technician Procedure is not performed at this facility Other type of provider
q131_other	q131_other: Specify other type of provider	[Text]
q132	q132: Which cadre of staff provides DILATATION & CURETTAGE (D&C) for women at this facility?	1 - Obstetrician/gynecologist 2 - Other type of medical doctor (MBBS) 3 - Clinical Officer or Medical Licenciate 4 - Midwife 5 - Nurse 6 - Nurse Assistant 7 - Laboratory Technologist or Technician 8 - Environmental Health Technician (EHT) 9 - Pharmacist, Pharmacy Technologist, or Pharmacy Technician 10 - Procedure is not performed at this facility 98 - Other type of provider
q132_other	q132_other: Specify other type of provider	[Text]

q133	q133: Which cadre of staff provides DILATATION & EVACUATION for women at this facility?	1 - Obstetrician/gynecologist 2 - Other type of medical doctor (MBBS) 3 - Clinical Officer or Medical Licenciate 4 - Midwife 5 - Nurse 6 - Nurse Assistant 7 - Laboratory Technologist or Technician 8 - Environmental Health Technician (EHT) 9 - Pharmacist, Pharmacy Technologist, or Pharmacy Technician 10 - Procedure is not performed at this facility 98 - Other type of provider
q133_other	q133_other: Specify other type of provider	[Text]
Section II: Hours of	Operation	
Variable name	Question	Response options
	Is the facility OPEN on:	1
q201_1	q201_1: Monday	1 - yes 2 - no
g201 2	g201 2: Tuocday	1 - yes
q201_2	q201_2: Tuesday	2 - no
q201_3	q201_3: Wednesday	1 - yes
<u> </u>	, ,	2 - no
q201_4	q201_4: Thursday	1 - yes 2 - no
-201 5	-204 F. Friday	1 - yes
q201_5	q201_5: Friday	2 - no
q201_6	q201_6: Saturday	1 - yes
		2 - no 1 - yes
q201_7	q201_7: Sunday	2 - no
	Is the facility OPEN FOR 24 HOURS on:	
q202_1	q202_1: Monday	1 - yes 2 - no
		1 - yes
q202_2	q202_2: Tuesday	2 - no
q202_3	q202_3: Wednesday	1 - yes
		2 - no 1 - yes
q202_4	q202_4: Thursday	2 - no
q202_5	q202_5: Friday	1 - yes
4202_3	4202_5. Hiday	2 - no
q202_6	q202_6: Saturday	1 - yes 2 - no
-202 7	-202 7. Constant	1 - yes
q202_7	q202_7: Sunday	2 - no
	Does the facility provide FAMILY PLANNING services on:	1
q203_1	q203_1: Monday	1 - yes 2 - no
g202_2	g202 2: Tuocday	1 - yes
q203_2	q203_2: Tuesday	2 - no
q203_3	q203_3: Wednesday	1 - yes 2 - no
		1 - yes
q203_4	q203_4: Thursday	2 - no
q203_5	q203_5: Friday	1 - yes
	· - '	2 - no
q203_6	q203_6: Saturday	1 - yes 2 - no
ļ	1	<u> </u>

q203_7	q203_7: Sunday	1 - yes 2 - no
	Does the facility provide FAMILY PLANNING SERVICES FOR 24 HOURS on:	
q204_1	q204_1: Monday	1 - yes 2 - no
q204_2	q204_2: Tuesday	1 - yes
	<u> </u>	2 - no 1 - yes
q204_3	q204_3: Wednesday	2 - no
q204_4	q204_4: Thursday	1 - yes 2 - no
q204_5	q204_5: Friday	1 - yes 2 - no
q204_6	q204_6: Saturday	1 - yes
~204.7	~204.7. Curdou	2 - no 1 - yes
q204_7	q204_7: Sunday	2 - no
Section III: Signal Functions	Answer the following questions about signal functions in this facility related to emergency obstetric care, abortion/post abortion care, and post-sexual violence care by interviewing the health workers in the gynaecology ward/Emergency room/family planning clinic and other departments; reviewing facility registers; and observation (as much as possible).	
Variable name	Question	Response options
Section 3.1: Obstetric S	Signal Functions	
q301a_1	q301a_1: Can your facility perform PREGNANCY TESTING?	1 - yes 2 - no
q301a_2	q301a_2: Why can't your facility perform pregnancy testing? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q301b_1	q301b_1: Has your facility performed pregnancy testing in the LAST 3 MONTHS?	1 - yes 2 - no
q301b_2	q301b_2: Why hasn't your facility performed pregnancy testing in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q301c_1	q301c_1: Has your facility performed pregnancy testing in the LAST 12 MONTHS?	1 - yes 2 - no
q301c_2	q301c_2: Why hasn't your facility performed pregnancy testing in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics

q302a_1: Can your facility perform PARENTERAL ADMINISTRATION OF ANTIBIOTICS TO WOMEN?	1 - yes 2 - no
q302a_2: Why can't your facility perform parenteral administration of antibiotics to women? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q302b_1: Has your facility performed parenteral administration of antibiotics to women in the LAST 3 MONTHS?	1 - yes 2 - no
q302b_2: Why hasn't your facility performed parenteral administration of antibiotics to women in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q302c_1: Has your facility performed parenteral administration of antibiotics to women in the LAST 12 MONTHS?	1 - yes 2 - no
q302c_2: Why hasn't your facility performed parenteral administration of antibiotics to women in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q303a_1: Can your facility perform ADMINISTRATION OF UTEROTONIC OXYTOCICS?	1 - yes 2 - no
q303a_2: Why can't your facility perform administration of uterotonic oxytocics? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q303b_1: Has your facility performed administration of uterotonic oxytocics in the LAST 3 MONTHS?	1 - yes 2 - no
q303b_2: Why hasn't your facility performed administration of uterotonic oxytocics in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q303c_1: Has your facility performed administration of uterotonic	1 - yes
	q302a_2: Why can't your facility perform parenteral administration of antibiotics to women? SELECT ALL THAT APPLY q302b_1: Has your facility performed parenteral administration of antibiotics to women in the LAST 3 MONTHS? q302b_2: Why hasn't your facility performed parenteral administration of antibiotics to women in the LAST 3 MONTHS? SELECT ALL THAT APPLY q302c_1: Has your facility performed parenteral administration of antibiotics to women in the LAST 12 MONTHS? q302c_2: Why hasn't your facility performed parenteral administration of antibiotics to women in the LAST 12 MONTHS? SELECT ALL THAT APPLY q303a_1: Can your facility perform ADMINISTRATION OF UTEROTONIC OXYTOCICS? q303a_2: Why can't your facility perform administration of uterotonic oxytocics? SELECT ALL THAT APPLY q303b_1: Has your facility performed administration of uterotonic oxytocics in the LAST 3 MONTHS?

q303c_2	q303c_2: Why hasn't your facility performed administration of uterotonic oxytocics in the LAST 12 MONTHS? SELECT ALL THAT APPLY q304a_1: Can your facility perform ADMINISTRATION OF IV	No health workers available No trained health workers No equipment (e.g. machines/beds) And commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics 1 - yes
q304a_1	FLUIDS TO WOMEN?	2 - no
q304a_2	q304a_2: Why can't your facility perform administration of IV fluids to women? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q304b_1	q304b_1: Has your facility performed administration of IV fluids to women in the LAST 3 MONTHS?	1 - yes 2 - no
q304b_2	q304b_2: Why hasn't your facility performed administration of IV fluids to women in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q304c_1	q304c_1: Has your facility performed administration of IV fluids to women in the LAST 12 MONTHS?	1 - yes 2 - no
q304c_2	q304c_2: Why hasn't your facility performed administration of IV fluids to women in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q305a_1	q305a_1: Can your facility perform ADMINISTRATION OF PARENTERAL ANTICONVULSANTS?	1 - yes 2 - no
q305a_2	q305a_2: Why can't your facility perform administration of parenteral anticonvulsants? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q305b_1	q305b_1: Has your facility performed administration of parenteral anticonvulsants in the LAST 3 MONTHS?	1 - yes 2 - no

q305b_2	q305b_2: Why hasn't your facility performed administration of parenteral anticonvulsants in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q305c_1	q305c_1: Has your facility performed administration of parenteral anticonvulsants in the LAST 12 MONTHS?	1 - yes 2 - no
q305c_2	q305c_2: Why hasn't your facility performed administration of parenteral anticonvulsants in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q306a_1	q306a_1: Can your facility use PARTOGRAPHS TO MONITOR & MANAGE LABOR? Partographs graphically represent the progression of labor. Most partographs consist of three sections: the fetal record, the labor record, and the maternal record. The information collected keeps a record of the birth process and indicates when further interventions are necessary.	1 - yes 2 - no
q306a_2	q306a_2: Why can't your facility use partographs to monitor and manage labor? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q306b_1	q306b_1: Has your facility used partographs to monitor and manage labor in the LAST 3 MONTHS?	1 - yes 2 - no
q306b_2	q306b_2: Why hasn't your facility used partographs to monitor and manage labor in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q306c_1	q306c_1: Has your facility used partographs to monitor and manage labor in the LAST 12 MONTHS?	1 - yes 2 - no
q306c_2	q306c_2: Why hasn't your facility used partographs to monitor and manage labor in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics

	q307a_1: Can your facility routinely perform ACTIVE MANAGEMENT OF THE THIRD STAGE OF LABOUR?	
q307a_1	This is an intervention performed to reduce death from bleeding after a delivery (post-partum hemorrhage). It consists of the following interventions: • Administration of a uterotonic agent (oxytocin is the drug of choice) within one minute after birth of the baby and after ruling out the presence of another baby • Controlled cord traction with counter-traction to support the uterus • Uterine massage after delivery of the placenta	1 - yes 2 - no
q307a_2	q307a_2: Why can't your facility routinely perform active management of the third stage of labor? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
	q308a_1: Can your facility perform MANUAL REMOVAL OF PLACENTA?	
q308a_1	This is the procedure for removing the placenta in women who have a retained placenta after giving birth. It usually involves a theatre procedure where the doctor or midwife examines the woman vaginally and then puts in their fingers to detach and remove the placenta. Thereafter an uterotonic agent and antibiotics are usually administered	1 - yes 2 - no
q308a_2	q308a_2: Why can't your facility perform manual removal of placenta? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q308b_1	q308b_1: Has your facility performed manual removal of placenta in the LAST 3 MONTHS?	1 - yes 2 - no
q308b_2	q308b_2: Why hasn't your facility performed manual removal of placenta in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q308c_1	q308c_1: Has your facility performed manual removal of placenta in the LAST 12 MONTHS?	1 - yes 2 - no

q308c_2	q308c_2: Why hasn't your facility performed manual removal of placenta in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q309a_1	q309a_1: Can your facility perform MEDICAL POST ABORTION CARE (PAC) for EARLY PREGNANCIES: removal of retained products of conception for uterine size less than 12 weeks or first trimester pregnancies by medication Post abortion care is the provision of appropriate care for a female patient after a spontaneous or induced abortion- it usually involves an ultrasound scan, a medical examination and definitive treatment. In addition to this there should be counseling and the option of procuring contraceptives to avoid another unwanted pregnancy. Medical post abortion care involves giving the woman oral medicines usually misoprostol alone or misoprostol in combination with mifepristone to ensure there are no retained products of conception. This question asks for the provision of medical drugs to manage complications of an abortion for women in the first trimester of pregnancy (less than 12 weeks gestational age)	1 - yes 2 - no
q309a_1_1	q309a_1_1: What type of medications do you use for medical PAC (less than 12 weeks)? SELECT ALL THAT APPLY	1 - Mifepristone and misoprostol combined (Medabon) 2 - Misoprostol alone (Cytotec) 3 - Other (specify)
q309a_1_1_other	q309a_1_1_other: Please specify the brand name of the other medication abortion drug used for PAC (less than 12 weeks)	[Text]
q309a_2	q309a_2: Why can't your facility perform medical PAC: removal of retained products of conception for uterine size less than 12 weeks or 1st trimester pregnancies by medication? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q309b_1	q309b_1: Has your facility performed MEDICAL PAC for EARLY PREGNANCIES in the last 3 months?	1 - yes 2 - no
q309b_2	q309b_2: Why hasn't your facility performed MEDICAL PAC for early pregnancies in the last 3 months? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q309c_1	q309c_1: Has your facility performed MEDICAL PAC for EARLY PREGNANCIES in the last 12 months?	1 - yes 2 - no

q309c_2	q309c_2: Why hasn't your facility performed MEDICAL PAC for early pregnancies in the last 12 months? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q310a_1	q310a_1: Can your facility perform SURGICAL POST ABORTION CARE (PAC) for EARLY PREGNANCIES: removal of retained products of conception for uterine size less than 12 weeks or first trimester pregnancies surgically? Surgical post abortion care involves conducting a procedure on the woman usually a vacuum aspiration (using a manual or electric vacuum) or curettage to ensure there are no retained products of conception. This question asks for conducting a procedure to manage complications of an abortion for women in the first trimester of pregnancy (less than 12 weeks gestational age)	1 - yes 2 - no
q310a_1_1	q310a_1_1: What type of surgical abortion procedures do you use for PAC (less than 12 weeks)? SELECT ALL THAT APPLY	Vacuum aspiration (VA) Dilatation and curretage Dilatation and evacuation Other (specify)
q310a_1_1_other	q310a_1_1_other: Please specify other type of surgical abortion used for PAC (less than 12 weeks)	[Text]
q310a_2	q310a_2: Why can't your facility perform surgical PAC: removal of retained products of conception for uterine size less than 12 weeks or 1st trimester pregnancies surgically? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q310b_1	q310b_1: Has your facility performed SURGICAL PAC for EARLY PREGNANCIES in the last 3 months?	1 - yes 2 - no
q310b_2	q310b_2: Why hasn't your facility performed SURGICAL PAC for early pregnancies in the last 3 months? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q310c_1	q310c_1: Has your facility performed SURGICAL POST ABORTION CARE (PAC) for EARLY PREGNANCIES in the last 12 months?	1 - yes 2 - no
q310c_2	q310c_2: Why hasn't your facility performed SURGICAL PAC for early pregnancies in the last 12 months? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics

q311a_1	q311a_1: Can your facility perform MEDICAL VOLUNTARY TERMINATION OF PREGNANCY (TOP) for early pregnancies (first trimester or less than 12 weeks)? Voluntary termination of pregnancy is is the provision of an appropriate clinical procedure for a woman to terminate a pregnancy- it usually involves an ultrasound scan, a medical examination and the method of termination. In addition to this there should be counseling and the option of procuring contraceptives to avoid another unwanted pregnancy. Medical voluntary termination of pregnancy is the termination of pregnancy with abortion-inducing medications instead of a surgical procedure. This usually involves giving the woman misoprostol alone or misoprostol in combination with mifepristone. This question asks for the provision of medical drugs to induce abortion in women in the first trimester of pregnancy (less than 12 weeks gestational age)	1 - yes 2 - no
q311a_1_1	q311a_1_1: What type of medications do you use for medical voluntary TOP for early pregnancies (first trimester or less than 12 weeks)? SELECT ALL THAT APPLY	1 - Mifepristone and misoprostol combined (Medabon) 2 - Misoprostol alone (Cytotec) 3 - Other (specify)
q311a_1_1_other	q311a_1_1_other: Please specify the brand name of the other medication abortion drug used for voluntary TOP for early pregnancies (first trimester or less than 12 weeks)	[Text]
q311a_2	q311a_2: Why can't your facility perform medical voluntary TOP for early pregnancies (first trimester or less than 12 weeks)? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q311b_1	q311b_1: Has your facility performed medical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 3 MONTHS?	1 - yes 2 - no
q311b_2	q311b_2: Why hasn't your facility performed medical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q311c_1	q311c_1: Has your facility performed medical voluntary TOP for for early pregnancies (first trimester or less than 12 weeks) in the LAST 12 MONTHS?	1 - yes 2 - no

		T
q311c_2	q311c_2: Why hasn't your facility performed medical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q312a_1	q312a_1: Can your facility perform SURGICAL VOLUNTARY TERMINATION OF PREGNANCY (TOP) for early pregnancies (first trimester or less than 12 weeks)? Surgical voluntary termination of pregnancy is the termination of pregnancy vaginally by a surgical procedure. This question asks for the provision of surgical abortion in women in the first trimester of pregnancy (less than 12 weeks gestational age). This usually involves a vacuum aspiration procedure, which may or may not be preceded by dilation of the cervix.	1 - yes 2 - no
q312a_1_1	q312a_1_1: What type of surgical abortion procedures do you use for voluntary TOP for early pregnancies (first trimester or less than 12 weeks)? SELECT ALL THAT APPLY	- Vacuum aspiration (VA) - Dilatation and curretage - Dilatation and evacuation - Other (specify)
q312a_1_1_other	q312a_1_1_other: Please specify other type of surgical abortion used for voluntary TOP for early pregnancies (first trimester or less than 12 weeks)	[Text]
q312a_2	q312a_2: Why can't your facility perform surgical voluntary TOP for early pregnancies (first trimester or less than 12 weeks)? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q312b_1	q312b_1: Has your facility performed surgical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 3 MONTHS?	1 - yes 2 - no
q312b_2	q312b_2: Why hasn't your facility performed surgical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q312c_1	q312c_1: Has your facility performed surgical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 12 MONTHS?	1 - yes 2 - no

q312c_2	q312c_2: Why hasn't your facility performed surgical voluntary TOP for early pregnancies (first trimester or less than 12 weeks) in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q313a_1	q313a_1: Can your facility provide CONTRACEPTIVES AFTER PAC OR VOLUNTARY TOP? A contraceptive is a method or device used to prevent pregnancy. This question wants to know if this health facility provides counseling on the various forms of birth control after receiving medical or surgical post abortion care or termination of pregnancy, has contraceptive commodities to give women, and the staff are able to administer the contraceptives requested.	1 - yes 2 - no
q313a_1_0	q313a_1_0: Where is family planning provided and by whom?	1 - Same room where PAC/TOP is provided & with the SAME provider 2 - Same room where PAC/TOP is provided & with the DIFFERENT provider 3 - Another place within the health facility compound with the SAME provider 4 - Another place within the health facility compound with a DIFFERENT provider 5 - Another place outside this health facility
q313a_1_1	q313a_1_1: Which of the following contraceptives does this facility provide/prescribe? SELECT ALL THAT APPLY	1 - Combined oral contraceptive pills (e.g. Oralcon F) 2 - Progestin-only contraceptive pills (e.g. Microlut) 3 - Combined injectable contraceptives 4 - Progestin-only injectable contraceptives (e.g. Depo Provera) 5 - Male condoms 6 - Female condoms 7 - Intrauterine contraceptive device (IUCD) 8 - Implants 9 - Emergency contraceptive pills 10 - Male sterilization 11 - Female sterilization
q313a_2	q313a_2: Why can't your facility provide contraceptives after PAC or voluntary TOP? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q313b_1	q313b_1: Has your facility provided contraceptives after PAC or voluntary TOP in the LAST 3 MONTHS?	1 - yes 2 - no

		Ţ
q313b_2	q313b_2: Why hasn't your facility provided contraceptives after PAC or voluntary TOP in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q313c_1	q313c_1: Has your facility provided contraceptives after PAC or voluntary TOP in the LAST 12 MONTHS?	1 - yes 2 - no
q313c_2	q313c_2: Why hasn't your facility provided contraceptives after PAC or voluntary TOP in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q314a_1	q314a_1: Can your facility perform MEDICAL POST ABORTION CARE (PAC) for LATE PREGNANCIES: removal of retained products of conception for uterine size greater than 12 weeks or second trimester pregnancies by medication? Medical post abortion care involves giving the woman oral medicines usually misoprostol alone or misoprostol in combination with mifepristone to ensure there are no retained products of conception. This question asks for the provision of medical drugs to manage complications of an abortion for women after the first trimester of pregnancy (greater than 12 weeks gestational age)	1 - yes 2 - no
q314a_1_1	q314a_1_1: What type of medicals do you use for medical PAC for late pregnancies (second trimester or greater than 12 weeks)? SELECT ALL THAT APPLY	1 - Mifepristone and misoprostol combined (Medabon) 2 - Misoprostol alone (Cytotec) 3 - Other (specify)
q314a_1_1_other	q314a_1_1_other: Please specify the brand name of the other medical abortion drug used for PAC for late pregnancies (second trimester or greater than 12 weeks)	[Text]
q314a_2	q314a_2: Why can't your facility perform medical PAC: removal of retained products of conception for late pregnancies (second trimester or greater than 12 weeks) pregnancies by medical? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q314b_1	q314b_1: Has your facility performed MEDICAL PAC for LATE PREGNANCIES in the last 3 months?	1 - yes 2 - no

q314b_2	q314b_2: Why hasn't your facility performed MEDICAL PAC for late pregnancies in the last 3 months? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q314c_1	q314c_1: Has your facility performed MEDICAL PAC for LATE PREGNANCIES in the last 12 months?	1 - yes 2 - no
q314c_2	q314c_2: Why hasn't your facility performed MEDICAL PAC for late pregnancies in the last 12 months? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q315a_1	q315a_1: Can your facility perform SURGICAL POST ABORTION CARE (PAC) for LATE PREGNANCIES: removal of retained products of conception for uterine size greater than 12 weeks or second trimester pregnancies surgically Surgical post abortion care involves conducting a procedure on the woman usually a vacuum aspiration (using a manual or electric vacuum) or curettage to ensure there are no retained products of conception. This question asks for conducting a procedure to manage complications of an abortion for women after the first trimester of pregnancy (greater than 12 weeks gestational age)	1 - yes 2 - no
q315a_1_1	q315a_1_1: What type of surgical abortion procedures do you use for PAC for late pregnancies (second trimester or greater than 12 weeks)? SELECT ALL THAT APPLY	Vacuum aspiration (VA) Dilatation and curretage Dilatation and evacuation Other (specify)
q315a_1_1_other	q315a_1_1_other: Please specify other type of surgical abortion used for PAC for late pregnancies (second trimester or greater than 12 weeks)	[Text]
q315a_2	q315a_2: Why can't your facility perform surgical PAC: removal of retained products of conception for late pregnancies (second trimester or greater than 12 weeks) pregnancies surgically? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q315b_1	q315b_1: Has your facility performed SURGICAL PAC for LATE PREGNANCIES in the last 3 months?	1 - yes 2 - no

		T
q315b_2	q315b_2: Why hasn't your facility performed SURGICAL PAC for late pregnancies in the last 3 months? SELECT ALL THAT APPLY	No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q315c_1	q315c_1: Has your facility performed SURGICAL POST ABORTION CARE (PAC) for LATE PREGNANCIES in the last 12 months?	1 - yes 2 - no
q315c_2	q315c_2: Why hasn't your facility performed SURGICAL PAC for late pregnancies in the last 12 months? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q316a_1	q316a_1: Can your facility perform MEDICAL VOLUNTARY TERMINATION OF PREGNANCY (TOP) for late pregnancies (second trimester or greater than 12 weeks) pregnancy: Medical voluntary termination of pregnancy is the termination of pregnancy with abortion-inducing medications instead of a surgical procedure. This usually involves giving the woman misoprostol alone or misoprostol in combination with mifepristone. This question asks for the provision of medical drugs to induce abortion in women after the first trimester of pregnancy (greater than 12 weeks gestational age)	1 - yes 2 - no
q316a_1_1	q316a_1_1: What type of medications do you use for medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks)? SELECT ALL THAT APPLY	1 - Mifepristone and misoprostol combined (Medabon) 2 - Misoprostol alone (Cytotec) 3 - Other (specify)
q316a_1_1_other	q316a_1_1_other: Please specify the brand name of the other medication abortion drug used for voluntary TOP (greater than 12 weeks)	[Text]
q316a_2	q316a_2: Why can't your facility perform medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q316b_1	q316b_1: Has your facility performed medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 3 MONTHS?	1 - yes 2 - no

		Ţ
q316b_2	q316b_2: Why hasn't your facility performed medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q316c_1	q316c_1: Has your facility performed medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 12 MONTHS?	1 - yes 2 - no
q316c_2	q316c_2: Why hasn't your facility performed medical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q317a_1	q317a_1: Can your facility perform SURGICAL VOLUNTARY TERMINATION OF PREGNANCY (TOP) for late pregnancies (second trimester or greater than 12 weeks) pregnancy is the termination of pregnancy vaginally by a surgical procedure. This question asks for the provision of surgical abortion in women after the first trimester of pregnancy (greater than 12 weeks gestational age). This may involve a vacuum aspiration procedure, which may or may not be preceded by dilation of the cervix or a dilatation and evacuation carried out under general anaesthesia.	1 - yes 2 - no
q317a_1_1	q317a_1_1: What type of surgical abortion procedures do you use for voluntary TOP for late pregnancies (second trimester or greater than 12 weeks)? SELECT ALL THAT APPLY	1 - Vacuum aspiration (VA) 2 - Dilatation and curretage 3 - Dilatation and evacuation 4 - Other (specify)
q317a_1_1_other	q317a_1_1_other: Please specify other type of surgical abortion used for voluntary TOP for late pregnancies (second trimester or greater than 12 weeks)	[Text]
q317a_2	q317a_2: Why can't your facility perform surgical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q317b_1	q317b_1: Has your facility performed surgical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 3 MONTHS?	1 - yes 2 - no

q317b_2	q317b_2: Why hasn't your facility performed surgical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q317c_1	q317c_1: Has your facility performed surgical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 12 MONTHS?	1 - yes 2 - no
q317c_2	q317c_2: Why hasn't your facility performed surgical voluntary TOP for late pregnancies (second trimester or greater than 12 weeks) pregnancies in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q328a_1	q328a_1: Can your facility perform SURGICAL PROCEDURE TO MANAGE ABORTION COMPLICATIONS (e.g. laparotomy/laparoscopy/hyterectomy)? A hysterectomy is a surgery to remove a woman's uterus. A laparotomy is a surgical procedure involving a large incision through the abdominal wall to gain access into the abdominal cavity. A Laparoscopy is a surgery that uses a thin, lighted tube put through a cut (incision) in the belly to look at the abdominal organs or the female pelvic organs.	1 - yes 2 - no
q328a_2	q328a_2: Why can't your facility perform surgical procedure to manage abortion complications (e.g. laparotomy/laparoscopy/hyterectomy? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q328b_1	q328b_1: Has your facility performed surgical procedure to manage abortion complications (e.g. laparotomy/laparoscopy/hyterectomy in the LAST 3 MONTHS?	1 - yes 2 - no
q328b_2	q328b_2: Why hasn't your facility performed surgical procedure t manage abortion complications (e.g. laparotomy/laparoscopy/hyterectomy in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 0 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q328c_1	q328c_1: Has your facility performed surgical procedure to manage abortion complications (e.g. laparotomy/laparoscopy/hyterectomy in the LAST 12 MONTHS?	1 - yes 2 - no

ailable rkers achines/beds) olies agement policies s procedure rkers' morals/ethics
ogist doctor (MBBS) dical Licenciate dist or Technician Technician (EHT) Technologist, or formed at this facility er

q611	q611: What cadre of staff underwent training?	 Obstetrician/gynecologist Other type of medical doctor (MBBS) Clinical Officer or Medical Licenciate Midwife Nurse Nurse Assistant Laboratory Technologist or Technician Environmental Health Technician (EHT) Pharmacist, Pharmacy Technologist, or Pharmacy Technician - Procedure is not performed at this facility Other type of provider
q318a_1	q318a_1: Does your facility encourage IMMEDIATE AND EXCLUSIVE BREASTFEEDING to all women? Immediate breastfeeding is the initiation of breastfeeding within the first hour after the birth, while exclusive breastfeeding means that the infant receives only breastmilk for the first 6 months of life.	1 - yes 2 - no
q318a_2	q318a_2: Why doesn't your facility encourage immediate and exclusive breastfeeding to all women? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q319a_1	q319a_1: Can your facility perform HYGIENIC CORD CARE (cut with sterile item and apply disinfectant to tip and stump, and no application of other substances) routinely? Umbilical cord should be cut with a sterile item and chlorhexidine solution (and no other substance) may be applied to the stump.	1 - yes 2 - no
q319a_2	q319a_2: Why doesn't your facility perform hygienic cord care routinely? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q320a_1	q320a_1: Can your facility perform THERMAL PROTECTION (drying baby immediately after birth and wrapping) routinely? Thermal protection refers to interventions taken to ensure that a newborn does not become too cold or hot and maintains a normal body temperature. As much as possible the delivery room should be warm. After birth the newborn should be dried and covered before the cord is cut and should be kept on a warm surface while being dried. As much as possible this should be on the mother skin. If not a radiant warmer should be used.	1 - yes 2 - no

	T	1
q320a_2	q320a_2: Why can't your facility perform thermal protection regularly? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q321a_1	q321a_1: Can your facility ADMINISTER IV FLUIDS TO A BABY? This is the administration of intravenous fluids (sometimes called a drip or infusion) by infusing it through the veins. For this study it is primarily intended to assess if this can be done to resuscitate babies who require fluid replacement	1 - yes 2 - no
q321a_2	q321a_2: Why can't your facility adminsiter IV fluids to a baby? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q321b_1	q321b_1: Has your facility adminsiter IV fluids to a baby in the LAST 3 MONTHS?	1 - yes 2 - no
q321b_2	q321b_2: Why hasn't your facility adminsiter IV fluids to a baby in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q321c_1	q321c_1: Has your facility adminsiter IV fluids to a baby in the LAST 12 MONTHS?	1 - yes 2 - no
q321c_2	q321c_2: Why hasn't your facility adminsiter IV fluids to a baby in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q322a_1	q322a_1: Can your facility perform NEWBORN RESUSCITATION with bag and mask? Resuscitation should be started if the baby does not breathe within 30 seconds after birth.	1 - yes 2 - no

q322a_2	q322a_2: Why can't your facility perform newborn resuscitation with bag and mask? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q322b_1	q322b_1: Has your facility performed newborn resuscitation with bag and mask in the LAST 3 MONTHS?	1 - yes 2 - no
q322b_2	q322b_2: Why hasn't your facility performed newborn resuscitation with bag and mask in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q322c_1	q322c_1: Has your facility performed newborn resuscitation with bag and mask in the LAST 12 MONTHS?	1 - yes 2 - no
q322c_2	q322c_2: Why hasn't your facility performed newborn resuscitation with bag and mask in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q323a_1	q323a_1: Can your facility ADMINISTER CORTICOSTEROIDS IN PRETERM LABOUR? The administration of certain corticosteroids to women at risk of preterm birth causes a considerable reduction in the risks of complications of prematurity such as respiratory distress, brain haemorrhage and death. Steroids commonly used are dexamethasone and betamethasone	1 - yes 2 - no
q323a_2	q323a_2: Why can't your facility administer corticosteroids in preterm labour? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q323b_1	q323b_1: Has your facility administered corticosteroids in preterm labour in the LAST 3 MONTHS?	1 - yes 2 - no
q323b_2	q323b_2: Why hasn't your facility administered corticosteroids in preterm labour in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics

q323c_1	q323c_1: Has your facility administered corticosteroids in preterm labour in the LAST 12 MONTHS?	1 - yes 2 - no
q323c_2	q323c_2: Why hasn't your facility administered corticosteroids in preterm labour in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q324a_1	q324a_1: Can your facility PROVIDE KANGAROO MOTHER CARE for preterm/very small babies? Kangaroo care is a technique of caring for stable low-weight or premature babies outside an incubator. It involves holding the baby to an adult's chest, to facilitate skin-to-skin contact between the baby and parent helping to maintain a healthy body temperature.	1 - yes 2 - no
q324a_2	q324a_2: Why can't your facility provide kangaroo mother care for preterm/very small babies? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q324b_1	q324b_1: Has your facility provided kangaroo mother care for preterm/very small babies in the LAST 3 MONTHS?	1 - yes 2 - no
q324b_2	q324b_2: Why hasn't your facility provided kangaroo mother care for preterm/very small babies in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q324c_1	q324c_1: Has your facility provided kangaroo mother care for preterm/very small babies in the LAST 12 MONTHS?	1 - yes 2 - no
q324c_2	q324c_2: Why hasn't your facility provided kangaroo mother care for preterm/very small babies in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q325a_1	q325a_1: Can your facility PROVIDE ALTERNATIVE FEEDING if a baby cannot breasfeed? This may include bottle-feeding, tube feeding or cup feeding of expressed breast milk or formula.	1 - yes 2 - no

q325a_2 q325b_1	q325a_2: Why can't your facility provide alternative feeding if a baby cannot breasfeed? SELECT ALL THAT APPLY q325b_1: Has your facility provided alternative feeding if a baby	No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
<u>-</u>	cannot breasfeed in the LAST 3 MONTHS?	2 - no
q325b_2	q325b_2: Why hasn't your facility provided alternative feeding if a baby cannot breasfeed in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q325c_1	q325c_1: Has your facility provided alternative feeding if a baby cannot breasfeed in the LAST 12 MONTHS?	1 - yes 2 - no
q325c_2	q325c_2: Why hasn't your facility provided alternative feeding if a baby cannot breasfeed in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q326a_1	q326a_1: Can your facility ADMINISTER OXYGEN to a baby? This is intended to check if the baby can be resuscitated using oxygen if necessary.	1 - yes 2 - no
q326a_2	q326a_2: Why can't your facility administer oxygen to a baby? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q326b_1	q326b_1: Has your facility administered oxygen to a baby in the LAST 3 MONTHS?	1 - yes 2 - no
q326b_2	q326b_2: Why hasn't your facility administered oxygen to a baby in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q326c_1	q326c_1: Has your facility provided administered oxygen to a baby in the LAST 12 MONTHS?	1 - yes 2 - no

		7
q326c_2	q326c_2: Why hasn't your facility administered oxygen to a baby in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q327a_1	q327a_1: Can your facility perform a BLOOD TRANSFUSION? This is the capacity of the hospital to give patients safe blood intravenously when required. It will usually imply the presence of blood storage facilities, laboratory facilities for blood tests nearby.	1 - yes 2 - no
q327a_1_1	q327a_1_1: What is the primary source of the blood supplied?	Central blood bank The facility has a blood bank Direct transfusion from family member Other (specify)
q327a_2	q327a_2: Why can't your facility perform a blood transfusion? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q327b_1	q327b_1: Has your facility performed a blood transfusion in the LAST 3 MONTHS?	1 - yes 2 - no
q327b_2	q327b_2: Why hasn't your facility performed a blood transfusion in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q327c_1	q327c_1: Has your facility provided performed a blood transfusion in the LAST 12 MONTHS?	1 - yes 2 - no
q327c_2	q327c_2: Why hasn't your facility performed a blood transfusion in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
Section 3.2: Labore	atory Signal Functions	
q329	q329: Is there a laboratory in this facility?	1 - yes 2 - no

	q329a_1: Can your facility OFFER HIV COUNSELING AND TESTING SERVICES?	
q329a_1	HIV counseling and testing (C&T) is part of a continuum of HIV prevention and treatment services. It has three components: risk assessment and counseling before the blood or oral sample is taken, testing of the sample, and counseling and referral with the test results	1 - yes 2 - no
q329a_2	q329a_2: Why can't your facility offer HIV counseling and testing services? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q329b_1	q329b_1: Has your facility offered HIV counseling and testing services in the LAST 3 MONTHS?	1 - yes 2 - no
q329b_2	q329b_2: Why hasn't your facility offered HIV counseling and testing services in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q329c_1	q329c_1: Has your facility offered HIV counseling and testing services in the LAST 12 MONTHS?	1 - yes 2 - no
q329c_2	q329c_2: Why hasn't your facility offered HIV counseling and testing services in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q330a_1	q330a_1: Can your facility OFFER HEPATITIS B SCREENING? This is the capacity of the hospital to provide blood test services to check for the presence of the hepatitis B surface antigen	1 - yes 2 - no
q330a_2	q330a_2: Why can't your facility offer hepatitis B screening? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q330b_1	q330b_1: Has your facility offered hepatitis B screening in the LAST 3 MONTHS?	1 - yes 2 - no

		T
q330b_2	q330b_2: Why hasn't your facility offered hepatitis B screening in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q330c_1	q330c_1: Has your facility offered hepatitis B screening in the LAST 12 MONTHS?	1 - yes 2 - no
q330c_2	q330c_2: Why hasn't your facility offered hepatitis B screening in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q331a_1	q331a_1: Can your facility OFFER CHLAMYDIA SCREENING? Testing for trichomona, chlamydia and gonorrhea usually requires a urine sample or a self-taken swab for a woman. Testing for syphilis needs a blood sample.	1 - yes 2 - no
q331a_2	q331a_2: Why can't your facility offer chlamydia screening? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q331b_1	q331b_1: Has your facility offered chlamydia screening in the LAST 3 MONTHS?	1 - yes 2 - no
q331b_2	q331b_2: Why hasn't your facility offered chlamydia screening in the LAST 3 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q331c_1	q331c_1: Has your facility offered chlamydia screening in the LAST 12 MONTHS?	1 - yes 2 - no
q331c_2	q331c_2: Why hasn't your facility offered chlamydia screening in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics

		I I
	q332a_1: Can your facility OFFER GONORRHEA SCREENING?	
q332a_1	Testing for trichomona, chlamydia and gonorrhea usually requires a urine sample or a self-taken swab for a woman. Testing for syphilis needs a blood sample.	1 - yes 2 - no
q332a_2	q332a_2: Why can't your facility offer gonorrhea screening? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q332b_1	q332b_1: Has your facility offered gonorrhea screening in the LAST 3 MONTHS?	1 - yes 2 - no
q332b_2	q332b_2: Why hasn't your facility offered gonorrhea screening in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q332c_1	q332c_1: Has your facility offered gonorrhea screening in the LAST 12 MONTHS?	1 - yes 2 - no
q332c_2	q332c_2: Why hasn't your facility offered gonorrhea screening in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q333a_1	q333a_1: Can your facility OFFER TRICHOMONA VAGINALIS SCREENING? Testing for trichomona, chlamydia and gonorrhea usually requires a urine sample or a self-taken swab for a woman. Testing for syphilis needs a blood sample.	1 - yes 2 - no
q333a_2	q333a_2: Why can't your facility offer trichomona vaginalis screening? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q333b_1	q333b_1: Has your facility offered trichomona vaginalis screening in the LAST 3 MONTHS?	1 - yes 2 - no

Variable name	Question	Response options
Section IV: Equipment and Supplies	I would like to know if the following items are available in this service area today. For each equipment or item, please tell me if it is available today and functioning?	
q334c_2	q334c_2: Why hasn't your facility offered syphilis screening in the LAST 12 MONTHS? SELECT ALL THAT APPLY	1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q334c_1	q334c_1: Has your facility offered syphilis screening in the LAST 12 MONTHS?	1 - yes 2 - no
q334b_2	q334b_2: Why hasn't your facility offered syphilis screening in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q334b_1	q334b_1: Has your facility offered syphilis screening in the LAST 3 MONTHS?	1 - yes 2 - no
q334a_2	q334a_2: Why can't your facility offer syphilis screening? SELECT ALL THAT APPLY	 No health workers available No trained health workers No equipment (e.g. machines/beds) No commodities/supplies Against hospital/management policies No cases requiring this procedure Against the health workers' morals/ethics
q334a_1	q334a_1: Can your facility OFFER SYPHILIS SCREENING? Testing for trichomona, chlamydia and gonorrhea usually requires a urine sample or a self-taken swab for a woman. Testing for syphilis needs a blood sample.	1 - yes 2 - no
q333c_2	q333c_2: Why hasn't your facility offered trichomona vaginalis screening in the LAST 12 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics
q333c_1	q333c_1: Has your facility offered trichomona vaginalis screening in the LAST 12 MONTHS?	1 - yes 2 - no
q333b_2	q333b_2: Why hasn't your facility offered trichomona vaginalis screening in the LAST 3 MONTHS? SELECT ALL THAT APPLY	 1 - No health workers available 2 - No trained health workers 3 - No equipment (e.g. machines/beds) 4 - No commodities/supplies 5 - Against hospital/management policies 6 - No cases requiring this procedure 7 - Against the health workers' morals/ethics

	Does the facility have any of the following items:	
q401	q401: Functional Private room (auditory and visual) for examination?	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q402	q402: Functional Water source	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q403	q403: Functional Electric autoclave; non-electric autoclave; electric dry heat sterilizer; electric boiler or steamer; non-electric pot with cover for boiling/steam;	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q404	q404: Functional Heat source for non-electric autoclave equipment	 Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q405	q405: Functional Vehicle (ambulance or other vehicle) to transfer referred patients	 Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q406	q406: Fuel for the ambulance or other emergency vehicle?	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q407	q407: Functional Landline/Mobile phone supported by the facility	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available

q408	q408: Functional Electricity from any source (e.g. electricity grid, generator, solar, or other) including for stand-alone devices (EPI cold chain)?	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q409	q409: Functional Toilet (latrine) on premises that is accessible for general outpatient client use? IF MULTIPLE TOILETS ARE AVAILABLE, CONSIDER THE MOST MODERN TYPE	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q410	q410: Functional Ultrasound	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available
q411	q411: Functional Examination light/ Light source (flashlight acceptable)	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Ont available
q412	q412: Functional Delivery bed	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q413	q413: Functional Stethoscope	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning equipment Functioning and observed Functioning but not observed Functioning but not observed Functioning Functioning Functioning

q414	q414: Functional Digital or manual sphygmomanometer	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q415	q415: IV fluid (neonatal giving) set/umbilical catheter	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q416	q416: IV fluid giving set (adult)	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q417	q417: Needles and syringes	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q418	q418: Disposable latex gloves	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q419	q419: Hand-washing soap/liquid soap	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q420	q420: Alcohol based hand rub	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q421	q421: Sterile theater gowns	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q422	q422: Delivery pack	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q423	q423: Vacuum extractor with different size cups	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q424	q424: Obstetric forceps	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available

q425	q425: Vaginal speculum (Sims, Cusco)	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed
		4 - Not available1 - Available and observed2 - Available, observed, but unsure if this is
q426	q426: Uristix (dip stick for protein in urine)	the right equipment 3 - Reported available, not observed 4 - Not available
q427	q427: Functional watch or clock with second hand that can be easily seen	1 - Available and observed2 - Available, observed, but unsure if this is the right equipment3 - Reported available, not observed4 - Not available
q428	q428: Blood sugar testing sticks	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q429	q429: Cord clamp	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q430	q430: 4% CHORHEXIDINE SOLUTION (UMBILICAL CORD)	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q431	q431: Functional infant weighing scale	 Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q432	q432: Towels or cloth for newborn	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q433	q433: Small cup for breast milk expression	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q434	q434: Functional mucus extractor	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available

q435	q435: Functional resuscitation table with heat source for newborn	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q436	q436: Functional incubator	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q437	q437: Infant face masks, sizes 0, 1, 2	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q438	q438: Ambu (ventilatory) bag	Available and observed Available, observed, but unsure if this is the right equipment Reported available, not observed A Not available
q439	q439: Suction catheter, 10, 12 Ch	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q440	q440: Functional suction aspirator (operated by foot or electrically)	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Ont available
q441	q441: Functional infant laryngoscope with spare bulb and batteries	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q442	q442: Endotracheal tubes, 3.5, 3.0	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available

q443	q443: Disposable uncuffed tracheal tubes, sizes 2.0 to 3.5	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q444	q444: Mucus trap for suction	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q445	q445: Vacuum aspirator kit/syringes	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q446	q446: Dilatation and Curettage (D&C) kit	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q447	q447: Vaginal speculum, (Sims)	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q448	q448: Sponge (ring) forceps	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q449	q449: Dissecting forceps, serrated jaws	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q450	q450: Towel clip	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q451	q451: Ovum forceps	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q452	q452: Uterine forceps, curved	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q454	q454: Uterine dilators, sizes 13-27	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q455	q455: Sharp uterine curettes	 1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available

q456	q456: Blunt uterine curettes	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q457	q457: Uterine sound	1 - Available and observed 2 - Available, observed, but unsure if this is the right equipment 3 - Reported available, not observed 4 - Not available
q458	q458: Does this facility have a functional operating theatre?	1 - yes 2 - no
	Does the facility have any of the following items:	
q459	q459: Laparotomy/Caesarean kit	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q460	q460: Stainless steel instrument tray with cover	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q461	q461: Towel clips	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q462	q462: Sponge (ring) forceps, 22.5cm	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q463	q463: Straight artery forceps, 16cm	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available

q464	q464: Uterine hemostasis forceps, 20cm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available
q465	q465: Needle holder	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Functioning but not observed Functioning but not observed Functioning Functioning Functioning
q466	q466: Surgical knife handle 3 or 4	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q468	q468: Surgical knife blades	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Functioning but not observed Functioning but not observed Functioning Functioning Functioning
q469	q469: Triangular point suture needles, 7.3cm/size 6	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q470	q470: Round-bodied needles, No. 12/size 6	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Reported functioning but not observed Available but not functioning Not available

q471	q471: Abdominal retractor, size 3	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available
q472	q472: Abdominal retractors, double-ended	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q473	q473: Operating scissors, curved, blunt 17cm	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q474	q474: Operating scissors, straight, blunt 17cm	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q475	q475: Scissors, straight, 23cm	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q476	q476: Suction nozzle	 1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available

q477	q477: Suction tube, 22.5cm, 23 French gauge	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q478	q478: Intestinal clamps, curved, 22.5cm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q479	q479: Intestinal clamps, straight, 22.5cm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available
q480	q480: Dressing (tissue) forceps, non-toothed, 15cm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Available but not functioning Not available
q481	q481: Dressing (tissue) forceps, non-toothed, 25cm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Ont available
q482	q482: Sutures (different sizes and types)	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available

q483	q483: Mini-laparotomy kit	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available
q484	q484: Anaesthesia equipment	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Functioning but not observed Functioning but not observed Functioning Functioning Functioning
q485	q485: Anesthetic face masks	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning equipment Functioning and observed Functioning but not observed Functioning but not observed Functioning Not available
q486	q486: Oropharyngeal airways	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Functioning but not observed Functioning but not observed Functioning Functioning Functioning
q487	q487: Laryngoscopes with spare bulbs and batteries	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q488	q488: Endotracheal tubes with cuffs, 8mm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available

q489	q489: Endotracheal tubes with cuffs, 10mm	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Reported functioning but not observed Available but not functioning Not available
q490	q490: Intubating forceps	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Available but not functioning Not available
q491	q491: Endotracheal tube connectors, plastic, 15 mm (connect directly to breathing valve; three for each tube size)	Functioning and observed Functioning, observed, but unsure if this is the right equipment Functioning and observed Functioning and observed Functioning but not observed Available but not functioning Not available
q492	q492: Spinal needles, 18 gauge to 25 gauge	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q493	q493: Suction aspirator, foot-operated	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q494	q494: Suction aspirator, electric	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning Not available

q495	q495: Anesthetic vaporizers (draw-over system)	1 - Functioning and observed 2 - Functioning, observed, but unsure if this is the right equipment 3 - Improvised equipment but functioning and observed 4 - Reported functioning but not observed 5 - Available but not functioning 6 - Not available
q496	q496: Oxygen cylinders with manometer and flowmeter (low flow) tubes and connectors	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Functioning but not observed Available but not functioning Not available
q497	q497: Cannula and Trochar for implant	Functioning and observed Functioning, observed, but unsure if this is the right equipment Improvised equipment but functioning and observed Reported functioning but not observed Available but not functioning
		6 - Not available
Continue V. Common dition	I would like to know if the following items are available in this	
Section V: Commoditie	I would like to know if the following items are available in this service area today. For each equipment or item, please tell me if it is available today and functioning?	
Section V: Commoditie	s service area today. For each equipment or item, please tell me if	
	s service area today. For each equipment or item, please tell me if it is available today and functioning?	6 - Not available
	s service area today. For each equipment or item, please tell me if it is available today and functioning? Question	6 - Not available
Variable name	s service area today. For each equipment or item, please tell me if it is available today and functioning? Question Does the facility have any of the following commodities:	Response options 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK 1 - Never available 2 - Not available today 3 - Rep available 3 - Rep available
Variable name	s service area today. For each equipment or item, please tell me if it is available today and functioning? Question Does the facility have any of the following commodities: q501_1: Mifepristone and misoprostol combined (any brand)	Response options 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK

q504	q504: Injectable uterotonic (e.g. oxytocin)	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q505	q505: Magnesium sulphate injection	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q506	q506: Other anticonvulsants (e.g. diazepam injection, phenobarbital injection, phenytoin/diphenylhydatoin)	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q507	q507: Steroids used for preterm labor (e.g. betamethasone injection, dexamethasone injection)	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q508	q508: Benzathine benzyl penicillin powder for injection	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q509	q509: Oral flucloxacillin (for newborn)	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q510	q510: Gentamicin (injection)	1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q511	q511: Tetracycline eye ointment/drops	1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q512	q512: Halothane	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q513	q513: Ketamine	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK

q514	q514: Lignocaine/Lidocaine 2% or 1%	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q515	q515: Dextrose	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q516	q516: Dextran	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q517	q517: Glucose infusion 5%	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q518	q518: Normal saline	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q519	q519: Ringer's lactate	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q520	q520: Nevirapine (for mother)	1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q521	q521: Nevirapine (for newborn)	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q522	q522: HIV post-exposure prophylactic (PEP) treatment	1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK
q523	q523: Combined ARVs for mother	 1 - Never available 2 - Not available today 3 - Rep available 4 - Obs 1+ expired 5 - Obs all expired 6 - Obs DK