

Gas-liquid hydrodynamics in Taylor Flows with complex liquids

References

References

- Akbar, M.K., Plummer, D.A., Ghiaasiaan, S.M., 2003. On gas–liquid two-phase flow regimes in microchannels. *International Journal of Multiphase Flow* 29 (5), 855–865.
- conditions. *International Journal of Multiphase Flow* 19 (5), 751–763.
- Akbar, M.K., Ghiaasiaan, S.M., 2006. Simulation of Taylor flow in capillaries based on the volume-of-fluid technique. *Ind. Eng. Chem. Res.* 45, 5396 – 5403.
- Amador, C., Salman, W., Sanguanpiyapan, S., Gavriilidis, A., Angeli, P., 2004. Effect of gas-inlet conditions on the mechanism of Taylor flow formation. *ICMF' 04*, Report SP-515, Yokohama.
- A.N. Tsoligkas, M.J.H. Simmons, J. Wood 2007. Influence of orientation up on the hydrodynamics of gas–liquid flow for square channels in monolith supports. *Chemical Engineering Science* 62 (2007) 4365 – 4378
- Aussilous, P., Quere, D., 2000. Quick deposition of a fluid on the wall of a tube. *Physics of Fluids* 12 (10), 2367–2371.
- Berčić, G., Pintar, A., 1997. The role of gas bubbles and liquid slug lengths on mass transport in the Taylor flow through capillaries. *Chemical Engineering Science* 52 (21,22), 3709–3719.
- Berčić, G., Pintar, A., 1997. The role of gas bubbles and liquid slug lengths on mass transport in the Taylor flow through capillaries. *Chem. Eng. Sci.* 52, 3709 – 3719.
- Bhunia, A., Pais, S.C., Kamotani, Y., Kim, I.H., 1998. Bubble formation in a coflow configuration in normal and reduced gravity. *AIChE J.* 44, 1495 – 1509.
- Byakova, A.V., Gnyloskurenko, S.V., Nakamura, T., Raychenko, O.I., 2003. Influence of wetting conditions on bubble formation at orifice in an inviscid liquid: mechanism of bubble evolution. *Colloid. Surf. A* 229, 19 – 32.
- Bilek, A.M., Dee, K.C., Gaver III, D.P., 2003. Mechanisms of surfacetension-induced epithelial cell damage in a model of pulmonary airway reopening. *Journal of Applied Physiology* 94, 770–783.
- Boger, T., Roy, S., Heibel, A.K., Borchers, O., 2003. A monolith loop reactor as an attractive alternative to slurry reactors. *Catalysis Today* 79–80, 441–451.
- Boger, T., Heibel, A.K., Sorensen, C.M., 2004a. Monolithic catalysts for the chemical industry. *Industrial and Engineering Chemistry Research* 43 (16), 4602–4611.
- Boger, T., Zieverink, M.M.P., Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., Addiego, W.P., 2004b. Monolithic catalysts as an alternative to slurry systems: Hydrogenation of edible oil. *Industrial and Engineering Chemistry Research* 43 (16), 2337–2344.
- Bos, C., Hoofd, L., Oostendorp, T., 1996. Reconsidering the effect of local plasma convection in a classical model of oxygen transport in capillaries. *Microvascular Research* 51 (3), 39–50.
- Bretherton, F.P., 1961. The motion of long bubbles in tubes. *Journal of Fluid Mechanics* 10, 166–188.
- Broekhuis, R.R., Machado, R.M., Nordquist, A.F., 2001. The ejectordriven monolith loop reactor—experiments and modelling. *Catalysis Today* 69 (1–4), 93–97.
- Broekhuis, R.R., Budhlall, B.M., Nordquist, A.F., 2004. Monolith catalytic process for producing sorbitol: catalyst development and evaluation. *Industrial and Engineering Chemistry Research* 43 (17), 5146–5155.
- Chang, H.-C., 2002. Bubble/drop transport in microchannels. In: *The MEMS Handbook*. CRC Press, Boca Raton. (Chapter 11).
- Chen, J.-D., 1986. Measuring the film thickness surrounding a bubble inside a capillary. *Journal of Colloid and Interface Science* 109 (2), 341–349.
- Colburn, A.P., 1933. A method of correlating forced convection heat transfer data and a comparison with fluid friction. *Transactions of the A.I.Ch.E.* 29, 174–210.
- Cox, B.G., 1963. On driving a viscous fluid out of a tube. *Journal of Fluid Mechanics* 14, 81–96.
- Cox, B.G., 1964. An experimental investigation of the streamlines in viscous fluid expelled from a tube. *Journal of Fluid Mechanics* 20, 193–200.
- Crezee, E., Barendregt, A., Kapteijn, F., Moulijn, J.A., 2001. Carbon coated monolithic catalysts in the selective oxidation of cyclohexanone. *Catalysis Today* 69, 283–290.
- Cubaud, T., Ho, C.-M., 2004. Transport of bubbles in square microchannels. *Physics of Fluids* 16 (12), 4575–4585.
- Cui, Z.F., Chang, S., Fane, A.G., 2003. The use of gas bubbling to enhance membrane processes—a review. *Journal of Membrane Science* 221, 1–35.

References

- Cybulski, A., Stankiewicz, A., Edvinsson Albers, R.K., Moulijn, J.A., 1999. Monolithic reactors for fine chemicals industries: A comparative analysis of a monolithic reactor and a mechanically agitated slurry reactor. *Chemical Engineering Science* 54 (13–14), 2351–2358.
- de Deugd, R.M., Chougule, R.B., Kreutzer, M.T., Meeuse, F.M., Grievink, J., Kapteijn, F., Moulijn, J.A., 2003. Is a monolithic loop reactor a viable option for Fischer-Tropsch synthesis? *Chemical Engineering Science* 58 (3–6), 583–591.
- Cubaud, T., Tatineni, M., Zhong, X., Ho, C.-M., 2005. Bubble dispenser in microfluidic devices. *Phys. Rev. E* 72, 037302.
- De Lathouder, K.M., Bakker, J.J.W., Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., Wallin, S.A., 2004. Structured reactors for enzyme immobilization: advantages of tuning the wall morphology. *Chemical Engineering Science* 59 (22–23), 5027–5033.
- Direct numerical simulations of mass transfer in square microchannels for liquid-liquid slug flow
- Nathalie Di Miceli Raimondi a, Laurent Prat a,b,* , Christophe Gourdon a,b, Patrick Cognet a,b
a Chemical Engineering Laboratory of Toulouse UMR 5503 CNRS/INP/UPS, 5 rue Paulin Talabot, 31106 Toulouse Cedex 01, France
b University of Toulouse, INP-ENSIACET, France
- Dimensionless non-Newtonian fluid mechanics
Paulo R. de Souza Mendes Department of Mechanical Engineering, Pontificia Universidade Catholica-RJ, Rua Marquês de São Vicente 225, Rio de Janeiro, RJ 22453-900, Brazil
- J. Non-Newtonian Fluid Mech. 147 (2007) 109–116
- Dowe, D.C., Rezkallah, K.S., 1999. Flow regime identification in microgravity two-phase flows using void fraction signals. *International Journal of Multiphase Flow* 25 (3), 433–457.
- Duda, J.L., Vrentas, J.S., 1971a. Heat transfer in a cylindrical cavity. *Journal of Fluid Mechanics* 45, 261–279.
- Duda, J.L., Vrentas, J.S., 1971b. Steady flow in the region of closed streamlines in a cylindrical cavity. *Journal of Fluid Mechanics* 45, 247–260.
- Eberle, H.-J., Breimair, J., Domes, H., Gutermuth, T., 2000. Post reactor technology in phthalic anhydride plants. *Petroleum Technology Quarterly* (3), 129–133.
- Edvinsson, R., 1994. Monolith reactors in three-phase processes. Ph.D. Thesis, Chalmers University of Technology, Goteborg, Sweden.
- Edvinsson, R.K., Cybulski, A., 1995. A comparison between the monolithic reactor and the trickle-bed reactor for liquid phase hydrogenations. *Catalysis Today* 24, 173–179.
- Edvinsson, R.K., Irandoust, S., 1993. Hydrodesulphurization of dibenzothiophene in a monolithic catalyst reactor. *Industrial and Engineering Chemistry Research* 32 (2), 391–395.
- Edvinsson, R.K., Irandoust, S., 1996. Finite-element analysis of Taylor flow. *A.I.Ch.E. Journal* 42 (7), 1815–1823.
- Edvinsson Albers, R., Nystrom, M., Siverstrom, M., Sellin, A., Dellve, A.C., Andersson, U., Herrmann, W., Berglin, T., 2001. Development of a monolith-based process for H₂O₂ production: from idea to largescale implementation. *Catalysis Today* 69 (1–4), 247–252.
- Fairbrother, F., Stubbs, A.E., 1935. The bubble-tube method of measurement. *Journal of the Chemical Society* 1, 527–529.
- Fujioka, H., Grotberg, J.B., 2004. Steady propagation of a liquid plug in a two-dimensional channel. *Journal of Biomechanical Engineering* 126 (5), 567–577.
- Fukano, T., Kariyasaki, A., 1993. Characteristics of gas-liquid two-phase flow in a capillary tube. *Nuclear Engineering and Design* 141, 59–68.
- Galbiati, L., Andreini, P., 1992. Flow pattern transition for vertical downward two-phase flow in capillary tubes. Inlet mixing effects. *International Communications in Heat and Mass Transfer* 19 (6), 791–799.
- Ghadiali, S.N., Gaver III, D.P., 2003. The influence of non-equilibrium surfactant dynamics on the flow of a semi-infinite bubble in a rigid cylindrical capillary tube. *Journal of Fluid Mechanics* 478, 165–169.
- Giavedoni, M.D., Saita, F.A., 1997. The axisymmetric and plane case of a gas phase steadily displacing a Newtonian liquid—a simultaneous solution to the governing equations. *Physics of Fluids* 9 (8), 2420–2428.
- Giavedoni, M.D., Saita, F.A., 1999. The rear meniscus of a long bubble steadily displacing a Newtonian liquid in a capillary tube. *Physics of Fluids* 11 (4), 786–794.
- Gladden, L.F., 2004. Magnetic resonance: Ongoing and future role in chemical engineering research. *A.I.Ch.E. Journal* 49 (1), 2–9.
- Gladden, L.F., Lim, M.H.M., Mantle, M.D., Sederman, A.J., Stitt, E.H.,

References

2003. MRI visualisation of two-phase flow in structured supports and trickle-bed reactors. *Catalysis Today* 79 (1–4), 203–210.
- Grolman, E., Edvinsson, R., Stankiewicz, A., Moulijn, J., 1996. Hydrodynamic instabilities in gas–liquid monolithic reactors. In: Proceedings of the ASME Heat Transfer Division, vol. 334-3. ASMEHTD, pp. 171–178.
- Grotberg, J.B., 2001. Respiratory fluid mechanics and transport processes. *Annual Review of Biomedical Engineering* 3, 421–457.
- Gruber, R., Melin, T., 2003. Radial mass-transfer enhancement in bubbletrain flow. *International Journal of Heat and Mass Transfer* 46 (15), 2799–2808.
- Gunther, A., Khan, S.A., Thalmann, M., Trachsel, F., Jensen, K.F., 2004. Transport and reaction in microscale segmented gas liquid flow. *Lab on a Chip* 4, 278–286.
- Garstecki, P., Fuerstman, M.J., Stone, H.A., Whitesides, G.M., 2006. Formation of droplets and bubbles in a microfluidic T-junction – scaling and mechanism of break-up. *Lab on a Chip* 6, 437 – 446.
- Gnyloskurenko, S.V., Byakova, A.V., Raychenko, O.I., Nakamura, T., 2003. Influence of wetting conditions on bubble formation at orifice in an inviscid liquid. Transformation of bubble shape and size. *Colloid. Surf. A* 218, 73 – 87.
- Gunther, A., Jhunjhunwala, M., Thalmann, M., Schmidt, M.A., Jensen, K.F., 2005. Micromixing of miscible liquids in segmented gas – liquid flow. *Langmuir* 21, 1547 – 1555.
- Haakana, T., Kolehmainen, E., Turunen, I., Mikkola, J.-P., Salmi, T., 2004. The development of monolith reactors: general strategy with a case study. *Chemical Engineering Science* 59, 5629–5635.
- Halpern, D., Jensen, O.E., Grotberg, J.B., 1998. A theoretical study of surfactant and liquid delivery into the lung. *Journal of Applied Physiology* 85 (1), 333–352.
- Hatziantoniou, V., Andersson, B., 1982. Solid-liquid mass transfer in segmented gas–liquid flow through a capillary. *Industrial and Engineering Chemistry Fundamentals* 21 (4), 451–456.
- Hatziantoniou, V., Andersson, B., 1984. The segmented two phase flow monolithic catalyst reactor. An alternative for liquid phase hydrogenations. *Industrial and Engineering Chemistry Fundamentals* 23, 82–88.
- Hatziantoniou, V., Andersson, B., Schoon, N.-H., 1986. Mass transfer and selectivity in liquid-phase hydrogenation of nitro compounds in a monolithic catalyst reactor with segmented gas–liquid flow. *Industrial and Engineering Chemistry Process Design and Development* 25 (4), 964–970.
- Hazel, A.L., Heil, M., 2002. The steady propagation of a semi-infinite bubble into a tube of elliptical or rectangular cross-section. *Journal of Fluid Mechanics* 470, 91–114.
- Heibel, A.K., Scheenen, T.W.J., Heiszwolf, J.J., van As, H., Kapteijn, F., Moulijn, J.A., 2001. Gas and liquid phase distribution and their effect on reactor performance in the monolith film flow reactor. *Chemical Engineering Science* 56, 5935–5944.
- Heibel, A.K., Kapteijn, F., Moulijn, J.A., 2002. Flooding performance of square channel monolith structures. *Industrial and Engineering Chemistry Research* 41 (26), 6759–6771.
- Heibel, A.K., Liu, W., Morse, M., 2003. Structured catalysts and processes for gas–liquid reactions. World patent WO 03/041852 A1.
- Heibel, A.K., Jamison, J.A., Woehl, P., Kapteijn, F., Moulijn, J.A., 2004a. Improving flooding performance for countercurrent monolith reactors. *Industrial and Engineering Chemistry Research* 43 (16), 4848–4855.
- Heibel, A.K., Vergeldt, F.J., van As, H., Kapteijn, F., Moulijn, J.A., Boger, T., 2004b. Gas and liquid distribution in the monolith film flow reactor. *A.I.Ch.E. Journal* 49 (12), 3007–3017.
- Heil, M., 2001. Finite Reynolds number effects in the Bretherton problem. *Physics of Fluids* 13 (9), 2517–2521.
- Heiszwolf, J.J., Engelaar, L.B., van der Eijnden, M.G., Kreutzer, M.T., Heiszwolf, J.J., Engelaar, L.B., van der Eijnden, M.G., Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., 2001. Hydrodynamic aspects of the monolith loop reactor. *Chem. Eng. Sci.* 56 (3), 805 – 812.
- Kapteijn, F., Moulijn, J.A., 2001a. Hydrodynamic aspects of the monolith loop reactor. *Chemical Engineering Science* 56 (3), 805–812.
- Heiszwolf, J.J., Kreutzer, M.T., van der Eijnden, M.G., Kapteijn, F., Moulijn, J.A., 2001b. Gas–liquid mass transfer of aqueous Taylor flow in monoliths. *Catalysis Today* 69 (1–4), 51–55.
- Higbie, R., 1935. The rate of absorption of a pure gas into a still liquid during short periods of exposure. *Transactions of the A.I.Ch.E.* 31,

References

- 365–389.
- Hoogendoorn, C.J., Lips, J., 1965. Axial mixing of liquid in gas–liquid flow through packed beds. *Canadian Journal of Chemical Engineering* 43, 125–131.
- Horvath, C., Solomon, B.A., Engasser, H.-M., 1973. Measurement of radial transport in slug flow using enzyme tubes. *Industrial and Engineering Chemistry Fundamentals* 12 (4), 431–439.
- Inertial and Interfacial Effects on Pressure Drop of Taylor Flow in Capillaries
 Michiel T. Kreutzer, Freek Kapteijn, and Jacob A. Moulijn
 Reaction and Catalysis Engineering, DelftChemTech, Faculty of Applied Sciences, Delft University of Technology, Julianalaan 136, 2628 BL Delft, The Netherlands
 Chris R. Kleijn
 Dept. of Multiscale Physics, Faculty of Applied Sciences, Delft University of Technology, Prins Bernhardlaan 6, 2628 BW Delft, The Netherlands
 Johan J. Heiszwolf Air Products and Chemicals, Inc., 7201 Hamilton Blvd., Allentown PA, 18195
- Irlandoust, S., 1989. The monolithic catalyst reactor. Ph.D. Thesis, Chalmers University of Technology, Goteborg, Sweden.
- Irlandoust, S., Andersson, B., 1988. Mass transfer and liquid–phase reactions in a segmented two-phase flow monolithic catalyst reactor. *Chemical Engineering Science* 43 (8), 1983–1988.
- Irlandoust, S., Andersson, B., 1989a. Liquid film in Taylor flow through a capillary. *Industrial and Engineering Chemistry Research* 28, 1684.
- Irlandoust, S., Andersson, B., 1989b. Simulation of flow and mass transfer in Taylor flow through a capillary. *Computers and Chemical Engineering* 13 (4/5), 519–526.
- Irlandoust, S., Andersson, B., Bengtsson, E., Silverstrom, M., 1989. Scale up of a monolytic catalyst reactor with two-phase flow. *Industrial and Engineering Chemistry Research* 28, 1489–1493.
- Irlandoust, S., Ertle, S., Andersson, B., 1992. Gas liquid mass transfer of Taylor flow through a capillary. *Canadian Journal of Chemical Engineering* 70, 115.
- Irlandoust, S., Ertle, S., Andersson, B., 1992. Gas liquid mass transfer of Taylor flow through a capillary. *Can. J. Chem. Eng.* 70, 115
- Jayawardena, S.S., Balakotaiah, V., Witte, L., 1997. Pattern transition maps for microgravity two-phase flows. *A.I.Ch.E. Journal* 43 (6), 1637–1640.
- Kim, I., Kamotani, Y., Ostrach, S., 1994. Modelling bubble and drop formation in flowing liquids in microgravity. *AIChE J.* 40, 19 – 28.
- Kumar, R., Kuloor, N.R., 1967. *Chem. Technol.* 19, 733.
- Kreutzer, M., 2003. *Hydrodynamics of Taylor Flow in Capillaries and Monolith Reactors*. Delft University Press, Delft.
- Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., Kleijn, C.R., Heiszwolf, J.J., 2005. Inertial and interfacial effects on pressure drop of Taylor flow in capillaries. *AIChE J.* 51, 2428 – 2440.
- Khan, S.A., Gunther, A., Schmidt, M.A., Jensen, K.F., 2004. Microfluidic synthesis of colloidal silica. *Langmuir* 20, 8604–8611.
- Klinghoffer, A.A., Cerro, R.L., Abraham, M.A., 1998. Influence of flow properties on the performance of the monolith froth reactor for catalytic wet oxidation of acetic acid. *Industrial and Engineering Chemistry Research* 37 (4), 1203–1210.
- Kolb, W.B., Cerro, R.L., 1991. Coating the inside of a capillary of square cross-section. *Chemical Engineering Science* 46 (9), 2181–2195.
- Kreutzer, M.T., 2003. *Hydrodynamics of Taylor flow in capillaries and monoliths channels*. Doctoral dissertation. Delft University of Technology, Delft, The Netherlands.
- Kreutzer, M.T., Du, P., Heiszwolf, J.J., Kapteijn, F., Moulijn, J.A., 2001. Mass transfer characteristics of three phase monolith reactors. *Chemical Engineering Science* 56 (22), 6015–6023.
- Kreutzer, M.T., Heiszwolf, J.J., Kapteijn, F., Moulijn, J.A., 2003. Pressure drop of Taylor flow in capillaries: impact of slug length. In: *Proceedings of the First International Conference on Microchannels and Minichannels*. A.S.M.E, Rochester NY, U.S.A, pp. 153–159.
- Kreutzer, M.T., Bakker, J.J.W., Kapteijn, F., Moulijn, J.A., Verheijen, P. J.T., 2005a. Scaling-up multiphase monolith reactors: Linking residence time distribution and feed maldistribution using isobars. *Industrial and Engineering Chemistry Research*, DOI:10.1021/ie0492350, in press.
- Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., Kleijn, C.R., 2005b. Inertial and interfacial effects on pressure drop of Taylor flow in capillaries. *A.I.Ch.E. Journal*, in press.
- Kreutzer, M.T., van der Eijnden, M.G., Kapteijn, F., Moulijn, J.A., Heiszwolf, J.J., 2005c. The pressure drop experiment to determine slug lengths in monoliths. *Catalysis Today*, accepted for publication.

References

- Laborie, S., Cabassud, C., Durand-Bourlier, L., Laine, J.M., 1998. Fouling control by air sparging inside hollow fibre membranes-effects on energy consumption. *Desalination* 118, 189–196.
- Laborie, S., Cabassud, C., Durand-Bourlier, L., Laine, J.M., 1999. Characterization of gas – liquid two-phase flow inside capillaries. *Chem. Eng. Sci.* 54 (23), 5723 – 5735.
- Liu, H., Vando, C.O., Krishna, R., 2005. Hydrodynamics of Taylor flow in vertical capillaries: flow regimes, bubble rise velocity, liquid slug length, and pressure drop. *Ind. Eng. Chem. Res.* 44, 4884 – 4897.
- Laborie, S., Cabassud, C., Durand-Bourlier, L., Laine, J.M., 1999. Characterisation of gas–liquid two-phase flow inside capillaries. *Chemical Engineering Science* 54, 5723–5735.
- Lebens, P.J., 1999. Development and design of a monolith reactor for gas–liquid countercurrent operation. Doctoral Dissertation, Delft University of Technology.
- Liu, W., 2002. Ministructured catalyst bed for gas–liquid–solid multiphase catalytic reaction. *A.I.Ch.E. Journal* 48 (7), 1519–1532.
- Machado, R.M., Parrillo, D.J., Boehme, R.P., Broekhuis, R.R., 1999. Use of a monolith catalyst for the hydrogenation of dinitrotoluene to toluenediamine. US Patent 6005143.
- Mantle, M.D., Sederman, A.J., Gladden, L.F., 2002. Dynamic MRI visualization of two-phase flow in a ceramic monolith. *A.I.Ch.E. Journal* 48 (4), 909–912.
- Marwan, H., Winterbottom, J.M., 2004. The selective hydrogenation of butyne-1,4-diol by supported palladiums: a comparative study on slurry, fixed bed, and monolith downflow bubble column reactors. *Catalysis Today* 97, 325–330.
- Mazzarino, I., Baldi, G., 1987. Liquid phase hydrogenation on a monolith catalyst. In: Kulkarni, B., Mashelkar, R., Sharma, M. (Eds.), *Recent Trends in Chemical Reaction Engineering*. Wiley Eastern Ltd, New Delhi, p. 181.
- Mishima, K., Hibiki, T., 1996. Some characteristics of air–water twophase flow in small diameter vertical tubes. *International Journal of Multiphase Flow* 22 (4), 703–712.
- Natividad, R., Kulkarni, R., Nuthitikul, K., Raymahasay, S., Wood, J., Winterbottom, J.M., 2004. Analysis of the performance of single capillary and multiple capillary (monolith) reactors for the multiphase Pd-catalyzed hydrogenation of 2-butyne-1,4-diol. *Chemical Engineering Science* 59, 5431–5438.
- Nijhuis, T.A., Beers, A.E.W., Vergunst, T., Hoek, I., Kapteijn, F., Moulijn, J.A., 2001a. Preparation of monolithic catalysts. *Catalysis Reviews—Science and Engineering* 43 (4), 345–380.
- Nijhuis, T.A., Kreutzer, M.T., Romijn, A.C.J., Kapteijn, F., Moulijn, J.A., 2001b. Monolith catalysts as efficient three-phase reactors. *Chemical Engineering Science* 56 (3), 823–829.
- Nijhuis, T.A., Dautzenberg, F.M., Moulijn, J.A., 2003a. Modelling of monolithic and trickle–bed reactors for the hydrogenation of styrene. *Chemical Engineering Science* 58, 1113–1124.
- Nijhuis, T.A., van Koten, G., Moulijn, J.A., 2003b. Optimized palladium catalyst systems for the selective liquid-phase hydrogenation of functionalized alkynes. *Applied Catalysis A: General* 238 (2), 259–271.
- Olbricht, W.L., 1996. Pore-scale prototypes of multiphase flow in porous media. *Annual Review of Fluid Mechanics* 28 (1), 187–213.
- Oliver, D.R., Young-Hoon, A., 1968. Two-phase non-Newtonian flow—Part II: Heat transfer. *Transactions of the Institution of Chemical Engineers* 46, T116–T122.
- Park, C.W., 1992. Influence of soluble surfactants on the motion of a finite bubble in a capillary tube. *Physics of Fluids A* 4 (11), 2335–2346.
- Pedersen, H., Horvath, C., 1981. Axial dispersion in a segmented gas–liquid flow. *Industrial and Engineering Chemistry Fundamentals* 20, 181–186.
- Quan, X., Shi, H., Zhang, Y., Wang, J., Qian, Y., 2003. Biodegradation of 2,4-dichlorophenol in an air-lift honeycomb-like ceramic reactor. *Process Biochemistry* 38, 1545–1551.
- Ratulowski, J., Chang, H.-C., 1989. Transport of bubbles in capillaries. *Physics of Fluids A* 1 (10), 1642–1655.
- Ratulowski, J., Chang, H.-C., 1990. Marangoni effects of trace impurities on the motion of long gas bubbles in capillaries. *Journal of Fluid Mechanics* 210, 303–328.
- Reinecke, N., Mewes, D., 1999. Oscillatory transient two-phase flows in single channels with reference to monolithic catalyst supports. *International Journal of Multiphase Flow* 25 (6–7), 1373–1393.
- Reinelt, D.A., 1987. The rate at which a long bubble rises in a vertical

References

- tube. *Journal of Fluid Mechanics* 175, 557–565.
- Reynolds, O., 1886. On the theory of lubrication and its application to Mr. Beauchamp tower's experiments, including an experimental determination of the viscosity of olive oil. *Philosophical Transactions of the Royal Society of London* 177, 190 sqq.
- Rezkallah, K.S., 1996. Weber number based flow-pattern maps for liquid-gas flows at microgravity. *International Journal of Multiphase Flow* 22 (6), 1265–1270.
- Satterfield, C.N., Ozel, F., 1977. Some characteristics of two-phase flow in monolithic catalyst structures. *Industrial and Engineering Chemistry Fundamentals* 16, 61–67.
- Schutt, B.D., Serrano, B., Cerro, R.L., Abraham, M.A., 2002. Production of chemicals from cellulose and biomass-derived compounds through catalytic sub-critical water oxidation in a monolith reactor. *Biomass & Bioenergy* 22, 365–375.
- Severino, M., Giavedoni, M.D., Saita, F.A., 2003. A gas phase displacing a liquid with soluble surfactants out of a small conduit: the plane case. *Physics of Fluids* 15 (10), 2961–2972.
- Shen, E.I., Udell, K.S., 1985. A finite element study of low Reynolds number two-phase flow in cylindrical tubes. *Journal of Applied Mechanics* 52 (1985), 253–256.
- Smits, H.A., Stankiewicz, A., Glasz, W.C., Fogl, T.H.A., Moulijn, J.A., 1996. Selective three-phase hydrogenation of unsaturated hydrocarbons in a monolithic reactor. *Chemical Engineering Science* 51 (11), 3019–3025.
- Song, H., Tice, J.D., Ismagilov, R.F., 2004. A microfluidic system for controlling reaction networks in time. *Angewandte Chemie International Edition* 42, 767–772.
- Stebe, K.J., Barthes-Biesel, D., 1995. Marangoni effects of adsorption–desorption controlled surfactants on the leading end of an infinitely long bubble in a capillary. *Journal of Fluid Mechanics* 286, 25–48.
- Suo, M., Griffith, P., 1964. Two phase flow in capillary tubes. *Journal of Basic Engineering* 86, 576–582.
- Taha, T., Cui, Z., 2004. Hydrodynamics of slug flow inside capillaries. *Chemical Engineering Science* 59 (6), 1181–1190.
- Taylor, G.I., 1961. Deposition of a viscous fluid on the wall of a tube. *Journal of Fluid Mechanics* 10, 161–165.
- Thiers, R.E., Reed, A.H., Delander, K., 1971. Origin of the lag phase of continuous-flow analysis curves. *Clinical Chemistry* 17 (1), 42–48.
- Thulasidas, T.C., Abraham, M.A., Cerro, R.L., 1995a. Bubble-train flow in capillaries of circular and square cross section. *Chemical Engineering Science* 50 (2), 183–199.
- Thulasidas, T.C., Cerro, R.L., Abraham, M.A., 1995b. The monolith froth reactor: residence time modelling and analysis. *Chemical Engineering Research and Design* 73, 314–319.
- Thulasidas, T.C., Abraham, M.A., Cerro, R.L., 1997. Flow patterns in liquid slugs during bubble-train flow inside capillaries. *Chemical Engineering Science* 52 (17), 2947–2962.
- Thulasidas, T.C., Abraham, M.A., Cerro, R.L., 1999. Dispersion during bubble-train flow in capillaries. *Chemical Engineering Science* 54 (1), 61–76.
- Triplett, K.A., Ghiaasiaan, S.M., Abdel-Khalik, S.I., Sadowski, D.L., 1999. Gas–liquid two-phase flow in microchannels, Part I: two-phase flow patterns. *International Journal of Multiphase Flow* 25, 377–394.
- Valdes-Solis, T., Linders, M.J.G., Kapteijn, F., Marban, G.B.F.A., 2004. Adsorption and breakthrough performance of carbon-coated ceramic monoliths at low concentration of *n*-Butane. *Chemical Engineering Science* 59, 2791–2800.
- van Baten, J.M., Krishna, R., 2004. CFD simulations of mass transfer from Taylor bubbles rising in circular capillaries. *Chemical Engineering Science* 59, 2535–2545.
- van Baten, J.M., Krishna, R., 2005. CFD simulations of wall mass transfer for Taylor bubbles in circular capillaries. *Chemical Engineering Science* 60, 1117–1126.
- van Gulijk, C., Linders, M.J.G., Vales-Solis, T., Kapteijn, F., 2005. Intrinsic channel maldistribution in monolithic catalyst support structures. *Chemical Engineering Journal*, in press, doi:10.1016/j.cej.2005.03.013.
- Vergunst, T., Linders, M., Kapteijn, F., Moulijn, J., 2001. Carbon-based monolithic structures. *Catalysis Reviews—Science and Engineering* 43 (3), 291–314.
- Waters, S.L., Grotberg, J.B., 2002. The propagation of a surfactant laden liquid plug in a capillary tube. *Physics of Fluids* 14 (2), 471–480.
- Welp, K.A., Cartolano, A.R., Parillo, D.J., Boehme, R.P., Machado, R.M.,

References

- Caram, S., 2002. Monolith catalytic reactor coupled to static mixer. European Patent EP 1 287 884 A2.
- Winterbottom, J.M., Marwan, H., Stitt, E.H., Natividad, R., 2003. The palladium catalysed hydrogenation of 2-butyne-1,4-diol in a monolith bubble column reactor. *Catalysis Today* 79–80, 391–399.
- Wolk, G., Dreyer, M., Rath, H.J., 2000. Flow patterns in small diameter vertical non-circular channels. *International Journal of Multiphase Flow* 26 (6), 1037–1061.
- Yawalkar, A.A., Sood, R., Kreutzer, M.T., Kapteijn, F., Moulijn, J.A., 2005. Axial mixing in monolith reactors: effect of channel size. *Industrial and Engineering Chemistry Research* 44 (7), 2046–2057.
- Zhao, L., Rezkallah, K.S., 1993. Gas–liquid flow patterns at microgravity conditions. *International Journal of Multiphase Flow* 19 (5), 751–763.