

## SYMPOSIUM

# Paleopathological research in Hungary

Antónia Marcsik<sup>1\*</sup>, Ildikó Pap<sup>2</sup><sup>1</sup>Department of Anthropology, University of Szeged, Szeged, Hungary; <sup>2</sup>Department of Anthropology, Hungarian Natural History Museum, Budapest, Hungary

**ABSTRACT** In Hungary, the study of pathological alterations on skeletal remains of various archaeological ages can be traced back to almost a century. The very first period is from the beginnings to the 1960s. In this phase, pathological characteristics and series were described from pathological aspects. Later, description was supported by analysing activities as well, then systematisation was performed and paleo-epidemiological research started. From the 90s, studies became more and more interdisciplinary and this tendency has been going on up to this moment.

*Acta Biol Szeged* 44(1-4)103-108 (2000)**KEY WORDS**archaeological periods  
bone remains  
pathological alterations  
paleopathology  
description  
analysis

In Hungary, the study of pathological alterations on skeletal remains of various archaeological ages can be traced back to almost a century. From that time up to present years, the scope of paleopathology became manifold. To give a better overview, it is reasonable to manage the topic in sections: one bigger section for the beginnings, then sections according to decades of the 20<sup>th</sup> Century. Of course, the presentation of results cannot be complete.

## From the beginnings to 1960

The very first period spans from the beginnings to 1960 when certain pathological alterations, then series were described for the first time.

This research – although not yet part of genuine pathology – begun with the study of artificially deformed (macrocephal) skulls by doctors József Lenhossék (1878) and Aurél Török (1884, 1907). Later on, Lenhossék (1886) also studied other skull types – scaphocephal, narrow, hyperlow – found in the region of Szeged - Óthalom and Ó-Szőny. Deformed skulls were systematically analysed by Bartucz (1936). He found artificial deformation on 21 skeletons excavated from a Gepidian cemetery near to Kiszombor. Nemeskéri described deformations of a Hun skull in 1944/45, whereas Regöly-Mérei analysed a Goth macrocephal skull from Domolospuszta from a pathological aspect and identified differences of naturally and artificially deformed skulls, in 1959. (From the 60s up to this moment, there are quite a few studies on deformed skulls, however, we do not mention more of them in this article.)

Similar to artificially deformed skulls, symbolic trephinations do not belong to the field of paleopathology either.

Accepted February 1, 2000

\*Corresponding author. Phone: 36(62)544-000/3006, Fax: 36(62)544-314, E-mail: marcsik@bio.u-szeged.hu

However, if we consider trephination a phenomenon caused by traumatic effect and think about it as a type of surgery, we must mention that at this place. The first person to describe trephinations was Bartucz (1950) who wrote about the connection between trephination and bregma wounds in his report. In his work Anda (1951), deals with different trepan, surgery trephinations and symbolic trephinations from the Conquering period. Nemeskéri and colleagues also analysed this phenomenon in 1960. (From the 60s up to this moment, there are quite a few studies both on symbolic and surgery trephinations, however, we do not mention more of them in this article.)

The physician Béla Entz was the first who examined real pathologic cases. Between 1939 and 1957 he intensively performed sawing and X-ray paleopathological research on the majority of the anthropological material of the County of Baranya, from the Avar and Árpád periods. After 1957, this activity was continued by physician Gyula Regöly-Mérei with material from the Aeneolithic and Roman period. As a result, he significantly enriched the database of pathological cases (Tóth 1961).

A detailed pathological examination (description, analysis) of skeleton series dated to various archaeological periods occurred at the end of the 50s, for instance the Roman period (Gáspárdy 1956), the 9<sup>th</sup>-10<sup>th</sup>, 10<sup>th</sup>-11<sup>th</sup> and 11<sup>th</sup>-12<sup>th</sup> centuries (Nemeskéri and Harsányi 1959), the Copper age (Gáspárdy and Nemeskéri 1960), Aneolithic period (Regöly-Mérei 1960). Osteological symptoms of joint diseases were also published (Gáspárdy 1959). In addition to the analysis of pathological alterations of the bones, Regöly-Mérei and Nemeskéri extended the research onto mummies from the ancient Egypt (1958, 1959). Nemeskéri and Deák (1956) gave a diagnosis of pathological cases when analysing the population of Mohács-Csele from the 14<sup>th</sup>-15<sup>th</sup> century.

### **1960-1970**

From the 60s, the description and analysis of paleopathological findings of different series continued as earlier. Bones from the 11<sup>th</sup> century (Nemeskéri et al. 1961), the 12<sup>th</sup> century (Regöly-Mérei 1968a) and the 10<sup>th</sup>-13<sup>th</sup> century (Bugyi 1962), the population of the early Árpád period (Nemeskéri et al. 1966), were researched, but bones from Mongolia before Christ were also described (Regöly-Mérei 1967). In his detailed anthropologic research of 1963, Dezső et al. presented pathologic alterations as well.

The research of the origins of a very characteristic disease, the syphilis, was started in this decade (Regöly-Mérei 1962a). In this context, a comparative and pathogenetic (hyperostosis) research was performed (Grynaeus 1965). Decalcified segments of pathologic bones were analysed (Regöly-Mérei 1964) and the skeleton of King Béla III and Queen Anna was pathologically examined (Regöly-Mérei 1968b).

Summaries and synthesising works were also published Regöly-Mérei (1962b), who classified diseases and portrayed the spread of these nosologic units (different disease groups) in time and space. A couple of years later, a larger systematising book was published (Bartucz 1966) providing detailed information about various pathologic cases of different archaeological periods and findings of medical history.

### **1970-1980**

The research of pathologic cases intensified, partly in the field of general anthropologic analysis of series or pathologic examination, partly through the publication of interesting/significant cases. It is supported by etiologic, microscopic and X-ray examinations as well.

As a result, pathologic cases described by Regöly-Mérei (1970a) on the Roman period, Varga and Marcsik (1975) and Farkas and Marcsik (1979) on Avar skeletons. Parallel to that pathological research was done on burned bones (Nemeskéri and Lengyel 1973). Within the global anthropologic study of series, Éry (1971, 1979/80) and Kissné Korompai (1973-1974) performed pathological analysis, whereas Marcsik (1976) gave a complete anthropological and pathological description of findings from the Conquering period.

Regöly-Mérei completed the pathologic reconstruction of the diseases of Semmelweis in 1970 (1970b).

Among individual cases we can mention works as follows: a skeleton with achondroplasia from the Middle Ages (Farkas and Lengyel 1971), a generalised tuberculosis case (Marcsik 1972), the frequency of spondylolysis (Éry 1974), a possible aetiology of cribra orbitalia (cribra cranii) and the histological analysis of this alteration (Marcsik 1975; Marcsik and Kósa 1976), a detailed description of deformation observed on vertebrae (Farkas et al. 1976), a set of irregularities found on a skull from the Avar period (Kocsis

and Marcsik 1979), the frequency of the Stafne defect (Finnegan and Marcsik 1980).

The research of syphilis also continued, extended to its so called “shift of panorama” (Regöly-Mérei 1972).

Among systematic works, the dissertation of Farkas (1975) should be mentioned. In his work, Farkas analysed paleopathological cases of the periods discussed and gave a general analysis on them, together with the anthropologic research of Neolithic material from the Great Hungarian Plain.

The pathological alterations are discussed in the study book of Lipták (1971) and in the notes of Farkas (Marcsik and Lengyel 1972). Both sources are part of the material of university courses.

### **1980-1990**

This decade can be characterised rather by a wide range of analysis of pathological cases from etiologic and X-ray research aspects to complex or pathological description of series. Special emphasis was put on problems of differential diagnosis.

As a result, various traumatological cases (Marcsik and Kósa 1982; Pap 1984), periostitis (Marcsik et al. 1982), cribra orbitalia and cranii (porotic hyperostosis) were researched where Marcsik and colleagues studied the connection in the severeness of the cases analysed by the electronic microscope in 1984, whereas Pálfi described a malignant tumour in 1989, Ferencz and Józsa described a very rare congenital syphilis and Éry wrote about the frequency of canalis intraclavicularis in 1990.

Józsa and Pap (1989) and Fóthi and Pap (1990) collected data on the indicators of stress in the population living in the 9<sup>th</sup>-10<sup>th</sup> and 6<sup>th</sup>-12<sup>th</sup> century, respectively. Pap and Józsa reported about disorders of hair development from the late Middle Ages (1989, 1990b). Józsa and Pap (1990a) examined alterations of otitis media, mastoiditis and the bones of the middle ear.

In 1982, K. Zoffmann described cases of injury found during the anthropological analysis of a mass grave where the dead of the battle of Mohács in 1526 were buried. In 1987, Farkas and Marcsik characterized pathological cases of skeletons from the late Neolithic period found in South-Hungary (Gorzsa, Deszk).

Marcsik analysed the pathological status of the Avar population living in the Duna-Tisza Interfluvial in his dissertation of 1984.

### **1990 to present**

After 1990, a significant dynamism can be observed in the field of paleopathological research. Parallel to that phenomenon, research became interdisciplinary. This yielded mostly in the field of paleo-epidemiological research, the DNA

detection of the *Mycobacterium tuberculosis*, *-leprae*, the examination of mummies, the analysis of entesopathia and osteoporosis as well the description of stress indicators. Of course, paleopathological work and the analysis of pathological phenomena on different series went on, and several summarising reports were also completed.

Avar spondyloarthropathia (Pálfi 1990), a severe osteomyelitis syndrome (Marcsik and Oláh 1991) and signs left by leper on bones (Pálfi 1991) were analysed, whereas Józsa and Pap (1990, 1991ab) examined morphological characteristics of iron deficient anaemia on bones, Pálfi et al. (1997) dealt with a possible treponematosis from the 17<sup>th</sup> century (Pálfi et al. 1992) and a joint tuberculosis on the lumbosacral region and the hip joints (Pálfi et al. 1992).

Marcsik et al. (1999) described assumed paraplegial consequences of a severe tuberculosis on vertebrae. Józsa et al. (1992b) reported on the frequency of spina bifida occulta, and about osteoporosis in the 10<sup>th</sup>-12<sup>th</sup> century (Józsa and Pap 1996bc; Józsa et al. 1997), whereas Józsa described its antiquity in 1997.

Marcsik and Szalai (1992) gave a general description of pathological alterations found on the anthropological material of the grave of an Avar sovereign (Kunbábony). Kustár and Pap wrote about the pathological analysis of the anthropological material excavated at a Neolithic site (1994).

The global research of human remains excavated at Békéscsaba, Szegvár, Karos, Ópusztaszer – of different periods – includes the analysis and comparison of pathological cases (Farkas et al. 1991, 1994; Kustár 1996; Marcsik 1999).

Among summarising works we would like to mention the general paleopathological examination of a series from the 10<sup>th</sup> century found at Sárrétudvar (Pálfi et al. 1996) that was the subject of a PhD dissertation on the comparison of that material with a French Gallic-Roman series. This dissertation was also published (Pálfi 1997). Molnár et al. (1996) gave a detailed pathological analysis on the series found at Szatymaz-Vasútállomás from the 10<sup>th</sup>-12<sup>th</sup> century.

In 1994/95, naturally mummified individuals were found in the church of Vác. Pap et al. elaborated on that topic in 1997 (Pap et al. 1997; Szikossy et al. 1997).

Within the scope of paleo-epidemiological research, skeletal tuberculosis (Marcsik and Pálfi 1993; Pálfi and Marcsik 1999), syphilis (Pálfi 1992; Marcsik 1994) and manifestations of leper on bones and related medical history (Pálfi et al. 1999) were described.

*Mycobacterium tuberculosis*, *-leprae* by DNA detection has also been studied in international cooperation on the example of Hungarian anthropological material (*Mycobacterium tuberculosis*: Haas et al. 1999). Pálfi et al. (1999) reported on the joint occurrence of tuberculosis and ankylosing spondylitis, while Pap et al. (1999) identified tuberculosis found on the mummies of Vác through DNA analysis. Spiegelman et al. (1999) performed DNA analysis of *Mycobacterium leprae* on a specimen from the 10<sup>th</sup> century.

*bacterium leprae* on a specimen from the 10<sup>th</sup> century.

The determination of dominant activity types (traces of chronic overstrain on skeletons) stands in the intersection of physical anthropology and paleopathology. Józsa et al. (1992a), Józsa and Pap (1996a) and Pálfi and Dutour (1996) collected data on activity-induced bone alterations in case of Hungarian population from the Conquering period.

Pais and Tóth (1991) performed nutrition-related biochemical research on the examples of skeletons from periods from the Neolithic to the Middle Ages, in the Carpathian Basin.

Pap et al. (1995) performed scanning electron microscopic investigations on tartar of Hungarian Neanderthal findings, whereas Török et al. (1999) analysed tartar of mummies from the 18<sup>th</sup>-19<sup>th</sup> century through microscope.

Józsa and Pap described pathological alterations found on artificially deformed skulls in 1992, and a hypophyseal tumour discovered on a skull from the 11<sup>th</sup>-13<sup>th</sup> century (1994). They published the results of their histochemical and immuno-histochemical research in 1995.

Ubelaker and Pap (1996, 1998) elaborated on the health and diseases of the population of the Bronze Age and the Iron Age.

Although it is not closely related to the scope of paleopathology, we want to mention the work of Grynaeus (1996) and Józsa (1998) on medical history. Józsa published a monograph on the health standards and diseases of the population living in the Conquering and the Árpád period (1996a).

After 1990, we find more and more conferences organised. See their list in Chapter “History of Hungarian Anthropological Research” by Gy. Farkas.

Paleopathological research became more and more intensified, interdisciplinary, and again, it plays pivotal role. Just to mention works of large volumes: microbiological research of the mummified individuals of Vác, DNA detection of *Mycobacterium tuberculosis* and the general anthropological and pathological analysis of individuals buried in the basilica of Székesfehérvár and its surroundings.

Surveying the literature on Hungarian paleopathology – although it includes several topics – we can state that the study of various pathological alterations give an excellent picture about the health conditions of populations of different periods, the major diseases (leaving traces on skeletons) as well as the dominant activity forms and the spread of certain epidemics in time and space. All these disciplines contribute to physical anthropological research and the biologic reconstruction of populations living in historic ages.

## References

- Anda T (1951) Recherches Archéologiques sur la Pratique Médicale des Hongrois à l'époque de la Conquête du Pays 1:251-324.  
Bartucz L (1966) A praehistorikus trepanáció és orvostörténeti vonatkozású

- sírleletek. *Paleopathologia III*, Budapest, Az Országos Orvostörténeti Könyvtár Kiadványa.
- Bartucz L (1950) Adatok a koponyalékelés (trepanáció) és a bregmasebek kapcsolatának problémájához magyarországi népvándorláskori koponyák alapján. *Ann Biol Univ Szeged* 1:345-389.
- Bartucz L (1936) A kiszombori temető gepida koponyái. *Dolgozatok* 12:178-216.
- Bugyi B (1962) Paläopathologische Beiträge zum Vorgang der sesshaften Ansiedlung und des Übergangs zum Ackerbau im ungarischen Hirtenvolk (X-XIII. Jahrhundert). *Mitt Anthropol Gesell DDR* 3:8-11.
- Dezső Gy, Éry K, Harsányi L, Huszár Gy, Nemeskéri J, Nozdroviczky S, Thoma A, Tóth T, Wenger S (1963) Die spätmittelalterliche Bevölkerung von Fonyód. *Anthropol Hung* 6:1-166.
- Éry K (1990) The frequency of canalis intraclavicularis in skeletal populations. *Annl hist-nat Mus natn Hung* 82:221-225.
- Éry K (1979/80) Balkáni eredetű, török kori népesség csontmaradványai Dombóvár határából. A Szekszárdi Béni Balogh Ádám Múzeum Évkönyve X-XI, Szekszárd 1982, 225-298.
- Éry K (1974) A spondylolisthesis gyakorisága egy avar kori populációban. *Anthropol Közl* 18:49-54.
- Éry K (1971) The Anthropological Examination of a tenth century population at Tengelic, Hungary. *Anthropol Hung* 10:49-90.
- Farkas Gy (1975) A Dél-Alföld őskorának paleoantropológiája. Kandidátusi értekezés tézisei, Szeged.
- Farkas Gy, Lengyel I (1971) Skeleton of a Medieval dwarf from Ludos-Curgó (Yugoslavia). *Móra Ferenc Múzeum Évkönyve* 1971, Szeged 1974, 199-207.
- Farkas Gy, Marcsik A (1987) Dél-magyarországi késő neolitikus emberi csontvázak (Gorzsa, Deszk). *Móra Ferenc Múzeum Évkönyve* 1987/1, Szeged 1988, 51-67.
- Farkas Gy, Marcsik A (1979) Paläopathologische Fälle in der awarenzeitlichen Serie von Backa-Topola, SFR Jugoslawien. *Ethnogr Archäol Zschr* 20:15-33.
- Farkas Gy, Marcsik A, Oláh S (1994) Történeti idők embere Szegváron. *Anthropol Közl* 35:7-37.
- Farkas Gy, Marcsik A, Szalai F (1991) Békéscsaba területének embertani leletei. In Jankovich D, Erdmann Gy, eds., *Békéscsaba története. Békéscsaba, Város Kiadványa*, 313-384.
- Farkas Gy, Marcsik A, Vékony L (1976) Vertebral deformation in the Avar skeletal material. *Anthropologie* 14:231-233.
- Ferencz M, Józsa L (1990) Congenitalis syphilis on a Medieval skeleton. *Annl hist-nat Mus natn Hung* 82:227-233.
- Finnegan M, Marcsik A (1980) Anomaly or Pathology: the Stafne defect as seen in archaeological material and modern clinical practice. *J Hum Evol* 9:19-31.
- Fóthi E, Pap I (1990) Changes of way of life during the 6-12th centuries in the territory of Hungary. *Annl hist-nat Mus natn Hung* 82:259-269.
- Gáspárdy G (1959) Rheumatic Bone-Changes in the Copper Age. *Acta Morph Hung Suppl* 8:25.
- Gáspárdy G (1956) A Győrben feltárt késő római-kori csontvázleletek paleopathológiai vizsgálata. *Biol Közl* 4:15-24.
- Gáspárdy G, Nemeskéri J (1960) Paleopathological studies on Copper Age skeletons found at Alsónémedi. *Acta Morph* 9:203-219.
- Grynaeus T (1997) *Isa por...*Budapest, Fekete Sas Kiadó.
- Grynaeus T (1965) Összehasonlító és aetiopathogenetikai vizsgálatok a fossilis és recens hyperostosisok körében. *Comm Bibl Hist Med Hung* 36:67-148.
- Haas ChJ, Zink A, Molnár E, Marcsik A, Dutour O, Nerlich AG, Pálfi Gy (1999) Molecular evidence for tuberculosis in Hungarian skeletal sample. In Pálfi Gy, Dutour O, Deák J, Hutás I, eds., *Tuberculosis. Past and Present*. Budapest, Szeged, Golden Book, Tuberculosis Foundation, 385-395.
- Józsa L (1998) *Orvoslás a Bibliában*. Móra Kiadó, Budapest.
- Józsa L (1997) The antiquity of osteoporosis. *Acta Biol Szeged* 42:75-81.
- Józsa L (1996a) A honfoglaló és Árpád-kori magyarság egészsége és betegségei. A honfoglalás 1100. évfordulójára. Gondolat Kiadó, Budapest.
- Józsa L (1996b) Az Árpád-kori magyarság egészségi állapota a legendák és szenttéavatási iratok tükrében. In Pálfi Gy, Farkas LGy, Molnár E, eds., *Honfoglaló Magyarság. Árpád kori Magyarság*. Szeged, JATE Embertani Tanszéke, 265-273.
- Józsa L, Dóczi J, Pap I (1997) Az osteoporosisra jellemző combnyaktáji és radius-törések a történelmi korokban. *Magyar Traumatológia, Ortopédia, Kézsebészet, Plasztikai Sebészet* 1997(2):129-133.
- Józsa L, Pap I (1996a) Az enthesopathia gyakorisága és ultrastrukturája a 10-11. században. In Pálfi Gy, Farkas LGy, Molnár E, eds., *Honfoglaló Magyarság. Árpád kori Magyarság*. Szeged, JATE Embertani Tanszéke, 199-205.
- Józsa L, Pap I (1996b) Az osteoporosis előfordulása a 10-12. századi népességek körében. In Pálfi Gy, Farkas LGy, Molnár E, eds., *Honfoglaló Magyarság. Árpád kori Magyarság*. Szeged, JATE Embertani Tanszéke, 199-205.
- Józsa L, Pap I (1996c) Az osteoporosis előfordulása a 10-11. századi magyarság körében. *Osteológiai Közl.* 4:126-129.
- Józsa L, Pap I (1995) Histochemical and immunohistochemical analysis of mummy skin. - *Annl hist nat Mus natn Hung* 87:137-146.
- Józsa L, Pap I (1994) Hypophyseal tumor on a male skull from the 11-13th centuries period, Hungary. *Annl hist nat Mus natn Hung* 86:139-143.
- Józsa L, Pap I (1992) Pathological alterations on artificially distorted skulls. *Annl hist nat Mus natn Hung* 84:189-194.
- Józsa L, Pap I (1991a) Porotic hyperostosis on fossil skulls. A study, using scanning electron microscopy. *Zentralbl Pathol (Gustav Fischer Verlag Jena)* 137:41-47.
- Józsa L, Pap I (1991b) Vashiányos anaemia a honfoglalás és az Árpádok korában [Anaemia caused by iron deficiency in the Conquering and Arpad Period]. *Orv Hetilap* 132 28:1544-1545.
- Józsa L, Pap I (1990) Morphology and differential diagnosis of porotic hyperostosis on historical anthropological material. *Anthropol hung* 21:69-80.
- Józsa L, Pap I (1989) Indicators of stress in a 9-11<sup>th</sup> century population. *Humanbiol Budapest* 19:69-72.
- Józsa L, Pap I, Fóthi E (1992a) Enthesopathies (insertion tendopathies) as indicators of overuse of tendons and muscles in ancient Hungarian population. *Annl hist nat Mus natn Hung* 83(1991):269-276.
- Józsa L, Pap I, Fóthi E (1992b) The occurrence of spina bifida occulta in Medieval and contemporaneous Hungarian populations. *Anthropol hung* 22:57-60.
- K. Zoffmann Zs (1982) Az 1526-os mohácsi csata 1976-ban feltárt tömegsírjainak embertani vizsgálata. Budapest, Akadémiai Kiadó.
- Kissné Korompai B (1973-1974) Nagytálya középkori (XIII-XVI. századi) templomának belsejében feltárt embertani anyag jellemzése. Az Egri Múzeum Évkönyve XI-XII 75-130.
- Kocsis G, Marcsik A (1979) Avar kori koponyán észlelt rendellenesség-együttes. *Anthropol Közl* 23:83-86.
- Kustár Á (1996) A Karos-Eperjesszögi I.-II.-III. honfoglalás kori temetők embertani vizsgálata. In: Révész L, ed., *A karosi honfoglalás kori temetők. Régészeti adatok a Felső-Tisza vidék X. századi történetéhez*. Kovács L, Révész L, eds., *Magyarország honfoglalás kori és kora Árpád-kori sírleletei* 1. Miskolc, A Herman Ottó Múzeum és a Magyar Nemzeti Múzeum közös kiadványa, 395-456.
- Kustár Á, Pap I (1994) A Tiszavasvári-deákalmi dűlő lelőhelyről előkerült embertani anyag morfológiai és patológiai vizsgálata (Morphologic and pathological investigation of the anthropological findings from Tiszavasvári-Deákalmi dűlő). In Lőrinczy G, ed., *A kőkortól a középkorig (Von der Steinzeit bis zum Mittelalter)* (Szeged, 1994) 135-142.
- Lenhossék J (1886) Die Ausgrabungen zu Szeged-Öthalom in Ungarn. Wien, Wilhelm Braumüller.
- Lenhossék J (1878) A mesterségesen eltorzított koponyákról általában, különösen pedig egy Csongrádon és Székely-udvarhelyen talált ilyenmű makrocephal és egy Alcsúthon talált barbár korból származó koponyáról. A M. Tudom. Akadémia Évkönyvei XVI. kötetének II. Darabja. Budapest, A Magyar Tud Akad Könyvkiadó Hivatala.
- Lipták P (1971) Embertan és emberszármazástan. Budapest, Tankönyvkiadó.
- Marcsik A (1999) Az ópusztaszeri csontvázanyag paleopatológiai elválto-



- zásai. In Farkas Gy, ed. Ópusztaszer-Monostor lelőhely antropológiai leletei. Szeged, JATE Embertani Tanszéke, 97-155.
- Marcsik A (1994) Data to the epidemiology of syphilis in ancient populations in Central Europe. In Dutour O, Pálfi Gy, Bérato J, Brun JP, eds., *L'Origine de la syphilis en Europe avant ou après 1493?*. Toulon, Centre Archéol du Var - Éditions Errance, 233-236.
- Marcsik A (1984) A Dél-Alföld avar korának paleopatológiája. Kandidátusi értekezés tézisei. Szeged.
- Marcsik A (1976) The anthropological description of the skeleton from the period of the Hungarian Conquest found at Izsák-Balázspusztá. *Cumania IV: Archeol* 185-190.
- Marcsik A (1975) Egy csontelváltozás feltételezett aetiológiája. *Anthrop Közl* 19:47-53.
- Marcsik A (1972) Generalizált TBC megbetegedés diagnózisa egy avar kori csontvázon. *Anthrop Közl* 16:99-103.
- Marcsik A, Antal A, Bojalka R (1982) Periostitic deformation of bones from Avar period. *Humanbiol Budapest* 10:91-94.
- Marcsik A, Kósa F (1982) Comparative investigation into the bones fractures from the 6<sup>th</sup>-8<sup>th</sup> centuries. *Anthropos* 21:373-378.
- Marcsik A, Kósa F (1976) Újabb adatok egy vitatott paleopatológiai lelet aetiológiájához szövettani vizsgálat alapján. *Anthrop Közl* 20:127-131.
- Marcsik A, Kósa F, Kurucz É (1984) Scanning electronmicroscopical investigation into paleopathological findings (porotic hyperostosis). *V European Meeting Siena Proceedings*, 219-234.
- Marcsik A, Lengyel I (1972) A csontvázonon leggyakrabban előforduló patológiai elváltozások. In Farkas Gy, ed., *Antropológiai Praktikum I. Paleoantropológiai metodikák*. Szeged, JATE TTK jegyzet, 123-136.
- Marcsik A, Oláh S (1991) Case report of osteomyelitis. *Int J Osteoarcheol* 1:147-150.
- Marcsik A, Pálfi Gy (1993) Data for the epidemiology of skeletal tuberculosis in ancient populations. *Czlowiek w czasie i przestrzeni Gdansk* 354-358.
- Marcsik A, Szalai F (1992) Anthropologischer Befund der menschlichen Skelettreste des Awarischen Fürstengrabes von Kunbábony. In H.Tóth E, Horváth A, Hrs. Kunbábony. *Das Grab eines Awarenkahgans. Kecskemét*, 281-295.
- Marcsik A, Szentgyörgyi R, Gyetvai A, Finnegan M, Pálfi Gy (1999) Probable Pott's paraplegia from the 7<sup>th</sup>-8<sup>th</sup> century A.D. In Pálfi Gy, Dutour O, Deák J, Hutás I, eds., *Tuberculosis Past and Present*. Budapest, Szeged, Golden Book, Tuberculosis Foundation, 333-339.
- Molnár E, Marcsik A, Farkas LGy, Dutour O, Panuel M, Pálfi Gy (1996) Szatymaz-Vasútállomás 10-12. századi embertani széria paleopatológiai feldolgozása. In Pálfi Gy, Farkas LGy, Molnár E, eds., *Honfoglaló Magyarság. Árpád-kori Magyarság*. Szeged, JATE Embertani tanszék kiadványa, 235-251.
- Nemeskéri J (1944-45) A gyöngyöspáti hunkori sír torzított koponyájának antropológiai vizsgálata. *Arch Ért* III, V-VI, 303-311.
- Nemeskéri J, Deák M (1956) A Mohács-cselei XIV-XV. századi temető népességének embertani jellemzése. *Arch Ért* 83:51-65.
- Nemeskéri J, Éry K, Kralovánszky A (1960) A magyarországi jelképes trepanáció. *Anthrop Közl* 4:3-30.
- Nemeskéri J, Éry K, Kralovánszky A, Harsányi L (1961) Data to the reconstruction of the population of an eleventh century cemetery: Gáva - Market. *Crania Hung* 4:1-64.
- Nemeskéri J, Harsányi L (1959) Die Bedeutung paläopathologischer Untersuchungen für die historische Anthropologie. *Homo* 10:203-226.
- Nemeskéri J, Kiss A, Zoffmann Zs (1966) Majs (Baranya megye) kora Árpád-kori népességének néhány jelentősebb paleopatológiai leletéről. *A VII. Biol. Vándorgyűlés előadásainak ismertetése*. Pécs, 16.
- Nemeskéri J, Lengyel I (1973) Issendorf (Alsó Szászország) lelőhelyen feltárt, hamvasztásos rítusú temető 471. urnasír koponyatető töredékének paleopatológiai vizsgálata. *Anthrop Közl* 17:71-74.
- Pais I, Tóth T (1991) Human paleonutrition in the Carpathian Basin from the Neolithic to medieval times based on osteochemical analysis. *Annl hist nat Mus natn Hung* 83:285-299.
- Pálfi Gy (1997) Maladies dans l'Antiquité et au Moyen-Age. *Paléopathologie comparée des anciens Gallo-Romains et Hongrois*. *Bull et* *Mém de la Soc d'Anthrop de Paris* 9(1-2).
- Pálfi Gy (1991) The First Osteoarchaeological Evidence of Leprosy in Hungary. *Int J Osteoarcheol* 1:99-103.
- Pálfi Gy (1990) Spondylarthropathies in Avar Age Human Remains. *Acta Biol Szeged* 36:81-94.
- Pálfi Gy (1989) Etude paleopathologique des Tumeurs Osseuses Malignes du VIIIe Siecle. *Paléobios* 5:69-76.
- Pálfi Gy, Ardagna Y, Molnár E, Dutour O, Panuel M, Haas ChJ, Zink A, Nerlich AG (1999) Coexistence of tuberculosis and ankylosing spondylitis in a 7-8<sup>th</sup> century specimen evidenced by molecular biology. In Pálfi Gy, Dutour O, Deák J, Hutás I, eds., *Tuberculosis Past and Present*. Budapest-Szeged, Golden Book, Tuberculosis Found, 403-413.
- Pálfi Gy, Dutour O (1996) Activity-induced skeletal markers in historical anthropological material. *Int J Anthrop*, 11:41-55.
- Pálfi Gy, Dutour O, Borreani M, Brun JP, Berato J (1992) Pre-Columbian congenital syphilis from the late antiquity in France. *Int J Osteoarcheol* 2:245-261.
- Pálfi Gy, Marcsik A (1999) Paleoepidemiological data of tuberculosis in Hungary. In Pálfi Gy, Dutour O, Deák J, Hutás I, eds., *Tuberculosis Past and Present*. Budapest-Szeged, Golden Book, Tuberculosis Found, 533-539.
- Pálfi Gy, Marcsik A, Haas Ch, Zink A, Dutour O (1999) Medical historical and skeletal evidence of leprosy in Hungary and interpretations of the palaeopathological data. Abstract of "Past and Present of Leprosy", 37.
- Pálfi Gy, Marcsik A, Kovács J (1992) Lumbosacral and hip tuberculosis in a Migration Period skeleton. *J Paleopath* 4:179-184.
- Pálfi Gy, Marcsik A, Oláh S, Farkas LGy, Dutour O (1996) Sárrétudvar-Hízföld honfoglalás kori széria paleopatológiája. In Pálfi Gy, Farkas LGy, Molnár E, eds., *Honfoglaló Magyarság. Árpád kori Magyarság*. Szeged, JATE Embertani Tanszéke, 199-205.
- Pálfi Gy, Panuel M, Molnár E (1997) Paleoradiologic study of a 17<sup>th</sup> century case of treponematosi (Nyárlőrinc, Hungary). *Acta Biol Szeged* 42:113-123.
- Pap I (1984) Traumás csontelváltozások középkori szériákban. *Anthrop Közl* 28:107-116.
- Pap I, Józsa L (1989) A rare hair developmental abnormality (pili multigemini) and lousiness on hair remains from a Medieval grave. *Annl hist nat Mus natn Hung* 81:251-259.
- Pap I, Józsa L (1990a) Occurrence of otitis media, mastoiditis and alterations of auditory ossicles in some early Medieval series (Hungary). *Annl hist nat Mus natn Hung* 82:249-257.
- Pap I, Józsa L (1990b) Ritka haj-fejldési rendellenesség (pili multigemini) és fejtetvesség késő középkori hajmaradványon. *Acta Musei Papensis (Pápai Múzeum Értesítő)* 2 (1989): 195-200.
- Pap I, Józsa L, Repa I, Bajzik G, Lakhani SR, Donoghue HD, Spigelman M (1999) 18-19<sup>th</sup> century tuberculosis in naturally mummified individuals (Vác, Hungary). In Pálfi Gy, Dutour O, Deák J, Hutás I, eds., *Tuberculosis Past and Present*. Budapest-Szeged, Golden Book, Tuberculosis Found, 421-429.
- Pap I, Susa É, Józsa L (1997) Mummies from the 18th-19th century Dominican Church of Vác, Hungary. *Acta Biol Szeged* 42:107-112.
- Pap I, Tillier A-m, Arensburg B, Chech M (1995) First scanning electron microscope analysis of dental calculus from European Neanderthals: Subalyuk (Middle Paleolithic, Hungary). *Bull et Mém de la Société d'Anthropologie de Paris*, 7(1-2):69-72.
- Regöly-Mérei Gy (1972) A syphilis és kórokozójának panorámaváltozása. *Orvosképzés* 47:380-384.
- Regöly-Mérei Gy (1970a) Palaeopathological examination of skeletal finds in the Roman period and description of diseases in Greek and Roman medical texts. *Orv Tört Közl Suppl* 4:55-67.
- Regöly-Mérei Gy (1970b) Semmelweis betegségének patológiai rekonstrukciója a katamnesztikus elemzés és a paleopatológiai vizsgálat alapján. *Orv Tört Közl* 55-56, 37-92.
- Regöly-Mérei Gy (1968a) III. Béla magyar király és hitvese, Anna királynő hamvainak paleopatológiai vizsgálata. *Orv Hetilap* 109:423-427.
- Regöly-Mérei Gy (1968b) Paläopathologische Untersuchungen eines ungarischen Königsgrabes aus dem XII. Jahrhundert. *Therap Hung*

- 16:146-151.
- Regöly-Mérei Gy (1967) Palaeopathological Examination of the Skeletal Finds of Naima Tolgoy and Hana. *Acta Arch* 19:391-404.
- Regöly-Mérei Gy (1964) Microscopical investigation of ground specimens and decalcified sections of palaeopathologic bones. *Acta Morph Hung Suppl* 12:25.
- Regöly-Mérei Gy (1962a) A szifilis eredete. *Term Tud Közl* 6 (93):32.
- Regöly-Mérei Gy (1962b) Az ősemberi és későbbi emberi maradványok rendszeres kórbonctana. *Palaeopathologia II*. Budapest, Medicina Kiadó
- Regöly-Mérei Gy (1960) Paleopathologiai vizsgálatok a Janus Pannonius Múzeum aeneolith-korból származó emberi csontlelet anyagán. *A Janus Pannonius Múzeum Évkönyve 1960*, Pécs 1961, 75-83.
- Regöly-Mérei Gy (1959) Kórbonctani szempontok sírleletek torzult és torzított koponyáinak vizsgálatakor, különös tekintettel a domolospusztai leletre. *A Janus Pannonius Múzeum Évkönyve 1959*, Pécs 1960, 275-286.
- Regöly-Mérei Gy, Nemeskéri J (1959) Paleopathological investigations of Egyptian Mummies from the Roman Period. *Acta Morph Hung* 8:52.
- Regöly-Mérei Gy, Nemeskéri J (1958) Paleopathologiai vizsgálatok óegyiptomi múmiákon. *Anthrop Közl* 1:81-84.
- Spigelman M, Donoghue DH, Gladykowska-Rzeczycka J, Marcsik A (1999) *Mycobacterium leprae* DNA in Archaeological specimens. Abstract of "Past and Present of Leprosy", 42.
- Szikossy I, Bernert Zs, Pap I (1997) Anthropological investigation of the 18<sup>th</sup>-19<sup>th</sup> century ossuary of the Dominican Church at Vác, Hungary. *Acta Biol* 42:145-150.
- Tóth T (1961) Baranya megye paleoantropológiai problémái. *A Janus Pannonius Múzeum Évkönyve 1961*, Pécs 1962, 85-89.
- Török A (1907) A koponya mesterséges eltorzításáról és a magyarországi és kaukázusi makrocephalokról. *Ttud Közl* 39:603.
- Török A (1884) Makrocephale Schädel und Anderes. *Correspbl Anthropol Ges* 15:177.
- Török K, Pap I, Józsa L (1999) 18-19. századi múmiák fogköveinek mikroszkópos vizsgálata (Microscopic studies on the dental calculus of the mummies from 18-19th centuries). *Fogorvosi Szemle* 92:317-327.
- Ubelaker DH, Pap I (1998) Skeletal evidence for health and disease in the Iron Age of Northeastern Hungary. *Int J Osteoarcheol* 8:231-251.
- Ubelaker DH, Pap I (1996) Health profiles of a Bronze Age population from Northeastern -Hungary. *Annls hist nat Mus natn Hung* 88:271-296.
- Varga I, Marcsik A (1975) Palaeopathological characterization of the skeletons of an avar series (Kunszállás-Fülöpjakab). *Acta Biol Szeged* 21:181-192.