



# Yttrium phosphate microspheres with enriched phosphorus content prepared for radiotherapy of deep-seated cancer

著者	Miyazaki Toshiki, Tanaka Toru, Shirosaki Yuki, Kawashita Masakazu
journal or publication title	Ceramics International
volume	40
number	9
page range	15259-15263
year	2014-07-09
URL	<a href="http://hdl.handle.net/10228/5926">http://hdl.handle.net/10228/5926</a>

doi: [info:doi/10.1016/j.ceramint.2014.07.018](https://doi.org/10.1016/j.ceramint.2014.07.018)

1 **Yttrium phosphate microspheres with enriched phosphorus content**  
2  
3 **prepared for radiotherapy of deep-seated cancer**  
4  
5  
6

7 Toshiki Miyazaki<sup>1</sup>, Toru Tanaka<sup>1</sup>, Yuki Shirosaki<sup>2</sup>, Masakazu Kawashita<sup>3</sup>  
8  
9

10  
11  
12  
13  
14 <sup>1</sup>Graduate School of Life Science and Systems Engineering, Kyushu Institute of  
15  
16  
17  
18 Technology, Kitakyushu, Japan  
19  
20

21 <sup>2</sup>Frontier Research Academy for Young Researchers, Kyushu Institute of Technology,  
22  
23  
24  
25 Kitakyushu, Japan  
26  
27

28 <sup>3</sup>Graduate School of Biomedical Engineering, Tohoku University, Sendai, Japan  
29  
30  
31  
32  
33  
34

35 **Corresponding Author:**  
36

37 Toshiki Miyazaki  
38

39 Associate Professor, Graduate School of Life Science and Systems Engineering, Kyushu  
40  
41 Institute of Technology  
42

43 2-4 Hibikino, Wakamatsu-ku, Kitakyushu 808-0196, Japan  
44

45  
46 Tel & Fax: +81-93-695-6025  
47

48 E-mail: tmiya@life.kyutech.ac.jp  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58

1           **Abstract**  
2

3           Ceramic microspheres composed of  $\beta$ -emitter are useful for *in situ* radiotherapy of  
4           deep-seated cancer by implantation around the tumor. In addition, microspheres 20–30  
5            $\mu\text{m}$  in diameter can combine  $\beta$ -emission with the embolization effect. Yttrium phosphate  
6           is an attractive candidate material for such microspheres, because both Y and P play roles  
7           as the  $\beta$ -emitter. The half-life of  $^{31}\text{P}$  is known to be much longer than that of  $^{90}\text{Y}$ .  
8           Therefore, it is expected that yttrium phosphate microspheres with high P content can  
9           maintain a longer radiotherapy effect. In the present study, preparation of microspheres  
10          with enriched P content has been attempted by water-in-oil emulsions using  
11          polyphosphate as a starting material. Yttrium phosphate microspheres with a higher P/Y  
12          molar ratio (2.5) than previously reported  $\text{YPO}_4$  microspheres were obtained. It was  
13          found that emulsification for sufficient time (more than 10 minutes) is necessary to obtain  
14          microspheres that are 20–30  $\mu\text{m}$  in size. Although the microspheres released Y sparingly,  
15          they released larger amounts of P than previously reported  $\text{YPO}_4$  microspheres in a  
16          simulated body environment. Heat treatment at moderate temperature can suppress P  
17          release to some extent. Further improvement in chemical durability through surface  
18          modification is essential for long-term clinical use.  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

31  
32  
33          **Keywords:** A. Powders: chemical preparation, C. Chemical properties, D. Yttrium  
34          phosphate, E. Biomedical applications  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2 **Introduction**  
3  
4

5  
6 Recently, the development of less invasive deep-seated cancer treatments has  
7  
8  
9 become an urgent issue in improving the quality of life for cancer patients. In choosing  
10  
11  
12 radiation for this type of cancer treatment,  $\beta$ -rays are the most suitable because of their  
13  
14 moderate range. Ceramic microspheres composed of  $\beta$ -emitters are useful for *in situ*  
15  
16  
17 radiotherapy of deep-seated cancer by implantation around the tumor through blood  
18  
19  
20 vessels. It is known that several elements, such as P, Y, and Re can be converted to  
21  
22  
23  $\beta$ -emitting radioisotopes by neutron bombardment [1]. Additionally, when their particle  
24  
25  
26 size is controlled to the range 20–30  $\mu\text{m}$ , they are promising as multifunctional  
27  
28  
29 biomaterials that exhibit not only radiotherapy but also embolization effects in tumors.  
30  
31  
32 They are especially useful for liver and kidney cancer treatment.  
33  
34  
35  
36  
37  
38  
39  
40

41 For these reasons, microspheres comprising  $\text{Y}_2\text{O}_3$ -based glasses, ceramics and  
42  
43  
44 composites have been proposed [2-7].  $^{31}\text{P}$  is a  $\beta$ -emitter that has a longer half-life (14.3  
45  
46  
47 days) than that of  $^{90}\text{Y}$  (64.1 hours). Therefore, it is expected that yttrium phosphate will  
48  
49  
50 maintain a prolonged radiotherapy effect. Previously, yttrium phosphate microspheres  
51  
52  
53 containing the above elements were prepared by various techniques, such as high  
54  
55  
56 frequency induction thermal plasma melting and gel formation in water-in-oil (W/O)  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2 emulsions [4,8-9]. The major composition of such microspheres is xenotime-type  $\text{YPO}_4$ .

3  
4  
5 Improvement in the radiotherapy effect may be expected if the P content in yttrium  
6  
7  
8  
9 phosphate can be increased.

10  
11  
12 In the present study, preparation of microspheres with enriched P has been  
13  
14  
15 attempted in W/O emulsions using polyphosphate as a starting material. Optimum  
16  
17  
18 conditions for preparation of particles 20–30  $\mu\text{m}$  in size, suitable for radiotherapy  
19  
20  
21 combined with embolization, were determined. Chemical durability of the microspheres  
22  
23  
24  
25  
26 was also assessed in a simulated body environment.

## 27 28 29 30 31 32 33 **Materials and Methods**

34  
35  
36  
37 Chemical reagents for preparation of microspheres and SBF were purchased from  
38  
39  
40  
41 Wako Pure Chemical Industries, Ltd., Osaka, Japan and Nacalai Tesque, Inc., Kyoto,  
42  
43  
44 Japan, respectively.

45  
46  
47 At first, precipitate was obtained by mixing 50 mL of 0.3 M yttrium acetate  
48  
49  
50  
51 tetrahydrate ( $(\text{CH}_3\text{COO})_3\text{Y}\cdot 4\text{H}_2\text{O}$ ) and an equal volume of 0.15 M sodium  
52  
53  
54 hexametaphosphate ( $(\text{NaPO}_3)_n$ ). The precipitate was washed with ultrapure water twice  
55  
56  
57  
58 and dispersed in 15 mL of 0.1 M  $\text{HNO}_3$  solution and stirred for 24 hours to form a sol. The  
59  
60  
61

1  
2 W/O emulsion was prepared by vigorous mixing 5 mL of the sol, 25 mL of toluene, 25  
3  
4  
5  
6 mL of 1,1,1-trichloroethane and 0.55 g of sorbitan monooleate (Span80) as a surfactant at  
7  
8  
9 3000 rpm using a rotary homogenizer (Homo Mixer Mark II, Tokushu Kika Co., Osaka,  
10  
11  
12 Japan) for various periods ranging from 5 to 20 minutes. The prepared emulsion was  
13  
14  
15 immediately added into 300 mL of 1-butanol and stirred for 10 minutes. At this time, the  
16  
17  
18 separated water phase that remained without homogeneous emulsification was not added  
19  
20  
21  
22  
23 to the 1-butanol. The obtained precipitates were filtered, washed with acetone and dried  
24  
25  
26 at 60°C for 24 hours. They were then heated at rate of 5°C/min in an electric furnace  
27  
28  
29 (KDF-S70, Denken Co. Ltd., Kyoto, Japan), kept at various temperatures for 1 hour and  
30  
31  
32 cooled to room temperature in the furnace.  
33  
34  
35  
36

37 The microstructure of the powder product was characterized by X-ray diffraction  
38  
39  
40 (XRD; MXP3V, Mac Science Ltd., Yokohama, Japan), scanning electron microscopy  
41  
42  
43 (SEM; S-3500N, Hitachi Co., Tokyo, Japan) equipped with energy dispersive X-ray  
44  
45  
46 spectroscopy (EDX; EMAX Energy, Horiba Co., Kyoto, Japan). Particle size distribution  
47  
48  
49 was measured by a laser diffraction particle size analyzer (LA-950, Horiba Co., Kyoto,  
50  
51  
52 Japan).  
53  
54  
55  
56

57  
58 Chemical durability of the microspheres was examined as follows. Fifty milligrams  
59  
60  
61

1  
2 of microspheres were soaked in 20 mL of simulated body fluid (SBF; Na<sup>+</sup> 142.0, K<sup>+</sup> 5.0,  
3  
4  
5 Mg<sup>2+</sup> 2.5, Cl<sup>-</sup> 147.8, HCO<sub>3</sub><sup>-</sup> 4.2, HPO<sub>4</sub><sup>2-</sup> 1.0 and SO<sub>4</sub><sup>2-</sup> 0.5 mM) with ion concentrations  
6  
7  
8  
9 similar to those of human extracellular fluid, and kept at 36.5°C under static conditions  
10  
11  
12 for various periods. SBF was prepared following methods described in the literature  
13  
14  
15  
16 The pH of the solution was adjusted to 6 by addition of 1 M HCl because the pH around  
17  
18  
19 tumors is reported to be often weakly acidic through secretion of lactic acid. Y and P  
20  
21  
22 concentrations released from the microspheres into the solution were measured by  
23  
24  
25  
26 inductively coupled plasma atomic emission spectroscopy (ICP; Optima 4300DV  
27  
28  
29 Perkin-Elmer Co., Cambridge, England).  
30  
31  
32  
33  
34  
35  
36

## 37 **Results and Discussion**

38  
39  
40  
41 The P/Y atomic ratio of the obtained microspheres before heat treatment was  
42  
43  
44 determined as 2.5 by EDX, confirming that the P content in microspheres can be  
45  
46  
47 increased by using polyphosphate instead of orthophosphate as a starting material.  
48  
49  
50

51  
52 Figure 1 shows SEM photographs of the obtained particles before heat treatment,  
53  
54  
55 as a function of emulsification time. We can see that spherical microspheres with  
56  
57  
58 smooth surfaces 10–100 µm in size were obtained, irrespective of emulsification time.  
59  
60  
61

1  
2 Figure 2 shows the particle size distribution of the microspheres. The size distribution  
3  
4  
5 shifted to the larger region with increasing emulsification time, while no significant  
6  
7  
8 difference was observed between samples at 10 and 15 min. Few particles 20–30  $\mu\text{m}$  in  
9  
10 size were observed at 5 min. In this case, a portion of the water phase was not  
11  
12 sufficiently homogenized with the oil phase and was therefore not available for  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

Figure 2 shows the particle size distribution of the microspheres. The size distribution shifted to the larger region with increasing emulsification time, while no significant difference was observed between samples at 10 and 15 min. Few particles 20–30  $\mu\text{m}$  in size were observed at 5 min. In this case, a portion of the water phase was not sufficiently homogenized with the oil phase and was therefore not available for microsphere formation. Therefore, the content of the water phase within the emulsion was low and consequently smaller particles were formed. This assumption is supported by the fact that the size of the microspheres tends to increase with increasing water content in the emulsion [11]. The present results indicate that emulsification for sufficient time is essential for preparing large quantities of microspheres 20–30  $\mu\text{m}$  in size.

Figure 3 shows XRD patterns of microspheres made with an emulsification time of 10 min, after heat treatment at various temperatures. A diffraction peak assigned to  $\text{Y}(\text{PO}_3)_3$  (JCPDS #42-0501) was observed after heat treatment at 600°C, but not at other temperatures, meaning that crystallization of the yttrium phosphate occurs at 600°C. SEM photographs of the heated microspheres are shown in Fig. 4. A spherical shape was maintained even after heat treatment. Although some particles aggregated, surfaces



1  
2 of the microspheres were smooth at 400 and 500°C. Conversely, many micropores of  
3  
4  
5 sizes 1–3 μm were observed on the surfaces and almost all particles aggregated at  
6  
7  
8  
9 600°C.  
10

11  
12 Figure 5 shows the particle size distribution of the microspheres before and after  
13  
14 heat treatments at different temperatures. The distribution of the sample heated at 600°C  
15  
16 could not be measured because particles were significantly aggregated. A new peak  
17  
18 maximum at 40–50 μm was observed in the distribution after the heat treatment, which  
19  
20 could be attributed to aggregation of the microspheres. Previously reported  $\text{YPO}_4$   
21  
22 microspheres did not show such aggregation even after sintering at 1000°C [9]. The  
23  
24 melting point of the glass is generally reduced at increased phosphate content. Therefore,  
25  
26 the high P content in the present microspheres would cause the aggregation.  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40

41 Figure 6 shows Y and P concentrations of SBF after soaking of the microspheres  
42  
43 with and without heat treatments at different temperatures. Y was only sparingly  
44  
45 released, irrespective of heating temperature, while P was released from all specimens.  
46  
47  
48 The content of the released P showed a tendency to decrease with an increase in heating  
49  
50  
51 temperature. This means that P was released more preferably than Y.  $\text{AlPO}_4 \cdot 1.5\text{H}_2\text{O}$  was  
52  
53  
54  
55 reported to release a larger amount of P than Al in weakly acidic conditions around pH 6,  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

1  
2 because the released  $\text{Al}^{3+}$  is hydrated and re-precipitated in this pH region [12]. A  
3  
4  
5 similar phenomenon may have occurred in the case of the present microspheres.  
6  
7

8  
9 The samples heat-treated at  $600^\circ\text{C}$  released about 4.7% of the P content from the  
10  
11  
12 microspheres, 70 times more than from the  $\text{YPO}_4$  microspheres in our previous study  
13  
14  
15 [8]. Sintering would be less extensive, because the heat treatment temperature in the  
16  
17  
18 present study ( $600^\circ\text{C}$  or less) was lower than that used previously ( $1000^\circ\text{C}$ ). In addition,  
19  
20  
21  
22  
23 dissolution of phosphate glass was reported to be enhanced under acidic conditions [13].  
24  
25  
26 These factors would cause a high P release from the present microspheres. It is  
27  
28  
29 concluded that heat treatment at  $500^\circ\text{C}$  or less is desirable in terms of aggregation and  
30  
31  
32  
33  
34 chemical durability. However, further suppression of P release should be attempted in  
35  
36  
37  
38 future studies. Prior acid treatment to remove water-soluble portions or coating with a  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

## Conclusions

Yttrium phosphate microspheres with enriched P were prepared by using a W/O emulsion as a reaction environment. The size of the microspheres depends on emulsification time. If P release can be suppressed, for example by further surface

1  
2 modification, the resultant microspheres may show promise as a  $\beta$ -emitter for *in situ*  
3  
4  
5 cancer radiotherapy.  
6  
7  
8  
9

## 10 11 12 **Acknowledgments**

13  
14  
15  
16 This work was supported by a Grant-in-Aid for Scientific Research on Innovative Areas  
17  
18  
19 for “Fusion Materials: Creative Development of Materials and Exploration of Their  
20  
21  
22 Function through Molecular Control” (No. 2206) from the Ministry of Education,  
23  
24  
25 Culture, Sports, Science and Technology, Japan (MEXT).  
26  
27  
28  
29  
30

## 31 32 **References**

- 33 1. D.E. Day and T.E. Day, Radiotherapy glasses, in: L. L. Hench (Ed.), An  
34 Introduction to Bioceramics 2nd Ed., Imperial College Press, London, 2013, pp.  
35 431-446.  
36
- 37 2. E.M. Erbe and D.E. Day, Chemical durability of  $Y_2O_3$ - $Al_2O_3$ - $SiO_2$  glasses for the  
38 in vivo delivery of beta radiation, J. Biomed. Mater. Res., 27 (1987) 1301-1308.  
39
- 40 3. P.A. Schubiger, H.F. Beer, L. Geiger, H. Rösler, A. Zimmermann, J. Triller, D.  
41 Mettler and W. Schilt,  $^{90}Y$ -resin particles-animal experiments on pigs with regard  
42 to the introduction of superselective embolization therapy, Int. J. Rad. Appl.  
43 Instrum. B, 18 (1991) 305-311.  
44
- 45 4. M. Kawashita, R. Shineha, H.- M. Kim, T. Kokubo, Y. Inoue, N. Araki, Y. Nagata,  
46 M. Hiraoka, Y. Sawada, Preparation of ceramic microspheres for in situ  
47 radiotherapy of deep-seated cancer, Biomaterials 24 (2003) 2955-2963.  
48
- 49 5. R. Salem, R. Lewandowski, C. Roberts, J. Goin, K. Thurston, M. Abouljoud and A.  
50 Courtney, Use of Yttrium-90 glass microspheres (TheraSphere) for the treatment of  
51 unresectable hepatocellular carcinoma in patients with portal vein thrombosis, J.  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

- 1 Vasc. Interv. Radiol., 15 (2004) 335-345.
- 2
- 3 6. M. Kawashita, Y. Takayama, T. Kokubo, G. H. Takaoka, N. Araki and M. Hiraoka,
- 4 Enzymatic preparation of hollow yttrium oxide microspheres for *in situ*
- 5 radiotherapy of deep-seated cancer, J. Am. Ceram. Soc., 89 (2006) 1347-1351.
- 6
- 7 7. T. Miyazaki, T. Kai, E. Ishida, M. Kawashita and M. Hiraoka, Fabrication of yttria
- 8 microcapsules for radiotherapy from water/oil emulsion, J. Ceram. Soc. Japan, 118
- 9 (2010) 479-482.
- 10
- 11 8. M. Kawashita, N. Matsui, Z. Li and T. Miyazaki and H. Kanetaka, Preparation,
- 12 structure, and in vitro chemical durability of yttrium phosphate microspheres for
- 13 intra-arterial radiotherapy, J. Biomed. Mater. Res. B Appl. Biomater., 99 (2011)
- 14 45-50.
- 15
- 16 9. T. Miyazaki, T. Suda, Y. Shirosaki and M. Kawashita, Fabrication of Yttrium
- 17 Phosphate Microcapsules by an Emulsion Route for *in situ* Cancer Radiotherapy, J.
- 18 Med. Biol. Eng. 34 (2014) 14-17.
- 19
- 20 10. S.B. Cho, T. Kokubo, K. Nakanishi, N. Soga, C. Ohtsuki, T. Nakamura, T. Kitsugi
- 21 and T. Yamamuro, Dependence of Apatite Formation on Silica Gel on Its Structure:
- 22 Effect of Heat Treatment, J. Am. Ceram. Soc. 78 (1995) 1769-1774.
- 23
- 24 11. H. Shiomi, C. Tanaka, Preparation of spherical SnO<sub>2</sub> particles by W/O type
- 25 emulsion method, J. Mater. Sci. 37 (2002) 4683-4689.
- 26
- 27 12. F. Lagno and G. P. Demopoulos, The stability of hydrated aluminium phosphate,
- 28 AlPO<sub>4</sub>·1.5H<sub>2</sub>O, Environ. Tech., 27 (2006) 1217-1224.
- 29
- 30 13. F. Delahaye, L. Montagne, G. Palavit, J. Claude Touray, P. Baillif, Acid dissolution
- 31 of sodium-calcium metaphosphate glasses, J. Non-Cryst. Solids 242 (1998) 25-32.
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65

1 **Figure captions**

2  
3 **Figure 1** SEM photographs of particles before heat treatment, as a function of  
4 emulsification time.  
5

6 **Figure 2** Particle size distribution of microspheres before heat treatment, as a function  
7 of emulsification time.  
8  
9

10 **Figure 3** XRD patterns of microspheres produced with an emulsification time of 10  
11 min, after heat treatments at various temperatures.  
12


13 **Figure 4** SEM photographs of microspheres produced with an emulsification time of  
14 10 min, after heat treatments at various temperatures.  
15  
16

17 **Figure 5** Particle size distribution of microspheres produced with an emulsification  
18 time of 10 min, after heat treatments at various temperatures.  
19  
20

21 **Figure 6** Y and P concentrations of SBF after incubation with microspheres produced  
22 with an emulsification time of 10 min, before and after heat treatments at different  
23 temperatures.  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

Figure1


[Click here to download high resolution image](#)



Miyazaki et al.  
Fig. 1

Figure2


[Click here to download high resolution image](#)



Miyazaki et al.  
Fig. 2

Figure3

[Click here to download high resolution image](#)




Miyazaki et al.  
Fig. 3



Figure4


[Click here to download high resolution image](#)



Miyazaki et al.  
Fig. 4

Figure5



[Click here to download high resolution image](#)



Miyazaki et al.  
Fig. 5

Figure6

[Click here to download high resolution image](#)



Miyazaki et al.  
Fig. 6