

An Affordable, Usable and Sustainable Preventive Healthcare System for Unreached People in Bangladesh

著者	Nakashima Naoki, Nohara Yasunobu, Ahamed Ashir, Kuroda Masashiro, Inoue Sozo, Ghosh Partha Pratim, Islam Rafiqul, Hiramatsu Tatsuo, Kobayashi Kunihiisa, Inoguchi Toyoshi, Kitsuregawa Masaru
journal or publication title	Studies in health technology and informatics
volume	192
page range	1051-1051
year	2013-08-20
URL	http://hdl.handle.net/10228/5975

doi: info:doi/10.3233/978-1-61499-289-9-1051

An Affordable, Usable and Sustainable Preventive Healthcare System for Unreached People in Bangladesh

Naoki Nakashima^a, Yasunobu Nohara^a, Ashir Ahamed^{b,c}, Masashiro Kuroda^d, Sozo Inoue^e, Partha Pratik Ghosh^c, Rafiqul Islam^c, Tatsuo Hiramatsu^f, Kuniyoshi Kobayashi^g, Toyoshi Inoguchi^f, Masaru Kitsuregawa^h

^a Medical Information Center, Kyushu University Hospital, Fukuoka, Japan, ^b Faculty of Information Science and Electrical Engineering, Kyushu University, Fukuoka Japan, ^c Grameen Communications, Dhaka, Bangladesh, ^d National Institute of Information and Communications Technology, Tokyo, Japan, ^e Graduate School of Engineering, Kyushu Institute of Technology, Kitakyushu, Japan, ^f Graduate School of Medical Sciences, Kyushu University, Fukuoka Japan, ^g Fukuoka University Chikushi Hospital, Chikushino, Japan, ^h Institute of Industrial Science, University of Tokyo, Tokyo Japan

Keywords: Public health informatics, Medical Device, Developing countries

Introduction

Through aggressive IT development in medicine, health care in developing countries will possibly take a different path than advanced countries. We are conducted a pilot study of a preventive medical service combining e-health checkup and telemedicine in developing countries to evaluate stratification rules and short-term effects of the intervention prior to a large scale research study.

Methods

We provided e-health checkup in a village and in several companies in Bangladesh. Individual health condition was automatically categorized into 4 grades: Green (healthy), yellow (caution), orange (affected), and red (emergent) by international diagnosis standards of diseases. We provided telemedicine for orange and red, and tele-prescription for hypertensive patients. We rechecked orange and red subjects 2 months later.




Figure 1 - Work flow (1-6) and data flow (arrow) in a visit

Results and Conclusions

The first checkup was provided to 791 subjects and categorized green15%, yellow66%, orange17%, and red3%. At the

followup, 96 (62% of orange and red) were visited and categorized into green2%, yellow43%, orange43%, and red13%. The result shows the system's potency to deliver effective healthcare in developing countries. We completed 4919 first visits by November 2012. We will continue this e-health service in its second annual survey in June 2013 .

Color	First Visit (n=791)					Second Visit (n=96) Orange: 88% and Red: 12% in the First Visit				
	Green	Yellow	Orange	Red	total	Green	Yellow	Orange	Red	total
Waist	488	303	0	0	791	29	67	0	0	96
Waist Hip Ratio	229	562	0	0	791	10	86	0	0	96
BMI	525	233	31	2	791	48	29	17	2	96
Blood Pressure	551	173	55	12	791	47	31	13	5	96
Blood Glucose	731	39	13	8	791	78	10	3	5	96
u-Protein	462	302	27	0	791	30	55	11	0	96
u-Sugar	583	167	41	0	791	54	25	17	0	96
u-Urobilinogen	771	0	20	0	791	93	0	3	0	96
Pulse Rate	702	86	3	0	791	82	13	1	0	96
Arrythmia	790	0	1	0	791	96	0	0	0	96
Temperature	700	84	7	0	791	91	4	1	0	96
SpO2	747	40	3	1	791	96	0	0	0	96
Overall Result	116	521	132	22	791	2	41	41	12	96
	15%	66%	17%	3%	100%	2%	43%	43%	13%	100%




Figure 2 - Results of the pilot study

References

[1] Nakashima N, et al, IEEE EMBC2013 in press

[2] Ahmed A, Nakashima N et al, DAPI/HCI2013 in press

Address for correspondence: nnaoki@info.med.kyushu-u.ac.jp