


Simulations of proposed deep decarbonization pathways

A contribution to Switzerland decarbonization pathways

Frédéric Babonneau, Philippe Thalmann and Marc Vielle (EPFL)

Reviewers: Rolf Iten and Jürg Füssler (INFRAS)

Laboratory of Environmental and Urban Economics
(leure.epfl.ch)



April 17, 2015

Table of contents

- Table of contents** **2**

- 1 Introduction** **3**

- 2 The GEMINI-E3 Model** **3**
 - 2.1 Energy demand 5
 - 2.2 Energy supply 5

- 3 Defining storylines** **6**

- 4 Scenarios assumptions** **8**
 - 4.1 Common assumptions 8
 - 4.1.1 Demography 9
 - 4.1.2 GDP growth 9
 - 4.1.3 World energy prices 9
 - 4.1.4 Electricity generation 10
 - 4.2 Specific assumptions of the reference scenario 11
 - 4.2.1 Transportation 11
 - 4.2.2 Building Program 12
 - 4.3 Specific assumptions of the DDP scenarios 13
 - 4.3.1 Transportation 13
 - 4.3.2 Carbon capture and storage 13

- 5 Numerical analysis** **14**
 - 5.1 The reference scenario 14
 - 5.2 The DDP scenario 16
 - 5.3 The DDP scenario without CCS 18
 - 5.4 The DDP scenario with a constraint on electricity consumption 21
 - 5.5 The DDP scenario with earlier decommissioning of nuclear power plants 24

- 6 Conclusion** **25**

- References** **27**

1 Introduction

As part of the Deep Decarbonization Pathways Project¹ (DDPP), the present report presents simulation results of deep decarbonization pathways for Switzerland. DDPP is an international collaborative initiative aiming at understanding and showing how individual countries might define a roadmap paving the way to reaching a low carbon economy and how the world can keep global mean temperature increase below 2°C. The project is led by the Sustainable Development Solutions Network and the Institute for Sustainable Development and International Relations. More precisely, the DDPP objective is to explore and analyze for each country possible transitions to a low-carbon economy, taking into consideration national socio-economic conditions, development aspirations, infrastructure stocks, resource endowments, and other relevant factors. An economic modeling part complements the analysis. Up to now, 15 countries (Australia, Brazil, Canada, China, France, Germany, India, Indonesia, Japan, Mexico, Russia, South Africa, South Korea, UK, and USA) are involved in this initiative.

The Swiss Federal administration and, in particular, the Federal Office for the Environment (OFEV) has decided to contribute to the project and therefore to develop a national Deep Decarbonization Pathway analysis to 2050 for Switzerland.

A report entitled “Background on Swiss climate policy and simulation of decarbonization strategies”, written by INFRAS (see [22]), reviews the official Swiss goals, options and strategies designed to contribute to the 2°C global target. The present work complements this report by providing a detailed economic modeling and evaluation of possible Swiss policies. This report presents the second round of simulations² that take into account remarks and comments from an ad-hoc group of experts and delegates of Swiss federal offices led by José Romero (OFEV). We would like to thank José Romero, Rolf Iten, Jürg Füssler, Almut Kirchner, Patrick Criqui, André Muller, Pierre-Alain Bruchez and the DDPP Swiss working group for their helpful comments and suggestions.

The report is structured as follows: Section 2 presents briefly the GEMINI-E3 model used to perform the economic simulations. Sections 3 and 4 detail the storylines and the assumptions, respectively, of possible Deep Decarbonization Pathway (DDP) scenarios. Section 5 provides results and analysis and, finally, the last section concludes.

2 The GEMINI-E3 Model

GEMINI-E3³[10] is a multi-country, multi-sector, recursive computable general equilibrium model comparable to the other CGE models (EPPA, OECD-Env-Linkage, etc) built and implemented by other modeling teams and institutions, and sharing the same long experience in the design of this class of economic models. The standard model is based on the assumption of total flexibility in all markets, both macroeconomic markets such

¹<http://unsdsn.org/what-we-do/deep-decarbonization-pathways/>

²The first round of simulation is presented in a report published in October 16, 2014.

³All information about the model can be found at <http://gemini-e3.epfl.ch/>, including its complete description.

as the capital and the exchange markets (with the associated prices being the real rate of interest and the real exchange rate, which are then endogenous), and microeconomic or sector markets (goods, factors of production).

In the last 20 years, GEMINI-E3 has been extensively used to assess future climate and energy strategies at global and regional levels, including:

- Assessment of the EU “Energy–Climate” Directive [13];
- Assessment of acceptable Swiss post-2012 climate policies [28];
- Study of possible fair negotiation outcomes at the forthcoming Conferences of the Parties of the UNFCCC [7];
- Estimation of the role of non-CO₂ gases in climate policy [12];
- Uncertainties analysis in climate policy assessment [6];
- Assessment of Russia’s role in the Kyoto protocol [11];
- Climate change effects of high oil prices [31].

The current version is built on the last Swiss input-output table 2008 [26] and the GTAP database 8 [9] for the other countries. The industrial classification used in this study comprises 11 sectors and is presented in Table 1. The model describes five energy goods and sectors: coal, oil, natural gas, petroleum products and electricity. Concerning the regions represented by the model we use an aggregated version of GEMINI-E3 that describes only 5 countries/regions: Switzerland, European Union, United States of America, BRIC (Brazil, Russia, India and China) and the rest of the World.

Table 1: Industrial and regional classifications

Sectors/goods	Countries/regions
01 Coal	CHE Switzerland
02 Crude oil	EUR European Union
03 Natural gas	USA United States of America
04 Petroleum products	BIC Brazil-Russia-India-China
05 Electricity	ROW Rest of the world
06 Agriculture	
07 Energy intensive industries*	
08 Other goods and services	
09 Land transport	
10 Sea transport	
11 Air transport	

*: It includes pulp, paper and paper products, chemical products, rubber and plastic products, basic metals, fabricated metal products, except machinery and equipment, other non-metallic mineral products, products of mining and quarrying.

2.1 Energy demand

Domestic energy demand is equal to the sum of energy consumed by firms as a production factor and of energy consumed by households as a final good. The production structure of the industrial sectors is shown in Figure 1.




Figure 1: Nested CES production structure

The representative consumer maximizes a nested CES utility function, described in Figure 2. Energy consumption is split in two parts, for transportation and housing purposes. In each nest, energy can be substituted by spending more on a capital good represented by cars in the first case and by shelters in the second one, i.e. by purchasing more energy-efficiency but also more expensive cars and housing units.

We have retained, concerning energy consumption (by households and firms), an autonomous energy efficient improvement (AEEI) [5] of 1.5%-2% per year for Switzerland.

2.2 Energy supply

As in Switzerland coal, natural gas and crude oil are mainly imported, we only present the modeling of electricity generation. In this version of GEMINI-E3, electricity production is represented by a nested CES function including - besides fossil fuels, nuclear and hydraulic plants - the new capacities installed in the renewable technologies. “Renewable” aggregates wind, solar, geothermal and other renewable. Power generation is separated from the other activities (transmission and distribution) that appear through their factors of production at the top of the nesting structure. Power generation involves




Figure 2: Nested CES consumption structure

only two factors of production, capital and fuel (only capital for renewables)⁴. With this nesting structure it is possible to better take into account the power generation portfolio and to represent inter-fuel substitutability as well as substitutability between fossil and renewable power generation [32].

3 Defining storylines

In this analysis, we have defined and analyzed two sets of scenarios:

- The first one, called “reference scenario”, assumes that Switzerland will achieve by 2020 a 20% reduction of CO₂ emissions relative to 1990 levels in 2020, using instruments that have already been defined (Building Program, regulation on CO₂ emission for cars, etc). After 2020, we suppose that no additional policy will be implemented but the existing instruments would remain applied with their 2020 levels;
- The other ones, called the “DDP scenarios”, all suppose that Switzerland will reach by 2050 a CO₂ emissions target of 1 ton of CO₂ per Swiss inhabitant but use alternative assumptions on the technologies available. That represents a 76% CO₂ emissions abatement relative to 1990 levels.

⁴Labor in the generation activity is low compared to labor in the other activities (transport, distribution) and of a similar relative size for all plants. It is thus represented as a common factor.

Following the Swiss CO₂ law these respective CO₂ targets concern CO₂ emissions from all sources, except international aviation. For the purpose of simplification, we assume in these scenarios that no climate policies are implemented in the rest of the world.

Up to 2020, the two scenarios make the same set of assumptions that are mainly drawn from the Swiss climate policy presented in “Switzerland’s Sixth National Communication and First Biennial Report under the UNFCCC” [29]. More precisely, we assume that the following measures and instruments are implemented up to 2020 in both scenarios:

1. The path for nuclear phase-out is applied;
2. The Building Program is extended up to 2020;
3. Car regulation on CO₂ emissions standard is implemented up to 2020;
4. Electric cars significantly penetrate the passenger cars market as well as the other road transport vehicles;
5. No Carbon Capture and Storage (CCS) technology is available;
6. A Swiss emission trading scheme for energy intensive industries is implemented. The cap is lowered every year by the same amount (1.74% of the cap set in 2010). GEMINI-E3’s sectors that participate in the ETS are the energy intensive industries and the electricity generation sector⁵;
7. The present CO₂ levy is increased following the official rule, i.e. when the abatement is not sufficient to reach the CO₂ target in 2020;
8. After 2012, the *climate cent* on fuels for transport is replaced by a new instrument. From 2014, the revised CO₂ Act obliges oil importers to offset directly a part of the CO₂ emissions from transport fuel use. The offset will be financed by a levy that shall not exceed CHF 0.05 per liter of fuel. The share of transport emissions to be offset may vary from 5% to a maximum of 40%. The Federal Council determined the shares as 2% in 2014-2015, 5% in 2016-2017, 8% in 2018- 2019, and 10% in 2020.

After 2020 the two sets of scenarios diverge. The reference scenario does not integrate new targets on CO₂ emissions and does not assume new regulation on energy efficiency; it freezes the carbon prices to their 2020 levels. It should be noted that the last energy projection done by European Union [2] follows the same philosophy for the years after 2020. Therefore we use the following assumptions in the reference scenario:

1. The carbon prices (ETS price, CO₂ tax) and levy charged on fuels for transport remain constant and equal to their 2020 levels;

⁵Currently, electricity generation is not part of the Swiss ETS. Only CO₂ emissions from own generation in industrial plants are integrated. We assume that if electricity generation with natural gas will be deployed in Switzerland, this will imply the integration of these CO₂ emissions in the Swiss ETS as it is done currently in the EU ETS.

2. The Building Program remains constant at its 2020 levels;
3. The CO₂ emissions standard for new cars remains constant at its 2020 levels.

The DDP scenarios assume a much more stringent climate policy that will be achieved mainly by the implementation of a uniform carbon tax. However as the scenario is based on significant shifts in climate policy we believe that new technological options need to be considered. The DDP scenario will assume the following:

1. CCS option becomes available in 2025;
2. The Building Program is terminated in 2020;
3. Car regulation on CO₂ emissions standard is extended after 2020;
4. The CO₂ prices (ETS price, carbon tax) and the levy charged on fuels for transport are replaced by a uniform carbon tax applied to fossil energy consumption in order to reach the CO₂ target by 2050.

Figure 3 gives the emissions profile of the DDP scenarios as well as past emissions and the emissions of the reference scenario that are presented in section 5.




Figure 3: Swiss CO₂ emissions in the two scenarios (Reference and DDP) in Mt CO₂ (excluding emissions from international emissions)

The next section detail all these assumptions. Subsection 4.1 presents the common assumptions to both scenarios while Subsections 4.2 and 4.3 give scenario specific ones.

4 Scenarios assumptions

4.1 Common assumptions

To simulate the evolution of the economy until 2050, GEMINI-E3 uses forecasts of population growth, GDP and energy prices, as well as, assumptions on electricity generation as detailed below.

4.1.1 Demography

We use the evolution of the Swiss population as defined by the A-17-2010 scenario from the Federal Office of Statistic (OFS) [16]. This scenario is based on the median scenario called A-00-2010 until 2030. After that date, the scenario assumes a net immigration of population equal to 40 000 persons per year until 2060. Table 2 gives the evolution of the Swiss population. In 2050, 9.8 million inhabitants will live in Switzerland.

Table 2: Swiss Population in thousands

	2010	2030	2040	2050	2060
Swiss Population	7'864	9'225	9'568	9'820	9'999

For the rest of the world, assumptions on population are based on the last forecast made by United Nations [30]. We use the “median-fertility variant”. In 2050, the World population will reach 9.27 billions of inhabitants.

4.1.2 GDP growth

For Switzerland, we compute the GDP growth rate by multiplying the labour force (given by the demographic scenario done by OFS) with labour productivity. This yields the potential GDP. We suppose that the labour productivity increases by 0.5% per year in Switzerland over the whole period.

For the rest of the World, we apply a similar methodology. We use the GDP growth rates computed in the last World Energy Outlook (WEO) [23] of the International Energy Agency (IEA) up to 2035. After 2035 we multiply the labour force by labor productivity based on what is retained by the IEA for the period 2011-2035. Table 3 shows the GDP growth used in the reference scenario.

Table 3: Annual GDP growth rate in percentage

	2010-2020	2020-2030	2030-2040	2040-2050	2050-2060
CHE	1.3%	0.7%	0.8%	0.7%	0.6%
EUR	1.3%	1.8%	1.7%	1.4%	1.2%
USA	2.8%	2.2%	2.1%	2.0%	1.8%
BIC	7.6%	4.5%	4.3%	3.7%	3.3%
ROW	5.4%	4.5%	4.4%	4.4%	4.3%
World	4.0%	3.4%	3.4%	3.4%	3.3%

4.1.3 World energy prices

Assumptions concerning energy prices are drawn from the WEO of the IEA [23]. The scenarios presented in this report assume, for the sake of simplification, that only Switzerland implements a climate policy, therefore we retain the scenario called “current policies scenario” of the IEA. In a next round of scenarios we will assume the implementation of

a climate policy at worldwide level. The predictions of the IEA stop in 2035. After that, we assume that energy prices will continue to grow and converge to a growth rate of 0.7% per year at the end of the simulation (i.e. 2050). Table 4 shows the energy prices used in the reference scenario. The oil price and the price of imported gas in Europe are assumed to reach 162\$ and 5.1\$/Mbtu in 2050, respectively.

Table 4: Fossil fuel import prices (dollar per unit) - WEO 2013 - Current policies scenario

	2012	2020	2030	2040	2050
Real terms (2012 prices)					
IEA crude oil imports (barrel)	109.0	120.0	136.0	150.9	161.8
Natural gas EU imports (MBtu)	11.7	12.4	13.4	14.6	15.1

4.1.4 Electricity generation

4.1.4.1 Nuclear moratorium In May 2011, the Federal government decided, after the devastating earthquake in Japan and the disaster at Fukushima, to gradually decommission all nuclear power plants. The strategy is to decommission five nuclear power plants when they reach the end of their service life and not to replace them with new ones. However, the Swiss government does not fix the end of their lifetime. The operator of the Mühleberg power plant already decided to cease all electrical generation in 2019. For the 4 remaining power plants we decided to use a maximum lifetime of 60 years, although their actual lifetime may be shorter. Table 5 shows the operating lives of the 5 existing nuclear power plants that have been introduced in GEMINI-E3. Table 6 shows the renewable potential that we use in this study.

4.1.4.2 Renewable potential Table 6 shows the renewable potential that we use in this study. The main source is a publication of the BFE [20] adapted by INFRAS based on [8] (on solar P.V. and biomass & biogas). The electricity generation prices for new renewable capacities are given in Table 7. The expected decline in generation costs guarantees that the potentials are used.

4.1.4.3 Electricity generation cost The electricity generation prices for new renewable capacities are given in Table 7.

Table 5: Operating life of Swiss nuclear power plants

Nuclear power plant	Operating life
Beznau I (365 Mwe)	1969-2029
Beznau II (365 Mwe)	1971-2031
Mühleberg (373 Mwe)	1972-2019
Gösgen (985 Mwe)	1979-2039
Leibstadt (1190 Mwe)	1984-2044

Table 6: 2050 potential of new renewables in GWh - Source: [20]

Solar P.V.	14000
Wind	4012
Geothermal	4378
Biomass and Biogas	4000
Other	2163
New Hydro	3160
Sum	26714

Table 7: Electricity generation cost in Swiss cents per kWh - Source: [27]

	2010	2020	2030	2040	2050
Hydro	8.9	10.8	11.5	10.9	11.1
Solar P.V.	31.7	16.4	13.0	11.1	9.9
Wind	24.1	20.1	15.7	13.9	12.0
Geothermal	12.3	10.5	9.8	9.2	8.6

4.2 Specific assumptions of the reference scenario

4.2.1 Transportation

4.2.1.1 Road transportation We assume that the CO₂ emissions standards for new vehicles will be 130 grams of CO₂ per kilometer in 2015 and 95 grams in 2020. The regulation remains constant afterwards. Figure 4 shows the evolution of the emissions standards for passenger cars in the reference and the DDPP scenarios.




Figure 4: CO₂ emissions standards in grams of CO₂ per km for new passenger cars in Switzerland (historical values, Source: [4])

For other vehicles (i.e. light commercial vehicles, buses, trucks) we assume a same rate improvement in CO₂ emissions. We suppose that electric cars will penetrate the market of passenger cars in the forthcoming decades and that the share of passengers cars using electricity will be equal in 2020 to 5% and in 2050 to 40%. For other vehicles the share would be equal to 30% in 2050.

4.2.2 Building Program

The Federal Building Program initiated⁶ in 2010 by the Confederation and the cantons aims at reducing significantly the energy consumption and the CO₂ emissions of Swiss buildings. The objective is relevant and reasonable as in Switzerland around 40% of the energy consumption and CO₂ emissions are generated by the building sector and about 1.5 million of houses and buildings require urgent energy retrofit. The program is divided into two streams in the period 2010-2019. The first one (Part A) includes federal subsidies for mainly thermal insulation works while the second stream (Part B) includes cantonal subsidies for the implementation of renewable energy, heat recovery and the improvement of the technical installations of the building. In the reference scenario we assume that the Building Program remains constant after 2020, i.e. that 200 millions of CHF will be spent every year. In the following, we estimate the direct contribution of Part A on CO₂ savings up to 2050 based on 2011-2013 statistics (yearly subsidies, CO₂ savings, etc) available at <http://www.dasgebaeudeprogramm.ch/index.php/fr/le-programme-batiments/en-bref> and summarized in Table 8. Note that the column "Total expected CO₂ savings" gives the CO₂ savings over all the effective duration of the measures (about 37 years).

Table 8: Statistics of the Building Program (Part A) on 2011-2013.

	Subsidies (MCHF)	Total expected CO ₂ savings(Mt of CO ₂)	Efficiency ratio (Mt of CO ₂ / MCHF)
2011	136	1.57	0.0115
2012	174	2.10	0.0121
2013	131	1.73	0.0132

To estimate the global impact of the Building Program from 2011 until 2050, we made the following assumptions:

- The budget for federal subsidies will attain 200 MCHF per year between 2014 and 2050.
- The efficiency ratio (ie, CO₂ savings per MCHF) of the implemented measures will decrease by 50% between 2014 and 2050.

In Table 9, we report our forecasts on CO₂ savings. The column "Cumulative effective CO₂ savings" indicates the CO₂ savings in the corresponding year obtained by current and past retrofit subsidized by the Building Program. In 2050, these amount to 46.71 millions tons.

The analysis leads to 46.71 Mt of CO₂ savings for the full program duration (2011-2050).

⁶See <http://www.dasgebaeudeprogramm.ch/index.php/fr/le-programme-batiments/en-bref>

Table 9: Forecasted CO₂ savings resulting from the Building Program.

	Subsidies (MCHF)	Total expected CO ₂ savings (Mt of CO ₂)	Efficiency ratio (Mt of CO ₂ / MCHF)	Cumulative effective CO ₂ savings (Mt of CO ₂)
2015	200	2.57	0.0128	0.83
2020	200	2.38	0.0119	3.30
2025	200	2.19	0.0110	7.35
2030	200	2.00	0.0100	12.85
2035	200	1.81	0.0091	19.68
2040	200	1.63	0.0081	27.72
2045	200	1.44	0.0072	36.82
2050	200	1.25	0.0063	46.71

4.3 Specific assumptions of the DDP scenarios

4.3.1 Transportation


4.3.1.1 Road transportation We assume that the regulation regarding the CO₂ emissions of new vehicles is reinforced after 2020. The new emissions standard is equal to 35 grams per kilometer in 2050 (see Figure 4) which is in line with the assumption used in the “Neue Energiepolitik” (NEP) scenario of the Energieperspektiven [27]. The same assumption is retained for other vehicles in relative terms.

4.3.2 Carbon capture and storage

The CO₂ storage capacity is significant in Switzerland. A report of the Institute of Geological Science [17] evaluates the geological potential for this option within Switzerland, based on a literature review, at 2680 millions tonnes of CO₂. Figure 5 maps this potential.

While CCS is expected to play an important role in climate policies, its deployment is subject to technical, social and legislative uncertainties. Several studies have analyzed the role of CCS for the European energy transition under different assumptions concerning these uncertainties. The “EU Reference scenario 2013” elaborated with the PRIMES model and published by the European Commission [2] determines the development of the EU energy system under current trends and adopted policies until spring 2012 and those that are or will be implemented over the next years. The scenario assumes the implementation of an ETS with a price of 100 € per ton of CO₂ in 2050. CCS develops mainly after 2030 reaching 7% of electricity generation by 2050 and representing a thermal capacity of 38 GWe. Another study performed with the POLES model [19] gives a similar capacity for CCS deployment (i.e. 34 GWe) but for the year 2030 within a scenario that assumes a faster commercial availability of CCS in the power sector. In the Roadmap dedicated to CCS [3], IEA finds a more optimistic deployment where the European CCS capacity reaches 68 GWe in 2050.

IEA in [21] evaluates the cost of CO₂ capture on average at 80 \$ per ton of CO₂ for natural gas-fired power plants. The costs per ton of transported CO₂ vary from 2 \$ to 6 \$ for 2 Mt transported over 100 km according to another publication from IEA [1]. The same



Map of Switzerland showing the potential for CO₂ sequestration within deep saline aquifers, estimated from data in the literature. The areas of high potentials (green) do not guarantee the feasibility of CO₂ sequestration. Rather, they serve as guides to areas that warrant more detailed investigation. The portions of the four major aquifers with potentials above 0.6 are estimated to have a theoretical (unproven) storage capacity of approximately 2680 millions of tonnes (Mt) of CO₂.

Figure 5: Swiss CO₂ sequestration potential (Source: [17])

publication estimates the cost of CO₂ storage in deep saline aquifers for Europe from 1.90 \$ per ton of CO₂ to 6.20 \$.

In this analysis we suppose that CCS will begin to be implemented in Switzerland in 2025 at a cost of 100 \$ per ton of CO₂.

However, the current study builds on the cited literature on CCS and does not further analyse the technical, economic, legal or political feasibility of larger scale CCS activities in Switzerland. Different DDP scenarios with and without CCS will be modelled.

5 Numerical analysis

5.1 The reference scenario

Table 10 gives the CO₂ prices and the levy charged on fuels used for transportation. In 2020, one notices that the levy is very low, i.e. around 2 Swiss cents per liter. CO₂ emissions from the road transportation sector are thus not affected by the levy and all CO₂ abatement is provided by other sectors. Based on GEMINI-E3 run, the 60 CHF tax level defined for the year 2014 is sufficient to reach the 20% abatement target by 2020. In that context the ETS price reaches 40 CHF in 2020, which is mainly driven by the deployment of gas turbines in electricity generation with 4 TWh of electricity generated in 2020. After 2020, prices remain constant following the rules presented in Section 3.

Table 10: CO₂ prices and other levy in CHF₂₀₁₃ - Reference scenario

	2020	2030	2040	2050
CO ₂ tax	60	60	60	60
CO ₂ ETS price	40	40	40	40
Levy on fuel transport	0.02	0.02	0.02	0.02

Figure 6 displays CO₂ emissions by sectors. In 2050, the Swiss CO₂ emissions (including international aviation) are about 29.2 Mt of CO₂, that is 22.5% lower than 2020 levels. Without considering emissions from international aviation, this represents 2.5 tons of CO₂ per capita. We observe that all sectors contribute to the decline of CO₂ emissions except ETS sectors for which emissions increase by 14% between 2007 and 2050 following the deployment of electricity from natural gas. Over the same period, the CO₂ emissions decrease by 31% in the road transportation sector due to the electrification of vehicles while emissions from the residential sector decrease by 56% due to the cumulative effects of the buildings retrofit program and to the penetration of heat pumps using electricity.




Figure 6: Swiss CO₂ emissions in Mt CO₂ - Reference scenario (1990: Swiss Greenhouse Gas Inventories)

The electricity generation mix is presented in Figure 7. We observe that nuclear production is gradually substituted by natural gas and renewable productions. Swiss electricity generation reaches 78 TWh in 2050. Electricity consumption increases by 0.3% per year over the period of simulation. This increase is mainly driven by the deployment of electric cars and the substitution of fossil energy by electricity in heating systems (e.g. heat pumps).




Figure 7: Swiss electricity generation in TWh - Reference scenario (2007: IEA Statistics)

5.2 The DDP scenario

We now suppose that after 2020 a uniform CO₂ price is implemented in Switzerland and gradually increased to reach the objective of 1 ton of CO₂ per capita in 2050. To achieve this goal, carbon emissions must be taxed at 1556 CHF per ton of CO₂ in 2050. As can be seen in Table 14, in the last decade, the CO₂ price is multiplied by a factor two showing the stringency of the target in 2050. A similar result is found with models used to analyse the European strategy in the EMF28 exercise [24]. The welfare cost in percentage of household consumption is shown in Figure 23, it is equivalent to a decrease by 1.7% of household consumption in 2050.

Table 11: CO₂ prices and other levy in CHF₂₀₁₃ - DDP scenario

	2020	2030	2040	2050
CO ₂ tax	60			
CO ₂ ETS price	40			
Levy on fuel transport	0.02			
Uniform CO ₂ tax		257	654	1556

Figures 9 and 10 show the associated CO₂ emissions by sectors. They decrease linearly from 2007 to 2050, and the 2020 committed target appears to be consistent with the DDP target. All sectors contribute to the abatement except international aviation, which is not taxed in the DDP scenario.

By assumption all emissions from natural gas power plants are sequestered after 2025. Over the whole period (2025-2050) this represents 77 Mt of CO₂ and 3% of the Swiss sequestration capacity. The decarbonization of the Swiss economy is thus partly realized through the use of more electricity (see Figures 11 and 12) combined with CCS allowing to produce electricity with natural gas free of CO₂, and through the use of new renewables whose potential is fully used in 2050. In 2050, 90 TWh of electricity are produced, which represents a 15% increase with respect to the reference scenario. Electricity generation from natural gas is equal to 21 TWh.




Figure 8: Annual welfare cost in % of household consumption compared to reference scenario - DDP scenario




Figure 9: Swiss CO₂ emissions in Mt CO₂ - DDP scenario (1990: Swiss Greenhouse Gas Inventories)




Figure 10: Swiss CO₂ emissions in Mt CO₂ in 2050 (excluding international aviation) - DDPP scenario




Figure 11: Swiss electricity generation in TWh - DDP scenario (2007: IEA Statistics)

Figure 12 displays the electricity consumption in its main uses. We remark that electric mobility consumption (excluding railways) represents 15 TWh in 2050.




Figure 12: Swiss electricity consumption in TWh - DDP scenario

5.3 The DDP scenario without CCS

We observed in the previous DDP scenario that CCS represents an important contribution to CO₂ abatement. However CCS is surrounded by several uncertainties related mainly to technological issues. The social acceptability of this technology is also highly uncertain, especially in Switzerland where geological conditions are most favorable in regions close to population centers. Therefore, we have simulated a scenario in which we supposed that CCS would no be implemented in electricity generation. In this case, CO₂ emissions from gas power plant are taxed like other carbon emissions.

Because in 2050 all Swiss renewable potentials are used for electricity generation, the remaining part of electricity generation can only be produced from natural gas power plants. This induces carbon emissions, so that a significantly higher CO₂ tax is needed

to achieve the target of 1 ton of CO₂ per capita in 2050. In Table 12 one can see that the carbon price jumps to 2650 CHF in 2050 and the welfare loss reaches 1.9% of households consumption (see Figure 13).

Table 12: CO₂ prices and other levy in CHF₂₀₁₃ - DDP scenario without CCS

	2020	2030	2040	2050
CO ₂ tax	60			
CO ₂ ETS price	40			
Levy on fuel transport	0.02			
Uniform CO ₂ tax		324	1040	2652




Figure 13: Annual welfare cost in % of household consumption compared to reference scenario - DDP scenario without CCS

The carbon taxation of power plants using natural gas increases the electricity price, limiting the substitution of fossil fuels by electricity. As shown in Figure 15, electricity generation reaches 78 TWh, 12 TWh below the scenario with CCS. Regarding CO₂ emissions, the share of these emissions coming from ETS sectors (that includes those from electricity generation) increases, which of course requires more abatement from the other sectors (see Figures 15 and 16).

Figure 16 gives for the year 2050 the CO₂ emissions levels by sectors. Emissions coming from electricity generation are equal to 2.4 Mt CO₂ which represents 25% of Swiss emissions (excluding international aviation) .




Figure 14: Swiss electricity generation in TWh - DDP scenario without CCS (2007: IEA Statistics)




Figure 15: Swiss CO₂ emissions in Mt CO₂ - DDP scenario without CCS (1990: Swiss Greenhouse Gas Inventories)




Figure 16: Swiss CO₂ emissions in Mt CO₂ in 2050 (excluding international aviation) - DDP scenario without CCS

5.4 The DDP scenario with a constraint on electricity consumption

One of the main conclusions of the DDP scenario analysis is that decarbonization of the Swiss economy comes with an increase in electricity generation partly produced from natural gas. This result is not without rising several issues. First this option is cost effective only with CCS implementation, which is at the same time highly uncertain. Secondly, the significant induced imports of natural gas stand in contradiction with the Swiss energy strategy that promotes energy security goals.

In order to avoid this undesirable effect of natural gas imports, we consider a new scenario with a constraint on long-term electricity consumption. Indeed we rely on the planned amendment of the Swiss Energy Act that defines a target for electricity consumption per capita that has to decrease by 3% in 2020 and by 13% in 2035 with respect to 2000 levels. We extend this target to a 18% reduction in 2050. Therefore, in 2050 electricity consumption would be equal to 63 TWh. The scenario assumes that this target is implemented through additional indirect taxation of electricity consumption for all uses (intermediate and final).

As can be seen in Figure 17, Swiss electricity consumption would remain flat during the simulation period, and electricity is generated by hydro and other renewables without any natural gas contribution.




Figure 17: Swiss electricity generation in TWh - DDP scenario with a constraint on electricity consumption (2007: IEA Statistics)

Results are reported in Table 13. The required carbon price increases by 26% in 2050 with respect to the DDP scenario without constraint and reaches 1963 CHF per ton of CO₂. The ceiling on electricity consumption leads to a large increase of electricity taxation with an indirect tax rate equal to 88% in 2050. Combining a carbon tax and a tax on electricity consumption slightly decreases the welfare cost with respect to the DDP scenario to 1.5% in 2050 (see Figure 19). This can be partly explained, by a consumption reduction of natural gas which is totally imported in Switzerland. With the constraint of balanced trade assumed, this creates a trade revenue surplus, i.e. less exports are required to equalize the import costs and the consumption level could increase. A similar result is




Figure 18: Swiss electricity consumption in TWh - DDP scenario with a constraint on electricity consumption

found with the GENESwIS model [25].

Table 13: CO₂ prices and other levy in CHF₂₀₁₃ - DDP scenario with a constraint on electricity consumption

	2020	2030	2040	2050
CO ₂ tax	60			
CO ₂ ETS price	40			
Levy on fuel transport	0.02			
Uniform CO ₂ tax		299	787	1963
Electricity tax		18%	41%	88%

Figures 19 and 20 give the CO₂ emissions related to this scenario.




Figure 19: Annual welfare cost in % of household consumption compared to reference scenario - DDP scenario with a constraint on electricity consumption




Figure 20: Swiss CO₂ emissions in Mt CO₂ - DDP scenario with a constraint on electricity consumption (1990: Swiss Greenhouse Gas Inventories)




Figure 21: Swiss CO₂ emissions in Mt CO₂ in 2050 (excluding international aviation) - DDDP scenario with a constraint on electricity consumption

5.5 The DDP scenario with earlier decommissioning of nuclear power plants

In the previous scenarios, we assumed a 60 years lifetime for nuclear power plants, an assumption that could be considered as uncertain. In order to analyze the sensitivity of earlier decommissioning on DPP trajectories, we simulate here a scenario that assumes a lifetime of 50 years instead of 60 years for Swiss nuclear power plants, except for the Mühleberg power plant for which the decommissioning date is already fixed by its owner. Note that this required to run a new reference case where the lifetime of nuclear power plant is also fixed to 50 years. An earlier decommissioning of nuclear power plants would impact only the transition period towards a nuclear free electricity generation system, i.e. 2019-2040 (a complete denuclearization of electricity generation is achieved in 2034). During this transition period, we observe that gas power plants increase their contribution to electricity generation inducing higher electricity prices and thus higher CO₂ prices with respect to the DDP scenario with a 60 years lifetime assumption. Globally the welfare cost is also higher, but by 2050, carbon price and welfare cost converge to the ones computed with a 60 years lifetime.

Table 14: CO₂ prices and other levy in CHF₂₀₁₃ - DDP scenario with earlier decommissioning of nuclear power plants

	2020	2030	2040	2050
CO2 tax	60			
ETS price	124			
Levy on fuel transport	0.02			
Uniform CO2 tax		267	663	1559




Figure 22: Swiss electricity generation in TWh - DDP scenario with earlier decommissioning of nuclear power plants (2007: IEA Statistics)




Figure 23: Annual welfare cost in % of household consumption compared to reference scenario - DDP scenario with earlier decommissioning of nuclear power plants

6 Conclusion

This analysis aimed at simulating scenarios of a decarbonization pathway for Switzerland. To do this analysis we used the GEMINI-E3 model adapted to account for the existing Swiss policies.

These simulations provide several insights. First, the objective of 1 ton of CO₂ per capita in the next 35 years appears to be quite challenging, especially with the nuclear phase-out decision by 2044. Nevertheless, it is possible to design a feasible pathway. Assuming CCS deployment, it results in a cumulative welfare loss⁷ of 1% of household consumption. In 2050 the welfare loss represents 1.7% of household consumption, which is much lower than the estimates of the FP7 AMPERE project [18] that range from 2% to 9.5% GDP reduction for the European Union. At the end of the period, the CO₂ tax is equal to 1556 CHF. This price is high in comparison with those found in the EMF28 exercise [24] for European countries where the median value is 521 €/tCO₂ with a range of [240 - 1127 €/tCO₂] by 2050.

But it is consistent with previous analyses on Switzerland [15, 14]. Böhringer and Müller [14] using the CGE SWISSGEM-E studied the Swiss energy strategy until 2050. They concluded that compliance with stringent CO₂ constraints requires high CO₂ taxes on economic activities. For a 63% CO₂ emissions abatement and a 23% reduction of electricity consumption with respect to their BAU scenario in 2050, they found a carbon tax equal to 1150 CHF/t CO₂ and that the consumer price of electricity must be taxed by around 42%. The aggregate welfare impacts (in % HEV from BAU Income) is estimated to 1% in 2050.

The main reason of this high carbon tax is that Switzerland lacks the classical sectors where CO₂ can be mitigated at moderate cost (e.g. coal fired electricity generation, heavy industry). In that context the decarbonization of the Swiss economy is achieved through energy efficiency improvements but also through the substitution of fossil energy

⁷without discounting.

by carbon-free electricity. However, as the Swiss renewable potential is not sufficient to satisfy electricity demand in absence of stringent demand side measures for electricity, the model shows the deployment of CCS technology associated with combined cycle gas turbines. This penetration of CCS technologies is consistent with other EU studies [18, 24], in which CCS is combined with a growing share of European electricity supply.

Assuming that CCS will not be implemented in Switzerland raises the cost of the DDP scenario, but this increase is limited by gains coming from reduced imports of natural gas for power generation. The welfare cost reaches 1.9% in 2050.

Finally we simulate a scenario that combines targets on carbon emissions and on electricity consumption. In this case Swiss electricity generation remains free of carbon and based on hydro and other renewables. Combining a carbon tax and a tax on electricity consumption slightly decreases the welfare cost with respect to the DDP scenario to 1.5% in 2050. And would result in a less energy intensive economy that does not rely on imports of natural gas.

References

- [1] *CO₂ capture and storage A key carbon abatement option*. International Energy Agency, 2008. 13
- [2] *EU Energy, Transport and GHG Emissions, Trends to 2050, Reference Scenario 2013*. European Commission, 2013. 7, 13
- [3] International Energy Agency. *Technology Roadmap Carbon Capture and Storage*. 2013. 13
- [4] Auto-Suisse. Rapport annuel sur la réduction de la consommation normalisée de carburant des voitures de tourisme dans le cadre de l’Ordonnance sur l’énergie. Technical report, 2012. 11
- [5] Christian Azar and Hadi Dowlatabadi. A review of technical change in assessment of climate policy. *Annual Review of Energy and the Environment*, 24(1):513–544, 1999. 5
- [6] Frédéric Babonneau, Alain Haurie, Richard Loulou, and Marc Vielle. Combining stochastic optimization and monte carlo simulation to deal with uncertainties in climate policy assessment. *Environmental Modeling & Assessment*, 17(1-2):51–76, 2012. ISSN 1420-2026. 4
- [7] Frédéric Babonneau, Alain Haurie, and Marc Vielle. A robust meta-game for climate negotiations. *Computational Management Science*, 10(4):299–329, 2013. ISSN 1619-697X. 4
- [8] Rainer Bacher, Armin Binz, Hanspeter Eicher, Rolf Iten, and Mario Keller. *EnergieRespekt: Der Schlüssel für eine nachhaltige Energieversorgung*. FAKTOR Verlag AG, 2013. 10
- [9] Badri Narayanan, Angel Aguiar, and Robert McDougall, editors. *Global Trade, Assistance, and Production: The GTAP 8 Data Base*. Center for Global Trade Analysis, Purdue University, 2012. 4
- [10] A. Bernard and M. Vielle. GEMINI-E3, a General Equilibrium Model of International National Interactions between Economy, Energy and the Environment. *Computational Management Science*, 5(3):173–206, May 2008. 3
- [11] A. Bernard, S. Paltsev, J.M. Reilly, M. Vielle, and L. Viguier. Russia’s Role in the Kyoto Protocol. Report 98, MIT Joint Program on the Science and Policy of Global Change, Cambridge MA, June 2003. 4
- [12] A. Bernard, M. Vielle, and L. Viguier. Burden Sharing Within a Multi-Gas Strategy. *Energy Journal*, Multigas Mitigation and Climate Policy, Special Issue #3:289–304, 2006. 4
- [13] Alain Bernard and Marc Vielle. Assessment of european union transition scenarios with a special focus on the issue of carbon leakage. *Energy Economics*, 31, Supplement 2(0):S274 – S284, 2009. ISSN 0140-9883. 4

- [14] Christoph Böhringer and André Müller. Environmental Tax Reforms in Switzerland A Computable General Equilibrium Impact Analysis. *Swiss Journal of Economics and Statistics*, 150(1):1–21, 2014. [25](#)
- [15] Lucas Bretschger and Roger Ramer. *Objectifs Climatiques et Réduction des Emissions. Une Analyse et Vision pour la Politique Climatique de la Suisse*, chapter Coûts et avantages d’un objectif climatique ambitieux, pages 53–61. 2012. [25](#)
- [16] Office Fédérale de la Statistique. Les scénarios de l’évolution de la population de la Suisse 2010-2060. Technical report, 2010. [9](#)
- [17] Larry W. Diamond, Werner Leu, and Gabriel Chevalier. Potential for geological sequestration of CO₂ in Switzerland. Technical report, Bundesamt für Energie BFE, 2010. [13](#), [14](#)
- [18] E3MLab and ICCS. Ampere Assessment of Climate Change Mitigation Pathways and Evaluation of the Robustness of Mitigation Cost Estimates. Technical report, 2013. [25](#), [26](#)
- [19] Enerdata. Cost and benefits to EU Member States of 2030 Climate and Energy targets. Technical report, 2014. [13](#)
- [20] Conseil fédéral. Potentiel des énergies renouvelables dans la production d’électricité. Technical report, Office fédéral de l’énergie OFEN, 2012. [10](#), [11](#)
- [21] Matthias Finkenrath. Cost and performance of carbon dioxide capture from power generation. Technical report, International Energy Agency, 2011. [13](#)
- [22] Jürg Füssler, Damaris Bertschmann, Mario Betschart, and Rolf Iten. Pathways to deep decarbonisation, An overview of Swiss climate policy and existing simulations of decarbonisation strategies. Technical report, INFRAS, 2015. [3](#)
- [23] International Energy Agency. *World Energy Outlook 2013*. 2013. [9](#)
- [24] Weyant J., Knopf B., de Cian E., Keppo I., and van Vuuren D. Introduction to the EMF28 Study on scenarios for transforming the European energy system. *Climate Change Economics*, 4, 2013. [16](#), [25](#), [26](#)
- [25] Sophie Maire, Rajesh Pattupara, Kannan Ramachandran, Marc Vielle, and Frank Vöhringer. Electricity markets and trade in Switzerland and its neighbouring countries (ELECTRA). Technical report, Econability, PSI, EPFL, 2015. [22](#)
- [26] C. Nathani, D. Sutter, R. van Nieuwkoop, M. Peter, S. Kraner, M. Holzhey, H. R. tter, and R. Zandonella. Energy related disaggregation of the Swiss Input-Output Table. Technical report, SFOE, EWG Publication, Bern, 2011. [4](#)
- [27] Prognos. Die Energieperspektiven für die Schweiz bis 2050 - Energienachfrage und Elektrizitätsangebot in der Schweiz 2000-2050. Technical report, Study commissioned by the Swiss Federal Office of Energy, Basel, 2012. [11](#), [13](#)

- [28] André Sceia, Juan-Carlos Altamirano-Cabrera, Marc Vielle, and Nicolas Weidmann. Assessment of acceptable swiss post-2012 climate policies. *Swiss Journal of Economics and Statistics (SJES)*, 148(II):347–380, 2012. [4](#)
- [29] Swiss Confederation. *Switzerland's Sixth National Communication and First Biennial Report under the UNFCCC*. 2013. [7](#)
- [30] Department of Economic United Nations and Population Division Social Affairs. World Population Prospects: The 2010 Revision. Technical report, 2011. [9](#)
- [31] M. Vielle and L. Viguier. On the Climate Change Effects of High Oil Prices. *Energy Policy*, 35(2):844–849, February 2007. [4](#)
- [32] Ian Sue Wing. The synthesis of bottom-up and top-down approaches to climate policy: Electric power technologies and the cost of limiting US CO₂ emissions. *Energy Policy*, 34:3847–3869, 2006. [6](#)