




# //// active interfaces

## Project 02 - Design

BIPV scenarios for facade retrofitting: challenges in architectural design based on self-consumption approach


Sergi Aguacil | LAST (EPFL)

1<sup>st</sup> PhD Seminar | ACTIVE INTERFACES | Lausanne | 11.04.2016



ACTIVE INTERFACES

### Research | Main phases of the methodology



1<sup>st</sup> PhD Seminar | 11.04.2016

### Phase 01 | Definition of Arch

### (Residential buildings)

	before 1919	19-1945	1946-1970	1971-1985	1986-2005
<b>A - Construction period</b>	before 1919	19-1945	1946-1970	1971-1985	1986-2005
<b>B - Urban context</b>	Isol / Adj. building	3d building	Isolated building	Isolated building	Isolated building
<b>C - Roof potential</b>	Sloped roof	3d roof	Sloped / Flat roof	Flat roof	Flat roof
<b>D - Façade potential</b>	1-4 floors	floors	1-4 floors	>7 floors	5-7 floors
<b>E - Architectural quality Level of protection</b>	Common	Common	Common	Common / Unattractive	Common / Unattractive
				/	/
	<b>Arch. 1</b>	<b>ch. 2</b>	<b>Arch. 3</b>	<b>Arch. 4</b>	<b>Arch. 5</b>

ACTIVE INTERFACES

View metadata, citation and similar papers at CORE.ac.UK

1<sup>st</sup> PhD Seminar | 11.04.2016

ACTIVE INTERFACES

### Phase 02 | Case Study Sele

### Archetype 4

	before 1919	19-1945	1946-1970	1971-1985	1986-2005
<b>A - Construction period</b>	before 1919	19-1945	1946-1970	1971-1985	1986-2005
<b>B - Urban context</b>	Isol / Adj. building	3d building	Isolated building	Isolated building	Isolated building
<b>C - Roof potential</b>	Sloped roof	3d roof	Sloped / Flat roof	Flat roof	Flat roof
<b>D - Façade potential</b>	1-4 floors	floors	1-4 floors	>7 floors	5-7 floors
<b>E - Architectural quality Level of protection</b>	Common	Common	Common	Common / Unattractive	Common / Unattractive
				/	/
	<b>Arch. 1</b>	<b>ch. 2</b>	<b>Arch. 3</b>	<b>Arch. 4</b>	<b>Arch. 5</b>


First case study

provided by Inoscience - Ecole polytechnique fédérale de Lausanne

brought to you by CORE

1<sup>st</sup> PhD Seminar | 11.04.2016


## Phase 02 | Case Study Selection | Archetype 4



First case study : Rue Troncs 12 (Residential archetype 4, Period of construction: 1972-1973)


1<sup>st</sup> PhD Seminar | 11.04.2016

## Phase 03 | Design scenarios | E0 – Current status



1<sup>st</sup> PhD Seminar | 11.04.2016

## Phase 03 | Design scenarios with BIPV solutions



Current status

Baseline: Compliance with current legal requirements



BIPV conservation: Maintaining the expression of the building while improving the energy performances of the building (at least current legal requirements)

BIPV renovation: Maintaining the general expressive lines of the building while reaching high energy performances (at least Minergie standard)

BIPV transformation: Best energy performances and maximum electricity production possible with aesthetic and formal coherence of the whole building (at least 2000 Watt Society | Energy strategy 2050)


1<sup>st</sup> PhD Seminar | 11.04.2016

## Phase 03 | Design scenarios | S0 – Baseline




1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design scenarios | S1 – Conservation




1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design scenarios | S3 – Transformation




1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design scenarios | S2 – Renovation



1<sup>st</sup> PhD Seminar | 11.04.2016


Phase 03 | Design scenarios | Construction details



1<sup>st</sup> PhD Seminar | 11.04.2016




### Phase 03 | Design and technological approach



1<sup>st</sup> PhD Seminar | 11.04.2016

### Phase 03 | Design with technological approach



1<sup>st</sup> PhD Seminar | 11.04.2016

### Phase 03 | Design scenarios | Technological approach



**Evolutive**: Products directly issued from mainstream PV, but which naturally fits better for BIPV (e.g. "smart wire" modules, Metallization-Wrap-Through – MWT – modules).

**Transformative**: Products based on low-cost "standard" technology products, but which integrate low-cost modifications, such as texture or colour variation with "adaptation" foils.

**Disruptive**: Products including customized-size products or on-site shaping of PV elements.


(a) Polycrystalline silicon PV module (55% of the market) with a black backsheet (SIGNATURE™ BLACK) - <http://us.sunpower.com/>

(b) White c-Si based PV modules (shiny & matt) as developed by CSEM and now commercialized by Solaxess.

(c) Customized-size PV modules by Meyer Burger AG - [www.meyerburger.ch](http://www.meyerburger.ch)

1<sup>st</sup> PhD Seminar | 11.04.2016

### Phase 03 | Design with technological approach | S1 – Conservation




DS – Disruptive

200 100 50 25 0 cm

1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design with technological approach | S1 – Conservation



DS – Disruptive

200 100 50 25 0 cm

1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design with technological approach | S2 – Renovation




TS – Transformative

200 100 50 25 0 cm

1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design with technological approach | S2 – Renovation



Legend:


- 01 - BIPV facade element.
- 02 - Support of BIPV element.
- 03- Sub-structure of the ventilated facade.
- 04- Insulation.
- 05- Triple glazing + wood-metal frame.
- 06- Existing facade.
- 07- Existing radiator (Heating).

TS – Transformative

200 100 50 25 0 cm

1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 03 | Design with technological approach | S3 – Transformation




- 01 - BIPV facade element.
- 02 - Support of BIPV element.
- 03- Sub-structure of the ventilated facade.
- 04- Insulation.
- 05- Triple glazing + wood-metal frame.
- 06- Metallic structure for regularization.
- 07- Fixation elements.
- 08- Existing facade.
- 09- Existing radiator (Heating).
- 10- Fixation regularization element

ES – Evolutive

200 100 50 25 0 cm

1<sup>st</sup> PhD Seminar | 11.04.2016


Phase 03 | Design with technological approach | S3 – Transformation



Phase 04 | Multi-criteria assessment | Indicators

Assessment indicator	Unit	Method / tool used	3D modelling LoD
<b>1. Energy and emissions</b>			
- Primary energy consumption	kWh <sub>PE</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
- Equivalent GHG emissions	CO <sub>2EQ</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
<b>2. LCA - Life Cycle Analysis</b>			
- Embodied energy balance	MJ/m <sup>2</sup> .year	ecoinvent + KBOB	-
- Global warming potential	kgCO <sub>2</sub> /m <sup>2</sup> .year	ecoinvent + KBOB	-
<b>3. Photovoltaic generation</b>			
- PV Generation	kWh <sub>FE</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
- Self-consumption	%	-	-
- Self-sufficiency	%	-	-
<b>4. Indoor comfort</b>			
- Daylight autonomy (DA) – 300 lux	% of time	Radiance / Daysim	LOD4
- Overheating	hours per year	Energy Plus	LOD3
<b>5. Global cost-effectiveness</b>			
- Annual rent increase	%	-	-
- Accumulated cost and Payback	CHF and years	-	-

Phase 04 | Multi-criteria assessment



Phase 04 | Multi-criteria assessment | Indicators

Assessment indicator	Unit	Method / tool used	3D modelling LoD
<b>1. Energy and emissions</b>			
- Primary energy consumption	kWh <sub>PE</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
- Equivalent GHG emissions	CO <sub>2EQ</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
<b>2. LCA - Life Cycle Analysis</b>			
- Embodied energy balance	MJ/m <sup>2</sup> .year	ecoinvent + KBOB	-
- Global warming potential	kgCO <sub>2</sub> /m <sup>2</sup> .year	ecoinvent + KBOB	-
<b>3. Photovoltaic generation</b>			
- PV Generation	kWh <sub>FE</sub> /m <sup>2</sup> .year	Energy Plus	LOD3
- Self-consumption	%	-	-
- Self-sufficiency	%	-	-
<b>4. Indoor comfort</b>			
- Daylight autonomy (DA) – 300 lux	% of time	Radiance / Daysim	LOD4
- Overheating	hours per year	Energy Plus	LOD3
<b>5. Global cost-effectiveness</b>			
- Annual rent increase	%	-	-
- Accumulated cost and Payback	CHF and years	-	-

What is the best indicator for the BIPV installation in renovation projects ?

Annual electricity coverage ratio -> sending all the electricity to the grid

or

Self-consumption ratio

**Annual electricity coverage ratio:** Ratio between the total production of PV electricity produced by the BIPV installation respect to the total electricity consumption.

$$(1) \quad \text{Annual electricity coverage ratio} [\%] = \frac{\text{total annual PV generation}}{\text{total annual electricity needs}}$$


**Self-consumption ratio:** Percentage of electricity produced by the BIPV system that is consumed directly by the building. Shows the level of utilization on-site of the electricity produced by the BIPV system.

$$(2) \quad \text{Self-consumption ratio} [\%] = \sum_0^{8760} \frac{\text{Hourly PV electricity consumption on-site}}{\text{Hourly PV production}}$$


**Self-sufficiency ratio:** Ratio between the photovoltaic electricity consumed on-site by the total electricity needs. Shows the real coverage of the demand for electricity on the basis of self-consumption, equivalent to the level of independence of the building.

$$(3) \quad \text{Self-sufficiency ratio} [\%] = \sum_0^{8760} \frac{\text{Hourly PV electricity consumption on-site}}{\text{Hourly electricity needs}}$$

3- Photovoltaic installation | Irradiation simulation




3- Photovoltaic installation (annual analysis with hourly simulation)  
Electricity needs: Equipment + Lighting



Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (annual analysis with hourly simulation)

Electricity needs: Equipment + Lighting




1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (annual analysis with hourly simulation)

Electricity needs: Equipment + Lighting + HVAC (heat pump)




1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (annual analysis with hourly simulation)


Electricity needs: Equipment + Lighting + HVAC (heat pump)



1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (daily analysis)




Scenario S1 – Equipment + Light + HVAC (Electric heat pump) - Simulation day: 21 - 03

1<sup>st</sup> PhD Seminar | 11.04.2016



Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (daily analysis)



Scenario S2 – Equipment + Light + HVAC (Electric heat pump) - Simulation day: 21 - 03

Phase 04 | Multi-criteria assessment | Photovoltaic installation

Study of the electricity production profile depending on the location of the active elements respect the electricity consumption profile.

• Case study – Design strategy based on scenario S3-Transformation


- A - BIPV system with active elements covering all South-West façade.
- B - BIPV system with active elements covering all South-East façade.
- C - BIPV system with active elements covering all North-East façade.
- D - BIPV system with active elements covering all North-West façade.

Objective:

Matching the electricity production with the electricity needs. It is essential to install BIPV elements in the specific location (façades) and in a good orientation and inclination (roof).

Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (daily analysis)




Scenario S3 – Equipment + Light + HVAC (Electric heat pump) - Simulation day: 21 - 03

Phase 04 | Multi-criteria assessment | Photovoltaic installation


3- Photovoltaic installation (daily analysis) – Simulation day: May, 21th

Façade: South-West



3- Photovoltaic installation (daily analysis) – Simulation day: May, 21th


Façade: South-East



1<sup>st</sup> PhD Seminar | 11.04.2016

3- Photovoltaic installation (daily analysis) – Simulation day: May, 21th


Façade: North-West



1<sup>st</sup> PhD Seminar | 11.04.2016

3- Photovoltaic installation (daily analysis) – Simulation day: May, 21th

Façade: North-East



1<sup>st</sup> PhD Seminar | 11.04.2016


BIPV | Renovation projects

Open discussion:

Location of the active elements in the existing facades in order to maximize the self-consumption on-site (hourly simulation) and minimize the overproduction, avoiding the injection of the energy excess to the city grid.

1<sup>st</sup> PhD Seminar | 11.04.2016

3. Global cost-effectiveness



1<sup>st</sup> PhD Seminar | 11.04.2016

1<sup>st</sup> PhD Seminar | 11.04.2016

Phase 04 | Multi-criteria assessment | Photovoltaic installation

3- Photovoltaic installation (annual analysis with hourly simulation)

Electricity needs: Equipment + Lighting

Scenario	S1	S2	S3
- Electricity needs [kWh <sub>FE</sub> /year]	120704	120704	120704
- <b>PV Generation [kWh<sub>FE</sub>/year]</b>	<b>74879</b>	<b>98382</b>	<b>142727</b>
- Self-consumption [kWh <sub>FE</sub> /year]	32759	35502	38653
- <b>Self-consumption [%]</b>	<b>44%</b>	<b>36%</b>	<b>27%</b>
- Grid feed-in [kWh <sub>FE</sub> /year]	42120	62880	104074
- Purchased electricity [kWh <sub>FE</sub> /year]	87945	85202	82051
- <b>Self-sufficiency [%]</b>	<b>27%</b>	<b>29%</b>	<b>32%</b>
- <b>Annual electricity coverage ratio [%]</b>	<b>62%</b>	<b>81%</b>	<b>118%</b>

Electricity needs: Equipment + Lighting + HVAC (heat pump)

Scenario	S1	S2	S3
- Electricity needs [kWh <sub>FE</sub> /year]	235416	235033	235033
- <b>PV Generation [kWh<sub>FE</sub>/year]</b>	<b>74879</b>	<b>98382</b>	<b>142727</b>
- Self-consumption [kWh <sub>FE</sub> /year]	45531	51456	59589
- <b>Self-consumption [%]</b>	<b>61%</b>	<b>52%</b>	<b>42%</b>
- Grid feed-in [kWh <sub>FE</sub> /year]	29349	46926	83137
- Purchased electricity [kWh <sub>FE</sub> /year]	189885	183577	175444
- <b>Self-sufficiency [%]</b>	<b>19%</b>	<b>22%</b>	<b>25%</b>
- <b>Annual electricity coverage ratio [%]</b>	<b>32%</b>	<b>42%</b>	<b>61%</b>

1<sup>st</sup> PhD Seminar | 11.04.2016