Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author. An Exploration of the Relationship of Social Networks with Depression among Older Adults: A Prospective Study

A thesis presented in partial fulfilment of the requirements for the degree of

Doctorate In Clinical Psychology

at Massey University, Albany, New Zealand.

Louise Laura Cowpertwait

2014

Abstract

Research has highlighted social integration as a protective factor against depression among older adults. This thesis aims to clarify whether specific features of social networks are particularly important, the effect of perceived connectedness on the relationship between structural social integration and depressive symptoms, and whether social integration is a longitudinal predictor of depressive symptoms among older adults. The thesis also describes the social networks and prevalence of depression among older people in New Zealand, including older Māori, of which there is limited availability of existing research.

The current study utilised data taken at three waves of measurement from 3594 community-dwelling older people living in New Zealand including 172 older Māori. The relationship between components of social network structure and depression were compared using standard statistical techniques. Consistent with previous research, contact with non-family social ties was significantly and negatively associated with depressive symptoms whereas contact with family was not significantly correlated. Unlike other studies, social network size significantly predicted depressive symptoms. A series of hierarchical multivariate linear regression models indicated that, after controlling for demographics and health variables such as age, functional ability and exercise, structural integration and perceived connectedness uniquely explained between 1 and 4% of the variability in depressive symptoms. According to a multilevel model for change, social integration did not predict different trajectories of depressive symptoms over 36-months. Perceived connectedness was found to mediate 29% of the effect of structural social integration on depressive symptoms.

Results highlight the relative importance of perceived connectedness in older adults' depression. Composite measures of structural social integration in depression research with older people are indicated with the exception of items related to family ties and marital status. Measures of social integration, especially objective measures based on social network structure, may not be reliable indicators of depression risk. These findings highlight a need for further investigation into the efficacy of social

i

interventions, especially targeting non-family ties and perceived connectedness.

Acknowledgements

I would like to thank to my primary supervisor Dave Clarke for his guidance and support throughout this project. Your practical suggestions, reassurance, and patience to allow me to work through things in my own way have been especially appreciated. Thanks also to my secondary supervisor Fiona Alpass, especially for your advice and expertise in gerontological research which have been valuable.

I give special thanks to Mrs Clark for awarding me with the Lovell and Berys Clark Scholarship in 2011, to the Hope Foundation for their scholarship for Research on Ageing in 2012, and to Massey University for their Doctoral Scholarship in 2012 and 2013. Their financial support has enabled the completion of this research.

Thanks also to the BRIGHT team, including Ngaire Kerse, Christine McLean, Avinesh Pillai, and Simon Moyes, for their assistance with data and analyses. Thanks to Erin Cornwell for offering advice on definitions. I also want to acknowledge the older people who provided the data used in this study; thank you for sharing a part of yourselves so that we can better understand older age.

Finally, I would like to thank my family and friends: Thank you to my father, Paul Cowpertwait, for patiently working with me through various statistical analyses and insisting on me understanding what I was actually doing (and insisting on me using R!). Thank you to my mother Sarah Cowpertwait and partner Edward Ashby for being my foundational emotional supports throughout this project. The three of you, my siblings, and my friends have kept me reminded of why I do what I do, and that there is life outside of my studies. It will feel very good to finally be able to tell you "it is finished!"

Table of Contents	Table	of	Contents
-------------------	-------	----	----------

Abstract i	
Acknowledgementsii	
Table of Contents iv	
List of Tables and Figuresvii	
Glossary x	
Chapter 1. Introduction 1	
Chapter 2. Geropsychology and the Study of Depression in Later Life 5	
2.1. What Is Old?	
2.2. Geropsychology of Depression: A 20th Century	
Phenomenon	
2.3. Ageing Populations and Implications For Mental	
Healthcare7	
Chapter 3. Depression in Later Life 10	
3.1. Review Methods	
3.2. Defining Depression with Older Adults	
3.3. Prevalence of Depression Among Older Adults 14	
3.4. The Etiology of Depression in Later Life16	
3.5. Risk Factors for Depression in Later Life	
3.7. Depression in Later Life: Conclusion	
Chapter 4. Social Networks and Depression in Later Life	
4.1. Defining Social Network Constructs	
4.2. The Mechanisms Through Which Social Networks	
Influence Depression	
4.3. Research Findings: Structural Social Integration and	
Depression in Later Life	
4.4. Research Findings: Perceived Connectedness and	
Depression in Later Life41	
4.5. Concluding Comments and The Need for Further Research45	
Chapter 5. The Present Research	
5.1. Aims	
5.2. Research Questions	
5.3. Hypotheses	
Chapter 6. Methods	

6.1. Participants and Procedure
6.2. Measures
6.3. Analyses64
Chapter 7. Results
7.1. Data Screening69
7.2. Testing the Assumptions of Multivariate Modelling71
7.3. Descriptive Statistics72
7.4. Bivariate Relationships Between Depression Scores at
Baseline and Social Network Related Variables73
7.5. Bivariate Relationships Between Depression Scores at
Baseline and Demographic and Health Related Potential
Control Variables75
7.6. Baseline Multivariate Analyses on General Sample78
7.7. Baseline Depression and Social Network Variables Among
Māori Participants80
7.8. Longitudinal Analyses83
7.9. Investigation of Missing Data and Imputation
7.10. Perceived Connectedness as a Mediator of the Relationship
Between Structural Integration and Depression90
Chapter 8. Discussion91
8.1. Depression Prevalence Among Older New Zealanders92
8.2. Social Integration and Isolation Among Older New
Zealanders95
8.3. The Relationship Between Components of Social Network
Structure and Depression97
8.4. Structural Social Integration and Depression103
8.5. Perceived Connectedness as a Mediator of the Relationship
Between Social Networks and Depression105
8.6. Conclusion: Study Implications and Recommendations106
References114
Appendix A. The 15-item Geriatric Depression Scale140
Appendix B. The Duke Social Support Inventory (Short Form)141
Appendix C. Summary of BRIGHT Trial Self-Completion Questionnaire
or Telephone Interview Questionnaire Items Used As

Indicators of Social Network Subcomponents143
Appendix D. The Nottingham Extended Activities of Daily Living
Scale144
Appendix E. Results Of Confirmatory Factor Analysis For The Duke
Social Support Inventory (Short Form)145
Appendix F. Summary Statistics for DSSI items and BRIGHT Social
Network related items147
Appendix G. Summary of Comparison of Baseline Linear Regression
Models with Multilevel Models Adjusting for Nesting of
Participants by General Practice149
Appendix H. Summary of Comparison of Results Using Imputed
Versus Non-Imputed Data151

List of Tables and Figures

Figure 1:	Pictorial representation of the etiology of depression as
	proposed by Cognitive theory17
Figure 2:	Psychological, social, and biological processes in the
	etiology of late life depression
Figure 3:	Social networks and the mechanisms by which they
	influence depression27
Figure 4:	Hypothesised partial mediation of perceived
	connectedness on the pathway relationship between social
	network structure and depressive symptoms
Figure 5:	Expected normal P-P plot for regression baseline
	Model 271
Figure 6:	Residual histogram for baseline regression Model 2 with
	the Normal distribution curve72
Figure 7:	Distribution of GDS scores at baseline with a normal
	distribution curve73
Figure 8:	Box plot of depression scores at baseline, 18-month
	follow-up, and 36-month follow-up87
Table 1:	Wenger's older adult social network types
Table 2:	Descriptive demographic and health variables at baseline
	for participants included in the present study53
Table 3:	Descriptive demographic and health variables at baseline
	for participants included in the present study whom
	identified with New Zealand Maori ethnicity 55
Table 4:	Measurement of social networks in the present study58
Table 5:	Coding schedule for DSSI Structural integration subscale
	items
Table 6:	Schedule for scaling responses to BRIGHT items
	regarding frequency of contact with children and
	grandchildren for composite Social Interaction Frequency
	score
Table 7:	BRIGHT trial questionnaire items used to measure

	demographic and health-related variables61
Table 8:	Descriptive summary statistics for social network
	variables
Table 9:	Results of bivariate analyses examining the relationship
	between social network related variables and
	depression75
Table 10:	Results of bivariate analyses examining the relationship
	between individual DSSI items and depression
Table 11:	Results of bivariate analyses examining the relationship
	between individual BRIGHT social network-related items
	and depression
Table 12:	Results of bivariate analyses examining the relationship
	between demographic and health related potential control
	variables and depression77
Table 13:	Results of fitting a taxonomy of hierarchical linear
	regression models with health and demographic predictors
	only, social network predictors, and hypothesised
	interaction effects to depression data79
Table 14:	Descriptive summary statistics for social network
	variables among Māori participants
Table 15:	Results of bivariate analyses examining the relationship
	between social network-related variables and depression
	among Māori participants 82
Table 16:	Results of bivariate analyses examining the relationship
	between demographic and health related potential controls
	and depression among Māori participants83
Table 17:	Results of fitting a taxonomy of hierarchical linear
	regression models with health and demographic predictors
	only and social network predictors to depression data from
	Māori participants84
Table 18:	Summary statistics for depression scores at baseline,
	18-month, and 36-month follow-up
Table 19:	Results of fitting a taxonomy of hierarchical linear

	data	88
	predictors and social network predictors to depression	
	multilevel models for change with health and demographic	
Table 20:	Results of fitting a taxonomy of hierarchical linear	
	18-month and 36-month follow-up	86
	only and social network predictors to depression data at	
	regression models with health and demographic predictors	

Glossary

Social networks Social network structure	The social ties that an individual has and their interactions with those ties. Often synonymous with the term <i>social support</i> <i>networks</i> Objective defining features of an individual's social network. This includes the nature of social ties and social interactions (e.g. number, proximity, frequency, type).
Perceived connectedness	An individual's subjective evaluation of their social network. When this evaluation is negative, it is termed <i>perceived isolation</i> . Often synonymous with the term <i>perceived support</i> , though perceived connectedness refers to a broader evaluation of social relationships not limited to satisfaction with available or enacted support.
Perceived isolation	 When an individual's subjective evaluation of their social network is negative. <i>Note</i>. The relationship between the terms perceived isolation and loneliness is relatively unclear in the literature. Some researchers appear to use the terms interchangeably (e.g. Cacioppo et al., 2010; Shankar, McMunn, Banks, & Steptoe, 2011), yet generally loneliness appears to be viewed as an outcome of perceived isolation (e.g. a negative feeling state) rather than the negative evaluation itself (Tiikkainen & Heikkinen, 2005).
Social integration	When an individual is both engaged in their social networks, in that they have regular interactions with a range of social ties, and those relationships are meaningful and satisfying to that individual. Social

Х

	integration is therefore defined according to both the
	persons' social network structure and level of perceived
	connectedness.
	Often synonymous with the terms social embeddedness
	and social connectedness
Social isolation	When an individual is not engaged with their social ties
	and their social network is deficient, as defined by their
	social network structure and level of perceived
	isolation.
	Often synonymous with the terms social disintegration
	and social disconnectedness
Social tie	An individual or group with which an individual has
	recurrent patterns of interactions.
	Often synonymous with the term social relationships
Social interaction	Contact with a social tie. Not limited to face-to-face or
	one-on-one interaction.
	Often synonymous with the terms social engagement
	and social activity
Social support	Enacted or available assistance provided to an
	individual by their social ties with the aim to prevent
	stress to that individual.