

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

GPS-Guided Mobile Robot Platform Featuring Modular
Design Elements for Agricultural Applications

A thesis presented in partial fulfilment of the requirements for the
degree of

**Masters of Engineering
in
Mechatronics**

at Massey University Turitea Campus
Palmerston North
New Zealand.

Samuel John Oldfield Corpe

2016

Abstract

The agricultural industry has not seen significant innovation in development of low-cost automated farming solutions, with current systems costing several thousands of dollars to implement. Currently these automated solutions are primarily implemented around crop planting and harvesting, and the large implementation cost of these systems makes them unfeasible for small-scale operations. Within many agricultural industries, workers expend a considerable amount of time undertaking simple tasks that are labour intensive. Many of these tasks could instead be completed using a self-driving robotic platform outfitted with the appropriate devices required for the tasks.

This thesis covers the research work aiming to produce a solution that could turn an existing farming vehicle into a multipurpose low-cost agricultural platform, to act as the platform for an autonomous vehicle capable of performing pre-programmed tasks within an agricultural environment. A quad bike was selected as the vehicle platform for this research in which the control modules would control the speed and direction of this farm bike.

Four modules were developed to control the vehicle components that would normally be operated by a human operator. These modules are comprised of mechanical actuators coupled with a microcontroller control system and includes some specific designs to maintain the user's ability to manually control the pre-existing systems. A gear-changing module controls the vehicles manual gearbox, providing a method to detect and control the vehicles current gear. A speed control module was developed to control the vehicles throttle and braking system and detects the vehicles speed. A steering module controls the vehicles steering system, allowing for accurate control of the vehicles direction. Finally, a vehicle controller module provides a central command interface that ties the previous three modules together and controls the vehicles electrical components and engine.

Development of a low-cost differential GPS (DGPS) system was also undertaken to reduce the implementation cost of the system. Due to inconclusive results in relation to the positional accuracy of this system it was decided that a standard GPS system would be used for the vehicle prototype with further development on the DGPS system would be undertaken in future development of the research.

The successful development of a farm automated vehicle platform was achieved through this research. With further improvement on software, intelligent control and the development of a low-cost differential global positioning satellite (GPS) system, a fully autonomous farm platform that can be outfitted with different tools or devices for the required farm tasks is feasible and practical.

Acknowledgements

I would like to express my appreciation to my supervisor Dr Liqiong Tang who provided me with valued guidance and support throughout this research project.

A huge thank you to Mr Clive Bardell, Mr Ian Thomas, Mr Kerry Griffiths, Mr Anthony Wade and Mr Morio Fukuoka for providing technical advice during the design and manufacture of the mechanical and electrical hardware within this project.

I would like to thank all other support staff within the School of Engineering and Advanced Technology at Massey University Palmerston North, particularly the lovely women in the finance office and at reception for all of your help.

I would like to thank all my friends in particular Mr Christopher Scott and Mr Miguel Contreras for their advice, support and friendship throughout our time completing our undergraduate and postgraduate studies at Massey University.

Finally, I want to thank my parents and extended family for all the support they have always provided.

Abstract.....	i
Acknowledgements.....	ii
List of Figures	vii
List of Tables	x
List of Abbreviations	xi
Chapter One Introduction	1
1.1 The Research Topic	1
1.2 The Scope of Research	2
1.3 Organisation of Dissertation	2
Chapter Two Literature Review	4
2.1 GPS Systems	4
2.1.1 GPS Development and Working Principle.....	5
2.1.2 Standalone GPS	6
2.1.3 Differential GPS.....	7
2.1.4 GPS Formulas	9
2.2 Autonomous Vehicles	11
2.2.1 Key Sensor Technologies of intelligent vehicles	11
2.2.2 Path Finding and Obstacle Avoidance Methodologies	13
2.3 Sensing Technologies and Sensor Systems.....	15
2.3.1 Range Finding Sensors (Distance Measuring)	15
2.3.2 Positioning and Orientation	17
Chapter Three Autonomous Farming System Development	19
3.1 Proposed Autonomous System.....	20
3.2 Design Considerations.....	21
3.3 Expected final system design and features.....	21
3.3.1 Features of the mechanical System	21
3.3.2 Control Systems and capabilities	22
3.3.3 Navigation Module and functionality	22
3.3.4 Monitoring system and features.....	23
Chapter Four Development of a Low Cost Differential GPS System	24
4.1 GPS Chip Considerations	25
4.2 Control System Selection	26
4.3 GPS Communication System Design	27
4.4 Differential System Design and Programming.....	28

Chapter Five	Mechanical Systems Implementation and Testing.....	30
5.1	Vehicle Considerations	30
5.1.1	Existing Farming Vehicles	31
5.1.2	Selected Vehicle.....	32
5.2	Steering Control Mechanism	32
5.2.1	Torque Measurements and Calculations.....	33
5.2.1.1	Motor Selection	35
5.2.1.2	Calculating Pulley ratio, pitch and thickness	36
5.2.2	Initial Design and Functionality	38
5.2.2.1	Custom Pulley Testing	39
5.2.2.2	Gear Box Design.....	40
5.2.3	Implementation and Testing	43
5.2.4	Improvements and Final Design	45
5.3	Braking Control Mechanism	47
5.3.1	Existing Braking System	47
5.3.2	Brake Sensing and Actuation.....	48
5.3.2.1	Front Brake Testing.....	50
5.3.2.2	Rear Brake Testing.....	50
5.3.3	Rear Brake Actuator System.....	52
5.4	Gear Changing Mechanism.....	53
5.4.1	Design Considerations	55
5.4.2	Torque Measurements and Calculations.....	56
5.4.3	Integration and Testing	58
5.5	Cable Controlled Mechanisms.....	59
5.5.1	Throttle Cable Mechanism	59
5.5.1.1	Cable Drum Design	62
5.5.1.2	Mechanism Housing Design	62
5.5.2	Choke Cable Mechanism	63
5.5.3	Reverse Cable Mechanism.....	65
Chapter Six	Electrical and Electronic Systems and Control	68
6.1	Bike Management Circuits.....	68
6.1.1	RPM Detection.....	68
6.1.2	Power Switching	72
6.1.3	Temperature Sensor System	74

6.1.4	Indicator Lamp Detection	76
6.2	Steering Control System.....	77
6.2.1	Steering angle detection	77
6.2.2	Motor Controller.....	79
6.2.3	Microcontroller Selection	81
6.2.4	Controller Design	82
6.3	Speed Control System.....	84
6.3.1	Speed Detection.....	84
6.3.2	Board Design	85
6.4	Gear Changing Controller System.....	86
6.4.1	Analogue Control System.....	87
6.4.1.1	PLD System Design	90
6.4.1.2	Analogue System Testing	92
6.4.2	Microcontroller Control System.....	93
6.4.3	Systems Testing.....	94
6.5	Module Interface System.....	94
6.5.1	Atmega2560 Interface Board.....	97
6.6	User Interface for Raspberry Pi System	98
6.6.1	Touch Screen interface	99
6.6.1.1	Capacitive Touch Screen	99
6.6.1.2	Resistive Touch Screen.....	100
6.6.1.3	Interface Screen Size	101
6.6.1.4	Selected Touchscreen system.....	101
6.6.2	Power Systems	102
6.6.2.1	Control System Backup Power System	102
6.6.2.1.1	Power Converter Selection	102
6.6.2.1.2	Uninterruptible Power Supply (UPS) for Raspberry Pi.....	104
6.6.2.1.2.1	UPS System Design.....	105
6.6.2.1.2.2	UPS System Testing.....	106
Chapter Seven	Software Development	108
7.1	Steering Control System.....	108
7.1.1	Encoder Position detection.....	108
7.1.2	Motor Control logic.....	108
7.1.2.1	Motor Control Functions.....	109

7.1.3	Serial Communication Commands	110
7.2	Speed Control System	111
7.2.1	Serial Commands	111
7.3	Gear Control System.....	112
7.4	ATmega Module Interface System	113
7.5	Raspberry Pi User Interface.....	114
7.6	Path-finding Control Module.....	115
Chapter Eight	System Testing, Implementation and Results	117
Chapter Nine	Discussion, Conclusion and Recommendations	119
References	121
Appendices	123
Appendix A	GPS Formula	123
Appendix B	Bourns ACE-128 - Datasheet.....	125
Appendix C	MLX90614 Infra Red Thermometer - Datasheet	127
Appendix D	Atmega328 - Datasheet.....	129
Appendix E	Atmega2560 - Datasheet.....	131
Appendix F	VNH2SP30-E Motor Driver - Datasheet	132
Appendix G	ATF16V8B Programmable Logic Device - Datasheet	135
Appendix H	CMPS10, Tilt Compensated Compass Module - Datasheet.....	138
Appendix I	1N4148 Diode - Datasheet	140
Appendix J	TRX-300 Manual	141
Appendix K	Personal Communications - Email.....	150

List of Figures

Figure 1-1 Work Safe New Zealand Quad Bike Injury Statistics[34]	2
Figure 2-1 The basic function of satellite navigation[6]	5
Figure 2-2 The flatter the angle with which the circles with ranges R1 and R2 intersect the higher the resolution of precision[6]	6
Figure 2-3 Principle of phase measurement[6]	8
Figure 2-4 Three-dimensional Cartesian coordinate system for earth[6]	9
Figure 2-5 Sensor Overlay for the OSU ION off-road vehicle[2]	12
Figure 2-6 Illustration of Manhattan distance (Left) and Diagonal distance (Right)[2]	14
Figure 2-7 Illustration of Euclidean distance movement[2]	15
Figure 2-8 LIDAR Sensor System[2]	16
Figure 2-9 Positional Triangulation[15]	17
Figure 2-10 Magnetic Declination versus True North in New Zealand, January 2015[23]	18
Figure 3-1 Autonomous System Diagram	22
Figure 4-1 Differential GPS function diagram	28
Figure 5-1 HONDA TRX250TM[21]	31
Figure 5-2 KAWASAKI MULE™ 3010[22]	31
Figure 5-3 TRX-300 Steering assembly[18]	32
Figure 5-4 Steering Strut mount	34
Figure 5-5 SKF HiTD Belt profile[8]	36
Figure 5-6 Belt cross section chart[8]	37
Figure 5-7 Compressed version of Table 4b from SKF Manual[8]	38
Figure 5-8 Belt and pulleys suspended in milling machine	39
Figure 5-9 Centre distance measurements for 32-60 pulleys using 450mm belt	39
Figure 5-10 Steering Control Mechanism	40
Figure 5-11 Manual Control Mechanism - Drive Belt Engaged	41
Figure 5-12 Manual Control Mechanism - Drive Belt Disengaged	41
Figure 5-13 Handle Bar mounting plate	41
Figure 5-14 Encoder Mount on the steering mechanism	42
Figure 5-15 Nylon belt guide	43
Figure 5-16 Angle of steering pole measured using Solidworks sketch	44
Figure 5-17 Steering Mechanism Top View	46
Figure 5-18 Steering Mechanism Bottom View	46
Figure 5-19 Final Steering mechanism design	46
Figure 5-20 Front Hydraulic brake lever (Appendix J)	47
Figure 5-21 Rear Brake hand control (Appendix J)	47
Figure 5-22 Rear Brake Foot pedal (Appendix J)	47
Figure 5-23 Rear Drum Brake Cable setup (Appendix J)	48
Figure 5-24 Rear Brake drum brake adjustment controls (Appendix J)	48
Figure 5-25 Rear Drum brake with position sensing resistor	49
Figure 5-26 Front brake handle showing actuation	50
Figure 5-27 Rear brake hand control with annotations	51
Figure 5-28 Rear Brake Drum with annotations	51
Figure 5-29 Rear brake foot pedal with annotations	52
Figure 5-30 Linear actuator control over modified rear brake foot pedal	53

Figure 5-31 Linear actuator positioned to prevent interference with a user riding the bike	53
Figure 5-32 TRX-300 gear changing sequence (Appendix J).....	53
Figure 5-33 TRX-300 Indicator panel (Appendix J)	54
Figure 5-34 Indicator light activation mechanism.....	55
Figure 5-35 Neutral Drum position 1 clearance	56
Figure 5-36 Neutral Drum position 2 clearance	56
Figure 5-37 SolidWorks model (shown left) to simulate gear mechanism (original image right)	57
Figure 5-38 A hydraulic jack was used to set the gear change point	59
Figure 5-39 Thumb controlled throttle mechanism (Appendix J)	59
Figure 5-40 Original manual throttle actuation system	60
Figure 5-41 Measurement of the cable extension	60
Figure 5-42 Cable leaver arm position 1.....	61
Figure 5-43 Cable leaver arm position 2.....	61
Figure 5-44 Cable drum position 1	61
Figure 5-45 Cable drum position 2	61
Figure 5-46 Cable channel diameter	62
Figure 5-47 Throttle Housing Design, showing tangential relationship between cable and drum.	63
Figure 5-48 Servo controlled throttle cable	63
Figure 5-49 Manual choke slide.....	64
Figure 5-50 Choke Cable - Mounting Point[25].....	64
Figure 5-51 Choke Cable housing, aligning the cable to be tangential to cable drum.....	64
Figure 5-52 Choke Cable clamping system, two 6mm diameter semi circles with a 0.2mm interference.....	64
Figure 5-53 Reverse selector and cable actuation method located on the left brake control (Appendix J).....	65
Figure 5-54 Reverse cable actuator design	67
Figure 6-1 Raw 5-volt inductance signal.....	69
Figure 6-2 Capacitor Smoothed inductance signal, plus noise width at 3-volts	69
Figure 6-3 Low RPM.....	70
Figure 6-4 High RPM, with noise absorption.....	70
Figure 6-5 RPM Signal width at 3-Volt level	71
Figure 6-6 RPM signal, post RC filtering	71
Figure 6-7 Digitized RPM signal post filtering.....	72
Figure 6-8 RPM Detection Circuit	72
Figure 6-9 Transistor Mosfet Driver	73
Figure 6-10 Temperature Sensor Board	75
Figure 6-11 Indicator Light circuit.....	76
Figure 6-12 Lamp status detection circuit.....	77
Figure 6-13 Bourns ACE-128 encoder control diagram from datasheet in Appendix B.....	78
Figure 6-14 Bourns ACE-128 interface schematic	79
Figure 6-15 Bourns ACE-128 interface PCB	79
Figure 6-16 Pololu VNH2SP30 Motor Driver Carrier MD01B Board[27]	80
Figure 6-17 Schematic of the Pololu High Current Motor Driver Carrier [27].....	81

Figure 6-18 Communication Cable pin layout.....	82
Figure 6-19 Steering controller Schematic.....	83
Figure 6-20 Steering Controller PCB	83
Figure 6-21 Encoder mount on drive train.....	85
Figure 6-22 Speed Controller PCB.....	85
Figure 6-23 Gear controller overview	86
Figure 6-24 Analogue gear change state machine.....	87
Figure 6-25 Wincupl Code.....	91
Figure 6-26 PLD Logic Simulation.....	92
Figure 6-27 Gear Changing Microcontroller Schematic.....	94
Figure 6-28 Raspberry Pi Model B Single Board Computer[28].....	95
Figure 6-29 CMPS10 Compass Module (Appendix H).....	96
Figure 6-30 Arduino Mega 2560 Board[29]	96
Figure 6-31 PCB layout for the Atmega2560 Interface board	97
Figure 6-32 Engine run control circuit	98
Figure 6-33 Finger interacting with a resistive touchscreen[31]	100
Figure 6-34 Chalkboard Electronics 10-inch LCD capacitive touchscreen[32].....	101
Figure 6-35 Turnigy UBEC Switch mode[36]	103
Figure 6-36 UPS Circuit Schematic.....	106
Figure 6-37 UPS Board	107
Figure 7-1 Motor control function	110
Figure 7-2 Preload function diagram	113
Figure 7-3 ATmega Controller interaction diagram	113
Figure 7-4 Program User Interface	114
Figure 7-5 A* path finding test program.....	116
Figure 9-1 Ephemeris Parameters Definitions[10].....	123
Figure 9-2 Ephemeris Parameters[10]	123
Figure 9-3 Element of Coordinate Systems[10]	124

List of Tables

Table 2-1 Estimated effect on positional error from expected sources [2].	7
Table 2-2 Positioning accuracy with/without DGPS[6]	8
Table 2-3 Satellite Error Variables	10
Table 6-1 VNH2SP30 Truth table under normal operating conditions (Appendix F)	80
Table 6-2 Gear Changing Logic Table	89
7-1 Truth table for VNH2SP30 normal operating conditions (Appendix F)	110
Table 7-2 A* Map Legend	116

List of Abbreviations

Global Positioning Satellite - GPS

Differential Global Positioning Satellite - DGPS

Universal Time Coordinated - UTC

Land Information New Zealand - LINZ

Earth centred Earth fixed - ECEF

Antilock Brake Systems - ABS

Defence Advanced Research Projects Agency - DARPA

Light Detection and Ranging - LIDAR

Ohio State University's - OSU

A-Star - A*

Infrared - IR

Pulse Width Modulation - PWM

Ground - GND

Transmit Line - TX

Receive Line - RX

Programmable Logic Device - PLD

Uninterruptible Power Supply - UPS

General-Purpose Input-Output pins - GPIO

Most Significant Bit - MSB

Proportional-Integral - PI