

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

**How do people with multiple
long-term health conditions experience
the self-management approach to health care?**

A thesis presented in fulfilment of the requirements for the degree of
Doctor of Philosophy

Massey University
Palmerston North, New Zealand

Helen Catherine Francis

2017

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without permission of the Author.




Figure 1. PawelsKuczynski37

Used with permission of artist, pawel@pawelkuczynski.com

Abstract

The health system in New Zealand has devised approaches intended to meet the needs of people with long-term conditions (LTCs) based on the international theories of the Chronic Care Model (CCM) and a self-management framework (Bodenheimer, Wagner, & Grumbach, 2002b; Lorig, 1993; Wagner, 1998). LTCs and multimorbidity are socially patterned so often people with several LTCs are also contending with chaotic lives as well as the implications of their illnesses. The self-management framework is based on the assumption that everyone has the agency or freewill to make the daily decisions that would benefit their health and ignores the powerful effect of social context. Because the behaviours recommended to optimise health are so entwined with a person's social context, LTCs are particularly sensitive to the social determinants of health.

This multiple case study follows the complex lives of sixteen people with several significant long-term health conditions using the theories of both Cockerham (2005, 2010, 2013b) and Link and Phelan (1995, 2010) to explore their experiences. Ongoing contact with the patient-participants comprised two interviews, four-weekly contacts and interviews with their primary health care clinicians. The patient-participants' stories reveal complex, entangled lives marked by loss, poverty and daily challenges. They are significantly constrained by the overwhelming social contexts of their lives and reduced to survival mode by their cumulative losses across the four domains of the Whare Tapa Wha model. Personal agency is neither a choice nor readily achieved. They are left too exhausted to work their way through a health system that does not recognise their needs, empower them or compensate for their lack of energy.

The weary patient-participants in this study bear little resemblance to the idealised expert patient of the self-management framework. Clinicians are left manoeuvring to compassionately and pragmatically support the patient-participants as best they can within an unhelpful system.

The findings however do surface examples of care that are valued by both patient- and clinician-participants that sit outside the self-management approach. These valued aspects are explored alongside the harm reduction, recovery and palliative models of care. These all offer contributions towards an approach that would optimise the quality of life for people with significant, multiple LTCs.

An exploration of this re-awakened approach to care is described. Care that is

constricted self-management approach could wrap around the patient and support them to use their residual agency in a direction of their choosing. Clinicians would be released from their current programmed response be able to more fully utilise their clinical expertise. Clinicians and patients would have the freedom to be more pragmatic around quality of life and the issues that matter to the individual with LTCs.

Acknowledgements

To all who have made this journey possible, my sincere love and gratitude.

First of all, thanks to all my participants, especially the sixteen people with long-term conditions who shared their stories and time so generously. I hope I have done you justice. Particular acknowledgement to 'Diane,' who sadly finished her own journey before she could see this one completed.

I would like to express my utmost thanks and sincere gratitude to my supervisors, Professor Jenny Carryer and Dr Jill Wilkinson for your wisdom, expertise and guidance.

My special thanks to Mathew and Potace Bennett for your aroha and support and to the rest of my research whānau, especially Dr Fiona Cram.

Nāku te rourou, nāu te rourou, ka ora ai te iwi

Thanks to the Hawke's Bay Medical Research Foundation, the Massey University Graduate Research Fund and the College of Nurses' Scholarship Award for their financial contributions toward transcription costs.

Thank you to my friends and colleagues, especially Alannah, who have supported and encouraged me throughout this journey in many different ways. A special thanks to Heather Bowmer, the timing of whose tendon repair coincided beautifully with my need for a thoughtful proofreader.

And most importantly, I could not have written this thesis without the constant love, support and understanding of Colin and Rebecca.

Your unswerving belief and pride in me are priceless. Love you both to the moon and back.

This is dedicated to my Mummy, Margaret West (1943-1963). I hope that somewhere, she is proud.

Table of Contents

Abstract	ii
Acknowledgements	iv
Table of Contents	v
List of Figures	x
List of Tables	xi
List of Abbreviations	xii
Glossary of Māori terms	xiv
Chapter One: Introductory chapter	1
Introduction	1
Research question	1
Aims	1
Context for the research	2
Long-term conditions	2
Transition to long-term conditions	3
Multiple long-term conditions	3
Biomedicine	6
Self-management	8
Self-efficacy	9
Agency and structure	9
Social determinants of health: inequities and multiple long-term conditions	10
<i>Poverty</i>	11
<i>Ethnicity</i>	12
The whare tapa wha health model	13
My journey to the changing question - or my changing understanding of the question.	13
A personal reflection	13
Diffusion of the self-management innovation	14
Summary	15
The study overview	16
Chapter Two: Literature review	18
Introduction	18
Self-management	18
The implications of self-managing long-term conditions	20

Compliance	21
The impact of social context	22
Exploration of the diffusion of the self-management paradigm	22
Self-management programmes and models	23
The Chronic Care Model	24
The expert patient	25
Self-management support	27
Programmes	28
Evaluation of programme effectiveness	29
The impact of the biomedical framing of self-management support	32
Ongoing diffusion	33
Summary	34
Chapter Three: Theoretical terrain	36
Introduction: background and rationale for choice of frameworks	36
Cockerham's Health lifestyle theory	36
Max Weber	37
Pierre Bourdieu	38
Cockerham's work	38
Health lifestyle theory and long-term conditions	40
Fundamental cause theory	41
A framework for exploring self-management	44
Summary	46
Chapter Four: Methodology and research method	47
Introduction	47
Paradigmatic position	47
Ontology and epistemology	47
Constructivist/Interpretivist paradigm	48
Constructivism values context	48
My personal positioning in the study	48
Overall study design	50
Multiple case study	51
Study design	52
Māori consultation	52
Sample and recruitment	54
Data collection	56
Participant interviews	57

<i>Patient-participant interviews</i>	57
<i>Four-weekly contacts</i>	57
<i>Clinician-participant interviews</i>	58
Additional data	59
Terminating the research relationship with patient-participants	59
Ethical considerations	60
Data analysis	62
Thematic analysis	63
Quality criteria	64
Summary	66
Chapter Five: Findings one: Sixteen patient Kōrero	68
Introduction	68
Tane	68
Rawiri	72
Diane	74
Beth	77
Eva	78
George	80
Yvonne	82
Huia	85
Aroha	88
Tamati	91
Wiremu	94
Losefo	96
Lou	97
Margaret	100
Hayley	101
Paul	105
Kōrero summary	106
Chapter Six: Findings two: Mauri	107
Introduction	107
Taha tinana	108
Taha hinengaro	109
Endless unresolved grief	109
Getting me down	110
Taha whānau	110

Caring for others	111
Staying connected	112
Feeling diminished	112
Diminished resources	113
Taha wairua	114
Vitality	115
Motivation and sense of purpose	115
<i>Hope</i>	116
The complexity of food	117
Summary	119
Chapter Seven: Findings three: Hauora	121
Introduction	121
The expert patient	121
Expert knowing	122
Selective action	123
Tailoring expertise	124
Seeking control	125
Compliance	126
Being undermined	128
Whakamā	129
Clinical expertise	130
Collaborative relationships with an expert patient	132
Structured mutual entrapment	134
Imposed expectations	135
Goal setting and care planning	138
Valued care	140
Being known and listened to	141
Being cared about as well as cared for	141
Navigating	142
Summary	143
Chapter Eight: Discussion and concluding statement	146
Introduction	146
Findings summary	147
Biomedically framed goal-setting	149
The unmet need of people with multiple LTCs	150
Self-management as a structural impediment	150

A way forward - a fresh approach	151
Harm reduction	152
The recovery model	153
Palliative care	154
<i>The evolution of palliative care</i>	155
<i>The relevance of palliation for the patient-participants</i>	156
A new philosophy of care	158
Care	159
Taha tinana	160
Taha whānau	160
<i>Care and partnerships</i>	161
Taha hinengaro and taha wairua	162
<i>Care and goal setting</i>	162
A note of caution	163
Recommendations	164
Strategy documents	164
Reflections on the research process	165
A personal reflection	166
Limitations of the study	167
Concluding statement	169
References	171
Appendices	220
Appendix one: Māori consultation process	220
Appendix two: Ethical approval	221
Appendix three: Advertisement for patient-participants	223
Appendix four: Information sheets for patient, GP and PN participants	225
Appendix five: Consent forms for patient, GP and PN participants	233
Appendix six: Data collection schedule	237
Appendix seven: Musings from participant Diane	239

List of Figures

Figure 1	PawelsKuczynski37	i
Figure 2	DNR	100

List of Tables

Table 1	Patient-participant demographics	58
----------------	----------------------------------	----

List of Abbreviations

ACC	The Accident Compensation Corporation is the New Zealand Crown entity which administers the universal, no-fault accidental injury scheme
CCM	The Chronic care model is the most widely utilised framework for offering health care to people with LTCs (Wagner, 1998).
CPAP	Continuous positive airway pressure is a treatment typically used for breathing conditions such as sleep apnoea that uses mild air pressure to keep the airways open. A mask, attached by tubing to a motor, is worn over the nose and mouth
DHB	District health boards are responsible for providing or funding the provision of health services in their district (Ministry of Health, 2016a)
GP	A general practitioner is an appropriately qualified medical graduate who has particular knowledge and skills to provide personal, family, whānau and community-orientated, comprehensive primary care (The Royal New Zealand College of General Practitioners, 2016)
HbA1c	Glycated haemoglobin measurement of the average blood glucose over the previous three months obtained via a blood test. Judged to be the most reliable way to measure glycaemic control in people with a of diabetes or as a diagnostic test
LTC	Long-term conditions are health conditions that are progressive, life-long and limiting in terms of quality of life. They can rarely be cured, only controlled (Welsh Assembly Government, 2006)
MRSA	Methicillin-resistant <i>Staphylococcus aureus</i> is a bacterium that is resistant to many antibiotics. In hospitals it can cause life-threatening infections, pneumonia and surgical site infections, therefore patients with an MRSA infection are cared for in isolation
PHO	Primary health organisations are funded by DHBs to ensure the provision of essential primary health care services, mostly through general practices, to those people who are enrolled with the PHO (Ministry of Health, 2016a)
PN	Practice Nursing is a sub speciality within nursing concerned with primary health care provision for individuals, the family and the community, ... usually based within a general practice setting (New Zealand Nurses Organisation, 2007)

WHO The World Health Organization

Glossary of Māori terms

Hauora	Health, wellbeing or health care. Hauora is also used extensively as a description of health care systems and health organisations including the Manatū Hauora [Ministry of Health]
Hoha	Something tiresome or tedious
Hui	Conference or meeting
Kanohi ki te kanohi	Face-to-face
Kaumātua	Respected Māori elders
Kōrero	A talk or speech. For this research, it means patient narratives
Māori	The indigenous people of New Zealand
Mana	The prestige, reputation or esteem a person holds
Manaakitanga	Hospitality, kindness and support
Marae	The traditional meeting house for Māori communities
Mauri	The term that can be used in several ways. For this study, mauri is used to mean the dynamic life force, life energy or essence that everything and everyone has.
Pae Ora	A list of principles described by Sir Mason Durie (1985, 2001) that contribute to a healthy future for Māori. The principles are: Mauri Ora - healthy lives, Whānau Ora, healthy families, Wai Ora, healthy environment
Pākehā	A term for non-Māori, which tends to mean people of European descent.
Taha hinengaro	The psychosocial context of a person's thoughts and feelings
Taha tinana	Physical aspects of health
Taha wairua	Often summarised as spirituality but also relates to an individual's faith, sense of purpose and vitality
Taha whānau	Concerns the social influences on health as well as extended family (Glover, 2005; Rochford, 2004)

Wananga	A tertiary education institution, which provides education in a Māori cultural context
Whakamā	A psychosocial construct that is often understood as shyness, modesty or embarrassment
Whakapapa	Often translated as genealogy, “whakapapa can be likened to a map of existence.” (O'Hagan, Reynolds, & Smith, 2012, p. 59). In the context of research recruitment, whakapapa sampling means establishing and maintaining relationships
Whānau	An extended family group
Whanaungatanga	Interconnectedness or belonging. The term has traditionally concerned kinship relationships but can also mean something that can be shared between people with a common purpose (O'Carroll, 2013)
Whare	A building
Whare Tapa Wha	A model of health also developed by Durie (1985, 2001) that features in many health policies in New Zealand. The model uses the image of the four walls of a house (whare) to describe four interdependent aspects of health. These are taha hinengaro, taha tinana, taha wairua and taha whānau, described above.

Te Reo Māori is an official language of New Zealand Aotearoa. Both Māori and non-Māori, when speaking English, also regularly use many Māori words.