

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Dietary intakes and body composition of Māori and Pacific women in the women's EXPLORE study

A thesis presented in partial fulfilment of the requirements for the degree of

**Master of Science
in
Nutrition and Dietetics**

**Massey University, Albany
New Zealand**

**Alexandra Leita Gail Lawn
2017**

Abstract

The most thorough record of dietary intake among New Zealand (NZ) Māori and Pacific women was undertaken in the 2008 NZ Adult Nutrition Survey, but it did not consider the relationship with body composition. The aim of this study was to investigate the relationship between dietary intake and body composition (particularly body mass index (BMI) and body fat (BF) percentage) of all Māori (n=79) and Pacific (n=75) women (16-45 years old) recruited in the women's EXPLORE study. Anthropometric data was measured using weight, height, and air displacement plethysmography (BodPod), while dietary data was assessed using a validated, 220-item, semi-quantitative food frequency questionnaire. On average, the BMI (28.2 kg/m²) and BF (34.6%) of Māori women classified them as overweight, while the average BMI (31.9 kg/m²) and BF (37.8%) of Pacific women classified them as obese. There were significant positive correlations between the BMI and BF percentage of Māori (r=0.86) and Pacific women (r=0.87), which suggests BMI is a good indicator of BF percentage in these populations. The percentage of Māori and Pacific women who exceeded their estimated energy requirement was similar and identical to the percentage of women found in the obese BF percentage groups, respectively. Dietary intake was compared with NZ guidelines, revealing that both groups of women consumed inadequate carbohydrate. In contrast, both groups consumed excess total and saturated fat, and sodium in excess of the upper level, mostly due to high intakes of takeaways. Takeaways were also the top contributor of total energy (13.4%), protein (13.4%) and fat (17.7%) in Pacific women. Obese Māori women consumed more takeaways (42.7%) than non-obese. Obese Pacific women consumed more discretionary breads, cereals and starchy foods (e.g. iced buns, croissants and paraoa parai (fry bread)) (210%) than non-obese. Recommendations include reducing takeaways, fats (e.g. butter), and sugar-sweetened beverages. Instead, opt for more complex carbohydrates and leafy green vegetables. Further research should investigate relationships between dietary intake and waist circumference, as well as other factors influencing body composition, such as physical activity and level of deprivation.

Acknowledgements

My thesis would not have been possible without the support and encouragement from many people. Firstly, I would like to acknowledge my academic supervisors Rozanne Kruger and Kathryn Beck, whose patience and expertise guided me throughout the journey.

I would like to thank participants of the women's EXPLORE study, for their involvement in study activities.

I am grateful for the EXPLORE team, who established study protocol: Rozanne Kruger, Sarah Shultz, Sarah McNaughton, Aaron Russell, Ridvan Firestone, Lily George, and Welma Stonehouse.

I am also grateful for team members involved in facilitating participant testing: A/Prof Rozanne Kruger, Dr Kathryn Beck, Dr Pam Von Hurst, Dr Cathryn Conlon, Richard Swift, Owen Mugridge, PC Tong, Carmel Trubuhovich, Zara Houston, AJ Hepburn, Sarah Philipsen, Jenna Schrijvers, Maria Casale and Andrea Fenner. Additionally, PhD students Wendy O'Brien and Shakeela Jayasinghe did an excellent job of coordinating recruitment, screening and testing.

I would like to thank Jenna Schrijvers, Sarah Philipsen, Adrianna Hepburn, Chelsea Symons, and Maria Casale, for their endless hours of data entry.

Lastly, I would like to acknowledge my family and friends for their unconditional love and support, not only through this Masters course, but also through the entirety of my tertiary studies. In particular, Harry Perkins (my stepfather) was incredibly helpful, assisting me with the management of data. Without his expertise, I would have spent endless hours on YouTube, teaching myself the advanced functions of Excel!

Table of contents

	Page
Abstract	i
Acknowledgements	ii
Table of contents	iii
List of tables	vi
List of figures	viii
Abbreviations	ix
1.0 Introduction	1
1.1 Background	1
1.2 Purpose of study	3
1.3 Aim	4
1.3.1 Objectives	4
1.4 Thesis structure.....	4
1.5 Researchers' contributions	5
2.0 Literature review	6
2.1 Obesity among Māori and Pacific women in New Zealand	6
2.2 Assessment of body composition	6
2.3 Body composition of Māori and Pacific women in New Zealand	16
2.4 Determinants of obesity	21
2.4.1 Dietary determinants of obesity	26
2.5 Assessment of diet	40
2.6 Capturing food and nutrient intake data	48
2.6.1 Dietary assessment software	48
2.6.2 Data processing	59
2.6.3 Data analysis	63
2.7 Nutrient intake of Māori and Pacific women.....	69
2.8 Summary	70
3.0 Materials and methods	72
3.1 The women's EXPLORE study.....	72
3.2 Study design.....	72
3.3 Ethics.....	72
3.3.1 Ethical matters	72

3.4	Participants.....	73
3.5.1	Screening	74
3.5.2	Data collection	74
3.5.2.1	Anthropometric measurements	74
3.5.2.2	Dietary assessment	74
3.5	Procedures.....	76
3.6	Data processing.....	77
3.6.1	Dietary assessment software	77
3.6.2	Exclusion criteria	78
3.6.3	Food groups	78
3.6.4	Standard serving equivalents	79
3.7	Data analysis.....	79
4.0	Results	81
4.1	Participants.....	81
4.2	Demographics and anthropometry.....	82
4.3	Energy and macronutrients.....	84
4.4	Micronutrients.....	87
4.5	Food groups.....	90
4.5.1	Top 20 foods/drinks	96
4.6	Contribution of foods to energy intake, macronutrient intake and added sugar.....	98
4.7	Dietary intake of women in higher versus lower body fat percentage groups.....	104
5.0	Discussion	108
5.1	Overall findings.....	108
5.2	Anthropometry.....	108
5.3	Energy intake.....	110
5.4	Macro and micronutrient intake.....	113
5.5	Food groups.....	121
5.6	Contribution of foods to energy intake, macronutrients, added sugar and sodium.....	133
5.7	Dietary intake of women in higher versus lower body fat percentage groups.....	135
6.0	Conclusions	138
6.1	Summary.....	138
6.2	Study objectives.....	138
6.2.1	Recommendations to improve dietary intake of Māori and Pacific women	
	139	

6.3	Strengths and limitations	140
6.3.1	Strengths	140
6.3.2	Limitations	141
6.4	Recommendations for future research.....	143
References		144
Appendices		171
Appendix 1	Food frequency questionnaire used in EXPLORE	171
Appendix 2	Decisions regarding standard serving equivalents (SSE).....	202
Appendix 3	Food groups	204
Appendix 4	Assumptions followed when entering FFQ data.....	207

List of tables

	Page
Table 1.1 Researchers' contributions to this study.....	5
Table 2.1 BMI classification.....	7
Table 2.2 Different measures of body composition.....	9
Table 2.3 Maternal dietary pattern during pregnancy, as a risk factor for obesity in New Zealand infants.....	17
Table 2.4 Body composition of Māori and Pacific women in New Zealand.....	18
Table 2.5 Investigating the relationship between diet and obesity, particularly body fat.....	28
Table 2.6 Investigating the relationship between diet and obesity – 'Western' versus 'Healthy' dietary patterns.....	38
Table 2.8 Data processing.....	50
Table 2.9 Similar energy intake cut-offs.....	62
Table 2.10 Food intake of Māori and Pacific women in New Zealand.....	65
Table 2.11 Daily nutrient intake of Māori and Pacific women in New Zealand.....	68
Table 3.1 Processing extracted food frequencies, for data analysis.....	77
Table 4.1 Demographics and anthropometry of Māori and Pacific women.....	82
Table 4.2 Energy and macronutrients among Māori and Pacific women.....	85
Table 4.3 Micronutrient intake among Māori and Pacific women.....	88
Table 4.4 Food groups consumed by Māori and Pacific women.....	91
Table 4.5 Food groups (disaggregated) consumed by Māori and Pacific women.....	93
Table 4.6 Type of bread, milk and fluid.....	95
Table 4.7 Top 20 foods/drinks consumed by Māori and Pacific women.....	97
Table 4.8 Percentage contribution of food groups to selected nutrients, in Māori women.....	99
Table 4.9 Percentage contribution of food groups to selected nutrients, in Pacific women.....	102
Table 4.10 Energy and macronutrient intake according to body fat percentage group of Māori women.....	104
Table 4.11 Energy and macronutrient intake according to body fat percentage group of Pacific women.....	105
Table 4.12 Food group intake according to body fat percentage group of Māori women.....	106
Table 4.13 Food group intake according to body fat percentage group of Pacific women.....	107
Table 5.1 BMI categories of Māori and Pacific women in comparable New Zealand studies.....	110
Table 5.2 Energy intake among Māori and Pacific women in comparable New Zealand studies.....	110
Table 5.3 Daily macro and micronutrient intake among Māori and Pacific women in comparable studies.....	120

Table 5.4 Meat intake among Māori and Pacific women in comparable studies	129
Table 5.5 Daily intake of food groups among comparable New Zealand studies	132

List of figures

	Page
Figure 2.1 Foresight obesity systems map demonstrating at its centre 'core' the imbalance between appetite regulation and sedentary existence	21
Figure 2.2 Foresight obesity systems map (simplified)	22
Figure 3.1 Study design and procedures.	76
Figure 4.1 Exclusion criteria and resulting participants	81

Abbreviations

ADG	Australian Dietary Guidelines
ADP	Air displacement plethysmography
AI	Adequate Intake
AMDR	Acceptable Macronutrient Distribution Range
BF	Body fat
BIA	Bioelectrical impedance analysis
BMI	Body Mass Index
BMR	Basal Metabolic Rate
CHD	Coronary heart disease
CVD	Cardiovascular disease
DAS	Dietary assessment software
DF	Dietary fibre
DHHS	Diabetes, Heart and Health Study
DPRF	Dietary Patterns and Risk Factors study
DXA	Dual-energy X-ray absorptiometry
EAGNZA	Eating and Activity Guidelines for New Zealand Adults
EAR	Estimated Average Requirement
EE	Energy expenditure
EER	Estimated Energy Requirement
EI	Energy intake
EXPLORE	Examining the Predictors Linking Obesity Related Elements
FAVs	Fruit and vegetables
FFM	Fat free mass
FFQ	Food frequency questionnaire

MOH	Ministry of Health
MUFA	Monounsaturated fat
NHMRC	National Health and Medical Research Council
NRV	Nutrient reference value
NZ	New Zealand
NZANS	New Zealand Adult Nutrition Survey
NZHF	New Zealand Heart Foundation
NZHS	New Zealand Health Survey
PAL	Physical activity level
PUFA	Polyunsaturated fat
RCT	Randomised controlled trial
RDI	Recommended Dietary Intake
RMR	Resting metabolic rate
SD	Standard deviation
SDT	Suggested Dietary Target
SFA	Saturated fat
SSB	Sugar-sweetened beverages
SSE	Standard serving equivalents
TEE	Total energy expenditure
T2DM	Type two diabetes mellitus
UL	Upper Level of Intake
WC	Waist circumference
WHO	World Health Organization
WHR	Waist-hip ratio
WHtR	Waist-height ratio