

SECOND EUROPEAN CONFERENCE ON EARTHQUAKE ENGINEERING AND SEISMOLOGY, ISTANBUL AUG. 25-29, 2014



1
2

ANALYSIS OF URBAN PARAMETERS IN THE CHARACTERIZATION OF SEISMIC VULNERABILITY: APPLICATION TO THE CITY OF LORCA.

1

Sandra MARTÍNEZ-CUEVAS¹, Jorge M. GASPAR-ESCRIBANO², M^a Carmen MORILLO³, Oscar J. ALVAREZ-CANO⁴, Belén BENITO⁵ y Jaime CERVERA⁶

1

Commonly, the estimation of seismic vulnerability focuses on the structural behavior of buildings. Only some methodologies, as the one described in the Risk-UE project, consider the influence of other non-structural or urban factors, such as the soft story, vertical irregularity, plan irregularity, etc. These factors, called behavior modifiers, may also have an impact on the observed damage, and the confluence of several of them may vary the vulnerability substantially. Several urban parameters that influence vulnerability are studied in this paper taking as working area the city of Lorca (SE Spain). Additionally, their relationship with the damage observed after the earthquake of May 11, 2011, is investigated.

The work is divided into three phases. In the first phase, or planning phase, a representative sample of the building types according to the General Urban Plan of Lorca is selected, and the methodology for identifying the urban parameters is developed. The second phase or fieldwork phase, comprises the data collection survey. Finally, the third phase, or analysis phase (office work), is carried out. This phase includes the implementation of a geographic information system with data obtained in the field and other sources of information and a statistical analysis of the data.

Finally, the results of the exploratory study of the urban parameters of the city of Lorca are presented. The urban parameters that have influenced the damage caused by the 2011 earthquake are identified.

1

REFERENCES

1

- Risk-UE(2003), An advanced approach to earthquake RISK scenarios with applications to different European towns. European Commission 5FP - City of Tomorrow and Cultural Heritage. CEC Contract Number: EVK4-CT-2000-00014. Duration: 44 Months (15/01/2001-30/09/2004)
- Milutinovic, Z. V. y Trendafiloski, G. S. (2003). WP04. Vulnerability of current buildings. RISK-UE project: An advanced approach to earthquake risk scenarios with applications to different European towns. Contract No.EVK4-CT-2000-00014. Institute of Earthquake Engineering and Engineering Seismology (IZIIS), Skopje. 109 pp.
- Guevara, T. (2009). Arquitectura moderna en zonas sísmicas. Editorial Gustavo Gili, SL, Barcelona. 207 pp.
- Guevara, T. (2012). Configuraciones urbanas contemporáneas en zonas sísmicas. Editorial Sidetur. Facultad de Arquitectura y Urbanismo. Universidad Central de Venezuela, Caracas, Marzo 2012 374 pp.

¹ Professor., Technical University of Madrid, Madrid-Spain, Sandra.mcuevas@upm.es

² Professor., Technical University of Madrid, Madrid-Spain, jorge.gaspar@upm.es

³ Professor., Technical University of Madrid, Madrid-Spain, mariadelcarmen.morillo@upm.es

⁴ Ph.D. Student, Technical University of Madrid, Madrid-Spain, oscar.acano@alumnos.upm.es

⁵ Professor., Technical University of Madrid, Madrid-Spain, mariabelen.benito@upm.es

⁶ Professor., Technical University of Madrid, Madrid-Spain, Jaime.cervera@upm.es

- Sahar, L., Muthukumar, S., French, P. (2010) Using aerial imagery and GIS in automated building footprint extraction and shape recognition for earthquake risk assessment of urban inventories. *IEEE Transactions in Geoscience and Remote Sensing*, 48, 3511–3520.
- Schneider, A., Friedl, M.A., Potere, D. (2009) A new map of global urban extent from MODIS data. *Environmental Research Letters*, 4, article 044003.
- Schneider, A., Friedl, M.A., Potere, D. (2010) Monitoring urban areas globally using MODIS 500m data: New methods and datasets based on urban ecoregions. *Remote Sensing of Environment*, vol. 114, p. 1733-1746.
- Socioeconomic Data and Applications Center (SEDAC) (2013): Global Rural-Urban Mapping Project (GRUMP), v1. Available at: <http://sedac.ciesin.columbia.edu/data/collection/grump-v1> [Accessed 4 Oct 2013]
- Taubenböck, H., Esch, T., Felbier, A., Roth, A., Dech, S. (2011) Pattern-based accuracy assessment of an urban footprint classification using TerraSAR-X data. *IEEE Geoscience and Remote Sensing Letters*, 8, 278-282.
- Taubenböck, H., Esch, T., Felbier, A., Wiesner, M., Roth, A., and Dech, S. (2012) Monitoring urbanization in mega cities from space. *Remote Sensing of the Environment*, 117, 162-176.
- Taubenböck, H., Post, J., Roth, A., Zosseder, K., Strunz, G., Dech, S. (2008) A conceptual vulnerability and risk framework as outline to identify capabilities of remote sensing. *Natural Hazards and Earth System Sciences*, 8, 409–420.
- Taubenböck, H., Wurm, M., Setiadi, N., Gebert, N., Roth, A., Strunz, G., Birkmann, J., Dech, S. (2009) Integrating remote sensing and social science. *Urban Remote Sensing Event*, 2009, 1-7, doi: 10.1109/URS.2009.5137506.
- United States Geological Survey (USGS) (2013) Land Cover Type Yearly L3 Global 500 m SIN Grid – MCD12Q1. Available at: https://lpdaac.usgs.gov/products/modis_products_table/mcd12q1 [Accessed 15 Dec 2013].
- Wieland, M., Pittore, M., Parolai, S., Zschau, J., Moldobekov, B., Begaliev, U. (2012) Estimating building inventory for rapid seismic vulnerability assessment: towards an integrated approach based on multisource imaging. *Soil Dynamics and Earthquake Engineering*, 36, 70–83.