

1 EvoPER – An R package for applying 2 evolutionary computation methods in the 3 parameter estimation of individual-based 4 models implemented in Repast

5 Antonio Prestes García¹ and Alfonso Rodríguez-Patón¹

6 ¹Departamento de Inteligencia Artificial, Universidad Politécnica de Madrid, Campus de
7 Montegancedo s/n, Boadilla del Monte, Madrid, Spain

8 ABSTRACT

9 Individual-based models are complex and they normally have an elevated number of input parameters
10 which must be tuned in order to reproduce the experimental or observed data as accurately as possible.
11 Hence one of the weakest points of such kind of models is the fact that rarely the modeler has the enough
12 information about the correct values or even the acceptable range for the input parameters. Therefore,
13 several parameter combinations must be checked to find an acceptable set of input factors minimizing the
14 deviations of simulated and observed data. In practice, most of the times, is computationally unfeasible to
15 traverse the complete search space to check all parameter combination in order to find the best of them.
16 That is precisely the kind of combinatorial problem suitable for evolutionary computation techniques.
17 In this work we present the EvoPER, an R package for simplifying the parameter estimation using
18 evolutionary computation techniques. The current version of EvoPER includes implementations of PSO,
19 SA and ACO algorithms for parameter estimation of models generated with the open source agent-based
20 modeling toolkit Repast.

21 Keywords: Individual-Based Modeling, Parameter Estimation, Evolutionary Computation, Systems
22 Biology

23 INTRODUCTION

24 The Individual-based modeling and simulation is a powerful methodology which is having more and more
25 adoptions between researchers and practitioners of distinct branches of ecological modeling and microbial
26 consortia. Certainly one of the main reasons for the success of this approach is the extreme simplicity for
27 capturing micro-level properties, stochasticity and spatially complex phenomena without the requirement
28 of a high level of mathematical background (Grimm and Railsback (2005)). But the counterpart of that
29 facility to build complex models, is the difficulty to make credible results which can be attributed in part
30 to the fact that modelers are prone to circumvent a thoroughly analysis for simulation output.

31 There are several reasons for the situation previously mentioned. The first and perhaps most important
32 is that modeling and simulation is a vast discipline with a broad and complex body of knowledge having a
33 theoretical background under the surface (Minsky (1965); Zeigler et al. (2000); Boccarda (2003)) which
34 are not completely mastered from modelers coming from disperse domains like biology, ecology or even
35 computer science. Of course, this should not be an obstacle for the development of good models by
36 the practitioners. We believe that the availability of easy tools for the model tuning and analysis which
37 efficiently encapsulate such complex subject can greatly help to improve the quality and significance of
38 simulation results.

39 In the next sections we will describe the scope and the usage examples of the EvoPER R package
40 which has been developed for facilitating the tasks of estimating the parameters of Individuals-based
41 models.

42 BACKGROUND

43 The terms model calibration and parameter estimation, although informally are used interchangeably
44 and being functionally similar are semantically distinct entities having a different scope and objectives.
45 In order to provide a more formal definition of these terms let us briefly define the basic structure of a
46 mathematical model. A model is normally expressed as some form of the algebraic composition expressing
47 the relationship between of three element types, namely the independent variables, the dependent or the
48 state variables and finally the constants. Therefore, for the sake of simplicity, a model expressing some
49 linear relationship between variables is shown below

$$y = \alpha + \beta x$$

50 where x and y are independent and the state variable respectively and α and β are the model constants.
51 The model constants are referred as the model parameters which necessarily do not have to have any
52 correspondence to some element in the system being modeled (Beck and Arnold (1977)). The direct
53 problem is, being known the model structure and also knowing the independent variables and the
54 parameters, to estimate the value of state variable. Of course this oversimplified case is rarely seen when
55 modeling real systems, especially when dealing with biological systems. In addition, in the most cases
56 the constants and the independent variables are impossible to observe directly being also unknown the
57 right model structure for representing the system under study.

58 Usually the only value elucidated experimentally or backed by observations of some population data
59 is the state variable; therefore, the parameters which are the structural part of model must be estimated
60 having as the only reference, the measurements of dependent variable. Hence the term **calibration** can be
61 defined as the procedure to where the values of state variable "y" are compared to the known standard
62 values, let's say "Y", which in the context of biological research are those sampled from population true
63 values Zeigler et al. (2000).

64 On the other hand, the **parameter estimation** is the task of estimating the values of the constants of
65 a model and it can be seen somehow as an inverse problem, since we are using the reference values Y
66 in order to determine the suitable values for the model constants (Ashyraliyev et al. (2009); Beck and
67 Arnold (1977)). The parameter estimation procedure implicitly encompasses the calibration process as, in
68 order to discover the values for the constants the model outputs must be checked to the reference values.
69 Thus the problem can be also stated as an optimization problem, just because the process requires the
70 search for the minimum values of some function $f(y_i, Y_i)$ measuring the distance between y_i and Y_i which
71 are the simulated and the reference values respectively.

72 The function measuring how close are the observed and the reference values is the goodness of fit
73 metric for assessing how well the model is able to reproduce the reference data. In other words, the
74 metric gives a numerical hint about how close are the output of model to the reference data. There are
75 fundamentally three approaches to define the goodness of fit for a model (Thiele et al. (2014)). The first
76 approach is based on using acceptable ranges for the model outputs being the most straightforward one.
77 That approach is also known as categorical calibration and works defining intervals for the model output
78 values and when the output falls inside the interval it is considered as having a good fit. One of the main
79 drawback of this approach is the fact that it is not possible to determine how close are the model and the
80 reference data. The second metric relies on measuring the differences between simulated and observed
81 values, being the least squares the most commonly used method for computing the quality of fit (Beck and
82 Arnold (1977)). Finally, that last approach requires the use of likelihood functions. It is hard to implement
83 and requires that the underlying distribution must be known.

84 In order to explore the search space, the calibration process requires many model executions as well
85 as many evaluations of goodness of fit function over the output data in order to find the best estimation for
86 the model parameters. This is a computationally expensive task, especially in the case of Individual-based
87 models, as the problem bounds increases with model complexity and the number of input parameters
88 which must be tested. Roughly speaking there are basically two different approaches for generating
89 the sample points required for estimating parameters. The first of them is based on the definition of
90 sampling schemes such as Monte Carlo, Factorial designs or the Latin Hypercube sampling that works by
91 generating an a priori set of samples in the search space, that is to say, a set of parameter combinations for
92 running model with all of these sampling points (Thiele et al. (2014); Viana (2013)). On the other hand,
93 in the case of optimization methods, we have to generate an initial set of points sampled from the input

94 space and modify them dynamically to search for neighboring solutions which could approximate better
95 to the minima. The exact method depends on the evolutionary algorithm chosen for parameter estimation.

96 DESCRIPTION

97 In order to facilitate the parameter estimation task of Individual-based models we introduce the GNU R
98 (R Core Team (2015)) package **EvoPER** - Evolutionary Parameter Estimation for Repast, an open source
99 project intended to facilitate de adoption and application of evolutionary optimization methods and algo-
100 rithms to the parameter estimation of IBMs developed using the Repast Symphony framework North et al.
101 (2013). The EvoPER package is released under the MIT license being the binaries available for download
102 from CRAN (<https://cran.r-project.org/web/packages/evoper/>) and the complete
103 source code for the project can be found on GitHub ([https://github.com/antonio-pgarcia/](https://github.com/antonio-pgarcia/evoper)
104 [evoper](https://github.com/antonio-pgarcia/evoper)).

105 The package EvoPER provides implementations of common evolutionary algorithms specially crafted
106 for search the optimum values for Individual-based models developed in Repast Simphony. Current
107 version of EvoPER package supports the Particle Swarm Optimization (PSO) (Kennedy and Eberhart
108 (1995)), the Simulated Annealing (SA) (Kirkpatrick et al. (1983)) and the Ant Colony Optimization (ACO)
109 (Dorigo et al. (2006)) algorithms for parameter estimation. We also plan to support more algorithms
110 in future versions. All of these algorithms use some kind of natural or physical system analogy having
111 each of them subtleties making them suitable for different types of problems. Nonetheless, despite of
112 the differences in the natural metaphor chosen all algorithms share an important aspect which is that the
113 search space is traversed downhill but allowing uphill moves in order to avoid to get trapped in a local
114 optimum far from the global one.

115 The basic PSO algorithm uses the idea of particles moving in a multidimensional search space being
116 the direction controlled by the *velocity*. The velocity has two components, one towards to the direction
117 of best value of particle p_i and other towards to the best value found in the neighborhood of particle p_i
118 (Kennedy and Eberhart (1995)). The behavior and convergence of the algorithm is controlled by the
119 particle population size and by the ϕ_1 , ϕ_2 parameters which respectively controls the particle acceleration
120 towards the local and the neighbor best. The algorithm implementation and the default values for the
121 algorithm parameters follows the guidelines and standard values provided by (Clerc (2012)).

122 On the other hand, the Simulated Annealing uses the idea of cooling scheme to control how the
123 problem solutions are searched. The algorithm generates an initial solution and then iterates, searching for
124 neighbor solutions accepting new solutions when they are better than the current solution or with some
125 probability P which is function of current temperature and the cost of solutions. Important parameters are
126 the initial temperature T_0 , the final temperature and the cooling scheme Kirkpatrick et al. (1983). In our
127 implementation the default function for temperature update is $T = \alpha T$, being α the parameter controlling
128 how fast the temperature is decremented.

129 The package designed using an object-oriented approach being structured around the classes repre-
130 senting the objective function to be minimized. These classes are the basic input for the optimization
131 algorithms available on the EvoPER package. There is a parent class called *ObjectiveFunction* with
132 two subclasses, namely the *PlainFunction* and the *RepastFunction*. The purpose of the first subclass is
133 allow the user run the optimization algorithms to their own mathematical functions, the second subclass
134 encapsulates the Repast Model calls and perform the parameter estimation. A brief description of package
135 classes and the main methods is given in Table 1.

Table 1. The EvoPER classes for encapsulating the objective function for parameter estimation.

Class name	Methods	Description
ObjectiveFunction		The base class in hierarchy providing the skeleton for running the optimization algorithms.
	Parameter	Sets a model parameter with range between a minimum and a maximum values.
	GetParameter	Returns a previously defined parameter.
	Evaluate	Evaluate the objective function.
PlainFunction	Value	Returns the value of last objective function evaluation.
	initialize	Allows the optimization of plain functions implemented in R. Class constructor. Requires any R function as parameter. For instance $f < -function(x_1, x_2)\{(1 - x_1)^2 + 100(x_2 - x_1^2)^2\}$
RepastFunction	Evaluate	Override superclass method to the specific function call.
	initialize	Wrapper the Repast Model
	Evaluate	Requires the model directory, an aggregated data source, the simulation time and a user defined cost function. Override superclass method to the specific function call.

137

138 The object oriented approach allows the easy extension of the package for other types of Individual-
 139 based modeling tools or methods. As can be seen in Table 1 the only requirement to apply the methods
 140 contained in the EvoPER package is to extend the *ObjectiveFunction* class and override the Evaluate
 141 method to support the new parameter estimation target. One of the useful aspects of EvoPER implementa-
 142 tion is the possibility to specify constraints in the search space by individually setting lower and upper
 143 bounds for every parameter being analyzed using the *ObjectiveFunction\$Parameter(name, min, max)*
 144 method. That is an important point for limiting the parameter values only to the acceptable biological
 145 range.

146 The workflow for carry out the parameter estimation consists in a simple sequence of steps. First,
 147 an object instance of any *ObjectiveFunction* subclasses must be created and properly initialized. As
 148 mentioned previously, currently we have two options available for parameter estimation: one for simple
 149 functions which could be used for testing purposes (*PlainFunction*) and another for estimating parameters
 150 of Repast models (*RepastFunction*). Once the objective function has been initialized, the required
 151 parameters must be provided with the appropriate lower and upper bounds. Finally, the *extremize* function
 152 can be applied to the previously defined function. The required parameters are the optimization method
 153 and the objective function instance. The function has a third optional parameter for providing the custom
 154 options for the underlying optimization method.

155 The optimization functions and its accessory helper functions are shown in the Table 2 for providing an
 156 overview on the package contents, the package is in continuous improvement and development therefore
 157 the list could change over the time. The package manual will be the most updated source of information
 158 for the package contents.

159

Table 2. The partial list of EvoPER optimization functions for parameter estimation.

Function	Description
abm.pso	The function call for running the particle swarm optimization method. The parameters are the <i>ObjectiveFunction</i> and an instance of <i>Options</i> class with the suitable parameter set.
pso.neighborhood.K2	This neighborhood function returns two neighbors of particle x_i , where the neighbors are the particles x_{i-1} and x_{i+1} using a ring topology Zambrano-Bigiarini et al. (2013).
pso.neighborhood.K4	Returns four neighbors of particle x_i using a von Neumann neighborhood function.
pso.neighborhood.KN	Return the whole set of particles. The neighborhood is a complete graph.
pso.Velocity	Calculate the particle velocity Poli et al. (2007)
pso.chi	Calculate the constriction coefficient Poli et al. (2007).
initSolution	Creates a random initial population of size N for the model parameters.
enforceBounds	Verify the upper and lower limits of every parameter
abm.saa	The Simulated Annealing implementation. The parameters required are the <i>ObjectiveFunction</i> and an instance of <i>Options</i> class with the suitable parameter set.
saa.neighborhoodI	Generate a neighborhood solution for simulated annealing perturbing randomly one value from current best solution and using the distance parameter.
saa.neighborhoodH	Generate a neighborhood solution for simulated annealing perturbing randomly the half of values of current best solution.
saa.neighborhoodN	Generate a neighborhood solution for simulated annealing perturbing randomly all values of current best solution.
extremize	This is a wrapper encapsulating the calls for all parameter estimation methods. The parameters are the optimization method, the <i>ObjectiveFunction</i> and an instance of <i>Options</i> class with the suitable parameter set.

Most of the aspects implemented in the optimization code are standard and, perhaps the only points which are specific to the EvoPER package, are the neighborhood function for *pso.neighborhood.K4* and *saa.neighborhood*. The von Neumann neighborhood for particle swarm optimization is generated using a topology created converting the linear collections of particles to a matrix using the R code `m <- matrix(seq(1, N), nrow=(ceiling(sqrt(N))))` where N is the swarm size.

In the case of neighborhood solution for Simulated Annealing we have used the following logic for generating new solutions: first we pick randomly the parameters to be perturbed¹ and update them using the expression $S' = S + S * U(-1, 1) * distance$ where S' , S , U and $distance$ are respectively the new neighbor solution, the current solution, a uniform random number between $[-1, 1]$ and the desired distance from current solution.

The package provides acceptable default values for most of parameters related to the optimization method in use. In spite of the fact that the parameter estimation functions can be called directly, the users should use the function *extremize(m, f, o)* which is the standard entry point for the optimization methods. As has been mentioned previously, the function has three parameters, which are respectively the method (m), the objective function (f) and the options (o). Only the first two are required and the third is optional. When the options parameter is not provided the default values are used. If setting different from the default values are required, the user must pass an instance of the corresponding option class. For example, if more iterations are required for PSO method an instance of *OptionsPSO* must be created and the method *setValue("iterations", value)* with the appropriate value. Many other parameters can be customized in order to fit the specific needs for the model being analyzed such as the neighborhood functions or the temperature update for the simulated annealing.

¹Our implemented neighborhood functions allows to choose from 1, 1/2 n or n, being n the number of parameters

182 EXAMPLES

183 In this section we will show some small and illustrative examples about how to use the EvoPER package
184 for estimating the model parameters. It is worth mentioning that although the package is oriented to the
185 application of evolutionary optimization methods to the parameter estimation of models developed using
186 Repast Symphony it can also be used to minimize basic mathematical functions. In the following example
187 shown in Figure 1 we demonstrate the package usage applying it to the two variables Rosenbrock's
188 function.

```
1 # Step 0
2 rm(list=ls())
3 set.seed(161803398)
4 library(evoper)
5
6 # Step 1
7 rosenbrock2<- function(x1, x2) { (1 - x1)^2 + 100 * (x2 - x1^2)^2 }
8
9 # Step 2
10 objective<- PlainFunction$new(rosenbrock2)
11
12 # Step 3
13 objective$Parameter(name="x1",min=-100,max=100)
14 objective$Parameter(name="x2",min=-100,max=100)
15
16 # Step 4
17 results<- extremize("pso", objective)
```

Figure 1. A simple example for minimizing the Rosenbrock's function using the EvoPER package.

189 As can be seen in Figure 1 the **step 1** shows the definition of a simple function to be minimized; the
190 **step 2** demonstrate how to create an instance of *PlainFunction* class; in the **step 3** the parameter ranges
191 for each function's parameter is provided and finally in the **step 4** the EvoPER *extremize* function is used
192 to minimize the objective function. The results of running the example are shown in Figure 2 where can
193 be seen the estimated parameters, the value of fitness function, the execution time and the number of
194 times the function has been evaluated.

```
1 > system.time(results<- extremize("pso", f))
2   user  system elapsed
3  1.50    0.00    1.53
4 > results
5      x1      x2 pset      fitness
6 1 1.000762 1.001341  4 3.948505e-06
7 > f$stats()
8   total_evals converged
9 [1,]      1616         1
```

Figure 2. The R console output session showing the results of running the previous example.

195 One of important aspects is that the syntax is simple and consistent independent of the function for
196 which parameters are being estimated. In next example shown in Figure 3 we can observe the simplicity
197 for running the optimization code for Repast parameter estimation. As can be seen the same steps
198 are required: (1) create the function to minimize based on the model characteristics; (2) Create the
199 *RepastFunction* instance with model data; (3) Initialize the model parameters with the acceptable ranges
200 and (4) Run the optimization function. In this example we are basically trying to find the best combination
201 of model parameters which minimize the differences between the observed and the simulated data for the
202 variable *Rate* and the method used is the normalized root mean square deviation.

203 Finally, in the last example show in Figure 4 we want to show an example on how to craft the cost
204 function for tuning the model parameters in order to accomplish a specific output. Specifically, a simple
205 toy model representing the Lotka-Volterra, also known predator-prey is presented and we want to estimate
206 the parameters required to make the output oscillate with an approximate period of twenty-four hours.
207 This model, despite of being developed for modeling the predator and prey relationship, has a broad range
208 of applications and can be used for representing a many types of ecological and biological interactions

```

1 # Step 0
2 rm(list=ls())
3 set.seed(161803398)
4 library(evolver)
5
6 # Step 1
7 my.cost<- function(params, results) {
8   Rate<- AoE.NRMSD(results$simulated, results$experimental)
9   criteria<- cbind(Rate)
10  return(criteria)
11 }
12
13 # Step 2
14 objective<- RepastFunction$new("/usr/models/BactoSim", "ds::Output", 300, my.cost)
15
16 # Step 3
17 objective$Parameter(name="cyclePoint", min=1, max=90)
18 objective$Parameter(name="conjugationCost", min=0, max=100)
19 objective$Parameter(name="pilusExpressionCost", min=0, max=100)
20 objective$Parameter(name="gamma0", min=1, max=10)
21
22 # Step 4
23 results<- extremize("saa", objective)

```

Figure 3. The minimum code required to accomplish the parameter estimation for a repast model.

209 (Shonkwiler (2008)). The parameters we are trying to estimate are c_1 , c_2 , c_3 and c_4 which represent
210 respectively the growth rate of prey, the predation rate, the predation effect on predator growth rate and
211 finally the death rate of predator. The session output is presented in Figure 5 where the values for the
212 parameters required to produce oscillations with the desired period are shown. The Figure 6 shows
213 graphically the results for the tuned parameters.

```

1 # Step 0
2 rm(list=ls())
3 set.seed(161803398)
4 library(evolver)
5
6 # Step 1
7 my.cost<- function(params, results) {
8   predators<- AoE.NRMSD(period(results$predators), 24)
9   criteria<- cbind(predators)
10  return(criteria)
11 }
12
13 # Step 2
14 objective<- RepastFunction$new("/usr/models/PredatorPrey", "ds::population", 180, my.cost)
15
16 # Step 3
17 f$Parameter(name="c1", min=0.5, max=8)
18 f$Parameter(name="c2", min=0.5, max=8)
19 f$Parameter(name="c3", min=0.5, max=8)
20 f$Parameter(name="c4", min=0.5, max=8)
21
22 # Step 4
23 results<- extremize("pso", objective)

```

Figure 4. Tuning the oscillation period of predator-prey model.

214 CONCLUSIONS

215 The systematic parameter estimation should be a fundamental part of individual-based modeling but
216 it is normally omitted by modelers. One of the main reasons is the relative complexity of available
217 methods and the lack of simple tools for the practitioners which usually come from different domains with
218 different backgrounds. Individual-based models are complex and non-linear and the evaluation of model's
219 input parameters is precisely the kind of combinatorial optimization problem for which evolutionary
220 computation provides good results.

221 In this work we have introduced the set of features available on EvoPER package alongside with

```

1 > system.time(results<- extremize("pso", f))
2   user  system elapsed
3   91.2    0.00   91.29
4 > results
5   c1      c2      c3      c4 pset      fitness
6 1 0.6305862 0.8146169 1.192911 1.611731 4 5.01271e-03
7 > f$stats()
8   total_evals converged
9 [1,]          800         0

```

Figure 5. The R console output session showing the results of running predator-prey model in Figure 4.

222 some brief usage cases. The package is being developed bearing in mind the idea of minimizing the effort
 223 required to the application of sophisticated methods in the parameter estimation process of Individual-
 224 based models. This package will allow the modelers to try different alternatives without having to code ad
 225 hoc and complex integration code to the existent packages.

226 ACKNOWLEDGMENTS

227 This work was supported by the European FP7 - ICT - FET EU research project: 612146 (PLASWIRES
 228 "Plasmids as Wires" project) www.plaswires.eu and by Spanish Government (MINECO) research
 229 grant TIN2012-36992.

230 REFERENCES

- 231 Ashyraliyev, M., Fomekong-Nanfack, Y., Kaandorp, J. A., and Blom, J. G. (2009). Systems biology:
 232 Parameter estimation for biochemical models.
- 233 Beck, J. V. and Arnold, K. J. (1977). *Parameter estimation in engineering and science*. Wiley series in
 234 probability and mathematical statistics. Wiley, New York.
- 235 Boccara, N. (2003). *Modeling Complex Systems (Graduate Texts in Contemporary Physics)*. Springer, 1
 236 edition.
- 237 Clerc, M. (2012). Standard Particle Swarm Optimisation.
- 238 Dorigo, M., Birattari, M., and Stutzle, T. (2006). Ant colony optimization. *IEEE Computational
 239 Intelligence Magazine*, 1(4):28–39.
- 240 Grimm, V. and Railsback, S. F. (2005). *Individual-based Modeling and Ecology: (Princeton Series in
 241 Theoretical and Computational Biology)*. Princeton University Press, Princeton.
- 242 Kennedy, J. and Eberhart, R. (1995). Particle swarm optimization. *Neural Networks, 1995. Proceedings.,
 243 IEEE International Conference on*, 4:1942–1948 vol.4.
- 244 Kirkpatrick, S., Gelatt, C. D., and Vecchi, M. P. (1983). Optimization by Simulated Annealing. *Science*,
 245 220(4598):pp. 671–680.
- 246 Minsky, M. (1965). Matter, Mind and Models. In *Proceedings of IFIP Congress 65*, pages 45–49.
- 247 North, M. J., Collier, N. T., Ozik, J., Tataru, E. R., Macal, C. M., Bragen, M., and Sydelko, P. (2013).
 248 Complex adaptive systems modeling with Repast Symphony. *Complex Adaptive Systems Modeling*,
 249 1(1):3.
- 250 Poli, R., Kennedy, J., and Blackwell, T. (2007). Particle swarm optimization. *Swarm Intelligence*,
 251 1(1):33–57.
- 252 R Core Team (2015). *R: A Language and Environment for Statistical Computing*. R Foundation for
 253 Statistical Computing, Vienna, Austria.
- 254 Shonkwiler, R. W. (2008). *Mathematical Biology: An Introduction with Maple and Matlab*. Springer
 255 Publishing Company, Incorporated, 2nd edition.
- 256 Thiele, J. C., Kurth, W., and Grimm, V. (2014). Facilitating Parameter Estimation and Sensitivity Analysis
 257 of Agent-Based Models: A Cookbook Using NetLogo and 'R'. *Journal of Artificial Societies and
 258 Social Simulation*, 17(3).
- 259 Viana, F. A. C. (2013). Things You Wanted to Know About the Latin Hypercube Design and Were Afraid
 260 to Ask. *10th World Congress on Structural and Multidisciplinary Optimization*, pages 1–9.
- 261 Zambrano-Bigiarini, M., Clerc, M., and Rojas, R. (2013). Standard Particle Swarm Optimisation 2011

262 at CEC-2013: A baseline for future PSO improvements. In *2013 IEEE Congress on Evolutionary*
263 *Computation, CEC 2013*, pages 2337–2344.
264 Zeigler, B. P., Praehofer, H., and Kim, T. G. (2000). *Theory of Modeling and Simulation, Second Edition*.
265 Academic Press, 2 edition.




Figure 6. An example of tuning the oscillation period of predator-prey model. The objective function can be tweaked to reproduce any desired output behavior. The most common one is to assess the quality of fit between simulated and experimental data but it is no limited and can be used to find parameter combinations which generate some global behavior. In this figure we can observe how x and y species, respectively the prey and predator components oscillates with an approximated period of 24 hours using the parameter combination shown in Figure 5.