# Arthritis Research & Therapy

# COMMENTARY





# Opportunities and challenges in rheumatology research in Central Europe

Zoltán Szekanecz<sup>1\*</sup>, Branimir Anic<sup>2</sup>, Gábor Héjj<sup>3</sup>, Iztok Holc<sup>4</sup>, Aniella Hunka<sup>3</sup>, Eugene Kucharz<sup>5</sup>, Klaus Machold<sup>6</sup>, Miroslav Mayer<sup>2</sup>, Artur Pahor<sup>4</sup>, Rudolf Puchner<sup>7</sup>, Jozef Rovensky<sup>8</sup>, Ladislav Senolt<sup>9</sup>, Alena Tuchynova<sup>8</sup>, Jiri Vencovsky<sup>9</sup> and Josef S. Smolen<sup>6</sup>

# Abstract

The Central European Congress of Rheumatology (CECR) has been organized by seven Central European countries: Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia. These countries have lots of similarities, but also differences, with respect to rheumatology research. In this paper, based on questionnaires, we wish to demonstrate achievements and difficulties in rheumatology research performed in our region.

**Keywords:** Central Europe, Rheumatology, Research, Funding, Arthritis, Collaboration

# Background

Central European countries have common geopolitical backgrounds and numerous similarities with respect to history and development including medical care and research. Here we will deal with the seven official organizers of the Central-Eastern Congress of Rheumatology (CECR): Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia. There are significant differences between the countries with respect to gross domestic product (GDP), organization of healthcare, and research funding.

In this brief review, we wish to describe the recent developments and present the current situation of clinical rheumatology and research in Central Europe. For this purpose, we sent out a questionnaire to the presidents of the national societies.

Full list of author information is available at the end of the article



# Some indicators of rheumatology care

In order to understand rheumatological research in these countries, first we should assess postgraduate training and the definition of rheumatologists. In some countries, such as Austria and Czech Republic, most rheumatologists are also internists. On the other hand, in Hungary, about 70% of rheumatologists are not internists so many of them do not treat connective tissue diseases.

There are between 2 and 75 rheumatology hospitals/ departments in these countries. Where internists treat rheumatic patients, most outpatient and inpatient care is of course performed in internal medicine units. There are variable numbers of patients treated with biologics (Table 1).

# **Description of rheumatology research**

As seen in Table 1, significant research in the field of arthritides, osteoporosis, and connective tissue diseases has been carried out over the past years. Our rheumatologists have been involved in the development of international recommendations (e.g. management of rheumatoid arthritis (RA), early RA, spondyloarthropathies, systemic sclerosis, systemic lupus erythematosus (SLE), myositis, Sjögren's syndrome, polymyalgia rheumatica, vasculitides, osteoporosis, alkaptonuria, cardiovascular comorbidities, and ultrasound) [1-13]. There have been active members of EULAR, EUSTAR, GRAPPA, ASAS, EURO-PHOSPHOLIPD, MYONET, and several other working groups. Although there have been significant limitations in funding of research, recently our countries have been involved in large European Union (EU), Horizon2020, Foreum, and other collaborative projects.

# The Central European Congress of Rheumatology

CECR congresses started in 1996 in Piestany (Slovakia), and were followed by meetings every other year in Warsaw (1998), Bratislava (2000), Baden (2002),

© The Author(s). 2017 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

<sup>\*</sup> Correspondence:

szekanecz.zoltan@med.unideb.hu

<sup>&</sup>lt;sup>1</sup>Department of Rheumatology, University of Debrecen Faculty of Medicine, Nagyerdei str 98, Debrecen H-4032, Hungary

	Austria	Croatia	Czech Republic	Hungary	Poland	Slovakia	Slovenia
Population (millions)	8.3	4.4	10.4	10.0	38.5	5.4	2.0
GDP per capita (IMF, 2016, Int\$)	47,800	22,400	33,200	27,200	27,700	31,200	32,000
No. of rheumatologists	324	47	350	800	~ 1300	71	21
No. of rheumatology departments/hospitals	10/2	18	12	31	75	1+ **	7
No. arthritis patients on biologics	N/A	1800	5700	8500	~ 8000	2200	2200
No. of research centres (with international publications)	20	7	Ŋ	21	15	9	2
No. of research groups	20	7	13	21	15	9	2
Main research topics	<ul> <li>Several clinical trials in arthritides, SLE, etc</li> <li>EULAR-related activities, recommendations</li> <li>Registries (BIOREG), databases, biobanking</li> <li>Autoantibodies</li> <li>Bone/osteoimmunology</li> <li>Experimental arthritis</li> <li>Experimental arthritis</li> <li>Cutcomes research</li> <li>(RA, PsA, SLE, OA)</li> <li>Sclenoderma</li> <li>Ultrasonography</li> <li>Osteoarthritis</li> <li>PSoriatic arthritis</li> <li>PMR</li> <li>Health services research</li> </ul>	<ul> <li>Epidemiology of SLE</li> <li>Cardiovascular comorbidities</li> <li>SpA</li> <li>Systemic sclerosis</li> <li>Osteodrast</li> <li>progenitors</li> <li>JIA biomarkers</li> </ul>	<ul> <li>Inflammatory myopathies</li> <li>Biomarkers</li> <li>SpA</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>Systemic</li> <li>SpA</li> <li>JA</li> <li>JA</li> <li>JA</li> <li>Registries</li> </ul>	<ul> <li>Comorbidities</li> <li>(CV, malignancies)</li> <li>RA</li> <li>Systemic sclerosis</li> <li>Systemic sclerosis</li> <li>Systemic sclerosis</li> <li>Ultrate transporters</li> <li>Ultrate transporters</li> <li>Ultrate transporters</li> <li>Ultrate transporters</li> <li>Siggren's</li> <li>Siggren's</li> <li>Myositis</li> <li>Myositis</li> <li>Arthritis models</li> </ul>	<ul> <li>RA</li> <li>Pregnancy</li> <li>Pregnancy</li> <li>Systemic sclerosis</li> <li>Stem cell transplantation</li> <li>Ultrasonography</li> <li>GCA</li> <li>Fibromyalgia</li> <li>Immunopathology</li> <li>SpA</li> <li>Ped. rheumatology</li> <li>Osteoporosis</li> </ul>	<ul> <li>Alkaptonuria</li> <li>Corticosteroids in the elderly</li> <li>Hyperprolactinemia</li> <li>PET-CT in vasculitis Autoinflammatory syndromes</li> <li>SLE</li> <li>Osteoporosis</li> </ul>	<ul> <li>Atherosclerosis in RA</li> <li>Sjögren's sindrome</li> <li>Vasculitis,</li> <li>Adherence to reatment</li> <li>Antiphospholipid syndrome</li> </ul>
Number of publications with IF (2012–2016)	278*	06	250	315	663	55	21
National journal	Zeitschrift für Rheumatologie (Germany)	Reumatizam	Czech Rheumatology	<i>Magyar Reumatológia</i> (Hungarian Rheumatology)	Reumatologia (Rheumatology) (bimonthly; in English) Forum Reumatologiczne (quarterly; in Polish)	Rheumatologia	None
No. of PhD theses in rheumatology	4**	10	6	16	7	0	0
No. of research grants awarded	16	8	17	43	N/A	m	0
awarded * First or last authorship ** Associate Professorship *** Many authritis and autoimmune patients are treated in internal medicine departments *** Andiovascular GCA ainar reall arteritis GDP aross domestic andurt. If invenile idiopathic arthritis. MCTD mixed connective tissue disease. mRNA microRNA_NA not available_CA osteoarthritis	patients are treated in interm	al medicine departmer	tts				

Szekanecz et al. Arthritis Research & Therapy (2017) 19:196

Budapest (2004), Bled (2006), Prague (2008), Sopron (2010), Krakow (2012), Vienna (2014), and again Prague (2016). Croatia joined "the club" in 2016 and the next meeting will be in Zagreb in 2018.

## **EULAR activities**

The 70-year-old European League Against Rheumatism (EULAR) is the key organization in the field of rheumatology. The seven countries have nominated country representatives on the EULAR committees. In addition, Frantisek Lenoch (Czechoslovakia), Karl Gotsch (Austria), Béla Gömör (Hungary), and Josef Smolen (Austria) served as EULAR presidents. Karel Pavelka (Czech Republic) and László Czirják (Hungary) worked as General Secretary. Tadej Avcin (Slovenia) is currently Chairperson of the Standing Committee on Paediatric Rheumatology. Daniel Aletaha (Austria) chaired the Standing Committee for Clinical Affairs. Zoltan Szekanecz (Hungary) and Tadej Avcin are currently members of the Scientific Programme Committee of the EULAR congress. Past members of the Scientific Committee include Jiri Vencovsky and Karel Pavelka (Czech Republic), Wlodzimierz Maslinski (Poland), and Kurt Redlich (Austria). Jiri Vencovsky is currently acting as the treasurer for FOREUM.

The numbers of submitted and accepted EULAR abstracts are relevant indicators of the quality of rheumatology research. As listed in Table 2, the 7 countries together submitted 169, 152, 153, 133, and 138 abstracts to the last five EULAR congresses (2012–2016), respectively. The total number of submissions to these congresses was 3806, 3872, 4041, 4323, and 4109, respectively. Thus, our 7 countries submitted 4.4%, 3.9%, 3.8%, 3.1%, and 3.4% of all abstracts, respectively. The percentage of accepted abstracts (oral + poster tour + poster + abstract publication only) was 79.3%, 75.0%, 85.0%, 79.7%, and 77.5%, respectively.

With respect to the number of abstract submissions, in 2015 Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia ranked 36<sup>th</sup>, 48<sup>th</sup>, 35<sup>th</sup>, 30<sup>th</sup>, 27<sup>th</sup>, 51<sup>st</sup>, and 46<sup>th</sup>, respectively, among the 84 countries with abstract submissions. In 2016, these

Table 2 EULAR congress activity

	2012	2013	2014	2015	2016	Total
Submitted	169	152	153	133	138	745
Accepted	134	114	130	106	107	591
Oral	5	2	9	5	5	26
Poster tour	9	17	7	9	12	54
Poster	42	55	38	45	43	223
Publication	78	40	76	47	47	288
Acceptance rate (%)	79.3	75.0	85.0	79.7	77.5	79.3

ranks were 29<sup>th</sup>, 53<sup>rd</sup>, 32<sup>nd</sup>, 35<sup>th</sup>, 28<sup>th</sup>, 62<sup>nd</sup>, and 45<sup>th</sup>, respectively. Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia submitted 150, 40, 138, 150, 190, 34, and 43 abstracts, respectively, a total of 745, to the 2012–2016 congresses. The total acceptance rates were 88.0%, 77.5%, 77.5%, 72.7%, 81.6%, 55.9%, and 88.4%, respectively. Austria (n = 7), Hungary (n = 6), Poland (n = 6), and Czech Republic (n = 5) had the most oral presentations.

The seven countries have varying population numbers (Table 1) so their relative share within the whole of Europe differs. However, the seven Central European countries took a significant share (3-4%) of abstracts submissions to recent EULAR congresses with an acceptance rate of 75–85%.

# EWRR

The first European Workshop of Rheumatology Research (EWRR) was organized in London in 1981. The idea of the annual EWRR meetings was to give a platform to mostly young researchers to present their data in basic and translational rheumatology research. To date, 37 EWRR meetings have been organized. Among our seven countries, Vienna (twice), Warsaw, Prague, and Budapest have hosted EWRR congresses. An also increasing number of presentations from Central Europe has been included in the very recent EWRR meetings.

## **Problems to solve**

Maybe with the exception of Austria, our countries have experienced a significant delay in the development of rheumatology research. For many years, only Austria and Czech Republic could be part of large international projects (e.g. BeTheCure, AutoCure). In many countries, research is very much centralized to the capital (Vienna, Prague, Ljubljana, Zagreb) or to nominated centres (Piestany). It is more evenly distributed among numerous university towns in Hungary and Poland. A major problem is lack of interest of young physicians in the field of rheumatology, as well as the large workload in routine clinical practice, leaving little time for research. With the advent of new therapies and novel molecular insights, this interest will hopefully rise again over the next years. Funding has been an issue and we hope that, with development, these countries could also participate in more EU- or EULAR-related projects. With respect to human resources, the "next generation" of rheumatologists is now slowly establishing itself in the international community.

## Conclusion

Although, with the exception of Austria, these countries were socialist countries, significant development has been observed in rheumatology research.

#### Abbreviations

CECR: Central European Congress of Rheumatology; EU: European Union; EULAR: European League Against Rheumatism; EWRR: European Workshop of Rheumatology Research; GDP: Gross domestic product

#### Acknowledgements

We wish to thank EULAR for supplying us with the data on recent congresses

#### Funding

None.

## Availability of data and materials

Not applicable.

#### Authors' contributions

Each author supplied data and read the manuscript. All authors read and approved the final manuscript.

#### Author's information

See above.

#### Competing interests

The authors declare that they have no competing interests.

#### **Consent for publication**

All authors gave consent.

Ethics approval and consent to participate Not needed.

#### Accession numbers

Not applicable.

# Clinical trial registration number

Not applicable.

#### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

#### Author details

<sup>1</sup>Department of Rheumatology, University of Debrecen Faculty of Medicine, Nagyerdei str 98, Debrecen H-4032, Hungary. <sup>2</sup>Division of Clinical Immunology and Rheumatology, Department of Internal Medicine, University of Zagreb School of Medicine, Zagreb, Croatia. <sup>3</sup>National Institute of Rheumatology and Physiotherapy, Budapest, Hungary. <sup>4</sup>Department of Rheumatology, Division of Internal Medicine, University Medical Centre of Maribor, Maribor, Slovenia. <sup>5</sup>Department of Internal Medicine and Rheumatology, Medical University of Silesia, Katowice, Poland. <sup>6</sup>Department of Rheumatology, Medical University of Vienna, Vienna, Austria. <sup>7</sup>Private Practice, Wels, Austria. <sup>8</sup>National Institute of Rheumatic Diseases, Piestany, Slovakia. <sup>9</sup>Institute of Rheumatology, Prague, Czech Republic.

#### Published online: 04 September 2017

#### References

- Smolen JS, Landewe R, Bijlsma J, Burmester G, Chatzidionysiou K, Dougados M, Nam J, Ramiro S, Voshaar M, van Vollenhoven R, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. Ann Rheum Dis. 2017;76(6):960–77.
- Combe B, Landewe R, Daien CI, Hua C, Aletaha D, Alvaro-Gracia JM, Bakkers M, Brodin N, Burmester GR, Codreanu C, et al. 2016 update of the EULAR recommendations for the management of early arthritis. Ann Rheum Dis. 2017;76(6):948–59.
- Muller-Ladner U, Tyndall A, Czirjak L, Denton C, centres E, Matucci-Cerinic M. Ten years EULAR Scleroderma Research and Trials (EUSTAR): what has been achieved? Ann Rheum Dis. 2014;73(2):324–7.
- van Vollenhoven RF, Mosca M, Bertsias G, Isenberg D, Kuhn A, Lerstrom K, Aringer M, Bootsma H, Boumpas D, Bruce IN, et al. Treat-to-target in systemic

lupus erythematosus: recommendations from an international task force. Ann Rheum Dis. 2014;73(6):958–67.

- Aggarwal R, Rider LG, Ruperto N, Bayat N, Erman B, Feldman BM, Oddis CV, Amato AA, Chinoy H, Cooper RG, et al. 2016 American College of Rheumatology/ European League Against Rheumatism criteria for minimal, moderate, and major clinical response in adult dermatomyositis and polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. Ann Rheum Dis. 2017;76(5):792–801.
- Lems WF, Dreinhofer KE, Bischoff-Ferrari H, Blauth M, Czerwinski E, da Silva J, Herrera A, Hoffmeyer P, Kvien T, Maalouf G, et al. EULAR/EFORT recommendations for management of patients older than 50 years with a fragility fracture and prevention of subsequent fractures. Ann Rheum Dis. 2017;76(5):802–10.
- Ranganath LR, Milan AM, Hughes AT, Dutton JJ, Fitzgerald R, Briggs MC, Bygott H, Psarelli EE, Cox TF, Gallagher JA, et al. Suitability Of Nitisinone In Alkaptonuria 1 (SONIA 1): an international, multicentre, randomised, openlabel, no-treatment controlled, parallel-group, dose-response study to investigate the effect of once daily nitisinone on 24-h urinary homogentisic acid excretion in patients with alkaptonuria after 4 weeks of treatment. Ann Rheum Dis. 2016;75(2):362–7.
- Agca R, Heslinga SC, Rollefstad S, Heslinga M, McInnes IB, Peters MJ, Kvien TK, Dougados M, Radner H, Atzeni F, et al. EULAR recommendations for cardiovascular disease risk management in patients with rheumatoid arthritis and other forms of inflammatory joint disorders: 2015/2016 update. Ann Rheum Dis. 2017;76(1):17–28.
- Colebatch AN, Edwards CJ, Ostergaard M, van der Heijde D, Balint PV, D'Agostino MA, Forslind K, Grassi W, Haavardsholm EA, Haugeberg G, et al. EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis. Ann Rheum Dis. 2013;72(6):804–14.
- Gossec L, Smolen JS, Gaujoux-Viala C, Ash Z, Marzo-Ortega H, van der Heijde D, FitzGerald O, Aletaha D, Balint P, Boumpas D, et al. European League Against Rheumatism recommendations for the management of psoriatic arthritis with pharmacological therapies. Ann Rheum Dis. 2012;71(1):4–12.
- Dejaco C, Singh YP, Perel P, Hutchings A, Camellino D, Mackie S, Abril A, Bachta A, Balint P, Barraclough K, et al. 2015 Recommendations for the management of polymyalgia rheumatica: a European League Against Rheumatism/American College of Rheumatology collaborative initiative. Ann Rheum Dis. 2015;74(10):1799–807.
- Haraoui B, Smolen JS, Aletaha D, Breedveld FC, Burmester G, Codreanu C, Da Silva JP, de Wit M, Dougados M, Durez P, et al. Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. Ann Rheum Dis. 2011;70(11):1999–2002.
- van der Heijde D, Ramiro S, Landewe R, Baraliakos X, Van den Bosch F, Sepriano A, Regel A, Ciurea A, Dagfinrud H, Dougados M, et al. 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. Ann Rheum Dis. 2017;76(6):978–91.