



**Michigan
Technological
University**

Michigan Technological University
Digital Commons @ Michigan Tech

Michigan Tech Patents

Vice President for Research Office

3-6-2012

Methods for enhancing expression of secondary cell wall cellulose synthases in plants

Chandrashekhar P. Joshi

Michigan Technological University, cpjoshi@mtu.edu

Follow this and additional works at: <https://digitalcommons.mtu.edu/patents>



Part of the [Biological Engineering Commons](#)

Recommended Citation

Joshi, Chandrashekhar P., "Methods for enhancing expression of secondary cell wall cellulose synthases in plants" (2012). *Michigan Tech Patents*. 6.
<https://digitalcommons.mtu.edu/patents/6>

Follow this and additional works at: <https://digitalcommons.mtu.edu/patents>



Part of the [Biological Engineering Commons](#)



US008129585B2

(12) **United States Patent**
Joshi

(10) **Patent No.:** **US 8,129,585 B2**
(45) **Date of Patent:** **Mar. 6, 2012**

(54) **METHODS FOR ENHANCING EXPRESSION OF SECONDARY CELL WALL CELLULOSE SYNTHASES IN PLANTS**

WO WO 98/18949 5/1998
WO WO 00/22092 4/2000
WO WO 00/71670 11/2000

OTHER PUBLICATIONS

(75) Inventor: **Chandrashekhar P. Joshi**, Houghton, MI (US)

Chandrashekhar 2003 Applied Biochemistry and Biotechnology 105:17-25, provided by Applicant.*

(73) Assignee: **Michigan Technological University**, Houghton, MI (US)

Accession No. T10797—Sequence Search Result (1996) 1-2.
Alt-Morbe, et al., "Differences in induction of Ti plasmid virulence genes virG and virD, and continued control of virD expression by four external factors," Mol. Plant.-Microbe. Interact. (1989) 2(6):301-308.

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 743 days.

Arioli, T.L. et al., "Molecular analysis of cellulose biosynthesis in Arabidopsis," Science (1998) 279:717-720.

(21) Appl. No.: **11/997,503**

Benton, W.D. et al., "Screening λ gt recombinant clones by hybridization to single plaques in situ," Science (1977) 196:180-182.

(22) PCT Filed: **Aug. 3, 2006**

Bird et al., "Manipulation of Plant Gene expression by Antisense RNA," *Biotechnology & Genetic Engineering Reviews* (1991) 9:207-227.

(86) PCT No.: **PCT/US2006/030316**

Brown, R.M. et al., "Cellulose biosynthesis in higher plants," Trends Plant Sci. (1996) 1(5):149-156.

§ 371 (c)(1),
(2), (4) Date: **May 19, 2008**

Bugos, R.C. et al., "RNA isolation from plant tissues recalcitrant to extraction in guanidine," Biotechniques (1995) 19:734-737.

(87) PCT Pub. No.: **WO2007/019245**

Delmer, D.P. et al., "Cellulose biosynthesis," The Plant Cell (1995) 7:987-1000.

PCT Pub. Date: **Feb. 15, 2007**

Djerbi, S. et al., "Identification and expression analysis of genes encoding putative cellulose synthases (CesA) in the hybrid aspen, Populus tremula (L.) x P. tremuloides (Michx.)," Cellulose (2004) 11:301-312.

(65) **Prior Publication Data**

US 2008/0222752 A1 Sep. 11, 2008

Esau, K., Anatomy of Seed Plants, New York: John Wiley and Sons. (1960).

Related U.S. Application Data

(60) Provisional application No. 60/705,033, filed on Aug. 3, 2005.

Esau, K., Plant Anatomy, 2nd ed. New York: Wiley (1953).

(51) **Int. Cl.**

C12N 15/82 (2006.01)
C12N 15/63 (2006.01)
C12N 15/09 (2006.01)
A01H 5/00 (2006.01)

Esau, K., Vascular Differentiation in Plants, New York: Hold, Rinehart & Winston (1965).

(52) **U.S. Cl.** **800/278**; 800/295; 435/320.1; 435/468; 536/23.1; 536/23.6

Esau, K., et al., "Observations on Cytokinesis," *Planta* (Berl.) 67, 168-181 (1965).

(58) **Field of Classification Search** None
See application file for complete search history.

Esau, K., "Anatomy of Plant Virus Infections", *Annu. Rev. Phytopathol.* 5:45-76 (1967).

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,268,274 A 12/1993 Ben-Bassaf et al.
5,633,439 A 5/1997 Walter et al.
5,646,023 A 7/1997 Secor et al.
5,654,190 A 8/1997 Matsunaga et al.
6,013,860 A 1/2000 Himmel et al.
6,271,443 B1* 8/2001 Stalker et al. 800/298
6,303,847 B1 10/2001 Kawaoka et al.
6,867,352 B2 3/2005 Allen
7,049,481 B1 5/2006 Chiang et al.
7,232,941 B2 6/2007 Chiang et al.
7,288,409 B1 10/2007 Chiang et al.
2002/0120124 A1* 8/2002 Allen 536/23.6
2005/0108791 A1 5/2005 Edgerton

Freshney, R.I., "Immobilised Cells and Enzymes", Animal Cell Culture: A Practical Approach. 1986. IRL Press. Fukuda, H., "Xylogenesis: initiation, progression, and cell death," Ann. Rev. Plant Physiol. Plant Mol. Biol. (1996) 47:299-325.

FOREIGN PATENT DOCUMENTS

CA 2012311 9/1990
EP 875575 11/1998
WO WO 98/00549 1/1998

Fullner, K.J. et al., "Temperature affects the T-DNA transfer machinery of agrobacterium tumefaciens," J. Bacteriol. (1996) 178(6):1498-1504.

Fullner, K.J. et al., "Pilus assembly by agrobacterium T-DNA transfer genes," Science (1996) 273:1107-1109.

Ge, L. et al., A full-length cDNA encoding trans-cinnamate 4-hydroxylase from developing xylem of populus tremuloides (Accession No. U47293) Plant Physiol. (1996) 112:861-864.

Grunstein, M. et al., "Colony hybridization: a method for the isolation of cloned DNAs that contain a specific gene," Proc. Natl. Acad. Sci. (1975) 72(10):3961-3965.

Haigler, C. et al., "New hopes for old dreams: evidence that plant cellulose synthase genes have finally been cloned," Proc. Natl. Acad. Sci., 93: 12082-12085, (1996).

(Continued)

Primary Examiner — Brent T Page
(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **ABSTRACT**

Described are methods for making transgenic plants capable of expressing secondary cell wall cellulose synthases and methods of enhancing expression of secondary cell wall cellulose synthases in plants. Also described are plants produced by the methods. Plants comprising at least three exogenous polynucleotides encoding secondary cell wall cellulose synthases are also provided.

OTHER PUBLICATIONS

- Higuchi, R. "Using PCR to Engineer DNA", in *PCR Technology: Principles and Applications for DNA Amplification*, H. Erlich, ed., Stockton Press, Chapter 6, pp. 61-70. (1989).
- Higuchi, R., *Biochemistry and Molecular Biology of Wood*, Springer Verlag (1997).
- Hofmann, K. et al., "A database of membrane spanning protein segments," *MF C-35*, Biol. Chem. Hoppe-Seyler (1993) 374:166.
- Hu, W-J. et al., "Repression of lignin biosynthesis promotes cellulose accumulation and growth in transgenic trees," *Nature Biotech.* (1999) 17:808-812.
- Hu, W-J. et al., "Compartmentalized expression of two structurally and functionally distinct 4-coumarate: CoA ligase genes in aspen (*Populus tremuloides*)," *Proc. Natl. Acad. Sci. USA* (1998) 95:5407-5412.
- Hutchinson, C.A., et al., "Mutagenesis at a Specific Position in a DNA Sequence", *J. Biol. Chem.*, 253:6551 (1978).
- Hutchinson, C.A. et al., "A complete library of point substitution mutations in the glucocorticoid response element of mouse mammary tumor virus," *Proc. Natl. Acad. Sci. U.S.A.* (1986) 83:710-714.
- Joshi, C.P. et al., "Context sequences of translation initiation codon in plants," *Plant Mol. Biol.* (1997) 35:993-1001.
- Joshi, C.P. et al., "An inspection of the domain between purative TA TA box and translation start site in 79 plant genes," *Nuc. Acids Res.* (1987) 15(16):6643-6653.
- Joshi, C.P. et al., "Putative polyadenylation signals in nuclear genes of higher plants: a compilation and analysis," *Nuc. Acids Res.* (1987) 15:9627-9640.
- Joshi, C.P. et al., "Genomics of cellulose biosynthesis in poplars," *New Phytologist* (2004) 164:53-61.
- Joshi, J.P. et al., "Xylem-specific and tension stress-responsive expression of cellulose synthase genes from aspen trees," *Appl. Biochem. Biotech.* (2003) 105-108:17-25.
- Joshi, J.P., "Molecular biology of cellulose biosynthesis in plants," *Recent Res. Devel. Plant Mol. Biol.* (2003) 1:19-38.
- Kalluri, U.C. et al., "Differential expression patterns of two cellulose synthase genes are associated with primary and secondary cell wall development in aspen trees," *Planta.* (2004) 220:47-55.
- Kalluri, U.C. et al., "Isolation and characterization of a new, full-length cellulose synthase cDNA, PtrCesA5 from developing xylem of aspen trees," *J. Exp. Botany* (2003) 54(390):2187-2188.
- Lazar et al., "Transforming Growth Factor α : Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities," *Molec. & Cell. Biol.* (1988) 8(3):1247-1252.
- Li, L. et al., "Combinatorial modification of multiple lignin traits in trees through multigene cotransformation," *Proc. Natl. Acad. Sci. USA* (2003) 100:4939-4944.
- Liang, X. et al., "Molecular cloning of ten distinct hypervariable regions from the cellulose synthase gene superfamily in aspen trees," *Tree Physiology* (2004) 24:543-550.
- Lu, S-F, et al., Molecular cloning and characterization of three cellulose synthases associated with xylem development in *Eucalyptus grandis*, Poster presented at American Society of Plant Biologists annual meeting at Denver, CO, Aug. 2-7, 2002.
- Matton, D.P., et al., "Identification of cis-acting elements involved in the Regulation of the Pathogenesis-related Gene STH-2 in Potato" *Plant Molecular Biology*, 102:279-291, (1993).
- Nakai, T. et al., Control of expression by the cellulose synthase (bcsA) promoter region from *Acetobacter xylinum* BPR 2002 *Gene*, 213(1-2):93-100, (1998).
- Needleman, S.B. et al., "A general method applicable to the search for similarities in the amino acid sequence of two proteins," *J. Mol. Biol.* (1970) 48:443-453.
- Oliphant, A.R. et al., "Cloning of random-sequence oligodeoxynucleotides," *Gene* (1986) 44:177-183.
- Pear, J.R. et al., "Higher Plants Contain Homologs of the Bacterial celA Genes Encoding The Catalytic Subunit of Cellulose Synthase" *Proc. Natl. Acad. Sci.* 93:12637-12642, (1996).
- Salvucci, M.E. et al., "Identification of the Uridine-Binding Domain of Sucrose-Phosphate Synthase" *Plant Physiology*, 102:529-536, (1993).
- Samuga, A. et al., Accession No. AY095297, "A new cellulose synthase gene (PtrCesA2) from Aspen xylem is orthologous to Arabidopsis AtCesA7 (irx3) gene associated with secondary cell wall synthesis," *Gene* (2002) 296(1-2):37-44.
- Saxena, I.M. et al., "Cloning and Sequenceing of the Cellulose Synthase Catalytic Subunit Gene of the *Acetobacter Xylinum*" *Plant Molecular Biology*, 15:673-683, (1990).
- Smith, C.J.S. et al., "Antisense RNA Inhibition of Polygalacturonase Gene Expression in Transgenic Tomatoes," *Nature* (1988) 334:724-726.
- Song, Y-R. et al., "Tissue-print hybridization on membrane for localization of mRNA in plant tissue," *Methods in Enzymology* (1993) 218:671-681.
- Tsai, C.J. et al., "Agrobacterium-mediated transformation of quaking aspen (*populus tremuloides*) and regeneration of transgenic plants," *Plant Cell Reports* (1994) 14:94-97.
- Tsai, C.J. et al., "Suppression of O-methyltransferase gene by homologous sense transgene in quaking aspen causes red-brown wood phenotypes," *Plant Physiology* (1998) 117(5):101-112.
- Whetten, R.W. et al., "Recent advances in understanding lignin biosynthesis," *Ann. Rev. Pl. Physiol. Pl. Mol. Biol.* (1998) 49:585-609.
- Wilson, J.M. et al., "Hepatocyte-directed gene transfer in vivo leads to transient improvement of hypercholesterolemia in low density lipoprotein receptor-deficient rabbits," *J. Biol. Chem.* (1992) 267:963-967.
- Wu, G.Y. et al., "Receptor-mediated gene delivery and expression in vivo," *J. Biol. Chem.* (1988) 263:14621-14624.
- Wu, L. et al., "AraxCelA, a new member of the cellulose synthase gene family from Arabidopsis (Accession No. AF062485)," *Plant Physiol.* (1998) 117:1125.
- Wu, L. et al., Accession No. AF072131, "A xylem-specific cellulose synthase gene from Aspen (*Populus tremuloides*) is responsive to mechanical stress," *Plant J.* (2000) 22(6):495-502.
- Wu, L. et al., "A xylem-specific cellulose synthase gene from aspen (*populus tremuloides*) is responsive to mechanical stress," *EBI Database Accession No.* 081368 (1998).
- Ye, Z-H. et al., "Gene expression patterns associated with in vitro tracheary element formation in isolated single mesophyll cells of zinnia elegans," *Plant Physiol.* (1993) 103(3):805-813.
- Zhou, Y., et al., "Molecular cloning of cellulose synthase genes from loblolly pine", Poster presented at American Society of Plant Biologists annual meeting at Denver, CO, Aug. 2-7, 2002.
- Zoller, M.J. et al., "Oligonucleotide-directed mutagenesis: a simple method using two oligonucleotide primers and a single-stranded DNA template," *DNA* (1984) 3(6):479-488.
- International Search Report and Written Opinion for Application No. PCT/US2006/030316 dated Jul. 16, 2007 (11 pages).

* cited by examiner




FIG. 1

Secondary cell wall cellulose synthases related to PtrCesA1

| | | | | | | |
|--------------|-----------------|-------------------|-------------------|-------------------|-------------------|--------------------|
| | Plurality: 8.00 | Threshold: 3 | AveWeight 1.00 | AveMatch 2.78 | AvMismatch -2.25 | |
| | | 1 | | | 50 | |
| SEQ ID NO:8 | AF323039 {Ze1} | YGPQSLPTLP | SPSSSS...S | CCCCGPKKPK | KDLEEFKRDA | RRDDLNAAIF |
| SEQ ID NO:9 | AF323040 {Ze2} | YGPQSLPTLP | SPSSSS...S | CCCCGPKKPK | KDLEEFKRDA | RRDDLNAAIF |
| SEQ ID NO:10 | AF323041 {Ze3} | YGPQSLPTLP | SPSSSS...S | CCCCGPKKPK | KDLEEFKRDA | RRDDLNAAIF |
| SEQ ID NO:11 | GHU58283{Gh1} | YGPSPMPSFP | KSSSSS.C.S | CCCPGKKEP. | KDPSELYRDA | KREELDAAIF |
| SEQ ID NO:12 | AF413210 {Gh4} | YGPSPMPSFP | KSSSSS.C.S | CCCPGKKEP. | KEPTELYRDA | KREELDAAIF |
| SEQ ID NO:13 | AC125473 {Mt3} | YSPSPMPLP | K..SSS.C.. | CCFPSKKPA. | KDVSELYKDA | KREELDAAIF |
| SEQ ID NO:14 | AP003237 {Os4} | YGPSPLPALP | KSSVCSWC.C | CCCPKKKAE. | KSEKEMHRDS | RREDLESAIF |
| SEQ ID NO:15 | AF072131 {P1} | YGPSPMPSLR | KRKDSSSCFS | CCCPSKKKPA | QDPAEVYRDA | KREDLNAAIF |
| SEQ ID NO:16 | AF267742 {A8} | YSPPSKPRIL | PQSSSS...S | CCCLTKKKQP | QDPSEIYKDA | KREELDAAIF |
| | Consensus | Y-P-S-P--- | ----SS---- | CCC---K--- | ----E---DA | -R--L- <u>AAIF</u> |
| | | 51 | | | | 100 |
| SEQ ID NO:8 | AF323039 {Ze1} | NLKEIESYDD | YERSLLISQM | SFEKTFGMSS | VFIESTLMEN | GGLAESANPA |
| SEQ ID NO:9 | AF323040 {Ze2} | NLKEIESYDD | YERSLLISQM | SFEKTFGMSS | VFIESTLMEN | GGLAESANPA |
| SEQ ID NO:10 | AF323041 {Ze3} | NLKEIESYDD | YERSLLISQM | SFEKTFGMSS | VFIESTLMEN | GGLAESANPA |
| SEQ ID NO:11 | GHU58283{Gh1} | NLREIDNYDE | YERSMLISQT | SFEKTFGLSS | VFIESTLMEN | GGVAESANPS |
| SEQ ID NO:12 | AF413210 {Gh4} | NLREIDNYDE | YERSMLISQT | SFEKTFGLSS | VFIESTLMEN | GGVAESANPS |
| SEQ ID NO:13 | AC125473 {Mt3} | NLREIENYDE | YERSMLISQL | SFEKTFGLST | VFIESTLMEN | GGVSESADPS |
| SEQ ID NO:14 | AP003237 {Os4} | NLREIDNYDE | YERSMLISQM | SFEKSFGLSS | VFIESTLMEN | GGVPESANPS |
| SEQ ID NO:15 | AF072131 {P1} | NLREIDNYDE | HERSMLISQL | SFEKTFGLSS | VFIESTLMEN | GGVPESANSP |
| SEQ ID NO:16 | AF267742 {A8} | NLGDLDNYDE | YDRSMLISQT | SFEKTFGLST | VFIESTLMEN | GGVPDSVNPS |
| | Consensus | <u>NL-EI--YD-</u> | <u>YERS-LISQ-</u> | <u>SFEKTFG-S-</u> | <u>VFIESTLMEN</u> | <u>GG--ESANP-</u> |
| | | 101 | | | | |
| SEQ ID NO:8 | AF323039{Ze1} | TMINEAII | | | | |
| SEQ ID NO:9 | AF323040{Ze2} | TMINEAII | | | | |
| SEQ ID NO:10 | AF323041{Ze3} | TMINEAII | | | | |
| SEQ ID NO:11 | GHU58283{Gh1} | TLIKEAII | | | | |
| SEQ ID NO:12 | AF413210{Gh4} | TLIKEAII | | | | |
| SEQ ID NO:13 | AC125473{Mt3} | MLIKEAII | | | | |
| SEQ ID NO:14 | AP003237{Os4} | TLIKEAII | | | | |
| SEQ ID NO:15 | AF072131{P1} | TLIKEAII | | | | |
| SEQ ID NO:16 | AF267742{A8} | TLIKEAII | | | | |
| | Consensus | T-I-EAII | | | | |

FIG. 2A

Secondary cell wall cellulose synthases related to PtrCesA2

Plurality: 4.00 Threshold: 3 AveWeight: 1.00 AveMatch 2.78 AvMismatch -2.25

| | | | | | | |
|--------------|----------------|-------------------|-------------------|-------------------|-------------------|--------------------|
| | | 1 | | | | 50 |
| SEQ ID NO:17 | AP004509 {Lj2} | YNPPKGPKRP | KMVSCDCCPC | FGSRKK.LKH | AKSDVNGEAA | SLKGMDD.DK |
| SEQ ID NO:18 | AC140546 {Mt8} | YNPPKGPKRP | KMVSCDCCPC | FGRRKK.VKH | AMNDANGEAA | GLRGMED.DK |
| SEQ ID NO:19 | AF088917 {A7} | YEPPKGPKRP | KMISCGCCPC | FGRRRKNNKF | SKNDMNGDVA | ALGGAEG.DK |
| SEQ ID NO:20 | AY095297 {P2} | YDPPKDPKRP | KMETCDCCPC | FGRRKK.... | .KNAKTG..A | VVEGMDNNDK |
| SEQ ID NO:21 | AP004509 {Lj1} | FDPPKASKR. | | ...QREVQVH | SKQDESGEDG | SIKEATDEDK |
| | Consensus | Y-PPK-PKRP | KM--C-CCPC | FG-R-K---- | -K-D--G--A | ---G---- <u>DK</u> |
| | | 51 | | | | 95 |
| SEQ ID NO:17 | AP004509{Lj2} | EVLMSQMNFE | KKFGQSSIFV | TSTLMEEGGV | PPSSSPAGML | KEAIIH |
| SEQ ID NO:18 | AC140546{Mt8} | ELLMSQMNFE | KKFGQSSIFV | TSVLMEEGGV | PPSSSPASQL | KEAIIH |
| SEQ ID NO:19 | AF088917{A7} | EHLMFEMNFE | KTFGQSSIFV | TSTLMEEGGV | PPSSSPAVLL | KEAIIH |
| SEQ ID NO:20 | AY095297{P2} | ELLMSHMNFE | KKFGQSAIFV | TSTLMEEGGV | PPSSSPAALL | KEAIIH |
| SEQ ID NO:21 | AP004509{Lj1} | QLLKSHMNVE | NKEGNSTLFM | NSSLTEEGGV | DPSSSQEALL | KEAIIH |
| | Consensus | <u>E-LMS-MNFE</u> | <u>KKFGQS-IFV</u> | <u>TS-LMEEGGV</u> | <u>PPSSSPA--L</u> | KEAIIH |

FIG. 2B

Secondary cell wall cellulose synthases related to PtrCesA3

Plurality: 5.00 Threshold: 3 AveWeight 1.00 AveMatch 2.78 AvMisMatch -2.25
 1 50

| | | | | | | |
|--------------|----------------|------------|-------------------|--------------------|------------|------------|
| SEQ ID NO:22 | AF527387 {P3} | YDPPVSEKRP | <u>KMTCDCWPSW</u> | CCCCF...GG | SRKKS.KKK. | GQ.RSLLGG. |
| SEQ ID NO:23 | AF081534 {Pc} | YDPPVSEKRP | KMTCDCWPSW | CCCCF...GG | SRKKS.KKK. | GQ.RSLLGG. |
| SEQ ID NO:24 | GHU58284 {Gh2} | YDPPVSEKRP | KMTCDCWPSW | CCCC...GG | SRKKS.KKK. | GEKKGLLGL |
| SEQ ID NO:25 | AC131248 {Mt2} | YDPPVSEKRP | KMTCDCWPKW | CCFCC...GS | RKTKS.KKKS | GTNGRSLSFR |
| SEQ ID NO:26 | AF458083 {A4} | YEPPVSEKRP | KMTCDCWPSW | ICCC...GG | GNRNH.KSDS | SKKKSGIKSL |
| SEQ ID NO:27 | AC022457 {Os7} | YDPPRPEKRP | KMTCDCWPSW | CCCCCFGGG | KRGKSHKNKK | GGGGGEGGGL |
| | Consensus | YDPPVSEKRP | <u>KMTCDCWPSW</u> | <u>CCCC</u> ----GG | ---KS-K-K- | G----- |

51 100

| | | | | | | |
|--------------|----------------|------------|-------------|------------|------------|-------------------|
| SEQ ID NO:22 | AF527387 {P3} |L | YPMKKKMMGK |KYT | RKA.SA..PV | FDLEEIEEGL |
| SEQ ID NO:23 | AF081534 {Pc} |L | YPMKKKMMGK |KYT | RKA.SA..PV | FDLEEIEEGL |
| SEQ ID NO:24 | GHU58284 {Gh2} |L | YGKKKKMMGK |NYV | KKG.SA..PV | FDLEEIEEGL |
| SEQ ID NO:25 | AC131248 {Mt2} |L | Y.KKKKMGK |DYV | RKG.SG..SM | FDLEEIEOGL |
| SEQ ID NO:26 | AF458083 {A4} |F | SKLKKKTKKK | SDDKTMSYS | RKR.SSTEAI | FDLEDIEEGL |
| SEQ ID NO:27 | AC022457 {Os7} | DEPRRGLLGF | YKRSKDKL | GGGAASLAGG | KKGYRKHQRG | FELEEIEEGL |
| | Consensus | ----- | Y---KKK---K | -----Y- | -K--S----- | <u>FDLEEIEEGL</u> |

101 150

| | | | | | | |
|--------------|----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| SEQ ID NO:22 | AF527387 {P3} | EGYELEKSS | LMSQKSFEKR | FGQSPVFIAS | TLMENGGVPE | G..TNSQSHJ |
| SEQ ID NO:23 | AF081534 {Pc} | EGYELEKSS | LMSQKSLEKR | FGQSPVFIAS | TLMENGGVPE | G..TNSQSHJ |
| SEQ ID NO:24 | GHU58284 {Gh2} | EGYELEKST | LMSQKNFEKR | FGQSPVFIAS | TLMENGGVPE | G..TNSQSHJ |
| SEQ ID NO:25 | AC131248 {Mt2} | EGYELEKSS | LMSQKSFEKR | FGQSPVFIAS | TLMENGGVPE | G..TNSQSHJ |
| SEQ ID NO:26 | AF458083 {A4} | EGYELEKSS | LMSQKNFEKR | FGMSPVFIAS | TLMENGGVPE | A..TNTSSLI |
| SEQ ID NO:27 | AC022457 {Os7} | EGYDELERSS | LMSQKSFEKR | FGQSPVFIAS | TLVEDGGLPQ | GAAADPAALI |
| | Consensus | <u>EGY-ELEKSS</u> | <u>LMSQK-FEKR</u> | <u>FGQSPVFIAS</u> | <u>TLMENGG-PE</u> | <u>G--TN--S-I</u> |

151

| | | |
|--------------|----------------|-------|
| SEQ ID NO:22 | AF527387 {P3} | KEAII |
| SEQ ID NO:23 | AF081534 {Pc} | KEAII |
| SEQ ID NO:24 | GHU58284 {Gh2} | KEAII |
| SEQ ID NO:25 | AC131248 {Mt2} | KEAII |
| SEQ ID NO:26 | AF458083 {A4} | KEAII |
| SEQ ID NO:27 | AC022457 {Os7} | KEAII |
| | Consensus | KEAII |

FIG. 2C






FIG. 4A


PtrCesA1/pBI121



PtrCesA2/pBI121



PtrCesA3/pBI121



* This BglIII site was created via ligation.

FIG. 4B





FIG. 5

1

METHODS FOR ENHANCING EXPRESSION OF SECONDARY CELL WALL CELLULOSE SYNTASES IN PLANTS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a national stage filing under 35 U.S.C. 371 of International Application No. PCT/US2006/030316, filed on Aug. 3, 2006, which claims priority to U.S. provisional application 60/705,033, filed on Aug. 3, 2005, each of which is incorporated herein by reference in its entirety.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH

This invention was made with United States government support from the National Science Foundation grant number IBN-0236492. The United States government has certain rights in this invention.

INTRODUCTION

Cellulose is of great commercial importance in the food, textile, paper and pulp, forest and chemical industries. Numerous genes encoding cellulose synthases have been cloned from a variety of plant species. Certain cellulose synthases are associated with primary cell wall production and are referred to as primary cell wall cellulose synthases, whereas others contribute to secondary cell wall production and are referred to as secondary cell wall cellulose synthases. There is a need in the art to obtain plants capable of growing at increased rates and producing cellulose in higher amounts. However, very little is known about cellular factors controlling these traits.

SUMMARY

Described herein is the inventor's discovery that introducing polynucleotides encoding three distinct secondary cell wall cellulose synthases into a plant yields a plant with enhanced growth. Plants transformed with polynucleotides encoding three secondary cell wall cellulose synthases were found to produce normal flowers but no seeds.

Accordingly, the invention provides methods of enhancing expression of secondary cell wall cellulose synthases in a plant comprising introducing into the plant a first polynucleotide encoding a first secondary cell wall cellulose synthase, a second polynucleotide encoding a second secondary cell wall cellulose synthase, and a third polynucleotide encoding a third secondary cell wall cellulose synthase. The plant may exhibit increased growth or reduced seed production when compared to a control plant. The invention also provides plants produced by the methods described herein.

In another aspect, a plant comprising at least three exogenous polynucleotides encoding secondary cell wall cellulose synthases is provided.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 is a diagrammatic representation of a PtrCesA polypeptide.

FIG. 2 presents sequence alignment of secondary cell wall cellulose sequences related to PtrCesA1 (FIG. 2A), PtrCesA2 (FIG. 2B), and PtrCesA3 (FIG. 2C).

FIG. 3 depicts the phylogenetic relationship of CesA members.

2

FIG. 4 depicts a representative cloning strategy that may be used for preparation of PtrCesA overexpression constructs (FIG. 4A) and the resulting constructs containing PtrCesA1, PtrCesA2 and PtrCesA3 (FIG. 4B).

FIG. 5 is a photograph showing an overhead view of tobacco plants expressing introduced PtrCesA1 polynucleotides, PtrCesA1 and PtrCesA2 polynucleotides or PtrCesA1, PtrCesA2 and PtrCesA3 polynucleotides.

DETAILED DESCRIPTION OF SEVERAL EMBODIMENTS

In one embodiment, the invention provides methods of enhancing secondary cell wall cellulose synthases in a plant.

In another embodiment, the invention provides methods of making transgenic plants capable of expressing secondary cell wall cellulose synthases. As used herein, a "secondary cell wall cellulose synthase" is a polypeptide that synthesizes cellulose, and is predominantly or exclusively localized in plant tissue or cells where secondary cell walls are formed. As used herein, "predominantly localized" means that in a plant comprising cells or tissue forming secondary cell walls, at least 80% of the total of a selected secondary cell wall cellulose synthase in the plant is found in cells or tissue forming secondary cell walls. Examples of tissues which form secondary cell walls are tissues that develop xylem and phloem fibers; however, secondary cell walls may be formed in other tissues. Examples of secondary cell wall cellulose synthases include those from *Populus tremuloides* (also referred to herein as aspen): PtrCesA1 (SEQ ID NO:2), PtrCesA2 (SEQ ID NO:4), and PtrCesA3 (SEQ ID NO:6); and those from *Arabidopsis thaliana* AtCesA4 (GenBank Accession No: AF458083), AtCesA7 (GenBank Accession No: AF088917) and AtCesA8 (GenBank Accession No: AF267742). Examples of polynucleotides encoding secondary cell wall cellulose synthases include those from *Populus tremuloides*, (also referred to herein as aspen): PtrCesA1 (SEQ ID NO:1), PtrCesA2 (SEQ ID NO:3), and PtrCesA3 (SEQ ID NO:5).

A diagrammatic representation showing the structure of a representative secondary cell wall cellulose synthase protein (e.g., PtrCesA) is shown in FIG. 1. Domains are indicated in FIG. 1 as follows: Zn represents the zinc-binding domain; HVR I represents the N-terminal hypervariable region; the numbers 1 to 8 represent the transmembrane domains; the subdomains identified by A and B are highly conserved (70-90%) parts of catalytic domains in relation to other CesA proteins; HVR II represents the central hypervariable region. Conserved D, D, D, and QVLRW (SEQ ID NO:7) motifs are also shown (Joshi et al., 2004: New Phytologist 164:53-61, which is incorporated herein by reference).

Secondary cell wall cellulose synthases useful in the invention may be identified based on the identity of consensus sequences within the HVR II. The HVR II of each of PtrCesA1, PtrCesA2 and PtrCesA3 shares common sequences with secondary cellulose synthases from other species. Alignment of the HVR II regions from PtrCesA1, PtrCesA2 and PtrCesA3 showing conserved regions are depicted in FIG. 2A-2C, respectively. Consensus amino acids within the HVR II, that is, amino acids found to show identity in at least 80% of the aligned sequences, are underlined. GenBank accession numbers and SEQ ID NO for each of the compared sequences are provided in FIG. 2. Immediately following the GenBank accession numbers in brackets is an abbreviation indicating the plant of origin. The abbreviations are as follows: At=*Arabidopsis thaliana* (L.) Heynh.; Gh=*Gossypium hirsutum* L.; Gm, *Glycine max* (L.) Merrill; Mc=*Mesotanium caldariorum* (Lagerh.) Hansg.; Na=*Nicotiana glauca* Link &

3

Otto; Mt=*Medicago truncatula* Gaertn.; Nt, *Nicotiana tabacum* L.; Os=*Oryza sativa* L.; Pc=*Populus canescens* (Ait.) Sm.; Ze=*Zinnia elegans* Jacq.; and Zm=*Zea mays* L. SEQ ID NO:8-16 show homology to PtrCesA1. SEQ ID NO:17-21 show homology to PtrCesA2. SEQ ID NO:22-27 show homology to PtrCesA3.

A phylogenetic tree showing the relationship between primary and secondary cell wall cellulose synthases is presented in FIG. 3. FIG. 3 depicts a circular representation of a phylogenetic tree made using the PAUP program based on 56 CesA HVRII regions from plants. Bootstrap analysis was done with 1000 replicates and bootstrap values of above 70 were considered for the development of rooted tree using green algal CesA from *Mesotaenium caldarioum* (Mc) HVRII as an out-group (GenBank Accession number AF525360). HVRII domains from all CesA proteins were downloaded from the Stanford site and were renamed by just dropping off their CesA extension in each case for simplicity of figure. The following GenBank accession numbers for aspen (underlined) or some CesA genes that are currently missing in the protein collection at the Stanford site were used to deduce the polypeptide sequences included in this figure: P1=PtrCesA1, AF072131; P2=PtrCesA2, AY095297; P3=PtrCesA3, AF527387; P4=PtrCesA4, AY162181; P5=PtrCesA 5, AY055724; P5A=PtrCesA 5-like AY330165; P6=PtrCesA6, AY196961; P7=PtrCesA 7, AY162180; P7A=PtrCesA7-like AY330166; Nt1=NtCesA1, AF233892; Mc1=McCesA1, AF525360.

As used herein, "PtrCesA1-like secondary cell wall cellulose synthase" is a polypeptide sharing homology with the HVRII of PtrCesA1. See e.g., FIG. 2A. As can be seen in FIG. 2A and FIG. 3, PtrCesA1-like secondary cell wall cellulose synthases include polypeptides from *Arabidopsis thaliana* (L.) Heynh.; *Gossypium hirsutum* L.; *Zinnia elegans* Jacq.; *Oryza sativa* L.; *Populus canescens* (Ait.) Sm.; and *Medicago truncatula* Gaertn. As used herein, "PtrCesA2-like secondary cell wall cellulose synthase" is a polypeptide sharing homology with the HVRII of PtrCesA2. See e.g., FIG. 2B. As can be seen in FIG. 2B and FIG. 3, PtrCesA2-like secondary cell wall cellulose synthases include polypeptides from *Arabidopsis thaliana* (L.) Heynh.; *Lotus corniculatus* and *Medicago truncatula*. As used herein, "PtrCesA3-like secondary cell wall cellulose synthase" is a polypeptide sharing homology with the HVRII of PtrCesA3. See e.g., FIG. 2C. As can be seen in FIG. 2C and FIG. 3, PtrCesA3-like secondary cell wall cellulose synthases include polypeptides from *Arabidopsis thaliana* (L.) Heynh.; *Medicago truncatula*; *Oryza sativa* L.; *Populus canescens* (Ait.) Sm.; and *Gossypium hirsutum* L. Each of these secondary cell wall cellulose synthases would be expected to be useful in the present methods.

It is envisaged that methods of the invention encompass the introduction into a plant of polynucleotides encoding a PtrCesA1-like secondary cell wall cellulose synthase, a PtrCesA2-like secondary cell wall cellulose synthase and a PtrCesA3-like secondary cell wall cellulose synthase. It is envisaged that a plant produced by the introduction of polynucleotides encoding a PtrCesA1-like secondary cell wall cellulose synthase, a PtrCesA2-like secondary cell wall cellulose synthase and a PtrCesA3-like secondary cell wall cellulose synthase exhibits characteristics including, but not limited to, increased branching, for example, a bifurcated stem, enhanced growth or reduced seed production relative to a control plant. Enhanced or increased growth includes, but is not limited to, increased height, increased girth, increased leaf size, increased rate of growth or increased leaf, stem or branch number.

4

As used herein, a "control plant" is a plant that is substantially equivalent to a test plant in all parameters with the exception of the test parameters. For example, when referring to a plant into which polynucleotides encoding three distinct secondary cell wall cellulose synthases have been introduced, a control plant is an equivalent plant into which polynucleotides encoding zero, one, or two distinct secondary cell wall cellulose synthases have been introduced. For example, when referring to a plant encoding two distinct secondary cell wall cellulose synthases, a "control plant" is an equivalent plant into which polynucleotides encoding zero or one secondary cell wall cellulose synthases have been introduced. The control plant may be clonally related to the test plant.

Methods of enhancing expression of secondary cell wall cellulose synthases encompass introducing polynucleotides encoding secondary cell wall cellulose synthases into a plant. As used herein, "introducing into a plant" is defined to mean the delivery of a polynucleotide into a plant, plant tissue or plant cell using any suitable polynucleotide delivery method. Methods suitable for introducing polynucleotides into plants useful in the practice of the present invention include, but are not limited to, microparticle bombardment, direct DNA uptake, whisker-mediated transformation, electroporation, sonication, microinjection and plant virus-mediated and *Agrobacterium*-mediated gene transfer to the plant. Any suitable *Agrobacterium* strain, vector or vector system for transforming the plant may be employed according to the present invention. In some embodiments, a plant may be regenerated or grown from the plant tissue or plant cell. Methods for regenerating or growing a plant from a plant cell or plant tissue are known in the art.

Suitably, the polynucleotide to be introduced into the plant is placed under the control of a promoter sequence. Promoter sequences are known in the art and may be operatively connected to the polynucleotide to be introduced into the plant. "Operatively connected," as used herein and in the art, refers to a linkage of polynucleotide elements in a functional relationship. A nucleic acid is "operatively linked" or "operatively connected" when it is placed into a functional relationship with another nucleic acid sequence. For instance, a promoter is operatively linked to a coding sequence if it affects the transcription of the coding sequence.

Promoters useful in the practice of the present invention include, but are not limited to, constitutive, inducible, temporally-regulated, developmentally regulated, chemically regulated, tissue-preferred and tissue-specific promoters. Other promoters may be utilized so long as the selected promoter is capable of causing sufficient expression in a plant resulting in the production of an effective amount of the secondary cell wall cellulose synthase to produce the phenotypes described herein. A suitable constitutive promoter known in the art is the 35S promoter of the cauliflower mosaic virus. Another suitable promoter is a secondary cell wall cellulose synthase promoter, which is natively associated with a polynucleotide encoding a secondary cell wall cellulose synthase, such as the *Populus tremuloides* CesA1 (PtrCesA1) promoter. The PtrCesA1 promoter directs expression of the polynucleotide to the xylem and phloem fibers. In one embodiment, plants transformed with three polynucleotides encoding secondary cell wall cellulose synthases operatively linked to a secondary cell wall cellulose synthase promoter have bifurcated stems.

In one embodiment, the polynucleotides encoding the secondary cell wall cellulose synthases are included in an expression cassette. As used herein, an "expression cassette" is a polynucleotide comprising one or more coding regions that are under the control of one or more promoters. In some

embodiments, the expression cassette may further comprise one or more transcription-termination sequences. In another embodiment, the expression cassette may be contained within a plasmid vector such as the pBI121 plasmid depicted in FIG. 4A.

Suitably, one, two or three distinct secondary cell wall cellulose synthases may be introduced into a plant. For example, a plant may be transformed with a polynucleotide encoding PtrCesA1 or a PtrCesA1-like secondary cell wall cellulose synthase; a polynucleotide encoding PtrCesA2 or a PtrCesA2-like secondary cell wall cellulose synthase; or a polynucleotide encoding PtrCesA3 or a PtrCesA3-like secondary cell wall cellulose synthase, or any combination thereof. Plants transformed with polynucleotides encoding one, two or three distinct secondary cell wall cellulose synthases may display altered growth, increased branching or reduced seed production when compared to a control plant.

In one embodiment, a plant comprising at least three exogenous polynucleotides encoding secondary cell wall cellulose synthases is provided. Plants comprising exogenous polynucleotides encoding the secondary cell wall cellulose synthases encompass plants transformed or transfected with the polynucleotides, and progeny of such plants, provided the progeny retain the exogenous polynucleotides. The exogenous secondary cell wall cellulose synthases may be in addition to those naturally occurring in the plant or may replace the naturally occurring polynucleotides. The exogenous secondary cell wall cellulose synthases may encompass additional copies of the secondary cell wall cellulose synthases natively associated with the plant.

In another embodiment, methods of the invention include introducing into a plant a polynucleotide encoding a polypeptide having a sequence with at least 95% identity to SEQ ID NO:2 (PtrCesA1), or suitably, a polynucleotide encoding a polypeptide having at least 96%, 97%, 98%, 99%, or 100% identity to SEQ ID NO:2; a polypeptide having a sequence with at least 95% identity to SEQ ID NO:4 (PtrCesA2), or suitably, a polynucleotide encoding a polypeptide having at least 96%, 97%, 98%, 99%, or 100% identity to SEQ ID NO:4; and a polypeptide having a sequence with at least 95% identity to SEQ ID NO:6 (PtrCesA3), or suitably, a polynucleotide encoding a polypeptide having at least 96%, 97%, 98%, 99%, or 100% identity to SEQ ID NO:6. Plants transformed with any of the above polynucleotides encoding one, two or three distinct secondary cell wall cellulose synthases may display increased growth, increased branching, or reduced seed production when compared to a control plant.

The plant or plant cell expressing the introduced polynucleotides is considered herein to be a "transformed" plant or plant cell, or a "transgenic" plant or plant cell.

A polynucleotide encoding a selectable or screenable marker may be suitably introduced into the plant in addition to polynucleotides encoding the secondary cell wall cellulose synthases. Marker coding sequences are polynucleotides that impart a distinct phenotype to cells expressing the marker coding sequence, and thus allow such transformed cells to be distinguished from cells that do not contain the marker. Many examples of suitable marker coding sequences are known in the art and can be employed in the practice of the invention. For example, marker genes include, but are not limited to, genes conferring resistance to antibiotics or to herbicidal compounds.

Methods of the invention may be used to introduce secondary cell wall cellulose synthases into a variety of plants. Suitable plants include, but are not limited to, woody plants, trees, and crop plants such as alfalfa, cotton, maize, rice, tobacco, pines, eucalyptus, poplar, fir, maple, oak, and acacia

plants. A "woody plant" is herein defined as a perennial plant whose stem comprises woody tissue. Examples of woody plants may include trees, shrubs or vines.

Suitably, plants in which the expression of three secondary cell wall cellulose synthases is enhanced do not produce seeds naturally and grow faster than plants in which the expression of zero, one, or two secondary cell wall cellulose synthases are enhanced when compared with a control plant.

The following examples are included to demonstrate preferred embodiments of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow, represent techniques discovered by the inventors to function well in the practice of the invention, and thus can be considered to constitute preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

EXAMPLES

Example 1

The materials and methods described below are used in Examples 2 and 3.

A. Preparation of Constructs

Three binary vector constructs comprising PtrCesA1, PtrCesA2 or PtrCesA3 were prepared as follows. The pBI121 backbone was used to make these constructs, with the GUS gene replaced by a specific PtrCesA in the sense direction. In each of the three cases, a specific PtrCesA cDNA was amplified using a primer pair that incorporates the necessary unique restriction sites for cloning the specific PtrCesA in pBI121 vector, as shown in FIG. 4.

For the PtrCesA1 overexpression construct, pBI121 was digested by XbaI and Ecl136II (an isoschizomer of SacI which produces a blunt end) (Fermentas, N.Y.), resulting in an open vector with 5' end sticky and 3' end blunt. PtrCesA1 cDNA was amplified from an existing plasmid in pBluescript vector using a pair of primers with XbaI site at the 5' end and KpnI site at the 3' end in the presence of pfu enzyme. This amplified product was then digested with XbaI (the 3' end is already blunt due to amplification with pfu) and cloned in the open pBI121 vector.

For the PtrCesA2 overexpression construct, pBI121 was also digested by XbaI and Ecl136II, resulting in an open vector with 5' end sticky and 3' end blunt. PtrCesA2 cDNA was amplified using a pair of primers with XbaI site at the 5' end and EcoRV site at the 3' end and the amplified product was cloned in pCR2.1. This plasmid was then digested with XbaI (sticky) and EcoRV (blunt)(both unique) and cloned in open pBI121 vector.

For PtrCesA3 overexpression construct, pBI121 was digested with BamHI and SacI. PtrCesA3 cDNA was amplified using a pair of primers with a BglII site at the 5' end and SacI site at the 3' end and the amplified product was cloned in pCR2.1. This plasmid was then digested with BglII and SacI (both unique and sticky) and cloned in open pBI121 vector.

The correctness of each construct was confirmed by restriction digestion of each resultant plasmid with a pair of specific restriction enzymes in each case as shown above. PtrCesA1 binary construct was double digested with BglII and HindIII and the expected DNA fragments of 8 kb, 3.5 kb, 2.6 kb and 1.4 kb were obtained (FIG. 4B). Similarly PtrCesA2 binary construct was digested with BglII and HindIII and the expected fragments of 8 kb, 2.6 kb, 1.8 kb, 1.4 kb, 1.3

kb and 0.8 kb resulted (FIG. 4B). Finally, PtrCesA3 construct was digested with XbaI and SacI and resulted in three fragments of 13 kb, 1.7 kb and 1.4 kb as expected (FIG. 4B).

B. Transformation of Tobacco Plants

The strategy described in Li et al., 2003 (Proc. Natl. Acad. Sci. USA 100:4939-4944), and U.S. patent application Ser. No. 10/110,091, (both of which are incorporated herein by reference in their entireties) was used to transfer up to three cellulose synthase genes to tobacco plants. Briefly, the PtrCesA1, PtrCesA2 and PtrCesA3 constructs described in Example 1 were introduced separately into *Agrobacterium* strain C58 for co-infection of the same explant. The *Agrobacterium* strains comprising each construct were mixed and cultured in the following combinations to facilitate infection of plants with one, two, or all three PtrCesA constructs: PtrCesA1; PtrCesA2; PtrCesA3; PtrCesA1 and PtrCesA2; PtrCesA1 and PtrCesA3; PtrCesA2 and PtrCesA3; PtrCesA1, PtrCesA2 and PtrCesA3. Tobacco leaf explants were surface sterilized and infected with an overnight-grown culture of *Agrobacterium* carrying the overexpression constructs.

After about 2 days of co-cultivation of the explant with *Agrobacterium*, bacteria were killed with clarforan and ticarcillin (300 mg/l each). Explants were placed on callus induction medium containing kanamycin (50 mg/l) and claforan (300 mg/l). Tobacco calli were first grown on Kanamycin-containing rooting media for one month, acclimatized for one month in a mist chamber and then transferred to the greenhouse. Greenhouse conditions comprised a 16-hour day, 8-hour night, with a temperature of 25° C. and a humidity of at least 50%. The presence of the transgenes was confirmed by PCR, RNA and protein studies.

C. Transformation of Aspen Plants

Transformation of aspen using *Agrobacterium* will be performed using standard protocols according to, e.g., Tsai et al., 1994; Plant Cell Reports 14, 94-97; Tsai et al., 1998; Plant Physiology 117(5), 101-112; Hu et al., 1999; Nature Biotechnology 17, 808-812; or Li et al., 2003 Proc. Natl. Acad. Sci. USA 100:4939-4944 (each of which is incorporated herein by reference). After about two months on callus induction medium (with monthly subculture), healthy looking calli will be transferred to shoot induction medium and about two months later to root induction medium. Aspen plants will be transferred to the greenhouse after proper acclimatization, generally 6-8 months after the initial infection with *Agrobacterium*. The presence of the transgenes will be confirmed by PCR, RNA and protein studies.

Example 2

Aspen and Tobacco Plants Transformed with One, Two or Three Secondary Cell Wall Cellulose Synthases Under the Control of the 35S Promoter

A. Tobacco

Tobacco plants expressing the PtrCesA1, PtrCesA2, and PtrCesA3 polynucleotides under the control of the 35S cauliflower mosaic virus constitutive promoter grew faster and were taller than mature tobacco plants expressing zero, one or two of the introduced PtrCesA1, PtrCesA2, or PtrCesA3 polynucleotides (see FIG. 5).

B. Aspen

Aspen plants expressing all three introduced secondary cell wall cellulose synthase polynucleotides (PtrCesA1, PtrCesA2, and PtrCesA3) each under the control of the 35S cauliflower mosaic virus constitutive promoter will grow more vigorously and faster than those comprising zero, one or

two of the introduced PtrCesA1, PtrCesA2, or PtrCesA3 polynucleotides. During regeneration of the plants, explants will grow faster than plants comprising only the vector, or those expressing two of the secondary cell wall cellulose synthase polynucleotides. The plants expressing introduced secondary cell wall cellulose synthases will have larger leaf sizes and faster stem growth than control plants.

Example 3

Tobacco Plants Comprising 1, 2 or 3 Secondary Cell Wall Cellulose Synthases Under the Control of the PtrCesA1 Promoter

The mean heights of transgenic tobacco plants expressing zero, one, two or all three of the introduced PtrCesA1, PtrCesA2, or PtrCesA3 polynucleotides are presented in Table 2. Table 2 also shows the mean girth of plants 45 days after transfer to the greenhouse. The number of plants of each type is indicated in parenthesis. A1, A2 and A3 are used in Table 2 as an abbreviation for plants overexpressing vectors carrying PtrCesA1, 2 and 3 respectively. Control pBI121 in Table 2 represents a plant transformed with the pBI121 vector only. Measurements presented in Table 2 were taken when the plants were approximately 3-months old, at 15 days, 30 days and 45 days after being transferred to the greenhouse.

TABLE 2

| | Height and girth of tobacco plants 15, 30 or 45 days after transfer to the greenhouse | | | |
|--------------------|---|---------|---------|------------|
| | Height (cm) | | | Girth (mm) |
| | 15 days | 30 days | 45 days | 45 days |
| Control pBI121 (1) | 26 | 30 | 50 | 9.3 |
| A1 (1) | 26 | 35 | 53 | 8.9 |
| A2 (0) | — | — | — | — |
| A3 (1) | 18 | 28 | 55 | 10.8 |
| A1 + A2 (1) | 25 | 30 | 55 | 10.1 |
| A1 + A3 (3) | 22 | 30 | 53 | 11.93 |
| A2 + A3 (1) | 20 | 28 | 60 | 14.1 |
| A1 + A2 + A3 (2) | 38 | 63 | 69 | 12.15 |

Plants expressing PtrCesA1, PtrCesA2 and PtrCesA3 grew much faster than those expressing zero, one or two introduced secondary cell wall cellulose synthases. For example, 15 days after transfer to the greenhouse, plants expressing all three of the introduced secondary cell wall cellulose synthases were at least 12 cm taller than plants expressing zero, one or two introduced secondary cell wall cellulose synthases. Also, between 15 days and 30 days after transfer to the greenhouse plants expressing all three of the introduced secondary cell wall cellulose synthases grew 25 cm, compared with 4 to 10 cm of plants expressing zero, one or two introduced secondary cell wall cellulose synthases. Leaves were also larger at each time point in plants expressing all three of the introduced secondary cell wall cellulose synthases (FIG. 5A, plant C) compared with corresponding plants expressing zero, one (FIG. 5A, plant A) or two (FIG. 5A, plant B) introduced secondary cell wall cellulose synthases.

Plants expressing one, two or three of the introduced secondary cell wall cellulose synthases flowered normally. However, none of these plants, whether expressing one, two or all three of PtrCesA1, PtrCesA2 and PtrCesA3 polynucleotides, produced any seed naturally. Flowers fell off the plant before the normal seed set, and thus yielded no seed. Forced selling

of the plants resulted in a few seeds being produced. In contrast, plants transformed with only vector produced seed normally.

Tobacco plants expressing all three of the introduced PtrCesA1, PtrCesA2 and PtrCesA3 polynucleotides under the control of the PtrCesA1 promoter produced a bifurcated stem (see FIG. 5B) which was not seen in plants expressing zero, one or two of the introduced PtrCesA1, PtrCesA2 and PtrCesA3 polynucleotides.

All patents and publications listed or described herein are incorporated in their entirety by reference.

All of the compositions and methods disclosed and claimed herein can be made or executed without undue experimentation in light of the present disclosure. While the

compositions and methods of this invention have been described in terms of preferred embodiments, it will be apparent to those of skill in the art that variations may be applied to the compositions and methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. More specifically, it will be apparent that certain agents which are both chemically and physiologically related may be substituted for the agents described herein while the same or similar results would be achieved. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 27

<210> SEQ ID NO 1

<211> LENGTH: 3232

<212> TYPE: DNA

<213> ORGANISM: Populus tremuloides

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (69)..(3005)

<400> SEQUENCE: 1

```

gtcgaccac gcgtccgtct tgaagaata tgaagttgta aagagctggt aaagtggtaa      60
taagcaag atg atg gaa tct ggg gct cct ata tgc cat acc tgt ggt gaa      110
      Met Met Glu Ser Gly Ala Pro Ile Cys His Thr Cys Gly Glu
      1          5          10
cag gtg ggg cat gat gca aat ggg gag cta ttt gtg gct tgc cat gag      158
Gln Val Gly His Asp Ala Asn Gly Glu Leu Phe Val Ala Cys His Glu
15          20          25          30
tgt agc tat ccc atg tgc aag tct tgt ttc gag ttt gaa atc aat gag      206
Cys Ser Tyr Pro Met Cys Lys Ser Cys Phe Glu Phe Glu Ile Asn Glu
      35          40          45
ggc cgg aaa gtt tgc ttg cgg tgt ggc tcg cca tat gat gag aac ttg      254
Gly Arg Lys Val Cys Leu Arg Cys Gly Ser Pro Tyr Asp Glu Asn Leu
      50          55          60
ctg gat gat gta gaa aag aag ggg tct ggc aat caa tcc aca atg gca      302
Leu Asp Asp Val Glu Lys Lys Gly Ser Gly Asn Gln Ser Thr Met Ala
      65          70          75
tct cac ttc aac gat tct cag gat gtc gga atc cat gct aga cat atc      350
Ser His Leu Asn Asp Ser Gln Asp Val Gly Ile His Ala Arg His Ile
      80          85          90
agt agt gtg tcc act gtg gat agt gaa atg aat gat gaa tat ggg aat      398
Ser Ser Val Ser Thr Val Asp Ser Glu Met Asn Asp Glu Tyr Gly Asn
      95          100          105          110
cca att tgg aag aat cgg gtg aag agc tgt aag gat aaa gag aac aag      446
Pro Ile Trp Lys Asn Arg Val Lys Ser Cys Lys Asp Lys Glu Asn Lys
      115          120          125
aag aaa aag aga agt cct aag gct gaa act gaa cca gct caa gtt cct      494
Lys Lys Lys Arg Ser Pro Lys Ala Glu Thr Glu Pro Ala Gln Val Pro
      130          135          140
aca gaa cag cag atg gaa gag aaa ccg tct gca gag gct tcg gag ccg      542
Thr Glu Gln Gln Met Glu Glu Lys Pro Ser Ala Glu Ala Ser Glu Pro
      145          150          155
ctt tca att gtt tat cca att cca cgc aac aag ctg aca cca tac aga      590
Leu Ser Ile Val Tyr Pro Ile Pro Arg Asn Lys Leu Thr Pro Tyr Arg
      160          165          170
gca gtg atc att atg cga ctg gtc att ctg ggc ctg ttc ttc cac ttc      638

```


-continued

| | | | | | | | | | | | | | | | | |
|------------|------------|------------|-------------|------------|------------|------------|------------|------------|-----|-----|-----|-----|-----|-----|-----|------|
| Ile | Glu | Asp | Leu | Trp | Arg | Asn | Glu | Gln | Phe | Trp | Val | Ile | Gly | Gly | Val | |
| 815 | | | | | 820 | | | | | 825 | | | | | 830 | |
| tca | gcc | cat | ctc | ttt | gcg | gtc | ttc | cag | gga | ttc | tta | aaa | atg | ttg | gct | 2606 |
| Ser | Ala | His | Leu | Phe | Ala | Val | Phe | Gln | Gly | Phe | Leu | Lys | Met | Leu | Ala | |
| | | | 835 | | | | | 840 | | | | | 845 | | | |
| ggc | atc | gat | acg | aac | ttc | act | gtc | aca | gca | aaa | gca | gcc | gaa | gat | gca | 2654 |
| Gly | Ile | Asp | Thr | Asn | Phe | Thr | Val | Thr | Ala | Lys | Ala | Ala | Glu | Asp | Ala | |
| | | | 850 | | | | | 855 | | | | | 860 | | | |
| gaa | ttt | ggg | gag | cta | tat | atg | gtc | aag | tgg | aca | aca | ctt | ttg | att | cct | 2702 |
| Glu | Phe | Gly | Glu | Leu | Tyr | Met | Val | Lys | Trp | Thr | Thr | Leu | Leu | Ile | Pro | |
| | | 865 | | | | | 870 | | | | | 875 | | | | |
| cca | acc | aca | ctt | ctc | att | atc | aat | atg | tcg | ggg | tgt | gct | gga | ttc | tct | 2750 |
| Pro | Thr | Thr | Leu | Leu | Ile | Ile | Asn | Met | Ser | Gly | Cys | Ala | Gly | Phe | Ser | |
| | | 880 | | | 885 | | | | | | 890 | | | | | |
| gat | gca | ctc | aac | aaa | gga | tat | gaa | gca | tgg | ggg | cct | ctc | ttt | ggc | aag | 2798 |
| Asp | Ala | Leu | Asn | Lys | Gly | Tyr | Glu | Ala | Trp | Gly | Pro | Leu | Phe | Gly | Lys | |
| | | 895 | | | 900 | | | | | 905 | | | | | 910 | |
| gtg | ttc | ttt | gct | ttc | tgg | gtg | att | ctt | cat | ctc | tat | cca | ttc | ctt | aaa | 2846 |
| Val | Phe | Phe | Ala | Phe | Trp | Val | Ile | Leu | His | Leu | Tyr | Pro | Phe | Leu | Lys | |
| | | | 915 | | | | | | 920 | | | | | 925 | | |
| ggg | cta | atg | ggg | cgc | caa | aac | cta | aca | cca | acc | att | ggt | ggt | ctc | tgg | 2894 |
| Gly | Leu | Met | Gly | Arg | Gln | Asn | Leu | Thr | Pro | Thr | Ile | Val | Val | Leu | Trp | |
| | | | 930 | | | | | 935 | | | | | | 940 | | |
| tca | gtg | ctg | ttg | gcc | tct | gtc | ttc | tct | ctc | gtt | tgg | gtc | aag | atc | aat | 2942 |
| Ser | Val | Leu | Leu | Ala | Ser | Val | Phe | Ser | Leu | Val | Trp | Val | Lys | Ile | Asn | |
| | | 945 | | | | 950 | | | | | | | 955 | | | |
| cca | ttc | ggt | aac | aaa | ggt | gat | aac | acc | ttg | ggt | gcg | gag | acc | tgc | att | 2990 |
| Pro | Phe | Val | Asn | Lys | Val | Asp | Asn | Thr | Leu | Val | Ala | Glu | Thr | Cys | Ile | |
| | | 960 | | | | 965 | | | | | 970 | | | | | |
| tcc | att | gat | tgc | tga | gctacctcca | ataagtctct | cccagttatt | tggggttaca | | | | | | | | 3045 |
| Ser | Ile | Asp | Cys | | | | | | | | | | | | | |
| | | 975 | | | | | | | | | | | | | | |
| aaacctttgg | gaattggaat | atgatcctcg | ttgtagtttc | cctcaagaaa | gcacatatcg | | | | | | | | | | | 3105 |
| ctgtcagtat | ttaaatgaac | tgcaagatga | ttgtctcteta | tgaagttttg | aacagtttga | | | | | | | | | | | 3165 |
| aatgatatta | tgtaaata | caggttttga | ttgtgttgaa | aaaaaaaaag | aaaaaaaaaa | | | | | | | | | | | 3225 |
| aaaaaaa | | | | | | | | | | | | | | | | 3232 |

<210> SEQ ID NO 2

<211> LENGTH: 978

<212> TYPE: PRT

<213> ORGANISM: Populus tremuloides

<400> SEQUENCE: 2

| | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Met | Met | Glu | Ser | Gly | Ala | Pro | Ile | Cys | His | Thr | Cys | Gly | Glu | Gln | Val | |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | | |
| Gly | His | Asp | Ala | Asn | Gly | Glu | Leu | Phe | Val | Ala | Cys | His | Glu | Cys | Ser | |
| | | | 20 | | | | | 25 | | | | | 30 | | | |
| Tyr | Pro | Met | Cys | Lys | Ser | Cys | Phe | Glu | Phe | Glu | Ile | Asn | Glu | Gly | Arg | |
| | | | 35 | | | | 40 | | | | | 45 | | | | |
| Lys | Val | Cys | Leu | Arg | Cys | Gly | Ser | Pro | Tyr | Asp | Glu | Asn | Leu | Leu | Asp | |
| | | 50 | | | | 55 | | | | | 60 | | | | | |
| Asp | Val | Glu | Lys | Lys | Gly | Ser | Gly | Asn | Gln | Ser | Thr | Met | Ala | Ser | His | |
| | | 65 | | | 70 | | | | | 75 | | | | | 80 | |
| Leu | Asn | Asp | Ser | Gln | Asp | Val | Gly | Ile | His | Ala | Arg | His | Ile | Ser | Ser | |
| | | | | 85 | | | | | 90 | | | | | 95 | | |
| Val | Ser | Thr | Val | Asp | Ser | Glu | Met | Asn | Asp | Glu | Tyr | Gly | Asn | Pro | Ile | |
| | | | 100 | | | | | 105 | | | | | | 110 | | |

-continued

Trp Lys Asn Arg Val Lys Ser Cys Lys Asp Lys Glu Asn Lys Lys Lys
 115 120 125
 Lys Arg Ser Pro Lys Ala Glu Thr Glu Pro Ala Gln Val Pro Thr Glu
 130 135 140
 Gln Gln Met Glu Glu Lys Pro Ser Ala Glu Ala Ser Glu Pro Leu Ser
 145 150 155 160
 Ile Val Tyr Pro Ile Pro Arg Asn Lys Leu Thr Pro Tyr Arg Ala Val
 165 170 175
 Ile Ile Met Arg Leu Val Ile Leu Gly Leu Phe Phe His Phe Arg Ile
 180 185 190
 Thr Asn Pro Val Asp Ser Ala Phe Gly Leu Trp Leu Thr Ser Val Ile
 195 200 205
 Cys Glu Ile Trp Phe Ala Phe Ser Trp Val Leu Asp Gln Phe Pro Lys
 210 215 220
 Trp Asn Pro Val Asn Arg Glu Thr Tyr Ile Glu Arg Leu Ser Ala Arg
 225 230 235 240
 Tyr Glu Arg Glu Gly Glu Pro Ser Gln Leu Ala Gly Val Asp Phe Phe
 245 250 255
 Val Ser Thr Val Asp Pro Leu Lys Glu Pro Pro Leu Ile Thr Ala Asn
 260 265 270
 Thr Val Leu Ser Ile Leu Ala Val Asp Tyr Pro Val Asp Lys Val Ser
 275 280 285
 Cys Tyr Val Ser Asp Asp Gly Ala Ala Met Leu Ser Phe Glu Ser Leu
 290 295 300
 Val Glu Thr Ala Glu Phe Ala Arg Lys Trp Val Pro Phe Cys Lys Lys
 305 310 315 320
 Phe Ser Ile Glu Pro Arg Ala Pro Glu Phe Tyr Phe Ser Gln Lys Ile
 325 330 335
 Asp Tyr Leu Lys Asp Lys Val Gln Pro Ser Phe Val Lys Glu Arg Arg
 340 345 350
 Ala Met Lys Arg Asp Tyr Glu Glu Tyr Lys Val Arg Val Asn Ala Leu
 355 360 365
 Val Ala Lys Ala Gln Lys Thr Pro Glu Glu Gly Trp Thr Met Gln Asp
 370 375 380
 Gly Thr Pro Trp Pro Gly Asn Asn Thr Arg Asp His Pro Gly His Asp
 385 390 395 400
 Ser Gly Leu Pro Trp Glu Ile Leu Gly Ala Arg Asp Ile Glu Gly Asn
 405 410 415
 Glu Leu Pro Arg Leu Val Tyr Val Ser Arg Glu Lys Arg Pro Gly Tyr
 420 425 430
 Gln His His Lys Lys Ala Gly Ala Glu Asn Ala Leu Val Arg Val Ser
 435 440 445
 Ala Val Leu Thr Asn Ala Pro Tyr Ile Leu Asn Val Asp Cys Asp His
 450 455 460
 Tyr Val Asn Asn Ser Lys Ala Val Arg Glu Ala Met Cys Ile Leu Met
 465 470 475 480
 Asp Pro Gln Val Gly Arg Asp Val Cys Tyr Val Gln Phe Pro Gln Arg
 485 490 495
 Phe Asp Gly Ile Asp Lys Ser Asp Arg Tyr Ala Asn Arg Asn Val Val
 500 505 510
 Phe Phe Asp Val Asn Met Lys Gly Leu Asp Gly Ile Gln Gly Pro Val
 515 520 525
 Tyr Val Gly Thr Gly Cys Val Phe Asn Arg Gln Ala Leu Tyr Gly Tyr
 530 535 540

-continued

Gly Pro Pro Ser Met Pro Ser Leu Arg Lys Arg Lys Asp Ser Ser Ser
 545 550 555 560
 Cys Phe Ser Cys Cys Cys Pro Ser Lys Lys Lys Pro Ala Gln Asp Pro
 565 570 575
 Ala Glu Val Tyr Arg Asp Ala Lys Arg Glu Asp Leu Asn Ala Ala Ile
 580 585 590
 Phe Asn Leu Thr Glu Ile Asp Asn Tyr Asp Glu His Glu Arg Ser Met
 595 600 605
 Leu Ile Ser Gln Leu Ser Phe Glu Lys Thr Phe Gly Leu Ser Ser Val
 610 615 620
 Phe Ile Glu Ser Thr Leu Met Glu Asn Gly Gly Val Pro Glu Ser Ala
 625 630 635 640
 Asn Ser Pro Pro Phe Ile Lys Glu Ala Ile Gln Val Ile Gly Cys Gly
 645 650 655
 Tyr Glu Glu Lys Thr Glu Trp Gly Lys Gln Ile Gly Trp Ile Tyr Gly
 660 665 670
 Ser Val Thr Glu Asp Ile Leu Ser Gly Phe Lys Met His Cys Arg Gly
 675 680 685
 Trp Arg Ser Ile Tyr Cys Met Pro Val Arg Pro Ala Phe Lys Gly Ser
 690 695 700
 Ala Pro Ile Asn Leu Ser Asp Arg Leu His Gln Val Leu Arg Trp Ala
 705 710 715 720
 Leu Gly Ser Val Glu Ile Phe Phe Ser Arg His Cys Pro Leu Trp Tyr
 725 730 735
 Gly Phe Gly Gly Gly Arg Leu Lys Trp Leu Gln Arg Leu Ala Tyr Ile
 740 745 750
 Asn Thr Ile Val Tyr Pro Phe Thr Ser Leu Pro Leu Ile Ala Tyr Cys
 755 760 765
 Thr Ile Pro Ala Val Cys Leu Leu Thr Gly Lys Phe Ile Ile Pro Thr
 770 775 780
 Leu Ser Asn Leu Ala Ser Met Leu Phe Leu Gly Leu Phe Ile Ser Ile
 785 790 795 800
 Ile Val Thr Ala Val Leu Glu Leu Arg Trp Ser Gly Val Ser Ile Glu
 805 810 815
 Asp Leu Trp Arg Asn Glu Gln Phe Trp Val Ile Gly Gly Val Ser Ala
 820 825 830
 His Leu Phe Ala Val Phe Gln Gly Phe Leu Lys Met Leu Ala Gly Ile
 835 840 845
 Asp Thr Asn Phe Thr Val Thr Ala Lys Ala Ala Glu Asp Ala Glu Phe
 850 855 860
 Gly Glu Leu Tyr Met Val Lys Trp Thr Thr Leu Leu Ile Pro Pro Thr
 865 870 875 880
 Thr Leu Leu Ile Ile Asn Met Ser Gly Cys Ala Gly Phe Ser Asp Ala
 885 890 895
 Leu Asn Lys Gly Tyr Glu Ala Trp Gly Pro Leu Phe Gly Lys Val Phe
 900 905 910
 Phe Ala Phe Trp Val Ile Leu His Leu Tyr Pro Phe Leu Lys Gly Leu
 915 920 925
 Met Gly Arg Gln Asn Leu Thr Pro Thr Ile Val Val Leu Trp Ser Val
 930 935 940
 Leu Leu Ala Ser Val Phe Ser Leu Val Trp Val Lys Ile Asn Pro Phe
 945 950 955 960
 Val Asn Lys Val Asp Asn Thr Leu Val Ala Glu Thr Cys Ile Ser Ile

-continued

| | 965 | 970 | 975 | |
|-------------------------------------|---|---|-----|-----|
| Asp Cys | | | | |
| <210> SEQ ID NO 3 | | | | |
| <211> LENGTH: 3277 | | | | |
| <212> TYPE: DNA | | | | |
| <213> ORGANISM: Populus tremuloides | | | | |
| <220> FEATURE: | | | | |
| <221> NAME/KEY: CDS | | | | |
| <222> LOCATION: (21)..(3119) | | | | |
| <400> SEQUENCE: 3 | | | | |
| | ggcacgaggc attcttcagc atg gaa gct agt gct gga ctg gtc gca ggc tct | | | 53 |
| | | Met Glu Ala Ser Ala Gly Leu Val Ala Gly Ser | | |
| | 1 | 5 | 10 | |
| | cac aac cgc aac gag ctt gtt gtc att cat ggc cat gaa gag cat aaa | | | 101 |
| | His Asn Arg Asn Glu Leu Val Val Ile His Gly His Glu Glu His Lys | | | |
| | 15 | 20 | 25 | |
| | cct ttg aag aac ttg gat ggt caa gtt tgt gag att tgt ggc gat gag | | | 149 |
| | Pro Leu Lys Asn Leu Asp Gly Gln Val Cys Glu Ile Cys Gly Asp Glu | | | |
| | 30 | 35 | 40 | |
| | att ggc cta act gtg gat ggt gat ttg ttt gtg gct tgc aat gag tgt | | | 197 |
| | Ile Gly Leu Thr Val Asp Gly Asp Leu Phe Val Ala Cys Asn Glu Cys | | | |
| | 45 | 50 | 55 | |
| | ggt ttt cct gtg tgt aga cca tgc tac gag tat gaa aga aga gaa ggg | | | 245 |
| | Gly Phe Pro Val Cys Arg Pro Cys Tyr Glu Tyr Glu Arg Arg Glu Gly | | | |
| | 60 | 65 | 70 | 75 |
| | act caa aac tgt ccc cag tgc aag act aga tac aag cgt ctc aaa ggg | | | 293 |
| | Thr Gln Asn Cys Pro Gln Cys Lys Thr Arg Tyr Lys Arg Leu Lys Gly | | | |
| | 80 | 85 | 90 | |
| | agt cca agg gtg gag gga gat gat gaa gaa gat gat gtg gat gat att | | | 341 |
| | Ser Pro Arg Val Glu Gly Asp Asp Glu Glu Asp Asp Val Asp Asp Ile | | | |
| | 95 | 100 | 105 | |
| | gaa cat gag ttc atc att gaa gat gag caa gac aag aat aag cat ctc | | | 389 |
| | Glu His Glu Phe Ile Ile Glu Asp Glu Gln Asp Lys Asn Lys His Leu | | | |
| | 110 | 115 | 120 | |
| | act gag gca atg ctt cat ggg aaa atg act tac gga aga ggc cat gat | | | 437 |
| | Thr Glu Ala Met Leu His Gly Lys Met Thr Tyr Gly Arg Gly His Asp | | | |
| | 125 | 130 | 135 | |
| | gat gaa gaa aat agc caa ttc cca cca gtt ata act gga atc aga tca | | | 485 |
| | Asp Glu Glu Asn Ser Gln Phe Pro Pro Val Ile Thr Gly Ile Arg Ser | | | |
| | 140 | 145 | 150 | 155 |
| | agg cct gtg agt gga gag ttc tcc att gga tct cat gga gaa cag atg | | | 533 |
| | Arg Pro Val Ser Gly Glu Phe Ser Ile Gly Ser His Gly Glu Gln Met | | | |
| | 160 | 165 | 170 | |
| | cta tct tct tca ctt cat aag aga gtg cac cca tat cca gtt tct gaa | | | 581 |
| | Leu Ser Ser Ser Leu His Lys Arg Val His Pro Tyr Pro Val Ser Glu | | | |
| | 175 | 180 | 185 | |
| | cct gga agt gca aga tgg gac gaa aag aaa gag gga ggg tgg aaa gag | | | 629 |
| | Pro Gly Ser Ala Arg Trp Asp Glu Lys Lys Glu Gly Gly Trp Lys Glu | | | |
| | 190 | 195 | 200 | |
| | cgg atg gac gag tgg aaa atg cag cat gga aat ctg ggg cct gaa caa | | | 677 |
| | Arg Met Asp Glu Trp Lys Met Gln His Gly Asn Leu Gly Pro Glu Gln | | | |
| | 205 | 210 | 215 | |
| | gat gac gat gca gaa gca gcc atg tta gaa gat gca aga cag cca ctc | | | 725 |
| | Asp Asp Asp Ala Glu Ala Ala Met Leu Glu Asp Ala Arg Gln Pro Leu | | | |
| | 220 | 225 | 230 | 235 |
| | tcc agg aaa gtt cct att gca tcc agc aag atc aat ccg tat aga atg | | | 773 |
| | Ser Arg Lys Val Pro Ile Ala Ser Ser Lys Ile Asn Pro Tyr Arg Met | | | |
| | 240 | 245 | 250 | |
| | gtt att gtt gct agg cta atc ata ctg gcc gtc ttt ctt cgc tat cga | | | 821 |

-continued

| | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|--|
| Val | Ile | Val | Ala | Arg | Leu | Ile | Ile | Leu | Ala | Val | Phe | Leu | Arg | Tyr | Arg | | |
| | | | 255 | | | | | 260 | | | | | 265 | | | | |
| att | ttg | cat | ccg | gtg | cat | gac | gca | ctt | ggg | ctc | tgg | ctg | aca | tct | ata | 869 | |
| Ile | Leu | His | Pro | Val | His | Asp | Ala | Leu | Gly | Leu | Trp | Leu | Thr | Ser | Ile | | |
| | | 270 | | | | | 275 | | | | | 280 | | | | | |
| gtc | tgc | gaa | atc | tgg | ttt | gca | att | tca | tgg | atc | ctt | gat | caa | ttc | ccc | 917 | |
| Val | Cys | Glu | Ile | Trp | Phe | Ala | Ile | Ser | Trp | Ile | Leu | Asp | Gln | Phe | Pro | | |
| | 285 | | | | | 290 | | | | | 295 | | | | | | |
| aag | tgg | ttg | cca | atc | gat | cgc | gag | act | tat | ctg | gat | cgc | ctt | tct | ctc | 965 | |
| Lys | Trp | Leu | Pro | Ile | Asp | Arg | Glu | Thr | Tyr | Leu | Asp | Arg | Leu | Ser | Leu | | |
| | 300 | | | | 305 | | | | | 310 | | | | | 315 | | |
| agg | tat | gag | cag | gaa | ggc | ggg | ccc | aat | atg | ctt | gct | cca | gtg | gat | gtc | 1013 | |
| Arg | Tyr | Glu | Gln | Glu | Gly | Gly | Pro | Asn | Met | Leu | Ala | Pro | Val | Asp | Val | | |
| | | | 320 | | | | | | 325 | | | | | | 330 | | |
| ttt | gtc | agt | acc | gtg | gat | cca | atg | aaa | gaa | ccc | cct | cta | gtc | acg | ggc | 1061 | |
| Phe | Val | Ser | Thr | Val | Asp | Pro | Met | Lys | Glu | Pro | Pro | Leu | Val | Thr | Gly | | |
| | | | 335 | | | | | 340 | | | | | 345 | | | | |
| aac | aca | ctt | tta | tca | att | ttg | gcc | atg | gac | tat | cca | gtt | gaa | aag | atc | 1109 | |
| Asn | Thr | Leu | Leu | Ser | Ile | Leu | Ala | Met | Asp | Tyr | Pro | Val | Glu | Lys | Ile | | |
| | | | 350 | | | | 355 | | | | | | 360 | | | | |
| tca | tgt | tac | cta | tct | gac | gac | ggc | gct | tca | atg | tgc | acc | ttt | gaa | gcc | 1157 | |
| Ser | Cys | Tyr | Leu | Ser | Asp | Asp | Gly | Ala | Ser | Met | Cys | Thr | Phe | Glu | Ala | | |
| | 365 | | | | | 370 | | | | | 375 | | | | | | |
| atg | tct | gaa | act | gct | gaa | ttt | gct | cga | aaa | tgg | gtg | cca | ttc | tgc | aag | 1205 | |
| Met | Ser | Glu | Thr | Ala | Glu | Phe | Ala | Arg | Lys | Trp | Val | Pro | Phe | Cys | Lys | | |
| | | | | | 385 | | | | | 390 | | | | | 395 | | |
| aaa | ttt | aac | ata | gaa | cca | cga | gcc | cct | gag | ttt | tac | ttc | act | cta | aag | 1253 | |
| Lys | Phe | Asn | Ile | Glu | Pro | Arg | Ala | Pro | Glu | Phe | Tyr | Phe | Thr | Leu | Lys | | |
| | | | | 400 | | | | | 405 | | | | | 410 | | | |
| gtt | gat | tac | ctc | aag | gac | aaa | gtt | cag | cca | acc | ttt | gtt | aag | gaa | cgt | 1301 | |
| Val | Asp | Tyr | Leu | Lys | Asp | Lys | Val | Gln | Pro | Thr | Phe | Val | Lys | Glu | Arg | | |
| | | | 415 | | | | | 420 | | | | | 425 | | | | |
| cga | gct | atg | aag | aga | gaa | tat | gaa | gaa | ttc | aag | gtt | cgg | ata | aat | gcg | 1349 | |
| Arg | Ala | Met | Lys | Arg | Glu | Tyr | Glu | Glu | Phe | Lys | Val | Arg | Ile | Asn | Ala | | |
| | | 430 | | | | | 435 | | | | | | 440 | | | | |
| att | gta | gca | aaa | gca | cag | aag | gtt | cct | aca | gag | ggg | tgg | att | atg | caa | 1397 | |
| Ile | Val | Ala | Lys | Ala | Gln | Lys | Val | Pro | Thr | Glu | Gly | Trp | Ile | Met | Gln | | |
| | | 445 | | | | 450 | | | | | | 455 | | | | | |
| gat | gga | aca | cca | tgg | cct | gga | aac | aat | acg | agg | gat | cac | cct | ggt | atg | 1445 | |
| Asp | Gly | Thr | Pro | Trp | Pro | Gly | Asn | Asn | Thr | Arg | Asp | His | Pro | Gly | Met | | |
| | | | | 465 | | | | | | 470 | | | | | 475 | | |
| att | caa | gta | ttt | ctc | ggt | cac | agt | gga | gga | cat | gac | gtt | gaa | ggg | aac | 1493 | |
| Ile | Gln | Val | Phe | Leu | Gly | His | Ser | Gly | Gly | His | Asp | Val | Glu | Gly | Asn | | |
| | | | | 480 | | | | | | 485 | | | | | 490 | | |
| gag | ctc | cct | cgc | ctt | gta | tat | gta | tct | cga | gag | aag | agg | cct | ggt | ttt | 1541 | |
| Glu | Leu | Pro | Arg | Leu | Val | Tyr | Val | Ser | Arg | Glu | Lys | Arg | Pro | Gly | Phe | | |
| | | | | 495 | | | | | 500 | | | | | 505 | | | |
| tca | cat | cat | aaa | aaa | gcc | ggc | gcc | atg | aat | gcc | ctg | att | cgg | gtt | ctc | 1589 | |
| Ser | His | His | Lys | Lys | Ala | Gly | Ala | Met | Asn | Ala | Leu | Ile | Arg | Val | Leu | | |
| | | | 510 | | | | 515 | | | | | | 520 | | | | |
| gcc | ata | ctt | acc | aat | gct | cct | ttc | atg | ctg | aac | ttg | gat | tgc | gac | cat | 1637 | |
| Ala | Ile | Leu | Thr | Asn | Ala | Pro | Phe | Met | Leu | Asn | Leu | Asp | Cys | Asp | His | | |
| | | 525 | | | | 530 | | | | | | | 535 | | | | |
| tat | gta | aat | aat | agc | aag | gcc | ggt | cga | gag | gct | atg | tgt | ttc | ttg | atg | 1685 | |
| Tyr | Val | Asn | Asn | Ser | Lys | Ala | Val | Arg | Glu | Ala | Met | Cys | Phe | Leu | Met | | |
| | | | | 545 | | | | | | 550 | | | | | 555 | | |
| gac | ccc | cag | att | gga | aag | aga | gtt | tgc | tac | gtg | caa | ttt | cct | caa | aga | 1733 | |
| Asp | Pro | Gln | Ile | Gly | Lys | Arg | Val | Cys | Tyr | Val | Gln | Phe | Pro | Gln | Arg | | |
| | | | | 560 | | | | | | 565 | | | | | 570 | | |
| ttt | gat | ggc | att | gat | aca | cat | gat | cga | tac | gcc | aac | aga | aac | act | gtt | 1781 | |

-continued

| Val | Val | Gln | Gly | Leu | Leu | Lys | Val | Leu | Ala | Gly | Ile | Asp | Leu | Asn | Phe | |
|------------|------------|-------------|------------|------------|-------------|------|-----|-----|-----|-----|------|------|-----|-----|-----|------|
| | | | 895 | | | | | 900 | | | | | 905 | | | |
| act | gtc | aca | tcc | aag | gct | aca | gac | gat | gac | gat | ttt | gga | gag | ctt | tat | 2789 |
| Thr | Val | Thr | Ser | Lys | Ala | Thr | Asp | Asp | Asp | Asp | Phe | Gly | Glu | Leu | Tyr | |
| | | 910 | | | | | 915 | | | | | 920 | | | | |
| gcc | ttt | aaa | tgg | aca | acc | ctg | ctt | atc | cct | cca | acc | act | atc | tta | atc | 2837 |
| Ala | Phe | Lys | Trp | Thr | Thr | Leu | Leu | Ile | Pro | Pro | Thr | Thr | Ile | Leu | Ile | |
| | 925 | | | | | 930 | | | | | 935 | | | | | |
| atc | aac | ctt | ggt | gga | ggt | ggt | gct | gga | gtc | tca | gat | gcc | ata | aac | aat | 2885 |
| Ile | Asn | Leu | Val | Gly | Val | Val | Ala | Gly | Val | Ser | Asp | Ala | Ile | Asn | Asn | |
| | 940 | | | 945 | | | | | 950 | | | | | 955 | | |
| ggg | tac | cag | tca | tgg | gga | cct | cta | ttc | ggg | aag | ctc | ttc | ttt | gcc | ttc | 2933 |
| Gly | Tyr | Gln | Ser | Trp | Gly | Pro | Leu | Phe | Gly | Lys | Leu | Phe | Phe | Ala | Phe | |
| | | | 960 | | | | | | 965 | | | | | 970 | | |
| tgg | gtg | att | gtc | cat | ctc | tac | cca | ttc | ctc | aaa | ggt | cta | atg | ggg | agg | 2981 |
| Trp | Val | Ile | Val | His | Leu | Tyr | Pro | Phe | Leu | Lys | Gly | Leu | Met | Gly | Arg | |
| | | | 975 | | | | | 980 | | | | | 985 | | | |
| caa | aac | agg | aca | ccg | act | att | gtg | ggt | ata | tgg | tca | gtg | ctc | ctg | gct | 3029 |
| Gln | Asn | Arg | Thr | Pro | Thr | Ile | Val | Val | Ile | Trp | Ser | Val | Leu | Leu | Ala | |
| | | 990 | | | | | 995 | | | | | 1000 | | | | |
| tcc | atc | ttc | tcc | ttg | ctt | tgg | gtc | cgg | att | gat | cca | ttt | gtg | atg | | 3074 |
| Ser | Ile | Phe | Ser | Leu | Leu | Trp | Val | Arg | Ile | Asp | Pro | Phe | Val | Met | | |
| | 1005 | | | | | 1010 | | | | | 1015 | | | | | |
| aaa | acc | agg | gga | cct | gac | acc | aag | caa | tgt | gga | ctc | aac | tgt | taa | | 3119 |
| Lys | Thr | Arg | Gly | Pro | Asp | Thr | Lys | Gln | Cys | Gly | Leu | Asn | Cys | | | |
| | 1020 | | | | | 1025 | | | | | 1030 | | | | | |
| aagtgtgttt | atcttctagt | tgatttgtgc | atcatataga | agatacatgt | gcacccctgct | | | | | | | | | | | 3179 |
| tctaaggaaa | tacgatatgc | gatgtataaa | ctgactaaga | tggagatgct | acaaggaata | | | | | | | | | | | 3239 |
| aagttagagt | gaaaattttg | tgtaaaaaaaa | aaaaaaaaa | | | | | | | | | | | | | 3277 |

<210> SEQ ID NO 4

<211> LENGTH: 1032

<212> TYPE: PRT

<213> ORGANISM: Populus tremuloides

<400> SEQUENCE: 4

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Met | Glu | Ala | Ser | Ala | Gly | Leu | Val | Ala | Gly | Ser | His | Asn | Arg | Asn | Glu |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |
| Leu | Val | Val | Ile | His | Gly | His | Glu | Glu | His | Lys | Pro | Leu | Lys | Asn | Leu |
| | | 20 | | | | | | 25 | | | | | 30 | | |
| Asp | Gly | Gln | Val | Cys | Glu | Ile | Cys | Gly | Asp | Glu | Ile | Gly | Leu | Thr | Val |
| | | 35 | | | | | 40 | | | | | 45 | | | |
| Asp | Gly | Asp | Leu | Phe | Val | Ala | Cys | Asn | Glu | Cys | Gly | Phe | Pro | Val | Cys |
| | 50 | | | | | 55 | | | | | 60 | | | | |
| Arg | Pro | Cys | Tyr | Glu | Tyr | Glu | Arg | Arg | Glu | Gly | Thr | Gln | Asn | Cys | Pro |
| | 65 | | | | 70 | | | | | 75 | | | | 80 | |
| Gln | Cys | Lys | Thr | Arg | Tyr | Lys | Arg | Leu | Lys | Gly | Ser | Pro | Arg | Val | Glu |
| | | | 85 | | | | | | 90 | | | | | 95 | |
| Gly | Asp | Asp | Glu | Glu | Asp | Asp | Val | Asp | Asp | Ile | Glu | His | Glu | Phe | Ile |
| | | | 100 | | | | | 105 | | | | | 110 | | |
| Ile | Glu | Asp | Glu | Gln | Asp | Lys | Asn | Lys | His | Leu | Thr | Glu | Ala | Met | Leu |
| | | 115 | | | | | 120 | | | | | | 125 | | |
| His | Gly | Lys | Met | Thr | Tyr | Gly | Arg | Gly | His | Asp | Asp | Glu | Glu | Asn | Ser |
| | 130 | | | | | 135 | | | | | 140 | | | | |
| Gln | Phe | Pro | Pro | Val | Ile | Thr | Gly | Ile | Arg | Ser | Arg | Pro | Val | Ser | Gly |
| | 145 | | | | 150 | | | | | 155 | | | | | 160 |
| Glu | Phe | Ser | Ile | Gly | Ser | His | Gly | Glu | Gln | Met | Leu | Ser | Ser | Ser | Leu |

-continued

| 165 | | | | | 170 | | | | | 175 | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| His | Lys | Arg | Val | His | Pro | Tyr | Pro | Val | Ser | Glu | Pro | Gly | Ser | Ala | Arg |
| | | | 180 | | | | | 185 | | | | | 190 | | |
| Trp | Asp | Glu | Lys | Lys | Glu | Gly | Gly | Trp | Lys | Glu | Arg | Met | Asp | Glu | Trp |
| | | 195 | | | | | 200 | | | | | 205 | | | |
| Lys | Met | Gln | His | Gly | Asn | Leu | Gly | Pro | Glu | Gln | Asp | Asp | Asp | Ala | Glu |
| | 210 | | | | | 215 | | | | | 220 | | | | |
| Ala | Ala | Met | Leu | Glu | Asp | Ala | Arg | Gln | Pro | Leu | Ser | Arg | Lys | Val | Pro |
| | 225 | | | | | 230 | | | | | 235 | | | | 240 |
| Ile | Ala | Ser | Ser | Lys | Ile | Asn | Pro | Tyr | Arg | Met | Val | Ile | Val | Ala | Arg |
| | | | | 245 | | | | | 250 | | | | | 255 | |
| Leu | Ile | Ile | Leu | Ala | Val | Phe | Leu | Arg | Tyr | Arg | Ile | Leu | His | Pro | Val |
| | | | 260 | | | | | 265 | | | | | 270 | | |
| His | Asp | Ala | Leu | Gly | Leu | Trp | Leu | Thr | Ser | Ile | Val | Cys | Glu | Ile | Trp |
| | 275 | | | | | | 280 | | | | | 285 | | | |
| Phe | Ala | Ile | Ser | Trp | Ile | Leu | Asp | Gln | Phe | Pro | Lys | Trp | Leu | Pro | Ile |
| | 290 | | | | | 295 | | | | | 300 | | | | |
| Asp | Arg | Glu | Thr | Tyr | Leu | Asp | Arg | Leu | Ser | Leu | Arg | Tyr | Glu | Gln | Glu |
| | 305 | | | | | 310 | | | | | 315 | | | | 320 |
| Gly | Gly | Pro | Asn | Met | Leu | Ala | Pro | Val | Asp | Val | Phe | Val | Ser | Thr | Val |
| | | | | 325 | | | | | 330 | | | | | 335 | |
| Asp | Pro | Met | Lys | Glu | Pro | Pro | Leu | Val | Thr | Gly | Asn | Thr | Leu | Leu | Ser |
| | | | 340 | | | | | 345 | | | | | 350 | | |
| Ile | Leu | Ala | Met | Asp | Tyr | Pro | Val | Glu | Lys | Ile | Ser | Cys | Tyr | Leu | Ser |
| | 355 | | | | | | 360 | | | | | 365 | | | |
| Asp | Asp | Gly | Ala | Ser | Met | Cys | Thr | Phe | Glu | Ala | Met | Ser | Glu | Thr | Ala |
| | 370 | | | | | 375 | | | | | 380 | | | | |
| Glu | Phe | Ala | Arg | Lys | Trp | Val | Pro | Phe | Cys | Lys | Lys | Phe | Asn | Ile | Glu |
| | 385 | | | | | 390 | | | | | 395 | | | | 400 |
| Pro | Arg | Ala | Pro | Glu | Phe | Tyr | Phe | Thr | Leu | Lys | Val | Asp | Tyr | Leu | Lys |
| | | | | 405 | | | | | 410 | | | | | 415 | |
| Asp | Lys | Val | Gln | Pro | Thr | Phe | Val | Lys | Glu | Arg | Arg | Ala | Met | Lys | Arg |
| | | | 420 | | | | | 425 | | | | | 430 | | |
| Glu | Tyr | Glu | Glu | Phe | Lys | Val | Arg | Ile | Asn | Ala | Ile | Val | Ala | Lys | Ala |
| | | 435 | | | | | 440 | | | | | 445 | | | |
| Gln | Lys | Val | Pro | Thr | Glu | Gly | Trp | Ile | Met | Gln | Asp | Gly | Thr | Pro | Trp |
| | 450 | | | | | 455 | | | | | 460 | | | | |
| Pro | Gly | Asn | Asn | Thr | Arg | Asp | His | Pro | Gly | Met | Ile | Gln | Val | Phe | Leu |
| | 465 | | | | | 470 | | | | | 475 | | | | 480 |
| Gly | His | Ser | Gly | Gly | His | Asp | Val | Glu | Gly | Asn | Glu | Leu | Pro | Arg | Leu |
| | | | | 485 | | | | | 490 | | | | | 495 | |
| Val | Tyr | Val | Ser | Arg | Glu | Lys | Arg | Pro | Gly | Phe | Ser | His | His | Lys | Lys |
| | | | 500 | | | | | 505 | | | | | 510 | | |
| Ala | Gly | Ala | Met | Asn | Ala | Leu | Ile | Arg | Val | Leu | Ala | Ile | Leu | Thr | Asn |
| | | | 515 | | | | 520 | | | | | 525 | | | |
| Ala | Pro | Phe | Met | Leu | Asn | Leu | Asp | Cys | Asp | His | Tyr | Val | Asn | Asn | Ser |
| | 530 | | | | | 535 | | | | | 540 | | | | |
| Lys | Ala | Val | Arg | Glu | Ala | Met | Cys | Phe | Leu | Met | Asp | Pro | Gln | Ile | Gly |
| | 545 | | | | | 550 | | | | | 555 | | | | 560 |
| Lys | Arg | Val | Cys | Tyr | Val | Gln | Phe | Pro | Gln | Arg | Phe | Asp | Gly | Ile | Asp |
| | | | | 565 | | | | | 570 | | | | | 575 | |
| Thr | His | Asp | Arg | Tyr | Ala | Asn | Arg | Asn | Thr | Val | Phe | Phe | Asp | Ile | Asn |
| | | | | 580 | | | | | 585 | | | | | 590 | |

-continued

Asp Thr Lys Gln Cys Gly Leu Asn Cys
1025 1030

<210> SEQ ID NO 5
<211> LENGTH: 3401
<212> TYPE: DNA
<213> ORGANISM: Populus tremuloides
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (39)..(3167)

<400> SEQUENCE: 5

gagaactagt ctcgactttt ttttccttgc tgttgccc atg gct ggc ctt gtc acg 56
Met Ala Gly Leu Val Thr
1 5

ggc agt tca cag acc ttg cat gcc aaa gat gag ctg agg cct cca act 104
Gly Ser Ser Gln Thr Leu His Ala Lys Asp Glu Leu Arg Pro Pro Thr
10 15 20

cgc cag tct gca acg tcg aaa aaa tgt aga gtt tgt ggg gat gag att 152
Arg Gln Ser Ala Thr Ser Lys Lys Cys Arg Val Cys Gly Asp Glu Ile
25 30 35

gga gtt aag gaa gat gga gag gtg ttt gtt gct tgt cat gtg tgt ggc 200
Gly Val Lys Glu Asp Gly Glu Val Phe Val Ala Cys His Val Cys Gly
40 45 50

ttt cct gtt tgt agg cct tgt tat gag tat gag agg agt gaa ggc aac 248
Phe Pro Val Cys Arg Pro Cys Tyr Glu Tyr Glu Arg Ser Glu Gly Asn
55 60 65 70

cag tcc tgt cct cag tgc aac act cga tat aag cgt cac aaa ggt tgt 296
Gln Ser Cys Pro Gln Cys Asn Thr Arg Tyr Lys Arg His Lys Gly Cys
75 80 85

cct aga gtt cct gga gat aat gac gat gag gat gcc aat ttt gat gat 344
Pro Arg Val Pro Gly Asp Asn Asp Asp Glu Asp Ala Asn Phe Asp Asp
90 95 100

ttt gac gac gaa ttt cag att aag cat cat gat cat gat gaa tcc aat 392
Phe Asp Asp Glu Phe Gln Ile Lys His His Asp His Asp Glu Ser Asn
105 110 115

cag aaa aat gtt ttt agt cgc acg gaa att gag cac tac aat gaa cag 440
Gln Lys Asn Val Phe Ser Arg Thr Glu Ile Glu His Tyr Asn Glu Gln
120 125 130

gaa atg cac ccc att cgt ccg gcc ttt tcg tca gca gga agt gtt gct 488
Glu Met His Pro Ile Arg Pro Ala Phe Ser Ser Ala Gly Ser Val Ala
135 140 145 150

gga aag gat ctt gaa ggc gag aaa gag ggt tat agc aat gca gaa tgg 536
Gly Lys Asp Leu Glu Gly Glu Lys Glu Tyr Ser Asn Ala Glu Trp
155 160 165

caa gag agg gtg gag aaa tgg aaa gtt agg caa gaa aag aga ggt ttg 584
Gln Glu Arg Val Glu Lys Trp Lys Val Arg Gln Glu Lys Arg Gly Leu
170 175 180

gtg agc aaa gat gat gga gga aat gat caa gga gag gaa gat gag tac 632
Val Ser Lys Asp Asp Gly Gly Asn Asp Gln Gly Glu Glu Asp Glu Tyr
185 190 195

ctt atg gct gaa gcc agg caa cca cta tgg aga aaa atc cca att ccc 680
Leu Met Ala Glu Ala Arg Gln Pro Leu Trp Arg Lys Ile Pro Ile Pro
200 205 210

tcg agc aga atc aac ccg tat cga att gtc att gtc ctt cga ctt atc 728
Ser Ser Arg Ile Asn Pro Tyr Arg Ile Val Ile Val Leu Arg Leu Ile
215 220 225 230

att ctt tgc ttc ttt ttc cgt ttt tgg atc tta act cca gca tct gat 776
Ile Leu Cys Phe Phe Phe Arg Phe Trp Ile Leu Thr Pro Ala Ser Asp
235 240 245

gct tat gca ttg ggg ctt atc tct gta ata tgt gag gta tgg ttt ggc 824

-continued

| Ala | Tyr | Ala | Leu | Gly | Leu | Ile | Ser | Val | Ile | Cys | Glu | Val | Trp | Phe | Gly | |
|-----|-----|------|------|-----|------|-----|-----|-----|-----|------|-----|-----|------|-----|-----|------|
| | | | 250 | | | | | 255 | | | | | | 260 | | |
| ctc | toc | tggt | atc | ttg | gac | cag | ttc | cca | aaa | tggt | aac | ccc | att | gaa | cgt | 872 |
| Leu | Ser | Trp | Ile | Leu | Asp | Gln | Phe | Pro | Lys | Trp | Asn | Pro | Ile | Glu | Arg | |
| | | 265 | | | | | 270 | | | | | 275 | | | | |
| gaa | act | tat | ctc | gat | cgc | cta | tcc | atg | agg | ttt | gag | cgt | gag | ggt | gag | 920 |
| Glu | Thr | Tyr | Leu | Asp | Arg | Leu | Ser | Met | Arg | Phe | Glu | Arg | Glu | Gly | Glu | |
| | 280 | | | | | 285 | | | | | 290 | | | | | |
| cct | aat | cgc | ctg | ggc | cca | gtt | gat | gtg | ttt | gtg | agt | act | gtg | gat | cct | 968 |
| Pro | Asn | Arg | Leu | Gly | Pro | Val | Asp | Val | Phe | Val | Ser | Thr | Val | Asp | Pro | |
| | 295 | | | | 300 | | | | | 305 | | | | | 310 | |
| ctc | aag | gaa | cca | cca | ata | ata | act | gca | aat | aca | gtc | ctt | tca | atc | cta | 1016 |
| Leu | Lys | Glu | Pro | Pro | Ile | Ile | Thr | Ala | Asn | Thr | Val | Leu | Ser | Ile | Leu | |
| | | | 315 | | | | | | 320 | | | | | 325 | | |
| tcc | gtt | gat | tat | cct | gtc | gac | aag | gtc | agt | tgt | tat | gta | tca | gat | gat | 1064 |
| Ser | Val | Asp | Tyr | Pro | Val | Asp | Lys | Val | Ser | Cys | Tyr | Val | Ser | Asp | Asp | |
| | | | 330 | | | | | 335 | | | | | 340 | | | |
| ggg | gca | tcc | atg | ctc | ctt | ttc | gac | tcc | ctg | gca | gaa | act | gct | gag | ttt | 1112 |
| Gly | Ala | Ser | Met | Leu | Leu | Phe | Asp | Ser | Leu | Ala | Glu | Thr | Ala | Glu | Phe | |
| | | | 345 | | | | 350 | | | | | 355 | | | | |
| gct | aga | agg | tggt | ggt | cca | ttt | tgc | aag | aag | cat | aac | att | gag | cca | agg | 1160 |
| Ala | Arg | Arg | Trp | Val | Pro | Phe | Cys | Lys | Lys | His | Asn | Ile | Glu | Pro | Arg | |
| | 360 | | | | | 365 | | | | | 370 | | | | | |
| gct | cct | gag | ttc | tac | ttc | act | cag | aag | att | gac | tac | ttg | aaa | gac | aaa | 1208 |
| Ala | Pro | Glu | Phe | Tyr | Phe | Thr | Gln | Lys | Ile | Asp | Tyr | Leu | Lys | Asp | Lys | |
| | 375 | | | | 380 | | | | | 385 | | | | | 390 | |
| gtg | cat | ccc | aac | ttt | gtg | aag | gag | cgc | aga | gct | atg | aaa | aga | gaa | tat | 1256 |
| Val | His | Pro | Asn | Phe | Val | Lys | Glu | Arg | Arg | Ala | Met | Lys | Arg | Glu | Tyr | |
| | | | | 395 | | | | | 400 | | | | | 405 | | |
| gaa | gaa | ttc | aaa | gta | agg | atc | aac | gca | ttg | gtg | tca | aag | gcc | caa | aag | 1304 |
| Glu | Glu | Phe | Lys | Val | Arg | Ile | Asn | Ala | Leu | Val | Ser | Lys | Ala | Gln | Lys | |
| | | | 410 | | | | | 415 | | | | | 420 | | | |
| aaa | cca | gaa | gaa | gga | tggt | gtg | atg | cag | gat | ggg | acc | cca | tggt | cct | gga | 1352 |
| Lys | Pro | Glu | Glu | Gly | Trp | Val | Met | Gln | Asp | Gly | Thr | Pro | Trp | Pro | Gly | |
| | | 425 | | | | | 430 | | | | | | 435 | | | |
| aac | atc | acc | cgt | gat | cat | cct | gga | atg | att | cag | gta | tat | cta | gga | agt | 1400 |
| Asn | Ile | Thr | Arg | Asp | His | Pro | Gly | Met | Ile | Gln | Val | Tyr | Leu | Gly | Ser | |
| | 440 | | | | | 445 | | | | | 450 | | | | | |
| gag | ggg | gcg | ctc | gac | gtg | gaa | ggc | aag | gag | ctt | ccg | agg | ctt | gtg | tat | 1448 |
| Glu | Gly | Ala | Leu | Asp | Val | Glu | Gly | Lys | Glu | Leu | Pro | Arg | Leu | Val | Tyr | |
| | 455 | | | 460 | | | | | 465 | | | | | 470 | | |
| ggt | tcc | cgt | gag | aaa | cga | cct | gga | tat | aac | cac | cac | aag | aaa | gca | ggg | 1496 |
| Val | Ser | Arg | Glu | Lys | Arg | Pro | Gly | Tyr | Asn | His | His | Lys | Lys | Ala | Gly | |
| | | | 475 | | | | | | 480 | | | | | 485 | | |
| gcc | atg | aat | gct | ctg | att | cga | gtc | tca | gca | gtg | ctc | acc | aat | gca | cct | 1544 |
| Ala | Met | Asn | Ala | Leu | Ile | Arg | Val | Ser | Ala | Val | Leu | Thr | Asn | Ala | Pro | |
| | | | 490 | | | | | 495 | | | | | 500 | | | |
| ttt | atg | ttg | aat | ttg | gat | tgt | gac | cat | tac | atc | aat | aac | agc | aag | gct | 1592 |
| Phe | Met | Leu | Asn | Leu | Asp | Cys | Asp | His | Tyr | Ile | Asn | Asn | Ser | Lys | Ala | |
| | | 505 | | | | 510 | | | | | | | 515 | | | |
| gta | aga | gaa | gcc | atg | tgc | ttt | ttg | atg | gat | ccc | caa | ctt | ggg | aag | aag | 1640 |
| Val | Arg | Glu | Ala | Met | Cys | Phe | Leu | Met | Asp | Pro | Gln | Leu | Gly | Lys | Lys | |
| | 520 | | | | | 525 | | | | | 530 | | | | | |
| ctc | tgc | tat | gtc | cag | ttt | ccg | cag | agg | ttt | gat | ggg | atc | gat | cgc | cat | 1688 |
| Leu | Cys | Tyr | Val | Gln | Phe | Pro | Gln | Arg | Phe | Asp | Gly | Ile | Asp | Arg | His | |
| | | | | 540 | | | | | 545 | | | | | 550 | | |
| gat | aga | tat | gct | aat | cgc | aac | ggt | gtg | ttc | ttt | gat | ata | aac | atg | aaa | 1736 |
| Asp | Arg | Tyr | Ala | Asn | Arg | Asn | Val | Val | Phe | Phe | Asp | Ile | Asn | Met | Lys | |
| | | | 555 | | | | | 560 | | | | | | 565 | | |
| ggg | cta | gat | ggg | ggt | caa | ggg | cca | gta | tat | ggt | ggg | act | gga | tgt | gtc | 1784 |

-continued

| Gly | Leu | Asp | Gly | Val | Gln | Gly | Pro | Val | Tyr | Val | Gly | Thr | Gly | Cys | Val | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| | | | 570 | | | | | 575 | | | | | 580 | | | |
| ttc | aac | agg | cag | tcc | ttg | tat | ggc | tat | gat | cct | cca | gtg | tcc | gag | aag | 1832 |
| Phe | Asn | Arg | Gln | Ser | Leu | Tyr | Gly | Tyr | Asp | Pro | Pro | Val | Ser | Glu | Lys | |
| | | 585 | | | | | 590 | | | | | 595 | | | | |
| aga | ccc | aag | atg | aca | tgc | gat | tgc | tgg | cct | tca | tgg | tgt | tgc | tgt | tgc | 1880 |
| Arg | Pro | Lys | Met | Thr | Cys | Asp | Cys | Trp | Pro | Ser | Trp | Cys | Cys | Cys | Cys | |
| | 600 | | | | | 605 | | | | | 610 | | | | | |
| ttt | ggt | ggt | tca | agg | aaa | aag | tct | aag | aag | aaa | ggg | caa | aga | agt | ctt | 1928 |
| Phe | Gly | Gly | Ser | Arg | Lys | Lys | Ser | Lys | Lys | Lys | Gly | Gln | Arg | Ser | Leu | |
| | 615 | | | | 620 | | | | | 625 | | | | | 630 | |
| ctt | gga | gga | cta | tac | ccc | atc | aaa | aag | aaa | atg | atg | ggg | aag | aag | tac | 1976 |
| Leu | Gly | Gly | Leu | Tyr | Pro | Ile | Lys | Lys | Lys | Met | Met | Gly | Lys | Lys | Tyr | |
| | | | | 635 | | | | | | 640 | | | | | 645 | |
| aca | agg | aaa | gca | tct | gca | cca | gtc | ttt | gat | ctt | gaa | gag | att | gaa | gaa | 2024 |
| Thr | Arg | Lys | Ala | Ser | Ala | Pro | Val | Phe | Asp | Leu | Glu | Glu | Ile | Glu | Glu | |
| | | | 650 | | | | | 655 | | | | | | | 660 | |
| ggg | ctt | gaa | ggc | tac | gaa | gag | ttg | gag | aaa | tca | tca | ctc | atg | tca | caa | 2072 |
| Gly | Leu | Glu | Gly | Tyr | Glu | Glu | Leu | Lys | Ser | Ser | Ser | Leu | Met | Ser | Gln | |
| | | 665 | | | | | 670 | | | | | 675 | | | | |
| aaa | agt | ttc | gag | aaa | cgg | ttt | ggg | caa | tca | ccg | gta | ttt | att | gcc | tct | 2120 |
| Lys | Ser | Phe | Glu | Lys | Arg | Phe | Gly | Gln | Ser | Pro | Val | Phe | Ile | Ala | Ser | |
| | 680 | | | | | 685 | | | | | 690 | | | | | |
| acc | ctc | atg | gaa | aat | ggt | ggc | gtg | cct | gaa | gga | act | aac | tct | caa | tca | 2168 |
| Thr | Leu | Met | Glu | Asn | Gly | Gly | Val | Pro | Glu | Gly | Thr | Asn | Ser | Gln | Ser | |
| | 695 | | | | 700 | | | | | 705 | | | | | 710 | |
| cac | att | aag | gaa | gcc | att | cat | ggt | ata | agt | tgc | ggg | tat | gaa | gaa | aaa | 2216 |
| His | Ile | Lys | Glu | Ala | Ile | His | Val | Ile | Ser | Cys | Gly | Tyr | Glu | Glu | Lys | |
| | | | | 715 | | | | | | 720 | | | | | 725 | |
| acg | gaa | tgg | ggt | aaa | gag | ggt | gga | tgg | att | tat | ggt | tct | ggt | aca | gaa | 2264 |
| Thr | Glu | Trp | Gly | Lys | Glu | Val | Gly | Trp | Ile | Tyr | Gly | Ser | Val | Thr | Glu | |
| | | 730 | | | | | | 735 | | | | | | | 740 | |
| gat | atc | ctg | aca | ggc | ttc | aag | atg | cat | tgt | aga | ggg | tgg | agg | tct | gtc | 2312 |
| Asp | Ile | Leu | Thr | Gly | Phe | Lys | Met | His | Cys | Arg | Gly | Trp | Arg | Ser | Val | |
| | | 745 | | | | | 750 | | | | | | 755 | | | |
| tac | tgt | tct | ccc | cag | aga | cca | gct | ttt | aag | gga | tct | gct | ccc | att | aat | 2360 |
| Tyr | Cys | Ser | Pro | Gln | Arg | Pro | Ala | Phe | Lys | Gly | Ser | Ala | Pro | Ile | Asn | |
| | 760 | | | | | 765 | | | | | 770 | | | | | |
| cta | tca | gat | agg | ttg | cac | caa | gtt | ctg | cga | tgg | gca | cta | ggc | tct | att | 2408 |
| Leu | Ser | Asp | Arg | Leu | His | Gln | Val | Leu | Arg | Trp | Ala | Leu | Gly | Ser | Ile | |
| | | 775 | | | 780 | | | | | 785 | | | | | 790 | |
| gag | att | ttc | ctt | agt | cat | cac | tgt | cct | cta | tgg | tat | ggc | tat | ggg | gga | 2456 |
| Glu | Ile | Phe | Leu | Ser | His | His | Cys | Pro | Leu | Trp | Tyr | Gly | Tyr | Gly | Gly | |
| | | | | 795 | | | | | 800 | | | | | | 805 | |
| aag | ttg | aag | ttg | ctg | gag | agg | ctt | gct | tac | atc | aac | acc | atc | ggt | tac | 2504 |
| Lys | Leu | Lys | Leu | Leu | Glu | Arg | Leu | Ala | Tyr | Ile | Asn | Thr | Ile | Val | Tyr | |
| | | | 810 | | | | | 815 | | | | | 820 | | | |
| cct | ttc | acc | tcc | att | ccc | tta | ctt | gcc | tac | tgt | act | att | cca | gca | gtc | 2552 |
| Pro | Phe | Thr | Ser | Ile | Pro | Leu | Leu | Ala | Tyr | Cys | Thr | Ile | Pro | Ala | Val | |
| | | 825 | | | | | | 830 | | | | | | | 835 | |
| tgc | ctt | ctg | aca | gga | aaa | ttt | atc | att | cct | act | ctg | aac | aac | ctt | gct | 2600 |
| Cys | Leu | Leu | Thr | Gly | Lys | Phe | Ile | Ile | Pro | Thr | Leu | Asn | Asn | Leu | Ala | |
| | | 840 | | | | 845 | | | | | 850 | | | | | |
| agc | ata | tgg | ttc | cta | ggc | cct | ttt | cat | ctc | aat | cat | agc | aac | atc | tgt | 2648 |
| Ser | Ile | Trp | Phe | Leu | Gly | Pro | Phe | His | Leu | Asn | His | Ser | Asn | Ile | Cys | |
| | | 855 | | | 860 | | | | | 865 | | | | | 870 | |
| gtt | gga | act | tcg | tgg | agt | gga | gtc | agc | atc | cag | gac | ttg | tgg | cg | aat | 2696 |
| Val | Gly | Thr | Ser | Trp | Ser | Gly | Val | Ser | Ile | Gln | Asp | Leu | Trp | Arg | Asn | |
| | | | | 875 | | | | | 880 | | | | | | 885 | |
| gag | caa | ttt | tgg | ggt | atc | ggc | ggt | gtc | tca | gct | cat | ctt | ttt | gcc | gtc | 2744 |

-continued

| | | | | | | | | | | | | | | | | | |
|------------|------------|------------|------------|------------|------------|------|-----|-----|-----|------|------|-----|-----|-----|------|------|--|
| Glu | Gln | Phe | Trp | Val | Ile | Gly | Gly | Val | Ser | Ala | His | Leu | Phe | Ala | Val | | |
| | | | 890 | | | | | 895 | | | | | 900 | | | | |
| ttc | caa | ggc | ctc | ctc | aag | gtc | ctt | gca | gga | ggt | gac | act | aac | ttc | act | 2792 | |
| Phe | Gln | Gly | Leu | Leu | Lys | Val | Leu | Ala | Gly | Val | Asp | Thr | Asn | Phe | Thr | | |
| | 905 | | | | | 910 | | | | | 915 | | | | | | |
| gtt | aca | tca | aaa | tca | gca | gac | gat | gcc | gag | ttt | gga | gag | ctg | tac | ctc | 2840 | |
| Val | Thr | Ser | Lys | Ser | Ala | Asp | Asp | Ala | Glu | Phe | Gly | Glu | Leu | Tyr | Leu | | |
| | 920 | | | | 925 | | | | | 930 | | | | | | | |
| ttc | aaa | tgg | acc | acc | ctc | ctc | atc | cca | cca | acc | acc | cta | atc | atc | ttg | 2888 | |
| Phe | Lys | Trp | Thr | Thr | Leu | Leu | Ile | Pro | Pro | Thr | Thr | Leu | Ile | Ile | Leu | | |
| | 935 | | | 940 | | | | 945 | | | | | | 950 | | | |
| aat | atg | gtt | gga | ggt | gta | gca | gga | gta | tcc | gat | gca | ata | aac | aac | gga | 2936 | |
| Asn | Met | Val | Gly | Val | Val | Ala | Gly | Val | Ser | Asp | Ala | Ile | Asn | Asn | Gly | | |
| | | | 955 | | | | | 960 | | | | | 965 | | | | |
| tat | gga | tca | tgg | ggt | cct | tta | ttt | ggg | aag | cta | ttt | ttc | gct | ttc | tgg | 2984 | |
| Tyr | Gly | Ser | Trp | Gly | Pro | Leu | Phe | Gly | Lys | Leu | Phe | Phe | Ala | Phe | Trp | | |
| | | | 970 | | | | | 975 | | | | | 980 | | | | |
| gtc | att | gtc | cat | ctc | tat | cct | ttc | ctc | aaa | ggt | ctg | atg | gga | agg | caa | 3032 | |
| Val | Ile | Val | His | Leu | Tyr | Pro | Phe | Leu | Lys | Gly | Leu | Met | Gly | Arg | Gln | | |
| | | 985 | | | | 990 | | | | | | 995 | | | | | |
| aac | agg | act | cct | aca | att | ggt | gtc | ctc | tgg | tct | ata | ctt | ctt | gca | 3077 | | |
| Asn | Arg | Thr | Pro | Thr | Ile | Val | Val | Leu | Trp | Ser | Ile | Leu | Leu | Ala | | | |
| | 1000 | | | | 1005 | | | | | | 1010 | | | | | | |
| tct | att | ttc | tca | ttg | att | tgg | ggt | aga | att | gat | ccc | ttc | ttg | ccc | 3122 | | |
| Ser | Ile | Phe | Ser | Leu | Ile | Trp | Val | Arg | Ile | Asp | Pro | Phe | Leu | Pro | | | |
| | 1015 | | | | 1020 | | | | | 1025 | | | | | | | |
| aag | caa | act | ggc | cca | att | ctc | aaa | caa | tgt | gga | gtg | gag | tgc | tag | 3167 | | |
| Lys | Gln | Thr | Gly | Pro | Ile | Leu | Lys | Gln | Cys | Gly | Val | Glu | Cys | | | | |
| | 1030 | | | | 1035 | | | | | 1040 | | | | | | | |
| ctagtcaatg | ccttttgaat | tttgaggtct | gctcctgttc | tgttctgtgt | tttgagtctt | 3227 | | | | | | | | | | | |
| tcacaggtta | tcccactttt | gctcagttgt | ttttcctttt | taatggggga | gtggagtgg | 3287 | | | | | | | | | | | |
| cattgtatgg | attatcagtg | agatttttct | gtagcaagc | aagcgtatgc | acgcaaactt | 3347 | | | | | | | | | | | |
| taagaatttt | attaattaag | aattacttaa | aaattaa | aaaaaaaa | aaaa | 3401 | | | | | | | | | | | |

<210> SEQ ID NO 6

<211> LENGTH: 1042

<212> TYPE: PRT

<213> ORGANISM: Populus tremuloides

<400> SEQUENCE: 6

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Met | Ala | Gly | Leu | Val | Thr | Gly | Ser | Ser | Gln | Thr | Leu | His | Ala | Lys | Asp |
| 1 | | | | 5 | | | | | 10 | | | | | 15 | |
| Glu | Leu | Arg | Pro | Pro | Thr | Arg | Gln | Ser | Ala | Thr | Ser | Lys | Lys | Cys | Arg |
| | | 20 | | | | | | 25 | | | | | 30 | | |
| Val | Cys | Gly | Asp | Glu | Ile | Gly | Val | Lys | Glu | Asp | Gly | Glu | Val | Phe | Val |
| | | 35 | | | | | 40 | | | | | 45 | | | |
| Ala | Cys | His | Val | Cys | Gly | Phe | Pro | Val | Cys | Arg | Pro | Cys | Tyr | Glu | Tyr |
| | 50 | | | | | 55 | | | | | 60 | | | | |
| Glu | Arg | Ser | Glu | Gly | Asn | Gln | Ser | Cys | Pro | Gln | Cys | Asn | Thr | Arg | Tyr |
| | 65 | | | | 70 | | | | | 75 | | | | 80 | |
| Lys | Arg | His | Lys | Gly | Cys | Pro | Arg | Val | Pro | Gly | Asp | Asn | Asp | Asp | Glu |
| | | | 85 | | | | | 90 | | | | | | 95 | |
| Asp | Ala | Asn | Phe | Asp | Asp | Phe | Asp | Asp | Glu | Phe | Gln | Ile | Lys | His | His |
| | | 100 | | | | | | 105 | | | | | | 110 | |
| Asp | His | Asp | Glu | Ser | Asn | Gln | Lys | Asn | Val | Phe | Ser | Arg | Thr | Glu | Ile |
| | | 115 | | | | | 120 | | | | | | 125 | | |
| Glu | His | Tyr | Asn | Glu | Gln | Glu | Met | His | Pro | Ile | Arg | Pro | Ala | Phe | Ser |

-continued

| 130 | | | | | 135 | | | | | 140 | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Ser | Ala | Gly | Ser | Val | Ala | Gly | Lys | Asp | Leu | Glu | Gly | Glu | Lys | Glu | Gly |
| 145 | | | | | 150 | | | | | 155 | | | | | 160 |
| Tyr | Ser | Asn | Ala | Glu | Trp | Gln | Glu | Arg | Val | Glu | Lys | Trp | Lys | Val | Arg |
| | | | | 165 | | | | | 170 | | | | | 175 | |
| Gln | Glu | Lys | Arg | Gly | Leu | Val | Ser | Lys | Asp | Asp | Gly | Gly | Asn | Asp | Gln |
| | | | | 180 | | | | | 185 | | | | | 190 | |
| Gly | Glu | Glu | Asp | Glu | Tyr | Leu | Met | Ala | Glu | Ala | Arg | Gln | Pro | Leu | Trp |
| | | | | 195 | | | | | 200 | | | | | 205 | |
| Arg | Lys | Ile | Pro | Ile | Pro | Ser | Ser | Arg | Ile | Asn | Pro | Tyr | Arg | Ile | Val |
| | | | | 210 | | | | | 215 | | | | | 220 | |
| Ile | Val | Leu | Arg | Leu | Ile | Ile | Leu | Cys | Phe | Phe | Phe | Arg | Phe | Trp | Ile |
| | | | | 225 | | | | | 230 | | | | | 235 | |
| Leu | Thr | Pro | Ala | Ser | Asp | Ala | Tyr | Ala | Leu | Gly | Leu | Ile | Ser | Val | Ile |
| | | | | 245 | | | | | 250 | | | | | 255 | |
| Cys | Glu | Val | Trp | Phe | Gly | Leu | Ser | Trp | Ile | Leu | Asp | Gln | Phe | Pro | Lys |
| | | | | 260 | | | | | 265 | | | | | 270 | |
| Trp | Asn | Pro | Ile | Glu | Arg | Glu | Thr | Tyr | Leu | Asp | Arg | Leu | Ser | Met | Arg |
| | | | | 275 | | | | | 280 | | | | | 285 | |
| Phe | Glu | Arg | Glu | Gly | Glu | Pro | Asn | Arg | Leu | Gly | Pro | Val | Asp | Val | Phe |
| | | | | 290 | | | | | 295 | | | | | 300 | |
| Val | Ser | Thr | Val | Asp | Pro | Leu | Lys | Glu | Pro | Pro | Ile | Ile | Thr | Ala | Asn |
| | | | | 305 | | | | | 310 | | | | | 315 | |
| Thr | Val | Leu | Ser | Ile | Leu | Ser | Val | Asp | Tyr | Pro | Val | Asp | Lys | Val | Ser |
| | | | | 325 | | | | | 330 | | | | | 335 | |
| Cys | Tyr | Val | Ser | Asp | Asp | Gly | Ala | Ser | Met | Leu | Leu | Phe | Asp | Ser | Leu |
| | | | | 340 | | | | | 345 | | | | | 350 | |
| Ala | Glu | Thr | Ala | Glu | Phe | Ala | Arg | Arg | Trp | Val | Pro | Phe | Cys | Lys | Lys |
| | | | | 355 | | | | | 360 | | | | | 365 | |
| His | Asn | Ile | Glu | Pro | Arg | Ala | Pro | Glu | Phe | Tyr | Phe | Thr | Gln | Lys | Ile |
| | | | | 370 | | | | | 375 | | | | | 380 | |
| Asp | Tyr | Leu | Lys | Asp | Lys | Val | His | Pro | Asn | Phe | Val | Lys | Glu | Arg | Arg |
| | | | | 385 | | | | | 390 | | | | | 395 | |
| Ala | Met | Lys | Arg | Glu | Tyr | Glu | Glu | Phe | Lys | Val | Arg | Ile | Asn | Ala | Leu |
| | | | | 405 | | | | | 410 | | | | | 415 | |
| Val | Ser | Lys | Ala | Gln | Lys | Lys | Pro | Glu | Glu | Gly | Trp | Val | Met | Gln | Asp |
| | | | | 420 | | | | | 425 | | | | | 430 | |
| Gly | Thr | Pro | Trp | Pro | Gly | Asn | Ile | Thr | Arg | Asp | His | Pro | Gly | Met | Ile |
| | | | | 435 | | | | | 440 | | | | | 445 | |
| Gln | Val | Tyr | Leu | Gly | Ser | Glu | Gly | Ala | Leu | Asp | Val | Glu | Gly | Lys | Glu |
| | | | | 450 | | | | | 455 | | | | | 460 | |
| Leu | Pro | Arg | Leu | Val | Tyr | Val | Ser | Arg | Glu | Lys | Arg | Pro | Gly | Tyr | Asn |
| | | | | 465 | | | | | 470 | | | | | 475 | |
| His | His | Lys | Lys | Ala | Gly | Ala | Met | Asn | Ala | Leu | Ile | Arg | Val | Ser | Ala |
| | | | | 485 | | | | | 490 | | | | | 495 | |
| Val | Leu | Thr | Asn | Ala | Pro | Phe | Met | Leu | Asn | Leu | Asp | Cys | Asp | His | Tyr |
| | | | | 500 | | | | | 505 | | | | | 510 | |
| Ile | Asn | Asn | Ser | Lys | Ala | Val | Arg | Glu | Ala | Met | Cys | Phe | Leu | Met | Asp |
| | | | | 515 | | | | | 520 | | | | | 525 | |
| Pro | Gln | Leu | Gly | Lys | Lys | Leu | Cys | Tyr | Val | Gln | Phe | Pro | Gln | Arg | Phe |
| | | | | 530 | | | | | 535 | | | | | 540 | |
| Asp | Gly | Ile | Asp | Arg | His | Asp | Arg | Tyr | Ala | Asn | Arg | Asn | Val | Val | Phe |
| | | | | 545 | | | | | 550 | | | | | 555 | |

-continued

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Phe | Asp | Ile | Asn | Met | Lys | Gly | Leu | Asp | Gly | Val | Gln | Gly | Pro | Val | Tyr |
| | | | | 565 | | | | | 570 | | | | | 575 | |
| Val | Gly | Thr | Gly | Cys | Val | Phe | Asn | Arg | Gln | Ser | Leu | Tyr | Gly | Tyr | Asp |
| | | | 580 | | | | | 585 | | | | | 590 | | |
| Pro | Pro | Val | Ser | Glu | Lys | Arg | Pro | Lys | Met | Thr | Cys | Asp | Cys | Trp | Pro |
| | | 595 | | | | | 600 | | | | | 605 | | | |
| Ser | Trp | Cys | Cys | Cys | Cys | Phe | Gly | Gly | Ser | Arg | Lys | Lys | Ser | Lys | Lys |
| 610 | | | | | | 615 | | | | | 620 | | | | |
| Lys | Gly | Gln | Arg | Ser | Leu | Leu | Gly | Gly | Leu | Tyr | Pro | Ile | Lys | Lys | Lys |
| 625 | | | | | 630 | | | | | 635 | | | | | 640 |
| Met | Met | Gly | Lys | Lys | Tyr | Thr | Arg | Lys | Ala | Ser | Ala | Pro | Val | Phe | Asp |
| | | | | 645 | | | | | 650 | | | | | 655 | |
| Leu | Glu | Glu | Ile | Glu | Glu | Gly | Leu | Glu | Gly | Tyr | Glu | Glu | Leu | Glu | Lys |
| | | | 660 | | | | | 665 | | | | | 670 | | |
| Ser | Ser | Leu | Met | Ser | Gln | Lys | Ser | Phe | Glu | Lys | Arg | Phe | Gly | Gln | Ser |
| | | 675 | | | | | 680 | | | | | 685 | | | |
| Pro | Val | Phe | Ile | Ala | Ser | Thr | Leu | Met | Glu | Asn | Gly | Gly | Val | Pro | Glu |
| | | 690 | | | | 695 | | | | | 700 | | | | |
| Gly | Thr | Asn | Ser | Gln | Ser | His | Ile | Lys | Glu | Ala | Ile | His | Val | Ile | Ser |
| 705 | | | | | 710 | | | | | 715 | | | | | 720 |
| Cys | Gly | Tyr | Glu | Glu | Lys | Thr | Glu | Trp | Gly | Lys | Glu | Val | Gly | Trp | Ile |
| | | | | 725 | | | | | 730 | | | | | 735 | |
| Tyr | Gly | Ser | Val | Thr | Glu | Asp | Ile | Leu | Thr | Gly | Phe | Lys | Met | His | Cys |
| | | | 740 | | | | | 745 | | | | | 750 | | |
| Arg | Gly | Trp | Arg | Ser | Val | Tyr | Cys | Ser | Pro | Gln | Arg | Pro | Ala | Phe | Lys |
| | | 755 | | | | | 760 | | | | | 765 | | | |
| Gly | Ser | Ala | Pro | Ile | Asn | Leu | Ser | Asp | Arg | Leu | His | Gln | Val | Leu | Arg |
| | | 770 | | | 775 | | | | | | 780 | | | | |
| Trp | Ala | Leu | Gly | Ser | Ile | Glu | Ile | Phe | Leu | Ser | His | His | Cys | Pro | Leu |
| 785 | | | | | 790 | | | | 795 | | | | | | 800 |
| Trp | Tyr | Gly | Tyr | Gly | Gly | Lys | Leu | Lys | Leu | Leu | Glu | Arg | Leu | Ala | Tyr |
| | | | | 805 | | | | | 810 | | | | | 815 | |
| Ile | Asn | Thr | Ile | Val | Tyr | Pro | Phe | Thr | Ser | Ile | Pro | Leu | Leu | Ala | Tyr |
| | | | 820 | | | | | 825 | | | | | 830 | | |
| Cys | Thr | Ile | Pro | Ala | Val | Cys | Leu | Leu | Thr | Gly | Lys | Phe | Ile | Ile | Pro |
| | | 835 | | | | | 840 | | | | | 845 | | | |
| Thr | Leu | Asn | Asn | Leu | Ala | Ser | Ile | Trp | Phe | Leu | Gly | Pro | Phe | His | Leu |
| | | 850 | | | | 855 | | | | | 860 | | | | |
| Asn | His | Ser | Asn | Ile | Cys | Val | Gly | Thr | Ser | Trp | Ser | Gly | Val | Ser | Ile |
| 865 | | | | | 870 | | | | | 875 | | | | | 880 |
| Gln | Asp | Leu | Trp | Arg | Asn | Glu | Gln | Phe | Trp | Val | Ile | Gly | Gly | Val | Ser |
| | | | | 885 | | | | | 890 | | | | | 895 | |
| Ala | His | Leu | Phe | Ala | Val | Phe | Gln | Gly | Leu | Leu | Lys | Val | Leu | Ala | Gly |
| | | | 900 | | | | | 905 | | | | | 910 | | |
| Val | Asp | Thr | Asn | Phe | Thr | Val | Thr | Ser | Lys | Ser | Ala | Asp | Asp | Ala | Glu |
| | | | 915 | | | | | 920 | | | | | 925 | | |
| Phe | Gly | Glu | Leu | Tyr | Leu | Phe | Lys | Trp | Thr | Thr | Leu | Leu | Ile | Pro | Pro |
| | | | | | 930 | | 935 | | | | 940 | | | | |
| Thr | Thr | Leu | Ile | Ile | Leu | Asn | Met | Val | Gly | Val | Val | Ala | Gly | Val | Ser |
| 945 | | | | | 950 | | | | | 955 | | | | | 960 |
| Asp | Ala | Ile | Asn | Asn | Gly | Tyr | Gly | Ser | Trp | Gly | Pro | Leu | Phe | Gly | Lys |
| | | | | 965 | | | | | 970 | | | | | 975 | |
| Leu | Phe | Phe | Ala | Phe | Trp | Val | Ile | Val | His | Leu | Tyr | Pro | Phe | Leu | Lys |
| | | | 980 | | | | | | 985 | | | | | 990 | |

-continued

Gly Leu Met Gly Arg Gln Asn Arg Thr Pro Thr Ile Val Val Leu Trp
 995 1000 1005

Ser Ile Leu Leu Ala Ser Ile Phe Ser Leu Ile Trp Val Arg Ile
 1010 1015 1020

Asp Pro Phe Leu Pro Lys Gln Thr Gly Pro Ile Leu Lys Gln Cys
 1025 1030 1035

Gly Val Glu Cys
 1040

<210> SEQ ID NO 7
 <211> LENGTH: 5
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA

<400> SEQUENCE: 7

Gln Val Leu Arg Trp
 1 5

<210> SEQ ID NO 8
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 8

Tyr Gly Pro Gln Ser Leu Pro Thr Leu Pro Ser Pro Ser Ser Ser Ser
 1 5 10 15

Ser Cys Cys Cys Gly Pro Lys Lys Pro Lys Lys Asp Leu Glu Glu
 20 25 30

Phe Lys Arg Asp Ala Arg Arg Asp Leu Asn Ala Ala Ile Phe Asn
 35 40 45

Leu Lys Glu Ile Glu Ser Tyr Asp Asp Tyr Glu Arg Ser Leu Leu Ile
 50 55 60

Ser Gln Met Ser Phe Glu Lys Thr Phe Gly Met Ser Ser Val Phe Ile
 65 70 75 80

Glu Ser Thr Leu Met Glu Asn Gly Gly Leu Ala Glu Ser Ala Asn Pro
 85 90 95

Ala Thr Met Ile Asn Glu Ala Ile His
 100 105

<210> SEQ ID NO 9
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 9

Tyr Gly Pro Gln Ser Leu Pro Thr Leu Pro Ser Pro Ser Ser Ser Ser
 1 5 10 15

Ser Cys Cys Cys Cys Gly Pro Lys Lys Pro Lys Lys Asp Leu Glu Glu
 20 25 30

Phe Lys Arg Asp Ala Arg Arg Asp Asp Leu Asn Ala Ala Ile Phe Asn
 35 40 45

Leu Lys Glu Ile Glu Ser Tyr Asp Asp Tyr Glu Arg Ser Leu Leu Ile
 50 55 60

Ser Gln Met Ser Phe Glu Lys Thr Phe Gly Met Ser Ser Val Phe Ile
 65 70 75 80

Glu Ser Thr Leu Met Glu Asn Gly Gly Leu Ala Glu Ser Ala Asn Pro
 85 90 95

Ala Thr Met Ile Asn Glu Ala Ile His

-continued

100 105

<210> SEQ ID NO 10
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 10

Tyr Gly Pro Gln Ser Leu Pro Thr Leu Pro Ser Pro Ser Ser Ser Ser
 1 5 10 15
 Ser Cys Cys Cys Cys Gly Pro Lys Lys Pro Lys Lys Asp Leu Glu Glu
 20 25 30
 Phe Lys Arg Asp Ala Arg Arg Asp Asp Leu Asn Ala Ala Ile Phe Asn
 35 40 45
 Leu Lys Glu Ile Glu Ser Tyr Asp Asp Tyr Glu Arg Ser Leu Leu Ile
 50 55 60
 Ser Gln Met Ser Phe Glu Lys Thr Phe Gly Met Ser Ser Val Phe Ile
 65 70 75 80
 Glu Ser Thr Leu Met Glu Asn Gly Gly Leu Ala Glu Ser Ala Asn Pro
 85 90 95
 Ala Thr Met Ile Asn Glu Ala Ile His
 100 105

<210> SEQ ID NO 11
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 11

Tyr Gly Pro Pro Ser Met Pro Ser Phe Pro Lys Ser Ser Ser Ser Ser
 1 5 10 15
 Cys Ser Cys Cys Cys Pro Gly Lys Lys Glu Pro Lys Asp Pro Ser Glu
 20 25 30
 Leu Tyr Arg Asp Ala Lys Arg Glu Glu Leu Asp Ala Ala Ile Phe Asn
 35 40 45
 Leu Arg Glu Ile Asp Asn Tyr Asp Glu Tyr Glu Arg Ser Met Leu Ile
 50 55 60
 Ser Gln Thr Ser Phe Glu Lys Thr Phe Gly Leu Ser Ser Val Phe Ile
 65 70 75 80
 Glu Ser Thr Leu Met Glu Asn Gly Gly Val Ala Glu Ser Ala Asn Pro
 85 90 95
 Ser Thr Leu Ile Lys Glu Ala Ile His
 100 105

<210> SEQ ID NO 12
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 12

Tyr Gly Pro Pro Ser Met Pro Ser Phe Pro Lys Ser Ser Ser Ser Ser
 1 5 10 15
 Cys Ser Cys Cys Cys Pro Gly Lys Lys Glu Pro Lys Glu Pro Thr Glu
 20 25 30
 Leu Tyr Arg Asp Ala Lys Arg Glu Glu Leu Asp Ala Ala Ile Phe Asn
 35 40 45
 Leu Arg Glu Ile Asp Asn Tyr Asp Glu Tyr Glu Arg Ser Met Leu Ile
 50 55 60

-continued

Ser Gln Thr Ser Phe Glu Lys Thr Phe Gly Leu Ser Ser Val Phe Ile
65 70 75 80

Glu Ser Thr Leu Met Glu Asn Gly Gly Val Ala Glu Ser Ala Asn Pro
85 90 95

Ser Thr Leu Ile Lys Glu Ala Ile His
100 105

<210> SEQ ID NO 13
<211> LENGTH: 102
<212> TYPE: PRT
<213> ORGANISM: PtrCesA1

<400> SEQUENCE: 13

Tyr Ser Pro Pro Ser Met Pro Pro Leu Pro Lys Ser Ser Ser Cys Cys
1 5 10 15

Cys Phe Pro Ser Lys Lys Pro Ala Lys Asp Val Ser Glu Leu Tyr Lys
20 25 30

Asp Ala Lys Arg Glu Glu Leu Asp Ala Ala Ile Phe Asn Leu Arg Glu
35 40 45

Ile Glu Asn Tyr Asp Glu Tyr Glu Arg Ser Met Leu Ile Ser Gln Leu
50 55 60

Ser Phe Glu Lys Thr Phe Gly Leu Ser Thr Val Phe Ile Glu Ser Thr
65 70 75 80

Leu Met Glu Asn Gly Gly Val Ser Glu Ser Ala Asp Pro Ser Met Leu
85 90 95

Ile Lys Glu Ala Ile His
100

<210> SEQ ID NO 14
<211> LENGTH: 106
<212> TYPE: PRT
<213> ORGANISM: PtrCesA1

<400> SEQUENCE: 14

Tyr Gly Pro Pro Ser Leu Pro Ala Leu Pro Lys Ser Ser Val Cys Ser
1 5 10 15

Trp Cys Cys Cys Cys Cys Pro Lys Lys Lys Ala Glu Lys Ser Glu Lys
20 25 30

Glu Met His Arg Asp Ser Arg Arg Glu Asp Leu Glu Ser Ala Ile Phe
35 40 45

Asn Leu Arg Glu Ile Asp Asn Tyr Asp Glu Tyr Glu Arg Ser Met Leu
50 55 60

Ile Ser Gln Met Ser Phe Glu Lys Ser Phe Gly Leu Ser Ser Val Phe
65 70 75 80

Ile Glu Ser Thr Leu Met Glu Asn Gly Gly Val Pro Glu Ser Ala Asn
85 90 95

Pro Ser Thr Leu Ile Lys Glu Ala Ile His
100 105

<210> SEQ ID NO 15
<211> LENGTH: 108
<212> TYPE: PRT
<213> ORGANISM: PtrCesA1

<400> SEQUENCE: 15

Tyr Gly Pro Pro Ser Met Pro Ser Leu Arg Lys Arg Lys Asp Ser Ser
1 5 10 15

Ser Cys Phe Ser Cys Cys Cys Pro Ser Lys Lys Lys Pro Ala Gln Asp
20 25 30

-continued

Pro Ala Glu Val Tyr Arg Asp Ala Lys Arg Glu Asp Leu Asn Ala Ala
 35 40 45

Ile Phe Asn Leu Thr Glu Ile Asp Asn Tyr Asp Glu His Glu Arg Ser
 50 55 60

Met Leu Ile Ser Gln Leu Ser Phe Glu Lys Thr Phe Gly Leu Ser Ser
 65 70 75 80

Val Phe Ile Glu Ser Thr Leu Met Glu Asn Gly Gly Val Pro Glu Ser
 85 90 95

Ala Asn Ser Pro Thr Leu Ile Lys Glu Ala Ile His
 100 105

<210> SEQ ID NO 16
 <211> LENGTH: 105
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA1

<400> SEQUENCE: 16

Tyr Ser Pro Pro Ser Lys Pro Arg Ile Leu Pro Gln Ser Ser Ser Ser
 1 5 10 15

Ser Cys Cys Cys Leu Thr Lys Lys Lys Gln Pro Gln Asp Pro Ser Glu
 20 25 30

Ile Tyr Lys Asp Ala Lys Arg Glu Glu Leu Asp Ala Ala Ile Phe Asn
 35 40 45

Leu Gly Asp Leu Asp Asn Tyr Asp Glu Tyr Asp Arg Ser Met Leu Ile
 50 55 60

Ser Gln Thr Ser Phe Glu Lys Thr Phe Gly Leu Ser Thr Val Phe Ile
 65 70 75 80

Glu Ser Thr Leu Met Glu Asn Gly Gly Val Pro Asp Ser Val Asn Pro
 85 90 95

Ser Thr Leu Ile Lys Glu Ala Ile His
 100 105

<210> SEQ ID NO 17
 <211> LENGTH: 93
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA2

<400> SEQUENCE: 17

Tyr Asn Pro Pro Lys Gly Pro Lys Arg Pro Lys Met Val Ser Cys Asp
 1 5 10 15

Cys Cys Pro Cys Phe Gly Ser Arg Lys Lys Leu Lys His Ala Lys Ser
 20 25 30

Asp Val Asn Gly Glu Ala Ala Ser Leu Lys Gly Met Asp Asp Asp Lys
 35 40 45

Glu Val Leu Met Ser Gln Met Asn Phe Glu Lys Lys Phe Gly Gln Ser
 50 55 60

Ser Ile Phe Val Thr Ser Thr Leu Met Glu Glu Gly Gly Val Pro Pro
 65 70 75 80

Ser Ser Ser Pro Ala Gly Met Leu Lys Glu Ala Ile His
 85 90

<210> SEQ ID NO 18
 <211> LENGTH: 93
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA2

<400> SEQUENCE: 18

Tyr Asn Pro Pro Lys Gly Pro Lys Arg Pro Lys Met Val Ser Cys Asp

-continued

1 5 10 15

Cys Cys Pro Cys Phe Gly Arg Arg Lys Lys Val Lys His Ala Met Asn
 20 25 30

Asp Ala Asn Gly Glu Ala Ala Gly Leu Arg Gly Met Glu Asp Asp Lys
 35 40 45

Glu Leu Leu Met Ser Gln Met Asn Phe Glu Lys Lys Phe Gly Gln Ser
 50 55 60

Ser Ile Phe Val Thr Ser Val Leu Met Glu Glu Gly Gly Val Pro Pro
 65 70 75 80

Ser Ser Ser Pro Ala Ser Gln Leu Lys Glu Ala Ile His
 85 90

<210> SEQ ID NO 19
 <211> LENGTH: 94
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA2

<400> SEQUENCE: 19

Tyr Glu Pro Pro Lys Gly Pro Lys Arg Pro Lys Met Ile Ser Cys Gly
 1 5 10 15

Cys Cys Pro Cys Phe Gly Arg Arg Arg Lys Asn Lys Lys Phe Ser Lys
 20 25 30

Asn Asp Met Asn Gly Asp Val Ala Ala Leu Gly Gly Ala Glu Gly Asp
 35 40 45

Lys Glu His Leu Met Phe Glu Met Asn Phe Glu Lys Thr Phe Gly Gln
 50 55 60

Ser Ser Ile Phe Val Thr Ser Thr Leu Met Glu Glu Gly Gly Val Pro
 65 70 75 80

Pro Ser Ser Ser Pro Ala Val Leu Leu Lys Glu Ala Ile His
 85 90

<210> SEQ ID NO 20
 <211> LENGTH: 88
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA2

<400> SEQUENCE: 20

Tyr Asp Pro Pro Lys Asp Pro Lys Arg Pro Lys Met Glu Thr Cys Asp
 1 5 10 15

Cys Cys Pro Cys Phe Gly Arg Arg Lys Lys Lys Asn Ala Lys Thr Gly
 20 25 30

Ala Val Val Glu Gly Met Asp Asn Asn Asp Lys Glu Leu Leu Met Ser
 35 40 45

His Met Asn Phe Glu Lys Lys Phe Gly Gln Ser Ala Ile Phe Val Thr
 50 55 60

Ser Thr Leu Met Glu Glu Gly Gly Val Pro Pro Ser Ser Ser Pro Ala
 65 70 75 80

Ala Leu Leu Lys Glu Ala Ile His
 85

<210> SEQ ID NO 21
 <211> LENGTH: 81
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA2

<400> SEQUENCE: 21

Phe Asp Pro Pro Lys Ala Ser Lys Arg Gln Arg Glu Val Gln Val His
 1 5 10 15

-continued

<211> LENGTH: 129
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA3

<400> SEQUENCE: 24

Tyr Asp Pro Pro Val Ser Glu Lys Arg Pro Lys Met Thr Cys Asp Cys
 1 5 10 15
 Trp Pro Ser Trp Cys Cys Cys Cys Cys Gly Gly Ser Arg Lys Lys Ser
 20 25 30
 Lys Lys Lys Gly Glu Lys Lys Gly Leu Leu Gly Gly Leu Leu Tyr Gly
 35 40 45
 Lys Lys Lys Lys Met Met Gly Lys Asn Tyr Val Lys Lys Gly Ser Ala
 50 55 60
 Pro Val Phe Asp Leu Glu Glu Ile Glu Glu Gly Leu Glu Gly Tyr Glu
 65 70 75 80
 Glu Leu Glu Lys Ser Thr Leu Met Ser Gln Lys Asn Phe Glu Lys Arg
 85 90 95
 Phe Gly Gln Ser Pro Val Phe Ile Ala Ser Thr Leu Met Glu Asn Gly
 100 105 110
 Gly Leu Pro Glu Gly Thr Asn Ser Thr Ser Leu Ile Lys Glu Ala Ile
 115 120 125

His

<210> SEQ ID NO 25
 <211> LENGTH: 129
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA3

<400> SEQUENCE: 25

Tyr Asp Pro Pro Val Ser Glu Lys Arg Pro Lys Met Thr Cys Asp Cys
 1 5 10 15
 Trp Pro Lys Trp Cys Cys Phe Cys Cys Gly Ser Arg Lys Thr Lys Ser
 20 25 30
 Lys Lys Lys Ser Gly Thr Asn Gly Arg Ser Leu Phe Ser Arg Leu Tyr
 35 40 45
 Lys Lys Lys Lys Met Gly Gly Lys Asp Tyr Val Arg Lys Gly Ser Gly
 50 55 60
 Ser Met Phe Asp Leu Glu Glu Ile Glu Gln Gly Leu Glu Gly Tyr Glu
 65 70 75 80
 Glu Leu Glu Lys Ser Ser Leu Met Ser Gln Lys Ser Phe Glu Lys Arg
 85 90 95
 Phe Gly Gln Ser Pro Val Phe Ile Ala Ser Thr Leu Met Glu Asn Gly
 100 105 110
 Gly Leu Pro Glu Gly Thr Asn Thr Gln Ser Leu Val Lys Glu Ala Ile
 115 120 125

His

<210> SEQ ID NO 26
 <211> LENGTH: 139
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA3

<400> SEQUENCE: 26

Tyr Glu Pro Pro Val Ser Glu Lys Arg Lys Lys Met Thr Cys Asp Cys
 1 5 10 15
 Trp Pro Ser Trp Ile Cys Cys Cys Cys Gly Gly Gly Asn Arg Asn His
 20 25 30

-continued

Lys Ser Asp Ser Ser Lys Lys Lys Ser Gly Ile Lys Ser Leu Phe Ser
 35 40 45

Lys Leu Lys Lys Lys Thr Lys Lys Lys Ser Asp Asp Lys Thr Met Ser
 50 55 60

Ser Tyr Ser Arg Lys Arg Ser Ser Thr Glu Ala Ile Phe Asp Leu Glu
 65 70 75 80

Asp Ile Glu Glu Gly Leu Glu Gly Tyr Asp Glu Leu Glu Lys Ser Ser
 85 90 95

Leu Met Ser Gln Lys Asn Phe Glu Lys Arg Phe Gly Met Ser Pro Val
 100 105 110

Phe Ile Ala Ser Thr Leu Met Glu Asn Gly Gly Leu Pro Glu Ala Thr
 115 120 125

Asn Thr Ser Ser Leu Ile Lys Glu Ala Ile His
 130 135

<210> SEQ ID NO 27
 <211> LENGTH: 155
 <212> TYPE: PRT
 <213> ORGANISM: PtrCesA3

<400> SEQUENCE: 27

Tyr Asp Pro Pro Arg Pro Glu Lys Arg Pro Lys Met Thr Cys Asp Cys
 1 5 10 15

Trp Pro Ser Trp Cys Cys Cys Cys Cys Phe Gly Gly Gly Lys Arg
 20 25 30

Gly Lys Ser His Lys Asn Lys Lys Gly Gly Gly Gly Glu Gly Gly
 35 40 45

Gly Leu Asp Glu Pro Arg Arg Gly Leu Leu Gly Phe Tyr Lys Lys Arg
 50 55 60

Ser Lys Lys Asp Lys Leu Gly Gly Gly Ala Ala Ser Leu Ala Gly Gly
 65 70 75 80

Lys Lys Gly Tyr Arg Lys His Gln Arg Gly Phe Glu Leu Glu Glu Ile
 85 90 95

Glu Glu Gly Leu Glu Gly Tyr Asp Glu Leu Glu Arg Ser Ser Leu Met
 100 105 110

Ser Gln Lys Ser Phe Glu Lys Arg Phe Gly Gln Ser Pro Val Phe Ile
 115 120 125

Ala Ser Thr Leu Val Glu Asp Gly Gly Leu Pro Gln Gly Ala Ala Ala
 130 135 140

Asp Pro Ala Ala Leu Ile Lys Glu Ala Ile His
 145 150 155

What is claimed is:

1. A method for enhancing expression of secondary cell wall cellulose synthases in a plant comprising introducing into the plant a first polynucleotide encoding a polypeptide having at least 80% identity to SEQ ID NO:2 (PtrCesA1), a second polynucleotide encoding a polypeptide having at least 80% identity to SEQ ID NO:4 (PtrCesA2), and a third polynucleotide encoding a polypeptide having at least 80% identity to SEQ ID NO:6 (PtrCesA3), wherein the expression of secondary cell wall cellulose synthases is enhanced.

2. The method of claim 1, wherein the first polynucleotide encodes a polypeptide having at least 95% identity to SEQ ID NO:2 (PtrCesA1), the second polynucleotide encodes a polypeptide having at least 95% identity to SEQ ID NO:4 (PtrCesA2), and the third polynucleotide encodes a polypeptide having at least 95% identity to SEQ ID NO:6 (PtrCesA3).

3. The method of claim 1, wherein the first polynucleotide encodes a polypeptide of SEQ ID NO:2 (PtrCesA1), the second polynucleotide encodes a polypeptide of SEQ ID NO:4 (PtrCesA2), and the third polynucleotide encodes a polypeptide of SEQ ID NO:6 (PtrCesA3).

4. The method of claim 1, wherein the plant is a woody plant.

5. The method of claim 4, wherein the woody plant is a tree.

6. The method of claim 1, wherein the plant is selected from a alfalfa, cotton, maize, rice, tobacco, pine, eucalyptus, poplar, fir, maple, oak and acacia plant.

7. The method of claim 1, wherein the first, second and third polynucleotides are operatively linked to a promoter.

8. The method of claim 7, wherein the promoter is a constitutive promoter.

61

9. The method of claim 7, wherein the promoter is natively associated with a polynucleotide encoding a secondary cellulose synthase.

10. The method of claim 1, wherein the plant comprises a bifurcated stem.

11. The method of claim 1, wherein the plant exhibits increased growth or reduced seed production when compared to a control plant.

12. A plant produced by the method of claim 1.

13. The plant of claim 12, wherein the plant is a woody plant.

14. The plant of claim 13, wherein the plant is a tree.

15. The plant of claim 12, wherein the plant is selected from an alfalfa, cotton, maize, rice, tobacco, pine, eucalyptus, poplar, fir, maple, oak and acacia plant.

62

16. A plant comprising at least three exogenous polynucleotides encoding secondary cell wall cellulose synthases, wherein three exogenous polynucleotides encode a polypeptide having at least 80% identity to SEQ ID NO:2 (PtrCesA1), a polypeptide having at least 80% identity to SEQ ID NO:4 (PtrCesA2), and a polypeptide having at least 80% identity to SEQ ID NO:6 (PtrCesA3).

17. The plant of claim 16, wherein the plant is a woody plant.

* * * * *