

University of New Mexico UNM Digital Repository

Division of Mammals - Field Notes and Catalogs

Museum of Southwestern Biology

6-12-1958

New Mexico & Arizona 1958 Field Notes

Alan B. Sargeant

Follow this and additional works at: https://digitalrepository.unm.edu/msb_mammals_field_notes

Recommended Citation

Sargeant, Alan B.. "New Mexico & Arizona 1958 Field Notes." (1958). https://digitalrepository.unm.edu/msb_mammals_field_notes/128

This Article is brought to you for free and open access by the Museum of Southwestern Biology at UNM Digital Repository. It has been accepted for inclusion in Division of Mammals - Field Notes and Catalogs by an authorized administrator of UNM Digital Repository. For questions or technical help with UNM's Digital Repository, please contact disc@unm.edu.

June 12 On route to Arizona - drove as far as Tulsa Oklahoma where night was spent on east edge of town.

June 13 Drove as far as Cuervo New Mexico where 40 museum specials were set on rocky desert Juniper area 2 mi. WSW of town. One *Peromyscus Truei* caught in evening. Weather was cool with moderate wind and scattered thunderstorms.

June 14 Traps set on June 13 were pulled, catch was 2 *Peromyscus Truei*, 2 *Peromyscus maniculatus* & 1 *Peromyscus* which Dr Hoeffmeister thought to be *boylei*. *Lepus californicus* was sighted & 1 *sylvilagus* was observed feeding on short grass, daisy like desert flowers.

Drove to Willcox Arizona where 1 gopher set was made 6.5 mi N of town and 35 museum specials were set 9.5 mi. SE of town - weather - Moderate breeze, hot, and clear.

June 15 Traps from June 14 were pulled. Specials yielded 1 *Perognathus*, 2 *Onychomys*, 1 *P. maniculatus* and 1 *Dipodomys Merriami*.

gopher set yielded 1 *Thomomys bottae*. 5 more gopher sets were made were made in this irrigation area 6.5 mi N of Willcox with 1 more *T. bottae* caught. Gophers appeared to be very scarce in this area only occurring along irrigation projects. Several *Lopus californicus* were sighted immediately N of town. Traps were pulled and then drove to Tucson. 3 rat & 4 gopher sets were made in immediate vicinity of Fort Lowell on East edge of Tucson - weather was hot & partly cloudy.

JUNE 16 Traps were pulled and catch was two *Thomomys bottae*. The 3 rat traps which were set for *Spermophilus* yielded nothing. Little if any cotton rat sign was sighted in this area. Rest of day was spent attending Mammal Meetings.

JUNE 17 Day was spent attending Mammal Meetings.

JUNE 18 Attended Mammal Meetings in morning. In afternoon drove to Saguaro National Monument, Pima Co where 5 museum specials & 1 rat trap were set near

E Boundary - 24 Museum specials + 3 rat Traps were then set on W Boundary of Saguaro Monument. Much wood rat sign was noted here & 1 cottontail was sighted & then drove to Colossal Cave where 9 museum specials were set 8 mi S of cave along Rocky Banks of Dry Creek. In evening went to Colossal Cave where large numbers of *Myotis velifer* + *Leptonycteris* were seen. Nursery colony of 100+^{or} *Myotis velifer* was observed within 1 ft. radius circle. Bats were using abandoned mine shaft spots x 75 yds E of conical cave entrance.

June 19 Traps were pulled + yielded.

9 - Museum specials → 3 *Perognathus intermedius*, 1 *Neotoma albigula* - 2 cottontails were sighted here, probably desert cottontails (*Perognathus* ^{solved abundant} here)

24 specials + 3 rat traps → 2 *Dipodomys Merrilli*, 1 *Neotoma albigula*, 1 *perognathus amplus*, 1 *perognathus* which was either (*baileyi* or *intermedius*) + 1 *Citellus* ~~leucurus~~ ^{harrisi} - ONE cottontail probably desert was sighted here also. This area was extremely dry with gently rolling hills, the wood rats had large piles of Dorbis piled in the prickly pear throughout the area.

5 specials + 1 rat trap → nothing

Then drove to Pena Blanca springs, where 30 Muscav specials + 4 rat traps were set 2 1/2 mi. NE Pajarito PK. on grassy side slopes. Some cotton rat signs were noted + attempt was made to catch some. Cottontails were sighted here. 15 Muscav specials were set on side of steep rocky slope immediately E. of forest camp about 1/2 mi. S of lake. In evening one Eptesicus was shot on camp grounds. Late at night bats seemed very numerous flying around camp grounds. Skunk (stripped) shot at camp.

June 20 Traps were checked but not pulled.

group collected
3 Tadarida
in cave on
SE side of
castle rock
Pena Blanca
spring - Large
amounts of
droppings here
+ Owl Pellets
Numerous
bats sighted
approx 20 -

20 specials + 4 rat → 1 Peromyscus pectoralis + 1 Reithrodontomys - 15 specials → 1 Peromyscus pectoralis + 2 Neotoma. Rained heavily during day + all traps were rebaited but left at same sets in late afternoon. Attempt was made to shoot bats at forest camp in evening but only 1 was sighted + none were shot.

June 21 Traps were checked but not pulled
30 specials + 4 rat → 1 Sigmodon ochrognathus
15 specials → 1 Peromyscus pectoralis. Drove to Nogales during mid day + with group collected 6 Autugous all nursing young under Memorial stadium. light rain showers throughout day + traps were again checked & rebaited. In evening

Drove to small pond 15 mi. W Penn Blanca spring where I shot 1 pistol (67) group collected Total of 4. Bat net was set up but yielded none.


June 22 Traps were checked + pulled 30 specials + 4 rat → 1 *Petromyscus pectoralis* + 1 *Reithrodontomys*. 15 specials → nothing. Bat net was taken down but yielded nothing. Pocket gophers traps were set on rocky bluff directly W of camp but yielded nothing.

General notes. On Penn Blanca area → pocket gophers living on bluff W or camp were in soil which was better than sand rock + seemed to be living near top of bluff rather than at base. Sigmofors were living on grassy side slopes 26 mi N.E. Pajarito PK. Here they were quite scattered with runs through grass, but were not very abundant. Woodrats + cottontails were also present here. Mice at this location seemed quite scarce. Bats seemed quite common throughout Penn Blanca area. Drove camp in early afternoon + drove to Twin Buttes + Heliaz Mountain where mine shafts were checked for bats but none were sighted although droppings from bats were quite abundant. Drove to 12 mi. ENE Sells, Pima Co where 49 Museum specials + 4 rat traps were set. Cottontail + Antelope Jackrabbit were

ONLY 3-4 bats
sighted in
Allison mine
but droppings
were quite
abundant

sighted here. Gopher mounds seemed quite abundant in this desert area. but didn't trap for any.
June 23 Traps were pulled & yielded - 2 ⁽⁶⁸⁾ *Aeotoma*,
3 *Perognathus*, 3 ⁽⁶⁹⁾ *Otocomys* & 1 *Dipodomys deserti*.
Then drove to 9 mi E, 1 mi S. To Pima, Pima Co. where camp was made at abandoned Allison camp. Several rock ~~squirrels~~ squirrels were sighted & were apparently living in one of the buildings. In early afternoon group went to Allison mine where 1 ⁽⁷²⁾ *Corynorhinus* was collected, 18 museum specials & 4 rat traps were set on rocky grass slope above mine with hopes of catching *Spermophilus* but no sign was sighted. returned to camp where 20 museum specials & 2 steel traps were set on rocky slopes with little vegetation other than brush. In evening went to residue where Dr. Hoesterman shot *Pipistrel* & (2 *Tadarida* & 1 *Eptesicus*) were collected in net along top of dam. Bats seemed very numerous here a western hot & clear. June 24 Traps were checked & those above Allison mine were pulled. 18 specials & 4 rat → 1 immature ⁽⁷¹⁾ *Petromyscus* - 20 specials & 2 steel → 1 ⁽⁷⁰⁾ *Petromyscus*. These traps were reset & left in same location. Drove to 28 mi SW Casa Grande, Pinal Co. where mine shafts were examined for


Bats. Large numbers ^(Nursing) ⁽⁷⁵⁻⁷⁶⁾ of *Leptonycteris* + ^(Adult) ⁽⁷⁷⁻⁷⁸⁻⁷⁹⁾ *Macrotis* were seen in Tunnels Probably 1500-2000. Here *Leptonycteris* appeared to have young of Two sizes. Two ^{adult} Grey Fox were sighted here + 1 Pup Fox was cornered in ^{abandoned} mine shaft which required rope to descend into. Pup was shot in bottom of shaft, bottom of shaft had large numbers of ^{large} Prickly burrs on floor & fox also had many of these in his fur. From here we drove about 3 mi. where mine shaft was located just N of road. Approx. 30 Macrotis were seen in this shaft which was about 50 ft. long with small side Tunnel at end. Black Tailed Rattle was found at end of shaft. Then returned to Allison camp where Rock Ground ⁽⁸⁰⁾ squirrel was caught in steel set. In evening went to mission near camp where I shot 3 ⁽⁷³⁻⁷⁴⁾ Pipistrel. Net was put on dam + 3 ⁽⁸¹⁾ Tadarida were caught. A few "large" bats were noted flying here. (Bats very numerous here) 25-June Spent morning skinning bats collected on 24th, Poled traps at 2:00 PM but had nothing. Then drove to 1 mi. S Topawa where 75 species + 4 rat traps were set near well. Net was put over reservoir tank at well + 3 Eptesicus were collected here in net.



June 26 Pulled Traps which yeilded 1 perognathus
This area seemed to have many Dipodomys holes
in sides of mounds 21/2 hours none were
caught. After skinning we drove to Bates
well, Pine Co. In evening 45 specials were set
on rocky side slope 1 mi. E of well. Bat net
was set over water though which yeilded one
anthogyrus. Numerous bats were noted flying in
area over tank & also on desert 2 mi. E.
of tank. Black Tailed jack rabbits & Round
tailed ground squirrels were noted near
camp. Weather very "Hot" 110°+

June 27 Pulled traps set 26th which yeilded 3 perognathus. After skinning drove w. "2 prot." 3 mi. where
13 Macrotoes were collected most of which were
carrying young, many of which were of different
sizes. This mine tunnel or a prop. so st. had about
50 Macrotoes in it. We then drove to Papago wells
where 3 traps were set 9 mi. E of Papago wells.
5 traps were set for wood rats on rocky side
hill 2 mi. E. of Papago well. At Papago well set 45
specials on desert directly E of camp. Here animals
seemed numerous & 1 cottontail was sighted. Bat net
was set over "small" water though which
yeilded 6 pipistrel + 1 Macrotoe. Bats were "very"
abundant here & were noted flying in covered

Folio no 111



Covered water tank. Coyotes were heard howling in evening. (Weather hot & dry)

June 28 Traps were pulled. 45 specials → 5
⁹⁸⁻⁹⁹⁻¹⁰⁰ ⁽⁹⁸⁾ ⁽⁹⁷⁾
Dipodomys merriami, 1 *Dipodomys deserti*, 1 *Otocyon myotis*, 19
~~Perognathus~~ ⁶⁺ ² species. 5 wood rat traps → 2 *Neotoma*
 One *Anthonomus* was collected when Bat net was taken down or two species. 3 traps → 2 round tailed ground squirrels. Returned to Bates well & skinned. Drove to Ajo, ~~where~~ where Coyote skull was picked up on route. Drove to Crater Mts. 12 mi. N. Ajo where camp was made & 46 specials & 6 rat traps were put on rocky side slopes. A few bats were noted flying in evening. (Weather hot & dry) (09)


June 29. Traps were pulled & yielded. 17 *Perognathus* ⁽¹⁰⁰⁾ ⁽¹⁰¹⁾ 3 *Peromyscus* & 3 *Neotoma*. Drove to Stanfield Pinetree. where 33 specials were set 10 mi. W of Casa Grande along wash on N side of highway in short grass & scattered bushes on silty sand soil, 6 specials were also set 11 mi. W of Casa Grande in same type of habitat. Camp was made 2 mi. W of highway, 14 mi. W of Casa Grande on Harold Arp's Ranch. 2 or 3 bats were noted flying here but none were collected. Scattered thunderstorms occurred in afternoon & rest of day was hot. Traps were checked at 10:30 P.M. → 2 *Perognathus* ⁽¹⁰²⁾ 1 *Peromyscus maniculatus*, 1 *Peromyscus crinitus*

June 30 Traps were checked + Polled yesterday
33 specials → 2 Dipodomys + 2 Perognathus - cotton-
tails were sighted here - 1 trap set in front
of hole under stump yielded 1 Peromyscus maniculatus
on evening of June 29 + 1 Perognathus next morning.
6 specials → nothing. Animals were skinned
+ then drove to Case Grande. 4 mi. W of
Case Grande Badger was found dead on
road + skinned there. In mid afternoon
set 7 gopher traps $\frac{5}{2}$ to 7 mi. E of Case
Grande, traps were picked up 2 hours later +
yielded 2 Thomomys. Then drove to spot. 7 mi. W of
Case Grande where 40 specials were set in clump
of brush just N of highway, then returned to camp
14 mi. W of Case Grande.


July 1 Traps were checked + yielded nothing. Kelley +
Asdt also got nothing here. There seemed to be
numerous holes but apparently were few animals.
It was very windy the previous evening + rained on
June 30. It was reported in the valley was sprayed
with insecticide in spring. Then drove to Silver
reef Mts. where silver reef mine was checked
+ each of two tunnels had spot. 30 Nursing
Macroterus in them - Mine 1/2 mi. E of Silver reef
mine had no bats although droppings were quite
abundant. Cave at Silver reef mine (easily seen from road)

Desert Queen


Tunnel 1



Tunnel 2



Tunnel 3



had abundant bat droppings also. Then drove to Desert Queen mine where Kelley & myself checked tunnels. There were many tunnels here & all had bat droppings in them but only three had bats. See map to Mine Tunnel 1 - had approx 30-40 Macrotrous & ♀ were collected - all but one were males & the one was a juvingle ♀. No Nursing ♀ or young were seen in this tunnel.

Tunnel 2. Had large nursery colony approx 800-1000 & a few ♂ were here also - bats in this tunnel could be easily caught if desired & Tunnel 3. Apparently had mostly ♂ although a few immaturo were observed. Jack rabbit mine was also checked best as possible but no bats were sighted. Camp was made in house across road from jack rabbit mine. 10 specials were set here & 36 specials & 6 rat traps were set approx 1 mi. N. of camp at N base of rocky ridge. A couple of bats were sighted flying around camp in evening (weather was hot & dry).


July 2 Traps were checked & yielded 10 specials - 1 Peromyscus manicatus. 36 specials & 6 rat → 2 Neotoma, 2 Perognathus & 7 peromyscus manicatus. Cotton tail was also sighted here & Black Tailed jack also. Tuning point mine 1 mi S of camp was checked for bats but due to verticle shafts only 1 tunnel was checked no bats were sighted. Then drove s

at Turnig pt. mine a couple of miles + south
mine was checked - numerous ~~Acanthocephala~~^{(nursery) columnicula} *Mactostomus*
(300+-^(adults)) were sighted + pig droppings were found
in tunnels. Then drove to Casa Grande + on
route picked up Pocket Gopher set out
there (5 mi. S casa) on July 1. Caught nothing.
Then drove to Bradshaw Mts. where 30 spects
were set 2 mi. N of Crown King on rocky
side slope - 2 cottontails were sighted here.
Then drove to Horse Thief basin where 15
spects were set in dry creek bed near
public camping area.

July 3 Traps were checked & pulled 15 specials → 1 *Peromyscus boylii*. 30 specials → 5 ¹²⁵⁻¹²⁶⁻¹²⁷⁻¹²⁸ *Peromyscus boylii*. Rock squirrel was sighted near reservoir, rock squirrel & chipmunk were sighted at Crown King. Mule deer ♂ in velvet was sighted in horse trail basin. A few bats were sighted flying amongst the yellow pine. ~~Very small~~ ~~had~~ No evening at camp. 45 specials were set just below dam at reservoir. In late afternoon walked down Hill road to Cold Camp Spring looking for pocket gophers, ground squirrels & chipmunks but none were sighted.

July 4 Traps were checked but not pulled →
8 P.M. (129, 130, 131, 132) boyler, a few rat traps were set here
for ground squirrels then drove toward Crown King

5



+ AT red fire box spot. 4 mi from Ocean Mine went south to mine "see map" where 2 few bat droppings were sighted but no bats - Then drove to Tin shed at Lakes Hoist divide where 37 ^(133, 134, 135, 136, 137, 138, 139) *Myotis Thyssanoides* were collected in shed - Then walked from here to Missoult Mine "see map" spot 2 mi. from road. This mine was very cool + your breath could be seen at end 6 *Myotis Thyssanoides* in 1 *Peromyscus* dorminant condition were sighted + 1 bat was noted flying. Pocket gopher mounds were sighted at entrance of tunnel 150' from entrance. Two traps were set. Then walked down trail to another mine "see map" But was unable to go into mine more than 10 ft. mine was encased in timbers which were rotten. This mine was very damp & deer tracks were sighted at entrance. Our traps were then + 1 ground squirrel was caught. In evening shot bats near Missoult mine but only one species was shot. Gopher traps were checked, one was sprung but none caught.

July 5 Traps were checked + pulled below residue
 → 6 *Peromyscus boyleri*, Gopher traps at Missoult mine were pulled holes were plugged but didn't get gopher, Then drove to Camp Verde where desert just E of town was checked for *Dipodomys*

14

(146-147-148-149-150)

10 AM yesterday got Myotis in stir of house just
5 of camp.

Sign but little if any sign was here. Then drove
to 2 mi. W Rimrock where camp was made at
Pond. 65 specials & ^{6 rot trap} were set just N of Montezuma
well on rim above school. Much wood rot sign
here. Many bats were noted flying over pond
in evening & last net was set up but no bats
caught. 2 Pocket Gopher Traps were set near
pond & one ⁽¹⁴⁴⁾ Thomomys was caught.


July 6 Traps were checked & pulled →
1 Neotoma, 4 Perognathus, ¹⁴³ 13 ¹⁴¹⁻¹⁴² Peromyscus, 1
⁽¹⁴⁶⁾ Thomomys caught at camp. Set out 10
Pocket gopher sets in afternoon in field
below pond - Caught 2 ¹⁵⁹⁻¹⁶⁰ Thomomys here in late
afternoon, in evening set 55 specials & rot
Traps on rocky slope 2 mi. N Montezuma well.
In Evening many bats were seen flying over
pond at camp but none were collected although
net was put up.

July 7 Traps were checked & pulled → 4 Perognathus
^{153, 154, 155, 156, 157} 13 Peromyscus ¹⁵⁸ eremicus, 1 Neotoma ¹⁵⁹ Stephensii;
2 Thomomys were caught in Gopher Traps at
camp. In Evening 60 specials were set 2 mi. NW
camp late along Highway 79 from desert to top
of Hill. These traps were ~~not~~ checked late in
evening yielding 1 Neotoma + 1 Reithrodontomys.

July 8 Traps were checked & pulled yielding 1 ¹⁶⁴ Peromyscus

General Notes on Camp Verde area


5



163

#1 *Raithrodomys*. ¹⁶² *Steatomys* was caught on top of rocky hill & other one caught on desert. This area apparently had very few animals. Four more ¹⁶⁹ *Myotis* were collected from Winnemucca ranch west camp. Drove to Red Rock crossing on Oak Creek just below Sodano in Yerington Co. here 1 gopher set was made at camp & 20 specials were set on rocky juniper-pinyon slope - 2 more gopher sets were made at Verde Valley School & 40 specials & 3 rat traps were set on rocky pinyon juniper side of Mt. St. Helens 1 mi. W. Sodano. In evening large numbers of small bats probably pipistrel were sighted flying over irrigated field at camp. Went to shoot bats just south of camp but got none & only saw four.

July 9 Checked and pulled traps - gopher sets → nothing, 20 specials → 1 ¹⁶⁸ *Peromyscus* truei & 1 (¹⁶⁷) *Peromyscus*. No special → 2 *Peromyscus* probably ¹⁶⁵⁻¹⁶⁶ *boylii*, cotton tail & jack rabbit sighted here as well as numerous deer tracks. This area had apparently few animals although sign seemed prevalent, wood rat sign was noted here also - drove to Lake Mary, S of Flagstaff where camp was made - set 40 specials on rocky




hole or Tunnel was only
about 10 " long

bluff just N of lake - set 5 specials
on grassy lake bottoms + 6 specials on
grassy area at W end of lake at
Twister Court, ~~ET~~ Twister caught ¹⁷⁴ *Thomomys* (var)
under rock see ← in evening 203
birds were heard flying around camp but
none were seen.

July 10 Traps were checked + pulled - 40
specials → 1 ¹⁷⁰ *Neotoma*, ¹⁷¹⁻¹⁷² ~~etc~~ *Petromyscus*.

5 specials → 1 ¹⁷³ *Reithrodontomys* (caught in
grassy run with cut grass in it.)
1 *Petromyscus*, 6 specials → 2 *Petromyscus*.
There was an abundance of porcupine
droppings on rocky ridge above camp
+ many Golden Mtn. Ground squirrels
were seen along road - little wood
rat sign was noted - see map.



drove to Flagstaff & from here headed home - drove as far as ~~to~~ Central New Mexico.

July 11 drove to 40 mi into Missouri on route sighted 2 Phonyhorns Antilocapra on western edge of Texas along route 66

July 12 arrived back in Champaign.
at 7:00 P.M.